



Digital Transformation in Health Care: Augmented Reality for Hands-Free Service Innovation

Kai Klinker¹ · Manuel Wiesche¹  · Helmut Krcmar¹

Published online: 25 June 2019

© The Author(s) 2019

Abstract

Health care professionals regularly require access to information systems throughout their daily work. However, existing smart devices like smartphones and tablets are difficult to use at the point of care, because health care professionals require both hands during their work. Following a design science research approach including ethnographic fieldwork and prototype tests with focus groups, we find that Augmented Reality smart glass applications offer potential for service innovation in the health care sector. Our smart glass prototype supports health care professionals during wound treatment by allowing them to document procedures hands-free while they perform them. Furthermore, we investigate the use of audio based and physical interaction with the smart glasses in a within-subjects design experiment.

Keywords Augmented reality · Health care · Digital transformation · Smart devices · Smart services

1 Introduction

As administrative burdens in health care have been increasing over the last years, caregivers have less and less time for direct patient care tasks (Seto et al. 2014; Vollmer et al. 2014). Employing smart devices to provide information access for caregivers at the point of care (POC) is thus a promising path to improve outcomes and reduce administrative burdens (van Rooij and Marsh 2016; Beverungen et al. 2017a). Smart devices allow health care service providers to retrieve and analyze aggregated field evidence and to dynamically adapt their service systems to the patients' needs (Beverungen et al. 2017c).

Rapid development and widespread deployment of smart devices are fundamental to many service innovations (Barrett et al. 2015). However, established smart devices like smartphones and tablets have not yet achieved large-scale adoption in health care. One of the main reasons for this is

that health care workers often need both hands for their work, making it complicated to interact with the device during work (Czuszynski et al. 2015; Mitrasinovic et al. 2015).

Augmented Reality (AR) smart glasses, such as the Microsoft HoloLens, are a new generation of smart devices that have the potential to transform health care processes and health care management in general. These AR smart glasses augment their user's field of view with virtual information (Azuma 1997) and can complement or enhance service processes and workflows at the POC (Niemöller et al. 2017). They can be operated hands-free and do not encumber health care workers during their work while providing access to an information system.

Despite this potential, research on smart glasses in the service sector is still at a very early stage (Przybilla et al. 2018). In order to test potential use of smart glasses for smart services, we follow the design science research guidelines proposed by Sonnenberg et al. (Sonnenberg et al. 2012) to iteratively develop and evaluate artifacts that support health care workers. We thereby focus on wound management, as an exemplary service process within health care. Treatment of chronic wounds is a serious problem with high practical relevance in health care (Gillespie et al. 2014). In Germany, every year 2–3 million patients receive wound treatment. Among those, about 900,000 suffer from chronic wounds (Schubert and Köster 2015).

By testing smart glass and tablet applications with various design features in several focus group meetings with wound

✉ Manuel Wiesche
wiesche@tum.de

Kai Klinker
kai.klinker@tum.de

Helmut Krcmar
krcmar@tum.de

¹ Chair for Information Systems, Technical University of Munich, Boltzmannstraße 13, 85748 Garching, Germany

management experts, we find smart glasses to be promising for hands-free use. Yet, different options for technology interaction with smart glasses exist and it is unclear which method is most suited for daily use in health care facilities. Users can interact with the smart glasses using either audio based or physical interactions such as eye blinking. In order to determine technology acceptance and user satisfaction of these interaction techniques we conduct a repeated-measures experiment with 45 wound managers using a smart glass wound documentation prototype. Our experimental results confirm that wound managers are willing to adopt smart glasses for wound management and suggest that the preferred interaction method is subject to individual preferences.

2 Related Work

Literature reviews employed in Design Science Research should identify prior work that is relevant to the study, including theories, empirical research studies and findings/reports from practice (Gregor and Hevner 2013). In the following, we review prior research on smart service systems, theories of technology acceptance, empirical results of studies on AR smart glasses and reports from the practice of the wound management process in German health care facilities.

2.1 Smart Service Systems and Technology Acceptance

Organizations today desire strategies that place them on the frontiers of service innovation (Kim et al. 2015). Transformation of the existing service systems to a smart service system is thus a promising endeavor. Smart service systems are configurations of people, technologies, and other resources that interact with other service systems to create mutual value (Maglio et al. 2009). Smart service systems use smart devices, such as smart glasses, as boundary objects to network resources and routinize interactions between the actors involved in a service system (Becker et al. 2013). Smart devices can observe their environment through sensors or actuators while being able to communicate over a network and, thus, they can be active actors in a service system rather than just passive objects (Beverungen et al. 2017b). Collaborative systems will enable human individuals to realize their full creative potential in delivering services to consumers (Bednar and Welch 2019). Artifacts that are intended for smart service systems should be designed and built with an eye towards user satisfaction and technology acceptance (Jafari Navimipour and Soltani 2016). This is especially true in the health care context, where patient trust is essential (O'Connor and O'Reilly 2018).

Several models and theories of technology acceptance have been adopted from the fields of sociology and

psychology and were tested in various information systems related contexts over the last decades (Venkatesh et al. 2003). The most-cited models are the Technology Acceptance Model (Davis et al. 1989), the Unified Theory of Acceptance and Use of Technology (UTAUT) (Venkatesh et al. 2003) and UTAUT2 (Venkatesh et al. 2012). Within our research, we decided to use UTAUT in order to evaluate our design artifact, because it was originally developed to explain employee technology acceptance and use (Venkatesh et al. 2012), whereas UTAUT2 focuses on consumer use (Venkatesh et al. 2012). UTAUT has previously been used in several instances to predict, define and enhance the use of information systems (Wills et al. 2008). The main factors in the UTAUT model are performance expectancy, effort expectancy and social influence that individuals experience when using an artifact. A vast body of research has shown that these constructs can predict an individual's intention to use the artifact, which in turn predicts actual use.

Additionally we investigated the satisfaction of caregivers after using our artifacts. Satisfaction refers to the perceived discrepancy between prior expectation and perceived performance after consumption. When performance differs from expectation, dissatisfaction occurs (Oliver 1980). Past studies suggest, that perceptions of service quality and value affect satisfaction, and satisfaction, in turn, affects loyalty and post-behavior (Chen and Chen 2010). The service profit chain directly links employee satisfaction and loyalty to customer satisfaction and loyalty (Loveman 1998). It posits, that internal service quality influences employee satisfaction, which in turn influences their loyalty which then influences service quality (Loveman 1998). Increasing internal service quality and employee satisfaction is thus likely to improve overall service quality. Moreover, health care workers' satisfaction with electronic patient records is considered to be a critical factor (Maillet et al. 2015). Finally, the adoption of new technology has been associated with increased job satisfaction (Bala and Venkatesh 2015).

2.2 Wound Management

Chronic wounds are a major problem in health care (Wüller et al. 2018). Every year 2–3 million German patients require wound treatment. Among those, approximately 900,000 patients suffer from chronic wounds. Chronic wounds are defined as wounds that require treatment for more than 8 weeks (Schubert and Köster 2015).

For the health care professionals in charge of treating the wounds, it is mandatory to provide an accurate documentation of the wound process (BVMed - Bundesverband Medizintechnologie e.V. 2015). This is not only required by German law but is also used as a basis for care quality assessment (BVMed - Bundesverband Medizintechnologie e.V.

2015). However, there is a lack of direction and there are no established standards on what tools to use for wound documentation (Ding et al. 2016). It has been noted that a more standardized approach to wound treatment documentation could help to shift from practice- to evidence-based wound treatment (Gillespie et al. 2015).

Wound documentation improves wound treatment outcomes, because relations between interventions and outcomes become evident (Ding et al. 2016). The wound documentation enables health care professionals to assess how the wound has changed over time. Thus, the wound documentation lays the foundation for professional therapy planning and ensures the best possible care for the patient.

The current practice of the wound documentation process is cumbersome to execute for the nursing staff and can lead to serious problems. These include the transmission of germs into open wounds. This may happen via the surfaces of digital cameras or similar devices, which are currently in use for image capture of wounds (Al-Masslawi et al. 2017). Nurses may touch such devices numerous times during the day without washing their hands, potentially spreading germs to others (Thomas et al. 2013).

Furthermore, the actual task of taking the photograph is challenging. Often, several nurses are required for such documentation. This makes it a time-consuming endeavor and adds to already high levels of workload. The documentation is typically written in the station room for hygienic reasons. The documentation is therefore written after the wound treatment is completed and is not done in a timely manner (Ding et al. 2016). Consequently, nurses have to remember specific details about the wound until they reach the station room. The resulting wound documentation is often described as inaccurate (Gillespie et al. 2015; Ding et al. 2016).

Several POC documentation systems, such as Physician-order entry systems or smartphone and tablet applications have been evaluated for use in the wound management context (Nuckols et al. 2014). However, POC systems whose functionality does not closely match the workflow are not valued by health care workers (Sockolow et al. 2014). A reoccurring problem with existing POC systems is that health care workers cannot use them when they do not have their hands free. This is especially problematic in health care where many procedures need to be performed aseptically (Hatscher et al. 2017). In this regard, smartphones, tablets and laptops are not well suited for documentation at the POC, because they should not be touched while the practitioner's hands are sterile or soiled.

In contrast to such hand-held devices, smart glass applications are much better fit for aseptic use in health care because they can be used hands-free. Virtual information is displayed in the user's field of view and technology interaction can be done through hands-free interaction modalities such as voice commands or eye blinking.

2.3 Augmented Reality Smart Glasses

The goal of AR is to bring additional information as seamlessly as possible into the view of a user (Schwald and de Laval 2003). This is done by adding real-time interactive virtual three-dimensional (3D) elements into the user's field of view (Azuma 1997). In previous research, usage of AR smart glasses has been evaluated in several service-related contexts (Klinker et al. 2018). In the field of Logistics, AR has been used to display assembly instructions and to support workers to pick the right parts from a shelf (Evans et al. 2017; Huck-Fries et al. 2017). Moreover, AR has been used for collaboration scenarios like minimal-invasive surgery (Chen et al. 2015).

Users of AR smart glasses need to be able to interact with the virtual objects surrounding them. As such devices are typically operated in mobile and 3D-environments, established interaction paradigms such as keyboard, mouse or the Windows Icons Menus Pointers (WIMP) are not a good fit for this technology (Jacob et al. 2008). Instead, physical 3D-interaction concepts like gestures, hand pointing, ray-casting with hand-held devices, eye blinking, gazing or audio-based interaction concepts like speech commands or natural language processing could be used (Bowman et al. 2008).

A selection technique for virtual objects has to provide means to indicate an object (object indication), a mechanism to confirm its selection (confirmation) and visual, haptic or audio feedback to guide the user during the selection task (feedback) (Argelaguet and Andujar 2013). Since selection consists of several subtasks, 3D user interfaces often leverage multimodal interaction techniques to achieve the synergizing effects of the division of labor. This can, for instance, be done by gazing at an object (indication) and speaking a voice command to select it (Klinker et al. 2017).

3 Research Approach

Research in IT that uses a design science paradigm is fundamentally proactive. Its goal is to create innovative artifacts that extend human and social capabilities and aim to achieve desired outcomes (Hevner and Chatterjee 2010). The objective of using design science research methods is to address a complex problem by developing and investigating the utility of the proposed solution artifacts (Gregor and Jones 2007). In our case, the aim of was to conduct research on service innovation using smart devices by focusing on one specific process in health care. Design Science research is typically initiated with an application context that not only provides the requirements for the research inputs but also defines acceptance criteria for the final evaluation of the research results (Hevner 2007). We selected the wound documentation process, because of its

high practical relevance to health care workers, as described in section 2.2.

In order to design a wound management application to support health care workers during wound documentation, we followed the first three stages of the iterative build-evaluate design science approach proposed by Sonnenberg et al. (Sonnenberg and vom Brocke 2012). The incorporation of new information systems usually requires significant change to processes in an organization (Serrano et al. 2018). By following a very user-centered approach, we aim to increase acceptance of new solutions. Figure 1 shows a depiction of our research approach.

In our instantiation of Sonnenberg’s framework, we first employed ethnographic research in order to gain an understanding of daily routines in the health care context and wound management. For this, we visited one hospital and two elderly care homes. Overall, we spent 60 hours each in the two elderly care homes and 40 hours in the hospital (Identify Problem). Throughout the ethnographic studies, we had the opportunity to watch 14 different health care workers throughout their daily work. Typical activities included washing patients, preparing and administering medicine as well as treating and documenting wounds.

After the ethnographies, we conducted a focus group meeting with nurses, care managers and care home managers in order to discuss problems with the wound documentation process and potentials for improvement (EVAL 1). There are four key reasons focus groups are an appropriate evaluation technique for design science research projects: Focus groups are a very flexible and open format that allow interaction with the respondents, yield large amounts of rich data and allow group participants to build on other respondent’s comments (Tremblay et al. 2010). In total, 11 health care professionals with a nursing background as well as 2 leaders of health care facilities were present at the meeting. From the meeting, we derived a justified problem statement.

Design science is inherently iterative. The search for the best, or optimal, design is often intractable for realistic information systems problems (Von Alan et al. 2004). In the second stage of our project (Design and EVAL2), we iteratively built

low fidelity wound documentation artifacts (i.e. tablet and smart glass applications with various characteristics) and tested them with health care professionals individually and in three focus group meetings. The focus group meetings consisted of health care professionals with nursing backgrounds.


In the final phase of the project (Construct and EVAL3) we implemented a high fidelity smart glass wound management prototype on the Microsoft HoloLens and tested it in a repeated-measures experiment with 45 wound managers that is similar to the study design of Venkatesh et al. (Venkatesh et al. 2017). The goal of this phase was to validate the artifact design and to determine which 3D-interaction techniques are most suited for daily use in health care facilities.

3.1 Experimental Manipulations

We implemented two software versions of our wound documentation application. Each of them corresponds to a treatment within our experiment. The two applications were identical, the only difference being the interaction method. One used voice commands while the other used eye blinking. For the eye blinking treatment, we employed a Wizard of Oz approach (Maulsby et al. 1993). During the experiment, the trial manager would watch the participant’s eyes and click on a Bluetooth device whenever the participant blinked twice with both eyes. We used the onboard voice command library of the HoloLens for the voice command version of the application. The available voice commands within an application screen were always displayed at the bottom of the participant’s field of view. As the third treatment, we asked the participants to evaluate the wound documentation that is currently in use in their facility.

Overall, a total of two manipulated scenarios and one baseline scenario were presented to subjects: (1) the wound documentation process currently in use at the health care facility; (2) The HoloLens application using voice commands and (3) the HoloLens application using eye blinking. We did not combine the use of voice and physical interaction.

Fig. 1 Research approach



3.2 Data Collection

We conducted the experiment with the staff of health care facilities in quiet rooms within their own facilities. We used a table, two chairs, and a laptop with an online questionnaire. The online questionnaire consisted of several parts. In the first part, participants were asked for demographic data (i.e., gender, age, working experience and daily smartphone usage). The succeeding parts were identical and filled out after each treatment.

Data was collected using a closed online questionnaire. It contained questions on: Performance Expectancy (4 items), Effort Expectancy (4 items), Patient Influence (2 items), Behavioral Intention (3 items), nurses' satisfaction (4 items) and open comment sections after each treatment. Table 3 in the appendix lists all constructs and items as they were used in the study. Participants needed about 5 minutes on average to fill out one part of the questionnaire. Participants were asked to fill out one part of the questionnaire after each treatment.

The wording of the items used in prior studies was adapted to nursing practice. Since we were particularly interested in health care worker's perception of how patients would react to smart glasses in the wound documentation process, we changed the subject of the social influence construct to "patient" instead of "people who are important to me". Subsequently, one of the construct's questions became redundant and we dropped it. We decided to refer to this construct as "patient influence" instead of "social influence" throughout this research paper. Moreover, we changed the word "friends" in one of the questions for the satisfaction construct to "colleagues". Participants filled out a German version of the questionnaire. The question translations were derived from the appendices of published papers or upon request from German authors that used these constructs for evaluations (Nistor et al. 2014a, b; Roczniak et al. 2017).

3.3 Procedure

At the beginning of the experiment, we briefed the participants that they would be asked to document wounds as they would in their daily work. We simulated different wounds by providing printed pictures of different wounds for each treatment. For the treatments involving the HoloLens, we asked the users to test the application until they felt confident enough to use it on their own. We would then let participants do the experiment version of that treatment once. After each treatment, the participants were asked to fill out a questionnaire. In order to prevent learning and boredom effects from influencing our results, we randomized the order of the treatments.

3.4 Tasks

After having started one of the experimental treatments on the HoloLens, the user's first task was to measure the length of the

wound. This is done by gazing at the far edge of the wound using the white cursor (indication) and then performing the confirmation command (using voice/blinking). A little blue dot then appears at the point the user is gazing at. Then the user needs to gaze at the near edge of the wound and repeat the selection command. A second blue dot and a line appear, connecting the two dots. Furthermore, the distance between the two dots is displayed above the line as a decimal number measured in meters. Figure 3 shows a picture of the result. By performing the next confirmation command a picture of the wound is taken. Using a red arrow, the user's attention is then guided to a virtual screen displaying the picture that was just taken. The user can either measure the wound again and take a new picture or proceed to the next steps.

The following screens are all checklists. On each screen, the user needs to check off all characteristics that the wound has. In total there are six checklist screens with four to six items each. Figure 4 shows a picture of one of the checklists. Once all checklists are filled in, the application returns to the main menu.

3.5 Participants

In total, we recruited 45 health care workers with wound management experience at four hospitals, three ambulant and two stationary health care providers. We approached senior level managers of the facilities and asked them for supporting our research by asking their staff to participate in an experiment about documenting wounds with a smart glass application. We then visited the facility and conducted the experiment with volunteers. The participants received no monetary compensation for their participation in the experiment.

The average age of the nurses was 40.48 years (standard deviation (SD) = 12.03) and they had 16.20 years of experience on average (SD = 11.63). The sample comprised 33 women (73.3%) and 12 men (26.6%). According to the German Federal Agency of Work, about 80% of nurses in the German health care sector are female (Bundesagentur für Arbeit 2018). Thus, we deem our experimental group to be a representative sample of nurses in the German health care sector.

Assuming a medium effect size ($f = 0.25$), with a power of 0.80 at alpha equals 0.05 significance level, the required sample size for each cell is 39 (Cohen 1992). Hence, 45 subjects for each experimental treatment is adequate for data analysis.

3.6 Factor Analysis

We used the standard procedure documented by Straub (Straub 1989) to validate the reflective constructs Performance Expectancy, Effort Expectancy, Patient Influence, Behavioral Intention, and Satisfaction. All factor loadings were significant, suggesting convergent validity. As

suggested by Straub all constructs satisfy the threshold values for the average variance extracted ($AVE > 0.50$) and Cronbach's alpha ($\alpha > 0.70$) (Straub 1989). In order to evaluate construct reliability, we calculated composite reliability (CR) for all constructs. All constructs had a composite reliability significantly above the cut-off value of 0.70 and the constructs' quality is therefore satisfactory. Table 4 in the appendix shows AVE, CR and Cronbach's alpha for each construct used in this study.

4 Results

4.1 Ethnographic Results

During our ethnographic studies, wound experts mentioned several issues with the current wound documentation process that leave room for improvement. The most pressing issues stem from missing details in the documentation. For instance, wound details are often forgotten or wound measurements are often inaccurate. A second theme that emerged is related to the underlying process: In focus group meetings, wound managers described their present process to be inefficient and difficult to execute both time- and technology-wise. As an example, the issue of how to hold a ruler in place such that photos can be taken with a sense of scale has been raised. In addition, participants complained about the amount of material needed. Another major theme of issues relates to hygienic considerations: Wound managers expressed concerns about cameras not being disinfected, the need for frequent disinfection in the process, and the difficulty of adhering to hygienic standards. Taken together, while current processes seem to be based around a common core, they also seem to share deficiencies. The joint reports on unsatisfactory processes, e.g. regarding efficiency, and concerns regarding hygiene imply that health care practitioners find a lot to be desired in wound documentation.

To cope with deficiencies of current processes and to improve outcomes, health care workers employ various workarounds that may deviate from standard practices. Comments by participants have shown the following behavior: Some health care workers write down the wound size and other wound characteristics on paper or their hand directly after measuring in order to memorize them better (see Fig. 2). Others perform wound documentation with a second health care worker who writes down information on the paper ruler and takes the picture, while the other interacts with the patient and conducts the wound treatment. While such workarounds may increase outcome effectiveness, they also imply the risk of deviations in processes and thus consistency (Röder et al. 2014). Lack in consistency may be problematic since health care workers usually work in shifts and chances are, that future documentation will be carried out by different

personnel, who then applies different standards. The resulting documentation may be hard to compare and thus contribute to the incomplete or unclear documentation.


Throughout the second phase of the project (Design and EVAL2), we identified several requirements and restrictions to the solution space. From the evaluations, it became apparent, that wound documentation systems need to be operated without having to touch them (e.g. by voice commands or body motions) and while the wound manager is at the patient's bedside. We came to this conclusion by testing a tablet application with wound managers. The idea for testing the tablet application was that it might be sufficient for wound managers to document the wound directly after wound treatment while they are still in the patient's room.

We evaluated the application in a focus group meeting. The wound managers in the focus group were not satisfied with the solution, because it did not improve the process sufficiently for them. Their concerns were, that they would not be able to look at the wound during documentation, because bandages would already be covering the wound. In this phase, we also tested a smart glass prototype on the Vuzix m100 that allowed for hands-free documentation using speech commands. We tested the prototype with wound managers in two focus group meetings and in six individual tests (EVAL 2). The findings of the focus group meetings are summarized in Table 1. The prototype was well received by the experts and viewed as a potential improvement to the wound documentation process. Wound managers especially liked being able to document hands-free while performing the wound treatment. However, the experts wished for a feature that would help to measure the size of the wound. In the current process, paper rulers are being used for this. The experts stated that it is difficult to hold the paper rulers in place while taking a picture of the wound. Moreover, using a ruler holds the risk of transmitting germs into the wound and makes it difficult to stabilize patients.

Building on our design knowledge from the previous prototypes, we constructed our final prototype as a smart glass wound documentation application on the Microsoft HoloLens (see Fig. 3). We implemented a feature to measure the wound size using the Microsoft HoloLens's depth sensing capabilities and tested it with a focus group of wound management experts from a hospital. The experts liked the measuring feature and being able to document hands-free during wound treatment.

In contrast to the Vuzix m100, the Microsoft HoloLens uses Augmented Reality. While the Vuzix m100 only displays information on a small screen, the HoloLens embeds virtual objects into the real world. One of the main challenges that emerged during the construction of the final prototype was interaction with the virtual objects. Nurses needed to be able to select and deselect checkboxes about wound characteristics and measure wound sizes using a 3D User interface (see Fig. 4). In line with existing research, we employed a multimodal interaction approach in our application (Bowman et al. 2008).

Fig. 2 Some health care professionals write down wound details during wound treatment in order to memorize wound details



We used gaze in order to indicate the object that should be selected and tested voice commands (audio based) and eye blinking (physical) for confirming the selection.

In the final project phase (EVAL3) we conducted an experimental evaluation of our artifact. The requirements throughout the project lead us to the conclusion, that a digital wound documentation system should be implemented on a mobile device that can be operated hands-free. This makes smart glasses a good fit for the task. From pre-tests of smart glass applications with health care professionals we deduced, that voice commands as well eye blinking (Aldaz et al. 2015) in combination with gaze were perceived as feasible technology interaction solutions. In order to assess what effect different technology interaction methods have on health care professionals, we conducted a repeated-measures experiment.

4.2 Experimental Evaluation of Hands-Free Interaction Techniques

The main goal of this experiment was to test user performance, satisfaction, and technology acceptance of health care professionals for different types of 3D interaction with smart glasses in the context of wound documentation.

Data associated with technology acceptance and satisfaction outcomes were analyzed with a repeated-measure ANOVA test with three within-subject factors as independent variables: The tool wound managers are using in their current process (1), voice commands (2) and eye blinking (3) using the wound management application on the HoloLens. To test

differences between the treatments contrast tests, based on the Wilcoxon signed-rank test were used (Wilcoxon 1946). All significant results ($p < .05$) of the contrast tests are reported in the “Comparison”-column of Table 1. In addition, Table 1 also reports means, variances and completion times. Due to problems with the logging system on the HoloLens only $n = 33$ datasets could be used for the evaluation of the completion times. In addition, the completion times of the current process were not measured during the experiment. The results of the experiment are reported in Table 2.

5 Discussion

The experiment results show that smart glass-based documentation systems are viewed significantly more favorable in terms of Performance Expectancy, Behavioral Intention and Satisfaction compared to existing documentation processes.

From comments in the questionnaire, we deduce that some wound managers did not like eye blinking because repeated blinking is uncomfortable with contact lenses. However, generally speaking, health care professionals seem to prefer eye blinking over voice commands. On average, health care workers needed significantly less time (31.06%, 38.72 s) to complete documentation using eye blinking. They also reported significantly higher levels of satisfaction for eye blinking as compared to voice commands.

We can only speculate why participants were faster using eye blinking. One factor might be that participants needed to

Table 1 Findings of the focus group meetings

Shortcomings, workarounds and potential improvements of the existing wound management process	
Current shortcomings	Wound documentation is not done at the patient’s bedside Documentation is often inaccurate or incomplete Wound documentation is difficult to perform both time- and technology-wise Objects like rulers and cameras need to be touched during the procedure, which raises hygienic concerns
Existing workarounds	Wound information is first written down on paper and transcribed to the information system later Colleagues are often asked to assist during the procedure
Potential improvements	Wound management should be performed hands-free Wound documentation should occur at the patient’s bedside Wound managers need a tool that helps them measure wound sizes hands-free

Fig. 3 Measuring the wound size with the Microsoft HoloLens



use different voice commands. Available voice commands were always displayed in the participant's field of view (e.g. see Fig. 4). Having to look up individual commands might have slowed participants down. Another explanation could be that we employed a Wizard of Oz approach to simulate the eye blinking treatment, whereas we used the onboard voice command library of the Microsoft HoloLens for the other treatment. While we are quite certain that participants did not notice the Wizard of Oz approach, it is possible that it could have reduced the completion times.

Interestingly, despite the current documentation process receiving unfavorable outcomes for every other construct, we found no significant effects could be reported for patient influence. An explanation for this might be that experiment participants found it difficult to assess how patients would react to them wearing smart glasses while treating their wounds. This should be investigated further in future research.

5.1 Theoretical Implications

Gregor et al. specify a 2×2 framework of design science research contexts that can help to classify research endeavors into the quadrants of invention, improvement, exemption and routine design (Gregor and Hevner 2013). The axes of this

framework are application domain maturity and solution maturity. The health care sector and specifically the process of wound management are a well-established problem context. Yet, AR smart glasses are an emerging technology that currently still inhibit at a low solution maturity. Thus, our research effort falls into the improvement quadrant. The goal of Design Science research in the improvement quadrant is to create better solutions in the form of more efficient and effective products, processes, services, technologies, or ideas (Gregor and Hevner 2013).

Health care providers all over the world are faced with the challenge to improve patient outcomes while containing costs. The digital transformation is recognized as a key component to tackle this challenge (Gopal et al. 2019). Due to hygienic requirements hands-free technology interaction is often required in the health care sector (Hatscher et al. 2017). Established smart devices like smartphones and tablets are not an optimal fit. Since it is possible to use AR smart glasses hands-free, we deem evaluation of AR smart glasses for process improvements in the health care sector to be a worthy research endeavor.

A necessary precondition for usage of AR smart glasses in the health care sector is technology acceptance of such devices by the health care workers. We used a

Fig. 4 Picture of one of the checklists. The black circle indicates what the user is gazing at. The option can be confirmed by saying the voice command "Click"




Table 2 Experiment results (*p* value significance level: *.05, **.01, ***.001). Completion times are reported in seconds, while all other variables are 7-point Likert scales

Outcomes	(1) Current process		(2) Voice commands		(3) Eye blinking		Comparison
	M	SD	M	SD	M	SD	
Performance Expectancy	4.33	1.33	4.94	1.55	5.47	1.42	3 > 1***, 2 > 1*
Effort Expectancy	5.08	1.15	5.34	1.42	5.74	1.24	3 > 1**
Patient Influence	4.76	1.34	4.52	1.65	5.08	1.41	No significant effects
Behavioral Intention	4.15	1.59	4.87	1.50	5.19	1.44	3 > 1**, 2 > 1*
Satisfaction	3.89	1.58	5.09	1.42	5.63	1.27	3 > 1***, 2 > 1***, 3 > 2*
Completion times	NA	NA	124.66	90.02	85.94	32.59	3 > 2***

design science approach to investigate design principles for AR smart glasses for usage in health care. Design Science research can make contributions on three Levels. These Levels range from specific instantiations in the form of products and processes at Level 1 to more abstract contributions at Level 2 in the form of nascent design theory (e.g., constructs, design principles, models, methods, technological rules), to well-developed design theories about the phenomena under study at Level 3 (Gregor and Hevner 2013). This research makes contributions on Levels 1 and 2. We have built several instantiations of wound management artifacts. From evaluations with these artifacts, we have derived knowledge that we consider to be contributions that specifically apply to the wound management process:

First of all, through an evaluation of a tablet application, we were able to confirm that hand-held devices are not viewed favorably by health care workers for the process of wound management. Secondly, it became apparent that health care workers prefer to fill in the wound documentation in the patient’s room while being able to look at the wound. Third, the evaluation of our two smart glass prototypes showed that health care workers require a measurement feature that allows them to measure wounds hands-free. Finally, our evaluation results suggest that health care workers would accept and be satisfied with using smart glasses for wound documentation.

Our study also allows us to put forward design principles that are not limited to the wound management context but pertain to the broader context of hands-free technology interaction. Previous studies in the fields of 3D-User Interfaces and AR have pointed out that real-world evaluations on usability and effectiveness of different technology interaction methods is necessary (Billinghurst et al. 2015; Datcu et al. 2015). We show that eye blinking in combination with gaze is a viable solution for hands-free technology interaction in the health care context. However, our study also shows that the preferred technology interaction methods are subject to individual preference. A possible solution to address this would be to offer alternative technology interaction modalities.

5.2 Practical Implications

Practitioners will also profit from this research. Our research shows that AR smart glasses are a promising technology for supporting the wound management process. The description of our research and the proposed design principles can help smart glass manufacturers and software developers to design solutions tailored to the needs of health care workers. Since about 900.000 people in Germany require wound treatment on a regular basis this could be a promising business opportunity (Schubert and Köster 2015).

Moreover, the demographic change and increased life expectancy in our society will likely increase the demand for wound treatment and other health care services in the future. Therefore, more jobs are likely to be created in the health care sector. Patient care is an integral part of health care systems (Chandwani 2017). Yet, many health care facilities are already lacking personnel. One way of making job profiles in health care more attractive could be the transformation of existing service systems to smart services systems. Finally, positive innovation cases could incentivize health care providers to invest further into new innovative approaches in order to catch up to digitization levels of other service domains.

6 Limitations and Future Research

Our study has several limitations. Firstly, we focused on the health care workers’ perceptions of our artifact, leaving out the patient’s perspective. Health care workers have told us that they cannot predict how patients would react to it in a real-world setting. Wound documentation involves taking pictures of patients in an intimate setting and is therefore related to trust and privacy. Privacy concerns can significantly diminish employee’s willingness to adopt new technologies (Yassae and Mettler 2019). Future research involving patients could yield interesting insights into patient influence, privacy concerns and trust related factors.

Our experimental evaluation has some weaknesses: Since wound documentation processes are not standardized and differ amongst health care providers, we were not able to align

our artifact with the participants' documentation habits. Furthermore, we concentrated our research efforts on German health care providers. The legal situation pertaining to wound management documentation is likely to differ among countries. The generalizability of our results is therefore limited to Germany. Moreover, our evaluation of the interaction methods is subject to the usability and quality of implementation. Future research should implement and evaluate further artifacts for mobile and hands-free technology interaction in order to validate our findings.

Within our research, we focused on one specific use case within the health care sector. In order to digitally transform the health care sector identification of further use cases and design science research to meet these use cases is required. Furthermore, use cases similar to wound management exist in other service domains. For instance, maintenance technicians need to regularly document maintenance activities they perform on machines, where mobile and hands-free information access is helpful.

Future research could build upon our technology interaction recommendations to build helpful artifacts in these domains.

Lastly, usage of smart glasses in smart service systems implies interesting options for artificial intelligence. Artificial intelligence could detect and automate process steps. For instance, the smart glass cameras could be used to recognize a patient's wound, automatically measure its size and save it to the patient's health record. Building upon such capabilities it might be possible to monitor, prioritize and distribute tasks within a smart service system of health care workers wearing smart glasses.

Acknowledgements This research and development project is / was funded by the German Federal Ministry of Education and Research (BMBF) within the Program "Innovations for Tomorrow's Production, Services, and Work" (02K14A080) and managed by the Project Management Agency Karlsruhe (PTKA). The author is responsible for the contents of this publication. We would especially like to thank Dorothee Wittek and the numerous employees of the Johanniter for supporting our research.

Appendix

Scales used

Table 3 Scales used in the study

Constructs (citation)	Items
Performance Expectancy (Venkatesh et al. 2003)	PE1: I would find the documentation system useful in my job. PE2: Using the documentation system enables me to accomplish tasks more quickly. PE3: Using the documentation system increases my productivity.
Effort Expectancy (Venkatesh et al. 2003)	EE1: My interaction with the documentation system would be clear and understandable. EE2: It would be easy for me to become skillful at using the documentation system. EE3: I would find the documentation system easy to use. EE4: Learning to operate the documentation system is easy for me.
Patient Influence (Nistor et al. 2014a)	PI1: Patients would think that I should use the documentation system. PI2: Patients would prefer that I use the documentation system.
Behavioral Intention (Venkatesh et al. 2003)	BI1: I intend to use the documentation system in the future. BI2: I predict I would use the documentation system in the future. BI3: I plan to use the system in the future.
Satisfaction (SF) (Ding et al. 2011)	SF1: It was the right thing to use the documentation system SF2: I have truly enjoyed using the documentation system. SF3: My choice to use the documentation system was a wise one SF4: I am satisfied with the documentation system

Scales used in the study were in German. The German scales are available upon request from the authors.

Composite Reliability, Average Variance Extracted and Cronbach’s Alpha

Table 4 Composite Reliability, Average Variance Extracted and Cronbach’s Alpha of the final experiment

Construct	Composite Reliability	Average Variance Extracted	Cronbach’s Alpha
Performance Expectancy	0.92	0.81	0.91
Effort Expectancy	0.89	0.73	0.89
Patient Influence	0.93	0.87	0.93
Behavioral Intention	0.95	0.86	0.95
Satisfaction	0.93	0.79	0.93

Open Access This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

References

Aldaz, G., Shluzas, L. A., Pickham, D., Eris, O., Sadler, J., Joshi, S., & Leifer, L. (2015). Hands-free image capture, data tagging and transfer using Google glass: A pilot study for improved wound care management. *PLoS One*, 10(4). <https://doi.org/10.1371/journal.pone.0121179>.

Al-Masslawi, D., Block, L., Ronquillo, C., Handfield, S., Fels, S., Lea, R., & Currie, L. M. (2017). SuperNurse: nurses' workarounds informing the design of interactive technologies for home wound care. In *Proceedings of the 11th EAI International Conference on Pervasive Computing Technologies for Healthcare* (pp. 193–202). ACM.

Argelaguet, F., & Andujar, C. (2013). A survey of 3D object selection techniques for virtual environments. *Computers & Graphics*, 37(3), 121–136.

Azuma, R. (1997). A survey of augmented reality. *Presence Teleoperators and Virtual Environments*, 6, 355–385.

Bala, H., & Venkatesh, V. (2015). Adaptation to information technology: A holistic Nomological network from implementation to job outcomes. *Management Science*, 62(1), 156–179. <https://doi.org/10.1287/mnsc.2014.2111>.

Barrett, M., Davidson, E., Prabhu, J., & Vargo, S. L. (2015). Service innovation in the digital age: Key contributions and future directions. *MIS Quarterly*, 39(1), 135–154. [https://doi.org/10.1016/S0090-2616\(98\)90006-7](https://doi.org/10.1016/S0090-2616(98)90006-7).

Becker, J., Beverungen, D., Knackstedt, R., Matzner, M., Müller, O., & Pöppelbuß, J. (2013). Bridging the gap between manufacturing and service through IT-based boundary objects. *IEEE Transactions on Engineering Management*, 60(3), 468–482. <https://doi.org/10.1109/TEM.2012.2214770>.

Bednar, P. M., Welch, C. (2019). Socio-technical perspectives on smart working: Creating meaningful and sustainable systems. *Information Systems Frontiers*, 21(1), 1–18.

Beverungen D, Lüttenberg H, Wolf V (2017a) Recombinant service system engineering. *Business & Information Systems Engineering*, 60(5), 377–391.

Beverungen, D., Matzner, M., & Janiesch, C. (2017b). Information systems for smart services. *Information Systems and e-Business Management*, 15(4), 781–787. <https://doi.org/10.1007/s10257-017-0365-8>.

Beverungen, D., Müller, O., Matzner, M., Mendling, J., & vom Brocke, J. (2017c). Conceptualizing smart service systems. *Electronic Markets*, 29(1), 1–12. <https://doi.org/10.1007/s12525-017-0270-5>.

Billinghurst, M., Clark, A., & Lee, G. (2015). A Survey of Augmented Reality. *Found Trends® Human-Computer Interact*, 8, 73–272. <https://doi.org/10.1561/11000000049>.

Bowman, D. A., Coquillart, S., Froehlich, B., Hirose, M., Kitamura, Y., Kiyokawa, K., & Stuerzlinger, W. (2008). 3d user interfaces: New directions and perspectives. *IEEE computer graphics and applications*, 28(6), 20–36. <https://doi.org/10.1109/MCG.2008.109>.

Bundesagentur für Arbeit (2018) Arbeitsmarktsituation im Pflegebereich. 16.

BVMed - Bundesverband Medizintechnologie e.V. (2015). Informationsbroschüre Wirtschaftlichkeit und Gesundheitspolitik Einsatz von hydroaktiven Wundauflagen.

Chandwani, R. (2017). Doctor-patient interaction in telemedicine: Logic of choice and logic of care perspectives. *Information Systems Frontiers*, 19(4), 955–968.

Chen, C. F., & Chen, F. S. (2010). Experience quality, perceived value, satisfaction and behavioral intentions for heritage tourists. *Tourism Management*, 31(1), 29–35. <https://doi.org/10.1016/j.tourman.2009.02.008>.

Chen, H., Lee, A. S., Swift, M., Tang, J. C. (2015). 3D Collaboration Method over HoloLens™ and Skype™ End Points. *Proc 3rd Int Work Immersive Media Exp - ImmersiveME '15* 27–30. <https://doi.org/10.1145/2814347.2814350>

Cohen, J. (1992). A power primer. *Psychological Bulletin*, 112(1), 155–159. <https://doi.org/10.1037/0033-2909.112.1.155>.

Czuszynski K, Ruminski J, Kocejko T, Wtorek J (2015) Septic safe interactions with smart glasses in health care. In *2015 37th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)* (pp. 1604–1607). IEEE.

Datcu, D., Lukosch, S., & Brazier, F. (2015). On the usability and effectiveness of different interaction types in augmented reality.

- International Journal of Human Computer Interaction*, 31(3), 193–209. <https://doi.org/10.1080/10447318.2014.994193>.
- Davis, F. D., Bagozzi, R. P., & Warshaw, P. R. (1989). User acceptance of computer technology: A comparison of two theoretical models. *Management Science*, 35(8), 982–1003. <https://doi.org/10.1287/mnsc.35.8.982>.
- Ding, D. X., Hu, P. J. H., & Sheng, O. R. L. (2011). e-SELFQUAL: A scale for measuring online self-service quality. *Journal of Business Research*, 64(5), 508–515.
- Ding, S., Lin, F., & Gillespie, B. M. (2016). Surgical wound assessment and documentation of nurses: An integrative review. *Journal of Wound Care*, 25(5), 232–240. <https://doi.org/10.12968/jowc.2016.25.5.232>.
- Evens, G., Miller, J., Pena, M. I., MacAllister, A., & Winer, E. (2017). Evaluating the Microsoft HoloLens through an augmented reality assembly application. In *Degraded Environments: Sensing, Processing, and Display 2017* (Vol. 10197, p. 101970V). *International Society for Optics and Photonics*. <https://doi.org/10.1117/12.2262626>.
- Gillespie, B. M., Chaboyer, W., Kang, E., Hewitt, J., Nieuwenhoven, P., & Morley, N. (2014). Postsurgery wound assessment and management practices: A chart audit. *Journal of Clinical Nursing*, 23(21–22), 3250–3261. <https://doi.org/10.1111/jocn.12574>.
- Gillespie, B. M., Chaboyer, W., St John, W., Morley, N., & Nieuwenhoven, P. (2015). Health professionals' decision-making in wound management: a grounded theory. *Journal of Advanced Nursing*, 71(6), 1238–1248. <https://doi.org/10.1111/jan.12598>.
- Gopal, G., Suter-Crazzolara, C., Toldo, L., & Eberhardt, W. (2019). Digital transformation in healthcare—architectures of present and future information technologies. *Clinical Chemistry and Laboratory Medicine*, 57(3), 328–335.
- Gregor, S., & Hevner, A. R. (2013). Positioning and presenting design science research for maximum impact. *MIS Quarterly*, 37(2), 337–355.
- Gregor, S., & Jones, D. (2007). The anatomy of a design theory. *Journal of the Association for Information Systems*, 8(5), 312–335.
- Hatscher, B., Luz, M., Elkmann, N., Hansen, C. (2017) GazeTap : Towards hands-free interaction in the operating room. In: *Proceedings of the 19th ACM international conference on multimodal interaction*. pp 243–251.
- Hevner, A. R. (2007). A three cycle view of design science research. *Scandinavian Journal of Information Systems*, 19(2), 4.
- Hevner, A., Chatterjee, S. (2010). Design science research in information systems. In: *Design research in information systems*. Springer, pp 9–22.
- Huck-Fries, V., Wiegand, F., Klinker, K., et al. (2017). Datenbrillen in der Wartung : Evaluation verschiedener Eingabemodalitäten bei Servicetechnikern. In: *Informatik 2017*. Lecture Notes in Informatics (LNI), Chemnitz.
- Jacob, R. J. K., Girouard, A., Hirshfield, L. M., et al. (2008). Reality-based interaction: a framework for post-WIMP interfaces. *PortalAcmOrg* 201–210. <https://doi.org/10.1145/1357054.1357089>.
- Jafari Navimipour, N., & Soltani, Z. (2016). The impact of cost, technology acceptance and employees' satisfaction on the effectiveness of the electronic customer relationship management systems. *Computers in Human Behavior*, 55, 1052–1066. <https://doi.org/10.1016/j.chb.2015.10.036>.
- Kim, M., Song, J., & Triche, J. (2015). Toward an integrated framework for innovation in service : A resource-based view and dynamic capabilities approach. *Information Systems Frontiers*, 17(3), 533–546. <https://doi.org/10.1007/s10796-014-9505-6>.
- Klinker, K., Fries, V., Wiesche, M., Krcmar, H. (2017) CatCare : Designing a serious game to foster hand hygiene compliance in health care facilities. In: *Twelfth international conference on design science research in information systems and technology*. pp 20–28.
- Klinker, K., Berkemeier, L., Zobel, B., et al. (2018). Structure for innovations: A use case taxonomy for smart glasses in service processes. *Multikonferenz Wirtschaftsinformatik (MKWI 2018)* 1599–1610.
- Loveman, G. (1998) Employee satisfaction, customer loyalty, and financial performance: an empirical examination of the service profit chain in retail banking. *Journal of service research*, 1(1), 18–31.
- Maglio, P. P., Vargo, S. L., Caswell, N., & Spohrer, J. (2009). The service system is the basic abstraction of service science. *Information Systems and e-business Management*, 7(4), 395–406. <https://doi.org/10.1007/s10257-008-0105-1>.
- Maillet, E., Mathieu, L., & Sicotte, C. (2015). Modeling factors explaining the acceptance, actual use and satisfaction of nurses using an electronic patient record in acute care settings: An extension of the UTAUT. *International Journal of Medical Informatics*, 84(1), 36–47. <https://doi.org/10.1016/j.ijmedinf.2014.09.004>.
- Maulsby D, Greenberg S, Mander R (1993) Prototyping an intelligent agent through wizard of Oz. *ACM SIGCHI Conference on Human Factors in Computing Systems* 277–284. <https://doi.org/10.1145/169059.169215>.
- Mitrasinovic, S., Camacho, E., Trivedi, N., Logan, J., Campbell, C., Zilinyi, R., Lieber, B., Bruce, E., Taylor, B., Martineau, D., Dumont, E. L. P., Appelboom, G., & Connolly Jr, E. S. (2015). Clinical and surgical applications of smart glasses. *Technology and Health Care*, 23, 381–401. <https://doi.org/10.3233/THC-150910>.
- Niemöller, C., Metzger, D., Thomas, O. (2017). Design and evaluation of a smart-glasses-based service support system. *13th International Conference on Wirtschaftsinformatik*, 2017, St. Gallen, Switzerland.
- Nistor, N., Jasper, M., Müller, M., Fuchs, T. (2014a). Ein Experiment zum Effekt der spielbasierten Gestaltung auf die Akzeptanz einer medienbasierten Lernumgebung.
- Nistor, N., Lerche, T., Weinberger, A., Ceobanu, C., & Heymann, O. (2014b). Towards the integration of culture into the unified theory of acceptance and use of technology. *British Journal of Educational Technology*, 45, 36–55. <https://doi.org/10.1111/j.1467-8535.2012.01383.x>.
- Nuckols, T. K., Smith-Spangler, C., Morton, S. C., Asch, S. M., Patel, V. M., Anderson, L. J., et al. (2014). The effectiveness of computerized order entry at reducing preventable adverse drug events and medication errors in hospital settings: a systematic review and meta-analysis. *Systematic Reviews*, 3(1), 56. <https://doi.org/10.1186/2046-4053-3-56>.
- O'Connor, Y., & O'Reilly, P. (2018). Examining the infusion of mobile technology by healthcare practitioners in a hospital setting. *Information Systems Frontiers*, 20(6), 1297–1317.
- Oliver, R. L. (1980). A cognitive model of the antecedents and consequences of satisfaction decisions. *Journal of Marketing Research*, 17(4), 460–469. <https://doi.org/10.2307/3150499>.
- Przybilla, L., Klinker, K., Wiesche, M., Krcmar, H. (2018). A human-centric approach to digital innovation projects in health care: Learnings from applying design thinking. In: *Pacific Asia Conference on Information Systems (PACIS)*. Yokohama.
- Rocznik, D., Goffart, K., Wiesche, M. (2017). Designing hedonic user experiences: The effect of psychological need fulfilment on hedonic motivation. *Proceedings of the 25th European Conference on Information Systems* 3223–3233.
- Röder, N., Wiesche, M., Schermann, M. (2014). A situational perspective on workarounds in IT-enabled business processes: A multiple case study.
- Schubert, I., Köster, I. (2015). Epidemiologie und Versorgung von Patienten mit chronischen Wunden. Eine Analyse auf der Basis der Versichertenstichprobe AOK Hessen/KV Hessen. Modul.
- Schwald, B., de Laval, B. (2003). Training and assistance to maintenance in an augmented reality environment. *Int Conf human-computer Interact Cogn Soc Ergon Asp II*, 1121–1125.
- Serrano A, Garcia-Guzman J, Xydopoulos G, Tarhini A (2018) Analysis of barriers to the deployment of health information systems: A stakeholder perspective. *Information Systems Frontiers*, 20(30), 1–20.
- Seto, R., Inoue, T., & Tsumura, H. (2014). Clinical documentation improvement for outpatients by implementing electronic medical

- records. *Studies in Health Technology and Informatics*, 201, 102–107. <https://doi.org/10.3233/978-1-61499-415-2-102>.
- Sockolow, P. S., Bowles, K. H., Rogers, M., Adelsberger, M. C., Chittams, J. L., & Liao, C. (2014). Opportunities in interdisciplinary care team adoption of electronic point-of-care documentation systems. *Studies in Health Technology and Informatics*, 201, 371–379. <https://doi.org/10.3233/978-1-61499-415-2-371>.
- Sonnenberg, C., & Vom Brocke, J. (2012, May). Evaluations in the science of the artificial—reconsidering the build-evaluate pattern in design science research. In *International Conference on Design Science Research in Information Systems* (pp. 381–397). Springer, Berlin, Heidelberg. https://doi.org/10.1007/978-3-642-29863-9_28.
- Straub, D. W. (1989). Validating instrument in MIS research. *MIS Quarterly*, 13(2), 147–169.
- Thomas, C. M., McIntosh, C. E., & Edwards, J. A. (2013). Smartphones and computer tablets: Friend or foe? *Journal of Nursing Education and Practice*, 4, 210–217. <https://doi.org/10.5430/jnep.v4n2p210>.
- Tremblay, M. C., Hevner, A. R., & Berndt, D. J. (2010). Focus groups for artifact refinement and evaluation in design research. *Communications of the Association for Information Systems*, 26(1). <https://doi.org/10.17705/ICAIS.02627>.
- van Rooij, T., & Marsh, S. (2016). eHealth: Past and future perspectives. *Personalized Medicine*, 13, 57–70. <https://doi.org/10.2217/pme.15.40>.
- Venkatesh, V., Morris, M. G., Davis, G. B., & Davis, F. D. (2003). User acceptance of information technology: Toward a unified view. *MIS Quarterly*, 27(3), 425–478.
- Venkatesh, V., Thong, J. Y. L., & Xu, X. (2012). Consumer acceptance and use of information technology: Extending the unified theory of acceptance and use of technology. *MIS quarterly*, 36(1), 157–178.
- Venkatesh, V., Aloysius, J., Hartmut, H., & Burton, S. (2017). Design and evaluation of auto-ID enabled shopping assistance artifacts in customers' Mobile phones: Two retail store laboratory experiments. *MIS Quarterly*, 41(1), 517–524.
- Vollmer, A.-M., Prokosch, H.-U., & Bürkle, T. (2014). Identifying barriers for implementation of computer based nursing documentation. *Studies in Health Technology and Informatics*, 201, 94–101. <https://doi.org/10.3233/978-1-61499-415-2-94>.
- Von Alan, R. H., March, S. T., Park, J., & Ram, S. (2004). Design science in information systems research. *MIS quarterly*, 28(1), 75–105.
- Wilcoxon, F. (1946). Individual comparisons of grouped data by ranking methods. *Journal of Economic Entomology*, 39(2), 269–270. <https://doi.org/10.1093/jee/39.2.269>.
- Wills, M. J., El-Gayar, O. F., & Bennett, D. (2008). Examining healthcare professionals' acceptance of electronic medical records using UTAUT. *Issues in Information Systems*, 9(2), 396–401.
- Wüller, H., Behrens, J., Klinker, K., Wiesche, M., Krcmar, H., & Remmers, H. (2018). Smart glasses in nursing—situation change and further usages exemplified on a wound care application. *Studies in Health Technology and Informatics*, 253, 191–195.
- Yassae, M., Mettler, T. (2019). Digital occupational health systems: What do employees think about it? *Information Systems Frontiers*, 21(4), 909–924. <https://doi.org/10.1007/s10796-017-9795-6>.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Kai Klinker is a researcher at the Chair for Information Systems, Technische Universität München (TUM), Germany. He graduated in Informatics from Technische Universität München (TUM), Munich, Germany, and holds a Master's degree in Informatics from the Technische Universität München. His current research interests include Augmented Reality, Smart Glasses, Passive Trust and Design Science. His research has been published in conference proceedings such as DESRIST, MKWI, ECIS, INFORMATIK, GMDS, PVM and PACIS.

Manuel Wiesche is a postdoctoral researcher at the Chair for Information Systems, Technische Universität München (TUM). He graduated in Information Systems from Westfälische Wilhelms-Universität, Münster and holds a doctoral degree in Information Systems from the Technische Universität München. His current research experiences and interests include project management, platform ecosystems, and digital service innovation. His research has been published in the MISQ, JMAR, I&M and a number of refereed conference proceedings. He is fellow at the Weizenbaum Institute in Berlin and cofounder of the non-profit organization “Tür an Tür Digital Factory” with one of their projects being “Integreat”, an application that provides refugees with information they need to settle in the host country.

Helmut Krcmar is a Chair Professor of Information Systems at Technische Universität München (TUM), Germany. Before 2002, he was Chair for Information Systems, Hohenheim University, Stuttgart. Helmut is an AIS Fellow and has served the IS community in many roles, including as President of the Association for Information Systems. His research interests include information and knowledge management, service management, business process management, and business information systems. His work has appeared in MIS Quarterly, Journal of Management Information Systems, Journal of Strategic Information Systems, Journal of Management Accounting Research, Journal of Information Technology, Information Systems Journal, and Wirtschaftsinformatik.