

Comparative Performance and Transcriptomics of Tomato (*Solanum lycopersicum*) in Response to *Bombus terrestris* (Hymenoptera, Apidae) and Hormone (2,4-Dichlorophenoxyacetic acid)

Xunbing Huang^{a#*}, Ying Huang^a, Xiaoyan Dai^b, Li Zheng^{b#}, Hao Chen^b, Yan Liu^b, Peiqun Zhu^c,

Shuer Zhang^d, Junyang Jia^e, Yifan Zhai^{b*}

^(a) College of Agriculture and Forestry Science, Linyi University, Linyi 276000, P.R. China;

^(b) Institute of Plant Protection, Shandong Academy of Agricultural Sciences, Jinan 250100, P.R. China;

^(c) Feixian Agricultural Technology Extension Center, Feixian 273400, P.R. China; ^(d) Shandong animal husbandry station, Jinan 250022 P.R. China; ^(e) Agricultural affairs section, Linyi government affairs service center, Linyi 276000, P.R. China)

[#]The author contributed equally to this work.

^{*}Author for correspondence E-mail: xunbingh@163.com; zyifan@tom.com

Table S1 Summary of quality for sample sequencing data

Sample	raw_reads	clean_reads	clean_bases	error_rate	Q20	Q30	GC_pct
Bumblebee I	48762446	46651184	7.0G	0.03	97.44	92.21	45.92
Bumblebee II	46406730	43608146	6.54G	0.03	97.65	92.99	45.53
Bumblebee III	46139742	38970768	5.85G	0.03	97.81	93.39	46.97
Hormone I	46023700	42536362	6.38G	0.03	97.75	93.24	44.73
Hormone II	46763002	44511318	6.68G	0.03	97.76	93.28	45.88
Hormone III	47779726	45514128	6.83G	0.03	97.66	93.05	46.01

Table S2 Comparison statistics between samples and reference genomes

sample	total_map	unique_map	multi_map	positive_map	negative_map	splice_map	unsplice_map	proper_map
Bumblebee I	44183276(94.71%)	43006624(92.19%)	1176652(2.52%)	21441145(45.96%)	21565479(46.23%)	14348784(30.76%)	28657840(61.43%)	41493136(88.94%)
Bumblebee II	42325854(97.06%)	41696913(95.62%)	628941(1.44%)	20830826(47.77%)	20866087(47.85%)	13299644(30.5%)	28397269(65.12%)	40581152(93.06%)
Bumblebee III	37804816(97.01%)	37265618(95.62%)	539198(1.38%)	18617634(47.77%)	18647984(47.85%)	12310331(31.59%)	24955287(64.04%)	36174650(92.83%)
Hormone I	40924411(96.21%)	40310749(94.77%)	613662(1.44%)	20139686(47.35%)	20171063(47.42%)	12990025(30.54%)	27320724(64.23%)	39121794(91.97%)
Hormone II	43273318(97.22%)	42626282(95.77%)	647036(1.45%)	21295788(47.84%)	21330494(47.92%)	14259785(32.04%)	28366497(63.73%)	41458550(93.14%)
Hormone III	44067556(96.82%)	43445716(95.46%)	621840(1.37%)	21704704(47.69%)	21741012(47.77%)	12896706(28.34%)	30549010(67.12%)	42084204(92.46%)

Table S3 Designed sequences of qRT-PCR primers for candidate genes

Gene_id	Gene_description	Abbreviation	log2.Fold change Bumblebee VS. Hormone	Primer	
				Forward	Reverse
100191129	anthocyanin acyltransferase	ATH	8.709018517	Forward	CACTTGCTGGAAGGTGTGCTGAAGA
				Reverse	GCCAGAGAATCCATCACCTGTTGT
544150	dihydroflavonol 4-reductase	DIH	10.475046412	Forward	GCCATTGAGACTTGCCGACAGA
				Reverse	GCGAGAGCCTTCAGTTCCTCCA
100736504	flavonoid 3'5' hydroxylase	FLH	4.520702806	Forward	CACTGCTGGTACAGACACTTCATCA
				Reverse	CATTCCCACGAGGTTCAATCTTTC
101266562	proteinase inhibitor 1-like	PII	7.52785265	Forward	AGCCCAACTTGGAAATGTCAAGGAAA
				Reverse	CCAACCACAGGCATTGATACAGCAT
101265368	proteinase inhibitor I-B	PIB	2.922507615	Forward	CCCGACCCGTTACAAAGTCCCTA
				Reverse	GCAAGAAGCAAGAAAGCAAGCACAT
101254142	cellulose synthase-like	CS	11.30924054	Forward	GGAGAAGACGAAGATGACGCCTATG

	protein D4			Reverse	GCCAGCACCAGCAACACCTT
101267720	sucrose synthase	<i>SUC</i>	5.037144557	Forward	GGTGTGGTGGAGACAGAAGGAA
				Reverse	TTCGTTCAGCCAGCCTTCTATGAG
101249782	callose synthase 5	<i>CAL</i>	6.466395466	Forward	GCCGCCACCACTACCTTCTCTA
				Reverse	CTCTGTCTGCTTGTTCCTCCTTGT
101260990	salicylic acid-binding protein 2	<i>SAB2</i>	-10.31959265	Forward	TGGAGGTTGGTGTGGTACAAACT
				Reverse	AATATGGATGGCAGAGGCTCTCAT
543526	jasmonic acid 2	<i>JA2</i>	-4.595828058	Forward	CGGATAAGGTGATAACTTCGCAAGG
				Reverse	ATGGCTGTATTCATTACTGCTGTGT
101244732	auxin-responsive protein SAUR68	<i>SAUR68</i>	-7.712154354	Forward	CAGCCATGCAGAGGAAGAGGATT
				Reverse	AGAAGTCGAACAGCAAGAAGAAGGA
101268293	auxin-responsive protein SAUR78	<i>SAUR78</i>	-10.57095078	Forward	GGCGTAGCAGCAACTCATCATCA
				Reverse	AACAGCACGACTTCACATCCAAC
101247499	auxin-responsive protein SAUR50	<i>SAUR50</i>	-4.465197299	Forward	TCAAACCACACCTCAAAGTCACCAA
				Reverse	TCTCGCTGATTAAAGGGCAGTCTG
544056	TAS14 peptide	<i>TAS14</i>	-6.787759195	Forward	GCACAATACGGCAATCAAGACCAA
				Reverse	TGTTGTCCAGGCATCTTCTCCATT

Table S4 Quantitative real-time PCR (qRT-PCR) analysis of 14 candidate genes

Gene_id	Gene_description	Abbreviation	log2.Fold_change Bumblebee VS. Hormone	Relative gene expression of sample treated by bumblebee	Relative gene expression of sample treated by hormone
100191129	anthocyanin acyltransferase	<i>ATH</i>	8.709018517	16.32±3.084	0.929±0.258
544150	dihydroflavonol 4-reductase	<i>DIH</i>	10.475046412	20.68±4.961	0.961±0.263
100736504	flavonoid 3'5' hydroxylase	<i>FLH</i>	4.520702806	8.6±2.367	0.952±0.256
101266562	proteinase inhibitor 1-like	<i>PII</i>	7.52785265	13.68±1.096	0.966±0.143
101265368	proteinase inhibitor I-B	<i>PIB</i>	2.922507615	3.93±1.56	0.938±0.299
101254142	Cellulose synthase-like protein D4	<i>CS</i>	11.30924054	19.68±2.932	0.995±0.288
101267720	sucrose synthase	<i>SUC</i>	5.037144557	11.67±2.316	0.946±0.161
101249782	callose synthase 5	<i>CAL</i>	6.466395466	15.89±3.281	0.975±0.149
101260990	salicylic acid-binding protein 2	<i>SAB2</i>	-10.31959265	0.463±0.097	0.965±0.099
543526	jasmonic acid 2	<i>JA2</i>	-4.595828058	0.262±0.091	0.997±0.086
101244732	auxin-responsive protein SAUR68	<i>SAUR68</i>	-7.712154354	0.496±0.075	0.953±0.153
101268293	auxin-responsive protein SAUR78	<i>SAUR78</i>	-10.57095078	0.389±0.066	1.010±0.128
101247499	auxin-responsive protein SAUR50	<i>SAUR50</i>	-4.465197299	0.1269±0.086	0.982±0.112
544056	TAS14 peptide	<i>TAS14</i>	-6.787759195	0.2116±0.079	0.932±0.136