

FAMILY GROUP NAMES AND CLASSIFICATION

and taxa excluded from Sphecidae sensu lato

as of 4 June 2023

Compiled by

Wojciech J. Pulawski

California Academy of Sciences, 55 Music Concourse Drive, Golden Gate Park, San Francisco, CA 94118, USA
phone: (415) 379-5313; e-mail: wpulawski@calacademy.org

The family and tribe level classification used below follows the findings of Brothers (1999), Melo (1999), and Prentice (1998, unpublished Ph.D. thesis, validated by Hanson and Menke, 2006). Their systems differ at the tribal level, and that of Prentice is accepted here as it is based on a much larger data set, but his one new tribe and one new subtribe are not included since they were not published. The classification of Ampulicidae is as proposed by Ohl and Spahn, 2009, the classification of Bembicinae follows Nemkov and Lelej, 2013, and the authorship of Palarini and Xenospheciini is as corrected by Menke and Pulawski (2002). Because Dinetinae have a single tribe I am not using this category for them. The names, authorship, dates, stems, and other pertinent information, are from Menke (1997), who was advised by Don Cameron, a Latin and Greek scholar at the University of Michigan, about the proper formation of names. All genera described subsequent to Bohart and Menke (1976) have been added (both extant and fossil), and recently established synonymies are indicated.

The recent cladistic analyses of Hymenoptera by Branstetter et al (2017) and by Peters and al. (2017) are not considered here, as they took into account only a limited representation of Sphecidae s.l., and they have not changed the established classification. On the other hand, Sann, Niehuis, Peters, Mayer, Kozlov, Podsiadlowski, Bank, Meusemann, Misof, Bleidorn, and Ohl (2018) proposed a radically new classification of the traditional Sphecidae s.l. They recognized the following 10 families: Ammoplanidae, Ampulicidae, Astatidae, Bembicinae, Crabronidae, Mellinidae, Pemphredonidae, Philanthidae, Psenidae, and Sphecidae (with Heterogynaidae included into Bembicinae, and Entomosericini and Eremiaspheciinae omitted from the analysis). The last two tribes were raised to families by Sann, Meusemann, Niehuis, Escalona, Mokrousov, Ohl, Paul, and Schmid-Egger, 2021. This classification is not accepted here because: 1. it was based on molecular characters only, to the exclusion of morphological characters, 2. it is likely to change with the next cladistic analysis, 3. recognition of so many families is an exaggeration, and 4. stability of nomenclature has been threatened.

Menke (1997) commented that “Ammophilomorpha, Sphecinomorpha, and Palmodomorpha could be construed as valid [correctly: available] since they are based on generic names with -morpha endings”. Article 11.7.1.3 of the Code (Fourth Edition) leaves no doubt that these names are available, with their original authorship and date, but with a correct suffix (as specified in Article 29.2).

Engel (2005) reviewed all the family group names of Apoidea (including Sphecidae sensu lato treated here) (Family-group names for bees (Hymenoptera: Apoidea). American Museum Novitates 3476:33 pp.).

Extant families are listed below in the presumed phylogenetic order, whereas subfamilies and tribes are listed alphabetically within each family, as are the subtribes within each tribe. The dagger symbol (†) indicates fossil taxa.

I sincerely thank Helen K. Court, Jean Leclercq, Arnold S. Menke, and Alexander P. Rasnitsyn, who reviewed earlier versions of this document, as well as Vassiliy Belov, Helen K. Court, Alexander V.

Antropov, John S. Ascher, Andrew Debevec, Melody Doering, Jere S. Schweikert, and Sara Alexander, who helped correct a number of mistakes or omissions.

Superfamily: Apoidea

Apoidea Latreille, 1802a:425 (April), as Apiariae. Based on *Apis* Linnaeus, 1758 (stem: *Ap-*).

Sphecoidea Latreille, 1802b:331 (November). Based on *Sphex* Linnaeus, 1758 (stem: *Sphec-*).

Family: Heterogynaidae

Ohl's and Bleidorn's (2006) molecular cladistic analysis suggests that Heterogynaidae are members of Crabronidae. Sann et al., 2018 in their molecular cladistic analysis, confirm this opinion.

Heterogynaidae Nagy, 1969:7. Based on *Heterogyna* Nagy, 1969 (stem: *Heterogyna-*).

Originally spelled Heterogynidae (stem: *Heterogyn-*), a junior homonym of Heterogynidae Rambur, 1866, based on *Heterogynis* Rambur, 1837. Both family name and stem emended by International Commission on Zoological Nomenclature, 1987:150, in Opinion 1445, as proposed by Day, 1985b:385.

Subfamily: †Apodolichurinae Antropov, 2000. Based on *Apodolichurus* Antropov, 2000 (stem: *Apodolichur-*). Originally described as tribe Apodolichurini in Ampulicidae, transferred to Heterogynaidae and raised to subfamily by B. Rosa and Melo, 2021:28.

Included genus: †*Apodolichurus* Antropov, 2000.

Subfamily: Heterogyninae Nagy, 1969:7. Based on *Heterogyna* Nagy, 1969 (stem: *Heterogyna-*). Originally spelled Heterogynidae (stem: *Heterogyn-*), a junior homonym of Heterogynidae Rambur, 1866, based on *Heterogynis* Rambur, 1837. Both family name and stem emended by International Commission on Zoological Nomenclature, 1987:150, in Opinion 1445, as proposed by Day, 1985b:385.

Included genus: *Heterogyna* Nagy, 1969 (= *Daycatinca* Argaman, 1985, = *Daya* Antropov and Gorbatovskiy, 1992).

Subfamily: †Ptilocosminae B. Rosa and Melo, 2021:29. Based on *Ptilocosmus* B. Rosa and Melo, 2021:29 (stem: *Ptilocosm-*).

Included genera: †*Aulacicosmus* B. Rosa and Melo, 2021, †*Ptilocosmus* B. Rosa and Melo, 2021, †*Thigmocosmus* B. Rosa and Melo, 2021.

Family: Ampulicidae

Ampulicidae Shuckard, 1840:178, 180. Based on *Ampulex* Jurine, 1807 (stem: *Ampulic-*).

Subfamily: Ampulicinae Shuckard, 1840:178, 180. Based on *Ampulex* Jurine, 1807 (stem: *Ampulic-*).

Tribe: Ampulicini Shuckard, 1840:178, 180. Based on *Ampulex* Jurine, 1807 (stem: *Ampulic-*).

Included genera: *Ampulex* Jurine, 1807, *Trirogma* Westwood, 1841

Tribe: †Cretampulicini Antropov, 2000a. Based on *Cretampulex* Antropov, 2000a (stem: *Cretampulic-*).

Included genus: †*Cretampulex* Antropov, 2000.

Tribe: †Mendampulicini Antropov, 2000. Based on *Mendampulex* Antropov, 2000 (stem: *Mendampulic-*).

Included genus: †*Mendampulex* Antropov, 2000.

Subfamily: Dolichurinae Dahlbom, 1842:3. Based on *Dolichurus* Latreille, 1809 (stem: *Dolichur-*). Originally spelled Dolichuridae. Menke (1997:250) incorrectly attributed authorship to Lepeletier de Saint Fargeau, 1845.

Tribe: Aphelotomini Ohl and Spahn, 2009. Based on *Aphelotoma* Westwood, 1841 (stem: *Aphelotom-*).

Included genera: *Aphelotoma* Westwood, 1841, *Riekefella* Özdikmen, 2005 (= *Austrotoma* Riek, 1955).

Tribe: Dolichurini Dahlbom, 1842:3. Based on *Dolichurus* Latreille, 1809 (stem: *Dolichur-*). Originally spelled Dolichuridae. Menke (1997:250) incorrectly attributed authorship to Lepeletier de Saint Fargeau, 1845.

Included genera: *Dolichurus* Latreille, 1809, *Paradolichurus* F. Williams, 1960, †*Protodolichurus* Nemkov, 1988.

Tribe unknown within Ampulicidae

†*Cariridris* Brandão and Martins-Neto, 1990:201, †*Longivenula* Zhang, 1989.

Family: Sphecidae (sensu stricto)

Sphecidae Latreille, 1802b:331 (November). Based on *Sphex* Linnaeus, 1758 (stem: *Sphec-*). Originally spelled Sphegimes, latinized to Sphegineae by Fallén, 1812:129, to Sphecida and Sphecididae by Leach, 1812 (Edinb. Encycl.), and to Sphegidae by Westwood, 1840 (Introd. Class. Ins.). Fernald (1905:166) and Tillyard (1926:300) first demonstrated the proper stem.

The molecular cladistic analysis by Sann et al., 2018 suggests that Sphecidae are members of Crabronidae.

Subfamily: Ammophilinae André, 1886:50 (originally spelled Ammophilidae). Based on *Ammophila* Kirby, 1798 (stem: *Ammophil-*).

= Acutoclypeata Ohl, 1996:32. Not available: not based on any of the included genera (Article 11.7.1). Genera of Acutoclypeata: *Eremnophila*, *Hoplammophila*.

= Ammophilomorpha Ohl, 1996:35 (correct spelling: Ammophilinae). Based on *Ammophila* Kirby, 1798 (stem: *Ammophil-*). Synonym and junior homonym of Ammophilinae André, 1886. Genera of Ammophilomorpha: *Ammophila*, *Eremochares*, *Parapsammophila*, *Podalonia*.

Included genera: *Ammophila* W. Kirby, 1798, *Eremnophila* Menke, 1964, *Eremochares* Gribodo, 1883, *Hoplammophila* de Beaumont, 1960, *Parapsammophila* Taschenberg, 1869, *Podalonia* Fernald, 1927.

Subfamily: Chloriontinae Fernald, 1905:166. Based on *Chlorion* Latreille, 1802 (stem: *Chloriont-*). Originally spelled Chlorioninae.

Included genus: *Chlorion* Latreille, 1802.

Subfamily: Sceliphrinae Ashmead, 1899:349 (1815). Based on *Sceliphron* Klug, 1801 (stem: *Sceliphr-*). Originally spelled Sceliphroninae. Menke (1997) retained the name, a junior synonym of Pelopeini Leach, 1815, as valid because of its nearly universal use (Article 40.2.1 of the Code).

- = Pelopoeinae Leach, 1815:150. Based on *Pelopoeus* Latreille, 1802. Originally spelled Pelopaeida.
- = Lutifera Ohl, 1996:19. Not available: not based on any of the included genera (Article 11.7.1). Include Podiini + Sceliphriini.

Tribe: Podiini de Saussure, 1892. Based on *Podium* Fabricius, 1804 (stem: *Podi-*). Originally spelled *Podiites*, latinized to Podiinae by Ashmead, 1899:348.

Included genera: *Dynatus* Lepeletier de Saint Fargeau, 1845, *Penepodium* Menke in R. Bohart and Menke, 1976, *Podium* Fabricius, 1804, *Trigonopsis* Perty, 1833.

Tribe: †Protosceliphriini Antropov, 2014. Based on *Protosceliphron* Antropov, 2014 (stem: *Protosceliphr-*).

Included genus: †*Protosceliphron* Antropov, 2014

Tribe: Sceliphriini Ashmead, 1899 (1815).

Included genera: *Chalybion* Dahlbom, 1843, †*Hoplisidia* Cockerell, 1906, *Sceliphron* Klug, 1801.

Subfamily: Sphecinae Latreille, 1802b:331. Based on *Sphex* Linnaeus, 1758.

- = *Sphecinomorpha* Ohl, 1996:24 (correct spelling: *Sphecini*). Based on *Sphex* (stem: *Sphec-*). Synonym and junior homonym of Sphecini Latreille, 1802. Include *Stangeella* + *Eusphecinomorpha* Ohl, 1996:26 (the latter is not available: not based on any of the included genera; Article 11.7.1).

Tribe: Prionychini Bohart and Menke, 1963:94, 141. Based on *Prionyx* Vander Linden, 1827 (stem: *Prionych-*). Originally spelled Prionyxina.

- = *Palmodomorpha* Ohl, 1996:29 (correct spelling: *Palmodini*). Based on *Palmodes* Kohl, 1890 (stem: *Palmod-*). Genera of Palmodomorpha: *Chilosphex*, *Palmodes*.

Included genera: *Chilosphex* Menke in R. Bohart and Menke, 1976, *Palmodes* Kohl, 1890, *Prionyx* Vander Linden, 1827.

Tribe: Sphecini Latreille, 1802b: 331. Based on *Sphex* Linnaeus, 1758.

- = *Ammobiini* Krombein in Krombein and Burks, 1967. Based on *Ammobia* Billberg, 1820, a junior synonym of *Sphex* (stem: *Ammobi-*). A junior homonym of Ammobiiini Desbrochers des Loges, 1903 (which is a synonym of Opatrini Brullé, 1832), a tribe in Tenebrionidae.
- = *Eusphecinomorpha* Ohl, 1996:26. Not available: not based on any of the included genera (Article 11.7.1). Include Ohl's Sphecini + Ammophilini.

Included genera: *Isodontia* Patton, 1880, *Sphex* Linnaeus, 1758.

Tribe: Stangeellini Bohart and Menke, 1976:87. Based on *Stangeella* Menke, 1962 (stem: *Stangeell-*).

Included genus: *Stangeella* Menke, 1962.

Family: Crabronidae

Crabronidae Latreille, 1802b:340. Based on *Crabro* Fabricius, 1775 (stem: *Crabron*-).

Originally spelled *Crabronites*, latinized to *Crabronida* by Leach, 1812 (Edinb. Encycl.). Four other names of Latreille (1802b) were available for this family, but Acloque (1897:80) used *Crabronidi* acting as first reviser.

= *Thyreopidae* J.Ch. Bradley, 1919a:69. Based on *Thyreopus* Lepeletier de Saint Fargeau and Brullé, 1835 (stem : *Thyreop*-). Omitted from Menke, 1997.

Subfamily: Astatinae Lepeletier de Saint Fargeau, 1845:231. Based on *Astata* Latreille, 1796 (stem: *Astat* -). Originally spelled *Astatites*, latinized to *Astati* by de Saussure, 1867:65.

= *Diploplectrini* W. Fox, 1894:302. Based on *Diplolectron* W. Fox, 1893 (stem: *Diplolectr*-).

= *Dimorphini* Brues and Melander, 1932:503. Based on *Dimorpha* Panzer, 1806 (stem: *Dimorph*-)

Tribe: Astatini Lepeletier de Saint Fargeau, 1845:231. Based on *Astata* Latreille, 1796 (stem: *Astat* -). Originally spelled *Astatites*, latinized to *Astati* by de Saussure, 1867:65.

Included genera: *Astata* Latreille, 1796 (= *Dimorpha* Panzer, 1806), *Diplolectron* W. Fox, 1893, *Dryudella* Spinola, 1843, *Uniplectron* F. Parker, 1966.

Tribe: †Cretastatini B. Rosa and Melo, 2021:8. Based on *Cretastatus* B. Rosa and Melo, 2021:9 (stem *Cretastat*-).

Included genus: †*Cretastatus* B. Rosa and Melo, 2021:9.

Subfamily: Bembicinae Latreille, 1802b:365. Based on *Bembex* Fabricius, 1777 [correctly *Bembix* Fabricius, 1775] (stem: *Bembi*-). Originally spelled *Bembiciles*, latinized to *Bembecinae* by Fallén, 1813.

Tribe: Alyssontini Dalla Torre, 1897:562. Based on *Alysson* Panzer, 1806 (stem: *Alyssont*-). Originally spelled *Alysoninae*, based on *Alyson* Jurine, 1807.

Included genera: *Alysson* Panzer, 1806, *Analysson* Krombein, 1985, *Didineis* Wesmael, 1852.

Tribe: Bembicini Latreille, 1802b:365. Based on *Bembex* Fabricius, 1777 [correctly *Bembix* Fabricius, 1775] (stem: *Bembi*-).

Subtribe: Bembicina Latreille, 1802b:365. Based on *Bembex* Fabricius, 1777 [correctly *Bembix* Fabricius, 1775] (stem: *Bembi*-).

Included genera: *Bembix* Fabricius, 1775, *Bicyrtes* Lepeletier de Saint Fargeau, 1845, *Carlobembix* Willink, 1958, *Editha* J. Parker, 1929, *Hemidula* Burmeister, 1874, *Microbembex* Patton, 1979c, *Rubrica* J. Parker, 1929, *Selman* J. Parker, 1929, *Stictia* Illiger, 1807, *Trichostictia* J. Parker, 1929, *Zyzyyx* Pate, 1937.

Subtribe: Exeirina de Dalla Torre, 1897:534. Based on *Exeirus* Shuckard, 1838 (stem: *Exeir*-).

Prentice (1998) recognized the subtribe *Clitemnestrina*, which is a junior synonym of *Exeirina*, with the following genera included: *Clitemnestra*, *Olgia*, and *Exeirus*. I regard this as synonymizing *Exeirina* with *Clitemnestrina* and *Olgina*.

= *Exirina* W. Schulz, 1906:199. Based on *Exirus* W. Schulz, 1906 (stem: *Exir*-). Unjustified emendation of *Exeirina* de Dalla Torre.

- = *Clitemnestrina* Nemkov and Lelej, 1996:11. Based on *Clitemnestra* Spinola, 1851 (stem: *Clitemnestr-*). Synonymy resulting from Prentice's classification of 1998.
- = *Olgina* Nemkov and Lelej, 1996:11. Based on *Olgia* Radoszkowski, 1877 (stem: *Olg-i-*). Synonymy resulting from Prentice's classification of 1998.
- = *Argogorytina* Nemkov and Lelej, 1996:11. Based on *Argogorytes* Ashmead, 1899 (stem: *Argogoryt-*). Synonymized with *Exeirina* by Nemkov and Ohl, 2011:39.

Included genera: *Argogorytes* Ashmead, 1899 (= *Malaygorytes* Nemkov, 1999), *Clitemnestra* Spinola, 1851 (= *Ochleroptera* Holmberg, 1903), *Exeirus* Shuckard, 1838, *Neogorytes* R. Bohart in R. Bohart and Menke, 1976, *Olgia* Radoszkowski, 1877, *Paraphilanthus* Vandy, 1995.

Subtribe: Gorytina Lepeletier de Saint Fargeau, 1845. Based on *Gorytes* Latreille, 1805 (stem: *Goryt-*). Originally spelled *Gorytites*, latinized to *Gorytinae* by Dalla Torre, 1897:535. Spelled *Goritini* by A. Costa, 1859:3, 26, 53 (Italian vernacular), and *Gorytesii* by Acloque, 1897:80.

- = *Arpactini* R. Turner, 1915:67. Based on *Arpactus* Panzer, 1805 (stem: *Arpact-*).
- = *Hoplisini* Rohwer, 1916:654,656. Based on *Hoplisus* Lepeletier de Saint Fargeau, 1832 (stem: *Hoplis-*).
- = *Trichogorytina* Nemkov and Pulawski, 2009. Based on *Trichogorytes* Rohwer, 1912 (stem: *Trichogoryt-*). Synonymized with *Gorytina* by Nemkov and Ohl, 2011:39.

Included genera: *Afrogorytes* Menke, 1967, *Allogorytes* R. Bohart, 2000, *Arigorytes* Rohwer, 1912, *Aroliagorytes* R. Bohart, 2000, *Austrogorytes* R. Bohart, 1967, †*Biamogorytes* Nemkov, 1990, *Eogorytes* R. Bohart in Bohart and Menke, 1976, *Epigorytes* R. Bohart, 2000, *Gorytes* Latreille, 1805 (= *Pseudoplisis* Ashmead, 1899, = *Leiogorytes* R. Bohart, 2000), *Hapalomellinus* Ashmead, 1899, *Harpactostigma* Ashmead, 1899, *Harpactus* Shuckard, 1837, *Hoplisoides* Gribodo, 1884, *Lestiphorus* Lepeletier de Saint Fargeau, 1832, *Leurogorytes* R. Bohart, 2000, *Liogorytes* R. Bohart, 1967, *Megistomummum* W. Schulz, 1906, *Oryttus* Spinola, 1836, *Psammaecius* Lepeletier de Saint Fargeau, 1832, *Psammaletes* Pate, 1936, *Sagenista* R. Bohart, 1967, *Saygorytes* Nemkov, 2007, *Stenogorytes* Schrottky, 1911 (= *Neoplisis* R. Bohart, 1967), *Stethogorytes* R. Bohart, 2000, *Tretogorytes* R. Bohart, 2000, *Trichogorytes* Rohwer, 1912, *Xerogorytes* R. Bohart in Bohart and Menke, 1976.

Subtribe: Handlirschiina Nemkov and Lelej, 1996:12. Based on *Handlirschia* Kohl, 1897 (stem: *Handlirschi-*).

Included genera: *Handlirschia* Kohl, 1897, *Pterygorytes* R. Bohart, 1967.

Subtribe: Spheciina Nemkov and Ohl, 2011:39. Based on *Sphecius* Dahlbom, 1843 (stem: *Spheci-*).

Included genera: *Ammatomus* A. Costa, 1859, *Kohlia* Handlirsch, 1895, *Sphecius* Dahlbom, 1843, *Tanyoprymnus* Cameron, 1905.

Subtribe Stictiellina R. Bohart and Horning, 1971. Based on *Stictiella* Parker, 1917 (stem: *Stictiell-*). Synonymized with *Bembicini* by R. Bohart and Menke, 1976:534, resurrected as valid tribe by Nemkov and Ohl, 2011:40.

Included genera: *Chilstictia* Gillaspy, 1983, *Glenostictia* Gillaspy in Gillaspy, Evans, and Lin, 1962, *Microstictia* Gillaspy, 1963, *Steniolia* Say, 1837, *Stictiella* J. Parker, 1917, *Xerostictia* Gillaspy, 1963.

Subtribe: Stizina A. Costa, 1859:2, 4, 55. Based on *Stizus* Latreille, 1802 (stem: *Stiz-*).

Included genera: *Bembecinus* A. Costa, 1859, *Stizoides* Guérin-Méneville, 1844, *Stizus* Latreille, 1802.

Tribe: †Discoscapini Poinar, 2020:2. Based on *Discoscapa* (stem: *Discoscap-*). Described as family, downgraded to tribe within Crabroninae by B. Rosa and Melo, 2021:3

Included genus: *Discoscapa* Poinar, 2020.

Tribe: Heliocausini Handlirsch, 1925:807. Based on *Heliocausus* Kohl, 1892 (stem: *Heliocaus-*).

Included genera: *Acanthocausus* Fritz and Toro, 1977, *Heliocausus* Kohl, 1892, *Tiguipa* Fritz and Toro, 1976.

Tribe: Nyssonini Latreille, 1804:180. Based on *Nysson* Latreille, 1802 (stem: *Nyssont-*, ruled to be *Nysson-* by International Commission on Zoological Nomenclature, 1979, Opinion 1115). Originally spelled *Nyssonii*, corrected to *Nyssoninae* by Dalla Torre, 1897:566.

Subtribe: Nurseina Nemkov and Lelej, 2013. Based on *Nursea* Cameron, 1902 (stem: *Nurse-*).

Included genera: *Nippononysson* Yasumatsu and Maidl, 1936, *Nursea* Cameron, 1902,

Subtribe: Nyssonina Latreille, 1804:180. Based on *Nysson* Latreille, 1802 (stem: *Nyssont-*, ruled to be *Nysson-* by International Commission on Zoological Nomenclature, 1979, Opinion 1115). Originally spelled *Nyssonii*, corrected to *Nyssoninae* by Dalla Torre, 1897:566.

Included genera: *Acanthostethus* Smith, 1869, *Antomartinezius* Fritz, 1955, *Brachystegus* A. Costa, 1859, *Cresson* Pate, 1938, *Epinysson* Pate, 1935, *Foxia* Ashmead, 1898, *Hovanysson* Arnold, 1945, *Hyponysson* Cresson, 1882, *Idionysson* Pate, 1940, *Losada* Pate, 1940, *Metanysson* Ashmead, 1899, *Neonysson* R. Bohart, 1968, *Nysson* Latreille, [1802] (= *Synnevrus* A. Costa, 1859), *Perisson* Pate, 1938, *Zanysson* Rohwer, 1921.

Tribe: †Megaroliini B. Rosa and Melo, 2021:12. Based on *Megarolium* B. Rosa and Melo, 2021:13 (stem: *Megaroli-*).

Included genus: †*Megarolium* B. Rosa and Melo, 2021:13.

Tribe: †Pristinopterini B. Rosa and Melo, 2021:14. Based on *Pristinopterus* B. Rosa and Melo, 2021:15 (stem: *Pristinopter-*).

Included genus: †*Pristinopterus* B. Rosa and Melo, 2021:15.

Subfamily: Crabroninae Latreille, 1802. Based on *Crabro* Fabricius, 1775 (stem: *Crabron-*). Originally spelled *Crabronites*.

Tribe: Bothynostethini W. Fox, 1894:302. Based on *Bothynostethus* Kohl, 1884 (stem: *Bothynosteth-*).

Subtribe: Bothynostethina W. Fox, 1894. Based on *Bothynostethus* Kohl, 1894 (stem: *Bothynosteth-*).

Included genera: *Bothynostethus* Kohl, 1894, *Sanaviron* Vardy, 1987, *Willinkiella* Menke, 1968.

Subtribe: Scapheutina Menke, 1968:91. Based on *Scapheutes* Handlirsch, 1887 (stem: *Scapheut-*).

Included genera: *Bohartella* Menke, 1968, *Scapheutes* Handlirsch, 1887.

Tribe: Crabronini Latreille, 1802. Based on *Crabro* Fabricius, 1775 (stem: *Crabron-*). Originally spelled *Crabronites*.

Subtribe: Anacrabronina Ashmead, 1899:163. Based on *Anacrabro* Packard, 1866 (stem: *Anacrabron-*).

= *Karossiina* Pate, 1936:151. Based on *Karossia* Arnold, 1929 (stem: *Karossi-*).

Included genera: *Anacrabro* Packard, 1866, *Encopognathus* Kohl, 1897, *Entomocrabro* Kohl, 1905, *Entomognathus* Dahlbom, 1844.

Subtribe: Crabronina Latreille, 1802.

- = *Lindeniiina* Ashmead, 1899:163. Based on *Lindenius* Lepeletier de Saint Fargeau and Brullé, 1834 (stem: *Linden-i-*).
- = *Thyreopodina* Ashmead, 1899:164. Based on *Thyreopus* Lepeletier de Saint Fargeau and Brullé, 1845 (stem: *Thyreopod-*). Originally spelled Thyreopinae. Thyreocopidae of Strickland, 1947:127 is probably a misspelling.
- = *Rhopalina* Ashmead, 1899:164. Based on *Rhopalum* Stephens, 1829 (stem: *Rhopal-*). Junior homonym of Rhopalidae Amyot and Serville, 1843, based on *Rhopalus* Schilling, 1827 (Heteroptera).
- = *Solenina* Bradley, 1926:1029. Based on *Solenius* Lepeletier de Saint Fargeau and Brullé, 1835 (stem: *Soleni-*).
- = *Pemphilidina* Pate, 1935:246. Based on *Pemphilis* Risso, 1826 (stem: *Pemphilid-*). Originally spelled Pemphilidae.

Included genera: *Alinia* Antropov, 1993, *Arnoldita* Pate, 1948, *Chimila* Pate, 1944, *Chimiloides* Leclercq, 1951, *Crabro* Fabricius, 1775, *Crorthopalmum* Tsuneki, 1984, *Crossocerus* Lepeletier de Saint Fargeau and Brullé, 1835 (= *Towada* Tsuneki, 1970), *Dasyproctus* Lepeletier de Saint Fargeau and Brullé, 1835, *Echucoides* Leclercq, 1957, *Ectemnius* Dahlbom, 1845 (= *Spadicocrabro* Tsuneki, 1990), *Enoplolindenius* Rohwer, 1911, *Euplilooides* Pate, 1946, *Foxita* Pate, 1942 (= *Taruma* Pate, 1944), *Hingstoniola* Turner and Waterston, 1926, *Holcorhopalum* Cameron, 1904, *Huacrabro* Leclercq, 2000, *Huavea* Pate, 1948, *Isorhopalum* Leclercq, 1963, *Krombeinictus* Leclercq, 1996, *Leclercqia* Tsuneki, 1968, *Lecrenierus* Leclercq, 1977, *Lestica* Billberg, 1820, *Lindenius* Lepeletier de Saint Fargeau and Brullé, 1835, *Minicrabro* Leclercq, 2003, *Moniaeaceria* Ashmead, 1899, *Neodasyproctus* Arnold, 1926, *Notocrabro* Leclercq, 1951, *Odontocrabro* Tsuneki, 1971, *Pae* Pate, 1944 (= *Lamocrabro* Leclercq, 1951), *Papuris* Tsuneki, 1983, *Parataruma* Kimsey, 1982, *Pericrabro* Leclercq, 1954, *Piyuma* Pate, 1944b, *Piyumoides* Leclercq, 1963, *Podagritooides* Leclercq, 1957, *Podagritus* Spinola, 1851, *Pseudoturneria* Leclercq, 1954, *Quexua* Pate, 1942, *Rhopalum* Stephens, 1829, *Tracheliodes* A. Morawitz, 1866, *Tsunekiola* Antropov, 1986, *Vechtia* Pate, 1944, *Williamsita* Pate, 1947, *Zutrhopalum* Leclercq, 1998.

Tribe: Larrini Latreille, 1810:289, 438. Based on *Larra* Fabricius, 1793 (stem: *Larr-*).

- = *Larradini* de Saussure, 1892:471. Based on *Larrada* F. Smith, 1856 (stem: *Larrad-*).

Subtribe: Gastrosericina André, 1886:51. Based on *Gastrosericus* Spinola, 1838 (stem: *Gastroseric-*). Originally spelled Gasterosericidae, corrected to Gastrosericidae by André, 1888:211.

- = *Tachytina* G. Bohart, 1951:945. Based on *Tachytes* Panzer, 1806 (stem: *Tachyt-*).

Included genera: *Gastrosericus* Spinola, 1839, *Holotachysphex* de Beaumont, 1940, *Kohliella* Brauns, 1910, *Larropsis* Patton, 1892, *Parapiagetia* Kohl, 1897, *Prosopigastra* A. Costa, 1867, *Tachysphex* Kohl, 1883, *Tachytella* Brauns, 1906, *Tachytes* Panzer, 1806.

Subtribe: Larrina Latreille, 1810. Based on *Larra* Fabricius, 1793 (stem: *Larr-*).

Included genera: *Dalara* Ritsema, 1884, *Dicranorrhina* Shuckard, 1840, *Larra* Fabricius, 1793, *Liris* Fabricius, 1804, *Megalara* Kimsey and Ohl, 2012, *Paraliris* Kohl, 1884.

Tribe: †*Megaroliini* B. Rosa and Melo, 2021:12. Based on *Megarolium* B. Rosa and Melo, 2021 (stem: *Megaroli-*).

Included genus: †*Megarolium* B. Rosa and Melo, 2021.

- Tribe: Miscophini** W. Fox, 1894:302. Based on *Miscophus* Jurine, 1807 (stem: *Miscoph-*).
= *Lyrodini* W. Fox, 1895:302. Based on *Lyroda* Say, 1837 (stem: *Lyrod-*).
= *Sericophorini* Dalla Torre, 1897:577. Based on *Sericophorus* F. Smith, 1851 (stem: *Sericophor-*).
= *Nitelini* Dalla Torre, 1897:697. Based on *Nitela* Latreille, 1809 (stem: *Nitel-*).
= *Paranyssontini* R. Turner, 1914:337. Based on *Paranysson* Guérin-Méneville, 1844 (stem: *Paranyssont-*). Originally spelled Paranyssoninae.

Included genera: *Aha* Menke, 1977, *Auchenophorus* R. Turner, 1907, *Larrissa* Pulawski, 2012, *Larrisson* Menke, 1967, *Lyroda* Say, 1837, *Miscophoidellus* Menke in Bohart and Menke, 1976, *Miscophoides* Brauns in Kohl, 1897, *Miscophus* Jurine, 1807, *Namiscophus* Lomholdt, 1985, *Nitela* Latreille, 1809, *Paranysson* Guérin-Méneville, 1844, *Plenoculus* W. Fox, 1893, *Saliostethoides* Arnold, 1924, *Saliostethus* Brauns in Kohl, 1897, *Sericophorus* F. Smith, 1851, *Solierella* Spinola, 1851, *Sphodrotes* Kohl, 1889.

- Tribe: Oxybelini** Leach, 1815:152. Based on *Oxybelus* Latreille, 1796 (stem: *Oxybel-*). Originally spelled Oxybellida.

Included genera: *Belarnoldus* Antropov, 2007, *Belokohlus* Antropov, 2007, *Belomicrinus* Antropov, 2000, *Belomicroides* Kohl, 1899, *Belomicrus* A. Costa, 1871, *Brimocelus* Arnold, 1927, *Enchemicrum* Pate, 1929, *Gessus* Antropov, 2001, *Guichardus* Antropov, 2007, *Minimicroides* Antropov, 2000, *Nototis* Arnold, 1927, *Oxybelochardus* Hamodee and Shafeeq, 2023, *Oxybelomorpha* Brauns, 1897, *Oxybelus* Latreille, 1797, *Pseudomicroides* Antropov, 2001, *Wojus* Antropov, 1999.

- Tribe: Palarini** Schrottky, 1909:249. Based on *Palarus* Latreille, 1802 (stem: *Palar-*). Originally spelled Palaridae. Also used by Ruiz Pereira, 1924:102.
= *Palarini* Börner, 1919:185. Based on *Palarus* Latreille, 1802 (stem: *Palar-*).
= *Mesopalarini* Lomholdt, 1985:22. Based on *Mesopalarus* Brauns, 1899 (stem: *Mesopalar-*). Synonymized with Palarini by Pulawski and Prentice (2008:311).

Included genera: *Mesopalarus* Brauns, 1899, *Palarus* Latreille, 1802.

- Tribe: †Pristinopterini** B. Rosa and Melo, 2021:14. Based on *Pristinopterus* B. Rosa and Melo, 2021 (stem: *Pristinopter-*).

Included genus: †*Pristinopterus* B. Rosa and Melo, 2021.

- Tribe: †Protomicroidini** Antropov, 2010b:66. Based on *Protomicroides* Antropov, 2010 (stem: *Protomicroid-*).

Included genus: †*Protomicroides* Antropov, 2010b and 2010c.

- Tribe: Trypoxylini** Lepeletier de Saint Fargeau, 1845:224. Based on *Trypoxylon* Latreille, 1796 (stem: *Trypoxyl-*). Originally spelled Trypoxylites, latinized to Trypoxylidae by Thomson, 1870:207, and incorrectly to Trypoxylonidae in subsequent publications.
= *Pisini* Ashmead, 1899:241 (originally spelled Pisoninae). Based on *Pison* Jurine, 1808, Greek for pea, and also one of the rivers in the Garden of Eden (stem: *Pis-*). May have been based on the Roman family name *Pison*, in which case the stem would be *Pison-*.

Included genera: *Aulacophilinus* Lomholdt, 1980, *Aulacophilus* F. Smith, 1869, *Entomopison* Menke, 1968, †*Eopison* Nel, 2005, †*Megapison* Zhang, 1989, *Pison* Jurine in Spinola, 1808, *Pisonopsis* W. Fox, 1893, *Pisoxylon* Menke, 1968, *Trypoxylon* Latreille, 1796.

Subfamily: Dinetinae W. Fox, 1895:305. Based on *Dinetus* Panzer, 1806 (stem: *Dinet-*).

Included genus: *Dinetus* Panzer, 1806.

Subfamily: Eremiaspeciinae Menke, 1967:148. Based on *Eremiasphecium* Kohl, 1897 (stem: *Eremiaspeci-*). Originally treated as tribe *Eremiaspeciini*.

Tribe: Eremiaspeciini Menke, 1967. Based on *Eremiasphecium* Kohl, 1897 (stem: *Eremiaspeci-*).

Included genera: †*Ammosphecium* B. Rosa and Melo, 2021, *Eremiasphecium* Kohl, 1897 (= *Taukumia* Kazenas, 1991, = *Xanthospheciun* Simon Thomas, 1994).

Tribe: Laphyragogini R. Bohart and Menke, 1976:217. Based on *Laphyragogus* Kohl, 1889 (stem: *Laphyragog-*).

Included genus: *Laphyragogus* Kohl, 1889.

Subfamily: Mellininae Latreille, 1802b:337. Based on *Mellinus* Fabricius, 1790 (stem: *Mellin-*). Originally spelled *Melliniores*, latinized to *Mellinii* by Fallén, 1812:130.

Tribe: Mellinini Latreille, 1802. Based on *Mellinus* Fabricius, 1790 (stem: *Mellin-*).

Included genus: *Mellinus* Fabricius, 1790 (= *Trachogorytes* R. Bohart, 2000).

Tribe: Xenospheciini F. Parker, 1966:195. Based on *Xenospheci* F. Williams, 1954 (stem: *Xenospheci-*).

= *Xenospheci* R. Bohart and Menke, 1976:437. Based on *Xenospheci* F. Williams, 1794 (stem: *Xenospheci-*).

Included genus: *Xenospheci* F. Williams, 1954.

Subfamily: Pemphredoninae Dahlbom, 1835:2, 6, 8. Based on *Pemphredon* Latreille, 1796 (stem: *Pemphredon-*). Nomen protectum (Article 23.9). Originally spelled *Pemphredonides*, corrected to *Pemphredonides* in Isis von Oken, 1836, Heft 4:col. 288, and spelled *Pemphredonidae* by Dahlbom, 1842:1.

= *Cemoninae* Fallén, 1812:131. Based on *Cemonus* Panzer, 1806 (stem: *Cemon-*), a junior synonym of *Pemphredon*. Nomen oblitum (Article 23.9). Originally spelled *Cemonii*. Not listed by Menke, 1997.

Tribe: Entomosericini Dalla Torre, 1897:557. Based on *Entomosericus* Dahlbom, 1845 (stem: *Entomoseric-*).

Included genus: *Entomosericus* Dahlbom, 1845.

Tribe: Odontospheciini Menke, 1967:144. Based on *Odontospheci* Arnold, 1951 (stem: *Odontospheci-*).

Included genus: *Odontospheci* Arnold, 1951.

Tribe: †Palangini Antropov, 2011b:235. Based on *Palanga* Budrys, 1993 (stem: *Palang-*).

Included genus: †*Palanga* Budrys, 1993.

Tribe: Pemphredonini Dahlbom, 1835:2, 6, 8. Based on *Pemphredon* Latreille, 1796 (stem: *Pemphredon-*).

Subtribe: Ammoplanina Evans, 1959:182, 189. Based on *Ammoplanus* Giraud, 1869 (stem: *Ammoplan-*).

Included genera: *Ammoplanellus* Gussakovskij, 1931, *Ammoplanops* Gussakovskij, 1931, *Ammoplanus* Giraud, 1869, *Ammostigmus* Antropov, 2010, *Mohavena* Pate, 1939, *Parammoplanus* Pate, 1939, *Protostigmus* Turner, 1918 (= *Anomiopteryx* Gussakovskij, 1935), *Pulverro* Pate, 1937, *Riparena* Pate, 1939, *Timberlakena* Pate, 1939.

Subtribe: Pemphredonina Dahlbom, 1835. Based on *Pemphredon* Latreille, 1796 (stem: *Pemphredon-*).

Included genera: †*Cretoecus* Budrys, 1993, *Diodontus* Curtis, 1834, †*Eopinoecus* Budrys, 1993, †*Eoxyloecus* Budrys, 1993, †*Iwestia* Rasnitsyn and Jarzembski in Rasnitsyn, Jarzembski, and Ross, 1998, †*Palarpactophilus* Ohl and Bennett, 2009, *Passaloecus* Shuckard, 1837, *Pemphredon* (= †*Sinostigma* Hong, 1984), †*Pittoecus* Evans, 1973, *Polemistus* de Saussure, 1892, †*Prolemistus* Antropov, 2000, †*Rovnoecus* Antropov, 2009, †*Succinoecus* Budrys, 1883.

Subtribe: Spilomenina Menke, 1989:740. Based on *Spilomena* Shuckard, 1838 (stem: *Spilomen-*).

Included genera: *Arpactophilus* F. Smith, 1863, †*Cretospilomena* Antropov, 2000, †*Lisponema* Evans, †*Menopsila* Bennett, Perrichot, and Engel, 2014 (tribal assignment according to A.V. Antropov, pers. comm. of 29 Dec 2014), *Microstigmus* Ducke, 1907, †*Plisomena* Antropov, 2014, †*Psolimena* Antropov, 2000, *Spilomena* Shuckard, 1838, *Xysma* Pate, 1937.

Subtribe: Stigmina R. Bohart and Menke, 1976:175, 185. Based on *Stimus* Panzer, 1804 (stem: *Stigm-*).

Included genera: *Allostigmus* Melo and Naumann, 1999, *Araucastigmus* Finnimore, 1995, *Aykhustigmus* Finnimore, 1995, *Ceratostigmus* Melo and Naumann, 1999, *Carinostigmus* Tsuneki, 1954, *Incastigmus* Finnimore, 1995, *Llaqhastigmus* Finnimore, 1995, *Paracrabro* Turner, 1907, *Parastigmus* Antropov, 1992, *Stimus* Panzer, 1804, *Tzustigmus* Finnimore, 1995.

Genus that cannot be confidently placed in Spilomenina or Stigmina: †*Colmepsiterona* Cockx and Mc Keller, 2018.

Tribe: Psenini A. Costa, 1858:4, 21. Based on *Psen* Latreille, 1796 (stem: *Psen-*).

= *Mimesini* E. Saunders, 1880:261. Based on *Mimesa* Shuckard, 1837 (stem: *Mimes-*). Originally spelled *Mimesidae*.

= *Psenulini* Gittins, 1969:50. Based on *Psenulus* Kohl, 1897 (stem: *Psenul-*). Originally spelled *Psenuli*.

Subtribe: †Helosericina B. Rosa and Melo, 2021:18. Based on *Helosericus* B. Rosa and Melo, 2021:19 (stem: *Heloseric-*).

Included genus: †*Helosericus* B. Rosa and Melo, 2021:19.

Subtribe: †Odontosericina B. Rosa and Melo, 2021:16. Based on *Odontosericus* B. Rosa and Melo, 2021:17 (stem: *Odontoseric-*).

Included genus: †*Odontosericus* B. Rosa and Melo, 2021:17.

Subtribe: Psenina A. Costa, 1858:4, 21. Based on *Psen* Latreille, 1796 (stem: *Psen-*).

Included genera: *Ammopsen* Krombein, 1959, *Deinomimesa* Perkins, 1899, †*Eomimesa* Budrys, 1993, *Lithium* Finnimore, 1987, *Mimesa* Shuckard, 1937, *Mimumesa* Malloch, 1933, *Nesomimesa* R. Perkins, 1899, *Odontopsen*

Tsuneki, 1964, *Pluto* Pate, 1937, †*Pristopsen* B. Rosa and Melo, 2021, *Psen* Latreille, 1796, *Pseneo* Malloch, 1933, *Psenulus* Kohl, 1897, †*Tytthopsen* Antropov, 2014.

Tribe: †Rasnitsynapini Antropov, 2011b:230. Based on *Rasnitsynapus* Antropov, 2011 (stem: *Rasnitsynap-*).

Included genus: †*Rasnitsynapus* Antropov, 2011:232.

Subfamily: Philanthinae Latreille, 1802b:365. Based on *Philanthus* Fabricius, 1790 (stem: *Philanth-*). Originally spelled *Philanthores*, spelled *Philanthoidae* by Agassiz, 1847:284.

Tribe: Aphilanthopini R. Bohart, 1966. Based on *Aphilanthops* Patton, 1881 (stem: *Aphilanthop-*). Originally spelled *Aphilanthopsina*.

Included genera: *Aphilanthops* Patton, 1881, *Clypeadon* Patton, 1897 (= *Listropygia* R. Bohart, 1959).

Tribe: Cercerini Lepeletier de Saint Fargeau, 1845:1. Based on *Cerceris* Latreille, 1802 (stem: *Cercer-*). Originally spelled *Cercerites*, latinized to *Cerceridae* by A. Costa, 1860:6.

Included genera: *Cerceris* Latreille, 1802, *Eucerceris* Cresson, 1865.

Tribe: Philanthini Latreille, 1802b:365. Based on *Philanthus* Fabricius, 1790 (stem: *Philanth-*). Originally spelled *Philanthores*, spelled *Philanthoidae* by Agassiz, 1847:284.

Subtribe: Philanthina Latreille, 1802 b:365. Based on *Philanthus* Fabricius, 1790 (stem: *Philanth-*). Originally spelled *Philanthores*, spelled *Philanthoidae* by Agassiz, 1847:284.

Included genera: *Philanthus* Fabricius, 1790, †*Prophilanthus* Cockerell, 1906 (placed here tentatively), *Trachypus* Klug, 1810.

Subtribe: Philanthinina Menke, 1967:148. Based on *Philanthinus* de Beaumont, 1949 (stem: *Philanthin-*).

Included genus: *Philanthinus*, de Beaumont, 1949.

Tribe: Pseudoscoliini Menke, 1967:148. Based on *Pseudoscolia* Radoszkowski, 1876 (stem: *Pseudoscoli-*).

Included genus: *Pseudoscolia* Radoszkowski, 1876.

Family: Apidae (sensu lato) =

= Apoidea of bee workers

See: C.D. Michener. 2000. The bees of the world. The John Hopkins University Press, Baltimore and London. 913 pp. Second edition: 2007, 953 pp.

Fossil Families and Subfamilies of Uncertain Position Within Apoidea

Family: Angarosphecidae

- †Angarosphecidae Rasnitsyn, 1975:109 Based on *Angarosphex* Rasnitsyn, 1975 (stem: *Angarosphec-*).
= Baissodidae Rasnitsyn, 1975:122 Based on *Baissodes* Rasnitsyn, 1975 (stem: *Baissod-*).
Synonymized with Angarosphecidae by Rasnitsyn *in* Rasnitsyn, Pulawski, and Martínez-Delclòs, 1999:24.
- Subfamily: †Angarosphecinæ** Rasnitsyn, 1975:109. Based on *Angarosphex* Rasnitsyn, 1975 (stem: *Angarosphec-*).

Included genera: †*Angarosphex* Rasnitsyn, 1975, †*Archisphex* Evans, 1969 (= *Cretosphex* Rasnitsyn, 1975, = *Paleapis* Hong, 1984, = *Mateosphex* Zhang, 1985), †*Baissodes* Rasnitsyn, 1975, †*Cretobestiola* Pulawski and Rasnitsyn, 2000 (= *Bestiola* Pulawski and Rasnitsyn, 1999, junior homonym of *Bestiola* Nikol'skaya, 1963, and of *Bestiola* Andronov, 1972), †*Calobaissodes* Zhang, 1992, †*Cretosphaecium* Pulawski and Rasnitsyn, 2000, †*Eosphecium* Pulawski and Rasnitsyn, 2000, †*Eubaissodes* Zhang, 1992, †*Ilerdosphex* Rasnitsyn, 2000, †*Montecosphex* Rasnitsyn and Martínez-Delclòs, 2000, †*Oryctobaissodes* Rasnitsyn, 1975, †*Pompiopterus* Rasnitsyn, 1975, †*Trichobaissodes* Rasnitsyn, 1975, and †*Vitimosphex*. Transferred to Burmasphecidae: *Decasphe* Y. Zheng, H. Zhang, and Rasnitsyn, 2021. Excluded from Angarosphecidae and Aculeata: †*Jibaissodes giganteus* Ren, 1995 and †*Shandongodes necrodes* J.F. Zhang.

- Subfamily: †Burmastatinae** Antropov, 2000:60. Based on *Burmastatus* Antropov, 2000 (stem: *Burmastat-*).

Included genus: †*Burmastatus* Antropov, 2000:60.

Fossil genera incertae sedis.

†*Gallosphe* Schlüter, 1978:83, †*Trigampulex* Antropov, 2000:70.

Genus and species unknown.

Rasnitsyn, Jarzembski, and Ross, 1998:379 (England, body without head or wings); Rasnitsyn and Martínez-Delclòs, 2000:85, 86 (Spain: Lérida Province: Montsec Range).

Family: Allommationidae

- †Allommationidae B. Rosa and Melo, 2021:4. Based on *Allommation* B. Rosa and Melo, 2021 (Article 29.4 of the Code).

Included genus: †*Allommation* B. Rosa and Melo, 2021.

Family: Burmasphecidae

- †Burmasphecidae B. Rosa and Melo, 2023:5. Based on *Burmasphe* Melo and B. Rosa, 2023 (stem: *Burmasphec-*).

Included genera: †*Burmasphe* Melo and B. Rosa, 2018, †*Callisphe* B. Rosa and Melo, 2023, †*Decasphe* Y. Zheng, H. Zhang, and Rasnitsyn, 2021, †*Simplisphe* B. Rosa and Melo, 2023.

Family: Cirrosphecidae

- †Cirrosphecidae Antropov, 2000:61. Based on *Cirrosphe* Antropov, 2000 (stem: *Cirrosphec-*). Originally spelled Cirrosphecinae, raised to full family status by B. Rosa and Melo, 2021:22.

Subfamily: †Cirrosphecinae Antropov, 2000:61. Based on *Cirrosphec* Antropov, 2000 (stem: *Cirrosphec*-).

Included genera: †*Cirrosphec* Antropov, 2000:62, †*Haptodioctes* B. Rosa and Melo.

Subfamily: †Glenocephalinae B. Rosa and Melo, 2021:27. Based on *Glenocephalus* B. Rosa and Melo, 2021 (stem: *Glenocephal*-).

Included genus: †*Glenocephalus* B. Rosa and Melo.

Family: Spheciellidae

†Spheciellidae B. Rosa and Melo, 2021:33. Based on *Spheciellus* B. Rosa and Melo, 2021 (stem: *Spheciell*-).

Included genus: †*Spheciellus* B. Rosa and Melo, 2021.

FOSSIL TAXA DESCRIBED IN SPHECIDAE (sensu lato) AND TRANSFERRED TO OTHER FAMILIES

†*Didineis solidescens* Scudder, 1890:620. Holotype: USA: Wyoming: Green River (MCZ). Age: Eocene. – Dalla Torre, 1897:566 (in catalog of world Sphecidae); Ashmead, 1899d:329 (in checklist of North American Crabronidae); Evans, 1966d:393 (study of holotype, transferred to Eumeninae near *Alastor*); R. Bohart and Menke, 1976:31 (in checklist of world Sphecidae, reference to Evans, 1966d).

†*Jibaissodes* Ren in Ren, Lu, Guo, and Ji, 1995:120 (Chinese) and 196 (English). Type species: *Jibaissodes giganteus* Ren in Ren, Lu, Guo, and Ji, 1995, by original designation and monotypy. Described in Baissodidae (now Angarosphecidae), transferred to Megalomontesidae by Rasnitsyn. Testing cladograms by fossil record: the ghost range test. Contributions to Zoology 2000:252 (caption for Fig. 1, line 8).

†*Nysson rottensis* Meunier, 1915:.... Transferred to Eumeninae by Evans, 1966d:396.

†*Philoponites* Cockerell, 1915b:482. Type species: *Philoponites clarus* Cockerell, 1915, by monotypy. Transferred to Tiphidae by Antropov in Antropov, Belokobylskij, Compton, Dlussky, Khalaim, Kolyada, Kozlov, Perfilieva, and Rasnitsyn, 2014:64.

†*Shandongodes necrodes* J.F. Zhang, 1985:35. Holotype: ♀, China: Shandong Province: Laiyang District: Tuanwang (Shandong Provincial Museum, Shandong, China). Age: Lower Cretaceous (as Upper Jurassic), Laiyang Formation. Originally assigned to Baissodidae (now Angarosphecidae). – Rasnitsyn, Jarzemowski, and Ross, 1998:370 (excluded from Aculeata because of external ovipositor; ovipositor invisible on the original illustration, but detected by Rasnitsyn on the photograph received from J.F. Zhang; personal communication of A.P. Rasnitsyn of 6 August 2020).

†*Taimyrisphec* Evans, 1973d. Type species: *Taimyrisphec pristinus* Evans, 1973, by original designation and monotypy. Included species: *Taimyrisphec pristinus* Evans, 1973d:168, ♂. Holotype: Russia, Taimyr Peninsula: Yantaragh Hill 3 km south from mouth of Maimetcha River (PIN). Age: Upper Cretaceous amber. Transferred to Falsiformicidae (Scolioidea) by Rasnitsyn, 1980:28.