







Idiopathic pulmonary fibrosis – Critical illness









Idiopathic pulmonary fibrosis – Hospitalisation









Idiopathic pulmonary fibrosis – Reported infection









method — IVW - - - Egger - - - WME - - - WMBE · · · MRPRESSO



method / IVW / Egger / WME / WMBE / MRPRESSO





method    — IWW    - - - Egger    - - - WME    - - - WMBE    - - - MRPRESSO





method / IWV - - - Egger / WME - - - WMBE - - - MRPRESSO



Lupus – Critical illness









Lupus – Hospitalisation



Lupus – Reported infection





method — IVW — Egger — WME — WMBE — MRPRESSO





method / IWV - - - Egger - - - WME - - - WMBE - - - MRPRESSO



ADHD – Critical illness









ADHD – Hospitalisation



ADHD – Reported infection









method — IVW - - - Egger - - - WME - - - WMBE - - - MRPRESSO





method / IVW / Egger / WME / WMBE / MRPRESSO







method — IWV - - - Egger - - - WME - - - WMBE - - - MRPRESSO



Systolic blood pressure – Critical illness









Systolic blood pressure – Hospitalisation









Systolic blood pressure – Reported infection









method / IVW - - - Egger - - - WME - - - WMBE . . . MRPRESSO

















method — IWW - - - Egger - - - WME - - - WMBE - - - MRPRESSO









method — IVW - - - Egger - - - WME - - - WMBE - - - MRPRESSO



method — IVW - - - Egger - - - WME - - - WMBE - - - MRPRESSO





method    — IVW    - - - Egger    - - - WME    - - - WMBE    - - - MRPRESSO





method — IVW - - - Egger - - - WME - - - WMBE - - - MRPRESSO





Cigarettes per day – Critical illness



Cigarettes per day – Hospitalisation





Cigarettes per day – Reported infection





method — IVW - - - Egger - - - WME - - - WMBE - - - MRPRESSO



Smoking initiation – Critical illness









Smoking initiation – Hospitalisation









Smoking initiation – Reported infection









method — IVW - - - Egger - - - WME - - - WMBE - - - MRPRESSO



method    — IVW    - - - Egger    - - - WME    - - - WMBE    . . . MRPRESSO





method / IVW - - - Egger - - - WME - - - WMBE - - - MRPRESSO





method — IVW - - - Egger - - - WME - - - WMBE - - - MRPRESSO



Amyotrophic lateral sclerosis – Critical illness









Amyotrophic lateral sclerosis – Hospitalisation









Amyotrophic lateral sclerosis – Reported infection



method — IWW - - - Egger - - - WME - - - WMBE - - - MRPRESSO









method / IVW - - - Egger - - - WME - - - WMBE - - - MRPRESSO






method / IWW - - - Egger - - - WME - - - WMBE - - - MRPRESSO







method — IVW - - - Egger - - - WME - - - WMBE - - - MRPRESSO


Multiple sclerosis – Critical illness









Multiple sclerosis – Hospitalisation



Multiple sclerosis – Reported infection









method — IWW - - - Egger - - - WME - - - WMBE - - - MRPRESSO









method — IWW - - - Egger - - - WME - - - WMBE - - - MRPRESSO

Schizophrenia – Critical illness






method — IVW - - - Egger - - - WME - - - WMBE - - - MRPRESSO





method — IWW - - - Egger - · - · WME - - - WMBE · · · MRPRESSO


Bipolar disorder – Critical illness









Bipolar disorder – Hospitalisation



Bipolar disorder – Reported infection





method — IVW - - - Egger - - - WME - - - WMBE - - - MRPRESSO





method / IVW - - - Egger - - - WME - - - WMBE - - - MRPRESSO



Low-density lipoproteins – Critical illness



Low-density lipoproteins – Hospitalisation









Low-density lipoproteins – Reported infection









method — IVW - - - Egger - - - WME - - - WMBE · · · MRPRESSO











method / IWW - - - Egger - - - WME - - - WMBE - - - MRPRESSO






method — IVW - - - Egger - - - WME - - - WMBE - - - MRPRESSO





method — IVW — Egger — WME — WMBE — MRPRESSO


Chronic kidney disease – Critical illness









Chronic kidney disease – Hospitalisation



Chronic kidney disease – Reported infection






method / IVW - - - Egger - - - WME - - - WMBE - - - MRPRESSO





method / IWV - - - Egger - - - WME - - - WMBE - - - MRPRESSO


BMI – Critical illness



BMI – Hospitalisation



BMI – Reported infection



method — IVW - - - Egger - - - WME - - - WMBE - - - MRPRESSO