

Supplementary Table 1 Gene expression of markers during gastrulation

Gene Name	Gene Abb.	Expression domains – gastrulation stage							Refs	Primers (Forward/Reverse; 5'-to-3')
		ICM ESC	PS	Ecto	Meso	DE	PrE/ VE / PE	TE		
nodal	NODAL	-/+	+	-	+	-	+	-	7, 62, 63	CCGAGGGCAGACATCATCC CCATCCACTGCCACATCTTC
fibroblast growth factor 8	FGF8	-	+	+	+	-	+	-	32, 64	CGACCCCCTCGCAAAGCT GGACTCGAACTCTGCTTCCAAA
wingless 3	WNT3	-	+	-	+	-	+	-	5	ABI Taqman assay# Hs00229135_m1
brachury	BRACH	-	+	-	+	-	-	-	22	TGCTTCCCTGAGACCCAGTT GATCACTCTTCTTGCATCAAG
fibroblast growth factor 4	FGF4	+	+	-	-	-	-	-	35, 36	GACACCCGCGACAGCCT TCACCACGCCCCGCT
snail homolog 1	SNAI1	-	+	-	+	+	+	+	65	ABI Taqman assay# Hs00195591_m1
Mix1 homeobox-like 1	MIXL1	-	+	-	+	-	+	-	20, 21	CCGAGTCCAGGATCCAGGTA CTCTGACGCCGAGACTTGG
LIM homeobox 1	LHX1	-	+	-	+	-	+	-	33, 34, 35	TCCCCAATGGTCCCTCTC CGTAGTACTCGCTCTGTAATCTCC
goosecoid	GSC	-	+	-	+	+	+	-	19	GAGGAGAAAGTGAGGTCTGGTT CTCTGATGAGGACCGCTCTG
cerberus 1	CER	-	-	-	+	+	+	-	37-40	ACAGTCCCTTCAGCCAGACT ACAACTAATTTCACAGCCTCGT
SRY (sex determining region Y)-box 17	SOX17	-	-	-	-	+	+	-	18	GGCGCAGCAGAACCTCAGA CCACGACTTGCCCCAGCAT
chemokine (C-X-C motif) receptor 4	CXCR4	-	-	-	+	+	-	-	16	CACCGCATCTGGAGAACCA GCCCATTCCTCGGTAGTT
hepatocyte nuclear factor 3, beta	FOXA2	-	+	-	+	+	+	-	13-15	GGGAGCGGTGAAGATGGA TCATTTGCTCACGGAGGAGTA
SRY (sex determining region Y)-box 7	SOX7	-	-	-	-	-	+	-	18	ACGCCGAGCTCAGCAAGAT TCCACGTACGGCCTCTCTG
caudal homeobox domain 1	CDX1	-	-	+	+	-	+	-	46, 47	TCAGAGCTGGCTGCCAATC TCCAACCAGATCTTCACCTGC
E-cadherin (epithelial)	ECAD	+	-	+	-	+/-	+	+	66	AGGAATTCTGCTTGCTAATTCTG CGAAAGAAACAGCAAGAGCAGC
N-cadherin (neuronal)	NCAD	-	+	-	+	+	-	-	3, 51, 52	CCCACACCTGGAGACATTG GCCGCTTAAGGCCCTCA
SRY (sex determining region Y)-box 1	SOX1	-	-	+	-	-	-	-	25	ATGCACCGCTACGACATGG CTCATGTAGCCCTCGAGTTG
zinc finger protein of the cerebellum 1	ZIC1	-	-	+	+	-	-	-	26, 27	CTGGCTGTGGCAAGGTCTTC CAGCCCTCAAACTCGCACTT
POU domain, class 5, transcription factor 1	OCT4	+	-	-	-	-	+	-	67, 68	TGGGCTCGAGAAGGATGTG GCATAGTCGCTGTTGATCG
SRY (sex determining region Y)-box 2	SOX2	+	-	+	-	-	-	-	69	ABI Taqman assay # Hs00602736_s1
forkhead box F1	FOXF1	-	-	-	+	-	-	-	41, 42	GCCGAGCTGCAAGGCA AACTCCTTCGGTCACACATGC
mesenchyme homeo box 1	MEOX1	-	-	-	+	-	-	-	23, 24	AGGCGGAGAAAGGAGAGTCAG CTCCGGCTTCCCTCTGTT
VEGFR, kinase insert domain receptor	FLK1	-	-	-	+	-	-	-	43	ACTTIGGAAGACAGAACCAAATTATCTC TGGGCACCATTCACCA
bone morphogenetic protein 4	BMP4	-	-	-	+	-	-	+	44	GTGAGGAGCTTCCACCGA ACTGGTCCCTGGATGTTCTC
stromal cell-derived factor 1	SDF1	unk	-	-	+	-	+	+	16	TGACCCGAAGCTAAAGTGGATT CCTCTCACATCTGAACCTCTGTT
caudal homeobox domain 2	CDX2	-	-	-	-	-	-	+	48	GGGCTCTCTGAGAGGGCAGGT CCTTGCTCTGCGGTTCTG
chorionic gonadotropin, beta polypeptide 5	HCG	-	-	-	-	-	-	+	49	AAGGATGGAGATGTTCCAGGG CCATGTCCC GCCCATG
cyclophilin G	CYCG	N/A – housekeeping gene								CTTGCTCAATGGCCAACAGAGG GCCCATCTAAATGAGGAGTTGGT
glucoronidase beta	GUSB	N/A – housekeeping gene								ACGCAGAAAATATGTGGTTGGA GCACTCTCGTCGGTACTGTT
TATA binding protein	TBP	N/A – housekeeping gene								TGTGCACAGGAGCCAAGAGT ATTTCTGCTGCCAGTCTGG

Supplementary Table 1 - Additional references.

62. Zhou, X., Sasaki, H., Lowe, L., Hogan, B.L. & Kuehn, M.R. Nodal is a novel TGF-beta-like gene expressed in the mouse node during gastrulation. *Nature* **361**, 543-547 (1993).
63. Varlet, I., Collignon, J. & Robertson, E.J. nodal expression in the primitive endoderm is required for specification of the anterior axis during mouse gastrulation. *Development* **124**, 1033-1044 (1997).
64. Maruoka, Y. et al. Comparison of the expression of three highly related genes, Fgf8, Fgf17 and Fgf18, in the mouse embryo. *Mech Dev* **74**, 175-177 (1998).
65. Nieto, M.A., Bennett, M.F., Sargent, M.G. & Wilkinson, D.G. Cloning and developmental expression of Sna, a murine homologue of the *Drosophila* snail gene. *Development* **116**, 227-237 (1992).
66. Stemmler, M.P., Hecht, A., Kinzel, B. & Kemler, R. Analysis of regulatory elements of E-cadherin with reporter gene constructs in transgenic mouse embryos. *Dev Dyn* **227**, 238-245 (2003).
67. Rosner, M.H. et al. A POU-domain transcription factor in early stem cells and germ cells of the mammalian embryo. *Nature* **345**, 686-692 (1990).
68. Pesce, M. & Scholer, H.R. Oct-4: gatekeeper in the beginnings of mammalian development. *Stem Cells* **19**, 271-278 (2001).
69. Ellis, P. et al. SOX2, a persistent marker for multipotential neural stem cells derived from embryonic stem cells, the embryo or the adult. *Dev Neurosci* **26**, 148-165 (2004).