

TABLE 1. A SUMMARY (including footnotes) OF ATLANTIC MARINE MAMMAL STOCK ASSESSMENT REPORTS FOR STOCKS OF MARINE MAMMALS UNDER NMFS AUTHORITY THAT OCCUPY WATERS UNDER USA JURISDICTION.

Total Annual S.I. (serious injury) and Mortality and Annual Fisheries S.I. and Mortality are mean annual figures for the period 2012-2016. The “SAR revised” column indicates 2018 stock assessment reports that have been revised relative to the 2017 reports (Y=yes, N=no). If abundance, mortality, PBR or status have been revised, they are indicated with the letters “a”, “m”, “p” and “status” respectively. For those species not updated in this edition, the year of last revision is indicated. Unk = unknown and undet=undetermined (PBR for species with outdated abundance estimates is considered "undetermined").

Species	Stock Area	NMFS Ctr.	Nbest	Nbest CV	Nmin	Rmax	Fr	PBR	Total Annual S.I. and Mort.	Annual Fish. S.I. and Mort. (cv)	Strategic Status	SAR Revised
North Atlantic right whale	Western North Atlantic	NEC	451	0	445	0.04 ^a	0.1	0.9	5.56 ^a	5.15 ^a	Y	Y (a, m, p)
Humpback whale	Gulf of Maine	NEC	896	0	896	0.065	0.5	14.6	9.7 ^b	7.1 ^b	N	Y (a, m, p, status)
Fin whale	Western North Atlantic	NEC	1,618	0.33	1,234	0.04	0.1	2.5	2.5 ^c	1.1 ^c	Y	Y (m)
Sei whale	Nova Scotia	NEC	357	0.52	236	0.04	0.1	0.5	0.8 ^d	0 ^d	Y	N (2016)
Minke whale	Canadian east coast	NEC	2,591	0.81	1,425	0.04	0.5	14	7.7 ^e	6.7 ^e	N	Y (m)
Blue whale	Western North Atlantic	NEC	unk	unk	440	0.04	0.1	0.9	unk	unk	Y	N (2010)

Species	Stock Area	NMFS Ctr.	Nbest	Nbest CV	Nmin	Rmax	Fr	PBR	Total Annual S.I. and Mort.	Annual Fish. S.I. and Mort. (cv)	Strategic Status	SAR Revised
Sperm whale	North Atlantic	NEC	2,288	0.28	1,815	0.04	0.1	3.6	0.8	0.6	Y	N (2014)
Dwarf sperm whale	Western North Atlantic	SEC	3,785 ^h	0.47	2,598 ^h	0.04	0.4	21	3.5	3.5 (1.0)	N	N (2016)
Pygmy sperm whale	Western North Atlantic	SEC	3,785 ^h	0.47	2,598 ^h	0.04	0.4	21	3.5	3.5 (1.0)	N	N (2016)
Killer whale	Western North Atlantic	NEC	unk	unk	unk	0.04	0.5	unk	0	0	N	N (2014)
Pygmy killer whale	Western North Atlantic	SEC	unk	unk	unk	0.04	0.5	unk	0	0	N	N (2007)
False killer whale	Western North Atlantic	SEC	442	1.06	212	0.04	0.5	2.1	unk	unk	Y	N (2014)
Northern bottlenose whale	Western North Atlantic	NEC	unk	unk	unk	0.04	0.5	unk	0	0	N	N (2014)
Cuvier's beaked whale	Western North Atlantic	NEC	6,532	0.32	5,021	0.04	0.5	50	0.4	0.2	N	N (2013)
Blainville's beaked whale	Western North Atlantic	NEC	7,092 ^g	0.54	4,632 ^g	0.04	0.5	46	0.2	0.2	N	N (2013)
Gervais beaked whale	Western North Atlantic	NEC	7,092 ^g	0.54	4,632 ^g	0.04	0.5	46	0	0	N	N (2013)
Sowerby's beaked whale	Western North Atlantic	NEC	7,092 ^g	0.54	4,632 ^g	0.04	0.5	46	0	0	N	N (2014)

Species	Stock Area	NMFS Ctr.	Nbest	Nbest CV	Nmin	Rmax	Fr	PBR	Total Annual S.I. and Mort.	Annual Fish. S.I. and Mort. (cv)	Strategic Status	SAR Revised
True's beaked whale	Western North Atlantic	NEC	7,092 ^g	0.54	4,632 ^g	0.04	0.5	46	0	0	N	N (2013)
Melon-headed whale	Western North Atlantic	SEC	unk	unk	unk	0.04	0.5	unk	0	0	N	N (2007)
Risso's dolphin	Western North Atlantic	NEC	18,250	0.46	12,619	0.04	0.5	126	49.9	49.7 (0.24)	N	Y (m)
Pilot whale, long-finned	Western North Atlantic	NEC	5,636	0.63	3,464	0.04	0.5	35	27	27 (0.18)	N	Y (m, status)
Pilot whale, short-finned	Western North Atlantic	SEC	28,924	0.24	23,637	0.04	0.5	236	168	168 (0.13)	N	Y (a, m, p)
Atlantic white-sided dolphin	Western North Atlantic	NEC	48,819	0.61	30,403	0.04	0.5	304	30	30 (0.19)	N	Y (m)
White-beaked dolphin	Western North Atlantic	NEC	2,003	0.94	1,023	0.04	0.5	10	0	0	N	N (2007)
Common dolphin	Western North Atlantic	NEC	70,184	0.28	55,690	0.04	0.5	557	406	406 (0.10)	N	Y (m)
Atlantic spotted dolphin	Western North Atlantic	SEC	44,715	0.43	31,610	0.04	0.5	316	0	0	N	N (2013)
Pantropical spotted dolphin	Western North Atlantic	SEC	3,333	0.91	1,733	0.04	0.5	17	0	0	N	N (2013)
Striped dolphin	Western North Atlantic	NEC	54,807	0.3	42,804	0.04	0.5	428	0	0	N	N (2013)

Species	Stock Area	NMFS Ctr.	Nbest	Nbest CV	Nmin	Rmax	Fr	PBR	Total Annual S.I. and Mort.	Annual Fish. S.I. and Mort. (cv)	Strategic Status	SAR Revised
Fraser's dolphin	Western North Atlantic	SEC	unk	unk	unk	0.04	0.5	unk	0	0	N	N (2007)
Rough-toothed dolphin	Western North Atlantic	SEC	136	1.0	67	0.04	0.5	0.7	0	0	N	Y (a, p)
Clymene dolphin	Western North Atlantic	SEC	unk	unk	unk	0.04	0.5	undet	0	0	N	N (2013)
Spinner dolphin	Western North Atlantic	SEC	unk	unk	unk	0.04	0.5	unk	0	0	N	N (2013)
Common bottlenose dolphin	Western North Atlantic, offshore	SEC	77,532 ^f	0.40	56,053 ^j	0.04	0.5	561	39.4	39.4 (0.29)	N	N (2016)
Common bottlenose dolphin	Western North Atlantic, northern migratory coastal	SEC	6,639	0.41	4,759	0.04	0.5	48	6.1-13.2 ^k	6.1-13.2 ^k	Y	N (2017)
Common bottlenose dolphin	Western North Atlantic, southern migratory coastal	SEC	3,751	.060	2,353	0.04	0.5	23	0-14.3 ^k	0-14.3 ^k	Y	N (2017)
Common bottlenose dolphin	Western North Atlantic, S. Carolina/Georgia coastal	SEC	6,027	0.34	4,569	0.04	0.5	46	1.4-1.6 ^k	1.0-1.2 ^k	Y	N (2017)
Common bottlenose dolphin	Western North Atlantic, northern Florida coastal	SEC	877	0.49	595	0.04	0.5	6.0	0.6 ^k	0 ^k	Y	N (2017)
Common bottlenose dolphin	Western North Atlantic, central Florida coastal	SEC	1,218	0.35	913	0.04	0.5	9.1	0.4 ^k	0.4 ^k	Y	N (2017)
Common bottlenose dolphin	Northern North Carolina Estuarine System	SEC	823	0.06	782	0.04	0.5	7.8	0.8-18.2 ^k	0.2-17.6 ^k	Y	N (2017)

Species	Stock Area	NMFS Ctr.	Nbest	Nbest CV	Nmin	Rmax	Fr	PBR	Total Annual S.I. and Mort.	Annual Fish. S.I. and Mort. (cv)	Strategic Status	SAR Revised
Common bottlenose dolphin	Southern North Carolina Estuarine System	SEC	unk	unk	unk	0.04	0.5	undet	0.4-0.6 ^k	0.4-0.6 ^k	Y	N (2017)
Common bottlenose dolphin	Northern South Carolina Estuarine System	SEC	unk	unk	unk	0.04	0.5	unk	0.2 ^k	0.2 ^k	Y	N (2015)
Common bottlenose dolphin	Charleston Estuarine System	SEC	unk	unk	unk	0.04	0.5	undet	unk ^k	unk ^k	Y	N (2015)
Common bottlenose dolphin	Northern Georgia/ Southern South Carolina Estuarine System	SEC	unk	unk	unk	0.04	0.5	unk	1.4 ^k	1.4 ^k	Y	N (2015)
Common bottlenose dolphin	Central Georgia Estuarine System	SEC	192	0.04	185	0.04	0.5	1.9	unk ^k	unk ^k	Y	N (2015)
Common bottlenose dolphin	Southern Georgia Estuarine System	SEC	194	0.05	185	0.04	0.5	1.9	unk ^k	unk ^k	Y	N (2015)
Common bottlenose dolphin	Jacksonville Estuarine System	SEC	unk	unk	unk	0.04	0.5	unk	1.2 ^k	1.2 ^k	Y	N (2015)
Common bottlenose dolphin	Indian River Lagoon Estuarine System	SEC	unk	unk	unk	0.04	0.5	unk	4.4 ^k	4.4 ^k	Y	N (2015)
Common bottlenose dolphin	Biscayne Bay	SEC	unk	unk	unk	0.04	0.5	unk	unk ^k	unk ^k	Y	N (2013)
Common bottlenose dolphin	Florida Bay	SEC	unk	unk	unk	0.04	0.5	undet	unk ^k	unk ^k	N	N (2013)
Harbor porpoise	Gulf of Maine/Bay of Fundy	NEC	79,833	0.32	61,415	0.046	0.5	706	256	256 (0.18)	N	Y (m)
Harbor seal	Western North Atlantic	NEC	75,834	0.15	66,884	0.12	0.5	2,006	345	333 (0.12)	N	Y (m)

Species	Stock Area	NMFS Ctr.	Nbest	Nbest CV	Nmin	Rmax	Fr	PBR	Total Annual S.I. and Mort.	Annual Fish. S.I. and Mort. (cv)	Strategic Status	SAR Revised
Gray seal	Western North Atlantic	NEC	27,131	0.19	23,158	0.12	1.0	1,389	5,688	873 (0.10)	N	Y (m)
Harp seal	Western North Atlantic	NEC	unk	unk	unk	0.12	1.0	unk	225,687	57 (0.23)	N	Y (m)
Hooded seal	Western North Atlantic	NEC	unk	unk	unk	0.12	0.75	unk	1,680	0.6(1.12)	N	Y (m)
Sperm whale	Gulf of Mexico	SEC	763	0.38	560	0.04	0.1	1.1	0	0	Y	N (2015)
Bryde's whale	Gulf of Mexico	SEC	33	1.07	16	0.04	0.1	0.03	0.8	0	Y	N (2017)
Cuvier's beaked whale	Gulf of Mexico	SEC	74	1.04	36	0.04	0.5	0.4	0	0	N	N (2012)
Blainville's beaked whale	Gulf of Mexico	SEC	149 ^e	0.91	77	0.04	0.5	0.8	0	0	N	N (2012)
Gervais' beaked whale	Gulf of Mexico	SEC	149 ^e	0.91	77	0.04	0.5	0.8	0	0	N	N (2012)
Common bottlenose dolphin	Gulf of Mexico, Continental shelf	SEC	51,192	0.10	46,926	0.04	0.5	469	0.8 ^k	0.6 ^k	N	N (2015)
Common bottlenose dolphin	Gulf of Mexico, eastern coastal	SEC	12,388	0.13	11,110	0.04	0.5	111	1.6 ^k	1.6 ^k	N	N (2015)
Common bottlenose dolphin	Gulf of Mexico, northern coastal	SEC	7,185	0.21	6,044	0.04	0.5	60	0.4 ^{k,1}	0.4 ^k	N	N (2015)
Common bottlenose dolphin	Gulf of Mexico, western coastal	SEC	20,161	0.17	17,491	0.04	0.5	175	0.6 ^k	0.6 ^k	N	N (2015)
Common bottlenose dolphin	Gulf of Mexico, Oceanic	SEC	5,806	0.39	4,230	0.04	0.5	42	6.5	6.5 (0.65)	N	N (2014)
Common bottlenose dolphin	Laguna Madre ^l	SEC	80	1.57	unk	0.04	0.5	undet	0.4 ^k	0.2 ^k	Y	Y (m)

Species	Stock Area	NMFS Ctr.	Nbest	Nbest CV	Nmin	Rmax	Fr	PBR	Total Annual S.I. and Mort.	Annual Fish. S.I. and Mort. (cv)	Strategic Status	SAR Revised
Common bottlenose dolphin	Neuces Bay/Corpus Christi Bay ^j	SEC	58	0.61	unk	0.04	0.5	undet	0 ^k	0 ^k	Y	Y (m)
Common bottlenose dolphin	Copano Bay/Aransas Bay/San Antonio Bay/Redfish Bay/Espiritu Santo Bay ^j	SEC	55	0.82	unk	0.04	0.5	undet	0.2 ^k	0 ^k	Y	Y (m)
Common bottlenose dolphin	Matagorda Bay/Tres Palacios Bay/Lavaca Bay ^j	SEC	61	0.45	unk	0.04	0.5	undet	0.4 ^k	0 ^k	Y	Y (m)
Common bottlenose dolphin	West Bay ^j	SEC	32	0.15	unk	0.04	0.5	undet	0.2 ^k	0.2 ^k	Y	Y (m)
Common bottlenose dolphin	Galveston Bay/East Bay/Trinity Bay ^j	SEC	152	0.43	unk	0.04	0.5	undet	0.4 ^k	0.4 ^k	Y	Y (m)
Common bottlenose dolphin	Sabine Lake ^j	SEC	0	-	-	0.04	0.4	undet	0.2 ^k	0 ^k	Y	Y (m)
Common bottlenose dolphin	Calcasieu Lake ^j	SEC	0	-	-	0.04	0.4	undet	0.2 ^k	0.2 ^k	Y	Y (m)
Common bottlenose dolphin	Vermilion Bay/West Cote Blanche Bay/Atchafalaya Bay ^j	SEC	0	-	-	0.04	0.4	undet	0 ^k	0 ^k	Y	Y (m)
Common bottlenose dolphin	Terrebonne Bay/Timbalier Bay	SEC	3870	0.15	3426	0.04	0.4	27	0.2 ^k	0 ^k	N	Y (a, m, p)
Common bottlenose dolphin	Barataria Bay	SEC	2,306	0.09	2,138	0.04	0.4	17	160 ^k	0.8 ^k	Y	N (2017)
Common bottlenose dolphin	Mississippi River Delta ^j	SEC	332	0.93	170	0.04	0.4	1.4	32.7 ^{k,m}	0 ^k	Y	Y (m)

Species	Stock Area	NMFS Ctr.	Nbest	Nbest CV	Nmin	Rmax	Fr	PBR	Total Annual S.I. and Mort.	Annual Fish. S.I. and Mort. (cv)	Strategic Status	SAR Revised
Common bottlenose dolphin	Mississippi Sound, Lake Borgne, Bay Boudreau	SEC	3,046	0.06	2,896	0.04	0.4	23	310 ^k	1.0 ^k	Y	N (2017)
Common bottlenose dolphin	Mobile Bay/Bonsecour Bay ^j	SEC	122	0.34	unk	0.04	0.4	undet	36.6 ^{k,m}	0.8 ^k	Y	Y (m)
Common bottlenose dolphin	Perdido Bay ^j	SEC	0	-	-	0.04	0.4	undet	0.6 ^k	0.2 ^k	Y	Y (m)
Common bottlenose dolphin	Pensacola Bay/East Bay ^j	SEC	33	0.80	unk	0.04	0.4	undet	0.2 ^k	0.2 ^k	Y	Y (m)
Common bottlenose dolphin	Choctawhatchee Bay	SEC	179	0.04	unk	0.04	0.5	undet	0.4 ^k	0.4 ^k	Y	N (2015)
Common bottlenose dolphin	St. Andrew Bay ^j	SEC	124	0.57	unk	0.04	0.4	undet	0.2 ^k	0.2 ^k	Y	Y (m)
Common bottlenose dolphin	St. Joseph Bay	SEC	152	0.08	unk	0.04	0.4	undet	unk ^k	unk ^k	Y	N (2015)
Common bottlenose dolphin	St. Vincent Sound/Apalachicola Bay/St. George Sound ^j	SEC	439	0.14	unk	0.04	0.4	undet	0 ^k	0 ^k	Y	Y (m)
Common bottlenose dolphin	Apalachee Bay ^j	SEC	491	0.39	unk	0.04	0.4	undet	0 ^k	0 ^k	Y	Y (m)
Common bottlenose dolphin	Waccasassa Bay/Withlacoochee Bay/Crystal Bay ^j	SEC	unk	-	unk	0.04	0.4	undet	0 ^k	0 ^k	Y	Y (m)
Common bottlenose dolphin	St. Joseph Sound/Clearwater Harbor ⁱ	SEC	unk	-	unk	0.04	0.4	undet	0.4 ^k	0.4 ^k	Y	Y (m)

Species	Stock Area	NMFS Ctr.	Nbest	Nbest CV	Nmin	Rmax	Fr	PBR	Total Annual S.I. and Mort.	Annual Fish. S.I. and Mort. (cv)	Strategic Status	SAR Revised
Common bottlenose dolphin	Tampa Bay ^j	SEC	unk	-	unk	0.04	0.4	undet	0.6 ^k	0.6 ^k	Y	Y (m)
Common bottlenose dolphin	Sarasota Bay/Little Sarasota Bay ^j	SEC	158	0.27	126	0.04	0.4	1.0	0.6 ^k	0.6 ^k	N	Y (m)
Common bottlenose dolphin	Pine Island Sound/Charlotte Harbor/Gasparilla Sound/Lemon Bay ^j	SEC	826	0.09	unk	0.04	0.4	undet	1.6 ^k	1.0 ^k	Y	Y (m)
Common bottlenose dolphin	Caloosahatchee River ^l	SEC	0	-	-	0.04	0.4	undet	0.4 ^k	0.4 ^k	Y	Y (m)
Common bottlenose dolphin	Estero Bay ^j	SEC	unk	-	unk	0.04	0.4	undet	0.2 ^k	0 ^k	Y	Y (m)
Common bottlenose dolphin	Chokoloskee Bay/Ten Thousand Islands/Gullivan Bay ^j	SEC	unk	-	unk	0.04	0.4	undet	0 ^k	0 ^k	Y	Y (m)
Common bottlenose dolphin	Whitewater Bay ^j	SEC	unk	-	unk	0.04	0.4	undet	0 ^k	0 ^k	Y	Y (m)
Common bottlenose dolphin	Florida Keys (Bahia Honda to Key West) ^j	SEC	unk	-	unk	0.04	0.4	undet	0 ^k	0 ^k	Y	Y (m)
Atlantic spotted dolphin	Gulf of Mexico	SEC	unk	unk	unk	0.04	0.5	undet	42	42 (0.45)	N	N (2015)
Pantropical spotted dolphin	Gulf of Mexico	SEC	50,880	0.27	40,699	0.04	0.5	407	4.4	4.4	N	N (2015)
Striped dolphin	Gulf of Mexico	SEC	1,849	0.77	1,041	0.04	0.5	10	0	0	N	N (2012)
Spinner dolphin	Gulf of Mexico	SEC	11,441	0.83	6,221	0.04	0.5	62	0	0	N	N (2012)

Species	Stock Area	NMFS Ctr.	Nbest	Nbest CV	Nmin	Rmax	Fr	PBR	Total Annual S.I. and Mort.	Annual Fish. S.I. and Mort. (cv)	Strategic Status	SAR Revised
Rough-toothed dolphin	Gulf of Mexico	SEC	624	0.99	311	0.04	0.4	2.5	0.8	0.8 (1.0)	N	N (2016)
Clymene dolphin	Gulf of Mexico	SEC	129	1.00	64	0.04	0.5	0.6	0	0	N	N (2012)
Fraser's dolphin	Gulf of Mexico	SEC	unk	unk	unk	0.04	0.5	undet	0	0	N	N (2012)
Killer whale	Gulf of Mexico	SEC	28	1.02	14	0.04	0.5	0.1	0	0	N	N (2012)
False killer whale	Gulf of Mexico	SEC	unk	unk	unk	0.04	0.5	undet	0	0	N	N (2012)
Pygmy killer whale	Gulf of Mexico	SEC	152	1.02	75	0.04	0.5	0.8	0	0	N	N (2012)
Dwarf sperm whale	Gulf of Mexico	SEC	186 ^b	1.04	90	0.04	0.5	0.9	0	0	N	N (2012)
Pygmy sperm whale	Gulf of Mexico	SEC	186 ^b	1.04	90	0.04	0.5	0.9	0.3	0.3 (1.0)	N	N (2012)
Melon-headed whale	Gulf of Mexico	SEC	2,235	0.75	1,274	0.04	0.5	13	0	0	N	N (2012)
Risso's dolphin	Gulf of Mexico	SEC	2,442	0.57	1,563	0.04	0.5	16	7.9	7.9 (0.85)	N	N (2015)
Pilot whale, short-finned	Gulf of Mexico	SEC	2,415 ⁱ	0.66	1456	0.04	0.5	15	0.5	0.5 (1.0)	N	N (2015)
Sperm Whale	Puerto Rico and U.S. Virgin Islands	SEC	unk	unk	unk	0.04	0.1	unk	unk	unk	Y	N (2010)
Common bottlenose dolphin	Puerto Rico and U.S. Virgin Islands	SEC	unk	unk	unk	0.04	0.5	unk	unk	unk	Y	N (2011)
Cuvier's beaked whale	Puerto Rico and U.S. Virgin Islands	SEC	unk	unk	unk	0.04	0.5	unk	unk	unk	Y	N (2011)

Species	Stock Area	NMFS Ctr.	Nbest	Nbest CV	Nmin	Rmax	Fr	PBR	Total Annual S.I. and Mort.	Annual Fish. S.I. and Mort. (cv)	Strategic Status	SAR Revised
Pilot whale, short-finned	Puerto Rico and U.S. Virgin Islands	SEC	unk	unk	unk	0.04	0.5	unk	unk	unk	Y	N (2011)
Spinner dolphin	Puerto Rico and U.S. Virgin Islands	SEC	unk	unk	unk	0.04	0.5	unk	unk	unk	Y	N (2011)
Atlantic spotted dolphin	Puerto Rico and U.S. Virgin Islands	SEC	unk	unk	unk	0.04	0.5	unk	unk	unk	Y	N (2011)

- a. The R given for right whales is the default Rmax of 0.04. The total estimated human-caused mortality and serious injury to right whales is estimated at 5.56 per year. This is derived from two components: 1) non-observed fishery entanglement records at 5.15 per year, and 2) ship strike records at 0.41 per year.
- b. The total estimated human-caused mortality and serious injury to the Gulf of Maine humpback whale stock is estimated as 9.7 per year. This average is derived from two components: 1) incidental fishery interaction records 7.1; 2) records of vessel collisions, 2.6.
- c. The total estimated human-caused mortality and serious injury to the Western North Atlantic fin whale stock is estimated as 2.5 per year. This average is derived from two components: 1) incidental fishery interaction records 1.1; 2) records of vessel collisions, 1.4.
- d. The total estimated human-caused mortality and serious injury to the Nova Scotia sei whale stock is estimated as 0.8 per year. This average is derived from two components: 1) incidental fishery interaction records 0; 2) records of vessel collisions, 0.8.
- e. The total estimated human-caused mortality and serious injury to the Canadian East Coast minke whale stock is estimated as 7.7 per year. This average is derived from two components: 1) 6.5 minke whales per year (unknown CV) from U.S. and Canadian fisheries using strandings and entanglement data; 2) 1.0 per year from vessel strikes; and 3) 0.2 from U.S. observed fisheries.
- f. Estimates may include sightings of the coastal form.
- g. This estimate includes Gervais' beaked whales and Blainville's beaked whales for the Gulf of Mexico stocks, and all species of Mesoplodon in the Atlantic.
- h. This estimate includes both the dwarf and pygmy sperm whales.
- i. This estimate includes all *Globicephala* sp., though it is presumed that only short-finned pilot whales are present in the Gulf of Mexico.
- j. Details for these 26 stocks are included in the collective report: Common bottlenose dolphin (*Tursiops truncatus truncatus*), Northern Gulf of Mexico Bay, Sound, and Estuary Stocks. However, each stock has been given its own row in this table.
- k. The total annual human-caused mortality and serious injury for these stocks of common bottlenose dolphins is unknown because these stocks may interact with unobserved fisheries. Also, for Gulf of Mexico BSE stocks, mortality estimates for the shrimp trawl fishery are calculated at the state level and have not been included within mortality estimates for individual BSE stocks. Therefore, minimum counts of human-caused mortality and serious injury for these stocks are presented.
- l. This minimum count does not include projected mortality estimates for 2012–2016 due to the DWH oil spill.
- m. This minimum count includes projected mortality estimates for 2012–2016 due to the DWH oil spill.