Research Communications		
Cloning, sequencing and characterization of the 5'-flanking reg of the human collagenase-3 gene	gion G. Tardif, JP. Pelletier, M. Dupuis, J.E. Hambor and J. Martel-Pelletier	13–16
Overt and latent activities of diacylglycerol acytransferase in ra liver microsomes: possible roles in very-low-density lipoprotein triacylglycerol secretion	t M.R. Owen, C.C. Corstorphine and V.A. Zammit	17–21
Research Papers		
Proteins		
Identification of the epitope for a monoclonal antibody that blo platelet aggregation induced by type III collagen	cks V. Glattauer, J.A. Werkmeister, A. Kirkpatrick and J.A.M. Ramshaw	45–49
N-terminal type I modules required for fibronectin binding to fibroblasts and to fibronectin's III, module	J. Sottile and D.F. Mosher	51–60
[3Fe-4S] ↔ [4Fe-4S] cluster interconversion in <i>Desulfovibrio</i> <i>africanus</i> ferredoxin III: properties of an Asp ¹⁴ → Cys mutant	J.L.H. Busch, J.L. Breton, B.M. Bartlett, F.A. Armstrong, R. James and A.J. Thomson	95–102
Cell-surface ADP-ribosylation of fibroblast growth factor-2 by a arginine-specific ADP-ribosyltransferase	n E.M. Jones and A. Baird	173–177
Response of microtubules to the addition of colchicine and tubulin-colchicine: evaluation of models for the interaction of drugs with microtubules	A. Vandecandelaere, S.R. Martin and Y. Engelborghs	189–196
Stability of a thermophilic TIM-barrel enzyme: indole-3-glycerol phosphate synthase from the thermophilic archaeon <i>Sulfolobus</i> solfataricus	G. Andreotti, M.V. Cubellis, M. Di Palo, D. Fessas, G. Sannia and G. Marino	259–264
Enzymes		
Prothrombinase is protected from inactivation by tissue factor pathway inhibitor: competition between prothrombin and inhibi	J. Franssen, I. Salemink, G.M. Willems, TC. Wun, tor H.C. Hemker and T. Lindhout	33–37
Glutathione transferase mimics: micellar catalysis of an enzymin reaction	c B. Lindkvist, R. Weinander, L. Engman, M. Koetse, J.B.F.N. Engberts and R. Morgenstern	39–43
Identification of amino acid residues responsible for differences substrate specificity and inhibitor sensitivity between two human liver dihydrodiol dehydrogenase isoenzymes by site-directed mutagenesis		61–64
Purification and characterization of three constitutive cytochror <i>P</i> -450 isoforms from bovine olfactory epithelium	ne V. Longo, G. Amato, A. Santucci and P.G. Gervasi	65–70
Inhibition of rabbit muscle aldolase by phosphorylated aromatic compounds	c C. Blonski, D. De Moissac, J. Périé and J. Sygusch	71–77
DNA polymerase β : analysis of the contributions of tyrosine-27 and asparagine-279 to substrate specificity and fidelity of DNA replication by pre-steady-state kinetics	1 V.S. Kraynov, B.G. Werneburg, X. Zhong, H. Lee, J. Ahn and MD. Tsai	103–111
Delineation of the arginine- and tetrahydrobiopterin-binding site of neuronal nitric oxide synthase	es A. Boyhan, D. Smith, I.G. Charles, M. Saqi and P.N. Lowe	131–139
Cysteine-200 of human inducible nitric oxide synthase is essent for dimerization of haem domains and for binding of haem, nitroarginine and tetrahydrobiopterin	ial R.R. Cubberley, W.K. Alderton, A. Boyhan, I.G. Charles, P.N. Lowe and R.W. Old	141–146
Characterization of bovine endothelial nitric oxide synthase as homodimer with down-regulated uncoupled NADPH oxidase	a B.M. List, B. Klösch, C. Völker, A.C.F. Gorren, W.C. Sessa, E.R. Werner, W.R. Kukovetz, K. Schmidt and B. Maver	159–165

homodimer with down-regulated uncoupled NADPH oxidase activity: tetrahydrobiopterin binding kinetics and role of haem in dimerization

Design of kallidin-releasing tissue kallikrein inhibitors based on the specificities of the enzyme's binding subsites

V. Glattauer, J.A. Werkmeister, A. Kirkpatrick and J.A.M. Ramshaw	45–49
J. Sottile and D.F. Mosher	51–60
J.L.H. Busch, J.L. Breton, B.M. Bartlett, F.A. Armstrong, R. James and A.J. Thomson	95–102
E.M. Jones and A. Baird	173–177
A. Vandecandelaere, S.R. Martin and Y. Engelborghs	189–196

J. Franssen, I. Salemink, G.M. Willems, TC. Wun, H.C. Hemker and T. Lindhout	33–37
B. Lindkvist, R. Weinander, L. Engman, M. Koetse, J.B.F.N. Engberts and R. Morgenstern	39–43
K. Matsuura, Y. Deyashiki, K. Sato, N. Ishida, G. Miwa and A. Hara	61–64
V Longo G Amato A Santucci and P.G. Gervasi	65-70

V. Longo, G. Amato, A. Santacor and T.G. Gervasi	00-70
C. Blonski, D. De Moissac, J. Périé and J. Sygusch	71–77
V.S. Kraynov, B.G. Werneburg, X. Zhong, H. Lee, J. Ahn and MD. Tsai	103–111
A. Boyhan, D. Smith, I.G. Charles, M. Saqi and P.N. Lowe	131–139
R.R. Cubberley, W.K. Alderton, A. Boyhan, I.G. Charles, P.N. Lowe and R.W. Old	141–146
B.M. List, B. Klösch, C. Völker, A.C.F. Gorren, W.C. Sessa, E.R. Werner, W.R. Kukovetz, K. Schmidt and B. Mayer	159–165
F.C.V. Portaro, M.H.S. Cezari, M.A. Juliano, L. Juliano, A.R. Walmsley and E.S. Prado	167–171

iv Contents		
Evidence for multiple forms of biotin holocarboxylase synthetase in pea (<i>Pisum sativum</i>) and in <i>Arabidopsis thaliana</i> : subcellular fractionation studies and isolation of a cDNA clone	G. Tissot, R. Douce and C. Alban	179–188
Study of the role of the highly conserved residues Arg^9 and Arg^{64} in the catalytic function of human <i>N</i> -acetyltransferases NAT1 and NAT2 by site-directed mutagenesis	C. Deloménie, G.H. Goodfellow, R. Krishnamoorthy, D.M. Grant and JM. Dupret	207–215
Expression and mutagenesis of the catalytic domain of cGMP- inhibited phosphodiesterase (PDE3) cloned from human platelets	K.M. Tang, E.K. Jang and R.J. Haslam	217–224
The pro region is not required for the expression or intracellular routeing of carboxypeptidase E	L. Song and L.D. Fricker	265–271
Carbohydrates and lipids		
NMR study of the galactomannans of <i>Trichophyton</i> mentagrophytes and <i>Trichophyton rubrum</i>	K. Ikuta, N. Shibata, J.S. Blake, M.V. Dahl, R.D. Nelson, K. Hisamichi, H. Kobayashi, S. Suzuki and Y. Okawa	297–305
Gene structure and expression		
Sequence-selective binding to DNA of bis(amidinophenoxy)alkanes related to propamidine and pentamidine	C. Bailly, D. Perrine, JC. Lancelot, C. Saturnino, M. Robba and M.J. Waring	23–31
Interactions of the zinc-regulated factor (ZiRF1) with the mouse metallothionein la promoter	P. Remondelli and A. Leone	79–85
Glutathione S-transferase Yc cDNA from Syrian hamster kidney	F. Maggouta, S.A. Li, J.J. Li and J.S. Norris	147–149
The nuclear autoantigen La/SS-associated antigen B: one gene, three functional mRNAs	D. Grölz and M. Bachmann	151–158
Transcriptional activation of the minimal human $\text{Pro}\alpha 1(\text{I})$ collagen promoter: obligatory requirment for Sp1	H.M. Poppleton and R. Raghow	225–231
The transcription of the human fructose-bisphosphate aldolase C gene is activated by nerve-growth-factor-induced B factor in human neuroblastoma cells	P. Buono, L. de Conciliis, P. Izzo and F. Salvatore	245–250
Regulation of metabolism		
The flux control coefficient of carnitine palmitoyltransferase I on palmitate β -oxidation in rat hepatocyte cultures	T.D. Spurway, H.S.A. Sherratt, C.I. Pogson and L. Agius	119–122
Membranes and bioenergetics		
An apparent association between glycosylphosphatidylinositol- anchored proteins and a sphingolipid in <i>Tetrahymena mimbres</i>	X. Zhang and G.A. Thompson, Jr.	197–206
Receptors and signal transduction		
Tyrosine phosphorylation-dependent activation of phosphatidylinositide 3-kinase occurs upstream of Ca ²⁺ -signalling induced by $Fc\gamma$ receptor cross-linking in human neutrophils	P.J.M. Vossebeld, C.H.E. Homburg, R.C. Schweizer, I. Ibarrola, J. Kessler, L. Koenderman, D. Roos and A.J. Verhoeven	87–94
Identification of ERbB3-stimulated genes using modified representational difference analysis	C.F. Edman, S.A. Prigent, A. Schipper and J.R. Feramisco	113–118
Slow kinetics of inositol 1,4,5-trisphosphate-induced Ca ²⁺ release: is the release 'quantal' or 'non-quantal'?	L. Missiaen, H. De Smedt, J.B. Parys, I. Sienaert, H. Sipma, S. Vanlingen and R. Casteels	123–130

N-terminal binding domain of Ga subunits: involvement of amino acids 11-14 of Ga_0 in membrane attachment

5-Hydroxytryptamine-induced calcium-channel gating in rainbow trout (*Oncorhynchus mykiss*) peripheral blood lymphocytes

Intracellular targeting and homotetramer formation of a truncated inositol 1,4,5-trisphosphate receptor–green fluorescent protein chimera in *Xenopus laevis* oocytes: evidence for the involvement of the transmembrane spanning domain in endoplasmic reticulum targeting and homotetramer complex formation

Cytosolic phospholipase A_2 is coupled to muscarinic receptors in the human astrocytoma cell line 1321N1: characterization of the transducing mechanism

Y. Bayon, M. Hernandez, A. Alonso, L. Nuñez, J. Garcia-Sancho, C. Leslie, M. Sanchez Crespo and M.L. Nieto

239-244

251-258

273-280

L. Busconi, P.M. Boutin and B.M. Denker

F. Ferriere, N.A. Khan, J.P. Meyniel and P. Deschaux

A. Yamamoto, T. Michikawa, T. Furuichi and K. Mikoshiba

L.G. Sayers, A. Miyawaki, A. Muto, H. Takeshita,

۷

Cell biology and development

Actin is cleaved during constitutive apoptosis	S.B. Brown, K. Bailey and J. Savill	233–237
Identification of isoforms of the exocytosis-sensitive phosphoprotein PP63/parafusin in <i>Paramecium tetraurelia</i> and demonstration of phosphoglucomutase activity	K. Hauser, R. Kissmehl, J. Linder, J.E. Schultz, F. Lottspeich and H. Plattner	289–296
Bufo arenarum egg jelly coat: purification and characterization of two highly glycosylated proteins	S.E. Arranz, I.E. Albertali and M.O. Cabada	307–312