Cellular Aspects

Contents of Volume 174, No. 3, 1978

FULL PAPERS

	PAGE	
Biosynthesis and Degradation		Bioenergetics
The biosynthesis of brain gangliosides. Ganglioside-glycosylating activity in rat brain neuronal perikarya fraction. By H. J. F. Maccioni, S. S. Defilipo, C. A. Landa & R. Caputto	673	The interaction between mitochondrial NADH-ubiquinone oxidoreductase and ubi- quinol-cytochrome c oxidoreductase. Evidence for stoicheiometric association. By C. I. Ragan & C. Heron
Reconstitution of chlorophyllide formation by isolated etioplast membranes. By W. T. Griffiths Oxidative degradation of haemoglobin by	681	The interaction between mitochondrial NADH-ubiquinone oxidoreductase and ubiquinol-cytochrome c oxidoreductase. Restoration of ubiquinone-pool behaviour. By C. Heron, C. I. Ragan & B. L. Trumpower
nitrosobenzene in the erythrocyte. By K. Hirota, H. A. Itano & T. S. Vedvick Measurement and kinetic study of the form- ation of adrenaline sulphate <i>in vitro</i> .	693	The membrane potential of mouse ascites- tumour cells studied with the fluorescent probe 3,3'-dipropyloxadicarbocyanine. Amplitude of the depolarization caused by amino acids. By R. D. Philo & A. A. Eddy
By K. P. Wong Uptake and degradation of iodine-labelled chylomicron remnant particles by monolayers of rat hepatocytes. By C. H. Florén & Å. Nilsson	777 827	Equilibrium and steady-state models of the coupling between the amino acid gradient and the sodium electrochemical gradient in mouse ascites-tumour cells. By R. D. Philo & A. A. Eddy
Some high-performance liquid-chromato- graphic studies of the metabolism of aflatoxins by rat liver microsomal preparations. By G. E. Neal & P. J. Colley	839	Sub-mitochondrial location of Ruthenium Red- sensitive calcium-ion transport and evidence for its enrichment in a specific population of rat liver mitochondria. By F. L. Bygrave, T. P. Heaney & C.
Biosynthesis of plasma-membrane proteins during myogenesis of skeletal muscle <i>in vitro</i> . <i>By</i> G. A. Cates & P. C. Holland Effect of zinc status of rats on the synthesis and degradation of copper-induced metallo-	873	Ramachandran The subcellular location, maturation and response to increased plasma glucagon of Ruthenium Red-insensitive calcium-ion trans- port in rat liver. By F. L. Bygrave & C. J. Tranter
thioneins.By I. Bremner, W. G. Hoekstra, N. T. Davies & B. W. Young	883	Subcellular Structures
Catalase model systems. Decomposition of hydrogen peroxide catalysed by mesoferrihaem, deuteroferrihaem, coproferrihaem and haema- toferrihaem. By H. Hatzikonstantinou & S. B. Brown	893	Changes in the form of Arrhenius plots of the activity of glucagon-stimulated adenylate cyclase and other hamster liver plasma- membrane enzymes occurring on hibernation. By M. D. Houslay & R. W. Palmer
The role of peroxide in haem degradation. A study of the oxidation of ferrihaems by hydro- gen peroxide. By S. B. Brown, H. Hatzikonstantinou & D. G. Herries	901	Subcellular structure of bovine thyroid gland. The localization of the peroxidase activity in bovine thyroid. By M. J. S. de Wolf, A. R. Lagrou, H. J. J. Hilderson, G. A. F. van Dessel & W. S. H. Dierick
	(v))

nergetics

783

791

801

811

v F. L. Bygrave, T. P. Heaney & C. amachandran 1011

1021

ellular Structures

909

939

Taurocholate-sodium co-transport by brush- border membrane vesicles isolated from rat ileum. By H. Lücke, G. Stange, R. Kinne & H. Murer	page 951	Prostaglandin receptors on human platelets. Structure activity relationships of stimulatory prostaglandins. By D. E. MacIntyre, E. W. Salzman & J. L. Gordon	page 921
Cellular Interactions and Control Processes		Effects of <i>p</i> -chlorophenylalanine and α -methyl-	
A simple assay for adenylate cyclase in intact cells by affinity elution chromatography. By A. K. Sinha & R. W. Colman	699	phenylalanine on amino acid uptake and protein synthesis in mouse neuroblastoma cells.	, in the second s
Aerobic glycolysis and lymphocyte trans-		By C. J. Kelly & T. C. Johnson	931
formation. By D. A. Hume, J. L. Radik, E. Ferber & M. J. Weidemann	703	Protection of the pancreatic β -cell gluco- receptor mechanism for insulin secretion during culture in chemically defined medium.	
The role of calcium ions in the regulation of rat thymocyte pyruvate oxidation by mitogens. <i>By</i> D. A. Hume, E. K. Vijayakumar, F.		By E. Gylfe	959
Schweinberger, L. M. Russell & M. J. Weidemann	711	Activities and some properties of 5'-nucleo- tidase, adenosine kinase and adenosine deaminase in tissues from vertebrates and	
Asynchrony in the synthesis of secretory proteins in the venom gland of the snake Vipera palaestinae.		invertebrates in relation to the control of the concentration and the physiological role of adenosine.	
By U. Oron, S. Kinamon & A. Bdolah	733	By J. R. S. Arch & E. A. Newsholme	965
Activity and androgenic control of enzymes associated with the tricarboxylic acid cycle, lipid oxidation and mitochondrial shuttles in the epididymis and epididymal spermatozoa of the rat. By D. E. Brooks	741	Properties of pyruvate kinase and phospho- enolpyruvate carboxykinase in relation to the direction and regulation of phosphoenol- pyruvate metabolism in muscles of the frog and marine invertebrates.	
The time course of the effect of hypophy- sectomy and oestrogen treatment on the hepatic		By V. A. Zammit & E. A. Newsholme Maximum activities and effects of fructose	979
metabolism of androst-4-ene-3,17-dione in male and female rats. By P. Skett	753	bisphosphate on pyruvate kinase from muscles of vertebrates and invertebrates in relation to	
Effects of glucagon and insulin on fatty acid synthesis and glycogen degradation in the		the control of glycolysis. By V. A. Zammit, I. Beis & E. A. Newsholme	989
perfused liver of normal and genetically obese (ob/ob) mice	7/1	Zinc-binding protein in the livers of neonatal, normal and partially hepatectomized rats.	
By G. Y. Ma, C. D. Gove & D. A. Hems Cerebral oxidized and reduced nicotinamide-	761	By H. Ohtake, K. Hasegawa & M. Koga	999
adenine dinucleotide phosphate and glucose 6-phosphate dehydrogenase in mice during exposure to high oxygen pressure.		Product inhibition of <i>o</i> -aminophenol glucur- onidation by <i>p</i> -nitrophenyl glucuronide in detergent-treated microsomal fractions.	
By D. E. Dodd & M. D. Faiman	769	By R. D. Howland	1007
Metabolic activation of acetylenic substituents to derivatives in the rat causing the loss of hepatic cytochrome <i>P</i> -450 and haem. <i>By</i> I. N. H. White The submicrosomal localization of acyl- coenzyme A-cholesterol acyltransferase and its substrate, and of cholesteryl esters in rat	853	Alkylation of deoxyribonucleic acid <i>in vivo</i> in various organs of C57BL mice by the carcinogens <i>N</i> -methyl- <i>N</i> -nitrosourea, <i>N</i> -ethyl- <i>N</i> -nitrosourea and ethyl methanesulphonate in relation to induction of thymic lymphoma. Some applications of high-pressure liquid	
liver. By S. Balasubramaniam, S. Venkatesan, K. A. Mitropoulos & T. J. Peters	863	chromatography. By J. V. Frei, D. H. Swenson, W. Warren & P. D. Lawley	1031

	PAGE		PAGE
Control of sterol metabolism in rat adrenal mitochondria.	1045	Influence of mouse age and erythrocyte age on glutathione metabolism	
By J. I. Mason, J. R. Arthur & G. S. Boyd	1045	By E. C. Abraham, J. F. Taylor & C. A. Lang	819
Development		Metabolism in Whole Organisms	
Polyamine metabolism in liver of young rats. By M. E. Brosnan, G. W. Symonds, D. E.	707	The location of purine phosphoribosyltrans- ferase activities in <i>Escherichia coli</i> .	
Hall & D. L. Symonds	727	By M. G. P. Page & K. Burton	717

RAPID PAPERS

PAGE

Bioenergetics

PAGE		PAGE
	Effect of imposed serum deprivation on growth	
	of the mouse $3T3$ cell. Dissociation from changes in potassium ion transport as measured from [³⁶ Rb]rubidium ion uptake. By J. T. Tupper & L. Zografos	1063
1075	Differentiation of the changes in alkaline phosphatase from calcium ion-activated	
	adenosine triphosphatase activities associated	
	intestine By S. M. Lane & D. E. M. Lawson	1067
1083	Dibutyryladenosine 3':5'-cyclic monophos- phate-mediated changes in rat cells involve	
1055	By A. T. Meza & M. Rieber	1071
1055	General Methods	
	the assay of alanine with alanine dehydro-	
	1075	 Effect of imposed serum deprivation on growth of the mouse 3T3 cell. Dissociation from changes in potassium ion transport as measured from [³⁶Rb]rubidium ion uptake. By J. T. Tupper & L. Zografos 1075 Differentiation of the changes in alkaline phosphatase from calcium ion-activated adenosine triphosphatase activities associated with increased calcium absorption in chick intestine By S. M. Lane & D. E. M. Lawson 1083 Dibutyryladenosine 3':5'-cyclic monophosphate-mediated changes in rat cells involve macromolecular alterations in vinblastine-precipitable proteins By A. T. Meza & M. Rieber 1055 General Methods Interference by branched-chain amino acids in

INDEXES

1059

genase

Author Index

By R. M. Tait & S. van Heyningen

activity.

PAGE PAGE 1087 Subject Index 1093

By P. Lund & G. Baverel

PAGE

1079

FULL PAPERS

I	PAGE	
Biosynthesis and Degradation		Properties of mitochondria isolated from
Chemical structure and biodegradability of halogenated aromatic compounds. Two catechol 1,2-dioxygenases from a 3-chloro-		cyanide-sensitive and cyanide-stimulated cul- tures of Acanthamoeba castellanii. By S. W. Edwards & D. Lloyd
benzoate-grown pseudomonad. By E. Dorn & HJ. Knackmuss	73	The protonmotive force in bovine heart sub- mitochondrial particles. Magnitude, sites of
Chemical structure and biodegradability of halogenated aromatic compounds. Substit- uent effects on 1,2-dioxygenation of catechol. By E. Dorn & HJ. Knackmuss	85	generation and comparison with the phosphoryl- ation potential. By M. C. Sorgato, S. J. Ferguson, D. B. Kell & P. John
Effect of non-histone chromosomal proteins on	05	The protonmotive force in phosphorylating membrane vesicles from <i>Paracoccus denitrifi</i> -
transcription <i>in vitro</i> in sea-urchin. By E. Di Mauro, F. Pedone & M. Pomponi	95	cans. Magnitude, sites of generation and com- parison with the phosphorylation potential. By D. B. Kell, P. John & S. J. Ferguson
The mechanism of haem catabolism. A study of haem breakdown in spleen microsomal fraction and in a model system by ¹⁸ O labelling		Subcellular Structures
and metal substitution.		Subcellular distribution of glycosidases in
By R. F. G. J. King & S. B. Brown	103	human polymorphonuclear leucocytes. By R. F. Rest, M. H. Cooney & J. K.
A method for the analysis of protein turnover characteristics. Indirect estimation of rates of		Spitznagel
protein degradation. By N. Paskin & R. J. Mayer	153	The identification of rat intestinal membrane enzymes after electrophores is on polyacrylamide
Fatty acid biosynthesis in the leaves of barley, wheat and pea.		gels containing sodium dodecyl sulphate. By HP. Hauri & J. R. Green
By J. Wharfe & J. L. Harwood	163	The lipid composition of a barley mutant lack- ing chlorophyll b.
Distinction between binding and endocytosis		By P. Bolton, J. Wharfe & J. L. Harwood
of human asialo-transferrin by the rat liver. By E. Regoeczi, P. Taylor, M. W. C. Hatton, KL. Wong & A. Koj	171	Properties of a cytochrome <i>c</i> -enriched light particulate fraction isolated from the photo- synthetic bacterium <i>Rhodopseudomonas</i>
Sequential deiodination of thyroxine in rat liver homogenate.		spheroides. By J. Barrett, C. N. Hunter & O. T. G. Jones
By T. J. Visser, D. Fekkes, R. Docter & G. Hennemann	221	Localization of ferrochelatase and of newly synthesized haem in membrane fractions from
A protein-glucan intermediate during para- mylon synthesis.		Rhodopseudomonas spheroides. By J. Barrett & O. T. G. Jones
By A. D. Tomos & D. H. Northcote	283	Velocity sedimentation of organelles at low centrifugal force in an isokinetic gradient.
Turnover of metallothioneins in rat liver. By R. D. Andersen, W. P. Winter, J. J. Maher & I. A. Bernstein	327	By T. G. Pretlow, II, J. I. Kreisberg, W. D. Fine, G. A. Zieman, M. G. Brattain & T. P. Pretlow
Bioenergetics		Heterogeneity of lysosomes originating from rat liver parenchymal cells. Metabolic relationship
The transport of α-aminoisobutyrate into Crithidia fasciculata. By M. Midgley	191	of subpopulations separated by density-gradient centrifugation. By H. Pertoft, B. Wärmegård & M. Höök
	1/1	Lit I of toring the multilinguite of the HOOK

(iii)

•**

PAGE

	PAGE	1	PAGE
Cellular Interactions and Control Processes Resistance to the aminoglycoside antibiotic neamine in <i>Escherichia coli</i> . A new mutant whose Nea ^R phenotype results from the cumul- ative effects of two distinct mutations.		A study of regulation of gluconeogenesis and the supply of cytosolic reducing equivalents for lactate formation in rat kidney-cortical-tubule fragments incubated with pyruvate. By E. D. Saggerson	131
By G. Delcuve, T. Cabezón, A. Herzog, M. Cannon & A. BollenMechanisms of replenishment of nuclear androgen receptor in rat ventral prostate.	1	Ontogeny of the vitellogenic response to oest- radiol and of the soluble nuclear oestrogen receptor in embryonic-chick liver. By C. B. Lazier	143
By E. Van Doorn & N. Bruchovsky The effect of lipid peroxidation on the calcium- accumulating ability of the microsomal fraction isolated from chicken breast muscle.		The activity of glucagon-stimulated adenylate cyclase from rat liver plasma membranes is modulated by the fluidity of its lipid environ- ment.	179
By T. J. Player & H. O. Hultin Factors effecting the activity of guanylate cyclase in lysates of human blood platelets. By A. F. Adams & R. J. Haslam	17 23	By I. Dipple & M. D. Houslay Effects of maternal ethanol consumption on hepatic lipid biosynthesis in foetal and neonatal rats.	
The effects of digestive enzymes on charac- teristics of placental insulin receptor. Com- parison of particulate and soluble receptor preparations. By S. Clark, M. DeLuise, R. G. Larkins, R. A. Melick & L. C. Harrison		By A. K. Rawat Effect of oestrogen and 1,25-dihydroxy- cholecalciferol on 25-hydroxycholecalciferol metabolism in primary chick kidney-cell cultures. By E. Spanos, D. I. Barrett, K. T. Chong &	213
Reversal by Triton WR-1339 of ethynyl- oestradiol-induced hepatic cholesterol esteri- fication. By R. A. Davis, R. Showalter & F. Kern, Jr.		I. MacIntyre Phosphorylation of adenosine monophosphate in the mitochondrial matrix. By H. A. Krebs & D. Wiggins	231 297
Alterations in response of rat white adipocytes to insulin, noradrenaline, corticotropin and glucagon after adrenalectomy. Correction of these changes by adenosine deaminase. By B. M. Fernandez & E. D. Saggerson		Metabolism in Whole Organisms Uptake of substrates for milk-fat synthesis by lactating-rabbit mammary gland.	
Regulation of pyruvate dehydrogenase activity in rat epididymal fat-pads and isolated adi- pocytes by adrenaline. By S. J. Smith & E. D. Saggerson		By C. S. Jones & D. S. Parker Diurnal variation and response to food with- drawal of lactose synthesis in lactating rats. By D. T. Carrick & N. J. Kuhn	291 319

RAPID PAPERS

	ntrol Processes	Control	and	Interactions	Cellular
--	-----------------	---------	-----	--------------	----------

Evidence for the involvement of superoxide in vitamin K-dependent carboxylation of glutamic acid residues of prothrombin.

By	M. P. Esnouf, M. R. Green, H. A. O. Hill,	
G.	B. Irvine & S. J. Walter	345

Diminished excretion of polyamines from BHK-	
21/C13 cells exposed to methylglyoxal bis-	
(guanylhydrazone).	
By M. A. L. Melvin & H. M. Keir	349
Metabolism in Whole Organisms	
Is a urea cycle present in insects?	
By R. Pant & S. Kumar	341

.

FULL PAPERS

Biosynthesis and Degradation	PAGE	Bioenergetics	PAGE
Comparative biochemistry of β -oxidation. An investigation into the abilities of isolated heart mitochondria of various animal species to oxidize long-chain fatty acids, including the C _{22:1} monoenes. By H. Osmundsen & J. Bremer	379	Superoxide dismutase and catalase in the protection of the proton-donating systems of nitrogen fixation in the blue-green alga <i>Anabaena cylindrica.</i> By L. E. A. Henry, I. N. Gogotov & D. O. Hall	373
Mechanism of dealkylation of clionasterol in the insect <i>Tenebrio molitor</i> . <i>By</i> P. J. Pettler, W. J. S. Lockley, H. H. Rees & T. W. Goodwin	397	The purification and some properties of rusticyanin, a blue copper protein involved in iron(II) oxidation from <i>Thiobacillus ferro-oxidans</i> .	
Utilization by the isolated perfused rat liver N-acetyl-D- $[1-^{14}C]$ galactosamine and N- $[^{3}H]$ -acetyl-D-galactosamine for the biosynthesis of glycoproteins. By A. D. MacNicoll, F. S. Wusteman, G. M. Powell & C. G. Curtis	421	By J. C. Cox & D. H. Boxer Derivation of an electron-transport rate equation, energy-conservation equations and a luminescence-flux equation of algal and plant photosynthesis. By YS. Li	497 569
Kinetics of polyamine synthesis and turnover in mouse fibroblasts. By F. McCormick	427	Calcium ion cycling in rat liver mitochondria. By C. Ramachandran & F. L. Bygrave	613
Effects of amino acids, ammonia and leupeptin on protein synthesis and degradation in isolated rat hepatocytes. By P. O. Seglen	469	Subcellular Structures	
Modeccin, the toxin of Adenia digitata. Puri- fication, toxicity and inhibition of protein syn- thesis in vitro. By A. Gasperi-Campani, L. Barbieri, E. Lorenzoni, L. Montanaro, S. Sperti, E. Bonetti & F. Stirpe	491	The distribution of phosphatidylinositol in microsomal membranes from rat liver after biosynthesis <i>de novo</i> . Evidence for the existence of different pools of microsomal phosphatidyl- inositol by the use of phosphatidylinositol- exchange protein. <i>By</i> P. J. Brophy, P. Burbach, S. A. Nelemans,	
Incorporation of ribonucleic acid <i>in vitro</i> into dense ribonucleoprotein-like materials by iso- lated rat liver nuclei. <i>By</i> I. Suzuka	503	J. Westerman, K. W. A. Wirtz & L. L. M. van Deenen Analytical subcellular fractionation of needle- biopsy specimens from human liver.	413
Metabolism and the triggering of germination of <i>Bacillus megaterium</i> . Concentrations of amino acids, organic acids, adenine nucleotides and nicotinamide nucleotides during germin- ation. <i>By</i> I. R. Scott & D. J. Ellar	627	The brush border of rabbit kidney, a cellular compartment free of glycolytic enzymes. By D. Busse, H. U. Wahle, H. Bartel & B. Pohl	435 509
Metabolism and the triggering of germination of <i>Bacillus megaterium</i> . Use of $L-[^{3}H]$ alanine and tritiated water to detect metabolism. <i>By</i> I. R. Scott & D. J. Ellar	635	Transverse organization of phospholipids across the bilayer plasma-membrane sub- fractions of rat hepatocytes. By J. A. Higgins & W. H. Evans	563

(v)

Differential light-scattering of granal and agranal chloroplasts and their fragments. By Á. Faludi-Dániel, G. E. Bailek, G. Horváth, Z. SzRózsa & R. P. F. Gregory	page 647	The influence of passive stretch on the growth and protein turnover of the denervated extensor digitorum longus muscle. By D. F. Goldspink	PAGE 595
Cellular Interactions and Control Processes Oestrogen-induced cholesterol and fatty acid biosynthesis in <i>Xenopus laevis</i> liver during vitellogenic response. <i>By</i> D. F. Smith, T. M. Penning, A. Q.		Phosphorylation of glucose in isolated rat hepatocytes. Sigmoidal kinetics explained by the activity of glucokinase alone. By F. Bontemps, L. Hue & HG. Hers Effect of adrenalectomy on acceleration of gluconeogenesis by calcium ions, adenosine	603
Ansari, K. A. Munday & M. Akhtar Measurement of adenosine 3':5'-cyclic mono- phosphate by competitive binding to salt- dissociated protein kinase. By S. O. Døskeland & HJ. Haga	353 363	3':5'-cyclic monophosphate and adrenaline in rat kidney tubules. By D. W. R. Macdonald & E. D. Saggerson Development	641
The pH-dependence of sugar transport and of glycolysis in cultured Ehrlich ascites-tumour cells. By E. Kaminskas	453	Developmental change in the activity of lipoprotein lipase (clearing-factor lipase) in rat lung, cardiac muscle, skeletal muscle and brown adipose tissue.	447
Induction of rat kidney gluconeogenesis during acute liver intoxication by carbon tetrachloride. By M. J. Faus, J. A. Lupiáñez, A. Vargas & F. Sánchez-Medina	461	By A. Cryer & H. M. Jones Functional heterogeneity of UDP-glucuron- osyltransferase as indicated by its differential development and inducibility by glucocorti- coids. Demonstration of two groups within the	447
Chromatin structure through the cell cycle. Studies with regenerating rat liver. By A. Caplan, M. G. Ord & L. A. Stocken	475	enzyme's activity towards twelve substrates. By G. J. Wishart	485
The effect of sugars on (pro)insulin biosynthesis. By S. J. H. Ashcroft, J. Bunce, M. Lowry, S. E. Hansen & C. J. Hedeskov	517	Adenine nucleotides in foetal rat liver cells. Compartmentation and variation with age. By P. H. van Lelyveld & F. A. Hommes	527
The effect of dietary carbohydrate and fat on the activities of some enzymes responsible for		Metabolism in Whole Organisms	
 glycerolipid synthesis in rat liver. By H. P. Glenny, M. Bowley, S. L. Burditt, J. Cooling, P. H. Pritchard, R. G. Sturton & D. N. Brindley 	535	Glutamine metabolism in the kidney during induction of, and recovery from, metabolic acidosis in the rat. By D. M. Parry & J. T. Brosnan	387
Effects of testosterone on messenger ribonucleic acid and protein synthesis in rat seminal vesicle. By S. J. Higgins & J. M. Burchell	543	Metabolism of surfactants sodium undecyl- triethoxy sulphate and sodium dodecyltri- ethoxy sulphate in the rat.	
The mode of regulation of pyruvate dehydro- genase of lactating rat mammary gland. Effects of starvation and insulin.		By A. J. Taylor, G. M. Powell, D. Howes, J. G. Black & A. H. Olavesen	405
By M. A. Baxter & H. G. Coore The role of lipid components of the diet in the	553	The metabolic fate of $[2^{-14}C]$ folic acid and a mixture of $[2^{-14}C]$ - and $[3',5',9^{-3}H]$ -folic acid in the rat.	670
regulation of the fatty acid composition of the rat liver endoplasmic reticulum and lipid peroxidation. By C. T. Hammer & E. D. Wills	585	By P. A. Barford, F. J. Staff & J. A. BlairThe biochemical basis for the conjugation of bile acids with either glycine or taurine.By D. A. Vessey	579 621

CONTENTS

RAPID PAPERS

	PAGE		PAGE
Biosynthesis and Degradation Stereospecific biosynthesis of triacylglycerols in mammary glands from lactating rats. By S. M. Cooper & M. R. Grigor The lipoprotein lipase (clearing-factor lipase) activity of cells isolated from rat cardiac muscle.	659	Demonstration of functional heterogeneity of hepatic uridine diphosphate glucuronosyl- transferase activities after administration of 3-methylcholanthrene and phenobarbital to rats. By G. J. Wishart	671
By P. Chohan & A. Cryer	663		
Cellular Interactions and Control Processes The involvement of phosphatidate phospho- hydrolase and phospholipase A activities in the control of hepatic glycerolipid synthesis. Effects of acute feeding with glucose, sorbitol, glycerol and ethanol. By R. G. Sturton, P. H. Pritchard, LY. Han & D. N. Brindley	667	Development Disialoganglioside G _{D1a} of rat brain subcellular particles during development. By H. K. M. Yusuf & J. W. T. Dickerson	655

Contents of Volume 174, No. 3, 1978

FULL PAPERS

PAGE

Biosynthesis and Degradation

biosynthesis of brain gangliosides. The Ganglioside-glycosylating activity in rat brain neuronal perikarya fraction. By H. J. F. Maccioni, S. S. Defilipo, C. A. 673 Landa & R. Caputto Reconstitution of chlorophyllide formation by isolated etioplast membranes. By W. T. Griffiths 681 Oxidative degradation of haemoglobin by nitrosobenzene in the erythrocyte. By K. Hirota, H. A. Itano & T. S. Vedvick 693 Measurement and kinetic study of the formation of adrenaline sulphate in vitro. By K. P. Wong 777 Uptake and degradation of iodine-labelled chylomicron remnant particles by monolayers of rat hepatocytes. By C. H. Florén & Å. Nilsson 827 Some high-performance liquid-chromatographic studies of the metabolism of aflatoxins by rat liver microsomal preparations. By G. E. Neal & P. J. Colley 839

Biosynthesis of plasma-membrane proteins during myogenesis of skeletal muscle *in vitro*. *Bv* G. A. Cates & P. C. Holland 873

PAGE Effect of zinc status of rats on the synthesis and degradation of copper-induced metallothioneins. By I. Bremner, W. G. Hoekstra, N. T. Davies & B. W. Young 883 Catalase model systems. Decomposition of hydrogen peroxide catalysed by mesoferrihaem, deuteroferrihaem, coproferrihaem and haematoferrihaem. By H. Hatzikonstantinou & S. B. Brown 893 The role of peroxide in haem degradation. A study of the oxidation of ferrihaems by hydrogen peroxide. By S. B. Brown, H. Hatzikonstantinou & D. G. Herries 901 **Bioenergetics** The interaction between mitochondrial NADH-ubiquinone oxidoreductase and ubiquinol-cytochrome c oxidoreductase. Evidence for stoicheiometric association. By C. I. Ragan & C. Heron 783

The interaction between mitochondrial NADH-ubiquinone oxidoreductase and ubiquinol-cytochrome c oxidoreductase. Restoration of ubiquinone-pool behaviour.

By C. Heron, C. I. Ragan & B. L. Trumpower 791

	PAGE		PAGE
The membrane potential of mouse ascites- tumour cells studied with the fluorescent probe 3,3'-dipropyloxadicarbocyanine. Amplitude of the depolarization caused by amino acids. <i>By</i> R. D. Philo & A. A. Eddy	801	Asynchrony in the synthesis of secretory proteins in the venom gland of the snake <i>Vipera palaestinae</i> . <i>By</i> U. Oron, S. Kinamon & A. Bdolah	733
Equilibrium and steady-state models of the coupling between the amino acid gradient and the sodium electrochemical gradient in mouse ascites-tumour cells. By R. D. Philo & A. A. Eddy	811	Activity and androgenic control of enzymes associated with the tricarboxylic acid cycle, lipid oxidation and mitochondrial shuttles in the epididymis and epididymal spermatozoa of the rat. By D. E. Brooks	741
Sub-mitochondrial location of Ruthenium Red- sensitive calcium-ion transport and evidence for its enrichment in a specific population of rat liver mitochondria. By F. L. Bygrave, T. P. Heaney & C. Ramachandran	1011	The time course of the effect of hypophy- sectomy and oestrogen treatment on the hepatic metabolism of androst-4-ene-3,17-dione in male and female rats. By P. Skett	753
The subcellular location, maturation and response to increased plasma glucagon of Ruthenium Red-insensitive calcium-ion trans- port in rat liver. <i>By</i> F. L. Bygrave & C. J. Tranter	1021	Effects of glucagon and insulin on fatty acid synthesis and glycogen degradation in the perfused liver of normal and genetically obese (ob/ob) mice By G. Y. Ma, C. D. Gove & D. A. Hems	761
Subcellular Structures		Cerebral oxidized and reduced nicotinamide-	
Changes in the form of Arrhenius plots of the activity of glucagon-stimulated adenylate cyclase and other hamster liver plasma- membrane enzymes occurring on hibernation. By M. D. Houslay & R. W. Palmer		adenine dinucleotide phosphate and glucose 6-phosphate dehydrogenase in mice during exposure to high oxygen pressure. By D. E. Dodd & M. D. Faiman	769
Subcellular structure of bovine thyroid gland. The localization of the peroxidase activity in bovine thyroid. By M. J. S. de Wolf, A. R. Lagrou, H. J. J. Hilderson, G. A. F. van Dessel & W. S. H. Dierick		Metabolic activation of acetylenic substituents to derivatives in the rat causing the loss of hepatic cytochrome P-450 and haem. By I. N. H. White The submicrosomal localization of acyl- coenzyme A-cholesterol acyltransferase and	853
Taurocholate-sodium co-transport by brush- border membrane vesicles isolated from rat ileum. By H. Lücke, G. Stange, R. Kinne & H.		its substrate, and of cholesteryl esters in rat liver. By S. Balasubramaniam, S. Venkatesan, K. A. Mitropoulos & T. J. Peters	863
Murer Cellular Interactions and Control Processes	951	Prostaglandin receptors on human platelets. Structure activity relationships of stimulatory prostaglandins.	
A simple assay for adenylate cyclase in intact cells by affinity elution chromatography. <i>By</i> A. K. Sinha & R. W. Colman	699	By D. E. MacIntyre, E. W. Salzman & J. L. Gordon	921
 Aerobic glycolysis and lymphocyte transformation. By D. A. Hume, J. L. Radik, E. Ferber & M. J. Weidemann 	703	Effects of <i>p</i> -chlorophenylalanine and α -methyl- phenylalanine on amino acid uptake and protein synthesis in mouse neuroblastoma cells. By C. J. Kelly & T. C. Johnson	
The role of calcium ions in the regulation of rat thymocyte pyruvate oxidation by mitogens. By D. A. Hume, E. K. Vijayakumar, F. Schweinberger, L. M. Russell & M. J. Weidemann	711	Protection of the pancreatic β -cell gluco- receptor mechanism for insulin secretion during culture in chemically defined medium. By E. Gylfe	

Activities and some properties of 5'-nucleo- tidase, adenosine kinase and adenosine deaminase in tissues from vertebrates and invertebrates in relation to the control of the	PAGE	Alkylation of deoxyribonucleic acid <i>in vivo</i> in various organs of C57BL mice by the carcinogens <i>N</i> -methyl- <i>N</i> -nitrosourea, <i>N</i> -ethyl- <i>N</i> -nitrosourea and ethyl methanesulphonate in	PAGE
concentration and the physiological role of adenosine. By J. R. S. Arch & E. A. Newsholme Properties of pyruvate kinase and phospho-	965	relation to induction of thymic lymphoma. Some applications of high-pressure liquid chromatography. By J. V. Frei, D. H. Swenson, W. Warren & P. D. Lawley	1031
enolpyruvate carboxykinase in relation to the direction and regulation of phosphoenol- pyruvate metabolism in muscles of the frog and marine invertebrates. By V. A. Zammit & E. A. Newsholme	979	Control of sterol metabolism in rat adrenal mitochondria. By J. I. Mason, J. R. Arthur & G. S. Boyd	1045
Maximum activities and effects of fructose bisphosphate on pyruvate kinase from muscles of vertebrates and invertebrates in relation to		Development Polyamine metabolism in liver of young rats. By M. E. Brosnan, G. W. Symonds, D. E.	
the control of glycolysis. By V. A. Zammit, I. Beis & E. A. Newsholme	989	Hall & D. L. Symonds Influence of mouse age and erythrocyte age on glutathione metabolism	727
Zinc-binding protein in the livers of neonatal, normal and partially hepatectomized rats. By H. Ohtake, K. Hasegawa & M. Koga	999	By E. C. Abraham, J. F. Taylor & C. A. Lang	819
Product inhibition of <i>o</i> -aminophenol glucur- onidation by <i>p</i> -nitrophenyl glucuronide in detergent-treated microsomal fractions. <i>By</i> R. D. Howland		Metabolism in Whole Organisms The location of purine phosphoribosyltrans- ferase activities in <i>Escherichia coli</i> . <i>By</i> M. G. P. Page & K. Burton	717

RAPID PAPERS

	PAGE		PAGE
Bioenergetics Inability of tributyltin-induced chloride/ hydroxyl exchange to stimulate calcium trans- port in mitochondria isolated from flight		The adenylate cyclase-activating activity of cholera toxin is not associated with a nicotin- amide-adenine dinucleotide glycohydrolase activity. By R. M. Tait & S. van Heyningen	1059
muscle of the sheep blowfly <i>Lucilia cuprina</i> . By F. L. Bygrave & R. L. Smith	1075		
Subcellular Structures Sodium-dependent alanine transport in plasma- membrane vesicles from rat liver. By J. M. M. van Amelsvoort, H. J. Sips & K. van Dam	1083	Effect of imposed serum deprivation on growth of the mouse 3T3 cell. Dissociation from changes in potassium ion transport as measured from [³⁶ Rb]rubidium ion uptake. <i>By</i> J. T. Tupper & L. Zografos	1063
Cellular Interactions and Control Processes Regulation of monkey liver serine hydroxy- methyltransferase by nicotinamide nucleotide.	1085	Differentiation of the changes in alkaline phosphatase from calcium ion-activated adenosine triphosphatase activities associated with increased calcium absorption in chick intestine	

By K. S. Ramesh & N. A. Rao 1055

By S. M. Lane & D. E. M. Lawson 1067

	PAGE		PAGE
Dibutyryladenosine 3':5'-cyclic monophos-		General Methods	
phate-mediated changes in rat cells involve macromolecular alterations in vinblastine-		Interference by branched-chain amino acids in the assay of alanine with alanine dehydro-	
precipitable proteins		genase	
By A. T. Meza & M. Rieber	1071	By P. Lund & G. Baverel	1079

INDEXES

PAGE		PAGE
1087	Subject Index	1093

Author Index