Public Health Scotland COVID-19 Statistical Report

As at 27 September 2021

Publication date: 29 September 2021

Contents

Introduction	4
Main Points	5
Incidence of Variants of Concern and Variants Under Investigation	6
COVID-19 Daily Data	7
Hospital Admissions 'because of' COVID-19	13
COVID-19 Testing in Adult Care Home in Scotland	15
Healthcare workers – COVID-19 Testing	16
Test and Protect	17
Protect Scotland App	23
Event and Settings Cases	23
Quarantining Statistics	24
Lateral Flow Device Testing	26
Targeted Community Testing	29
COVID-19 Vaccine	30
COVID-19 cases, acute hospitalisations, and deaths by vaccine status	31
COVID-19 across the NHS	45
Wider Impact of COVID-19	46
Weekly National Seasonal Respiratory Report	47
Contact	48
Further Information	48
Open data	48
Rate this publication	48
Appendices	49
Appendix 1 – Background information	49
Appendix 2 – World Health Organisation (WHO) Standard for Contact Tracing and Scotland Wide Performance Reporting	49
Appendix 3 – Hospital Admissions Notes	49
Appendix 4 – RAPID Hospital Admissions	50
Appendix 5 – Healthcare Worker Testing	50
Appendix 6 – Contact Tracing	50
Appendix 7 – Quarantine Statistics	52
Appendix 8 – Lateral Flow Device Testing	52

Appendix 9 – Data Sources and Limitations	53
Appendix 10 – Hospital admissions	55

This is a Management Information publication

Published management information are non-official statistics. They may not comply with the UK Statistics Authority's Code of Practice with regard to high data quality or high public value but there is a public interest or a specific interest by a specialist user group in accessing these statistics as there are no associated official statistics available.

Users should therefore be aware of the aspects of data quality and caveats surrounding these data, all of which are listed in this document. Therefore, the data presented are subject to change.

Introduction

Since the start of the Coronavirus-19 (COVID-19) outbreak Public Health Scotland (PHS) has been working closely with Scotlish Government and health and care colleagues in supporting the surveillance and monitoring of COVID-19 amongst the population.

The Public Health Scotland <u>COVID-19 Daily Dashboard</u> publishes daily updates on the number of positive cases of COVID-19 in Scotland, with charts showing the trend since the start of the outbreak. From 26 February 2021 the Daily Dashboard also includes daily updates on vaccinations for COVID-19 in Scotland.

This report provides additional information not found in the Daily Dashboard on topics such as Test and Protect and Quarantining Statistics.

The accompanying interactive dashboard contains charts and data on the following topics:

- Hospital and unscheduled care
- Healthcare for cardiovascular disease
- Healthcare for mental health
- New cancer diagnoses
- Uptake of pre-school immunisations
- Coverage of health visitor child health reviews
- Infant feeding
- Child development
- Women booking for antenatal care
- Terminations of pregnancy
- Births and babies
- Excess deaths

There is a large amount of data being regularly published regarding COVID-19 (for example, Coronavirus in Scotland – Scottish Government and Deaths involving coronavirus in Scotland – National Records of Scotland). This report complements the range of existing data currently available.

The coronavirus pandemic is a rapidly evolving situation. Future reports will provide further data and analysis to contribute to the evidence base around the outbreak.

Main Points

- As at 26 September 2021, there have been 557,970 confirmed COVID-19 cases; 19,108 of these were recorded in the most recent week, a decrease of 26.9% from the previous week.
- In the week ending 19 September 2021 (most recent week currently available due to a technical issue), 26,087 individuals were recorded in the contact tracing software, from which 32,755 unique contacts have been traced.
- In the week ending 26 September 2021, under the Community Testing Programme 18.3% of symptomatic and 8.6% of asymptomatic tests for COVID-19 were positive.
- In the week ending 21 September 2021, there were 882 admissions to hospital with a laboratory confirmed test of COVID-19. The highest number of new admissions are now in those aged 80+.
- The proportion of all people who were admitted to hospital within 14 days of a laboratory confirmed COVID-19 positive test has declined, from 12% in the week ending 31 January 2021, to 2% in the most recent week ending 12 September 2021.
- The number of new admissions to Intensive Care Units (ICUs) for confirmed COVID-19 patients has reduced from 77 in the week ending 18 September 2021, to 48 in the week ending 25 September 2021.
- In the week ending 26 September 2021 there were 57,069 people who arrived in Scotland from outside the UK, of which 5,570 were required to quarantine (with 426 quarantined in a hotel).

Results and Commentary

Incidence of Variants of Concern and Variants Under Investigation

Since early May 2021, there has been a rapid increase in the Delta variant detected through whole genome sequencing (WGS) in Scotland. The Delta variant has been the dominant COVID-19 variant in Scotland since 31 May 2021.

Public Health Scotland (PHS) continues to monitor COVID-19 Variants of Concern, in collaboration with other Public Health Agencies in the UK.

The latest information on the number of such variants detected by genomic analyses across the UK is published by Public Health England.

COVID-19 Daily Data

The Public Health Scotland <u>COVID-19 Daily Dashboard</u> publishes daily updates on the number of positive cases of COVID-19 in Scotland, with charts showing the trend since the start of the outbreak.

The total number of people within Scotland who have, or have had COVID-19, since the coronavirus outbreak began is unknown. The number of confirmed cases is likely to be an underestimate of the total number who have, or have had, COVID-19. A person can have multiple tests but will only ever be counted once. The drop in the number of confirmed cases at weekends likely reflects that laboratories are doing fewer tests at the weekend.

- There have been 557,970 people in Scotland who have tested positive, at any site in Scotland (NHS and UK Government Regional Testing centres), for COVID-19 up to 26 September 2021.
- In the week ending 26 September 2021 there were 19,108 confirmed COVID-19 cases.¹
 1. Correct as at 26 September, may differ from more recently published data in the previous week's report and on the <u>COVID-19 Daily</u> Dashboard.





Figure 1: Number of Positive Cases per day with 7 Day Average

The daily dashboard also now includes data on Hospital Admissions and ICU admissions for patients with COVID-19:

- In the week ending 21 September 2021, there were 822 admissions to hospital with a laboratory confirmed test of COVID-19.
- In the week ending 25 September 2021 there were 48 new admissions to Intensive Care Units (ICUs) for confirmed COVID-19 patients.

The number of confirmed daily COVID-19 cases reduced from 4,745 to 3,985 between 14 September 2021 and 20 September 2021. During this same time period, the daily COVID-19 confirmed hospital admissions has decreased from 158 to 133 (seven-day rolling average). The seven-day average of inpatients in hospital has increased by 8% (from 987 to 1,064).

Figure 2: Number of Positive Cases, Admissions and Inpatients, as at 20 September 2021²



2. Please refer to Appendix 3 - Hospital Admissions Notes for definitions of hospital admissions and inpatients.

Additional charts and data are available to view in the <u>interactive dashboard</u> accompanying this report.

Data is also monitored and published daily on the Scottish Government Coronavirus website.

COVID-19 Hospital Admissions

Hospital Admissions 'with' COVID-19

Since the start of the pandemic Public Health Scotland have been reporting on the number of people in acute hospitals with recently confirmed COVID-19. These admissions are identified from RAPID (rapid and preliminary inpatient data) and defined as the following: A patient's first positive PCR test for COVID up to 14 days prior to admission to hospital, on the day of their admission or during their stay in hospital. If a patient's first positive PCR test is after their date of discharge from hospital, they are not included in the analysis.

It is important to note, that the figures presented below may include patients being admitted and treated in hospital for reasons other than COVID-19. Further exploratory analysis can be found below in Hospital Admissions 'because of' COVID-19. Supplementary analysis on COVID-19 related acute hospital admissions by vaccine status is also available within the COVID-19 cases, acute hospitalisations, and deaths by vaccine status section of this report.

Figure 3 below shows the weekly trend of hospital admissions with COVID-19 from week ending 05 January 2021 to 21 September 2021. The number of admissions have been increasing since week ending 17 August 2021, with a 17% decrease in new admissions in the latest week.

Figure 3: Trend of hospital admissions 'with' COVID-19 in Scotland




Table 1 below shows a breakdown of people admitted to hospital across all ages and by age group for the most recent four weeks. Data from 03 March 2021 is available on the <u>Covid Statistical Report website</u>.

Table 1: COVID-19 hospital admissions by age as at 21 September 2021³


Age Band	25 August – 31 August	01 September – 07 September	08 September – 14 September	15 September – 21 September
Under 18	69	83	77	76
18-29	68	77	56	36
30-39	81	98	113	77
40-49	60	107	105	113
50-54	46	58	71	47
55-59	55	66	72	70
60-64	55	72	93	67
65-69	40	59	82	56
70-74	71	89	86	88
75-79	49	92	88	90
80+	122	197	222	162
Total	716	998	1065	882

Source: RAPID (Rapid and Preliminary Inpatient Data)

In the latest week those aged 80+ years having the highest number admissions.

 $^{3. \} Please \ refer \ to \ \underline{Appendix} \ 4 - \underline{RAPID} \ \underline{Hospital} \ \underline{Admissions} \ for \ explanatory \ notes \ regarding \ RAPID \ \underline{Hospital} \ \underline{Admissions}.$

Figure 4: Trend in Hospital Admissions, who have tested positive for COVID-19 within 14 days, by age



In recent months, the proportion of all people who were admitted to hospital within 14 days of a laboratory confirmed COVID-19 positive test has also declined, from 12% in the week ending 31 January 2021 to 2% in the most recent week ending 12 September 2021 (Figure 5).

This reduction can be explained by a change in the age profile of people acquiring COVID-19. Although those over 60 with COVID-19 are more likely to be admitted to hospital than younger age groups (Figure 6), the proportion of newly reported cases in the over 60s has reduced in recent months (Figure 7).

Figure 5: Proportion of weekly cases admitted to hospital within 14 days of a first positive test





Figure 6: Proportion of weekly cases admitted to hospital within 14 days of a first positive test by age group






Figure 7: Distribution of confirmed COVID-19 cases by age group

Hospital Admissions 'because of' COVID-19

As the population is increasingly vaccinated more of the patients in hospital will be fully or partially vaccinated. Therefore, it is important that we can differentiate between patients in hospital because of COVID-19 rather than with COVID-19, to inform Scotland's public health response.

To estimate the proportion of patients in hospital 'because of' COVID-19 - analysis was carried out using the national Scottish Morbidity Records (SMR01 - acute inpatient and day case activity) dataset using the clinical diagnosis information recorded from the patient discharge summary. A hospital admission 'because of' COVID-19 is defined as an admission where COVID-19 is recorded as the main diagnosis, using SMR01.

The analysis on hospital admissions (Table 2) 'because of' COVID-19 is based on data from six NHS Boards, with good quality and complete data up to end June 2021. The aggregated data for these six NHS Boards is used as a proxy to represent the Scotland position. These six NHS Boards are listed in Appendix 10.

Table 2 below shows that as at June 2021, 72% of acute hospital admissions have a **primary** diagnosis of COVID-19. The trend has been decreasing since January 2021.

The average length of time a patient is spending in hospital 'because of' COVID-19 has reduced from 13.0 days in January 2021 to 5.1 days in June 2021. This reduction is most likely linked to the roll out of the vaccination programme and the change in the age profile of patients being admitted.


Table 2: SMR01 COVID-19 Hospital Admissions with a primary diagnosis of COVID-19^{1,2,3,}

	Jan-21	Feb-21	Mar-21	Apr-21	May-21	Jun-21
Percentage of hospital admissions 'because of' COVID-19	78%	76%	75%	66%	72%	72%
Average length of stay 'with' COVID-19 (days)	14.8	11.8	8.5	5.9	6.5	4.7
Average length of stay 'because of' COVID-19 (days)	13.0	11.0	8.4	6.0	6.3	5.1

Source: SMR1 (Scottish Morbidity Records -Acute Inpatient & Day case) & ECOSS

Notes and definitions can be found in Appendix 10

Figure 8: Percentage of COVID-19 hospital admissions with a primary diagnosis of COVID-19, and average length of stay



Public Health Scotland will continue to report the number of COVID-19 hospital admissions using existing methodology and will updated additional SMR01 analysis on a monthly basis, as and when more recent data become available.

COVID-19 Testing in Adult Care Home in Scotland

As of 20 January 2021, Public Health Scotland took over reporting of weekly testing data on COVID-19 in adult Care Homes in Scotland – data prior to 11 January 2021 can be found on the Scotlish Government website.

This data is provisional management information submitted to the Turas Care Home Management system by Care Homes, and details numbers of people (i.e. staff and residents) tested in the last week. The numbers capture both those tests undertaken via NHS routes and those done via the Scottish Social Care portal.

Figures are an undercount in some cases as complete data was not collected for all Care Homes.

It is the responsibility of Boards to work with care homes as part of their oversight arrangements to quality assure this data. The role of PHS is to collate and publish only. Please use this information with caution.

Table 3: Adult care home testing for week ending 26 September 2021

Further information on COVID-19 testing in Adult Care Homes can be found at <u>Coronavirus (COVID-19): trends in daily data</u> - gov.scot (www.gov.scot).

NHS Board	Care Ho confirmed		Care Homes with no confirmed COVID-19
	Staff tested	Residents tested	Staff tested
Ayrshire and Arran	1,039	87	2,316
Borders	35	4	552
Dumfries & Galloway	97	29	987
Fife	819	475	2,630
Forth Valley	525	335	1,866
Grampian	718	71	3,827
Greater Glasgow & Clyde	1,316	657	5,445
Highland	353	175	1,914
Lanarkshire	846	419	2,818
Lothian	1,426	826	4,441
Orkney	0	0	165
Shetland	0	0	274
Tayside	673	55	2,615
Western Isles	0	0	353
Scotland	7,847	3,133	30,203

Please note some of the data is suppressed due to disclosure methodology being applied to protect patient confidentiality

Healthcare workers – COVID-19 Testing

In July 2020, the Scottish Government expanded COVID-19 testing (PCR) to include key healthcare workers in oncology and haemato-oncology in wards and day patient areas including radiotherapy; staffing wards caring for people over 65 years of age where the length of stay for the area is over three months, and wards within mental health services where the anticipated length of stay is also over three months. A data collection was initially set up to monitor the expansion of testing starting in July 2020. Weekly trend data, broken down by health board, is available on the interactive dashboard.

Work was undertaken with Boards to improve the quality of the data and this collection has moved over to Public Health Scotland. This management information must be treated with caution as it may be subject to change as the quality of the data improves. Public Health Scotland is working closely with SG and Boards to improve data definitions and quality to ensure consistency across Scotland. As a result, data may be revised in subsequent weeks and any changes will be clearly signposted.

Table 4: Number of COVID-19 tests and positive results for healthcare workers for week ending 16 September 2021

Area	Total Eligible Staff	Total Staff tested	Number of positive tests ⁴	Number of Staff not tested - declined to test	Number of Staff not tested for operational reasons	Number of Staff not tested for other reasons
Specialist Cancer Wards and Treatment Areas	2,587	2,504	7	21	15	47
Long Stay Care of the Elderly	751	689	*	29	5	28
Long Stay Old Age Psychiatry and Learning Disability Wards	2,495	2,354	*	47	59	35
Scotland	5,833	5,547	13	97	79	110

^{4.} Please note some of the data is suppressed due to disclosure methodology being applied to protect staff confidentiality. See Appendix 5

⁻ Healthcare Worker Testing for notes on staff not tested.

Test and Protect

On 26 May 2020, the Scottish Government set out the strategy for Test and Protect - Scotland's approach to implementing the 'test, trace, isolate, support' strategy. This strategy is designed to minimise the spread of COVID-19.

Public Health Scotland is working closely with the Scottish Government and all local NHS Boards to implement 'Test and Protect'. Since 28 May 2020, once an individual receives a positive result, a team of contact tracers will then gather details on individuals who have been in contact with the person who tested positive. The contact tracers will then proceed to contact these individuals and advise them to isolate. In some cases close contacts will receive an SMS message advising them to isolate.

A case is generated by a positive test. However, an individual can have multiple tests, and all positive results are reported to the contact tracing system so that each result can be assessed by the contact tracer and followed up as required. In many cases, there is no follow up for a repeat positive test (because the person was already contact traced when their first positive result was reported). To reflect this, test and protect data now includes details on the number of individuals whose positive test resulted in contact tracing being undertaken. The number of individuals who tested positive is also more comparable with the figures given in the COVID-19 Confirmed Cases section of this report, which reports on new positive cases.

Please note PHS has moved to weekly reporting of this data and cumulative data is available in the interactive dashboard.

We continually review how we report Test & Protect contact tracing data, as the Test & Protect digital service evolves. This will be reflected in future publication releases.

Please note, a technical issue has affected the availability of Test & Protect data for week ending 26 September 2021. We are only able to provide revised figures for week ending 19 September 2021 in this release. This affects reporting only, all public health measures, including contact tracing of individuals with positive tests, have been carried out.

Contact Tracing figures for the week ending 19 September 2021 (based on test date), are detailed in Table 5 below, which provides a recent time trend, a longer time trend is available on the <u>interactive dashboard</u>.

Table 5: Contact Tracing Scotland Trend Information⁵

	15 Aug	22 Aug	29 Aug	05 Sep	12 Sep	19 Sep	26 Sep ^p
Cases	11,026	24,711	41,935	46,057	38,228	26,709	
Complete Cases	9,543	20,814	34,729	38,602	32,132	21,835	
% Complete	86.5	84.2	82.8	83.8	84.1	81.8	
Individuals	10,930	24,372	40,481	44,524	36,855	26,087	
Total Primary Contacts	37,367	68,107	79,563	67,827	56,769	45,775	
Unique Primary Contacts	24,652	50,347	59,154	51,933	42,112	32,755	
Average number of primary contacts per case ⁶	3.4	2.8	1.9	1.5	1.5	1.7	

^p – Please treat as provisional as data is still being collected for the latest reported week and index/contacts being traced.

In the week ending 19 September 2021, there were 26,709 Index Cases, of which 21,835 had completed contact tracing. The average number of primary contacts per case has remained stable over recent weeks. Test and Protect continues to request all positive cases to report their close contacts, whether they were contacted digitally or by phone.

The following information relates only to the portion of these cases which are complete. Note that contact tracing is ongoing for the remainder of these cases, the outcome of which will be reported in future publications.

There are a small proportion of primary contacts who were successfully contacted but advised they did not need to isolate. Since contact tracing began, 3,341 primary contacts were not advised to self-isolate, this represents 1.2% of the total 285,899 primary contacts for which this information is known. Some of these primary contacts are children under the age of 16. Other reasons may include that the contact was wearing PPE or did not come into close contact with a positive case.

Data by NHS Board are presented in the below table for the most recent two weeks. This shows the number of individuals and the number of primary contacts by NHS Board. Comparisons between NHS Board figures should be treated with caution due to the variation in complexity of cases which the Boards are dealing with at any point in time (e.g. some cases will be straight-forward with a low number of primary contacts to be traced; others will

⁵ For further information and additional notes on Contact Tracing, please see Appendix 6 - Contact Tracing.

⁶ Scottish Government published research findings on modelling the Covid19 epidemic and reported an average of 3.8 contacts per primary case in its report Coronavirus (COVID-19): modelling the epidemic in Scotland (Issue No. 60) here. The Scottish Contact Survey (SCS) used a representative sample of the Scottish adult population, with information collected on all direct contacts. Whereas Public Health Scotland primary contacts include those who are tested and reported to Test and Protect.

be more complex with a higher number to be traced). These figures will be updated in subsequent weeks to incorporate any additional primary contacts who had not had their tracing completed by the time the analysis was undertaken.

In the same week, of the 32,775 unique contacts recorded, 6,348 (19.4%) went on to test positive within ten days of their contact with an index case.

Table 6: Number of individuals and the number of primary contacts by NHS Board

	Week of first positive result					
	Week ending 20	19 September 21	Week ending 20	26 September 21		
NHS Board	Individual	Unique Primary Contacts within Health Board	Individual	Unique Primary Contacts within Health Board		
Ayrshire & Arran	2,180	2,797				
Borders	354	599				
Dumfries & Galloway	511	847				
Fife	1,965	2,466				
Forth Valley	1,570	1,976				
Grampian	2,259	3,533				
Greater Glasgow & Clyde	6,523	7,237				
Highland	1,070	1,002				
Lanarkshire	3,943	5,270				
Lothian	3,677	4,304				
Orkney	24	21				
Shetland	30	91				
Tayside	1,627	2,263				
Western Isles	45	167				
Unknown Health Board	309	215				

Contact tracers, within the National Contact Tracing Centre and NHS Boards, were unable to contact a proportion of individuals with a positive test and their primary contacts:

- 57,225 individuals with a positive test were unable to be contacted since the (Case Management System (CMS) went live (11.1% of all individuals).
- 26,518 contacts were unable to be contacted since the CMS went live (1.7% of all contacts).

These figures continue to be monitored by Test and Protect teams.

Completed Index cases

The data within this report are the number of completed cases which are recorded in the contact tracing software. The figures presented below are preliminary and may be updated in subsequent publications.

Since 03 August 2020, the use of some fields within the Contact Tracing Case Management System has become mandatory – this allows for improvement in data recording and other measures to be explored as to how Test and Protect in Scotland is responding to the number of positives cases. The measures below are the initial exploratory analysis to describe the timeliness of contact tracing. Please note these are preliminary statistics and ongoing work is in place to improve recording and use of fields within the CMS to increase accuracy. The three measures are:

- the time between a sample being taken and the positive individual being contacted (i.e. interviewed by a contact tracer or completing the online tracing form)
- the time between the record appearing in the CMS and the positive individual being contacted (i.e. interviewed by a contact tracer or completing the online tracing form)
- the time between the record appearing in the CMS and contact tracing being closed (i.e. contacts have been interviewed, attempted to be interviewed or contacted digitally).

These figures are now weekly measures, data are available for previous weeks within the interactive dashboard.

Please note, 0-24 category includes cases that have been contacted digitally via SMS and completed the online contacts form (Co3 form) that enables digital contact tracing.

Table 7: Time (hours) between date test sample taken (specimen date) and the positive individual being contacted ^{5,7}

	Week Ending 19 September 2021		Week Ending 26 S	September 2021
Hours taken	Number of Index Cases	% of Total Index Cases	Number of Index Cases	% of Total Index Cases
0-24	6,663	31.2		
24-48	7,865	36.8		
48-72	5,254	24.6		
Over 72	1,557	7.3		
Timed out	2	0.0		
Not known	29	0.1		

Timed out includes individuals contacted digitally via SMS and asked to complete the Co3 (online contact tracing form), but haven't completed this form within 5 days.

Table 8: Time (hours) between case created in CMS and the positive individual being contacted ^{5,7}

	Week Ending 19 Se	ptember 2021	Week Ending 26 S	September 2021
Hours taken	Number of Index Cases	% of Total Index Cases	Number of Index Cases	% of Total Index Cases
0-24	16,618	77.8		
24-48	3,849	18.0		
48-72	677	3.2		
Over 72	195	0.9		
Timed out	2	0.0		
Not known	29	0.1		

Timed out includes individuals contacted digitally via SMS and asked to complete the Co3 (online contact tracing form), but haven't completed this form within 5 days.

⁵ For further information and additional notes on Contact Tracing, please see Appendix 6 - Contact Tracing

⁵ For further information and additional notes on Contact Tracing, please see Appendix 6 - Contact Tracing

⁷ Includes being interviewed by a contact tracer or submitting preliminary information via a CO3 form

Table 9: Time (hours) between case created in CMS to its closure^{5,8}

	Week Ending 19	September 2021	Week Ending 26	September 2021
Hours taken	Number of Index Cases	% of Total Index Cases	Number of Index Cases	% of Total Index Cases
0-24	13,923	65.2		
24-48	4,944	23.1		
48-72	1,657	7.8		
Over 72	816	3.8		
Not known	30	0.1		

⁵ For further information and additional notes on Contact Tracing, please see Appendix 6 - Contact Tracing

Travel outside of Scotland cases

Since 28 September 2020 fields have been available to record information about whether a case has travelled outside of Scotland. In the week ending 19 September 2021, 26,709 index cases were newly created on CMS, of which 15,717 had a fully completed index case interview. Of those interviewed, **458** travelled to the UK (excluding Scotland), **170** travelled to Europe and **23** to the rest of the world.

This information is collected on the contact tracing interview and is where outside of Scotland travel information is recorded. Please note we are aware of an undercount for those travelled outside Scotland. This is a data quality issue due to recording of the travel information, Public Health Scotland is working closely with contact tracing leads to improve this recording.

⁸ Measured by the time taken to complete the final contact interview for high risk settings/contacts and those completed via SMS

Protect Scotland App

The Protect Scotland App from NHS Scotland's Test and Protect was launched on 10 September 2020 and is a free, mobile phone app designed to protect individuals and reduce the spread of coronavirus. The app alerts individuals if they have been in close contact with another app user who tests positive for coronavirus. If they test positive, it can help in determining contacts that may have otherwise been missed while keeping individual's information private and anonymous. As of 27 September 2021 the total number of people who have downloaded the app is **2,241,409** with the number of contact notifications at **90,373**.

Event and Settings Cases

Public Health Scotland has been able to present a table of settings and events that index cases have attended over the previous 7 days. This is based on interviews conducted with cases identified in the CMS and involves cases recalling where they have been in the 7 days prior to symptom onset (or date of test if asymptomatic).

These figures are now updated in Settings tab of the <u>interactive dashboard</u> accompanying this report. Please note that Public Health Scotland cannot infer from the figures whether a specific setting or an event indicates where the COVID-19 transmission took place. This is because cases may have attended multiple settings or events within a short space of time. In addition, it is possible that even though a case visited a few settings and events, transmission may have taken place elsewhere.

More information on event groupings can be found in the accompanying metadata document available on the <u>COVID-19 Statistical Report website</u>.

Please note that this section has not been updated since 28th August 2021 due to changes in contact tracing.

Quarantining Statistics

These statistics provide a summary of the number of people entering Scotland from outside the UK, those required to quarantine, and the numbers contacted by the National Contact Centre (NCC). Passenger arrivals into Scotland are provided by the Home Office to PHS. PHS take a sample of those who are required to quarantine and pass the data to NHS National Services Scotland, which runs the NCC on PHS's behalf.

Those arriving into Scotland who have been in a country on the red list (high risk) at any point in the 10 days before arriving in Scotland are required to quarantine in a hotel for a minimum of 10 days (further information available on the Scotlish Government website). Those arriving in Scotland who have been in a country on the amber list (non-high risk) are required to quarantine at home.

Up to 23 June 2021, a sample of those individuals quarantining at home were contacted by the NCC. These calls were paused in order to prioritise contact tracing. Since 13 July 2021, these call have resumed. All travellers (except those exempt and those under 18 years of age) will receive an email, providing them with appropriate public health information on self-isolation and testing. Unvaccinated travellers arriving from an Amber country are also called by the NCC. Fully vaccinated travellers arriving from an Amber country, or travellers arriving from a Green country, receive a SMS and email. Arrivals from a Red country receive an email and continue to be managed via quarantine. Travellers under the age of 18 are not contacted.

Table 10 – Quarantine Statistics by date (22 June 2020 to 26 September 2021) 9

	Week Ending 26 September 2021	Cumulative
Number of people arriving in Scotland	57,069	1,125,108
Number of people requiring to quarantine in a hotel (anywhere in the UK)	426	21,763
Number of people requiring to quarantine at home	5,144	462,403
Number of people contacted by National Centre	3,462	126,381

Of the total number of people contacted by the National Centre, the below table shows the breakdown of these contacts.

Table 11: Number of people contacted by National Centre by status (22 June 2020 to 26 September 2021) 9

	Week Ending 26 September 2021	Cumulative
Successful contacts made	2,673	116,383
Unable to contact individual	151	9,360
In progress	638	638

⁹ For further information and additional notes on Contact Tracing, please see Appendix 7 - Quarantine Statistics.

Lateral Flow Device Testing

Across Scotland, there are numerous testing pathways being rolled out using Lateral Flow Devices (LFD) - a clinically validated swab antigen test taken that does not require a laboratory for processing. This test can produce rapid results within 45 minutes at the location of the test.

Some of the areas using LFD tests are: schools, health and social care workers, care homes and more. Public Health Scotland has collected the information on the number of LFD tests carried out across Scotland and will now publish this information weekly. This section is the totality of LFD across Scotland and across strategies. Sections focusing in on specific topics such as Schools, Higher Education and Community testing can be found later in the report.

Since 19 November 2020, there have been 11,555,190 LFD tests carried out in Scotland, of which 71,192 were positive (0.6%). Table 12 shows the number of LFD tests carried out in Scotland by testing group, and Table 13 shows the number of LFD tests by Health Board of residence of the individual taking the test.

Any individual who receives a positive test result using a Lateral Flow Device is advised to self-isolate and arrange for a confirmatory PCR test. The PCR result will determine the number of cases of COVID-19 in Scotland.

For additional details on Lateral Flow Device Tests, please see - <u>Appendix 8 – Lateral Flow Device Testing</u>

Please note, a technical issue has affected the availability of LFD testing data for week ending 26 September 2021. We are only able to provide cumulative figures up to 21 September 2021 in this release.

Table 12: Number of LFD¹⁰ tests by Test group 19 November 2020 – 21 September 2021

Test Group	Test Reason	Number of tests	Number of positive tests	% LFT positive	
Care Home Testing	Care Home - Visiting Professional	43,881	51	0.1%	
	Care Home - Visitor	439,470	273	0.1%	
	Care Home Staff	1,298,356	994	0.1%	
Community Testing	Community Testing	85,837	780	0.9%	
Education	Combined School Staff	40,927	69	0.2%	
Testing	ELC Staff	242,508	824	0.3%	
	Primary School Staff	1,178,557	2,573	0.2%	
	Secondary School Pupils	722,440	5,891	0.8%	
	Secondary School Staff	637,052	1,332	0.2%	
	University Staff	7,047	30	0.4%	
	University Students	16,209	148	0.9%	
	University Testing Site	96,337	380	0.4%	
Healthcare	Healthcare Worker	2,312,104	3,412	0.1%	
Testing	Primary Care And Independent Contractors	149,906	168	0.1%	
Social Care	Children, Young People and Mental Health	821	0	0%	
Testing	NSS Portal Social Care	525,176	620	0.1%	
	Residential Homes	12,373	11	0.1%	
	Support Services		59	0.6%	
Universal	Attend An Event	339,053	920	0.3%	
Offer	High Cases In Local Area	129,084	3,093	2.4%	
	Lives With Someone Who Is Shielding	18,834	445	2.4%	
	Travel Within UK	69,622	366	0.5%	
	Universal Offer	885,170	23,093	2.6%	
Workplace Testing	Emergency Control Room Staff	48,063	108	0.2%	
	Food Processing	9,602	9	0.1%	
	Quarantine Hotel Staff/Security Personnel	3,263	28	0.9%	
	UK Gov Other	1,809,926	22,273	1.2%	
Other	Other	423,299	3,242	0.8%	
Total	Total	11,555,190	71,192	0.6%	

Data extracted: 27 September 2021

Please note some of the data is suppressed due to disclosure methodology being applied to protect staff confidentiality.

Table 13: Number of LFD¹⁰ tests, up until 21 September 2021, by NHS Board of Residence (based on the postcode provided by the individual taking the test)

Board of Residence	Number of tests	Number of positive tests	% LFD positive
NHS Ayrshire & Arran	855,932	5,097	0.6%
NHS Borders	241,259	1,126	0.5%
NHS Dumfries & Galloway	331,596	1,590	0.5%
NHS Fife	711,315	5,178	0.7%
NHS Forth Valley	636,732	3,730	0.6%
NHS Grampian	1,428,511	5,831	0.4%
NHS Greater Glasgow & Clyde	2,131,676	17,277	0.8%
NHS Highland	760,267	3,132	0.4%
NHS Lanarkshire	1,214,846	8,952	0.7%
NHS Lothian	1,824,853	12,672	0.7%
NHS Orkney	50,891	109	0.2%
NHS Shetland	70,610	206	0.3%
NHS Tayside	952,385	4,996	0.5%
NHS Western Isles	82,968	120	0.1%
Unknown	261,349	1,176	0.4%
Total	11,555,190	71,192	0.6%

Data extracted: 27 September 2021

¹⁰ For additional details on Lateral Flow Device Tests, please see - Appendix 8 – Lateral Flow Device Testing.

Targeted Community Testing

The Community Testing Programme is ongoing across Scotland. This programme is a mixture of LFD and PCR tests. This is targeted at areas where there are concerns around community transmission levels, and offer testing to any member of that community. Further information is available within the interactive dashboard.

Table 14: Targeted Community Testing (18 January 2021 to 26 September 2021)

Symptoms	Week Endi	ng 26 Septe	mber 2021	Cumulative		
	Number of Tests	Number Positive	% positive	Number of Tests	Number Positive	% positive
Asymptomatic	16,613	1,435	8.6	394,867	29,387	7.4
Symptomatic ¹¹	16,875	3,090	18.3	284,966	59,866	21.0
All ¹²	34,607	4,760	13.8	699,219	93,466	13.4

¹¹ Symptomatic - the individual has selected on the booking website they have symptoms.

Table 15: Targeted Community Testing by Health Board (Week to 26 September 2021)

Health Board (of site)	Number of Tests	Number of Positive Test Results	% positive
NHS Ayrshire and Arran	2,906	440	15.1
NHS Borders	501	33	6.6
NHS Dumfries and Galloway	1,454	204	14.0
NHS Fife	1,438	223	15.5
NHS Forth Valley	2,259	328	14.5
NHS Grampian	1,336	146	10.9
NHS Greater Glasgow and Clyde	3,510	434	12.4
NHS Highland	559	41	7.3
NHS Lanarkshire	11,296	1,737	15.4
NHS Lothian	7,326	889	12.1
NHS Tayside	2,008	285	14.2
Unknown Health Board	14	0	0.0
Total	34,607	4,760	13.8

Please note some of the data is suppressed due to disclosure methodology being applied to protect staff confidentiality.

¹² In week ending 26 September 2021, 1,119 tests were of unknown symptomatic status of which 235 were positive.

COVID-19 Vaccine

On 08 December 2020, a COVID-19 vaccine developed by Pfizer BioNTech was first used in the UK as part of national immunisation programmes. The AstraZeneca (Vaxzevria) vaccine was also <u>approved for use</u> in the national programme, and rollout of this vaccine began on 04 January 2021. Moderna (Spikevax) vaccine was approved for use on 08 January 2021 and rollout of this vaccine began on 07 April 2021. These vaccines have met strict standards of safety, quality and effectiveness set out by the independent Medicines and Healthcare Products Regulatory Agency (MHRA).

For most people, a 2-dose schedule is advised for the vaccines. For the Pfizer BioNTech (Comirnaty) vaccine, the second vaccine dose can be offered between 3 to 12 weeks after the first dose. For the AstraZeneca (Vaxzevria) and Moderna (Spikevax) vaccine, the second dose can be offered 4 to 12 weeks after the first dose.

Information on uptake across the vaccine programme is available on a daily basis via the PHS <u>COVID-19 Daily Dashboard</u>, 7 days a week at 2pm. This provides a cumulative picture of the position nationally and locally.

The dashboard provides total uptake nationally with breakdowns by <u>Joint Committee on Vaccination and Immunisation (JCVI)</u> age based cohorts and non age based cohorts for priority groups 1-9.

The vaccination content of this weekly publication is kept under continual review and specific editions have contained more in-depth analyses of uptake by particular groups or characteristics, including uptake by ethnicity and deprivation category, for teachers, for prisoners and for pregnant women. We also include weekly information on vaccine effectiveness and COVID-19 cases, acute hospitalisations, and deaths by vaccine status.

COVID-19 cases, acute hospitalisations, and deaths by vaccine status

Vaccine Surveillance

Public Health Scotland has a <u>COVID-19 vaccine surveillance strategy</u> to monitor the effectiveness, safety and impact of all approved COVID-19 vaccines in Scotland. The key measure of the success of the vaccination programme in preventing infection, hospitalisations and deaths is vaccine effectiveness.

The summary data presented in this chapter record the total number of COVID-19 cases, COVID-19 related acute hospital admissions and confirmed COVID-19 deaths by their vaccination status and does not assess the effectiveness of the vaccine or whether the vaccine has worked in these individuals. The latter requires a careful examination of each case to explore possible reasons, which could be related to the test, virus or the person (e.g. pre-existing conditions).

Summary of key results

- In August 2021, COVID-19 cases increased and surpassed the peak that was seen in early July 2021 but are now declining. The rate of increase in cases in August 2021 was less among fully vaccinated individuals compared to partially or unvaccinated individuals.
- In the last week from 18 September to 24 September 2021, the seven-day rolling average of COVID-19 related acute hospital admissions decreased from 130.14 to 95.14 admissions per day.
- In the last four weeks, 34.3% of COVID-19 related acute hospital admissions were in unvaccinated individuals. This is within the context of 91.8% of adults aged 18+ having had at least one dose of vaccine and vaccinated figures including the elderly and vulnerable groups.
- From the 29 December 2020 to 17 September 2021, 497 individuals tested positive for SARS-CoV-2 by PCR more than 14 days after receiving their second dose of COVID-19 vaccine and subsequently died with COVID-19 recorded as a primary or contributing cause of death. This equates to 0.013% of those who have received two doses of COVID-19 vaccines.
- Age-standardised mortality rates for COVID-19 deaths are lower for people who have received two doses of a COVID-19 vaccine compared to individuals that are unvaccinated or have received one dose of a COVID-19 vaccine.

Data Sources and Limitations

13 For further information, please see - Appendix 9 - Data Sources and Limitations

Overall results of COVID-19 cases and hospitalisations, and deaths by vaccination status

COVID-19 cases by vaccination status

Recent studies have been released by Public Health England (PHE) looking into the effect of vaccination against mild and severe COVID-19. PHE analyses show vaccine effectiveness against symptomatic disease with the Delta variant to be approximately 65 to 70% with AstraZeneca Vaxzevria and 80 to 95% with the Pfizer-BioNTech Comirnaty and Moderna Spikevax vaccines.

In the weeks following vaccination, <u>a recent Scottish study</u> has observed that effectiveness is waning against infection for all vaccine types (45 to 50% effectiveness with AstraZeneca Vaxzevria and 68 to 71% effectiveness with Pfizer-BioNTech Comirnaty), but remains high against hospitalisation and death. This study is not yet peer-reviewed.


Table 16: Number of COVID-19 positive cases individuals by week and vaccination status, 28 August 2021 to 24 September 2021

Week/Vaccination Status	Uı	Unvaccinated		1 Dose			2 Doses		
	No. of Cases	Eligible or Vaccinated	% Cases	No. of Cases	Eligible or Vaccinated	% Cases	No. of Cases	Eligible or Vaccinated	% Cases
28 August - 03 September 2021	21,164	1,720,660	1.23%	5,617	494,054	1.14%	17,093	3,527,495	0.48%
04 September - 10 September 2021	19,387	1,695,588	1.14%	3,435	420,587	0.82%	17,293	3,626,034	0.48%
11 September - 17 September 2021	13,552	1,674,290	0.81%	1,935	365,811	0.53%	12,119	3,702,108	0.33%
18 September - 24 September 2021	10,479	1,655,524	0.63%	1,330	333,738	0.40%	10,514	3,752,947	0.28%

Vaccination status is determined as at the date of PCR specimen date according to the definitions described in Appendix 9. The data displayed within the greyed-out section (3 days) are considered preliminary and are subject to change as more data is updated. The denominators have been updated to include under 16s denominators from NRS mid-2020 population estimates.

In the last week, the case rate in unvaccinated populations was 633 COVID-19 cases per 100,000 individuals, compared to 280 COVID-19 cases per 100,000 individuals vaccinated with two doses.


Figure 9: COVID-19 case rate per 100,000 individuals eligible for vaccination by vaccination status, 7-day rolling average from 10 May 2021 to 24 September 2021



Vaccination status is determined as at the date of PCR specimen date according to the definitions described in Appendix 9. The data displayed within the greyed-out section (3 days) are considered preliminary and are subject to change as more data is updated.

There are lower rates of cases in vaccinated individuals compared to unvaccinated individuals.


Figure 10: COVID-19 case rate per 100,000 individuals eligible for vaccination by vaccination status and age group, 7-day rolling average from 10 May 2021 to 24 September 2021



Vaccination status is determined as at the date of PCR specimen date according to the definitions described in Appendix 9. Patient age is determined as their age the date of admission. The data displayed within the greyed-out section (3 days) are considered preliminary and are subject to change as more data is updated.

Since the 10 May 2021, a higher proportion of COVID-19 positive PCR cases have been in unvaccinated individuals under the age of 30 years.

Figure 11: COVID-19 case rate per 100,000 individuals eligible for vaccination by sex and vaccine status, 7-day rolling average from 10 May 2021 to 24 September 2021



Vaccination status is determined as at the date of PCR specimen date according to the definitions described in Appendix 9. The data displayed within the greyed-out section (3 days) are considered preliminary and are subject to change as more data is updated.


COVID-19 case rates are similar between females and males.

COVID-19 related acute hospital admissions by vaccine status

A number of <u>studies</u> have estimated vaccine effectiveness against hospitalisation and have found high levels of protection against hospitalisation with all vaccines against the Alpha variant. <u>A recent paper</u> observed effectiveness against hospitalisation of over 90% with the Delta variant with all three COVID-19 vaccines (AstraZeneca Vaxzevria, Pfizer-BioNTech Comirnaty, and Moderna Spikevax). In most groups there is relatively limited waning of protection against hospitalisation over a period of at least five months after the second dose.

From 01 September 2020 to 24 September 2021, there were a total of 1,143,031 acute hospital admissions for any cause, of which 25,524 were associated with a COVID-19 PCR positive test 14 days prior, on admission, the day after admission or during their stay. Using the 90-day exclusion criteria between positive COVID-19 PCR tests associated with an acute hospital admission, 25,446 individuals were admitted to hospital, of which 81 were readmitted more than 90 days after their first admission.

Figure 12: Seven-day rolling average on a \log_{10} scale: acute hospital admissions where the individual had a COVID-19 positive PCR test 14 days prior, on admission or during their stay in hospital, compared to all acute hospital admissions, 01 September 2020 to 24 September 2021



Data displayed are on a \log_{10} scale. The data displayed within the greyed-out section (1 week) are considered preliminary and are subject to change as more data is updated.

In the last month, the number of COVID-19 related hospital admissions have increased and have surpassed the peak that was seen in early July but are small relative to all acute hospitalisations.

Table 17: Number of acute hospital admissions where individual had a COVID-19 positive PCR test 14 days prior, on admission or during their stay in hospital, by week and vaccination status, 28 August 2021 to 24 September 2021

Week/Vaccination Status	Unvaccinated			1 Dose			2 Doses			
	No. of Admissions	Eligible or Vaccinated	% Admissions	No. of Admissions	Eligible or Vaccinated	% Admissions	No. of Cases	Eligible or Vaccinated	% Admissions	
60 years and over										
28 August - 03 September 2021	38	70,337	0.054%	7	16,897	0.041%	320	1,392,573	0.023%	
04 September - 10 September 2021	56	70,134	0.080%	7	16,344	0.043%	412	1,393,329	0.030%	
11 September - 17 September 2021	46	69,961	0.066%	13	15,912	0.082%	397	1,393,934	0.028%	
18 September - 24 September 2021	46	69,775	0.066%	6	15,599	0.038%	295	1,394,433	0.021%	
			3	0 to 59 year o	ds					
28 August - 03 September 2021	127	492,232	0.026%	19	168,699	0.011%	118	1,806,868	0.007%	
04 September - 10 September 2021	159	488,106	0.033%	31	150,184	0.021%	163	1,829,509	0.009%	
11 September - 17 September 2021	159	484,237	0.033%	17	137,036	0.012%	159	1,846,526	0.009%	
18 September - 24 September 2021	111	480,531	0.023%	11	127,343	0.009%	110	1,859,925	0.006%	
16 to 29 year olds										
28 August - 03 September 2021	61	410,307	0.015%	17	306,525	0.006%	11	328,020	0.003%	

Week/Vaccination Status	Unvaccinated			1 Dose			2 Doses				
	No. of Admissions	Eligible or Vaccinated	% Admissions	No. of Admissions	Eligible or Vaccinated	% Admissions	No. of Cases	Eligible or Vaccinated	% Admissions		
04 September - 10 September 2021	52	391,476	0.013%	12	250,220	0.005%	16	403,156	0.004%		
11 September - 17 September 2021	43	377,145	0.011%	12	206,100	0.006%	10	461,607	0.002%		
18 September - 24 September 2021	26	363,798	0.007%	4	182,508	0.002%	10	498,546	0.002%		
	Under 16 year olds										
28 August - 03 September 2021	50	747,784	0.007%	0	1,933	0%	0	34	0%		
04 September - 10 September 2021	63	745,872	0.008%	1	3,839	0.026%	0	40	0%		
11 September - 17 September 2021	55	742,947	0.007%	0	6,763	0%	0	41	0%		
18 September - 24 September 2021	47	741,420	0.006%	0	8,288	0%	0	43	0%		

Vaccination status is determined as at the date of PCR specimen date according to the definitions described in Appendix 9. The data displayed within the greyed-out section (1 week) are considered preliminary and are subject to change as more data is updated. The denominators have been updated to include under 16s denominators from NRS mid-2020 population estimates.


In all age groups, the rate of admissions per 100,000 were higher in unvaccinated individuals compared to vaccinated individuals.

For example, in the last week for individuals ages 60 and over, 21 out of every 100,000 fully vaccinated individuals were admitted to hospital and had a COVID-19 positive PCR test 14 days prior, on admission or during their stay in hospital, compared to 66 out of every 100,000 unvaccinated individuals in that age group. For 30-59 year olds, there were six admissions for every 100,000 fully

vaccinated individuals compared to 23 per 100,000 unvaccinated individuals. Therefore, last week, individuals were 3 to 4 times more likely to be in hospital with COVID-19 if they were unvaccinated compared to fully vaccinated (depending on age).

Please note that these statistics do not differentiate between individuals in hospital with COVID-19 illness requiring hospitalisation compared to those in hospital for other reasons (e.g. routine operations) for whom COVID-19 was identified incidentally through testing but they are not requiring hospitalisation because of their COVID-19 symptoms.


Figure 13: Rate of acute hospital admissions where individual had a COVID-19 positive PCR test 14 days prior, on admission or during their stay in hospital, per 100,000 individuals eligible for COVID-19 vaccination by vaccination status, seven-day rolling average from 01 September 2020 to 24 September 2021



Vaccination status is determined as at the date of positive PCR test according to the definitions described in Appendix 9. The data displayed within the greyed-out section (1 week) are considered preliminary and are subject to change as more data is updated.

Since 10 May, a larger proportion of acute hospital admissions for individuals with a COVID-19 positive PCR test 14 days prior, on admission or during their stay in hospital have occurred in unvaccinated populations, in comparison to populations with one or two doses of the COVID-19 vaccine. As seen in Table 17, those with two doses who are hospitalised are more likely to be aged 60 years or over. Whereas hospitalised unvaccinated individuals are more likely to be aged under 60.

Figure 14: Seven-day rolling average COVID-19 related acute hospital admissions by vaccination status and by age group, 10 May 2021 to 24 September 2021



Vaccination status is determined as at the date of positive PCR test according to the definitions described in Appendix 9. Patient age is determined as their age the date of admission. The data displayed within the greyed-out section (1 week) are considered preliminary and are subject to change as more data is updated.

From the 28 August 2021 to 24 September 2021, 34.3% of COVID-19 related acute hospital admissions were in unvaccinated individuals. Overall, individuals in the oldest age groups were most likely to be hospitalised.

In groups where a very large proportion of individuals have been vaccinated (such as individuals over age 80), any small changes in COVID-19 related acute hospital admissions will result in a larger change shown in the graph, for example in the over 80 partially vaccinated group. These changes tend to be more 'step like' and less smooth.

Confirmed COVID-19 deaths by vaccination status

COVID-19 vaccines are estimated to significantly reduce the risk of mortality for COVID-19, however a small number of COVID-19 deaths are still expected in vaccinated people, especially in vulnerable individuals where the vaccine or the immune response may not have been effective. Evidence has shown that vaccination is highly effective in protecting against death from coronavirus (COVID-19).

<u>Data published by Public Health England (PHE)</u> have shown high levels of protection (over 90%) against mortality with all three COVID-19 vaccines (AstraZeneca Vaxzevria, Pfizer-BioNTech Comirnaty, and Moderna Spikevax), and against both the Alpha and Delta variants. <u>Modelling analysis</u> from PHE estimates that 123,100 deaths have been prevented in England as a result of the COVID-19 vaccination programme, up to 17 September 2021.

Please note the date of death registration is used in this section.

From the 29 December 2020 (21 days after the start of the vaccination programme in Scotland to account for protection to develop after the first dose) to the 17 September 2021, there have been 4,148 confirmed COVID-19 related deaths with a positive PCR result and where COVID-19 was recorded as a primary or secondary cause on the death certificate.

Of these, 81.1% (n=3,364) were in unvaccinated individuals, 6.9% (n=287) had received one dose of COVID-19 vaccine and 12.0% (n=497) had received two doses. The risk of death from COVID-19 is strongly linked to age, with the most vulnerable being in the over 70s age group.

In Scotland, from the beginning of the COVID-19 vaccination programme over 3.7 million individuals had been fully vaccinated with two doses of COVID-19 vaccine. Of these, 497 individuals (0.013%) tested positive by PCR for SARS-CoV-2 more than fourteen days after receiving their second dose of COVID-19 vaccine and subsequently died with COVID-19 recorded as a primary or contributing cause of death. These individuals had several comorbidities which contributed to their deaths. Of the confirmed COVID-19 related deaths, in individuals that have received two doses of COVID-19 vaccine, 79.5% were in the 70 and over age group.

To account for differences in population size and age of the vaccination status groups over time, age-standardised mortality rates were calculated for deaths where COVID-19 was listed as an underlying or contributory cause of death on the death certificate (Table 3).

Table 18: Number of confirmed COVID-19 related deaths and age-standardised mortality rate per 100,000 population by week and vaccination status at time of test, 21 August 2021 to 17 September 2021

		Unvaccinated		1 Dose	2 Doses		
Week	No. of deaths	Age Standardised Mortality Rate per 100,000 with 95% confidence limits	No. of deaths	Age Standardised Mortality Rate per 100,000 with 95% confidence limits	No. of deaths	Age Standardised Mortality Rate per 100,000 with 95% confidence limits	
21 August - 27 August 2021	8	1.77 (0.32 - 3.22)	2	2.76 (1.29 - 6.81)	35	0.68 (0.45 - 0.91)	
28 August - 03 September 2021	12	3.48 (1.23 - 5.73)	2	2.42 (1.44 - 6.27)	39	0.75 (0.51 - 0.99)	
04 September - 10 September 2021	13	4.37 (1.76 - 6.98)	2	4.75 (1.84 - 11.33)	58	1.13 (0.84 - 1.43)	
11 September - 17 September 2021	26	8.38 (4.84 - 11.93)	4	4.93 (0.40 - 10.26)	101	1.93 (1.55 - 2.30)	

Vaccination status is determined as at the date of positive PCR test according to the definitions described in Appendix 9. A confirmed COVID-19 related death is defined as an individual who has tested positive by PCR for SARS-CoV-2 at any time point and has COVID-19 listed as an underlying or contributory cause of death on the death certificate. Age-standardised mortality rates per 100,000 people per week, standardised to the 2013 European Standard Population (see Appendix 9). This definition is for the purposes of evaluating the impact of the COVID-19 vaccine on confirmed COVID-19 deaths. The numbers reported in this section may differ from other published COVID-19 death data. Data are based on date of registration. In Scotland deaths must be registered within 8 days although in practice, the average time between death and registration is around 3 days. More information on days between occurrence and registration can be found on the NRS website.

Age-standardised mortality rates for COVID-19 deaths shown in Table 18 are lower for people who have received two doses of a COVID-19 vaccine compared to individuals that are unvaccinated or have received one dose of a COVID-19 vaccine. This is comparable with data published by the Office for National Statistics which showed the risk of death involving COVID-19 was consistently lower for people who had received two vaccinations compared to one or no vaccination, as shown by the weekly age-standardised mortality rates for deaths involving COVID-19.

COVID-19 across the NHS

Charts for a number of measures related to COVID-19 service use in the NHS were presented in the report up until 15 July 2020. Up to date data for these measures are available to view in our interactive dashboard.

This includes:

- Number of positive confirmed cases per day and cumulative total
- Positive cases by age, sex and SIMD
- COVID-19 admissions to hospital
- COVID-19 patients admitted to ICU
- COVID19 Hub and Assessment Consultations
- COVID-19 related contacts to NHS 24 and calls to Coronavirus helpline
- SAS (Scottish Ambulance Service) Incidents related to COVID-19

Wider Impact of COVID-19

The COVID-19 pandemic has direct impacts on health as a result of illness, hospitalisations and deaths due to COVID-19. However, the pandemic also has wider impacts on health, healthcare, and health inequalities. Reasons for this may include:

- Individuals being reluctant to use health services because they do not want to burden the NHS or are anxious about the risk of infection.
- The health service delaying preventative and non-urgent care such as some screening services and planned surgery.
- Other indirect effects of interventions to control COVID-19, such as changes to employment and income, changes in access to education, social isolation, family violence and abuse, changes in the accessibility and use of food, alcohol, drugs and gambling, or changes in physical activity and transport patterns.

More detailed background information on these potential impacts is provided by the Scottish Public Health Observatory in a section on Covid-19 wider impacts.

The surveillance work stream of the Public Health Scotland social and systems recovery cell aims to provide information and intelligence on the wider impacts of COVID-19 on health, healthcare, and health inequalities that are not directly due to COVID-19. The wider impact dashboard can be viewed online and includes the following topics:

- Hospital and unscheduled care
- Healthcare for cardiovascular disease
- Healthcare for mental health
- New cancer diagnoses
- Uptake of pre-school immunisations
- Coverage of health visitor child health reviews
- Infant feeding
- Child development
- Women booking for antenatal care
- Terminations of pregnancy
- Births and babies
- Excess deaths

These analyses are based on a selected range of data sources that are available to describe changes in health service use in Scotland during the COVID-19 pandemic. More detailed information is available at NHS Board and Health and Social Care Partnership (HSCP) level.

Weekly National Seasonal Respiratory Report

Since 14 October 2020 Public Health Scotland has also published a weekly report on epidemiological information on seasonal influenza activity in Scotland. Due to COVID health care services are functioning differently now compared to previous flu seasons so the consultation rates are not directly comparable to historical data.

This is available to view here:

<u>Weekly national seasonal respiratory report - Week 36 2021 - Weekly national seasonal respiratory report - Publications - Public Health Scotland</u>

Surveillance of influenza infection is a key public health activity as it is associated with significant morbidity and mortality during the winter months, particularly in those at risk of complications of flu e.g. the elderly, those with chronic health problems and pregnant women.

The spectrum of influenza illness varies from asymptomatic illness to mild/moderate symptoms to severe complications including death. In light of the spectrum of influenza illness there is a need to have individual surveillance components which provide information on each aspect of the illness. There is no single flu surveillance component that can describe the onset, severity and impact of influenza or the success of its control measures each season across a community. To do so requires a number of complimentary surveillance components which are either specific to influenza or its control, or which are derived from data streams providing information of utility for other HPS specialities (corporate surveillance data). Together, the influenza surveillance components provide a comprehensive and coherent picture on a timely basis throughout the flu season. Please see the influenza page on the HPS website for more details.

Contact

Public Health Scotland

phs.covid19data&analytics@phs.scot

Further Information

COVID surveillance in Scotland

Scottish Government

Daily Dashboard by Public Health Scotland National Records of Scotland

UK and international COVID reports

<u>Public Health England</u> <u>European Centre for Disease Prevention and Control</u> WHO

The next release of this publication will be 06 October 2021.

Open data

Data from this publication is available to download from the <u>Scottish Health and Social Care Open Data Portal</u>.

Rate this publication

Let us know what you think about this publication via. the link at the bottom of this <u>publication</u> <u>page</u> on the PHS website.

Appendices

Appendix 1 – Background information

In late December 2019, the People's Republic of China reported an outbreak of pneumonia due to unknown cause in Wuhan City, Hubei Province.

In early January 2020, the cause of the outbreak was identified as a new coronavirus. While early cases were likely infected by an animal source in a 'wet market' in Wuhan, ongoing human-to-human transmission is now occurring.

There are a number of coronaviruses that are transmitted from human-to-human which are not of public health concern. However, COVID-19 can cause respiratory illness of varying severity.

On the 30 January 2020 the World Health Organization <u>declared that the outbreak constitutes a</u> Public Health Emergency of International Concern.

Extensive measures have been implemented across many countries to slow the spread of COVID-19.

Further information for the public on COVID-19 can be found on NHS Inform.

Appendix 2 – World Health Organisation (WHO) Standard for Contact Tracing and Scotland Wide Performance Reporting

Details for this standard were previously published and are available within the <u>Weekly Covid-19</u> Statistical report (publication date 27 January 2021).

Appendix 3 – Hospital Admissions Notes

Hospital Admissions

RAPID(Rapid and Preliminary Inpatient Data)

COVID-19 related admissions have been identified as the following: A patient's first positive PCR test for COVID up to 14 days prior to admission to hospital, on the day of their admission or during their stay in hospital. If a patient's first positive PCR test is after their date of discharge from hospital, they are not included in the analysis.

In the data presented here, an admission is defined as a period of stay in a single hospital. There may be multiple admissions for a single patient if they have moved between locations during a continuous inpatient stay (CIS), or if they have been admitted to hospital on separate occasions. RAPID is a daily submission of people who have been admitted and discharged to hospital. Figures are subject to change as hospital records are updated. It can take 6-8 weeks or longer before a record is finalised, particularly discharge details.

Hospital Inpatients (Scottish Government Data)

Number of patients in hospital with recently confirmed COVID-19

This measure (available from 11 September 2020 and first published 15 September 2020) includes patients who first tested positive in hospital or in the 14 days before admission. Patients stop being included after 28 days in hospital (or 28 days after first testing positive if this is after admission). Further background on this new approach is provided in this Scottish Government blog.

This is based on the number of patients in beds at 8am the day prior to reporting, with the data extract taken at 8am on the day of reporting to allow 24 hours for test results to become available. Where a patient has not yet received a positive test result they will not be included in this figure. Patients who have been in hospital for more than 28 days and still being treated for COVID-19 will stop being included in this figure after 28 days.

All patients in hospital, including in intensive care, and community, mental health and long stay hospitals are included in this figure.

Appendix 4 – RAPID Hospital Admissions

COVID-19 related admissions have been identified as the following: A patient may have tested positive for COVID-19 up to 14 days prior to admission to hospital, on the day of their admission or during their stay in hospital. If a patient has tested positive after their date of discharge from hospital, they are not included in the analysis.

The number reported does not take into account the reason for hospitalisation. Therefore, people that were admitted for a non COVID-19 related reason (and tested positive upon admission) may be included.

Total specimen dates may not equal reported new cases due to denotifications.

These data include admissions to acute hospitals only and do not include psychiatric or maternity/obstetrics specialties.

RAPID – Please note a three-day time lag is applied to recent records being incomplete. Data are updated daily and figures are subject to change.

Total figures for COVID-19 related admissions published by PHS are updated daily and figures are subject to change, and so total figures presented here will not match data published elsewhere.

Appendix 5 – Healthcare Worker Testing

Number of Staff not tested - declined a test

The number of staff who were offered a test and actively declined to take it.

Staff not tested for operational reasons

The number of staff who were not able to be tested for operational/capacity reasons e.g. issues with test availability, staff unable to be tested due to work pressures etc.

Number of Staff not tested for other reasons

The number of the staff present on wards in the reporting week who were not tested. They were eligible for testing (excluding those who declined and those who were not tested for operation reasons). This should be the remainder of eligible staff not recorded in the other groupings.

Appendix 6 – Contact Tracing

An **index case** is generated for each positive result with a test date on or after 28 May 2020. This includes tests derived from Scottish laboratories and from UK Government laboratories.

An **individual** is a unique person who has had a positive test. An individual can have multiple positive tests which results in multiple cases within the test and protect system. In these figures, each person is only counted once.

A **contact** may be contacted more than once if multiple positive cases list them as a contact.

Contact tracers will contact index cases by telephone, and by default all close contacts will receive an automated SMS. This approach ensures high quality calls can continue to be prioritised for index cases. Even when SMS is defaulted to, in these scenarios, a number of close contacts are still telephoned, following clinical risk assessment, particularly if they are linked to complex cases. When close contacts of index cases are contacted via SMS text message, the GOV.UK Notify Service is used which means it is known if the SMS has been received by the mobile phone, not just that it has been sent. Where the SMS is not received, a contact tracer will attempt to contact the individual through other means. The case will not be marked as complete unless someone has spoken to the individual

Completed cases are cases which are marked as completed in the case management system, which means that all contacts have been followed up and completed. It excludes cases marked as

failed, excluded, in progress or new. In the latest weeks there will be cases which are still open either because contact tracing is still underway (particularly for the latest week) or the NHS Board is still managing the case as part of an open outbreak.

Figures for **Unknown Health Board** in the *Number of individuals and the number of primary contacts by NHS Board* table includes individuals with no information on their Health Board of residence and from elsewhere in the UK.

While a close contact of multiple index cases within a Health Board is only counted once, please note that a contact may be included in more than one Health Board as the data is related to the positive case Health Board and a contact may have been in close contact with multiple index cases located in different Health Boards.

Figures for the most recent week are provisional and will be updated in next week's publication. Data are extracted Sunday 19 September 2021 at 8pm. Data relate to tests up to 17 September 2021. Weekly data presented from Monday to Sunday in order to be consistent. Figures are provisional and may change as the test and protect tool is updated by contact tracers.

Individuals unable to be contacted

This information is only available for index cases that have been recorded on the CMS. The CMS went live on 22 June 2020 with NHS Boards migrating on a phased approach with all Boards using CMS from 21 July 2020. Prior to a Board migrating to CMS, data was recorded in a Simple Tracing Tool which did not give the level of granularity required to report on these measures. These data are developmental and an extensive data quality assurance exercise is underway and data may be revised in subsequent publications. Please note the methodology has changed as of 1 November 2020, a refined method has now been applied to identify unique indexes.

Contact tracers will contact index cases by telephone, and by default all close contacts will receive an automated SMS. This approach ensures high quality calls can continue to be prioritised for index cases. Even when SMS is defaulted to, in these scenarios, a number of close contacts are still telephoned, following clinical risk assessment, particularly if they are linked to complex cases. When close contacts of index cases are contacted via SMS text message, the GOV.UK Notify Service is used which means it is known if the SMS has been received by the mobile phone, not just that it has been sent. Where the SMS is not received, a contact tracer will attempt to contact the individual through other means. The case will not be marked as complete unless someone has spoken to the individual.

Not known data in the following tables

- Time (hours) between date test sample taken (specimen date) and the positive individual being interviewed by a contact tracer (Table 6)
- Time (hours) between case created in CMS and the positive individual being interviewed by a contact tracer (Table 7)
- Time between case created in CMS to its closure, measured by the time taken to complete the final contact interview (Table 8)

records where dates cannot be identified to calculate the difference. Data quality assurance work is taking place to improve this recording.

Data in the above tables relate to index cases recorded up to 17 September 2021. Data relates only to Monday – Friday due to completeness for the most recent week - Data are provisional and will be updated in future releases.

Appendix 7 - Quarantine Statistics

Number of people arriving in Scotland

Number of Passenger Locator Forms received, as notified to Public Health Scotland by the Home Office. Passenger Locator Forms indicate intention to travel; passengers may not have actually arrived in the UK. Multiple forms for the same traveller may also be counted

Number of people requiring to guarantine in a hotel (anywhere in the UK)

From 15 February 2021 any person arriving directly from a high risk country into the UK with a Scottish residence or any arriving directly into Scotland from a non high-risk listed country. Count is based on Passenger Locator Form data received from Home Office.

Number of people requiring to quarantine at home

From 30 June 2020 – 14 February 2021. Any persons who are required to quarantine in Scotland (all countries prior to 30 June 2020; high risk countries from 30 June 2020), adults aged 18 and over only. From 15 February 2021 this is anyone arriving from a non-high risk country and did not arrive directly into Scotland. Count is based on Passenger Locator Form data received from Home Office.

Number of people contacted by National Contact Centre (NCC)

Sample of people who are passed to NCC for follow-up to provide advice and support. Some contacts made relate to arrivals from the previous week; therefore contacts can sometimes exceed arrivals.

Up to the 23 June 2021, a sample of those individuals quarantining at home were contacted by the NCC. These calls, along with any in progress, have now been paused in order to prioritise contact tracing. Since 13 July 2021, these call have resumed.

Successful contacts made

People who were successfully contacted by NCC

Unable to contact individual

Calls could not be completed because the individual could not be contacted (invalid phone number or no response to call). Where appropriate details of individuals are passed to Police Scotland for further follow up. Includes not completed due to quarantine ending before NCC could contact individual.

Appendix 8 – Lateral Flow Device Testing

UK Gov other includes any LFD result which has come through the UK Government route (NHS Digital) which has the test site code "Other". Please note the universal offer results up to 28 July 2021 are reported via this method. From 28 July 2021 onwards, universal offer results are reported separately as Universal Offer.

The Attend An Event, High Cases In Local Area, Lives With Someone Who Is Shielding, Travel Within UK and Universal Offer categories only include data from 28 July 2021 onwards. From this date these categories are now options when entering a non-work LFD result via the UK Gov portal. Please note that it is up to the user to select the Attend An Event, High Cases In Local Area, Lives With Someone Who Is Shielding or Travel Within UK category, these are not part of any defined testing programme such us Community Testing or University Testing.

University Testing Site tests are tests which took place at a university testing site, generally in the 2020/21 academic year, though there are still a small number of tests each week in this category. Tests in the university students and university staff categories are tests via the UK Gov portal for someone entering a test to attend their place of work/education, these tests are from 28th July 2021 onwards and will be for the 2021/22 academic year.

For information regarding LFD testing during term time as part of the Schools Asymptomatic Testing Programme, please visit the COVID-19 Education Surveillance Report.

Please note bulk uploading functionality is not yet available so data is likely to be an undercount. Data will be update and revised in future publications.

Other is any result entered via the <u>gov.uk website</u> where "none of the above" has been selected. Please note anyone requesting a LFD test via the general population offer, will currently report their results via this category.

Those within **Unknown** in the table reporting tests by **NHS Board of Residence** (Table 12) is any test that had an invalid or missing postcode.

Appendix 9 – Data Sources and Limitations

Due to delays in reporting, figures are subject to change as records are updated. A marker (greyed-out block) has been applied where data is preliminary and caution should be taken in their interpretation.

The definitions described below are being used for the purposes of evaluating the impact of the COVID-19 vaccine on COVID-19 cases, COVID-19 related acute hospital admissions and confirmed COVID-19 deaths. The numbers reported in this section use test data, accounting for potential reinfections, and may differ from other sections and elsewhere which only count the number of new COVID-19 cases.

COVID-19 PCR test results

All positive COVID-19 PCR test results and associated demographics of an individual are extracted from the Test and Protect database (Corporate data warehouse) which contains test results from ECOSS. Data included in this analysis is reported up until the Friday of the previous week. Non-Scottish residents are excluded from the dataset.

COVID-19 cases are identified as the following: An individual that has tested positive for COVID-19 by PCR. If an individual tests positive more than once, the repeat positive PCR test is only counted if the positive PCR test is more than 90 days apart. Records with missing CHI numbers are excluded as these data cannot be linked to vaccination status.

Denominators used are from the COVID-19 vaccination data that provides information on vaccine eligibility for the 16 and over population, and for vaccinated individuals under the age of 18. Given the small number of individuals eligible for vaccination under 16, the denominator for unvaccinated under 16s is from the NRS mid-2020 population estimates. Population data are extracted from Community Health Index (CHI) dataset representing all those currently registered with a GP practice in Scotland. These are different denominators than those in the Public Health Scotland COVID-19 Daily Dashboard and may over-estimate the population size as they will include, for example, some individuals who are no longer residents in Scotland.

Vaccination status:

Vaccination status for all individuals who test positive for COVID-19 by PCR is extracted from the data used to produce the PHS vaccine uptake/daily dashboard. Vaccine records include the number of doses and date of vaccination. Individuals are listed as unvaccinated if there is no vaccination record linked to their unique CHI identifier at the time of analysis. Vaccination status is taken at date of specimen for COVID-19 cases, acute hospital admissions, or death and assigned to number of doses according to the case definitions described below.

COVID-19 vaccination status is defined as per the following:

- **Unvaccinated:** An individual that has had no doses of COVID-19 vaccine and has tested positive for COVID-19 by PCR or has had one dose of COVID-19 vaccine and has tested positive less than or equal to 21 days after their 1st dose of COVID-19 vaccine.
- Dose 1: An individual that has had one dose of COVID-19 vaccine and has tested positive for COVID-19 by PCR more than 21 days after their 1st dose of COVID-19 vaccine or less than or equal to 14 days after their second dose of COVID-19 vaccine.

• **Dose 2:** An individual that has had two doses of COVID-19 vaccine and has tested positive for COVID-19 by PCR more than 14 days after their 2nd dose of COVID-19 vaccine.

Acute hospital admissions

Hospital admission data is extracted from the RAPID dataset at 16:00 on Monday 27 September 2021. RAPID is a daily submission of people who have been admitted and discharged to hospital. Figures are subject to change as hospital records are updated. Data included in this analysis is reported up until the Friday of the previous week.

In the data presented here, an admission is defined as a period of stay in a single hospital. If the patient has been transferred to another hospital during treatment, each transfer will create a new admission record. Therefore, there may be multiple admissions for a single patient if they have moved between locations during a continuous inpatient stay (CIS), or if they have been admitted to hospital on separate occasions.

COVID-19 related acute hospital admissions have been identified as the following: An individual that has tested positive for COVID-19 by PCR:

- Up to 14 days prior to hospital admission
- On the day of, or day following admission (if no discharge date is available)
- In between hospital admission and discharge (if there is a valid discharge date available).

Where an individual has more than one PCR positive test, positive results are only included for the first PCR positive test associated with a hospitalisation, or if the positive PCR test is more than 90 days after the previous PCR positive test that was eligible for inclusion. Using these criterion, all records of hospitalisation occurring within 90 days of a previous positive test are excluded. Therefore, if a positive PCR test result for an individual meets these criteria for multiple hospital stays, for example, an individual is admitted twice within a week, only the earliest hospital admission is included in the analysis.

If a patient tested positive after their date of discharge from hospital, they are not included in the analysis unless they are readmitted to hospital and meet the criteria described above.

The number of reported acute hospitalisations does not take into account the reason for hospitalisation, Therefore, people that were admitted for a non-COVID-19 related reason (and tested positive upon admission) may be included and result in an overestimation of COVID-19 related acute hospitalisations.

Confirmed COVID-19 deaths Death data were extracted from the SMRA dataset at 16:00 on Wednesday 22 September 2021. Data included in these analysis are reported up until the last date of death registration for the previous week.

A confirmed COVID-19 related death is defined as an individual who has tested positive by PCR for SARS-CoV-2 at any time point and has COVID-19 listed as a primary or secondary cause of death on the death certificate. Vaccine status is determined at time of most recent specimen date.

Age-standardised mortality rates are used to allow comparisons of mortality rates between populations that have different age distributions. The 2013 European Standard Population is used to standardise rates. For more information see the ONS methods. Denominators used to calculate age-standardised mortality rates are the same as the cases and hospitalisations rate figures and tables described above.

Appendix 10 - Hospital admissions

- 1. The SMR01 dataset comprises episode-based patient records relating to all inpatients and day cases discharged from non-obstetric, non-psychiatric specialties and excluding geriatric long stay records. Data are updated on a monthly basis and include clinical and non-clinical data.
- 2. Analyses are based on month of admission.
- 3. Average length of stay is the mean length of stay (in days) of a patients entire continuous inpatient stay (CIS). A CIS is an unbroken period of time that a patient spends as an inpatient. However, a patient may change consultant, significant facility, specialty, and/or hospital during a continuous inpatient stay.
- 4. A COVID-19 hospital admission 'with' COVID-19 is defined as: A patient's first positive PCR test for COVID up to 14 days prior to admission to hospital, on the day of their admission or during their stay in hospital.
- 5. A COVID-19 hospital admission 'because of' COVID-19 is defined as an admission with a diagnosis of COVID-19 in the primary diagnostic position within the first episode of the CIS.
- 6. ICD-10 COVID-19 diagnostic codes used: U07.1 and U07.2.
- 7. The six NHS Boards included in the analysis are: NHS Ayrshire & Arran, NHS Dumfries & Galloway, NHS Grampian, NHS Greater Glasgow & Clyde, NHS Lothian and NHS Tayside.