




**HYPERJUICE<sup>®</sup>**  
**35W USB-C<sup>®</sup> Charger**



**USER GUIDE**

# Table of Contents

|                                  |          |
|----------------------------------|----------|
| <b>Safety Instructions</b>       | <b>1</b> |
| <b>Copyright</b>                 | <b>1</b> |
| <b>Trademarks</b>                | <b>1</b> |
| <b>Regulatory Compliance</b>     | <b>2</b> |
| FCC Conditions                   | 2        |
| CE                               | 2        |
| WEEE Information                 | 2        |
| <b>Introduction</b>              | <b>3</b> |
| <b>Package Contents</b>          | <b>3</b> |
| <b>Installation Instructions</b> | <b>3</b> |
| <b>Product Overview</b>          | <b>4</b> |
| <b>Specifications</b>            | <b>5</b> |
| <b>Safety Warnings</b>           | <b>6</b> |
| <b>Warranty</b>                  | <b>7</b> |
| <b>Technical Support</b>         | <b>8</b> |

Before attempting to connect, operate or adjust this product, please save and read the User Guide completely. The style of the product shown in this User Guide may be different from the actual unit due to various models.

## Copyright

This document contains proprietary information protected by copyright. All rights are reserved. No part of this guide may be reproduced by any mechanical, electronic or other means, in any form, without prior written permission of the manufacturer.

## Trademarks

Hyper, the ++Hyper logo, and HyperJuice are trademarks or registered trademarks of Targus International LLC in the U.S. and in certain other countries. USB-C is a registered trademark of USB Implementers. All trademarks and registered trademarks are the property of their respective owners or companies.

© 2023 Targus International LLC, 1211 North Miller Street, Anaheim, CA 92806 USA. All rights reserved.

# Regulatory Compliance

## FCC Conditions

This equipment has been tested and found to comply with Part 15 Class B of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference. (2) This device must accept any interference received and include interference that may cause undesired operation.

## CE

This equipment is in compliance with the requirements of the following regulations: EN55032/EN55035,EN62328-1.

## WEEE Information

For EU (European Union) member users: According to the WEEE (Waste electrical and electronic equipment) Directive, do not dispose of this product as household waste or commercial waste. Waste electrical and electronic equipment should be appropriately collected and recycled as required by practices established for your country. For information on recycling of this product, waste disposal service or the shop where you purchased the product.



# Introduction

The HyperJuice 35W USB-C Charger is the world's first and smallest 35W USB-C Charger that boasts two 35W USB-C Power Delivery ports driven by industry-leading GaN technology.


## Package Contents

- HyperJuice 35W USB-C Charger
- User Guide

## Installation Instructions

- Plug in HyperJuice charger to an electrical wall outlet
- Plug in charging cord to either USB-C or USB-A port to charge devices

# Product Overview



| Item                 | Description                                    |
|----------------------|--|
| 1. USB-C Port 35W x2 | Connects to USB-C device and charges up to 35W |

# Specifications

|                        |   |
|------------------------|---|
| Power Input            | AC 100-240V ~50/60Hz 1.0A   |
| Max Total Power Output | 35W   |
| Ports                  | USB-C x 2   |
| USB-C1/C2              | 5.0V~3.0A 15.0W, 9.0V~3.0A 27.0W, 12.0V~2.5A 30.0W, 15.0V~2.33A 34.95W, 20.0V~1.75A 35.0W Max PPS:3.3V-11.0V~3.0A (33.0W Max)<br><br>* When USB-C1+ USB-C2 are plugged in simultaneously, Max 8.0W (5.0V~1.6A) on C1 and Max 27.0W (5.0V~3.0A 15.0W, 9.0V~3.0A 27.0W, 12.0V~2.25A 27.0W, 15.0V~1.8A 27.0W, 20.0V~1.35A 27.0W) on C2 PPS:5.0V-11.0V~2.25A (24.75W Max) |
| Dimensions             | Length: 40mm / 1.57 inches<br>Width: 30mm / 1.18 inches<br>Height: 38mm / 1.50 inches   |
| Weight                 | 59.53g / 0.13lb   |

# Safety Warnings

- Store in a cool, dry place. Recommended storage temperature: -10°C/14°F to 45°C/113°F; operating temperature: 0°C/32°F to 25°C/77°F.
- Do not disassemble or attempt to re-purpose or modify the product in any manner.
- Stop using and contact manufacturer if the product is excessively hot, is emitting odor, deformed or if you witness any other abnormalities. Be cautious of drops, bumps, abrasions, or impact.
- Do not clean with harmful chemical or detergents.
- Use origin or certified cables.
- Do not expose to moisture or submerge it in liquid.
- Keep away from children under 3 years old for safety.
- Please dispose of discarded products properly according to local regulations.



# **1 YEAR LIMITED WARRANTY**

We pride ourselves on the quality of our products. For complete warranty details and a list of our Worldwide offices, please visit [www.HyperShop.com](http://www.HyperShop.com). Hyper product warranty does not cover any device or product that is not manufactured by Hyper (including, but not limited to, laptops, smartphones, devices, or any other product that may be used in connection with the Hyper product). Hyper Limited Warranty provided is subject to any rights and remedies the purchaser may have under local laws.

©2023 Hyper Products Inc 46721 Fremont Blvd, Fremont, CA 94538. All rights reserved.

# Technical Support

**For technical questions, please visit:**

Hyper Customer Support

Email: [support@hypershops.com](mailto:support@hypershops.com)

Phone: 1-888-202-1888 (USA)

US Internet: <http://targus.com/us/support>

Canada Internet: <http://www.targus.com/ca/support>

Latin America Email: [latam.soporte@targus.com](mailto:latam.soporte@targus.com)

© 2023 HYPER PRODUCTS INC  
All rights reserved.