

DEPARTMENT OF COMMERCE
BUREAU OF THE CENSUS
SAM. L. ROGERS, DIRECTOR

MORTALITY STATISTICS

1918

NINETEENTH ANNUAL REPORT



WASHINGTON
GOVERNMENT PRINTING OFFICE
1920

CONTENTS.

TEXT.

	Page.
INTRODUCTION.....	9
DEATHS AND CRUDE DEATH RATES.....	9-18
Growth of the registration area: 1880 to 1918.....	10
Extent of the registration area in 1918.....	10
Deaths, by color, nativity, parent nativity, age, and sex of decedent.....	11
Death rates of the registration states.....	12
Death rates of large cities.....	13
Death rates of cities with considerable colored populations.....	13
Deaths of colored populations other than Negro.....	13
Deaths of nonresidents.....	14
Death rates of foreign countries.....	15
Comparison of rates for the registration area, by sex, by age, and by cause, with the corresponding rates for England and Wales and for Australia.....	16
CAUSES OF DEATH.....	19-49
Detailed and abridged International Lists.....	19
Changes in the detailed International List.....	19
Death rates from certain important causes of death in the registration area and in the original registration states for the years 1900, 1905, and 1910 to 1918	20
Typhoid fever.....	22
Malaria.....	23
Smallpox.....	24
Measles.....	24
Scarlet fever.....	25
Whooping cough.....	25
Diphtheria and croup.....	26
Influenza and pneumonia (all forms).....	27
Influenza.....	34
All other epidemic diseases.....	34
Glanders.....	34
Anthrax.....	35
Rabies.....	36
Pellagra.....	36
Tuberculosis (all forms).....	37
Tuberculosis of the lungs.....	38
Cancer.....	39
Acute anterior poliomyelitis.....	40
Organic diseases of the heart.....	41
Pneumonia (all forms).....	41
Diarrhea and enteritis (under 2 years).....	42
Acute nephritis and Bright's disease.....	43
Suicide	44
Violent deaths (suicide excepted).....	44
Ill-defined and unknown causes.....	46
DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.....	47
DEATHS OF SOLDIERS, SAILORS, AND MARINES.....	48
ACCURACY OF STATISTICS OF CAUSES OF DEATH.....	48-49
CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII AND OF SOLDIERS, SAILORS, AND MARINES): 1917.....	49-91

SUMMARY AND RATE TABLES.

	Page.
TABLE IA.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), its main subdivisions, each registration state (by cities and rural districts), and each group of registration cities in nonregistration states: 1918.....	94
TABLE IB.—Deaths of nonresidents in relation to total deaths in each city and each rural unit in the registration area (exclusive of Hawaii): 1918.....	96
TABLE II.—Deaths (exclusive of stillbirths) and death rates per 100,000 population, by causes, according to the detailed International List, for the registration area (exclusive of Hawaii): 1915 to 1918.....	114
TABLE III.—Death rates per 100,000 population in the registration area (exclusive of Hawaii) and each registration state, from important causes of death: 1918.....	118

GENERAL TABLES.

TABLE 1.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by month of death: 1918.....	123
TABLE 2.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by color, general nativity, and parent nativity of decedent: 1918.....	133
TABLE 3.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by color and age of decedent: 1918.....	144
TABLE 4.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), its main subdivisions, and each registration state, by age, sex, color, general nativity, and parent nativity of decedent: 1918.....	170
TABLE 5.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by color of decedent and cause of death: 1918.....	206
TABLE 6.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), its main subdivisions, and in cities and rural districts of each registration state, from each cause and class of causes: 1918.....	236
TABLE 7.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) from each cause and class of causes, by sex and age of decedent: 1918.....	258
TABLE 7A.—Deaths of white persons (exclusive of stillbirths) in the registration area (exclusive of Hawaii) from each cause and class of causes, by sex and age of decedent: 1918.....	270
TABLE 7B.—Deaths of colored persons (exclusive of stillbirths) in the registration area (exclusive of Hawaii) from each cause and class of causes, by sex and age of decedent: 1918.....	282
TABLE 8.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), all registration states, and each registration state, from each cause and class of causes, by age of decedent: 1918.....	294
TABLE 9.—Deaths (exclusive of stillbirths) in each city of 100,000 population or more in 1910, by cause of death (abridged International List) and by age of decedent: 1918.....	432
TABLE 10.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), registration states, and cities of 100,000 population or more in 1910, from important causes, by month of death: 1918.....	438
TABLE 11.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), registration states, and cities of 100,000 population or more in 1910, from important causes, for certain subdivisions of the first year of life: 1918.....	521

MAPS.

Growth of the registration area for deaths: 1880 to 1918.....	8
---	---

DIAGRAMS.

Percentages which the population and land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1918, inclusive.....	10
Per cent of deaths in the registration area (exclusive of Hawaii) by color, by nativity of white persons, and by parent nativity of the native white: 1918.....	11
Number of deaths in the registration area (exclusive of Hawaii) at all ages, under 1 year of age, and from 1 to 4 years of age, for each of the years 1900 to 1918.....	12
Per cent of deaths in the registration area (exclusive of Hawaii) under 1 year of age, from 1 to 4 years, and 5 years and over, for each of the years 1900 to 1918.....	12
General death rates of the United States (registration area) and certain foreign countries for each of the years from 1900 to 1917....	16
Death rates from certain important causes of death in the registration area of the United States for each of the years from 1900 to 1918.....	22

SUPPLEMENT.

HAWAII.....	574
SOLDIERS, SAILORS, AND MARINES.....	589
ADDITIONAL DEATHS.....	594

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., January 21, 1920.

SIR:

I transmit herewith the annual report on Mortality Statistics for 1918, which is the nineteenth annual compilation of such statistics prepared by the Bureau of the Census. It is based on transcripts of death certificates received from the registration area for deaths, which in 1918 had an estimated population of 82,091,523, or 77.8 per cent of the total estimated population of the United States and the Territory of Hawaii.

The total number of deaths returned from this death registration area for the calendar year 1918, including 26,277 of soldiers, sailors, and marines, was 1,475,320, corresponding to a death rate of 18 per 1,000 population, or three and eight-tenths higher than the rate for 1917.

The states of Illinois, Louisiana, and Oregon were added to the death registration area in 1918.

This report was prepared under the direction of Dr. William H. Davis, chief statistician for vital statistics, assisted by Mr. John B. Mitchell, expert chief of division.

Acknowledgment is made of the efficient services rendered in the preparation of this report by Mr. Clyde D. Williams, Mr. Butler Toombs, and Mr. John O. Spain.

Respectfully,

SAM. L. ROGERS,
Director of the Census.

Hon. JOSHUA W. ALEXANDER,
Secretary of Commerce.

(5)





MORTALITY STATISTICS
1918

(7)

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880 TO 1918.

NOTE.—In addition to the registration states (shaded in the maps) the registration area included certain cities in nonregistration states.

(8)



MORTALITY STATISTICS: 1918.

INTRODUCTION.

The present report presents mortality statistics for the death registration area of the United States. This area for 1918 includes, besides the 1917 area (with the exception of Augusta, Ga., for which transcripts of death were not received), three new states—Illinois, Louisiana, and Oregon.

Because of the distant location of Hawaii and the peculiar constitution of its population, deaths from this part of the registration area are not included in the general tables, but are shown in special tables. Likewise, deaths of soldiers, sailors, and marines are not included in the general tables, but are shown in special tables and are included in all text tables. Data presented in the general tables, therefore, are based on deaths of civilians only, in the registration area of the United States, exclusive of Hawaii, a total of 1,445,158 for the year.

Estimates of population for the registration area as a whole and for the several states have been made in the usual way by the arithmetical method, the assumption being that the annual increase since 1910 has been the same as the average annual increase between 1900 and 1910, but as 1918 is so far away from the last census year 1910 and as the enumerated populations of the 1920 census will soon be available, no rates for cities are shown in the report, except rates from influenza and pneumonia (all forms).

Rates for 1918 in text tables are based upon all deaths, both civilian and noncivilian, which occurred in each state. If, however, rates based upon deaths of civilians alone are desired, calculations can readily be made from the figures given in the general tables. In the report for 1919 rates for the registration area

and all its subdivisions will be shown for 1918 and 1919, with corrected rates for previous years, all based upon intercensal estimates of populations of the censuses of 1910 and 1920. In the 1917 report it was pointed out that, even if no correction in the population were made for the withdrawal of enlisted men, this withdrawal from the civil population of so many young men to enter our Army and Navy would normally reduce the general death rate of any area very little, because of the usual low death rates of young adult males. This contention, which held true for 1917, has been very much upset for 1918 by the influenza pandemic, which caused such very high mortality among young adults. However, no attempt has been made in this report to correct the death rates on account of this withdrawal of enlisted men from the general population, but it is very evident that such withdrawal must have resulted in a much smaller number of deaths in certain areas than would otherwise have occurred. In some areas, however, where war activities led to an increased population, it is entirely probable that the withdrawal of enlisted men was fully compensated for by the new arrivals from outside.

Caution should always be exercised in drawing deductions from crude death rates, for due allowance must first be made for deaths of nonresidents, for the peculiar composition of the population as regards age and sex distribution, color, and nativity, as well as for other factors which may have had marked influence upon the general mortality.

Special attention is called to the table on page 50, showing the relation of contributory causes of death to primary causes of death in 1917.

DEATHS AND CRUDE DEATH RATES.

The total number of deaths returned from the registration area of the United States, exclusive of Hawaii, and tabulated for the calendar year 1918 is 1,471,367, which includes 1,445,158 deaths of civilians and 26,209 deaths of soldiers, sailors, and marines, as reported to the Census Bureau by the state and municipal registration offices. The death rate is 18 per 1,000 population, based on an estimated midyear population of 81,868,104, or 77.8 per cent of the total estimated population of the United States. This rate exceeds the rates for 1916 (14) and 1917 (14.2) and, owing to the influenza pandemic, is higher than that for any year since the publication of the annual reports beginning in 1900.

The following table shows the number of deaths and death rates per 1,000 population for the census years

ending May 31, 1880, 1890, and 1900, and for the calendar years 1900 to 1918:

CALENDAR YEAR.	DEATHS FROM ALL CAUSES, ¹ REGISTRATION AREA. ²		CALENDAR YEAR.	DEATHS FROM ALL CAUSES, ¹ REGISTRATION AREA. ²	
	Number.	Rate per 1,000 population.		Number.	Rate per 1,000 population.
1918.....	1,471,367	18.0	1907.....	687,034	18.0
1917.....	1,068,932	14.2	1906.....	658,105	15.7
1916.....	1,001,921	14.0	1905.....	545,533	16.0
1915.....	909,155	13.5	1904.....	551,354	16.5
1914.....	898,059	13.6	1903.....	524,415	16.0
1913.....	890,848	14.1	1902.....	503,640	15.9
1912.....	838,251	13.9	1901.....	518,207	16.5
1911.....	839,284	14.2	1900.....	539,939	17.6
1910.....	805,412	15.0	1890 ³	512,669	17.8
1909.....	732,538	14.4	1890 ³	386,212	19.6
1908.....	691,574	14.8	1880 ³	169,453	19.8

¹ Exclusive of stillbirths. ² Exclusive of Hawaii. ³ Census year ending May 31.

MORTALITY STATISTICS.

GROWTH OF THE REGISTRATION AREA: 1880 TO 1918.

The first mortality statistics published by the Federal Government related to 1850 and were based on data collected at the decennial census of that year and covered the entire United States. The decennial collection of vital statistics by census enumerators was continued through 1900, but for the census year 1880 there was established a registration area from which transcripts of deaths were received in addition to enumerators' returns. So also for the census years 1890 and 1900 transcripts of death certificates were received from the states and cities included in the registration area.

The annual collection of mortality statistics for that part of the United States known as the registration area began with the calendar year 1900.

The following table shows the states which were included in the registration area of the United States from 1880 to 1918, with date when each was added; in each year the registration area also included certain cities in nonregistration states.

STATE.	Year.	STATE.	Year.	STATE.	Year.
Massachusetts.....		California.....		Kentucky.....	1911
New Jersey.....	1880 ¹	Colorado.....		Missouri.....	1911
Dist. of Columbia ²		Maryland.....	1906	Virginia.....	1913
Connecticut.....		Pennsylvania.....		Kansas.....	1914
Delaware ³		South Dakota ⁴		South Carolina ⁵	1916
New Hampshire.....	1890 ¹	Washington.....	1908	Tennessee.....	1917
New York.....		Wisconsin.....	1908	Hawaii.....	
Rhode Island.....		Ohio.....	1909	Illinois.....	
Vermont.....		Minnesota.....		Louisiana.....	1918
Maine.....		Montana.....		Oregon.....	
Michigan.....	1900 ¹	North Carolina ⁶	1910	Utah.....	
Indiana.....	1900				

¹ Census year ending May 31.

² Included in registration states.

³ Dropped from the registration area in the census year 1900.

⁴ Dropped from the registration area in 1910.

⁵ Included only municipalities having a population of 1,000 or more in 1900.

⁶ The remainder of the state of North Carolina was also added to the registration area in 1916. (See note 5.)

The following table shows the growth of the registration area in both population and land area from 1880 to 1918, inclusive:


CALENDAR YEAR.	UNITED STATES.		REGISTRATION AREA. ¹			
	Population.	Land area (square miles).	Population.		Land area.	
			Number.	Per cent of total.	Square miles.	Per cent of total.
1918.....	105,253,300	2,973,890	81,888,104	77.8	1,546,166	52.0
1917.....	103,635,306	2,973,890	75,307,906	72.7	1,349,629	45.4
1916.....	102,017,312	2,973,890	71,621,632	70.2	1,307,819	44.0
1915.....	100,399,313	2,973,890	67,336,992	67.1	1,228,704	41.3
1914.....	98,781,324	2,973,890	65,969,295	66.8	1,228,644	41.3
1913.....	97,163,330	2,973,890	63,298,718	65.1	1,147,039	38.6
1912.....	95,545,336	2,973,890	60,427,247	63.2	1,106,777	37.2
1911.....	93,927,342	2,973,890	59,275,977	63.1	1,106,734	37.2
1910.....	92,309,348	2,973,890	63,843,896	58.3	997,978	33.6
1909.....	90,691,354	2,974,159	50,870,518	56.1	785,738	25.7
1908.....	89,073,360	2,974,159	46,789,913	52.5	725,117	24.4
1907.....	87,455,366	2,974,159	43,016,990	49.2	603,151	20.3
1906.....	85,837,372	2,974,159	41,983,419	48.9	603,066	20.3
1905.....	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
1904.....	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
1903.....	80,983,390	2,974,159	32,701,083	40.4	212,762	7.2
1902.....	79,365,396	2,974,159	32,029,315	40.4	212,762	7.2
1901.....	77,747,402	2,974,159	31,370,552	40.3	212,770	7.2
1900.....			30,765,618	40.5	212,621	7.1
1900 ²	75,994,575	2,974,159	28,807,269	37.9	176,783	5.9
1890 ²	62,622,250	2,973,965	19,659,440	31.4	90,695	3.0
1880 ²	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6

¹ Exclusive of Hawaii.

² Census year ending May 31.

The percentages which the population and land area of the registration area formed of the corresponding totals for the United States in 1880, 1890, and 1900 to 1918, inclusive, are presented in the following diagram:

PERCENTAGES WHICH THE POPULATION AND LAND AREA OF THE REGISTRATION AREA FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, AND 1900 TO 1918, INCLUSIVE.



EXTENT OF THE REGISTRATION AREA IN 1918.

The registration area in 1918 includes 30 states, the District of Columbia, and 27 cities in nonregistration states. These states and cities were added to the area on the basis of approximately complete registration of deaths (at least 90 per cent of all deaths) and when the data at hand showed that the deaths were recorded properly under state law, or, for cities, under municipal ordinances.

The states included in the registration area for 1918 are:

California.	Massachusetts.	Oregon.
Colorado.	Michigan.	Pennsylvania.
Connecticut.	Minnesota.	Rhode Island.
Illinois.	Missouri.	South Carolina.
Indiana.	Montana.	Tennessee.
Kansas.	New Hampshire.	Utah.
Kentucky.	New Jersey.	Vermont.
Louisiana.	New York.	Virginia.
Maine.	North Carolina.	Washington.
Maryland.	Ohio.	Wisconsin.

The entire registration area comprises not only the states named but also the District of Columbia,

DEATHS AND CRUDE DEATH RATES.

11

Territory of Hawaii, and the following cities in non-registration states:

Alabama:	Mississippi:	Texas:
Birmingham.	Hattiesburg.	Beaumont.
Mobile.	Jackson.	Cleburne.
Montgomery.	Meridian.	Dallas.
Delaware:	Natchez.	El Paso.
Wilmington.	Vicksburg.	Galveston.
Florida:	Nebraska:	Houston.
Jacksonville.	Lincoln.	San Antonio.
Key West.	Omaha.	West Virginia:
Pensacola.	North Dakota:	Wheeling.
Tampa.	Fargo.	

Georgia:

Atlanta.
Bruswick.
Savannah.

DEATHS, BY COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX OF DECEDENT.

The following table shows, for the registration area, exclusive of Hawaii, the deaths in 1918, classified according to sex, color, nativity, and parent nativity of decedent:

COLOR, NATIVITY, AND PARENT NATIVITY OF DECEDENT.	DEATHS FROM ALL CAUSES, ¹ REGISTRATION AREA: ² 1918.					
	Number.			Distribution per 1,000.		
	Total.	Male.	Female.	Total.	Male.	Female.
Aggregate.....	1,471,367	806,073	665,294	1,000.0	1,000.0	1,000.0
White.....	1,310,631	721,630	589,001	890.8	895.2	885.3
Native.....	981,492	525,430	456,062	667.1	651.8	685.5
Both parents native.....	547,167	285,737	261,430	371.9	354.5	393.0
One or both parents foreign born.....	306,789	162,325	144,464	208.5	201.4	217.1
Parentage unknown.....	127,536	77,368	50,188	86.7	96.0	75.4
Foreign born.....	303,390	176,500	126,890	206.2	219.0	190.7
Unknown.....	25,749	19,700	6,049	17.5	24.4	9.1
Colored.....	160,736	84,443	76,293	109.2	104.8	114.7
Negro.....	154,477	80,203	74,269	105.0	99.5	111.6
Chinese.....	1,770	1,583	187	1.2	2.0	0.3
Japanese.....	2,110	1,335	775	1.4	1.7	1.2
Indian.....	2,287	1,235	1,052	1.6	1.5	1.6
Other colored.....	92	82	10	0.1	0.1	(3)

¹ Exclusive of stillbirths.


² Exclusive of Hawaii.

³ Less than one-tenth of 1 per 1,000.

The 1,471,367 deaths in the registration area, exclusive of Hawaii, but including 26,209 deaths of soldiers, sailors, and marines, are distributed between the sexes and between the two groups as follows: Males, 54.8 per cent; females, 45.2 per cent; white, 89.1 per cent; colored, 10.9 per cent. Of the colored, the great majority, 96.1 per cent (equivalent to 10.5 per cent of the total for all races), are Negroes.

The percentages of deaths in the registration area, by color, by nativity of the white, and by parent nativity of the native white, for 1918, are shown in the following diagram:

PER CENT OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) BY COLOR, BY NATIVITY OF WHITE PERSONS, AND BY PARENT NATIVITY OF THE NATIVE WHITE: 1918.



The age distribution of decedents is shown in the following table:

AGE OF DECEDENT.	DEATHS FROM ALL CAUSES, ¹ REGISTRATION AREA: ² 1918.					
	Number.			Distribution per 1,000.		
	Total.	Male.	Female.	Total.	Male.	Female.
All ages.....	1,471,367	806,073	665,294	1,000.0	1,000.0	1,000.0
Under 1 year.....	193,855	109,282	84,573	131.8	135.6	127.1
1 year.....	55,059	28,832	26,227	37.4	35.8	39.4
2 years.....	26,929	13,759	13,170	18.3	17.1	19.8
3 years.....	17,408	8,688	8,720	11.8	10.8	13.1
4 years.....	12,892	6,496	6,398	8.8	8.1	9.6
Under 5 years.....	306,143	167,057	139,086	208.1	207.2	209.1
5 to 9 years.....	83,012	49,575	18,437	25.8	24.3	27.7
10 to 14 years.....	29,694	14,746	14,948	20.2	18.3	22.5
15 to 19 years.....	55,888	29,872	25,996	38.0	37.1	39.1
20 to 24 years.....	93,169	48,937	44,332	63.3	60.6	66.6
25 to 29 years.....	113,485	61,323	52,182	77.1	76.1	78.4
30 to 34 years.....	103,310	60,997	43,213	70.2	74.6	65.0
35 to 39 years.....	85,444	50,987	34,457	58.1	63.3	51.8
40 to 44 years.....	67,031	39,602	27,479	45.6	49.1	41.3
45 to 49 years.....	65,085	38,581	26,484	44.2	47.9	39.8
50 to 54 years.....	64,580	37,011	27,549	43.9	45.9	41.4
55 to 59 years.....	66,823	38,204	28,619	45.4	47.4	43.0
60 to 64 years.....	72,378	41,154	31,724	49.5	51.1	47.7
65 to 69 years.....	76,174	41,852	34,322	51.8	51.9	51.6
70 to 74 years.....	77,244	40,820	36,424	52.5	50.6	54.7
75 to 79 years.....	67,183	34,268	32,914	45.7	42.5	49.5
80 to 84 years.....	47,945	22,968	24,977	32.6	28.5	37.5
85 to 89 years.....	25,391	11,537	13,854	17.3	14.3	20.8
90 to 94 years.....	8,925	3,711	5,214	6.1	4.6	7.8
95 to 99 years.....	2,200	856	1,344	1.5	1.1	2.0
100 years and over.....	733	263	470	0.5	0.3	0.7
Unknown.....	4,040	2,751	1,289	2.7	3.4	1.9

¹ Exclusive of stillbirths.

² Exclusive of Hawaii.

The following table and diagrams show, for each of the years 1900 to 1918, inclusive, the number of deaths in the registration area at all ages, under 1 year of age, and under 5 years of age, and the percentages which the deaths under 1 and under 5 form of the total.

MORTALITY STATISTICS.

CALENDAR YEAR.	DEATHS ¹ FROM ALL CAUSES IN THE REGISTRATION AREA. ²				
	All ages.	Under 1 year.		Under 5 years.	
		Number.	Per cent of total.	Number.	Per cent of total.
1918	1,471,387	193,855	13.2	306,143	20.8
1917	1,088,932	171,924	16.0	243,708	22.8
1916	1,001,921	164,660	16.4	234,081	23.4
1915	909,155	148,561	16.3	203,223	22.4
1914	898,059	155,075	17.3	214,120	23.8
1913	890,848	159,485	17.9	225,129	25.3
1912	888,251	147,455	17.6	204,639	24.4
1911	889,284	149,322	17.8	209,482	25.0
1910	805,412	154,373	19.2	217,319	27.0
1909	732,538	140,057	19.1	196,534	26.8
1908	691,574	136,482	19.7	189,865	27.5
1907	687,084	131,110	19.1	183,774	26.7
1906	658,105	133,105	20.2	186,978	28.4
1905	545,533	105,553	19.3	147,384	27.0
1904	551,354	102,880	18.7	145,902	26.5
1903	524,415	96,857	18.5	139,940	26.7
1902	508,640	98,375	19.4	143,515	28.2
1901	518,207	97,477	18.8	141,678	27.3
1900	539,939	111,687	20.7	164,137	30.4

¹ Exclusive of stillbirths.² Exclusive of Hawaii.

DIAGRAM A.—NUMBER OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AT ALL AGES, UNDER 1 YEAR OF AGE, AND FROM 1 TO 4 YEARS OF AGE, FOR EACH OF THE YEARS 1900 TO 1918.





DIAGRAM B.—PER CENT OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) UNDER 1 YEAR OF AGE, FROM 1 TO 4 YEARS, AND 5 YEARS AND OVER, FOR EACH OF THE YEARS 1900 TO 1918.



In 1900 the deaths under 1 year of age formed 20.7 per cent and those under 5 years 30.4 per cent of the total deaths at all ages, but for 1918 the corresponding percentages are 13.2 and 20.8. The big decreases in these percentages are undoubtedly due, in large part, to the better care which children now receive.

DEATH RATES OF THE REGISTRATION STATES.

Death rates of the registration states for 1918, the preceding three years, and the two five-year periods 1901 to 1905 and 1906 to 1910 are shown in the following table, separate rates for white and colored populations being given for each state in which the colored population formed 10 per cent or more of the total:

STATE.	DEATH RATE FROM ALL CAUSES ¹ PER 1,000 POPULATION.				
	1918	1917	1916	1915	Annual average.
1906 to 1910					
1901 to 1905					
Registration states ²	17.9	14.0	13.9	13.3	15.0
California.....	18.5	13.9	13.5	13.7	13.9 (3)
Colorado.....	17.5	10.9	10.3	11.3	14.3 (6)
Connecticut.....	21.3	16.5	16.3	14.9	15.6 15.7
Illinois.....	16.3 (3)	16.3 (3)	16.3 (3)	16.3 (3)	16.3 (3)
Indiana.....	16.2	14.0	13.6	12.7	13.0 13.2
Kansas.....	14.2	11.3	10.9	10.1 (3) (3)	13.9 (3) (3)
Kentucky (total).....	17.0	13.7	12.6	12.3 (3) (3)	14.3 (6) (6)
White.....	15.8	12.6	11.6	11.1 (3) (3)	14.4 (3) (3)
Colored.....	27.4	23.8	21.3	22.0 (3) (3)	22.9 (3) (3)
Louisiana (total).....	17.2 (3)	17.2 (3)	17.2 (3)	17.2 (3)	17.2 (3) (3)
White.....	14.3 (3)	14.3 (3)	14.3 (3)	14.3 (3)	14.4 (3) (3)
Colored.....	21.3 (3)	21.3 (3)	21.3 (3)	21.3 (3)	21.3 (3) (3)
Maine.....	18.7	15.1	15.7	15.6	16.2 15.9
Maryland (total).....	24.3	17.1	16.5	15.8	16.0 (3)
White.....	22.2	15.1	14.7	14.1	14.4 (3) (3)
Colored.....	34.9	27.2	25.7	24.1	22.9 (3) (3)
Massachusetts.....	20.6	15.0	15.2	14.5	16.1 16.6
Michigan.....	17.3	15.2	15.1	13.4	13.6 13.3
Minnesota.....	13.4	10.3	10.7	10.1 (4) (3)	13.4 (3) (3)
Missouri.....	15.6	13.3	12.9	12.0 (3) (3)	13.6 (3) (3)
Montana.....	18.6	13.9	12.6	11.4 (4) (3)	14.4 (3) (3)
New Hampshire.....	21.5	16.8	16.1	16.1	17.2 16.6
New Jersey.....	20.4	14.6	15.0	13.8	15.4 16.1
New York.....	18.2	14.7	14.8	14.6 (4) (3)	16.4 17.1
North Carolina (total).....	17.4	14.0	13.1	17.3 (4) (3)	17.3 (3) (3)
White.....	14.9	12.3	11.4	13.5 (3) (3)	14.4 (3) (3)
Colored.....	22.9	17.7	16.8	24.9 (4) (3)	22.9 (3) (3)
Ohio.....	17.8	14.8	14.4	13.0 (4) (3)	14.4 (3) (3)
Oregon.....	11.0 (3)	11.0 (3)	11.0 (3)	11.0 (3)	11.0 (3) (3)
Pennsylvania.....	21.5	14.8	14.6	13.8	15.5 (3) (3)
Rhode Island.....	19.5	15.3	15.5	14.8	16.7 17.8
South Carolina (total).....	19.5	14.5	13.8	13.8 (3) (3)	14.8 (3) (3)
White.....	15.9	11.7	10.9	10.9 (3) (3)	13.5 (3) (3)
Colored.....	22.6	16.9	16.4	16.4 (3) (3)	16.4 (3) (3)
Tennessee (total).....	16.0	13.4 (3)	13.4 (3)	13.4 (3)	13.4 (3) (3)
White.....	14.0	11.7 (3)	11.7 (3)	11.7 (3)	11.7 (3) (3)
Colored.....	23.9	20.1 (3)	20.1 (3)	20.1 (3)	20.1 (3) (3)
Utah.....	13.7	10.4	10.4	9.9 (3) (3)	11.1 (3) (3)
Vermont.....	18.7	15.0	15.6	14.7	16.1 16.2
Virginia (total).....	19.7	14.3	14.7	14.2 (3) (3)	14.2 (3) (3)
White.....	17.2	11.8	12.2	11.6 (3) (3)	12.2 (3) (3)
Colored.....	25.2	20.0	20.3	19.8 (3) (3)	19.8 (3) (3)
Washington.....	10.6	7.6	7.7	8.1 (3) (3)	8.1 (3) (3)
Wisconsin.....	13.7	11.5	11.8	10.8 (3) (3)	10.8 (3) (3)

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, estimates are probably far too high in some cases and far too low in others.

¹ Exclusive of stillbirths.

² Including the District of Columbia.

³ Not added to registration area until a later date.

⁴ Figures for deaths not available for the entire period.

⁵ Figures relate only to municipalities having a population of 1,000 or more in 1910.

The rate for the registration states as a whole (17.9) is nearly four points higher than the 1917 rate (14). Of the 27 states which are comparable for the two years, all show increases over 1917. The states having highest rates in 1918 are Maryland (24.3), New Hampshire and Pennsylvania (each 21.5), Connecticut (21.3),

DEATHS AND CRUDE DEATH RATES.

13

Massachusetts (20.6), and New Jersey (20.4). Those having the lowest rates are Washington (10.6), Oregon (11), Minnesota (13.4), Utah and Wisconsin (each 13.7). As explained in the note of the table, populations have been estimated by the arithmetical method, and it is probable that estimates are far too high in some cases and far too low in others. Moreover, it should be remembered that the rates given are "crude" rates, and that no allowance is made for differences in sex, age, and race distribution of the population, so that inferences as to the relative healthfulness of the states should not be drawn from these figures alone.

DEATH RATES OF LARGE CITIES.

Death rates of large cities are not shown in this report, because estimates of population are not available. Rates for 1918 will be contained in the report for 1919 after estimates are made based on the censuses of 1910 and 1920.

DEATH RATES OF CITIES WITH CONSIDERABLE COLORED POPULATIONS.

The statement concerning death rates of large cities applies also to those of cities with considerable colored populations. For this class rates will be shown in the 1919 report also.

DEATHS OF COLORED POPULATIONS OTHER THAN NEGRO.

Deaths of colored populations, not Negroes, are shown in the following table:

AREA.	DEATHS ¹ FROM ALL CAUSES IN 1918.			
	Indian.	Chinese.	Japanese.	Other colored.
The registration area ²	2,287	1,770	2,110	92
Registration states ³	2,281	1,752	2,103	88
Cities in registration states ³	227	1,318	1,246	57
Rural part of registration states.....	2,054	434	862	31
Registration cities in nonregistration states.....	6	18	2	4
All registration cities ²	233	1,336	1,248	61
REGISTRATION STATES.				
California:				
Cities.....	69	675	842	17
Rural districts.....	307	321	638	7
Colorado:				
Cities.....	2	5	22	
Rural districts.....	10	2	50	
Connecticut:				
Cities.....	1	12		
Rural districts.....		1		
Illinois:				
Cities.....	60	5	1	
Rural districts.....		6		1
Indiana:				
Cities.....	1	5		
Rural districts.....		3		
Kansas:				
Cities.....	12		1	2
Rural districts.....	93		1	2
Kentucky:				
Cities.....	2			
Rural districts.....	4	1		
Louisiana:				
Cities.....	1	14	1	2
Rural districts.....	26		6	
Maine:				
Cities.....	4	1		
Rural districts.....	19			

AREA.	DEATHS ¹ FROM ALL CAUSES IN 1918.			
	Indian.	Chinese.	Japanese.	Other colored.
REGISTRATION STATES—continued.				
Maryland:				
Cities.....			10	1
Rural districts.....				1
Massachusetts:				
Cities.....	11	67	1	1
Rural districts.....	3	4		
Michigan:				
Cities.....	22	8	1	1
Rural districts.....	256	2	1	
Minnesota:				
Cities.....	5	6	1	
Rural districts.....	192			
Missouri:				
Cities.....	2	8	2	7
Rural districts.....	4	1		5
Montana:				
Cities.....	7	15	3	
Rural districts.....	116	11	19	2
New Hampshire:				
Cities.....			2	
Rural districts.....				
New Jersey:				
Cities.....	1	19		1
Rural districts.....	3	10	2	
New York:				
Cities.....	30	176	64	9
Rural districts.....	118	5	2	
North Carolina:				
Cities.....			1	
Rural districts.....	183			
Ohio:				
Cities.....	1	18	1	
Rural districts.....		5		1
Oregon:				
Cities.....	3	64	56	
Rural districts.....	114	29	41	1
Pennsylvania:				
Cities.....	5	68	6	8
Rural districts.....	1	4		2
Rhode Island:				
Cities.....	5	7		
Rural districts.....		6		
South Carolina:				
Rural districts.....	9			1
Tennessee:				
Cities.....	3	4		1
Rural districts.....	4			
Utah:				
Cities.....	1	6	42	
Rural districts.....	71	2	34	1
Virginia:				
Cities.....	1	10	1	1
Rural districts.....	14	3		
Washington:				
Cities.....	25	38	190	6
Rural districts.....	366	12	74	
Wisconsin:				
Cities.....	17	1	2	
Rural districts.....	138			
Washington, D. C.			16	4
CITIES IN REGISTRATION STATES.⁴				
Bakersfield, Calif.			2	5
Fresno, Calif.			22	59
Los Angeles, Calif.			33	289
Oakland, Calif.			57	37
Riverside, Calif.			10	6
Sacramento, Calif.			1	141
San Diego, Calif.			5	27
San Francisco, Calif.			1	116
San Jose, Calif.			9	15
Stockton, Calif.			2	106
Denver, Colo.			1	19
Chicago, Ill.			54	5
New Orleans, La.			1	12
Baltimore, Md.			10	1
Boston, Mass.			5	1
Cambridge, Mass.			12	
New York, N. Y.			6	58
Portland, Oreg.			2	55
Philadelphia, Pa.			3	3
Pittsburgh, Pa.			1	2
Orden, Utah.			2	21
Salt Lake City, Utah.			1	21
Seattle, Wash.			4	147
Tacoma, Wash.			2	6

¹ Exclusive of stillbirths.² Exclusive of Hawaii.³ Including the District of Columbia.⁴ Including only those from which 10 or more deaths of Indians, Chinese, Japanese, or other colored were reported.

-6-

DEATHS OF NONRESIDENTS.

Deaths of nonresidents have long been known to be an important factor in the crude death rates of certain places. In health resorts for tuberculosis, for example, the number of deaths of nonresidents may be very large, and the same may be true of a city which offers hospital accommodations to an entire state or other large area. Some idea of the relative importance of this factor in the various cities and rural units in the registration area in 1918 may be obtained from Table I B.

Residence has been determined in each case exactly as it was done by the census enumerators in taking the population census in 1910.

Briefly stated, the principal points are as follows:

Residence refers to "usual place of abode." As a rule the "usual place of abode" is the place where a person regularly sleeps.

Nonresidents therefore include—

Persons visiting a town.

Transient boarders or lodgers who have some other usual or permanent place of abode.

Students and children living or boarding in towns in order to attend some school or college, but not regarding the place as their home.

Servants or other persons working in town, but not sleeping there.

Decisions for special cases—

(a) Civilian employees of the United States are treated as resident at the place where they regularly sleep. For example, employees in the Government offices in Washington who regularly sleep in Washington are treated as resident at Washington, even though they may have "legal residence" elsewhere.

(b) Any person who was formerly a resident of the town, but has since become an inmate of an *out of town* asylum, almshouse, home for the aged, reformatory or prison, is treated as resident at the town in which the asylum or prison is located.

(c) Persons having an unknown residence should be treated exactly as those having no permanent home or usual place of abode and should be counted as residents of the place in which they die.

(d) Inmates of medical or surgical hospitals are usually there only for temporary treatment and are therefore treated as resident at their home towns.

In Table I B (p. 96) the term *transferable nonresidents* refers to deaths of nonresidents which can be transferred to place of residence, i. e., to places within the registration area.

The term *nontransferable nonresidents* refers to deaths of nonresidents which can not be transferred to places of residence because the place of residence was outside the registration area.

In the first column are given total deaths (exclusive of soldiers, sailors, and marines). The figures of the second column have been obtained by deducting from the figures of the first column deaths of persons who

resided outside the registration unit in which they died, but whose residence was still within the registration area. The figures of the third column have been obtained by distributing to the various units according to residence the deaths already deducted from column 1 to get column 2. The figures in column 4 represent those who resided outside the registration unit in which they died and also outside the registration area.

As 1918 is so far from the last census year 1910, and as 1920 census figures will soon be available, estimates of population have not been made for all of these cities and rural districts, and computation of any rates relating to these figures has been postponed. It is a very simple matter, however, to determine from the figures shown what per cent of the total number of deaths in 1918 in any place was due to deaths of nonresidents and how much this nonresident percentage would be reduced if deaths of persons residing in that place but dying elsewhere in the registration area were credited to that place.

For example, in Shreveport, La., there were 170 deaths of nonresidents, or 16 per cent of the total number of deaths, which is reduced to 12 per cent by crediting to Shreveport 11 deaths of Shreveport residents who died outside in registration territory. It is apparent, however, that this per cent probably would have been reduced somewhat more were it possible to credit to Shreveport deaths of residents dying outside in non-registration territory. On the other hand, in Cambridge, Mass., 225, or 10 per cent, of the total number of deaths were those of nonresidents, but the number of Cambridge residents who died in registration territory outside was 316, which if credited to Cambridge makes the net total 4 per cent higher than the original total.

Then again the figures in the table show that deaths of nonresidents are a very important factor in producing low crude death rates in rural units. For example, in Sacramento County, Calif., the total number of deaths would be increased 30 per cent if corrected so far as possible for deaths of nonresidents.

If desired still other calculations can be made by deducting also the deaths given in column 4, and percentages are shown in the last column based upon such more complete corrections.

The last column of the table shows the per cent of the original total number of deaths which must be added or deducted as the case may be to obtain the number of deaths in the registration area of residents only. It is, of course, perfectly evident that such a correction is not complete, for there is no way of including the number of deaths occurring outside the registration area of residents of the registration area. It is also apparent that most of these deaths outside the

DEATHS AND CRUDE DEATH RATES.

15

registration area probably belong to neighboring parts of the registration area, so that extreme caution should be used in interpreting the figures of the table for places bordering on or near territory which is not included in the registration area.

Taking the figures as they stand for places well away from nonregistration territory, it is interesting to note that to correct partially the original totals in this way a reduction of 52 per cent is needed for Olmsted County, Minn., a reduction of over 30 per cent for such places as Long Branch and Morristown, N. J., and a reduction of 25 per cent or more for such places as Hackensack and Orange, N. J., and North Yakima, Wash.

On the other hand, to correct partially the original totals of Kiowa County, Colo., an addition of 100 per cent is needed; for Lincoln County, Colo., an addition of 67 per cent, and an addition of 43 per cent for such places as Revere, Mass., Ramsey County, Minn., and Wahkiakum County, Wash.; and an addition of 30 per cent or more for such places as West Orange, Montclair, Bloomfield, and East Orange, N. J., and such counties as Skamania and Mason Counties, Wash., Cascade County, Mont., and Lake County, Ind.

DEATH RATES OF FOREIGN COUNTRIES.

The opposite table presents the latest available death rates per 1,000 population for the principal European countries and for certain other countries for each of the six five-year periods from 1881 to 1910, and for 1916 and 1917, together with the rates for the registration area of the United States for the two five-year periods 1901 to 1905 and 1906 to 1910 and the calendar years 1916 and 1917.

COUNTRY.	ANNUAL CRUDE DEATH RATE ¹ PER 1,000 POPULATION.									Decrease per cent between 1881 to 1885 and 1906 to 1910
	1917	1916	1906 to 1910	1901 to 1905	1896 to 1900	1891 to 1895	1886 to 1890	1881 to 1885		
United States (registration area).....	14.2	14.0	15.1	16.2	(*)	(*)	(*)	(*)	(*)	
Australian Commonwealth.....	9.8	11.0	10.7	11.7	12.7	13.3	14.8	15.7	31.8	
Austria.....	(*)	(*)	22.3	24.2	25.6	27.9	28.9	30.1	25.9	
Belgium.....	(*)	(*)	15.9	17.0	18.1	20.1	20.2	20.6	22.8	
Bulgaria.....	(*)	(*)	23.8	22.5	23.9	27.8	18.9	17.7	34.5	
Ceylon.....	(*)	(*)	30.8	26.7	27.0	28.3	25.1	(*)	(*)	
Chile.....	(*)	(*)	31.3	30.2	28.8	32.6	35.2	26.9	31.6	
Denmark.....	13.3	13.4	13.7	14.8	16.4	18.6	18.7	18.4	25.5	
England and Wales.....	14.4	14.4	14.7	16.0	17.7	18.7	18.9	19.4	24.2	
Finland.....	(*)	(*)	17.4	18.6	19.0	20.5	20.0	22.2	21.6	
France.....	(*)	(*)	21.0	21.9	22.9	25.5	27.2	27.3	23.1	
German Empire.....	(*)	(*)	17.5	19.9	21.2	23.3	24.4	25.3	30.8	
Hungary.....	(*)	(*)	25.0	26.4	27.9	31.8	32.1	33.1	24.5	
Ireland.....	16.8	16.5	17.3	17.6	18.1	18.5	17.9	18.0	3.9	
Italy.....	(*)	(*)	21.0	21.9	22.9	25.5	27.2	27.3	23.1	
Jamaica.....	26.9	22.4	24.4	22.6	22.1	22.0	23.5	(*)	(*)	
Japan.....	(*)	(*)	21.0	20.9	20.7	21.1	20.6	(*)	(*)	
Netherlands.....	13.1	12.9	14.3	16.0	17.2	19.6	20.5	21.4	33.2	
New Zealand.....	9.6	9.6	9.7	9.9	9.6	10.1	9.9	10.9	11.0	
Norway.....	(*)	13.7	13.8	14.5	15.6	16.8	17.0	17.2	19.8	
Ontario, Province of.....	12.0	12.8	14.0	13.0	11.6	10.6	11.0	11.4	32.8	
Prussia.....	(*)	(*)	17.3	19.6	21.0	22.8	24.0	25.4	31.9	
Rumania.....	(*)	(*)	26.0	25.5	27.4	31.0	28.7	26.2	0.8	
Russia (European).....	(*)	(*)	30.9	31.9	35.8	33.2	35.4	(*)		
Scotland.....	14.3	14.6	16.1	17.0	18.0	19.0	18.8	19.6	17.9	
Serbia.....	(*)	(*)	24.3	22.4	24.8	28.9	25.9	24.5	0.8	
Spain.....	22.5	21.3	24.3	26.0	28.8	30.1	30.9	32.6	25.5	
Sweden.....	13.5	13.6	14.3	15.5	16.1	16.6	16.4	17.5	18.3	
Switzerland.....	(*)	(*)	16.0	17.5	18.1	19.8	20.4	21.3	24.9	

NOTE.—The rates for Australian Commonwealth, 1916 and 1917, are taken from the Australian Year Book, 1917; those for Jamaica, 1916 and 1917, from Colonial Reports—Annual, No. 980; Jamaica, 1917-18; those for New Zealand, 1916 and 1917, from the New Zealand Official Year Book, 1918; those for the Province of Ontario, 1916 and 1917, from the Report, Births, Marriages, and Deaths, Ontario, 1917; those for England and Wales, Ireland, and Scotland, 1916 and 1917, from the report of the Registrar-General of England and Wales, 1917; and those for all other foreign countries for 1916 and 1917, from Annuaire Statistique, France, for 1916, 1917, and 1918.

¹ Exclusive of stillbirths.

² Figures not available.

³ Increase.

⁴ Civil population only.

COUNTRY.	DEATH RATE ¹ PER 1,000 POPULATION.																	
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917
United States (registration area).....	17.6	16.5	15.9	16.0	16.5	16.0	15.7	16.0	14.8	14.4	15.0	14.2	13.9	14.1	13.6	13.5	14.0	14.2
Australian Commonwealth.....	11.8	12.2	12.5	12.2	11.1	10.9	11.0	11.1	10.3	10.4	10.7	11.2	10.8	10.5	10.7	11.0	9.8	
Austria.....	25.4	24.0	24.7	23.8	23.8	25.1	22.6	22.7	22.5	22.9	21.2	21.9	20.5	(*)	(*)	(*)	(*)	
Chile.....	35.6	36.4	28.5	26.2	27.8	34.9	32.7	29.6	31.6	31.2	31.0	31.1	29.7	30.1	27.8	(*)	(*)	
England and Wales.....	18.2	16.9	16.9	16.3	15.5	15.3	15.3	15.5	15.1	14.8	14.6	13.5	14.6	13.3	13.8	14.0	15.7	14.4
France.....	21.9	20.1	19.5	19.2	19.4	19.6	19.9	20.2	18.9	19.1	17.8	19.6	17.5	17.7	19.6	(*)	(*)	
German Empire.....	22.1	20.7	19.4	20.0	19.6	19.8	18.2	18.0	18.1	17.2	16.2	17.3	15.6	15.0	(*)	(*)	(*)	
Hungary.....	26.9	25.4	27.1	26.2	25.0	28.2	25.1	25.7	25.2	25.6	23.6	26.1	23.3	23.5	23.5	23.6	(*)	
Ireland.....	19.6	17.8	17.5	17.5	18.0	17.1	16.9	17.6	17.5	17.1	17.1	16.5	16.5	17.1	16.3	17.6	16.5	16.8
Italy.....	23.8	22.0	22.2	22.4	21.2	22.0	20.9	20.9	22.8	21.7	19.9	21.4	18.2	18.7	17.9	20.4	(*)	
Japan.....	20.4	20.4	20.9	20.0	21.2	21.9	20.0	20.9	21.9	21.1	20.4	20.0	19.5	20.6	20.2	(*)		
New Zealand.....	9.4	9.8	10.5	10.4	9.5	9.3	9.3	10.9	9.5	9.2	9.7	9.4	8.9	9.5	9.3	9.1	9.6	9.6
Russia (European).....	31.1	32.1	31.5	30.0	29.9	31.1	29.8	28.1	28.0	28.9	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Spain.....	28.9	27.7	26.0	25.0	25.7	25.8	26.1	24.5	23.8	24.0	23.3	23.2	21.8	22.1	22.1	22.1	21.3	22.5
Sweden.....	16.8	16.1	15.4	15.1	15.3	15.6	14.4	14.6	14.9	13.7	14.0	13.8	14.2	13.6	14.6	13.6	13.5	

NOTE.—The rates for Australian Commonwealth, 1916 and 1917, are taken from the Australian Year Book, 1917; those for New Zealand, 1916 and 1917, from the New Zealand Official Year Book, 1918; and those for England and Wales and Ireland, from the report of the Registrar-General of England and Wales, 1917; rates for Austria, 1913; Hungary, 1913, 1914 and 1915; Italy, 1915; Japan, 1914 and 1915; Spain, 1915, 1916 and 1917; and Sweden 1916 and 1917, from Annuaire Statistique, France, for 1916, 1917, and 1918, and all other rates are taken from the 1915 report of the Registrar-General of England and Wales.

¹ Exclusive of stillbirths.

² Figures not available.


³ Provisional figures relating to 24 states.

⁴ The figures are provisional.

The preceding table presents the crude death rates per 1,000 population for the registration area of the United States and for certain countries for each year from 1900 to 1917. These rates are shown in the diagram on page 16.

MORTALITY STATISTICS.

GENERAL DEATH RATES OF THE UNITED STATES (REGISTRATION AREA) AND CERTAIN FOREIGN COUNTRIES FOR EACH OF THE YEARS FROM 1900 TO 1917.



COMPARISON OF RATES FOR THE REGISTRATION AREA, BY SEX, BY AGE, AND BY CAUSE, WITH THE CORRESPONDING RATES FOR ENGLAND AND WALES AND FOR AUSTRALIA.

Comparison of the crude death rates of different countries or of different places in a single country for a single year may serve as a starting point for the investigation of conditions, but conclusions from such a comparison must be guarded unless such factors as the age and sex distribution of the places compared are known and taken into account. On the other hand,

comparison of specific death rates, by sex, by age, and by cause is more fully warranted and leads to more definite conclusions.

In the following table, relating to the years 1910 and 1911, no rates are shown for the first 2 years of life, because no really comparable figures are available—for rates under 1 year are usually based on registered births and the birth registration area of the United States is very different from the death registration area, and enumerated populations of the first 2 years of life in all countries are admittedly unreliable.

DEATHS AND CRUDE DEATH RATES.

17

DEATH RATES PER 1,000 POPULATION, BY CAUSE, BY SEX, AND BY AGE, IN THE REGISTRATION AREA,¹ 1910;
ENGLAND AND WALES, 1911; AND AUSTRALIA, 1911.

[The numbers in parentheses correspond to those of the International List of Causes of Death.]

CAUSE OF DEATH.	AGES.																				
	All ages.			2 to 4 years.			5 to 14 years.		15 to 24 years.		25 to 44 years.		45 to 64 years.		65 years and over.						
	Registration area, 1910.	England and Wales, 1911.	Australia, 1911.	Registration area, 1910.	England and Wales, 1911.	Australia, 1911.	Registration area, 1910.	England and Wales, 1911.	Australia, 1911.	Registration area, 1910.	England and Wales, 1911.	Australia, 1911.	Registration area, 1910.	England and Wales, 1911.	Australia, 1911.						
All causes.....	(M) 15.96 (F) 13.97	15.58 13.67	11.93 9.47	9.34 8.71	9.96 9.79	4.28 4.10	3.12 2.95	2.77 2.74	1.95 1.79	5.09 4.47	3.42 2.97	3.09 2.86	8.79 7.26	6.39 5.23	6.00 5.25	21.42 17.15	20.54 16.00	17.38 12.39	85.13 79.35	85.65 74.46	87.59 72.03
Typhoid fever (1).....	(M) 0.279 (F) 0.186	0.081 0.053	0.134 0.084	0.126 0.127	0.022 0.025	0.020 0.060	0.141 0.172	0.038 0.046	0.049 0.053	0.429 0.282	0.111 0.177	0.200 0.177	0.352 0.182	0.125 0.062	0.213 0.080	0.246 0.153	0.083 0.051	0.118 0.051	0.17 0.15	0.03 0.03	
Smallpox (5).....	(M) 0.004 (F) 0.003	0.001 0.001	0.000 0.005	0.001 0.003	0.001 0.001	0.001 0.001	0.001 0.004	0.001 0.000	0.001 0.000	0.005 0.004	0.001 0.001	0.001 0.002	0.006 0.002	0.006 0.001	0.006 0.001	0.000 0.000	0.016 0.014	0.016 0.014	0.01 0.01	0.00 0.01	
Measles (6).....	(M) 0.124 (F) 0.120	0.392 0.237	0.048 0.074	0.546 1.700	1.700 1.300	0.130 0.134	0.073 0.077	0.140 0.131	0.034 0.021	0.017 0.019	0.006 0.019	0.013 0.014	0.007 0.019	0.003 0.013	0.010 0.033	0.006 0.013	0.000 0.003	0.016 0.014	0.01 0.01	0.00 0.01	
Scarlet fever (7).....	(M) 0.111 (F) 0.124	0.054 0.051	0.006 0.005	0.738 0.767	0.334 0.355	0.033 0.020	0.210 0.238	0.100 0.097	0.016 0.011	0.083 0.042	0.012 0.009	0.005 0.007	0.005 0.014	0.005 0.007	0.002 0.005	0.001 0.000	0.000 0.000	0.000 0.000	0.00 0.00	0.00 0.00	
Whooping cough (8).....	(M) 0.100 (F) 0.129	0.195 0.237	0.058 0.074	0.261 0.407	0.520 0.794	0.052 0.127	0.028 0.030	0.028 0.042	0.004 0.009	0.002 0.001	0.001 0.001	0.001 0.020	0.000 0.012	0.000 0.013	0.003 0.003	0.003 0.006	0.016 0.008	0.016 0.008	0.01 0.01	0.00 0.00	
Diphtheria and croup (9).....	(M) 0.217 (F) 0.213	0.142 0.134	0.157 0.156	1.388 0.264	0.860 0.864	0.982 0.830	0.357 0.391	0.262 0.299	0.294 0.351	0.037 0.035	0.013 0.012	0.020 0.023	0.012 0.015	0.005 0.005	0.003 0.003	0.010 0.008	0.014 0.012	0.01 0.01	0.01 0.01	0.01 0.01	
Influenza (10).....	(M) 0.128 (F) 0.161	0.128 0.113	0.099 0.102	0.054 0.060	0.054 0.031	0.033 0.017	0.018 0.017	0.019 0.017	0.020 0.011	0.025 0.024	0.040 0.020	0.022 0.030	0.041 0.045	0.080 0.056	0.084 0.089	0.180 0.198	0.240 0.197	0.134 0.109	1.41 1.36	0.89 0.85	1.00 1.35
Erysipelas (18).....	(M) 0.051 (F) 0.040	0.028 0.026	0.016 0.014	0.007 0.012	0.006 0.008	0.007 0.002	0.003 0.002	0.003 0.002	0.003 0.001	0.008 0.004	0.007 0.007	0.016 0.012	0.005 0.005	0.045 0.044	0.044 0.044	0.027 0.027	0.20 0.20	0.17 0.17	0.08 0.08		
Pulmonary tuberculosis (28, 29).....	(M) 1.548 (F) 1.234	1.256 0.923	0.764 0.652	0.247 0.248	0.037 0.047	0.033 0.047	0.119 0.226	0.173 0.320	0.045 0.084	1.259 1.568	1.080 1.127	0.459 0.791	2.327 1.883	1.922 1.369	1.222 1.164	2.371 1.245	2.254 1.054	1.585 1.761	2.04 1.49	1.19 0.59	1.22 0.70
Tuberculous meningitis (30).....	(M) 0.087 (F) 0.087	0.136 0.136	0.063 0.063	0.302 0.508	0.154 0.154	0.084 0.084	0.183 0.183	0.069 0.069	0.010 0.010	0.062 0.061	0.021 0.016	0.016 0.016	0.012 0.012	0.011 0.011	0.010 0.010	0.01 0.01	0.00 0.00	0.00 0.00	0.00 0.00		
Other forms of tuberculosis (31 to 35).....	(M) 0.120 (F) 0.120	0.259 0.220	0.067 0.070	0.104 0.091	0.477 0.414	0.033 0.067	0.061 0.057	0.189 0.187	0.054 0.034	0.095 0.067	0.147 0.121	0.044 0.039	0.113 0.113	0.055 0.088	0.152 0.131	0.144 0.126	0.090 0.048	0.21 0.22	0.15 0.14	0.06 0.06	
Cancer and other malignant tumors (39 to 45).....	(M) 0.597 (F) 0.947	0.891 0.883	0.761 0.728	0.041 0.027	0.035 0.025	0.033 0.027	0.018 0.015	0.025 0.016	0.019 0.009	0.049 0.036	0.044 0.030	0.198 0.500	0.250 0.458	0.220 0.344	2.155 2.895	2.488 3.105	5.52 2.488	7.96 6.72	7.83 7.48	6.61 6.61	
Acute articular rheumatism (47).....	(M) 0.059 (F) 0.065	0.052 0.057	0.036 0.042	0.032 0.039	0.027 0.039	0.007 0.007	0.068 0.073	0.073 0.087	0.052 0.048	0.041 0.038	0.055 0.065	0.029 0.032	0.035 0.038	0.047 0.048	0.019 0.023	0.056 0.056	0.086 0.086	0.27 0.31	0.03 0.05	0.20 0.25	
Meningitis (61).....	(M) 0.151 (F) 0.132	0.162 0.127	0.162 0.122	0.421 0.376	0.354 0.359	0.027 0.221	0.105 0.109	0.184 0.116	0.097 0.089	0.054 0.043	0.054 0.043	0.020 0.013	0.034 0.034	0.033 0.039	0.042 0.042	0.038 0.038	0.037 0.037	0.08 0.08	0.04 0.07		
Organic diseases of the heart (79).....	(M) 1.463 (F) 1.379	1.193 1.284	0.991 0.980	0.029 0.040	0.033 0.033	0.159 0.159	0.113 0.153	0.101 0.128	0.226 0.238	0.204 0.249	0.182 0.191	0.553 0.553	0.480 0.516	0.401 0.532	2.817 2.555	2.778 2.661	14.36 12.60	11.75 10.71	14.80 12.59		
Bronchitis (89, 90).....	(M) 0.224 (F) 0.247	1.028 1.000	0.238 0.331	0.154 0.165	0.373 0.361	0.124 0.074	0.018 0.023	0.034 0.033	0.011 0.007	0.013 0.023	0.022 0.023	0.009 0.007	0.025 0.026	0.113 0.144	0.021 0.096	0.141 0.296	1.340 0.280	1.255 1.280	5.52 1.67	9.84 9.84	5.28 5.28
Pneumonia (all forms) (91, 92).....	(M) 1.597 (F) 1.360	1.234 0.860	0.720 0.542	1.616 1.504	1.539 1.496	0.585 0.502	0.255 0.249	0.209 0.206	0.101 0.101	0.367 0.225	0.274 0.111	0.167 0.148	0.765 0.548	0.621 0.298	0.415 0.276	1.973 1.373	1.507 1.766	0.982 0.561	6.36 7.45	3.21 2.49	3.96 3.30
Other diseases of respiratory organs (86 to 88, 93 to 98).....	(M) 0.177 (F) 0.146	0.238 0.178	0.281 0.123	0.150 0.109	0.300 0.208	0.117 0.094	0.037 0.028	0.053 0.043	0.031 0.032	0.044 0.039	0.089 0.064	0.102 0.071	0.136 0.173	0.272 0.241	0.423 0.241	0.644 0.177	1.13 1.16	1.55 1.12	2.15 1.05		
Diarrhea and enteritis (104, 105).....	(M) 1.228 (F) 1.119	1.425 1.166	0.744 0.666	0.903 0.816	0.687 0.736	0.377 0.308	0.061 0.061	0.050 0.068	0.040 0.055	0.016 0.026	0.035 0.027	0.016 0.020	0.035 0.032	0.016 0.016	0.046 0.052	0.077 0.061	0.127 0.172	0.317 0.262	1.143 1.027	1.08 1.49	1.64 1.60
Appendicitis and typhilitis (108).....	(M) 0.130 (F) 0.098	0.091 0.061	0.077 0.056	0.058 0.041	0.053 0.041	0.007 0.027	0.143 0.122	0.137 0.098	0.070 0.080	0.161 0.117	0.145 0.060	0.527 0.454	0.235 0.274	0.274 0.274	1.973 1.611	1.507 1.261	0.982 0.863	6.36 4.75	3.21 2.49	3.96 3.30	
Cirrhosis of the liver (113).....	(M) 0.185 (F) 0.093	0.115 0.087	0.105 0.066	0.003 0.005	0.001 0.003	0.003 0.003	0.002 0.003	0.008 0.008	0.001 0.002	0.002 0.002	0.126 0.084	0.069 0.053	0.579 0.551	0.420 0.383	0.378 0.309	1.07 0.92	0.57 0.41	0.57 0.41			
Alcoholism (acute or chronic) (56).....	(M) 0.093 (F) 0.014	0.025 0.013	0.047 0.016	0.047 0.047	0.047 0.047	0.000 0.000	0.010 0.002	0.001 0.001	0.002 0.002	0.139 0.028	0.035 0.015	0.061 0.029	0.231 0.277	0.021 0.044	0.048 0.044	0.031 0.031	0.09 0.02	0.02 0.03			
Acute nephritis and Bright's disease (119, 120).....	(M) 1.085 (F) 0.900	0.436 0.357	0.518 0.352	0.149 0.148	0.086 0.082	0.052 0.027	0.083 0.097	0.054 0.053	0.045 0.039	0.141 0.168	0.074 0.077	0.145 0.148	0.527 0.528	0.235 0.211	0.274 0.261	2.486 1.949	1.161 0.875	0.875 0.863	3.08 2.60		
Puerperal septicemia (137).....	(M) 0.149 (F) 0.149	0.068 0.068	0.098 0.098	0.000 0.000	0.000 0.000	0.000 0.000	0.027 0.027	0.007 0.007	0.000 0.000	0.247 0.073	0.074 0.136	0.153 0.178	0.063 0.178	0.222 0.242	0.006 0.006	0.004 0.004	0.003 0.003	0.000 0.000			
Other accidents of pregnancy and parturition (134 to 136, 138 to 141).....	(M) 0.173 (F) 0.173	0.115 0.115	0.190 0.190	0.001 0.001	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.220 0.105	0.193 0.193	0.414 0.414	0.312 0.516	0.516 0.012	0.012 0.011	0.017 0.017	0.000 0.000	0.000 0.000			
Congenital debility and malformations (including premature birth) (150, 151).....	(M) 0.831 (F) 0.669	1.138 0.830	0.764 0.641	0.044 0.035	0.056 0.039	0.039 0.040	0.014 0.010	0.012 0.014	0.007 0.007	0.004 0.003	0.008 0.006	0.000 0.001	0.001 0.001	0.003 0.004	0.000 0.000	0.001 0.002	0.000 0.000	0.000 0.000	0.000 0.000		
Violent deaths (suicide excepted) (164 to 186).....	(M) 1.392 (F) 0.396	0.669 0.266	1.004 0.324	0.858 0.682	0.718 0.530	0.488 0.636	0.573 0.530	0.354 0.212	0.427 0.153	1.2											

For the age period "2 to 4 years" the death rates of both males and females in the registration area of the United States (exclusive of North Carolina) and in England and Wales are more than twice as high as the corresponding rates for Australia. An examination of the rates in this age period, by causes, shows that in the United States pneumonia, scarlet fever, diarrhea and enteritis, diphtheria, measles, tuberculosis, and whooping cough are largely responsible for this excessive mortality, and that the comparatively high rate in England and Wales is largely due to high rates from these same causes, except diphtheria.

In the age period "5 to 14 years" the Australian rate is again much lower than the rate for either the registration area or for England and Wales, the causes of death responsible for the high rate in the United States being principally scarlet fever, pneumonia (all forms), pulmonary tuberculosis, typhoid fever, and violence, and the principal causes responsible for the high rate in England and Wales being tuberculosis, measles, pneumonia, and scarlet fever. It should be noted that England and Wales has the lowest rates shown for diphtheria and violence.

For males in the age period "15 to 24 years" the rate in the registration area is 49 per cent higher than the rate for England and Wales, 39 per cent being due to violent deaths, typhoid fever, and pulmonary tuberculosis, divided as follows: 22 per cent to violent deaths, 9 per cent to typhoid fever, and 8 per cent to pulmonary tuberculosis. For females in the same age period the rate in the registration area is 51 per cent higher than the corresponding rate in England and Wales, 26 per cent being due to the same three causes—pulmonary tuberculosis, typhoid fever, and violent deaths—and 10 per cent to puerperal causes. If for the same age period the rates of the registration area are compared with those for Australia, the results are still more striking. The rate for males in the registration area is 65 per cent higher than the corresponding rate for Australia, 29 per cent being due to pulmonary tuberculosis, 16 per cent to violence, 7 per cent to typhoid fever, and the remaining 13 per cent to other causes. For females the rate in the

registration area is 56 per cent higher than the corresponding rate for Australia, 27 per cent being due to pulmonary tuberculosis and 5 per cent to puerperal causes, and the remaining 24 per cent to other causes.

For males in the age period "25 to 44 years" the mortality is 38 per cent higher in the registration area than in England and Wales, due principally to comparatively high rates from violence, pulmonary tuberculosis, nephritis and Bright's disease, and typhoid fever. For females in the same age period the mortality rate is 39 per cent higher in the registration area than in England and Wales, due principally to comparatively high rates from pulmonary tuberculosis, nephritis and Bright's disease, puerperal diseases, pneumonia, violence, and typhoid fever.

For males in the age period "45 to 64 years" the mortality rate is 23 per cent higher in the registration area than in Australia, due principally to comparatively high rates from nephritis and Bright's disease, pneumonia, pulmonary tuberculosis, organic diseases of the heart, and violence. For females in the same age period the mortality rate is 38 per cent higher in the registration area than in Australia, due principally to comparatively high rates from nephritis and Bright's disease, pneumonia, organic diseases of the heart, pulmonary tuberculosis, and cancer.

In the age period "65 years and over" the rates for males are nearly the same in the three countries, although the rate for females is somewhat higher in the United States than in either of the other two countries. An examination of the death rates of this age period, by causes, however, shows some very marked differences. The rates shown from each of the causes—nephritis and Bright's disease, pneumonia, organic diseases of the heart, violence, and tuberculosis—are highest in the United States, while the rates from bronchitis and cancer are highest in England and Wales.

Most of the excessive rates in the various age periods are due to causes of death which are largely preventable and therefore clearly point the way for public health endeavor in the United States.

CAUSES OF DEATH.

Summary and Rate Tables II and III and General Tables 5 to 11 present statistics of causes of death, the data covering the principal factors of area, age, sex, color, and month of death.

DETAILED AND ABRIDGED INTERNATIONAL LISTS.

The International List of Causes of Death is made up of (1) a detailed list which serves as a basis for the presentation of deaths from disease and violence in a very specific way, and (2) an abridged list in which many of the titles are consolidations of the headings of the detailed list. The first is used for tables which show separately causes of death which it is not necessary nor practicable to show in similar detail in other tables. The distinction between these lists should always be borne in mind in connection with the use of the tables.

In some instances, where the title headings are identical in the two lists, the causes of death included are not the same. An example of this is title No. 19 of the detailed list, "Other epidemic diseases." Used in this sense, "Other epidemic diseases" includes only those epidemic maladies which are not shown separately in titles 1 to 18 of this detailed classification; but when the same expression, "Other epidemic diseases," is used in reference to the abridged list it signifies a heading of that list which includes titles 3, 11, 14, 15, 16, 17, 18, and 19 of the detailed list. Another example is furnished by the title "Tuberculosis of the lungs." This is title No. 13 of the abridged list and title No. 28 of the detailed list. In the abridged list, however, this caption includes not only title No. 28 of the detailed list, but also title No. 29, "Acute miliary tuberculosis."

The distribution of the 1918 deaths by the causes of the abridged list is shown in the opposite table, together with corresponding rates and percentages. In parentheses, after the name of each abridged title, appears the number or numbers corresponding to the title or titles of the detailed International List which it includes.

CHANGES IN THE DETAILED INTERNATIONAL LIST.

The title numbers of the second revision (1910) of the International List are given in the first column of the first table on page 20, while the second and third columns, respectively, show the numbers of the second and first revisions under which the terms would have

been compiled according to the rules followed during the period 1900 to 1909. In many instances the numbers of the titles of the second revision differ from the numbers of the same titles in the first revision. As an example of this, tetanus, the title number of which is now 24, was, under the first revision, compiled as No. 72 and was included in an entirely separate class, "Diseases of the nervous system," instead of in "General diseases," as at present.

Abridged Int. List No.	CAUSE OF DEATH. ¹	DEATHS IN REGIS- TRATION AREA: ² 1918.		
		Number.	Rate per 100,000 popu- lation.	Per cent.
	All causes ³	1,471,367	1,797.2	100.0
1	Typhoid fever (1).....	10,210	12.5	0.7
2	Typhus fever (2).....	3	(4)	(6)
3	Malaria (4).....	2,544	3.1	0.2
4	Smallpox (5).....	339	0.4	(6)
5	Measles (6).....	8,806	10.8	0.6
6	Scarlet fever (7).....	2,480	3.0	0.2
7	Whooping cough (8).....	13,728	16.8	0.9
8	Diphtheria and croup (9).....	11,280	13.8	0.8
9	Influenza (10).....	244,681	298.9	16.6
10	Asiatic cholera (12).....			
11	Cholera nostras (13).....	299	0.4	(6)
12	Other epidemic diseases (3, 11, 14, 15, 16, 17, 18, 19).....	7,930	9.7	0.5
13	Tuberculosis of the lungs (28, 29).....	108,365	132.4	7.4
14	Tuberculous meningitis (30).....	5,910	7.2	0.4
15	Other forms of tuberculosis (31, 32, 33, 34, 35).....	7,765	9.5	0.5
16	Cancer and other malignant tumors (39, 40, 41, 42, • 43, 44, 45).....	65,340	79.8	4.4
17	Simple meningitis (61).....	8,064	9.8	0.5
18	Cerebral hemorrhage and softening (64, 65).....	66,019	80.6	4.5
19	Organic diseases of the heart (79).....	124,668	152.3	8.5
20	Acute bronchitis (89).....	7,634	9.3	0.5
21	Chronic bronchitis (90).....	5,149	6.3	0.3
22	Pneumonia (92).....	175,820	214.8	11.9
23	Other diseases of the respiratory system (tuber- culosis excepted) (86, 87, 88, 91, 93, 94, 95, 96, 97, 98).....	67,357	82.3	4.6
24	Diseases of the stomach (cancer excepted) (102, 103).....	11,366	13.9	0.8
25	Diarrhea and enteritis (under 2 years) (104).....	47,753	58.3	3.2
26	Appendicitis and typhlitis (108).....	9,912	12.1	0.7
27	Hernia, intestinal obstruction (109).....	9,350	11.4	0.6
28	Cirrhosis of the liver (113).....	7,808	9.5	0.5
29	Acute nephritis and Bright's disease (119, 120).....	79,343	96.9	5.4
30	Noncancerous tumors and other diseases of the female genital organs (128, 129, 130, 131, 132).....	4,366	5.3	0.3
31	Puerperal septicemia (puerperal fever, peritonitis) (137).....	5,250	6.4	0.4
32	Other puerperal accidents of pregnancy and labor (134, 135, 136, 138, 139, 140, 141).....	12,927	15.8	0.9
33	Congenital debility and malformations (150, 151).....	63,375	77.4	4.3
34	Senility (154).....	12,251	15.0	0.8
35	Violent deaths (suicides excepted) (164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186).....	72,412	88.4	4.9
36	Suicide (155, 156, 157, 158, 159, 160, 161, 162, 163).....	9,937	12.1	0.7
37	Other diseases (20, 21, 22, 23, 24, 25, 26, 27, 36, 37, 38, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 62, 63, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 85, 99, 100, 101, 105, 106, 107, 110, 111, 112, 114, 115, 116, 117, 118, 121, 122, 123, 124, 125, 126, 127, 133, 142, 143, 144, 145, 146, 147, 148, 149, 152, 153).....	165,279	201.9	11.2
38	Unknown or ill-defined diseases (187, 188, 189).....	15,647	19.1	1.1

¹ Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.

² Exclusive of Hawaii.

³ Exclusive of stillbirths.

⁴ Less than one-tenth of 1 per 100,000 population.

⁵ Less than one-tenth of 1 per cent.

MORTALITY STATISTICS.

CAUSE OF DEATH. [Titles in roman; terms in <i>italics</i> .]	TITLE OR CLASS NUMBER (SECOND REVISION) UNDER WHICH INCLUDED—		Title number of first revision under which formerly included.	CAUSE OF DEATH. [Titles in roman; terms in <i>italics</i> .]	TITLE OR CLASS NUMBER (SECOND REVISION) UNDER WHICH INCLUDED—		Title number of first revision under which formerly included.
	1910 to 1919	1900 to 1909			1910 to 1919	1900 to 1909	
Tetanus.....	24	1 24	72	"Asthenia" "Atrophy" "Debility" "Exhaustion" "Malnutrition" "Marasmus" "Weakness"	(under 1 year) (under 3 months) (3 months and over) (1 to 69 years) (70 years and over)	5 151	151
Beriberi (new title).....	27	19	19			151	151
Tuberculosis of the larynx (old title discontinued).....	28	2 1	26			189	179
Acute military tuberculosis (new title).....	29	28	27			189	179
Scrofula (old title discontinued).....	34	3 1	35			154	189
Rickets (new title).....	36	146	146			154	151
Rheumatism (unqualified).....	47	48	48			152	151
Purpura haemorrhagica.....	55	85	85			152	151
Hemophilia.....	55	85	85			(*)	176
Neuritis and neuritis (new title).....	73	74	74				
Endocarditis (unqualified, 60 years of age and over).....	79	78	78				
Mycocarditis (unqualified, 60 years of age and over).....	79	78	78				
Ankylostomiasis (new title).....	106	107	107				
Chyluria (new title).....	121	122	122				
Placenta praevia.....	135	136	136				
Childbirth, parturition, etc. (not otherwise defined).....	136	140	140				
Puerperal hemorrhage.....	4 135						
Other accidents of labor.....	4 136						
Puerperal phlegmasia alba dolens, embolus, sudden death.....	4 139						
Following childbirth (not otherwise defined).....	4 140						
"Inanition" (from disease, under 1 year).....	5 151						
(under 3 months); 1900 to 1904.....		153	153				
(under 3 months); 1905 to 1909.....		151	151				
(3 months and over); 1900 to 1909.....		189	179				
(from disease, 1 to 69 years).....	189	189	179				
(from disease, 70 years and over).....	5 154	189	179				

¹ Transferred from Diseases of nervous system (Class II) to General diseases (Class I), beginning with 1910.

² Discontinued as a separate title and included with Tuberculosis of the lungs, beginning with 1910.

³ Discontinued as a separate title and included with Tuberculosis of other organs, beginning with 1910.

⁴ In addition to the changes specified in the table, it should be noted that in the case of the causes classified under titles 135, 136, 139, and 140, numerous changes were made from one title to another in 1910, as the result of which statistics entered under these titles for 1910 and succeeding years are not comparable with earlier years.

⁵ Changes not effective until 1911.

⁶ Formerly included under old title 176 (Other external violence). In effect, the title—not title-heading or name—has been discontinued, since the present title 186, although having the same title-heading, bears little resemblance to the former title; three out of the four subtitles of the old "Other external violence" are now classified under titles other than the present "Other external violence."

⁷ Title under which formerly included (see next column) discontinued.

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA AND IN THE ORIGINAL REGISTRATION STATES FOR THE YEARS 1900, 1905, AND 1910 TO 1918.

Rates from 12 important causes or groups of causes of death in the registration area, exclusive of Hawaii, for the years 1900, 1905, and 1910 to 1918 are shown in the following table:

De-tailed Int. List No. 1910.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION IN THE REGISTRATION AREA. ¹										
		1900	1905	1910	1911	1912	1913	1914	1915	1916	1917	1918
	All causes ²	1,755.0	1,602.0	1,495.8	1,415.9	1,387.2	1,407.4	1,360.9	1,350.2	1,398.9	1,419.4	1,797.2
1	Typhoid fever.....	35.9	27.8	23.5	21.0	16.5	17.9	15.4	12.4	13.3	13.4	12.5
6	Measles.....	12.5	7.5	12.3	10.0	7.0	12.8	6.8	5.4	11.1	14.3	10.8
7	Scarlet fever.....	10.2	6.7	11.6	8.8	6.7	8.7	6.6	3.6	3.3	4.2	3.0
8	Whooping cough.....	12.1	10.6	11.4	11.3	9.3	10.0	10.3	8.1	10.2	10.4	16.8
9	Diphtheria and croup.....	43.3	23.6	21.4	18.9	18.2	18.8	17.9	15.7	14.5	16.5	13.8
28-35	Tuberculosis (all forms) *.....	201.9	192.3	160.3	158.9	149.5	147.6	146.8	145.8	141.6	146.4	149.1
39-45	Cancer.....	63.0	71.4	76.2	74.3	77.0	78.9	79.4	81.1	81.8	81.6	79.8
64	Cerebral hemorrhage, apoplexy.....	67.5	71.6	73.7	74.7	75.7	74.6	77.7	79.3	81.3	82.9	79.3
78, 79	Acute endocarditis and organic diseases of the heart.....	123.1	143.8	150.4	148.5	151.2	147.1	150.8	156.2	159.4	162.0	160.5
91, 92	Pneumonia (all forms).....	180.5	148.8	147.7	133.7	132.3	132.4	127.0	132.7	137.3	149.8	284.3
104	Diarrhea and enteritis (under 2 years).....	108.8	97.0	100.8	77.4	70.3	75.2	66.0	59.5	65.6	64.0	58.3
119, 120	Acute nephritis and Bright's disease.....	89.0	103.4	99.0	97.5	103.0	102.9	102.4	104.7	105.2	107.4	96.9

* Tuberculosis (all forms) did not include "scrofula" from 1900 to 1909; in the second revision of Causes of Death in 1910, scrofula was included with "tuberculosis of other organs," and in the rates shown for tuberculosis (all forms) scrofula is included for all the years in order that the rates may be comparable.

¹ Exclusive of Hawaii.

² Exclusive of stillbirths.

CAUSES OF DEATH.

21

In the next table are presented for the original registration states (Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont) and the District

of Columbia, which represent about one-third of the entire population of the registration area, exclusive of Hawaii, data corresponding to those shown in the preceding table for the registration area.

De-tailed Int. List No. 1910.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION IN THE ORIGINAL REGISTRATION STATES.											
		1900	1905	1910	1911	1912	1913	1914	1915	1916	1917		
											1918		
	All causes ¹	1,719.5	1,593.9	1,561.4	1,494.6	1,456.9	1,469.7	1,440.5	1,426.4	1,494.3	1,493.0	1,868.4	
1	Typhoid fever.....	31.3	22.4	18.0	15.2	13.2	12.5	10.8	9.2	8.8	8.1	6.9	
6	Measles.....	13.4	7.4	12.6	9.3	9.0	11.5	7.3	6.5	10.6	10.4	12.0	
7	Scarlet fever.....	9.6	6.8	12.2	8.9	6.2	8.3	6.6	4.0	2.9	3.8	3.2	
8	Whooping cough.....	12.3	9.0	10.7	10.6	8.0	9.0	8.8	8.8	9.1	8.8	15.1	
9	Diphtheria and croup.....	40.4	23.6	22.5	18.5	16.8	19.2	18.4	15.8	15.1	18.2	16.2	
28-35	Tuberculosis (all forms)*.....	195.2	180.9	164.6	158.4	149.6	148.6	148.4	146.5	143.5	146.7	149.5	
39-45	Cancer.....	63.5	73.7	82.9	83.6	85.9	88.7	89.1	91.8	93.7	94.8	93.7	
64	Cerebral hemorrhage, apoplexy.....	72.5	80.4	86.1	88.5	87.9	87.4	92.4	91.6	95.7	99.8	96.0	
78,79	Acute endocarditis and organic diseases of the heart.....	128.1	153.7	171.6	171.8	170.7	171.3	179.4	183.1	194.7	198.4	197.7	
91,92	Pneumonia (all forms).....	175.5	149.3	158.8	148.5	146.3	146.7	140.6	140.6	148.3	155.1	184.8	333.2
104	Diarrhea and enteritis (under 2 years).....	115.9	98.7	103.1	80.9	74.1	75.5	68.3	64.6	63.8	61.7	58.0	
119,120	Acute nephritis and Bright's disease.....	88.7	101.6	107.3	109.4	113.8	113.0	114.3	112.9	117.5	118.5	106.0	

* Tuberculosis (all forms) did not include "scrofula" from 1900 to 1909; in the second revision of Causes of Death in 1910, scrofula was included with "tuberculosis of other organs," and in the rates shown for tuberculosis (all forms) scrofula is included for all the years in order that the rates may be comparable.

¹ Exclusive of stillbirths.

For the registration area, exclusive of Hawaii, 9 of the 12 titles used in these tables show lower rates in 1918 than in 1917, and for the original registration states lower rates also appear in 1918 than in 1917 for 8 of these 9 titles: Typhoid fever, scarlet fever, diphtheria and croup, cancer, cerebral hemorrhage and apoplexy, acute endocarditis and organic diseases of the heart, diarrhea and enteritis (under 2 years), and acute nephritis and Bright's disease, the rates from typhoid fever and diarrhea and enteritis (under 2 years) being record low rates.

On the other hand, record high rates appear in 1918 from pneumonia (all forms), and whooping cough in both tables. In these tables the highest rates in 1918, as in 1900, are from pneumonia (all forms), acute endocarditis and organic diseases of the heart, and tuberculosis (all forms).

When comparisons of the rates for the earlier years of the series are made with those of recent years, marked decreases are shown in both tables from typhoid fever, scarlet fever, diphtheria and croup, tuberculosis (all forms), and diarrhea and enteritis (under 2 years). The lower rates from typhoid fever, scarlet fever, and diphtheria and croup are especially noteworthy, the rate from each of these causes in 1918 being only about one-third of that for 1900. On the


other hand, the rates in 1918 from cancer and from acute endocarditis and organic diseases of the heart are about one-third higher than the rates for 1900, and the rates in 1918 from acute nephritis and Bright's disease and from cerebral hemorrhage and apoplexy are nearly one-fourth higher than those for 1900. Only from typhoid fever are the rates for each year lower for the original registration states than for the registration area, exclusive of Hawaii.

From cancer, cerebral hemorrhage and apoplexy, and acute endocarditis and organic diseases of the heart, the death rates are higher in each year for the original registration states than for the registration area. Further comparison of the original registration states with the registration area shows that for the former the death rates from tuberculosis (all forms) are lower in each year from 1900 to 1907, and higher in each year, with one exception (1911), from 1908 to 1918. From pneumonia (all forms) the rates are lower from 1900 to 1904, inclusive, and higher from 1905 to 1918, inclusive. From diarrhea and enteritis (under 2 years) the rates are higher in all of the years except 1902, 1903, 1916, 1917, and 1918, and from acute nephritis and Bright's disease the rates are higher for the original registration states in 14 of the 19 years from 1900 to 1918, inclusive.

MORTALITY STATISTICS.

The following diagram presents the fluctuations from year to year, 1900 to 1918, in the death rates from the several diseases included in the preceding table for the registration area:

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA OF THE UNITED STATES FOR EACH OF THE YEARS FROM 1900 TO 1918.



TYPHOID FEVER.

The number of deaths from typhoid fever in 1918 is 10,210, corresponding to a death rate of 12.5 per

100,000 population, which is much lower than the rate for 1917 (13.4), and is next to the record low rate in the period of 19 years from 1900 to 1918, inclusive, the lowest rate in that period being for 1915 (12.4).

CAUSES OF DEATH.

23

In the following table, which shows the rates per 100,000 population for the years 1911 to 1918, and the annual average for the five-year period 1906 to 1910, rates of 40 and higher are printed in bold-faced type.

AREA.	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION. [Rates of 40 or more in bold-faced type.]								
	1918	1917	1916	1915	1914	1913	1912	1911	Annual average, 1906 to 1910.
	12.5 12.2	13.4 13.3	13.3 13.2	12.4 12.1	15.4 15.1	17.9 17.8	16.5 16.2	21.0 20.4	25.6 24.6
The registration area ¹ . Registration states ² .	12.5 12.2	13.4 13.3	13.3 13.2	12.4 12.1	15.4 15.1	17.9 17.8	16.5 16.2	21.0 20.4	25.6 24.6
California.....	6.3	7.2	7.1	9.7	13.4	15.9	17.2	17.3	23.8
Colorado.....	13.9	9.4	12.2	12.7	17.0	15.4	30.3	43.8	43.8
Connecticut.....	5.6	9.8	7.5	12.4	9.2	11.3	10.9	13.5	17.5
Illinois.....	8.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana.....	14.0	17.5	21.5	14.9	21.2	25.1	23.5	26.7	34.7
Kansas.....	15.6	17.7	14.2	10.2	18.9	(3)	(3)	(3)	(3)
Kentucky (total).....	27.0	34.9	31.0	30.4	41.7	42.7	34.1	46.3	(3)
White.....	24.9	31.5	29.0	27.8	38.9	40.2	31.5	43.7	(3)
Colored.....	45.7	65.2	47.7	52.4	63.6	62.5	64.2	66.8	(3)
Louisiana (total).....	37.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White.....	34.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored.....	42.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine.....	7.5	10.5	11.1	13.4	16.0	12.0	13.7	18.0	18.2
Maryland (total).....	17.5	18.6	19.4	23.7	23.9	33.3	27.8	37.5	39.1
White.....	13.6	16.2	16.4	18.5	21.5	26.7	24.5	33.6	35.4
Colored.....	36.9	30.8	34.2	48.9	34.9	63.6	42.0	55.5	55.8
Massachusetts.....	4.0	4.8	4.7	6.7	7.6	7.9	7.7	9.0	13.7
Michigan.....	10.7	12.6	14.1	11.7	13.3	18.4	18.6	19.1	24.4
Minnesota.....	3.7	4.3	5.4	6.8	10.1	10.8	10.6	13.5	(4)
Missouri.....	19.3	20.4	19.2	15.4	23.9	24.4	23.1	31.9	(3)
Montana.....	10.9	16.7	11.5	12.8	15.3	22.7	14.0	20.4	(4)
New Hampshire.....	4.5	6.1	5.0	7.7	8.7	11.9	8.7	14.6	15.3
New Jersey.....	5.4	6.7	7.0	6.7	8.2	9.8	11.5	12.0	14.9
New York.....	5.5	5.6	5.9	7.6	8.9	10.3	11.6	14.1	17.0
North Carolina (total).....	23.1	29.9	29.2	40.8	56.5	64.7	60.2	70.0	(4)
White.....	18.1	23.5	22.6	31.0	44.6	50.6	34.4	67.2	(4)
Colored.....	34.2	44.0	43.8	60.1	79.3	70.1	50.8	75.1	(4)
Ohio.....	14.4	18.3	14.9	14.1	18.1	24.0	18.2	22.7	(4)
Oregon.....	8.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania.....	10.6	10.4	13.6	12.3	13.0	18.1	16.4	21.9	36.4
Rhode Island.....	5.3	5.4	6.8	10.1	8.1	8.3	7.7	9.5	13.1
South Carolina (total).....	35.4	31.8	34.1	(3)	(3)	(3)	(3)	(3)	(3)
White.....	26.5	23.1	28.1	(3)	(3)	(3)	(3)	(3)	(3)
Colored.....	43.3	39.5	39.4	(3)	(3)	(3)	(3)	(3)	(3)
Tennessee (total).....	30.1	38.2	(2)	(3)	(3)	(3)	(3)	(3)	(3)
White.....	26.9	35.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored.....	42.8	50.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah.....	9.0	13.3	10.4	9.4	15.9	22.2	14.4	19.2	(4)
Vermont.....	8.2	6.9	6.3	13.0	11.6	7.8	11.2	12.3	15.7
Virginia (total).....	18.2	21.1	25.1	23.7	27.3	33.3	(3)	(3)	(3)
White.....	16.0	15.5	20.9	19.5	23.3	29.3	(3)	(3)	(3)
Colored.....	23.2	33.7	34.5	32.9	35.5	41.5	(3)	(3)	(3)
Washington.....	5.9	7.6	5.1	8.1	10.7	10.3	12.4	18.3	(4)
Wisconsin.....	3.8	5.2	8.0	4.8	6.5	9.0	12.9	13.2	(4)

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

¹ Exclusive of Hawaii.

² Including the District of Columbia.

³ Not added to registration area until a later date.

⁴ Figures for deaths not available for the entire period.

⁵ Figures relate only to municipalities having a population of 1,000 or more in 1910.

⁶ Figures relate only to municipalities having a population of 1,000 or more in 1900.

It should be noted that the death rate of the colored population from this disease is almost invariably much higher than that for the white.

In 1918 no state shows a rate as high as 40. Louisiana shows the highest rate (37.6), followed by South Carolina (35.4), Tennessee (30.1), Kentucky (27), and North Carolina (23.1). The states showing the lowest rates are Minnesota (3.7), Wisconsin (3.8), Massachusetts (4), New Hampshire (4.5), and Rhode Island (5.3).

MALARIA.

The number of deaths from malaria in 1918 is 2,544, corresponding to a rate of 3.1 per 100,000 population against a rate of 3.2 in 1917. The death rate from this cause was 7.9 in 1900, but after that year there was a continued decrease until 1910, for which year the rate was 2.2. Since that time the rate has ranged between 2.2 and 3.2.

The following table shows the rates per 100,000 population for the years 1911 to 1918 and the annual average for the five-year period 1906 to 1910, rates of 10 and higher being printed in bold-faced type:

AREA.	DEATH RATE FROM MALARIA PER 100,000 POPULATION. [Rates of 10 or more in bold-faced type.]								
	1918	1917	1916	1915	1914	1913	1912	1911	Annual average, 1906 to 1910.
	3.1 2.9	3.2 3.0	3.0 2.8	2.3 1.7	2.2 1.9	2.5 2.1	3.1 2.6	3.0 2.4	2.6 1.6
The registration area ¹ . Registration states ² .	3.1 2.9	3.2 3.0	3.0 2.8	2.3 1.7	2.2 1.9	2.5 2.1	3.1 2.6	3.0 2.4	2.6 1.6
California.....	1.3	1.3	1.4	1.8	1.9	2.1	3.1	4.0	3.5
Colorado.....	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.4	0.6
Connecticut.....	(3)	0.7	0.6	1.4	1.0	1.4	2.1	1.9	3.4
Illinois.....	1.3 1.2	(4) 1.2	(4) 1.2	(4) 1.4	(4) 2.1	(4) 2.5	(4) 2.6	(4) 4.0	(4) 4.5
Kansas.....	1.1	2.2	2.0	1.5	2.2	(4) 7.0	(4) 8.1	(4) 9.6	(4) 10.3
Kentucky (total).....	4.7 3.9	5.7 4.5	6.4 5.4	6.4 5.5	7.0 5.7	7.0 6.6	8.1 8.1	10.3 8.9	(4) 8.4
White.....	3.9 2.1	4.5 2.5	5.4 4.5	5.5 4.5	6.4 5.7	6.4 5.7	7.0 6.6	8.1 8.1	(4) 8.4
Colored.....	11.5 16.3	14.9 13.6	14.9 13.6	17.1 20.2	20.2 21.1	20.2 21.1	21.1 20.9	21.1 20.9	(4) 20.9
Louisiana (total).....	27.9 21.5	(4) 21.5							
White.....	21.5 15.5	(4) 15.5							
Colored.....	37.2 37.2	(4) 37.2							
Maine.....	0.3	—	—	0.1	0.1	0.9	0.7	0.4	0.9
Maryland (total).....	0.4 0.4	0.9 0.3	1.2 0.7	1.1 0.6	1.0 0.7	1.0 1.3	1.0 1.4	1.0 1.6	1.1 2.5
White.....	0.4 0.4	0.3 0.2	0.7 0.6	0.6 0.7	0.7 0.7	0.7 1.3	0.7 1.4	0.7 1.6	0.6 2.1
Colored.....	0.4 0.4	3.5 3.5	3.9 3.9	3.5 3.5	2.5 2.5	3.8 3.8	3.8 3.8	3.4 3.4	4.5 4.5
Massachusetts.....	0.1 0.1	0.1 0.1	0.2 0.2	0.2 0.2	0.2 0.2	0.2 0.2	0.4 0.4	0.2 0.2	0.4 0.8
Michigan.....	0.3 0.3	0.3 0.2	0.2 0.2	0.4 0.4	0.7 0.7	0.6 0.6	0.8 0.8	0.8 1.0	1.3 1.3
Minnesota.....	(3) 3.1	0.1 10.4	(3) 11.0	— 11.4	0.1 10.8	0.1 12.7	0.1 19.1	0.1 15.3	(6) (4)
Missouri.....	8.1 8.1	10.4 10.4	11.0 11.0	14.0 14.0	14.0 14.0	21.8 21.8	18.9 18.9	73.4 73.4	7.7 7.7
Montana.....	0.4 0.4	— —	(3) (3)						
New Hampshire.....	0.4 0.4	— —							
New Jersey.....	0.4 0.4	0.2 0.2	0.5 0.5	0.9 0.9	0.5 0.5	0.5 0.5	0.2 0.2	0.2 0.2	0.2 0.2
New York.....	0.3 0.3	0.3 0.2	0.3 0.2	0.4 0.4	0.5 0.5	0.4 0.4	0.5 0.5	0.7 0.7	0.7 1.3
North Carolina (total).....	7.7 4.5	11.0 7.0	14.0 9.2	14.0 7.4	14.0 12.6	21.8 11.3	21.8 24.4	73.4 18.1	7.7 1.5
White.....	4.5 4.5	7.0 7.0	9.2 9.2	7.4 7.4	12.6 12.6	11.3 11.3	11.3 24.4	18.1 18.1	7.7 1.5
Colored.....	14.8 14.8	19.8 19.8	24.6 24.6	26.7 26.7	39.3 39.3	32.9 32.9	53.0 53.0	36.4 36.4	7.7 7.7
Ohio.....	0.5 0.5	0.3 0.3	0.4 0.4	0.5 0.5	0.6 0.6	0.9 0.9	0.7 0.7	0.9 0.9	0.8 0.8
Oregon.....	0.1 0.1	— —							
Pennsylvania.....	0.2 0.2	0.2 0.2	0.2 0.2	0.4 0.4	0.2 0.2	0.4 0.4	0.4 0.4	0.5 0.5	0.5 0.5
Rhode Island.....	0.								

MORTALITY STATISTICS.

Mortality from malaria is very much higher among the colored population than among the white. This is brought out clearly in the table, where, for example, in 1918 South Carolina shows a rate for the colored about four times the rate for the white population.

States having rates above 10 per 100,000 in 1918 are South Carolina (31.8), Louisiana (27.9), and Tennessee (14). Other states with rates well above the rate for the registration area as a whole (3.1 per 100,000) are Missouri (8.1), North Carolina (7.7), Kentucky (4.7), and Virginia (3.7). Three states (Colorado, Utah, and Wisconsin) do not show any rates for malaria.

SMALLPOX.

It has been many years since smallpox was the cause of high mortality, and data are now presented only to show how few deaths have been due to this disease in recent years.

Since 1900, the year for which the first annual report was published, smallpox has never reached a rate as high as 7 per 100,000 population for the registration area. The highest rate from this cause in any year from 1900 to 1918 is 6.6 in 1902; while in 1903 it is 4.2; in 1901, 3.5; 2.1 in 1904; and 1.9 in 1900. With the exception of these five years the rate for the registration area has never reached 1 per 100,000 population.

The following table shows the rates per 100,000 population for 1911 to 1918 and the annual average for the five-year period 1906 to 1910:

AREA.	DEATH RATE FROM SMALLPOX PER 100,000 POPULATION.							
	1918	1917	1916	1915	1914	1913	1912	1911
The registration area ¹	0.4	0.3	0.2	0.3	0.3	0.2	0.3	0.2
Registration states ²	0.4	0.2	0.1	0.1	0.2	0.2	0.2	0.2
California.	0.1	0.5	0.4	0.1	(3)	0.6	0.6	0.5
Colorado.	1.3	0.1	0.2	0.1	0.1	0.1	0.1	0.4
Connecticut.	0.2				0.1			
Illinois.	0.2	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Indiana.	0.8	0.5	(8)	0.4	0.3	0.4	0.4	0.2
Kansas.	1.4	0.4	0.2	0.6	0.5	(4)	(4)	(4)
Kentucky (total).	0.5	0.1	0.2	(2)	0.8	0.2	0.1	0.5
White.	0.5	0.1	0.2	(2)	0.7	0.2	0.1	0.5
Colored.	0.4	0.4			1.5			(8)
Louisiana (total).	1.0	(4)	(4)	(4)	(4)	(4)	(4)	(4)
White.	0.6	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Colored.	1.4	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Maine.					0.3	0.3	0.5	
Maryland (total).	0.1				0.6	0.2	0.1	
White.	0.1				0.1	0.1	0.1	
Colored.					2.9	0.4		
Massachusetts.	(3)	0.3		0.3	(3)	0.1	0.1	0.1
Michigan.	0.5	0.3	0.1	0.2	(2)	0.1	0.1	0.2
Minnesota.	0.4	0.9	(8)	0.3	0.3	0.6	0.2	0.3
Missouri.	2.4	0.9	0.3	0.4	0.5	0.3	0.4	0.9
Montana.	1.2	1.3	0.4	0.2	1.2	0.7	0.5	
New Hampshire.						0.5	0.5	
New Jersey.	(3)				(3)	(3)	(3)	
New York.	(3)	(3)	(3)	(3)	(3)	0.1	0.1	0.1
North Carolina (total).	0.1	0.5	0.5	1.2	2.1	2.5	1.0	1.1
White.	0.1	0.4	0.3	1.2	1.0	3.1	0.8	1.2
Colored.	0.1	0.9	1.1	1.2	4.3	1.4	1.5	0.8
Ohio.	0.4	0.2	0.1	0.1	0.8	0.1	(4)	0.1
Oregon.								
Pennsylvania.	(3)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Rhode Island.	0.2		0.2		(8)	0.1	0.5	(8)

AREA.	DEATH RATE FROM SMALLPOX PER 100,000 POPULATION.								Annual average, 1906 to 1910.
	1918	1917	1916	1915	1914	1913	1912	1911	
South Carolina (total).	0.1				0.2	(4)	(4)	(4)	(4)
White.					0.5	(4)	(4)	(4)	(4)
Colored.	0.2					(4)	(4)	(4)	(4)
Tennessee (total).	0.7	0.2	(4)	(4)	(4)	(4)	(4)	(4)	(4)
White.	0.6	0.2	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Colored.	1.1	0.2	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Utah.	2.2	0.9				0.5	1.5	1.8	2.3
Vermont.					0.3	0.3		0.3	0.1
Virginia (total).	0.2	0.1	(3)	0.2	0.8	0.4	(4)	(4)	(4)
White.	0.1	0.1	0.1	0.1	0.4	0.1	(4)	(4)	(4)
Colored.	0.6				0.4	1.7	1.0	(4)	(4)
Washington.	0.2	0.1		0.1	0.1	0.2	0.1	0.1	0.2
Wisconsin.	0.5	0.1	0.1	0.2	0.2	0.1	0.2	0.1	(4)

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

¹ Exclusive of Hawaii.

² Including the District of Columbia.

³ Less than one-tenth of 1 per 100,000 population.

⁴ Not added to registration area until a later date.

⁵ Figures for deaths not available for the entire period.

⁶ Figures relate only to municipalities having a population of 1,000 or more in 1910.

⁷ Figures relate only to municipalities having a population of 1,000 or more in 1900.

The danger of smallpox, however, among an unvaccinated population must not be lost sight of, and the highest rates in 1918, in Missouri and Utah (2.4 and 2.2, respectively), should serve as a warning.

MEASLES.

The number of deaths from measles in 1918 is 8,806, or 10.8 per 100,000 population. While this rate is lower than those for 1917 and 1916 (14.3 and 11.1, respectively), it still is in striking contrast with that for 1915 (5.4), the lowest rate on record in the annual mortality reports, the first of which was published in 1900.

The following table shows the rates per 100,000 population for the years 1911 to 1918, and the annual average for the five-year period 1906 to 1910, with rates of 20 and higher in bold-faced type.

AREA.	DEATH RATE FROM MEASLES PER 100,000 POPULATION.								Annual average, 1906 to 1910.
	1918	1917	1916	1915	1914	1913	1912	1911	
The registration area ¹	10.8	14.3	11.1	5.4	6.8	12.8	7.0	10.0	10.8
Registration states ²	10.7	14.2	11.5	5.2	6.9	13.0	7.3	9.9	11.1
California.	6.3	7.5	2.3	5.4	6.1	5.8	5.5	3.2	6.6
Colorado.	5.2	14.6	3.8	2.2	9.3	4.0	1.9	15.0	11.0
Connecticut.	6.9	10.2	12.1	5.0	12.0	8.5	10.1	8.2	9.9
Illinois.	5.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana.	5.0	20.2	7.3	2.5	5.4	16.1	2.5	9.6	8.2
Kansas.	17.1	15.9	8.6	4.0	4.3	(3)	(3)	(3)	(3)
Kentucky (total).	17.1	40.1	7.9	3.6	11.5	17.0	2.3	19.7	(3)
White.	18.4	41.3	8.4	3.8	12.2	18.4	2.4	19.9	(3)
Colored.	6.2	29.4	4.0	1.6	5.9	6.0	1.1	18.6	(3)
Louisiana (total).	18.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White.	20.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored.	15.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine.	12.9	19.6	1.9	2.3	5.6	8.2	7.7	4.1	8.1

(See footnotes at end of table.)

CAUSES OF DEATH.

25

AREA.	DEATH RATE FROM MEASLES PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]									Annual average, 1906 to 1910.
	1918	1917	1916	1915	1914	1913	1912	1911		
Maryland (total).....	11.4	8.7	7.9	2.5	1.8	15.1	2.7	9.9	7.4	
White.....	10.8	8.2	8.0	2.2	1.4	14.2	3.0	10.0	6.9	
Colored.....	14.3	11.3	7.4	3.9	3.7	19.2	1.3	9.8	9.7	
Massachusetts.....	13.6	10.0	12.7	7.4	5.5	14.1	11.3	8.9	10.7	
Michigan.....	8.6	8.9	11.4	3.4	5.9	8.6	3.9	6.9	8.4	
Minnesota.....	4.3	5.6	12.6	3.9	3.6	9.5	1.0	5.3	(*)	
Missouri.....	11.0	25.0	15.6	4.5	12.2	13.1	1.7	18.7	(*)	
Montana.....	3.7	9.7	7.8	1.6	6.2	12.9	1.5	12.5	(*)	
New Hampshire.....	10.3	11.5	10.6	2.0	8.4	12.4	4.4	9.2	5.9	
New Jersey.....	18.9	4.8	13.1	7.8	8.1	7.8	11.0	10.7	8.8	
New York.....	12.9	9.0	9.9	8.8	8.6	11.5	10.8	10.6	13.7	
North Carolina (total).....	14.6	42.8	7.1	50.6	10.8	27.0	10.9	15.5	(*)	
White.....	18.1	47.0	6.9	0.9	12.9	32.3	11.6	14.4	(*)	
Colored.....	5.9	33.8	7.6	-----	6.8	17.2	9.6	17.4	(*)	
Ohio.....	5.1	11.0	15.8	4.3	4.8	13.7	8.2	6.4	(*)	
Oregon.....	6.5	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Pennsylvania.....	9.5	6.1	18.1	6.7	6.7	19.5	10.6	10.3	15.3	
Rhode Island.....	19.6	11.8	23.4	10.0	9.6	12.2	20.6	4.1	18.2	
South Carolina (total).....	21.3	40.2	4.6	(*)	(*)	(*)	(*)	(*)	(*)	
White.....	22.6	51.2	4.9	(*)	(*)	(*)	(*)	(*)	(*)	
Colored.....	20.1	28.0	4.4	(*)	(*)	(*)	(*)	(*)	(*)	
Tennessee (total).....	17.5	33.9	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
White.....	19.9	35.3	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Colored.....	8.1	28.6	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Utah.....	7.5	23.7	8.5	0.9	2.9	31.6	3.8	10.9	(*)	
Vermont.....	4.4	21.4	6.6	0.8	1.1	20.3	7.2	10.6	8.4	
Virginia (total).....	14.1	16.2	18.6	2.7	5.4	17.1	(*)	(*)	(*)	
White.....	16.1	17.6	16.5	2.5	6.0	17.6	(*)	(*)	(*)	
Colored.....	9.7	23.0	23.3	3.0	4.1	15.9	(*)	(*)	(*)	
Washington.....	5.4	12.5	5.5	1.2	3.6	8.0	1.2	5.6	(*)	
Wisconsin.....	6.5	2.9	11.8	2.1	6.0	7.6	5.2	10.7	(*)	

AREA.	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]									Annual average, 1906 to 1910.
	1918	1917	1916	1915	1914	1913	1912	1911		
The registration area ¹ . Registration states ² .	3.0	4.2	3.3	3.6	6.6	8.7	6.7	8.8	10.6	
California.....	1.9	2.0	1.5	2.3	3.4	3.3	1.6	3.6	3.4	
Colorado.....	4.5	1.8	3.8	6.2	10.4	17.2	10.0	9.9	21.0	
Connecticut.....	2.9	1.7	2.7	3.1	6.8	9.7	7.3	9.0	8.0	
Illinois.....	2.7	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Indiana.....	4.5	5.0	3.7	3.6	4.1	7.3	4.1	6.6	5.0	
Kansas.....	4.3	3.1	3.4	1.8	(*)	(*)	(*)	(*)	(*)	
Kentucky (total).....	2.0	2.1	2.4	2.3	2.6	2.4	2.8	3.7	(*)	
White.....	2.2	2.3	2.5	2.5	2.8	2.7	3.1	4.1	(*)	
Colored.....	0.4	0.4	0.8	1.2	1.5	-----	1.1	0.8	(*)	
Louisiana (total).....	0.3	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
White.....	0.4	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Colored.....	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Maine.....	1.7	0.8	0.5	1.7	2.2	2.2	2.1	2.1	3.0	
Maryland (total).....	1.7	1.7	3.8	5.3	5.7	5.2	2.7	5.0	5.0	
White.....	1.9	1.9	4.2	5.8	6.2	6.0	3.0	5.9	5.8	
Colored.....	0.9	0.9	1.7	2.6	3.3	1.3	0.8	1.3	1.1	
Massachusetts.....	2.0	3.1	3.5	5.5	7.0	8.8	3.8	5.7	8.7	
Michigan.....	5.7	11.1	5.8	3.6	6.0	9.6	6.3	7.1	8.7	
Minnesota.....	6.7	4.0	5.3	6.5	15.0	8.5	4.8	9.0	(*)	
Missouri.....	3.2	4.8	5.3	2.2	6.3	4.3	4.3	9.7	(*)	
Montana.....	14.8	18.2	4.1	3.6	7.6	28.4	6.4	9.4	(*)	
New Hampshire.....	1.8	1.8	1.4	1.6	5.7	3.0	2.3	3.7	2.6	
New Jersey.....	2.1	1.9	2.5	3.5	8.6	8.4	5.4	8.4	13.3	
New York.....	3.0	2.7	2.0	4.3	7.3	9.2	8.5	12.6	14.9	
North Carolina (total).....	1.0	1.7	2.6	5.6	6.2	2.8	2.6	2.1	(*)	
White.....	1.3	2.2	3.5	2.5	6.5	3.5	3.2	2.9	(*)	
Colored.....	0.4	0.5	0.5	-----	0.6	1.4	1.5	0.8	(*)	
Ohio.....	3.3	3.8	4.1	4.4	4.7	6.5	8.0	10.3	(*)	
Oregon.....	1.7	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Pennsylvania.....	2.0	2.6	2.8	3.6	10.4	11.3	6.9	9.6	12.8	
Rhode Island.....	3.9	4.6	5.0	4.5	7.8	3.6	7.4	10.4	(*)	
South Carolina (total).....	0.5	1.3	2.4	(*)	(*)	(*)	(*)	(*)	(*)	
White.....	1.0	1.7	4.0	(*)	(*)	(*)	(*)	(*)	(*)	
Colored.....	0.9	1.0	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Tennessee (total).....	1.9	2.1	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
White.....	2.4	2.5	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Colored.....	0.6	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Utah.....	11.0	8.6	5.8	2.8	3.4	3.7	4.6	14.5	(*)	
Vermont.....	3.0	5.2	3.6	1.1	3.3	5.0	2.5	1.4	2.7	
Virginia (total).....	1.1	0.8	1.3	1.1	1.8	2.6	(*)	(*)	(*)	
White.....	1.4	1.0	1.8	1.4	2.6	3.6	(*)	(*)	(*)	
Colored.....	0.3	0.3	0.3	0.4	-----	0.4	(*)	(*)	(*)	
Washington.....	4.6	1.3	0.8	0.5	1.8	2.3	1.6	4.6	(*)	
Wisconsin.....	7.9	9.9	5.0	3.6	8.8	8.1	11.9	9.4	(*)	

- 17 -

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

¹ Exclusive of Hawaii.

² Including the District of Columbia.

³ Not added to registration area until a later date.

⁴ Figures for deaths not available for the entire period.

⁵ Figures relate only to municipalities having a population of 1,000 or more in 1910.

⁶ Figures relate only to municipalities having a population of 1,000 or more in 1900.

Comparing the registration states for 1918 and 1917, decreases are shown for 1918 by 19—California, Colorado, Connecticut, Indiana, Kentucky, Maine, Michigan, Minnesota, Missouri, Montana, New Hampshire, North Carolina, Ohio, South Carolina, Tennessee, Utah, Vermont, Virginia, and Washington. Only 1 state—South Carolina—shows a rate in excess of 20. There are 583 deaths of soldiers, sailors, and marines included in the total for measles, and of this number, 69 were reported from Kentucky, 65 from Kansas, 63 from South Carolina, 52 from North Carolina, and 40 from New Jersey.

SCARLET FEVER.

The number of deaths from scarlet fever in 1918 is 2,480, corresponding to a rate of 3 per 100,000 population, which is the lowest rate recorded from this disease since the publication of the first annual mortality report in 1900.

The following table shows the rates per 100,000 population for 1911 to 1918 and the annual average for the five-year period from 1906 to 1910, rates of 20 and higher being in bold-faced type.

AREA.	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]									Annual average, 1906 to 1910.
	1918	1917	1916	1915	1914	1913	1912	1911		
The registration area ¹ . Registration states ² .	3.0	4.2	3.3	3.6	6.6	8.7	6.7	8.8	10.6	
California.....	1.9	2.0	1.5	2.3	3.4	3.3	1.6	3.6	3.4	
Colorado.....	4.5	1.8	3.8	6.2	10.4	17.2	10.0	9.9	21.0	
Connecticut.....	2.9	1.7	2.7	3.1	6.8	9.7	7.3	9.0	8.0	
Illinois.....	2.7	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Indiana.....	4.5	5.0	3.7	3.6	4.1	7.3	4.1	6.6	5.0	
Kansas.....	4.3	3.1	3.4	1.8	1.8	(*)	(*)	(*)	(*)	
Kentucky (total).....	2.0	2.1	2.4	2.3	2.6	2.4	2.8	3.7	3.7	
White.....	2.2	2.3	2.5	2.5	2.8	2.7	3.1	4.1	3.7	
Colored.....	0.4	0.4	0.8	1.2	1.5	-----	1.1	0.8	(*)	
Louisiana (total).....	0.3	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
White.....	0.4	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Colored.....	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Maine.....	1.7	0.8	0.5	1.7	2.2	2.2	2.1	2.1	3.0	
Maryland (total).....	1.7	1.9	4.2	5.3	5.7	5.2	2.7	5.0	5.0	
White.....	1.9	1.9	4.2	5.8	6.2	6.0	3.0	5.9	5.8	
Colored.....	0.9	0.9	1.7	2.6	3.3	1.3	0.8	1.3	1.1	
Massachusetts.....	2.0	3.1	3.5	3.5	5.5	7.0	8.8	3.8	8.7	
Michigan.....	5.7	11.1	5.8	3.6	6.0	9.6	6.3	7.1	8.7	

MORTALITY STATISTICS.

The following table shows the rates per 100,000 population for 1911 to 1918 and the annual average for the five-year period 1906 to 1910, rates of 20 and higher being in bold-faced type.

AREA.	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]								Annual average, 1906 to 1910.
	1918	1917	1916	1915	1914	1913	1912	1911	
The registration area ¹ .	16.8	10.4	10.2	8.1	10.3	10.0	9.3	11.3	11.5
Registration states ² .	16.8	10.5	10.6	8.3	10.3	10.3	9.3	11.2	11.8
California.....	9.8	6.7	7.2	4.7	10.6	4.4	6.9	6.4	7.7
Colorado.....	14.4	5.9	4.7	9.4	8.6	7.5	11.7	6.7	12.2
Connecticut.....	20.8	8.2	12.5	11.7	11.5	7.6	10.0	14.0	12.8
Illinois.....	11.0	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Indiana.....	17.6	9.7	9.3	5.9	10.1	11.7	8.5	10.0	12.3
Kansas.....	11.7	6.9	5.0	10.0	8.5	(8)	(8)	(8)	(8)
Kentucky (total).....	37.0	20.7	13.4	8.4	14.8	23.3	15.0	19.0	(8)
White.....	34.7	19.5	12.1	7.6	13.6	21.7	13.5	17.2	(8)
Colored.....	57.6	30.6	24.2	15.6	24.2	35.2	26.4	32.6	(8)
Louisiana (total).....	18.9	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)
White.....	14.2	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Colored.....	25.7	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Maine.....	7.5	5.8	16.2	10.4	12.5	5.1	7.2	9.8	10.8
Maryland (total).....	33.5	9.9	12.7	6.8	14.5	15.4	11.0	14.7	18.5
White.....	22.8	7.1	7.7	4.7	9.3	10.1	7.3	10.1	11.6
Colored.....	87.3	23.9	37.2	16.9	38.6	39.8	27.8	35.8	49.2
Massachusetts.....	18.0	6.3	10.7	12.8	8.4	8.6	9.7	14.6	13.2
Michigan.....	15.7	11.8	7.5	9.7	9.4	8.5	8.5	10.9	
Minnesota.....	13.2	4.1	9.7	7.3	8.7	6.6	9.8	8.2	(4)
Missouri.....	15.2	9.5	11.0	8.1	12.7	9.2	12.4	12.9	(4)
Montana.....	13.2	9.1	17.2	8.1	4.2	11.0	13.8	6.9	(4)
New Hampshire.....	22.4	12.4	12.0	10.9	11.9	9.4	9.7	12.2	13.3
New Jersey.....	18.4	9.7	9.3	8.6	9.5	12.9	7.2	12.6	12.8
New York.....	11.8	8.6	7.8	7.7	7.1	7.9	6.6	8.4	8.3
North Carolina (total).....	28.6	23.1	16.7	14.4	16.5	28.7	29.6	46.2	(4)
White.....	20.9	18.0	10.7	9.9	12.3	23.3	17.6	21.9	(4)
Colored.....	45.5	34.3	29.9	23.1	24.6	35.8	27.6	91.0	(4)
Ohio.....	12.7	11.4	13.3	7.0	7.5	13.7	8.9	11.4	(4)
Oregon.....	5.4	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Pennsylvania.....	17.3	10.3	12.2	6.8	11.4	11.1	10.2	12.7	16.5
Rhode Island.....	24.6	7.8	7.7	18.7	13.9	6.9	9.5	21.7	12.2
South Carolina (total).....	45.2	12.4	17.2	(8)	(8)	(8)	(8)	(8)	(8)
White.....	26.2	3.8	9.9	(8)	(8)	(8)	(8)	(8)	(8)
Colored.....	62.4	19.9	23.4	(8)	(8)	(8)	(8)	(8)	(8)
Tennessee (total).....	24.0	17.8	(8)	(8)	(8)	(8)	(8)	(8)	(8)
White.....	21.8	16.0	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Colored.....	32.7	25.0	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Utah.....	13.0	3.6	7.4	20.3	11.8	9.9	17.7	6.8	(4)
Vermont.....	12.8	8.5	12.4	6.3	10.0	11.1	6.7	7.6	10.6
Virginia (total).....	32.2	22.4	20.1	14.6	31.6	13.2	(8)	(8)	(8)
White.....	21.8	13.9	18.7	9.4	18.7	12.5	(8)	(8)	(8)
Colored.....	56.0	41.5	34.3	26.3	58.4	14.7	(8)	(8)	(8)
Washington.....	4.3	7.1	5.0	2.9	4.0	7.7	5.5	5.7	(4)
Wisconsin.....	7.7	8.8	7.0	7.7	5.8	7.4	8.3	8.7	(4)

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

¹ Exclusive of Hawaii.

² Including the District of Columbia.

³ Not added to registration area until a later date.

⁴ Figures for deaths not available for the entire period.

⁵ Figures relate only to municipalities having a population of 1,000 or more in 1910.

⁶ Figures relate only to municipalities having a population of 1,000 or more in 1900.

Of the 27 states for which rates are shown for 1917, 25 have higher rates in 1918. Nine states show rates in excess of 20—South Carolina (45.4), Kentucky (37), Maryland (33.5), Virginia (32.2), North Carolina (28.6), Rhode Island (24.6), Tennessee (24), New Hampshire (22.4), and Connecticut (20.9).

The high rates for the Southern states here mentioned are due chiefly to their large colored populations, among which the mortality from this disease is generally more than twice as high as among the white population. Comparatively low rates are shown for Washington (4.3), Oregon (5.4), Maine (7.5), Wisconsin (7.7), and California (9.8).

DIPHTHERIA AND CROUP.

The expression "diphtheria and croup" is used as a title in the International List, but as deaths from "croup" are really deaths from diphtheria, the term croup is now seldom seen upon death certificates.

The total number of deaths from diphtheria and croup in 1918 is 11,280, corresponding to a rate of 13.8 per 100,000 population. In 1900 the death rate from this cause in the registration area was 43.3. If we assume that these figures measure the reduction in the death rate from this cause since 1900, then in round numbers there is a saving of over 30,000 lives in 1918 in the United States to be credited to the advancement made in the treatment and prevention of this disease.

The following table shows the rates per 100,000 population for the years 1911 to 1918, and the annual average for the five-year period from 1906 to 1910, rates of 20 and higher being printed in bold-faced type:

AREA.	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]								Annual average, 1906 to 1910.
	1918	1917	1916	1915	1914	1913	1912	1911	
The registration area ¹ .	13.8	16.5	14.5	15.7	17.9	18.8	18.2	18.9	22.4
Registration states ² .	13.8	15.7	14.0	15.2	17.3	18.2	17.6	18.3	22.4
California.....	7.5	6.8	9.9	11.0	9.5	6.8	5.9	6.5	13.1
Colorado.....	8.0	5.4	4.3	5.6	7.1	7.5	6.5	11.8	13.2
Connecticut.....	15.9	18.7	15.3	16.0	19.6	19.1	17.1	21.9	22.6
Illinois.....	18.2	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Indiana.....	15.1	15.8	13.9	10.9	14.0	18.6	19.1	14.1	13.7
Kansas.....	6.4	8.2	10.6	13.2	9.4	(8)	(8)	(8)	(8)
Kentucky (total).....	13.5	15.1	17.1	24.4	21.9	24.6	31.9	24.8	(8)
White.....	14.4	18.1	17.7	25.7	23.8	26.4	34.9	26.8	(8)
Colored.....	5.8	6.5	12.5	12.8	11.2	10.9	8.3	9.1	(8)
Louisiana (total).....	5.2	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)
White.....	5.7	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Colored.....	4.4	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Maine.....	7.8	9.4	7.5	11.1	11.3	11.6	13.1	10.0	15.0
Maryland (total).....	9.9	10.0	12.5	13.5	13.2	15.3	15.3	12.8	16.2
White.....	10.8	10.9	13.8	14.8	14.5	15.9	17.0	13.0	16.7
Colored.....	5.2	5.2	6.1	7.4	7.1	12.1	11.9	14.1	15.6
Massachusetts.....	15.7	22.1	16.8	20.0	18.2	17.6	14.2	16.8	23.0
Michigan.....	21.9	27.8	16.3	12.0	17.2	23.0	16.1	16.5	15.6
Minnesota.....	12.3	10.9	7.5	8.5	16.2	10.0	7.8	15.0	(4)
Missouri.....	13.5	17.3	15.7	20.2	20.5	17.5	18.0	20.4	(8)
Montana.....	9.3	8.5	8.3	4.7	5.5	5.5	3.2	7.6	(8)
New Hampshire.....	8.3	10.8	10.8	7.3	10.3	12.8	19.3	15.7	21.0
New Jersey.....	16.8	14.8	15.7	17.6	21.8	21.3	18.6	21.7	27.4
New York.....	16.7	16.8	14.9	17.4	17.2	20.6	19.5	17.3	20.9
North Carolina (total).....	10.3	12.9	17.1	11.7	18.0	12.8	16.4	10.4	(4)
White.....	12.0	14.9	20.0	15.2	20.3	12.1	15.2	10.7	(4)
Colored.....	6.5	8.7	10.6	4.9	13.5	14.3	11.8	9.9	(4)
Ohio.....	9.8	14.3	12.1	13.2	15.6	21.3	22.4	15.0	(4)
Oregon.....	3.6	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Pennsylvania.....	20.3	23.3	19.4	19.5	23.3	25.9	25.6	27.0	29.1
Rhode Island.....	16.0	24.6	23.1	16.4	18.3	24.3	24.1	25.6	24.6
South Carolina (total).....	8.4	9.6	8.5	(8)	(8)	(8)	(8)	(8)	(8)
White.....	11.7	12.2	11.8	(8)	(8)	(8)	(8)	(8)	(8)
Colored.....	5.4	7.3	5.6	(8)	(8)	(8)	(8)	(8)	(8)
Tennessee (total).....	11.9	14.6	(8)	(8)	(8)	(8)	(8)	(8)	(8)
White.....	13.3	16.2	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Colored.....	6.4	8.3	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Utah.....	15.9	9.7	14.5	11.5	9.4	8.2	5.8	22.1	(4)
Vermont.....	7.1	7.9	6.6	11.0	10.5	9.7	5.9	6.7	11.8
Virginia (total).....	9.7	10.0	14.4	17.2	15.8	14.2	(8)	(8)	(8)
White.....	10.9	11.6	16.9	19.1	18.3	16.7	(8)	(8)	(8)
Colored.....	7.1	6.8	8.8	13.0	10.7	8.9	(8)	(8)	(8)
Washington.....	5.2	3.1	2.4	2.7	3.3	3.1	5.5	8.5	(4)
Wisconsin.....	10.7	13.8	9.2	0.6	13.2	12.4	12.5	13.6	(4)

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

¹ Exclusive of Hawaii.

² Including the District of Columbia.

³ Not added to registration area until a later date.

⁴ Figures for deaths not available for the entire period.

⁵ Figures relate only to municipalities having a population of 1,000 or more in 1910.

⁶ Figures relate only to municipalities having a population of 1,000 or more in 1900.

A lower rate is shown in 1918 than in 1917 for the registration area and in 20 of the 27 states which have comparable rates for these two years.

The highest rates among the states are for Michigan (21.9), Pennsylvania (20.3), Illinois (18.2), New Jersey (16.8), New York (16.7), and Rhode Island (16). Very low rates are shown for Oregon (3.6), Washington and Louisiana (each 5.2), Kansas (6.4), and Vermont (7.1).

INFLUENZA AND PNEUMONIA (ALL FORMS).

In 1918 in the registration area (exclusive of Hawaii) 477,467 deaths were assigned to influenza and pneumonia (all forms). In the latter part of that year a pandemic of influenza swept over the country and did not fully spend its force until well into 1919.

In studying the effects of the pandemic of influenza it is not believed to be best to study separately influenza and the various forms of pneumonia, bronchitis, and the respiratory diseases, for doubtless many cases were returned as influenza when the deaths were caused by pneumonia, and vice versa. The best method therefore seems to be to study as one group deaths from influenza and pneumonia (all forms), disregarding deaths from the other respiratory diseases, which were comparatively few. In fact it is very remarkable how little difference it makes whether the

pandemic mortality is measured by the excess mortality from influenza and pneumonia (all forms) or by the excess mortality from influenza and diseases of the respiratory system. In the former case the excess rate in 1918 in the registration area (exclusive of Hawaii) was 416.2 per 100,000, in the latter 415.9. To permit, however, a separate study of influenza and pneumonia (all forms) separate figures are given in the report.

The 477,467 deaths from influenza and pneumonia (all forms) in 1918 correspond to a rate of 583.2 per 100,000 population as against 125,795 deaths in 1917 and a rate of 167, which, till 1918, was the highest rate from these causes for any year since 1910. Fully 79.8 per cent of the mortality from these causes in 1918 occurred in the last four months of the year. For comparison corresponding figures for 1918 and 1915 are shown on page 28 for the registration states of 1915 (exclusive of the District of Columbia and North Carolina) and certain cities, the figures for 1915 having been taken, as the mortality from these causes during that year seems to have been fairly normal.

Additional data relating to the influenza epidemic in 1918 in Indiana, Kansas, and Philadelphia will be found in special tables of mortality from influenza and pneumonia, recently published by the Bureau of the Census.

MORTALITY STATISTICS.

COMPARISON OF DEATHS FROM INFLUENZA AND PNEUMONIA (ALL FORMS) IN 1918 WITH DEATHS FROM THE SAME CAUSES IN 1915.

AREA AND COLOR.	1	2	3	4	5	6	7
	Deaths from influenza and pneumonia (all forms) during the first eight months of 1915.	Deaths from influenza and pneumonia (all forms) during the first eight months of 1918.	Number of times deaths from influenza and pneumonia (all forms) during the first eight months of 1918 are of corresponding deaths in 1915.	Deaths from influenza and pneumonia (all forms) during the last four months of 1915.	Deaths from influenza and pneumonia (all forms) during the last four months of 1918.	Number of times deaths from influenza and pneumonia (all forms) during the last four months of 1918 are of corresponding deaths in 1915.	Deaths from influenza and pneumonia (all forms) during the last four months of 1918, per 1,000 population. ¹
Registration states ²	63,226	75,539	1.2	26,367	291,894	11.1	4.6
California	1,687	2,525	1.5	1,324	14,248	10.8	4.6
Colorado	939	1,208	1.3	552	5,732	10.4	5.6
Connecticut	1,570	1,958	1.2	557	8,240	14.8	6.4
Indiana	2,701	3,000	1.1	860	8,511	9.9	3.0
Kansas	1,303	1,642	1.3	719	5,441	7.6	2.9
Kentucky (total)	2,040	2,391	1.2	743	9,461	12.7	3.9
White	1,613	1,844	1.1	576	8,295	14.4	3.8
Colored	427	547	1.3	167	1,166	7.0	4.8
Maine	1,002	1,015	1.0	253	3,397	13.4	4.3
Maryland (total)	1,734	1,980	1.1	622	8,183	13.2	5.9
White	1,186	1,328	1.1	412	6,525	15.8	5.7
Colored	548	652	1.2	210	1,658	7.9	7.2
Massachusetts	4,487	4,953	1.1	1,705	21,157	12.4	5.5
Michigan	2,626	3,452	1.3	1,034	9,455	9.1	3.0
Minnesota	1,524	1,691	1.1	725	7,244	10.0	3.1
Missouri	3,253	3,886	1.2	1,577	11,987	7.6	3.5
Montana	341	559	1.6	211	3,393	16.1	7.0
New Hampshire	513	553	1.1	157	2,741	17.5	6.1
New Jersey	3,217	4,566	1.4	1,472	17,380	11.8	5.6
New York	13,109	14,180	1.1	5,024	44,545	8.9	4.2
Ohio	5,246	5,808	1.1	1,920	20,565	10.7	3.9
Pennsylvania	9,517	13,317	1.4	4,381	61,510	14.0	7.0
Rhode Island	818	842	1.0	254	3,204	12.6	5.0
Utah	299	436	1.5	196	1,757	9.0	3.9
Vermont	429	378	0.9	102	1,675	16.4	4.6
Virginia (total)	2,172	2,266	1.0	705	9,685	13.7	4.3
White	1,195	1,121	0.9	347	6,342	18.3	4.1
Colored	977	1,135	1.2	358	3,343	9.3	4.9
Washington	605	838	1.4	381	4,041	10.6	2.4
Wisconsin	2,091	2,097	1.0	893	8,342	9.3	3.3
Registration cities of 100,000 population or more in 1910	27,467	35,549	1.3	13,248	116,035	8.8	34.9
Birmingham, Ala. (total)	174	468	2.7	76	985	13.0	5.0
White	72	142	2.0	38	564	14.8	4.5
Colored	102	326	3.2	38	421	11.1	5.8
Los Angeles, Calif. (total)	239	322	1.3	168	2,270	13.5	4.0
White	217	298	1.4	157	2,084	13.3	(4)
Colored	22	24	1.1	11	186	16.9	(4)
Oakland, Calif.	111	179	1.6	72	842	11.7	3.9
San Francisco, Calif. (total)	384	501	1.3	223	2,591	11.6	5.4
White	369	464	1.3	215	2,457	11.4	5.3
Colored	15	37	2.5	8	134	16.8	8.1
Denver, Colo.	250	357	1.4	187	1,456	7.8	(6)
Bridgeport, Conn.	176	264	1.5	80	863	10.8	(6)
New Haven, Conn.	218	265	1.2	92	943	10.3	6.1
Washington, D. C. (total)	544	689	1.3	193	2,241	11.6	5.6
White	273	335	1.2	97	1,573	16.3	(4)
Colored	271	354	1.3	96	663	6.9	(4)
Atlanta, Ga. (total)	224	351	1.6	74	575	7.8	2.9
White	90	145	1.6	31	334	10.8	2.4
Colored	134	206	1.5	43	241	5.6	3.9
Chicago, Ill. (total)	2,784	2,887	1.0	1,472	10,559	7.2	4.1
White	2,359	2,578	1.0	1,409	10,126	7.2	4.0
Colored	125	309	2.5	63	433	6.9	7.4
Indianapolis, Ind. (total)	271	403	1.5	131	945	7.2	3.3
White	227	317	1.4	99	829	8.4	3.2
Colored	44	86	2.0	32	116	3.6	4.1
Louisville, Ky. (total)	274	406	1.5	88	1,022	11.6	4.2
White	165	261	1.6	47	828	17.6	4.1
Colored	109	145	1.3	41	194	4.7	4.6
New Orleans, La. (total)	601	556	0.9	296	2,249	7.6	5.9
White	292	297	1.0	152	1,494	9.8	5.3
Colored	309	259	0.8	144	755	5.2	7.6
Baltimore, Md. (total)	893	1,120	1.3	349	3,929	11.3	6.6
White	615	723	1.2	289	3,252	13.6	6.4
Colored	278	397	1.4	110	677	6.2	7.6

(See footnotes at end of table.)

CAUSES OF DEATH.

29

COMPARISON OF DEATHS FROM INFLUENZA AND PNEUMONIA (ALL FORMS) IN 1918 WITH DEATHS FROM THE SAME CAUSES IN 1915—Continued.

AREA AND COLOR.	1	2	3	4	5	6	7
	Deaths from influenza and pneumonia (all forms) during the first eight months of 1915.	Deaths from influenza and pneumonia (all forms) during the first eight months of 1918.	Number of times deaths from influenza and pneumonia (all forms) during the first eight months of 1918 are of corresponding deaths in 1915.	Deaths from influenza and pneumonia (all forms) during the last four months of 1915.	Deaths from influenza and pneumonia (all forms) during the last four months of 1918.	Deaths from influenza and pneumonia (all forms) during the last four months of 1918 are of corresponding deaths in 1915.	Deaths from influenza and pneumonia (all forms) during the last four months of 1918, per 1,000 population. ¹
Boston, Mass. (total).....	1,058	1,268	1.2	486	4,850	10.0	6.2
White.....	1,020	1,219	1.2	466	4,725	10.1	6.2
Colored.....	38	49	1.3	20	125	6.3	7.3
Cambridge, Mass.....	111	162	1.5	58	564	9.7	5.1
Fall River, Mass.....	207	131	0.6	49	829	16.9	6.5
Lowell, Mass.....	161	200	1.2	49	571	11.7	5.2
Worcester, Mass.....	227	274	1.2	83	991	11.9	5.7
Detroit, Mich.....	654	1,198	1.8	430	2,564	6.0	(6)
Grand Rapids, Mich.....	97	100	1.0	28	279	10.0	2.1
Minneapolis, Minn.....	232	368	1.6	186	1,037	5.6	2.7
St. Paul, Minn.....	179	204	1.1	109	525	7.6	3.2
Kansas City, Mo. (total).....	308	516	1.7	201	1,685	8.4	5.4
White.....	235	407	1.7	159	1,561	9.8	5.5
Colored.....	73	109	1.5	42	124	3.0	4.3
St. Louis, Mo. (total).....	748	1,194	1.6	401	2,869	7.2	3.7
White.....	649	908	1.4	342	2,557	7.5	3.5
Colored.....	99	286	2.9	59	312	5.3	6.0
Omaha, Nebr.....	150	199	1.3	107	972	9.1	5.4
Jersey City, N. J.....	409	522	1.3	191	1,690	8.8	5.3
Newark, N. J.....	400	644	1.6	162	2,099	13.0	4.9
Paterson, N. J.....	134	167	1.2	75	748	10.0	5.2
Albany, N. Y.....	152	135	0.9	47	610	13.0	5.4
Buffalo, N. Y.....	553	672	1.2	237	2,458	10.4	5.2
New York, N. Y. (total).....	7,862	8,644	1.1	3,224	22,596	7.0	4.3
White.....	7,560	8,118	1.1	3,080	21,755	7.1	(4)
Colored.....	302	526	1.7	144	841	5.8	(4)
Bronx Borough.....	749	827	1.1	328	2,676	8.2	(6)
Brooklyn Borough (total).....	2,737	3,195	1.2	1,124	8,257	7.3	(6)
White.....	2,665	3,056	1.1	1,089	8,037	7.4	(6)
Colored.....	72	139	1.9	35	220	6.3	(6)
Manhattan Borough (total).....	3,806	3,846	1.0	1,533	9,255	6.0	(6)
White.....	3,591	3,489	1.0	1,440	8,719	6.1	(6)
Colored.....	215	357	1.7	93	536	5.8	(6)
Queens Borough.....	433	587	1.4	190	1,770	9.3	(6)
Richmond Borough.....	137	189	1.4	51	638	12.5	(6)
Rochester, N. Y.....	232	317	1.4	78	1,112	14.3	4.2
Syracuse, N. Y.....	128	229	1.8	60	771	12.9	4.8
Cincinnati, Ohio (total).....	455	547	1.2	190	1,849	9.7	4.4
White.....	409	410	1.0	165	1,717	10.4	4.3
Colored.....	46	137	3.0	25	132	5.3	5.8
Cleveland, Ohio.....	689	929	1.3	380	3,553	9.4	4.4
Columbus, Ohio (total).....	200	240	1.2	89	723	8.1	3.2
White.....	182	187	1.0	77	640	8.3	3.1
Colored.....	18	53	2.9	12	83	6.9	5.0
Dayton, Ohio.....	139	155	1.1	55	612	11.1	4.7
Toledo, Ohio.....	166	217	1.3	94	708	7.5	2.7
Portland, Oreg.....	113	207	1.8	49	913	18.6	(6)
Philadelphia, Pa. (total).....	1,879	3,140	1.7	1,330	13,122	9.9	7.4
White.....	1,667	2,588	1.6	1,218	12,219	10.0	7.4
Colored.....	212	552	2.6	112	903	8.1	8.7
Pittsburgh, Pa. (total).....	956	1,858	1.9	508	5,240	10.3	8.8
White.....	881	1,552	1.8	475	4,926	10.4	8.7
Colored.....	75	306	4.1	33	314	9.5	10.9
Scranton, Pa.....	230	296	1.3	70	1,048	15.0	6.9
Providence, R. I.....	344	394	1.1	99	1,339	13.5	5.1
Memphis, Tenn (total).....	165	260	1.6	89	713	8.0	4.6
White.....	63	95	1.5	35	462	13.2	4.6
Colored.....	102	165	1.6	54	251	4.6	4.6
Nashville, Tenn (total).....	139	321	2.3	67	739	11.0	6.2
White.....	71	151	2.1	31	530	17.1	6.4
Colored.....	68	170	2.5	36	209	5.8	5.8
Richmond, Va. (total).....	237	222	0.9	98	883	9.0	5.5
White.....	101	78	0.8	39	553	14.2	5.3
Colored.....	136	144	1.1	59	330	5.6	5.8
Seattle, Wash.....	142	220	1.5	67	1,021	15.2	(6)
Spokane, Wash.....	53	79	1.5	43	429	10.0	(6)
Milwaukee, Wis.....	415	552	1.3	258	1,553	6.0	3.4

¹ Based upon 1918 estimate of population.² Registration states of 1915 (exclusive of District of Columbia and North Carolina).³ Deaths per 1,000 population for 44 cities.⁴ No calculations made for color.⁵ No estimate of population made.⁶ No calculations made for boroughs.

MORTALITY STATISTICS.

Whenever the 1915 figures in the preceding table can be regarded as normal and the increase in population between 1915 and 1918 has not been out of proportion to the increase in other areas, the ratios in columns 3 and 6 are significant. But if in any area there was an unusually large number of deaths from influenza and pneumonia (all forms) in 1915 or if the population has increased at an abnormal rate, then the ratios for that area in columns 3 and 6 are not really comparable with the ratios for other areas. For the most part, however, the ratios are believed to be significant.

The ratios given in column 7 are based on 1918 estimates of population which were made for the states and for some of the large cities. But 1918 is so far from the census year 1910 and migrations due to the war have been so great that these estimates are probably far from the truth in many instances. Therefore the figures in column 7 are doubtless far from the truth in many instances. In the next annual

report mortality rates will be shown based on post-censal estimates of populations, and will therefore be much more reliable. Usually the comparatively high ratios in column 6 are accompanied by comparatively high ratios in column 7, but such is by no means always the case, and particular attention is called to this fact lest unwarranted deductions be made.

In the absence of estimates of populations by ages, some idea of the relative epidemic mortality at the various age periods may be obtained by dividing the deaths of 1918 from influenza and pneumonia (all forms) by deaths of 1915 from these same causes. The ratios presented are of much less value than accurate rates would be, but they do indicate the age periods most severely affected by the epidemic. Of course, in interpreting these figures the normal death rates from these causes must be borne in mind, and for the convenience of the reader a few rates by ages for the year 1910 are given for the original registration states (exclusive of the District of Columbia).

DEATHS FROM INFLUENZA AND PNEUMONIA (ALL FORMS) IN CERTAIN SUBDIVISIONS OF THE REGISTRATION AREA, BY AGE: 1918.

AREA AND COLOR.	All ages.	DEATHS AT AGE OF—														Deaths of unknowns.		
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
		367,433	31,319	19,364	9,945	6,046	4,493	12,075	30,360	85,447	80,893	32,018	18,873	15,690	13,033	6,163	927	44
Registration states ¹ ...																		
California...	16,773	973	482	287	198	126	386	1,146	3,812	4,948	1,897	921	706	550	284	39	4	14
Colorado...	6,938	466	208	105	84	64	173	647	1,825	1,641	702	362	289	223	80	8	1	65
Connecticut...	10,198	873	527	274	160	59	269	695	2,551	2,360	913	540	404	300	169	29	...	15
Indiana...	11,511	1,089	598	352	229	172	458	1,136	2,352	2,187	819	542	602	328	57	2	6	...
Kansas...	7,083	511	276	164	108	80	243	787	1,639	1,488	525	309	308	358	218	25	...	14
Kentucky (total)...	11,852	1,197	714	498	334	238	666	1,571	2,229	1,772	804	484	456	446	227	41	4	171
White...	10,139	1,017	617	435	291	217	593	1,352	1,916	1,532	637	386	393	387	199	32	2	133
Colored...	1,713	180	97	68	43	21	73	219	313	240	167	98	63	59	28	9	2	33
Maine...	4,412	384	176	79	49	29	134	417	948	908	295	215	291	274	164	27	...	22
Maryland (total)...	10,163	906	680	320	163	148	377	991	2,451	2,014	730	512	383	310	122	17	1	38
White...	7,853	624	475	210	104	96	255	709	2,019	1,673	549	403	313	269	114	16	...	24
Colored...	2,310	282	205	110	59	52	122	252	432	341	181	109	70	41	8	1	1	14
Massachusetts...	26,110	2,121	1,444	658	378	289	722	1,722	6,182	6,194	2,407	1,406	1,198	912	396	69	3	9
Michigan...	12,907	1,347	752	331	190	180	424	1,059	2,985	2,572	936	625	574	574	292	36	...	50
Minnesota...	8,935	732	332	195	88	97	273	943	2,288	2,012	697	407	337	302	182	37	2	11
Missouri...	15,873	1,205	760	417	291	200	609	1,561	3,431	3,042	1,301	812	854	790	405	62	3	80
Montana...	3,952	196	81	53	36	29	85	281	1,056	1,256	448	206	118	60	25	3	1	18
New Hampshire...	3,294	222	129	66	41	32	77	294	823	711	253	170	160	171	87	17	...	41
New Jersey...	21,946	1,908	1,336	680	400	289	748	1,599	5,328	4,862	1,871	1,126	847	620	242	33	3	4
New York...	58,725	4,892	3,464	1,564	944	667	1,787	4,268	13,801	12,590	5,111	3,480	2,844	2,167	957	140	6	43
Ohio...	26,373	2,343	1,342	678	426	295	850	1,976	5,941	5,941	2,343	1,233	1,167	1,137	544	68	4	10
Pennsylvania...	74,827	6,832	4,297	2,277	1,350	989	2,510	5,557	17,354	17,008	7,185	3,866	2,711	1,967	777	121	1	25
Rhode Island...	4,046	423	276	131	67	48	132	268	861	865	394	207	186	131	45	10	...	2
Utah...	2,193	183	68	55	25	13	62	228	620	547	173	75	69	39	30	5	...	1
Vermont...	2,053	118	58	17	23	15	47	199	500	462	182	115	108	120	75	9	...	5
Virginia (total)...	11,951	1,176	712	438	290	214	589	1,493	2,677	2,080	815	480	414	334	177	23	9	30
White...	7,473	630	403	254	172	124	343	887	1,325	1,375	472	232	280	250	135	15	1	15
Colored...	4,478	546	309	184	118	90	246	606	842	705	243	198	134	84	42	8	8	15
Washington...	4,879	333	132	66	54	44	129	491	1,243	1,218	435	257	190	165	87	12	...	23
Wisconsin...	10,439	889	475	240	118	146	325	1,001	2,395	2,255	782	523	474	481	250	39	...	46
Registration cities of 100,000 population or more in 1910 ² ...	151,584	12,514	8,660	4,355	2,532	1,838	4,864	9,977	36,916	34,201	14,276	8,815	6,539	4,206	1,582	197	17	95
Birmingham, Ala. (total)...	1,453	101	56	41	26	19	74	133	378	288	167	76	45	29	8	2	2	8
White...	708	36	27	20	13	9	28	59	185	162	75	34	31	21	4	1	...	1
Colored...	747	65	29	21	18	10	46	74	183	126	92	42	14	8	4	1	2	7
Los Angeles, Calif. (total)...	2,592	141	70	48	37	22	62	167	675	779	274	127	76	78	33	1	...	2
White...	2,382	122	64	44	35	21	54	160	620	707	254	119	74	74	31	1	...	2
Colored...	210	19	6	4	2	1	8	7	55	72	20	8	2	4	2
Oakland, Calif...	1,021	63	38	23	17	16	23	66	228	306	104	33	42	34	25	3
San Francisco, Calif. (total)...	3,092	114	70	36	33	20	53	153	688	1,014	403	229	182	88	33	5	...	1
White...	2,921	103	63	32	30	16	50	141	640	971	384	220	146	86	33	5	...	1
Colored...	171	11	7	4	3	4	3	12	48	43	19	9	6	2
Denver, Colo...	1,813	91	31	20	19	11	30	137	494	425	208	131	107	78	26	2	...	3
Bridgeport, Conn...	1,127	105	63	33	21	8	32	58	304	270	98	65	33	22	11	1	...	3
New Haven, Conn...	1,208	95	76	52	21	13	28	80	325	233	90	68	60	46	19	2
Washington, D. C. (total)...	2,930	186	118	64	29	24	90	199	793	740	264	150	121	112	36	4
White...	1,913	84	56	27	18	13	56	116	566	550	143	84	83	83	31	3
Colored...	1,017	102	62	37	16	11	34	83	227	190	116	66	38	29	5	1

¹ Registration states of 1915 (exclusive of District of Columbia and North Carolina).

² Registration cities here shown.

CAUSES OF DEATH.

31

DEATHS FROM INFLUENZA AND PNEUMONIA (ALL FORMS) IN CERTAIN SUBDIVISIONS OF THE REGISTRATION AREA, BY AGE: 1918—Continued.

AREA AND COLOR.	All ages.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
Atlanta, Ga. (total)	926	93	55	32	14	9	34	77	174	192	97	45	50	40	10	4		
White	479	47	32	19	8	7	18	33	76	101	50	21	28	31	8			
Colored	447	46	23	13	6	2	16	44	98	91	47	24	22	9	2	4		
Chicago, Ill. (total)	13,446	1,116	836	433	334	212	543	773	3,230	3,063	1,233	747	514	275	105	13	1	
White	12,704	1,039	808	446	326	201	513	721	3,089	2,836	1,136	708	495	268	103	13	3	
Colored	742	77	48	37	8	11	35	52	141	167	97	39	19	7	2	1	1	
Indianapolis, Ind. (total)	1,348	107	60	35	29	13	51	106	305	286	110	97	75	54	19	1		
White	1,146	86	54	25	22	11	45	87	252	252	90	86	70	47	18	1		
Colored	202	21	6	10	7	2	6	19	53	34	20	11	5	7	1			
Louisville, Ky. (total)	1,428	133	69	61	29	21	61	93	351	256	136	90	60	41	20	4		
White	1,059	92	55	49	20	18	54	79	280	198	88	61	49	26	17	1		
Colored	339	41	14	12	9	3	7	14	71	58	48	29	11	15	3	3	1	
New Orleans, La. (total)	2,805	196	107	85	47	30	90	233	728	662	269	152	112	53	30	4	7	
White	1,791	119	65	36	33	17	40	129	484	461	159	97	80	41	21	4	5	
Colored	1,014	77	42	49	14	13	50	104	244	201	110	55	32	12	9	2		
Baltimore, Md. (total)	5,049	452	357	148	73	62	167	377	1,295	1,032	371	302	202	142	55	6		
White	3,975	324	261	104	50	45	123	294	1,087	842	261	234	170	120	51	6		
Colored	1,074	128	96	44	23	17	44	83	208	190	110	68	32	22	4		5	
Boston, Mass. (total)	6,118	502	375	175	95	60	164	369	1,404	1,443	637	347	288	173	73	11	2	
White	5,944	479	353	163	94	59	163	364	1,374	1,403	614	337	283	170	70	11	2	
Colored	174	23	17	12	1	1	5	30	40	23	10	5	3	3	2			
Cambridge, Mass.	726	67	55	25	13	9	20	54	140	157	72	47	33	25	7	2		
Fall River, Mass.	960	110	85	31	16	28	32	58	214	204	72	46	30	23	8	3		
Lowell, Mass.	771	93	81	34	18	9	17	40	148	148	77	37	37	25	7			
Worcester, Mass.	1,265	92	66	23	12	16	31	61	306	280	147	78	61	18	3			
Detroit, Mich.	3,762	520	269	115	62	55	140	188	891	742	293	198	141	93	42	4	9	
Grand Rapids, Mich.	379	40	19	19	37	15	13	27	84	75	25	23	30	14	5		3	
Minneapolis, Minn.	1,405	115	43	26	15	19	41	87	358	334	148	73	62	49	24	5	1	
St. Paul, Minn.	1,029	75	40	22	11	8	22	70	288	265	76	46	53	32	19	2		
Kansas City, Mo. (total)	2,201	152	68	50	34	15	76	180	617	480	220	114	97	60	33	4	1	
White	1,968	128	57	40	34	15	65	167	560	422	196	101	92	54	32	4	1	
Colored	233	24	11	10			11	13	57	58	24	13	5	6	1			
St. Louis, Mo. (total)	4,063	292	207	98	72	54	118	233	825	904	422	310	258	181	79	8	1	
White	3,465	236	159	67	55	42	94	206	720	802	355	260	225	162	74	6	1	
Colored	598	56	48	31	17	12	24	27	105	102	67	50	33	19	5	2		
Omaha, Nebr.	1,171	97	51	26	18	18	46	70	306	288	92	62	45	38	13		1	
Jersey City, N. J.	2,212	212	146	88	37	30	90	139	540	450	199	131	79	50	19	2		
Newark, N. J.	2,743	197	204	97	58	37	72	182	743	612	221	145	107	48	19	1		
Paterson, N. J.	915	66	39	16	18	6	25	51	237	209	81	60	45	21	9	2		
Albany, N. Y.	745	61	42	9	10	5	17	51	171	198	68	42	38	25	8			
Buffalo, N. Y.	3,130	305	223	84	48	49	115	211	792	645	253	186	115	70	29	5		
New York, N. Y. (total)	31,240	2,756	2,127	946	569	367	990	2,099	7,621	6,477	2,803	1,879	1,404	883	283	33	1	
White	29,873	2,611	2,027	910	549	355	969	2,028	7,256	6,145	2,655	1,811	1,375	869	278	33	2	
Colored	1,367	145	100	36	20	12	21	71	365	332	148	68	29	14	5	1		
Bronx Borough	3,503	236	177	76	50	37	113	272	1,030	749	297	206	138	90	29	2		
Brooklyn Borough (total)	11,452	1,061	871	404	243	146	396	823	2,685	2,250	946	690	521	315	91	10		
White	11,093	1,020	844	395	234	141	390	805	2,587	2,176	909	671	512	309	90	10		
Colored	359	41	27	9	9	5	6	18	98	74	37	19	9	6	1			
Manhattan Borough (total)	13,101	1,220	893	370	226	143	337	746	3,139	2,802	805	599	393	132	12	1	1	
White	12,203	1,128	825	347	216	137	326	705	2,905	2,566	1,181	582	335	129	12	1		
Colored	893	92	63	23	10	6	11	41	234	236	101	42	17	8	3	1		
Queens Borough	2,357	181	141	78	35	25	116	199	550	498	219	130	106	56	18	5		
Richmond Borough	827	58	45	18	15	16	28	59	217	178	59	48	40	29	13	4		
Rochester, N. Y.	1,429	119	96	44	19	22	39	98	298	348	114	80	78	51	20	2	1	
Syracuse, N. Y.	1,000	107	58	28	13	12	23	45	237	236	93	55	46	30	15	2		
Cincinnati, Ohio (total)	2,396	151	99	47	23	18	53	142	592	610	258	127	118	110	44	3	1	
White	2,127	114	80	40	20	17	42	130	537	554	213	115	113	104	44	3		
Colored	269	37	19	7	3	1	11	12	55	56	45	12	5	6				
Cleveland, Ohio	4,482	389	218	131	67	45	152	212	1,163	1,129	452	241	155	94	27	5	2	
Columbus, Ohio (total)	963	77	44	23	16	7	29	60	206	252	85	53	60	35	14	1	1	
White	827	59	31	19	14	5	23	51	181	226	70	46	54	33	14	1		
Colored	136	18	13	4	2	2	6	9	25	26	15	7	6	2			1	
Dayton, Ohio	767	62	31	17	14	11	25	47	180	187	77	43	31	26	14	2		
Toledo, Ohio	925	89	52	23	12	16	35	53	227	217	69	43	43	34	10	1	1	
Portland, Oreg.	1,120	64	33	18	16	9	32	77	297	308	114	63	47	21	15	3	3	
Philadelphia, Pa. (total)	16,262	1,300	939	490	247	221	554	1,192	4,231	3,642	1,451	878	598	370	124	21	3	
White	14,807	1,148	821	428	226	199	510	1,095	3,898	3,312	1,292	811	566	356	121	21	3	
Colored	1,455	152	118	62	21	22	44	97	333	330	159	67	32	14	3			
Pittsburgh, Pa. (total)	7,098	544	394	227	116	88	250	466	1,527	1,531	837	504	357	188	60	5	4	
White	6,478	501	373	213	108	79	227	421	1,390	1,399	735	451	331	183	59	4		
Colored	620	43	21	14	8	9	23	45	137	132	102	53	26	5	1			
Scranton, Pa.	1,344	109	59	33	15	10	20	72	284	367	184	103	47	30	8	3		
Providence, R. I.	1,733	171	119	53	28	14	44	98	384	375	203	99	79	43	18	5		
Memphis, Tenn. (total)	973	60	29	18	15	8	40	89	236	217	112	49	43	29	9	1	18	
White	557	29	10	11	8	4	25	42	134									

MORTALITY STATISTICS.

RATIOS FOUND BY DIVIDING DEATHS OF 1918 FROM INFLUENZA AND PNEUMONIA (ALL FORMS) BY DEATHS OF 1915 FROM SAME CAUSES.

AREA AND COLOR.	All ages.	DEATHS AT AGE OF—															Deaths at unknown age.		
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.		
Registration states ¹	4.1	1.6	3.0	4.4	5.6	6.3	7.4	13.5	22.0	15.6	4.8	2.2	1.5	1.1	0.9	0.8	0.9	11.6	
California.....	5.6	2.3	3.1	7.2	8.6	4.8	6.8	18.8	25.1	24.9	7.6	2.9	1.6	1.1	0.9	1.0	2.0	14.0	
Colorado.....	4.7	1.6	2.5	3.3	6.5	3.6	6.9	13.5	19.6	17.3	5.4	2.0	1.6	1.1	0.9	0.4	(2)	65.0	
Connecticut.....	4.8	1.8	4.3	5.7	7.0	5.2	8.2	21.7	28.1	19.7	4.9	2.5	1.5	1.1	0.9	1.0	(3)	(2)	
Indiana.....	3.2	1.3	3.1	4.1	6.2	7.2	5.5	11.8	19.7	14.4	4.2	2.0	1.5	0.9	0.9	1.0	0.7	(2)	
Kansas.....	3.5	1.2	2.8	4.3	4.7	6.2	5.5	10.1	20.9	16.1	5.9	1.9	1.2	0.9	1.0	0.8	(3)	4.7	
Kentucky (total).....	4.3	2.3	4.3	6.6	7.0	11.3	9.7	15.3	16.5	11.9	4.5	2.1	1.4	1.1	0.8	1.1	4.0	10.7	
White.....	4.6	2.5	5.1	7.0	8.1	12.1	11.9	17.3	22.8	16.5	5.2	2.4	1.4	1.0	0.8	1.0	(2)	12.1	
Colored.....	2.9	1.6	2.1	4.5	3.6	7.0	3.8	8.8	6.1	4.3	3.0	1.4	1.1	1.6	1.0	1.5	2.0	7.6	
Maine.....	8.5	1.9	2.9	4.2	4.5	3.6	7.1	11.3	24.9	14.2	3.3	2.4	1.7	1.2	0.9	0.8	2.0	22.0	
Maryland (total).....	4.3	1.6	4.0	4.9	7.4	6.4	9.4	17.1	24.5	13.4	4.6	2.1	1.3	1.1	0.8	0.7	1.0	5.4	
White.....	4.9	1.9	4.9	5.1	8.0	7.4	10.6	26.3	36.7	19.7	6.2	2.2	1.3	1.1	0.9	0.8	1.0	12.0	
Colored.....	3.0	1.2	2.8	4.6	6.6	5.2	7.6	9.1	9.6	5.2	2.6	1.8	1.4	1.1	0.4	0.3	1.0	2.8	
Massachusetts.....	4.2	1.6	2.6	4.4	5.7	7.0	8.2	15.0	26.0	18.1	5.0	2.3	1.5	1.1	0.8	0.8	1.5	9.0	
Michigan.....	3.5	1.6	2.8	3.8	5.9	5.8	5.8	12.5	18.0	12.1	3.8	2.0	1.3	1.1	1.0	0.8	0.8	8.3	
Minnesota.....	4.0	1.3	2.9	4.0	3.7	8.1	6.8	13.9	30.5	16.8	5.6	2.1	1.6	0.9	0.7	0.9	2.0	(2)	
Missouri.....	3.3	1.5	2.8	3.3	6.5	4.5	7.1	11.6	16.0	11.0	3.7	1.8	1.4	1.0	0.8	0.8	1.5	7.3	
Montana.....	7.2	1.5	4.3	6.6	12.0	7.3	7.7	25.5	25.8	25.6	6.8	2.9	2.0	1.3	0.9	0.6	(2)	(2)	
New Hampshire.....	4.9	2.2	3.4	7.3	5.9	16.0	8.6	29.4	45.7	27.3	5.6	2.9	1.5	1.5	0.9	0.8	1.0	10.3	
New Jersey.....	4.7	1.8	3.3	4.1	4.7	5.7	8.9	14.2	24.4	16.0	4.9	2.4	1.6	1.2	1.0	0.8	(2)		
New York.....	3.2	1.3	1.9	2.9	3.5	4.5	6.1	10.6	16.2	10.8	3.1	1.9	1.3	1.1	0.9	0.8	0.5	7.2	
Ohio.....	3.7	1.5	3.1	4.2	5.8	7.8	6.8	12.5	24.4	18.5	5.0	2.1	1.3	0.9	0.7	0.5	1.0	5.0	
Pennsylvania.....	5.4	1.9	3.9	5.8	7.8	7.5	9.1	16.4	32.9	21.3	6.9	3.0	1.8	1.2	0.9	0.9	0.3	(2)	
Rhode Island.....	3.8	1.7	3.1	5.7	3.7	4.0	7.8	17.9	21.5	14.4	5.3	1.8	1.4	1.0	0.8	0.6	2.0		
Utah.....	4.4	1.3	2.6	3.4	25.0	3.3	8.9	14.3	23.8	13.7	4.3	1.7	1.5	0.8	0.7	(2)	(2)		
Vermont.....	3.9	1.6	3.4	2.8	3.3	(2)	7.8	11.7	29.4	24.3	5.7	2.9	1.5	0.9	1.0	0.7	(2)		
Virginia (total).....	4.2	1.9	4.0	5.9	6.9	13.4	8.7	13.1	11.5	10.5	4.0	1.9	1.3	1.0	0.7	4.5	10.0		
White.....	4.8	2.1	4.8	7.7	8.6	13.8	10.7	16.1	22.9	20.5	4.6	2.4	1.4	1.0	0.9	0.6	(2)	5.0	
Colored.....	3.4	1.8	3.3	4.5	5.4	12.9	6.8	10.3	5.5	5.4	3.4	1.5	1.1	0.9	1.4	1.3	4.0	(2)	
Washington.....	4.9	1.7	3.4	4.1	4.2	4.4	6.1	16.9	28.3	18.2	4.8	2.6	1.5	1.2	0.9	2.0	(3)	23.0	
Wisconsin.....	3.5	1.4	3.5	3.9	4.5	8.1	5.2	12.1	20.5	13.8	4.6	1.9	1.5	1.0	0.7	0.6	(2)	(2)	
Registration cities of 100,000 population or more in 1910 ⁴	3.7	1.5	2.4	3.6	4.5	5.5	6.2	10.3	16.5	11.0	3.6	1.9	1.4	1.0	0.8	0.7	1.4	15.8	
Birmingham, Ala. (total).....	5.8	2.7	4.7	8.2	4.3	9.5	24.7	19.0	13.5	10.7	6.0	2.2	1.3	2.2	0.9	1.0	(2)	8.0	
White.....	6.4	2.3	5.4	6.7	4.3	9.0	28.0	19.7	30.8	27.0	8.3	2.3	1.0	2.3	0.8	(2)	(2)		
Colored.....	5.3	2.7	4.1	10.5	4.3	10.0	23.0	18.5	5.8	6.0	4.8	2.2	2.8	2.0	1.0	0.5	(2)	7.0	
Los Angeles, Calif. (total).....	6.4	2.1	2.4	6.0	9.3	5.5	10.3	18.6	21.1	30.0	10.1	3.5	1.4	1.3	0.9	0.2	(2)		
White.....	6.4	2.0	2.6	5.5	17.5	7.0	18.0	20.0	20.7	29.5	9.8	3.6	1.5	1.2	0.9	0.3	(2)		
Colored.....	6.4	3.2	1.5	1.0	1.0	2.7	7.0	27.5	36.0	20.0	2.7	0.4	4.0	2.0	(2)				
Oakland, Calif.	5.6	2.2	2.2	11.5	(2)	16.0	5.8	9.4	28.5	25.5	8.0	2.2	1.5	1.1	2.1	0.8			
San Francisco, Calif. (total).....	5.1	1.7	2.4	6.0	11.0	6.7	3.8	17.0	16.8	14.5	5.4	2.7	1.7	1.2	0.8	2.5		(2)	
White.....	5.0	1.7	2.3	5.3	10.0	5.3	3.8	20.1	16.8	14.3	5.3	2.6	1.7	1.2	0.8	2.5		(2)	
Colored.....	7.4	1.2	3.5	(2)	(2)	3.0	6.0	16.0	21.5	9.5	9.0	6.0	(2)						
Denver, Colo.	4.1	1.9	2.8	1.8	9.5	2.8	6.0	12.5	24.7	12.9	3.9	2.2	1.7	1.0	0.8	0.3	(2)		
Bridgeport, Conn.	4.4	2.2	3.2	4.7	5.3	2.0	6.4	8.3	15.2	12.3	2.5	2.5	1.7	1.0	1.4	0.5		(2)	
New Haven, Conn.	3.9	1.6	3.3	4.0	5.3	13.0	7.0	16.0	27.1	16.6	3.3	1.7	1.3	1.2	1.0	0.7			
Washington, D. C. (total).....	4.0	1.9	2.6	4.3	2.9	4.8	6.0	8.0	18.9	10.7	3.0	1.9	1.3	1.2	0.8	0.6			
White.....	5.2	2.3	4.0	5.4	3.3	4.3	5.1	14.5	35.4	25.0	4.2	2.5	1.4	1.1	0.8	0.5			
Colored.....	2.8	1.6	2.0	3.7	2.7	5.5	4.9	4.0	4.7	2.2	1.5	1.0	1.5	1.0	0.8	1.0			
Atlanta, Ga. (total).....	3.1	1.9	3.4	3.2	(2)	4.5	3.8	5.5	4.8	6.2	2.8	1.5	1.7	1.6	1.1	(3)	4.0		
White.....	4.0	2.0	3.2	6.3	(2)	4.5	4.5	6.6	9.5	11.2	8.3	2.0	1.6	1.8	1.3	(3)			
Colored.....	2.5	1.8	3.8	1.9	(2)	1.0	3.2	4.9	3.5	4.1	1.6	1.2	1.8	1.1	0.7	4.0			
Chicago, Ill. (total).....	3.2	1.1	2.5	3.8	5.0	5.3	6.3	8.4	14.7	9.8	2.9	1.5	1.1	0.7	0.5	0.4	0.5	(2)	
White.....	3.1	1.1	2.4	3.8	5.0	5.4	6.3	8.5	15.0	10.1	2.9	1.5	1.1	0.7	0.5	0.5	(2)		
Colored.....	3.9	3.2	4.4	4.1	4.0	3.7	7.0	7.4	16.8	7.0	3.6	1.3	1.3	0.9	0.3	(2)	0.5		
Indianapolis, Ind. (total).....	3.4	1.5	3.0	2.9	4.1	4.8	7.3	9.6	11.7	10.2	2.8	2.7	1.6	0.8	0.8	0.3			
White.....	3.5	1.6	3.6	2.8	3.7	3.7	11.3	9.7	14.8	10.1	3.3	2.9	1.6	0.8	0.9	0.3			
Colored.....	2.7	1.2	1.2	3.3	7.0	(2)	2.0	9.5	11.3	1.5	1.8	1.3	1.4	0.3	(2)				
Louisville, Ky. (total).....	3.9	2.8	2.9	4.7	3.6	21.0	6.8	7.2	15.3	6.9	3.3	2.0	1.4	1.1	0.9	4.0		(2)	
White.....	5.1	3.4	3.9	5.4	5.0	18.0	9.0	13.2	46.7	12.4	3.5	2.5	1.8	0.9	1.0	(2)			
Colored.....	2.8	2.1	1.4	3.0	2.3	(2)	2.3	2.0	4.2	2.8	3.0	1.5	0.7	2.5	0.6	2.0	(2)		
New Orleans, La. (total).....	3.1	1.5	2.1	3.3	3.1	4.3	3.6	6.0	9.1	7.4	2.9	1.6	1.4	0.7	0.5	0.4	(2)	(2)	
White.....	4.0	2.2	2.7	3.0	4.7	8.5	4.4	25.8	18.6	16.5	4.0	1.6	1.4	0.7	0.4	0.6	(2)	(2)	
Colored.....	2.2	1.0	1.5	3.5	1.8	2.6	3.1	3.1	4.5	3.2	2.0	1.4	1.3	0.5	0.9	(2)	(2)		
Baltimore, Md. (total).....	4.1	1.6	4.2	3.4	8.1	10.3	8.8	14.0	125.9	10.6	3.1	2.1	1.3	1.0	1.1	0.6			
White.....	4.7	1.9	5.1	3.6	8.3	15.0	8.2	26.7	41.8	15.0	4.4	2.2	1.3	0.9	1.1	0			

CAUSES OF DEATH.

33

RATIOS FOUND BY DIVIDING DEATHS OF 1918 FROM INFLUENZA AND PNEUMONIA (ALL FORMS) BY DEATHS OF 1915 FROM SAME CAUSES—Continued.

AREA AND COLOR.	All ages.	DEATHS AT AGE OF—															Deaths at unknown age.		
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.		
Omaha, Nebr.	4.6	2.8	2.8	8.7	3.6	6.0	5.8	11.7	17.0	18.0	4.6	2.2	1.5	1.1	0.5	(3)	(2)		
Jersey City, N. J.	3.7	1.4	1.8	3.3	3.1	6.0	6.9	7.7	12.0	11.0	4.9	2.3	1.4	1.4	2.0	(3)	---		
Newark, N. J.	4.9	1.7	3.1	3.9	4.8	3.7	6.5	18.2	26.5	14.2	3.8	2.6	1.7	0.9	1.3	1.0	---		
Paterson, N. J.	4.4	1.5	2.2	2.7	18.0	(2)	6.3	16.2	23.7	12.3	3.5	1.9	1.8	1.1	1.5	(2)	---		
Albany, N. Y.	3.7	1.9	2.8	3.0	3.3	1.3	8.5	6.4	34.2	16.5	3.6	2.2	1.0	0.9	0.9	(3)	---		
Buffalo, N. Y.	4.0	1.7	2.7	2.8	3.2	9.8	7.7	16.2	22.6	14.0	3.5	2.6	1.4	0.9	0.6	0.8	(3)	---	
New York, N. Y. (total)	2.8	1.1	1.6	2.3	3.1	3.8	4.9	7.6	13.0	7.8	2.5	1.6	1.2	1.1	0.9	0.8	(3)	1.0	
White	2.8	1.1	1.6	2.3	3.1	3.8	5.0	7.5	13.5	7.8	2.5	1.6	1.2	1.1	0.9	0.8	---	1.0	
Colored	3.1	1.8	1.6	2.1	2.0	3.0	3.0	10.1	7.4	6.5	2.9	2.1	1.5	0.7	1.0	---	(2)	1.0	
Bronx Borough	3.3	1.0	1.5	2.5	3.8	6.2	12.6	9.4	16.9	9.9	2.8	1.7	1.0	1.0	0.9	0.3	---	(3)	
Brooklyn Borough (total)	3.0	1.2	1.7	2.6	3.4	3.4	4.7	8.1	14.0	8.0	2.8	1.7	1.3	1.1	0.9	0.7	---	(3)	
White	3.0	1.2	1.7	2.6	3.3	3.4	4.6	8.1	14.2	8.0	2.7	1.7	1.3	1.1	0.9	0.7	---	(3)	
Colored	3.4	1.5	1.6	1.8	4.5	5.0	6.0	9.0	9.8	8.2	4.6	2.4	2.3	0.5	0.5	---	---	---	
Manhattan Borough (total)	2.5	1.0	1.4	1.9	2.6	3.5	4.0	6.1	10.5	6.8	2.2	1.5	1.1	1.1	0.9	0.8	(3)	(3)	
White	2.4	1.0	1.3	1.8	2.7	3.5	4.1	5.9	11.0	6.8	2.2	1.4	1.2	1.1	0.9	0.8	---	(3)	
Colored	2.9	1.2	1.6	2.9	1.3	3.0	2.2	10.3	6.7	5.9	2.7	1.8	1.1	1.3	1.5	---	---	---	
Queens Borough	3.8	1.1	2.9	3.7	3.9	3.6	6.1	9.6	22.9	10.4	3.7	2.2	1.7	1.2	0.8	5.0	---	---	
Richmond Borough	4.4	1.5	2.8	2.0	3.8	(2)	9.3	59.0	19.7	12.7	4.2	2.0	2.1	1.3	1.4	2.0	---	---	
Rochester, N. Y.	4.6	1.7	3.7	6.3	2.4	22.0	4.9	14.0	24.8	15.8	3.7	3.0	2.4	1.9	0.7	0.7	(3)	---	
Syracuse, N. Y.	5.3	2.9	3.9	5.6	(2)	3.0	11.5	7.5	33.9	19.7	5.5	2.1	2.2	1.4	1.2	2.0	---	---	
Cincinnati, Ohio (total)	3.7	2.0	3.3	2.8	3.3	18.0	4.1	7.1	18.5	14.9	3.8	1.8	1.3	1.0	0.8	0.3	(3)	---	
White	3.7	1.6	3.3	2.7	3.3	(2)	3.8	9.3	25.6	17.9	3.7	1.7	1.3	0.9	0.8	0.3	(3)	---	
Colored	3.8	6.2	3.2	3.5	3.0	1.0	5.5	2.0	5.6	4.5	2.4	1.0	1.5	(3)	(3)	---	---	---	
Cleveland, Ohio	4.2	1.4	2.2	4.5	4.2	7.5	8.0	12.5	28.4	15.7	4.9	2.0	1.3	0.9	0.6	0.5	(2)	---	
Columbus, Ohio (total)	3.3	1.8	4.9	2.9	8.0	1.8	9.7	10.0	22.9	16.8	4.3	1.3	1.5	0.6	0.5	0.5	(2)	---	
White	3.2	1.7	3.9	2.7	7.0	1.3	23.0	10.2	22.6	17.4	4.1	1.2	1.4	0.6	0.6	0.5	---	---	
Colored	4.5	2.0	13.0	4.0	(2)	(2)	3.0	9.0	25.0	18.0	5.0	1.8	6.0	0.5	(3)	(3)	---	---	
Dayton, Ohio	4.0	1.2	2.8	4.3	7.0	(2)	2.8	47.0	20.0	17.0	5.9	2.7	1.1	1.2	0.9	1.0	(3)	---	
Toledo, Ohio	3.6	1.2	3.7	7.7	6.0	5.3	7.0	13.3	20.6	14.5	3.0	2.2	1.3	1.0	0.5	0.3	(3)	---	
Portland, Oreg.	6.9	2.2	1.9	4.5	16.0	4.5	10.7	15.4	37.1	34.2	7.1	3.2	2.9	1.0	1.7	3.0	(2)	---	
Philadelphia, Pa. (total)	5.1	2.3	3.4	5.6	5.5	8.2	8.5	14.4	24.3	15.3	4.8	2.3	1.4	1.1	0.8	1.1	(3)	---	
White	5.1	2.3	3.5	6.0	5.5	7.4	8.1	14.2	29.5	17.0	4.9	2.3	1.4	1.1	0.8	1.1	(3)	---	
Colored	4.5	2.3	2.7	3.9	5.3	(2)	22.0	16.2	7.9	7.7	4.4	2.2	1.5	1.2	1.5	(3)	---	---	
Pittsburgh, Pa. (total)	4.8	2.2	3.6	7.6	7.3	4.4	10.9	11.7	18.0	11.7	5.2	2.6	1.9	1.3	1.1	0.5	(3)	---	
White	4.8	2.1	3.7	7.9	7.7	4.2	11.4	11.7	18.5	12.3	5.1	2.5	1.8	1.3	1.1	0.4	(3)	---	
Colored	5.7	2.7	2.3	4.7	4.0	9.0	7.7	11.3	13.7	7.8	6.0	3.8	3.7	2.5	0.5	1.0	---	---	
Scranton, Pa.	4.5	1.3	2.4	6.6	3.8	3.3	1.8	8.0	25.8	19.3	6.3	3.3	1.9	1.2	0.5	0.6	---	---	
Providence, R. I.	3.9	2.0	3.2	6.6	3.1	3.5	6.3	16.3	20.2	12.9	5.0	1.7	1.4	0.8	1.1	0.6	---	---	
Memphis, Tenn. (total)	3.8	2.1	2.6	9.0	15.0	8.0	6.7	8.1	6.2	6.8	3.5	1.5	1.7	1.4	0.8	(3)	18.0	13.0	
White	5.7	2.1	3.3	(2)	(2)	4.0	6.3	42.0	22.3	12.5	4.8	2.3	1.4	0.7	(3)	(3)	---	---	
Colored	2.7	2.1	2.4	3.5	7.0	(2)	7.5	4.7	3.2	3.8	2.8	1.2	1.4	1.0	1.0	(3)	(3)	---	
Nashville, Tenn. (total)	5.1	2.0	4.1	5.8	11.0	(2)	15.3	7.9	13.3	12.1	4.8	3.6	2.2	1.8	2.8	1.0	(3)	---	
White	6.7	2.8	48.0	9.8	(2)	(2)	42.0	13.8	17.9	18.7	4.5	2.9	2.1	2.1	2.8	(3)	(3)	---	---
Colored	3.6	1.4	1.0	3.6	3.0	(2)	6.3	4.3	9.8	7.1	5.1	4.7	2.4	1.0	3.0	2.0	(3)	---	---
Richmond, Va. (total)	3.3	2.3	3.5	3.7	5.3	2.8	2.4	14.7	5.4	7.6	2.8	1.2	0.9	0.7	1.1	3.0	---	---	
White	4.5	2.5	3.9	5.7	4.0	(2)	4.3	4.3	14.8	16.9	2.8	1.6	1.0	0.7	1.3	3.0	---	---	---
Colored	2.4	2.1	3.3	3.0	6.5	1.5	1.5	12.7	2.3	4.0	2.7	1.0	0.8	0.8	1.0	1.0	(3)	---	---
Seattle, Wash.	5.9	2.3	2.5	1.6	12.0	(2)	6.3	45.5	22.5	15.5	3.8	2.3	2.0	2.0	0.9	1.0	1.0	(3)	---
Spokane, Wash.	5.3	2.5	3.7	(2)	0.7	(2)	16.0	(2)	28.3	15.4	6.9	2.7	0.8	1.0	1.3	1.3	1.3	1.3	---
Milwaukee, Wis.	3.1	1.4	3.0	3.0	6.4	16.5	3.9	13.1	19.1	10.5	2.9	1.6	1.4	0.9	0.6	1.3	(3)	---	---

¹ Registration states of 1915 (exclusive of District of Columbia and North Carolina).

³ No deaths shown for 1918.

² No deaths shown for 1915.

⁴ Registration cities here shown.

DEATH RATES FROM INFLUENZA AND PNEUMONIA (ALL FORMS) IN 1910, FOR THE ORIGINAL REGISTRATION STATES (EXCLUSIVE OF DISTRICT OF COLUMBIA), BY AGES, PER 100,000 POPULATION.

AGE PERIOD.	Population Apr. 15, 1920.	Deaths from influenza and pneumonia (all forms).	Rate per 100,000 population.
All ages.	23,714,511	41,433	174.7
Under 5 years.	2,380,772	15,056	632.4
Under 1 year.	503,126	8,847	1,758.4
5 to 9 years.	2,167,403	778	35.9
10 to 19 years.	4,276,881	1,025	24.0
20 to 29 years.	4,489,149	1,321	40.6
30 to 39 years.	3,719,238	2,619	70.4
40 to 49 years.	2,845,086	3,154	110.9
50 to 59 years.	1,929,035	3,700	706.2
60 years and over.	1,878,297	13,265	706.2
Age unknown.	28,650	15	52.4

The ratios shown for the last four months of 1918 and 1915 are naturally about three times as high as

the ratios relating to these two years. If one desires ratios by ages for the four-month period approximate figures can be obtained by multiplying by three the annual ratios shown in the table.

Special attention is called to the unusually high ratios for the age period 20 to 29. For example, in that age period, in the registration states of 1915 (exclusive of District of Columbia and North Carolina), the mortality in 1918 from these causes was approximately 22 times as great, while there was only a twofold increase in the age period 50 to 59. Yet if it be assumed that the death rates given for 1910 held for 1915, then the number of deaths for the age period 20 to 29 in the four months of 1918 was about 8.9 per 1,000 as against 4.2 for the age period 50 to 59. This example illustrates sufficiently the need of great care in interpreting the ratios.

MORTALITY STATISTICS.

INFLUENZA.

The number of deaths from influenza in 1918 is 244,681, corresponding to a rate of 298.9 per 100,000 population, as against 12,974 deaths in 1917 and a rate of 17.2. The highest rate for any year in the annual mortality reports, the first of which was published in 1900, was 32.2 for 1901.

The following table shows the rates per 100,000 population for the years 1911 to 1918 and the annual average for the five-year period 1906 to 1910, rates of 40 and higher being printed in bold-faced type:

AREA.	DEATH RATE FROM INFLUENZA PER 100,000 POPULATION. [Rates of 40 or more in bold-faced type.]								
	1918	1917	1916	1915	1914	1913	1912	1911	
The registration area ¹ . Registration states ² :	298.9 297.9	17.2 17.5	26.4 27.1	16.0 15.8	9.1 9.0	12.2 12.4	10.3 10.1	15.7 15.8	16.4 16.5
California.....	324.3 412.2	9.4 14.5	13.8 13.1	8.3 5.3	5.0 5.4	10.3 7.0	8.3 12.3	8.4 13.7	9.7 13.7
Colorado.....	441.0 320.7	25.3 23.0	38.7 40.1	18.5 18.1	13.9 12.8	16.7 14.8	14.6 15.8	23.5 16.0	26.0 (3)
Connecticut.....	253.2 200.9	(3) 21.4	(3) 34.4	(3) 17.0	(3) 9.4	(3) 14.3	(3) 14.6	(3) 18.3	(3) 20.3
Illinois.....	235.2 200.9	(3) 21.4	(3) 34.4	(3) 17.0	(3) 9.4	(3) 14.3	(3) 14.6	(3) 18.3	(3) 20.3
Indiana.....	200.9 235.6	21.4 29.3	34.4 39.3	17.0 25.6	9.4 9.5	14.3 (3)	14.6 (3)	15.7 (3)	16.4 (3)
Kansas.....	235.6 321.1	29.3 24.4	39.3 41.4	19.7 14.7	14.7 16.9	16.7 16.7	17.8 17.8	17.8 (3)	17.8 (3)
Kentucky (total).....	320.7 324.8	23.0 35.9	40.1 53.3	18.1 32.8	12.8 29.7	14.8 32.9	15.8 23.7	16.0 31.5	16.0 (3)
Louisiana (total).....	287.0 233.1	(3) (3)							
White.....	233.1 365.4	(3) (3)							
Colored.....	365.4 326.6	(3) 30.2	(3) 48.9	(3) 25.3	(3) 12.1	(3) 22.8	(3) 11.4	(3) 25.3	(3) 24.3
Maine.....	326.6 373.3	30.2 17.1	48.9 25.8	25.3 15.1	12.1 11.0	22.8 14.6	11.4 12.2	25.3 16.8	24.3 20.5
Maryland (total).....	373.3 363.9	17.1 14.9	25.8 23.1	15.1 13.7	11.0 10.0	14.6 12.9	12.2 10.3	16.8 14.0	20.5 18.3
White.....	363.9 420.8	14.9 28.2	23.1 39.0	13.7 21.6	10.0 15.8	12.9 22.2	10.3 20.7	14.0 28.6	18.3 30.4
Colored.....	420.8 337.0	28.2 12.4	39.0 18.3	21.6 8.5	15.8 5.9	22.2 9.2	20.7 6.9	28.6 10.0	30.4 15.9
Massachusetts.....	337.0 214.6	12.4 17.3	18.3 30.7	8.5 17.5	5.9 10.1	28.2 11.5	20.7 10.5	28.6 18.3	15.9 17.5
Michigan.....	214.6 249.3	17.3 9.5	30.7 18.2	17.5 10.5	10.1 4.8	11.5 8.5	10.5 3.4	18.3 8.5	17.5 (4)
Minnesota.....	249.3 207.5	9.5 23.8	18.2 35.0	10.5 21.3	4.8 10.3	8.5 17.0	3.4 15.2	8.5 25.9	8.5 (3)
Missouri.....	207.5 551.4	23.8 9.1	35.0 12.6	21.3 9.2	10.3 5.1	17.0 7.2	20.7 4.2	24.3 3.8	20.5 (4)
Montana.....	551.4 452.1	9.1 32.6	12.6 35.0	9.2 17.7	5.1 15.2	7.2 15.9	2.2 14.4	25.9 21.9	18.3 (4)
New Hampshire.....	452.1 301.0	32.6 13.8	35.0 23.2	17.7 11.0	16.5 7.3	13.8 8.9	26.6 7.2	27.1 11.2	26.6 9.7
New Jersey.....	301.0 214.4	13.8 14.4	23.2 19.2	11.0 12.9	7.3 7.9	10.5 10.9	27.1 8.0	21.8 14.4	27.1 15.1
New York.....	214.4 325.4	14.4 16.6	19.2 26.4	12.9 19.1	7.9 18.6	10.9 18.4	14.4 20.7	15.1 24.3	15.1 (4)
North Carolina (total).....	325.4 285.3	16.6 16.7	26.4 23.8	19.1 17.7	18.6 15.2	18.4 15.9	20.7 14.4	24.3 21.9	15.1 (4)
White.....	285.3 412.6	16.7 16.3	23.8 32.0	17.7 21.9	15.2 25.2	15.9 22.9	21.9 32.4	24.3 28.8	15.1 (4)
Colored.....	412.6 275.1	16.3 18.5	32.0 31.7	21.9 19.3	10.3 14.2	25.2 14.2	28.8 11.6	28.8 21.8	28.8 (4)
Ohio.....	275.1 180.1	18.5 (3)	31.7 (3)	19.3 (3)	10.3 (3)	14.2 (3)	11.6 (3)	21.8 (3)	21.8 (3)
Oregon.....	180.1 452.0	(3) 17.4	(3) 30.2	(3) 17.4	(3) 9.2	(3) 12.3	(3) 10.1	(3) 14.7	(3) 17.9
Pennsylvania.....	452.0 343.9	17.4 20.1	30.2 26.5	17.4 12.6	9.2 8.3	12.3 12.9	7.9 7.9	9.5 9.5	17.9 19.1
Rhode Island.....	343.9 379.6	20.1 18.5	26.5 26.6	12.6 17.7	8.3 15.2	12.9 15.9	7.9 14.4	21.9 21.9	17.9 (3)
South Carolina (total).....	379.6 301.3	18.5 13.2	26.6 23.4	17.7 21.4	10.3 25.2	15.5 22.9	14.4 32.4	23.8 28.8	17.9 (3)
White.....	301.3 449.0	13.2 23.2	23.4 29.4	13.2 (3)	10.3 (3)	14.2 (3)	14.2 (3)	23.8 (3)	17.9 (3)
Colored.....	449.0 271.7	23.2 24.5	29.4 (3)	19.3 (3)	10.3 (3)	14.2 (3)	14.2 (3)	23.8 (3)	17.9 (3)
Tennessee (total).....	271.7 255.0	24.5 23.4	(3) (3)						
White.....	255.0 337.8	23.4 28.8	(3) (3)						
Colored.....	337.8 313.5	28.8 10.1	(3) 15.2	(3) 12.7	(3) 6.3	(3) 11.1	(3) 7.1	(3) 6.5	(3) (4)
Utah.....	313.5 381.2	10.1 41.6	15.2 76.7	12.7 31.7	6.3 19.7	11.1 35.3	7.1 23.7	6.5 43.9	5.5 39.2
Vermont.....	381.2 424.0	41.6 21.0	76.7 38.3	31.7 18.9	7.1 12.1	19.7 13.4	43.9 (3)	39.2 (3)	39.2 (3)
Virginia (total).....	424.0 430.6	21.0 19.2	38.3 30.1	18.9 17.3	12.1 11.2	13.4 12.6	(3) (3)	(3) (3)	(3) (3)
White.....	430.6 408.8	19.2 25.0	30.1 40.5	17.3 22.6	11.2 14.0	12.6 15.1	(3) (3)	(3) (3)	(3) (3)
Colored.....	408.8 191.9	25.0 7.4	40.5 14.3	22.6 9.9	14.0 3.8	22.6 6.5	(3) 4.7	(3) 9.0	(3) (4)
Washington.....	191.9 245.6	7.4 15.5	14.3 29.9	9.9 15.8	3.8 7.1	6.5 11.2	4.7 8.6	9.0 12.9	4.7 (4)
Wisconsin.....	245.6 424.0	15.5 21.0	29.9 38.3	15.8 18.9	7.1 12.1	11.2 13.4	8.6 (3)	12.9 (3)	12.9 (3)

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

¹ Exclusive of Hawaii.

² Including the District of Columbia.

³ Not added to registration area until a later date.

⁴ Figures for deaths not available for the entire period.

⁵ Figures relate only to municipalities having a population of 1,000 or more in 1910.

⁶ Figures relate only to municipalities having a population of 1,000 or more in 1900.

ALL OTHER EPIDEMIC DISEASES.

In the International List of Causes of Death, titles 1 to 19 are assigned to the epidemic diseases, of which eight have been discussed. Of the others, no deaths are reported in 1918 for relapsing fever, miliary fever, Asiatic cholera, plague, and yellow fever. Every effort has been made by the Census Bureau to authenticate the returns of rare diseases before tabulating them under the designated titles; each case has been made the subject of a special inquiry, and either the existence of the disease has been verified or no reply has been received; in the latter case there is no alternative but to classify the death as reported.

In 1918 the 3 deaths reported from typhus fever are distributed as follows: Cecil County, Md., 1; Boston, Mass., 1; and Albemarle County, Va., 1.

Twenty-four deaths are reported from leprosy in 1918: Los Angeles, Calif., 1; San Francisco, Calif., 2; Fresno County, Calif., 1; Monterey County, Calif., 1; Key West, Fla., 1; Gibson County, Ind., 1; New Orleans, La., 2; Iberville Parish, La., 8; Jeff Davis Parish, La., 1; Manhattan Borough, New York City, 1; Syracuse, N. Y., 1; Philadelphia, Pa., 3; and Charleston, S. C., 1.

Dysentery is the cause of 4,725 deaths in 1918, corresponding to a rate of 5.8 per 100,000 population; 2,600 deaths are due to erysipelas, with a rate of 3.2 per 100,000 population; and cholera nostras is the cause of 299 deaths, with a rate of 0.4 per 100,000 population.

Under the title "Other epidemic diseases" is included a miscellaneous collection of diseases, and in 1918 the number of deaths charged to these is 581, distributed as follows: German measles, 191; mumps, 160; chicken pox, 113; rubella, 42; roseola, 23; rotheln, 14; French measles, 10; milk sickness, 8; dengue fever, 6; Rocky Mountain spotted fever, 5; Duke's disease and glandular fever, each 4; and framboesia 1. The 5 deaths from Rocky Mountain spotted fever occurred at the following places: Denver, Colo., 1; Ravalli County, Mont., 1; Manhattan Borough, New York City, 1; and Crook and Deschutes Counties, Oreg., each 1. The 6 deaths from dengue fever occurred at the following places: Tampa, Fla., 1; St. James Parish, La., 1; and Houston and San Antonio, Tex., each 2.

GLANDERS.

In 1918, as in 1917, only four deaths are reported as due to glanders. The distribution of deaths from this cause for each of the years 1911 to 1918, inclusive, is shown in the following table:

CAUSES OF DEATH.

35

AREA.	NUMBER OF DEATHS FROM GLANDERS.									AREA.	NUMBER OF DEATHS FROM ANTHRAX.								
	1918	1917	1916	1915	1914	1913	1912	1911	1918		1917	1916	1915	1914	1913	1912	1911		
SUMMARY.																			
The registration area ¹ ...	4	4	4	4	10	8	12	11											
Registration states ² ...	4	3	4	4	10	7	12	11											
Cities in registration states ² ...	3	2	4	4	5	6	9	7											
Rural part of registration states	1	1			5	1	3	4											
Registration cities in nonregistration states					1														
All registration cities ² ...	3	3	4	4	5	7	9	7											
REGISTRATION STATES.																			
California:																			
Cities	2	3																	
Rural districts	2	3																	
Colorado:																			
Rural districts	1	2																	
Connecticut:																			
Cities		1	1																
Rural districts	1																		
Indiana:																			
Cities	1	1																	
Rural districts	2																		
Kansas:																			
Cities		1																	
Rural districts	1	1																	
Kentucky:																			
Cities	1																		
Rural districts		2																	
Louisiana:																			
Cities	2	(3)	(3)	(3)	(3)	(3)	(3)	(3)											
Rural districts	4	(4)	(4)	(4)	(4)	(4)	(4)	(4)											
Maine:																			
Cities																			
Rural districts																			
Massachusetts:																			
Cities	1																		
Rural districts																			
New Hampshire:																			
Cities																			
Rural districts																			
New York:																			
Cities	1	1	3	2		1	6	5											
Rural districts																			
North Carolina:																			
Rural districts	-1		(3)	(3)	(4)	(4)	(4)	(4)											
Ohio:																			
Cities																			
Rural districts																			
Pennsylvania:																			
Cities	1																		
Rural districts																			
Rhode Island:																			
Cities																			
Vermont:																			
Rural districts																			
Virginia:																			
Cities	1																		
Washington:																			
Cities																			
Wisconsin:																			
Rural districts																			
REGISTRATION CITIES IN NON-REGISTRATION STATES.⁶																			
Pensacola, Fla.		1																	
Chicago, Ill.	(8)																		

¹ Exclusive of Hawaii.

² Including the District of Columbia.

³ Includes only municipalities having from 1,000 to 10,000 population in 1910.

⁴ Includes only municipalities having from 1,000 to 10,000 population in 1900.

⁵ Included with cities in nonregistration states.

⁶ Includes cities which were in nonregistration states for at least one year of the series shown.

⁷ Not added to registration area until a later date.

⁸ Included with cities in registration states.

ANTHRAX.

The distribution of deaths from anthrax for each of the years 1911 to 1918, inclusive, is shown in the following table:

AREA.	NUMBER OF DEATHS FROM ANTHRAX.								
	1918	1917	1916	1915	1914	1913	1912	1911	
SUMMARY.									
The registration area ¹ ...	43	62	28	35	19	25	18	14	
Registration states ² ...	41	60	25	34	16	23	17	11	6
Cities in registration states ² ...	19	41	15	19	11	10	10	6	
Rural part of registration states	22	19	10	15	5	13	7	5	
Registration cities in nonregistration states	2	2	3	1	3	2	1	3	
All registration cities ² ...	21	43	18	20	14	12	11	9	

¹ Exclusive of Hawaii.

² Including the District of Columbia.

³ Included with cities in nonregistration states.

⁴ Not added to registration area until a later date.

⁵ Includes only municipalities having from 1,000 to 10,000 population in 1910.

⁶ Includes only municipalities having from 1,000 to 10,000 population in 1900.

⁷ Includes cities which were in nonregistration states for at least one year of the series shown.

⁸ Included with cities in registration states.

MORTALITY STATISTICS.

RABIES.

In 1918 there were 63 deaths from rabies. The distribution of deaths from rabies is shown for each of the years, 1911 to 1918, inclusive, in the following table:

AREA.	NUMBER OF DEATHS FROM RABIES.									
	1918		1917		1916		1915		1914	
	1913	1912	1911	1910	1909	1908	1907	1906	1905	1904
SUMMARY.										
The registration area ¹ ...	63	66	36	52	65	95	74	83		
Registration states ² ...	59	61	33	47	56	75	60	69		
Cities in registration states ² ...	35	36	16	32	34	47	39	45		
Rural part of registration states...	24	25	17	15	22	28	21	24		
Registration cities in nonregistration states...	4	5	3	5	9	20	14	14		
All registration cities ² ...	39	41	19	37	43	67	53	59		
REGISTRATION STATES.										
California:										
Cities...				6	1	5	7	2		
Rural districts...			1		2	3	1	1		
Colorado:										
Cities...	1	1	1							
Rural districts...		1								
Connecticut:										
Cities...	3					1				
Rural districts...										
Illinois:										
Cities...	1	(3)	(3)	(3)	(3)	(3)	(3)	(3)		
Rural districts...	1	(4)	(4)	(4)	(4)	(4)	(4)	(4)		
Indiana:										
Cities...						4	1	3		
Rural districts...	2			1		1	2	1		
Kansas:										
Cities...			1		3	1	(3)	(3)		
Rural districts...						(4)	(4)	(4)		
Kentucky:										
Cities...	2	1	1	2	1	1				
Rural districts...	1		1	2	3	2	1			
Louisiana:										
Cities...	3	(3)	(3)	(3)	(3)	(3)	(3)	(3)		
Rural districts...	2	(4)	(4)	(4)	(4)	(4)	(4)	(4)		
Maryland:										
Cities...								2		
Rural districts...		2				1		1		
Massachusetts:										
Cities...				5	3	2				
Rural districts...				1	2	2		1		
Michigan:										
Cities...	1	1	2		1	1	3	2		
Rural districts...	1		1		1	1	2	1		
Minnesota:										
Cities...	1	1	1	1	1	1	2			
Rural districts...	1		1		1	2	1			
Missouri:										
Cities...	4	11	2	1	2	5	4	3		
Rural districts...	1	1	1	1	3	4	3	3		
New Hampshire:										
Cities...					1					
Rural districts...						1		1		
New Jersey:										
Cities...	3	3		1	1	6	4	9		
Rural districts...				1	2	1	1	4		
New York:										
Cities...	4	1	2	10	11	6	11			
Rural districts...	1	1	1	1	1	1	2			
North Carolina:										
Cities...				1						
Rural districts...	4	4	1	(5)	(5)	(5)	(5)	(5)		
Ohio:										
Cities...	7	2	1	6	3	4	3	4		
Rural districts...	1	3	3	1		2	3	4		
Pennsylvania:										
Cities...	4	3	4	5	8	4	4	6		
Rural districts...	4	3		1	6	1	5	4		
Rhode Island:						1	3			
Cities...										
South Carolina:										
Cities...	1	1	1	(3)	(3)	(3)	(3)	(3)		
Rural districts...	2	4	3	(4)	(4)	(4)	(4)	(4)		
Tennessee:										
Cities...	2	2	(7)	(3)	(3)	(3)	(3)	(3)		
Rural districts...	5	2	(4)	(4)	(4)	(4)	(4)	(4)		
Utah:										
Cities...	1									
Virginia:										
Cities...	2	1		1	2	2	(3)	(3)		
Rural districts...	2		2	1	2	4	(4)	(4)		
Washington:										
Cities...	1		2		1			1		
Rural districts...			1		1					
Wisconsin:										
Cities...	2	2				1		2		
Rural districts...		1				1				
Washington, D. C.					1	1	2		1	

(See footnotes at end of table.)

AREA.	NUMBER OF DEATHS FROM RABIES.								
	1918	1917	1916	1915	1914	1913	1912	1911	
REGISTRATION CITIES IN NON-REGISTRATION STATES.³									
Birmingham, Ala.	1							1	
Mobile, Ala.						1		1	
Montgomery, Ala.		1				1		1	
Jacksonville, Fla.		1				5		3	
Atlanta, Ga.		1					2		
Savannah, Ga.								1	
Aurora, Ill.	(3)						1	1	
Chicago, Ill.	(3)	2				2	5	2	5
Springfield, Ill.	(3)					1		1	
Coffeyville, Kans.	(3)	(3)	(3)	(3)	(3)	(3)	1		(4)
Wichita, Kans.	(3)	(3)	(3)	(3)	(3)	(3)		1	
New Orleans, La.	(3)	1			1	1	1	1	
Vicksburg, Miss.					1	(4)	(4)	(4)	(4)
Omaha, Nebr.						1	1		
Portland, Oreg.	(3)							2	
Charleston, S. C.	(3)	(3)	(3)				1		
Jackson, Tenn.	(3)	(3)	(3)				1	(4)	(4)
Memphis, Tenn.	(3)	(3)	(3)				1	1	
Nashville, Tenn.	(3)	(3)	(3)					1	
Dallas, Tex.	2					(4)	(4)	1	(4)
El Paso, Tex.							1	1	
Galveston, Tex.	1								

¹ Exclusive of Hawaii.² Including the District of Columbia.³ Included with cities in nonregistration states.⁴ Not added to registration area until a later date.⁵ Includes only municipalities having from 1,000 to 10,000 population in 1910.⁶ Includes only municipalities having from 1,000 to 10,000 population in 1900.⁷ Transcripts for deaths not received.⁸ Includes cities which were in nonregistration states for at least one year of the series shown.⁹ Included with cities in registration states.

PELLAGRA.

AREA.	NUMBER OF DEATHS FROM PELLAGRA.								
	1918	1917	1916	1915	1914	1913	1912	1911	
SUMMARY.									
The registration area ¹ ...	3,741	3,666	2,390	2,843	1,550	1,015	674	659	
Registration states ² ...	3,126	2,843	1,807	1,058	847	573	326	322	
Cities in registration states ² ...	930	801	558	437	391	260	166	163	
Rural part of registration states...	2,196	2,042	1,249	621	456	313	160	159	
Registration cities in nonregistration states...	615	823	583	1,785	703	442	348	337	
All registration cities ² ...	1,545	1,624	1,141	2,222	1,094	702	514	500	
REGISTRATION STATES.									
California:									
Cities...	16	8	14	11	14	14	13	4	5
Rural districts...	6	16	11	17	14		6	6	7
Colorado:									
Cities...	2	2	2	2	2	5	1	2	3
Rural districts...		2	1	2	2	4	2	5	3
Connecticut:									
Cities...	4	4	1	1	4	3	3	3	3
Rural districts...			1			2	1		
Illinois:									
Cities...	8	(3)	(2)	(2)	(2)	(2)	(2)	(2)	
Rural districts...	18	(3)	(2)	(2)	(2)	(2)	(2)	(2)	
Indiana:									
Cities...	3	4	1	3	1	1	1	1	2
Rural districts...	9	2	3	6	1	3	3	3	1
Kansas:									
Cities...	8	12	3	6	11	(3)	(3)	(3)	
Rural districts...	14	16	7	22	7	(4)	(4)	(4)	
Kentucky:									
Cities...	27	37	8	14	18	16	16	16	19
Rural districts...	120	160	116	135	131	88	84	84	46

(See footnotes at end of table.)

CAUSES OF DEATH.

37

AREA.	NUMBER OF DEATHS FROM PELLAGRA.									AREA.	NUMBER OF DEATHS FROM PELLAGRA.								
	1918	1917	1916	1915	1914	1913	1912	1911	1918		1917	1916	1915	1914	1913	1912	1911		
REGISTRATION STATES—contd.																			
Louisiana:										Springfield, Ill.	(9)	(9)	1						
Cities	100	(3)	(3)	(3)	(3)	(3)	(3)	(3)		Coffeyville, Kans.	(9)	(9)	(9)	(9)	(9)	(9)	1	(4)	
Rural districts	163	(4)	(4)	(4)	(4)	(4)	(4)	(4)		Kansas City, Kans.	(9)	(9)	(9)	(9)	(9)	(9)	1	(4)	
Maine:										Parsons, Kans.	(9)	(9)	(9)	(9)	(9)	(9)	2	1	
Cities	10	10	5	4	4	3	4	4		Topeka, Kans.	(9)	(9)	(9)	(9)	(9)	(9)	1	(4)	
Rural districts	6	9	10	6	5	7	1												
Maryland:										Wichita, Kans.	(9)	(9)	(9)	(9)	(9)	(9)	3		
Cities	5	5	2	9	4	11	6	3		Alexandria, La.	(9)	5	(4)	(4)	(4)	(4)	(4)	(4)	
Rural districts	13	11	1	7	3	3	2			Baton Rouge, La.	(9)	8	(4)	(4)	(4)	(4)	(4)	(4)	
Massachusetts:										Lake Charles, La.	(9)	1	(4)	(4)	(4)	(4)	(4)	(4)	
Cities	15	10	23	16	13	8	4	1		Monroe, La.	(9)	5	(4)	(4)	(4)	(4)	(4)	(4)	
Rural districts	6	9	17	9	6	5	1												
Michigan:										New Orleans, La.	(9)	50	46	76	67	53	23	28	
Cities	7	5	3	8	2	7	2	1		Shreveport, La.	(9)	28	(4)	(4)	(4)	(4)	(4)	(4)	
Rural districts	2	1	2	4	2	1				Hattiesburg, Miss.	6	8	14	36	(4)	(4)	(4)	(4)	
Minnesota:										Jackson, Miss.	82	108	90	122	(4)	(4)	(4)	(4)	
Cities	2									Meridian, Miss.	43	59	19	62	(4)	(4)	(4)	(4)	
Rural districts										Natchez, Miss.	9	16	17	18	(4)	(4)	(4)	(4)	
Missouri:										Vicksburg, Miss.	15	25	14	52	(4)	(4)	(4)	(4)	
Cities	11	19	11	12	14	9	3	8		Lincoln, Nebr.	1								
Rural districts	45	40	30	22	10	14	12	10		Omaha, Nebr.									
Montana:										Portland, Oreg.	(9)				1	1			
Rural districts																			
New Hampshire:										Charleston, S. C.	(9)	(9)	(9)	139	85	56	49	30	
Cities	2	3	8	2	9	1				Columbia, S. C.	(9)	(9)	(9)	384	(4)	(4)	(4)	(4)	
Rural districts		2	3	3	1	1				Greenville, S. C.	(9)	(9)	(9)	31	(4)	(4)	(4)	(4)	
New Jersey:										Spartanburg, S. C.	(9)	(9)	(9)	19	(4)	(4)	(4)	(4)	
Cities	2	1	3	3	4	2	1	1		Chattanooga, Tenn.	(9)	(9)	(7)	52	21	(4)	(4)	(4)	
Rural districts		1	1	2	1					Jackson, Tenn.	(9)	(9)	(9)	7	9	(4)	(4)	(4)	
New York:										Knoxville, Tenn.	(9)	(9)	(9)	33	16	(7)	7	12	
Cities	18	28	22	8	12	5	2	1		Memphis, Tenn.	(9)	(9)	(9)	104	107	37	26	13	
Rural districts	3	1	6	4	2	2				Nashville, Tenn.	(9)	(9)	(9)	35	21	20	7	12	
North Carolina:										Beaumont, Tex.	7	7	5	(4)	(4)	(4)	(4)	(4)	
Cities	143	128	97	195	147	96	93	105		Cleburne, Tex.	3	2		(4)	(4)	(4)	(4)	(4)	
Rural districts	553	492	388	5152	5101	661	636	672		Dallas, Tex.	36	24	30	(4)	(4)	(4)	(4)	(4)	
Ohio:										El Paso, Tex.	5	11	1	4					
Cities	3	2	4	2	1					Galveston, Tex.	7	3	8	11	9	4	6	6	
Rural districts	4	1	1	3						Houston, Tex.	25	25	(4)	(4)	(4)	(4)	(4)	(4)	
Oregon:										San Antonio, Tex.	29	18	16	31	17	13	4	7	
Cities	1	(3)	(3)	(3)	(3)	(3)	(3)	(3)		Alexandria, Va.	(9)	(9)	(9)	(9)	(9)	(9)	1		
Rural districts		1	(4)	(4)	(4)	(4)	(4)	(4)		Danville, Va.	(9)	(9)	(9)	(9)	(9)	(9)	10	4	
Pennsylvania:										Lynchburg, Va.	(9)	(9)	(9)	(9)	(9)	(9)	6	3	
Cities	4	5	2	5	5	5	5	4		Norfolk, Va.	(9)	(9)	(9)	(9)	(9)	(9)	11	5	
Rural districts	3		2	1	1	2	1			Petersburg, Va.	(9)	(9)	(9)	(9)	(9)	(9)	5	3	
Rhode Island:										Richmond, Va.	(9)	(9)	(9)	(9)	(9)	(9)	12	12	
Cities	7	6	8	9	13	9	9	7		Roanoke, Va.	(9)	(9)	(9)	(9)	(9)	(9)	3	2	
Rural districts					1														
South Carolina:																			
Cities	273	241	257	(3)	(3)	(3)	(3)	(3)											
Rural districts	468	473	472	(4)	(4)	(4)	(4)	(4)											
Tennessee:																			
Cities	144	153	(7)	(4)	(4)	(4)	(4)	(4)											
Rural districts	532	597	(4)																
Vermont:																			
Cities	1	2		1	2	2	2	3											
Rural districts	4	3		2	2	2	3	3											
Virginia:																			
Cities	104	101	74	110	94	57	(8)	(3)											
Rural districts	223	201	174	222	156	103	(4)	(4)											
Washington:																			
Cities																			
Rural districts																			
Wisconsin:																			
Cities	1	1	1	1	2	3	2	2											
Rural districts	1	2		1	2	3	2	3											
Washington, D. C.	9	14	9	16	14	10	6	1											
REGISTRATION CITIES IN NON-REGISTRATION STATES. ⁸																			
Birmingham, Ala.	109	81	50	116	44	38	26	21											
Mobile, Ala.	35	57	45	55	23	22	7	16											
Montgomery, Ala.	37	52	37	54	38	31	33	25											
Jacksonville, Fla.	17	23	22	52	15	14	16	8											
Key West, Fla.						1													
Pensacola, Fla.	12	15	9	25	9	4	(4)	(4)											
Tampa, Fla.	8	5	4	12	(4)	(4)	(4)	(4)											
Atlanta, Ga.	93	98	80	134	110	82	66	106											
Brunswick, Ga.	(7)	4	7	(4)	(4)	(4)	(4)	(4)											
Augusta, Ga.	(7)	38	36	56	46	23	(4)	(4)											
Savannah, Ga.	31	37	28	54	54	33	20	13											
Chicago, Ill.	(9)	6	6	9	7	4	7	1											
Decatur, Ill.	(9)	1		4	1	1													
Jacksonville, Ill.	(9)					1													
Quincy, Ill.	(9)						1												

(See footnotes at end of table.)

¹ Exclusive of Hawaii.
² Including the District of Columbia.
³ Included with cities in nonregistration states.
⁴ Not added to registration area until a later date.
⁵ Includes only municipalities having from 1,000 to 10,000 population in 1910.
⁶ Includes only municipalities having from 1,000 to 10,000 population in 1900.
⁷ Transcripts for deaths not received.
⁸ Includes cities which were in nonregistration states for at least one year of the series shown.
⁹ Included with cities in registration states.

TUBERCULOSIS (ALL FORMS).

Tuberculosis (all forms) includes eight titles of the International List of Causes of Death. The number of deaths reported in 1918 from this cause is 122,040, corresponding to a rate of 149.1 per 100,000 population, and constituting 8.3 per cent of total deaths from all causes. The death rate for 1918 is higher than that for 1917 (146.4).

The following table shows the rates per 100,000 population for the years 1911 to 1918, and the annual average for the five-year period 1906 to 1910, with rates of 175 or more printed in bold-faced type.

MORTALITY STATISTICS.

AREA.	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION [Rates of 175 or more in bold-faced type.]								
	1918	1917	1916	1915	1914	1913	1912	1911	Annual average, 1906 to 1910. ¹
	1918	1917	1916	1915	1914	1913	1912	1911	1910. ¹
The registration area ² .	149.1	146.4	141.6	145.8	146.8	147.6	149.5	158.9	168.7
Registration states ³ .	147.9	144.2	139.3	141.5	143.3	144.6	145.9	155.6	163.5
California.....	195.4	184.7	180.9	198.6	195.0	203.2	200.0	206.8	210.4
Colorado.....	218.7	173.1	163.3	168.0	181.7	185.9	203.6	218.0	244.2
Connecticut.....	160.3	166.3	147.2	143.3	148.1	140.5	142.9	149.5	154.2
Illinois.....	136.5	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Indiana.....	142.1	141.3	136.0	143.8	147.6	149.7	147.9	155.0	171.2
Kansas.....	56.0	56.5	54.4	54.7	56.8	(*)	(*)	(*)	(*)
Kentucky (total).....	198.0	197.9	194.4	201.0	207.8	201.5	208.7	229.3	(*)
White.....	168.6	165.6	163.2	167.8	175.6	172.7	178.9	196.7	(*)
Colored.....	460.7	481.2	463.4	482.2	456.7	424.7	439.8	483.1	(*)
Louisiana (total).....	175.1	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
White.....	104.7	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Colored.....	277.6	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Maine.....	118.5	114.7	116.1	124.5	120.7	126.9	133.5	142.0	154.5
Maryland (total).....	213.7	201.1	200.0	191.1	202.1	194.5	192.6	203.3	203.3
White.....	167.2	154.1	151.4	144.9	157.5	148.6	150.8	152.1	159.1
Colored.....	446.8	433.8	438.4	416.1	405.8	404.2	383.1	437.7	400.6
Massachusetts.....	158.7	144.1	147.4	140.2	141.9	144.2	147.5	153.2	169.9
Michigan.....	114.5	107.7	101.9	98.3	93.3	91.7	94.2	96.0	99.7
Minnesota.....	104.3	101.9	104.6	101.4	107.6	107.4	108.5	120.2	(*)
Missouri.....	141.8	146.8	145.0	148.7	143.5	148.6	154.6	154.0	(*)
Montana.....	104.0	116.1	113.4	118.8	109.2	108.3	115.4	107.1	(*)
New Hampshire.....	124.6	112.8	113.4	121.4	123.3	120.2	112.5	121.5	137.3
New Jersey.....	156.4	155.4	150.3	153.2	154.5	153.3	155.2	174.1	184.3
New York.....	160.7	159.9	155.1	163.9	168.1	167.1	167.7	177.7	189.3
North Carolina (total).....	140.9	139.7	148.9	9231.1	245.8	229.8	238.5	256.8	(*)
White.....	97.1	98.1	103.5	150.6	181.5	171.1	168.4	183.5	(*)
Colored.....	237.6	235.3	248.5	388.6	368.2	337.7	367.4	391.4	(*)
Ohio.....	144.8	142.4	132.5	130.0	132.2	137.8	147.9	(*)	
Oregon.....	76.0	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Pennsylvania.....	147.4	135.3	130.1	126.9	123.9	120.9	123.9	135.4	141.0
Rhode Island.....	189.4	162.5	166.7	157.0	158.3	162.7	160.5	170.9	192.3
South Carolina (total).....	144.2	144.6	145.9	(*)	(*)	(*)	(*)	(*)	
White.....	69.4	71.4	63.2	(*)	(*)	(*)	(*)	(*)	
Colored.....	210.5	208.7	213.4	(*)	(*)	(*)	(*)	(*)	
Tennessee (total).....	206.2	198.5	(*)	(*)	(*)	(*)	(*)	(*)	
White.....	152.0	155.9	(*)	(*)	(*)	(*)	(*)	(*)	
Colored.....	421.2	365.8	(*)	(*)	(*)	(*)	(*)	(*)	
Utah.....	46.1	43.3	49.3	44.5	50.4	48.9	40.3	46.8	(*)
Vermont.....	100.8	90.4	107.8	91.1	101.0	107.4	100.4	118.7	127.4
Virginia (total).....	186.7	172.2	177.1	184.2	182.0	168.7	(*)	(*)	
White.....	128.5	110.9	120.1	118.2	125.8	119.6	(*)	(*)	
Colored.....	319.5	310.7	304.2	230.4	298.5	270.3	(*)	(*)	
Washington.....	82.6	81.7	81.3	86.7	88.5	92.4	91.7	106.7	(*)
Wisconsin.....	95.5	98.3	93.1	96.4	100.2	97.9	99.6	103.8	(*)

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

¹ Including scrofula.

² Exclusive of Hawaii.

³ Including the District of Columbia.

⁴ Not added to registration area until a later date.

⁵ Figures for deaths not available for the entire period.

⁶ Figures relate only to municipalities having a population of 1,000 or more in 1910.

⁷ Figures relate only to municipalities having a population of 1,000 or more in 1900.

In discussions of tuberculosis in previous years attention has been directed to the fact that there are many localities to which persons afflicted with this disease are attracted because of climatic conditions favorable to the treatment of this disease. States and cities which annually show high death rates from tuberculosis (all forms) are not always those which have conditions tending to the development of tuberculous diseases, but often are health resorts.

Of the 22 registration states for which rates appear for all the years, 3 (California, Kentucky, and Maryland) have higher rates than 175 for each year from 1911 to 1918. In fact, these 3 states have had rates above 175 each year since they were added to the registration area—California and Maryland in 1906 and Kentucky in 1911.

The states which show the highest rates in 1918 from tuberculosis (all forms) are Colorado (219.7), Maryland (213.7), Tennessee (206.2), Kentucky (198), and California (195.4). The states with the lowest rates are Utah (46.1), Kansas (56), Oregon (76), Washington (82.6), and Wisconsin (95.5).

TUBERCULOSIS OF THE LUNGS.

The number of deaths in 1918 from tuberculosis of the lungs, including acute miliary tuberculosis, is 108,365. The death rate (132.4 per 100,000 population) is considerably higher than the rate for 1917 (128.9).

The following table shows the rates per 100,000 population for 1911 to 1918, and the annual average for the five-year period 1906 to 1910, rates of 150 and higher being printed in bold-faced type:

AREA.	DEATH RATE FROM TUBERCULOSIS OF THE LUNGS ¹ PER 100,000 POPULATION. [Rates of 150 or more in bold-faced type.]								
	1918	1917	1916	1915	1914	1913	1912	1911	Annual average, 1906 to 1910. ²
	1918	1917	1916	1915	1914	1913	1912	1911	1910. ²
The registration area ² .	132.4	128.9	123.8	127.7	127.8	127.7	129.9	138.0	146.8
Registration states ³ .	131.2	126.8	121.7	123.8	124.4	124.8	126.4	134.7	141.7
California.....	175.4	163.7	160.1	172.2	170.3	175.6	174.0	180.8	184.3
Colorado.....	208.0	164.1	159.5	158.2	167.8	170.6	180.2	202.7	225.9
Connecticut.....	137.3	139.2	125.3	122.8	126.0	121.0	121.5	127.7	134.6
Illinois.....	122.3	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Indiana.....	122.2	121.4	115.5	123.9	125.0	125.0	124.0	131.4	144.9
Kansas.....	49.5	47.9	47.4	47.9	49.3	(*)	(*)	(*)	(*)
Kentucky (total).....	176.7	174.0	170.5	178.6	182.2	176.2	183.4	200.4	(*)
White.....	149.3	144.3	141.5	147.5	152.8	150.3	155.8	170.6	(*)
Colored.....	421.6	434.3	420.9	442.2	409.4	376.8	397.2	432.2	(*)
Louisiana (total).....	163.6	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
White.....	96.3	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Colored.....	261.6	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Maine.....	95.9	93.4	95.9	100.4	94.3	96.2	106.4	116.5	124.7
Maryland (total).....	194.1	182.4	181.0	171.3	181.0	174.6	169.9	178.8	182.3
White.....	152.4	138.2	138.1	123.8	141.2	132.5	132.2	132.4	141.8
Colored.....	403.0	401.2	391.6	377.6	362.8	366.6	348.8	391.2	363.4
Massachusetts.....	136.1	123.7	123.6	118.1	118.8	120.8	125.6	129.3	144.6
Michigan.....	99.2	93.1	86.5	84.8	79.4	77.4	80.2	81.2	84.9
Minnesota.....	89.3	87.6	87.7	84.3	89.9	88.0	90.2	100.4	(*)
Missouri.....	129.3	133.1	126.9	131.0	132.3	126.7	129.9	137.2	(*)
Montana.....	91.3	102.8	99.0	104.9	92.5	93.3	102.8	91.3	(*)
New Hampshire.....	106.4	94.1	96.9	101.2	99.8	98.9	94.8	104.6	115.2
New Jersey.....	140.3	137.0	132.9	136.2	137.2	134.2	136.8	151.4	160.9
New York.....	142.2	141.9	137.2	144.3	148.3	145.9	146.9	154.9	165.3
North Carolina (total).....	129.6	126.2	134.9	207.9	221.7	203.8	211.8	223.5	(*)
White.....	88.6	85.9	92.0	133.3	160.2	149.7	147.2	163.3	(*)
Colored.....	220.1	214.7	228.9	254.0	328.7	303.3	330.6	351.2	(*)
Ohio.....	125.0	124.2	114.5	113.5	112.8	113.1	118.3	127.4	(*)
Oregon.....	63.3	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Pennsylvania.....	129.8	117.0	112.3	110.6	107.2	104.5	108.3	117.9	122.4
Rhode Island.....	143.1	141.4	142.9	132.7	134.6	138.4	132.4	145.1	161.5
South Carolina (total).....	138.1	136.0	136.5	(*)	(*)	(*)	(*)	(*)	(*)
White.....	64.5	64.2	62.1	(*)	(*)	(*)	(*)	(*)	(*)
Colored.....	199.5	198.9	201.1	(*)	(*)	(*)	(*)	(*)	(*)
Tennessee (total).....	185.8	177.0	(*)	(*)	(*)	(*)	(*)	(*)	(*)
White.....	136.3	136.7	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Colored.....	381.8	335.1	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Utah.....	39.2	25.4	40.1	36.1	40.8	41.5	33.4	37.9	(*)
Vermont.....	85.5	74.3	90.5	74.8	80.6	88.3	80.6	97.1	104.7
Virginia (total).....	170.1	153.7	156.8	166.2	161.8	149.6	(*)	(*)	(*)
White.....	115.9	96.0	104.2	103.4	108.7	103.5	(*)	(*)	(*)
Colored.....	293.9	283.9	274.0	304.6	271.6	244.9	(*)	(*)	(*)
Washington.....	69.2	67.5	66.5	74.6	69.9	74.9	73.7	84.3	(*)
Wisconsin.....	82.1	84.5	79.7	83.0	85.0	84.3	85.9	88.0	(*)

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too

CAUSES OF DEATH.

39

Tuberculosis of the lungs, including acute miliary tuberculosis, represents 88.8 per cent of all forms of tuberculosis in 1918, and is slightly higher than the corresponding per cent (88) for 1917.

States with the highest rates in 1918 are Colorado (208), Maryland (194.1), Tennessee (185.8), Kentucky (176.7), and California (175.4). States which have the lowest rates are Utah (39.2), Oregon (63.3), Washington (69.2), Wisconsin (82.1), and Minnesota (89.3).

Only four states—California, Colorado, Kentucky, and Maryland—show rates of 150 or higher for every one of the past eight years.

The same caution which was given for tuberculosis (all forms) should be exercised in making comparisons for pulmonary tuberculosis. The mortality from this cause among Negroes and among certain other races is markedly high, for which reason the composition of a given population in respect to color and race should be carefully considered.

CANCER.

The number of deaths in 1918 from cancer and other malignant tumors is 65,340, corresponding to a rate of 79.8 per 100,000 population, against 81.6 in 1917. The rate for 1918 shows an increase of 26.7 per cent over the rate for 1900 (63), and the increase is continuous during this period if the years 1906, 1911, 1917, and 1918 are excepted.

The following table shows the rates per 100,000 population for 1911 to 1918, and the annual average for the five-year period 1906 to 1910, rates of 80 and higher being printed in bold-faced type.

AREA.	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 POPULATION. [Rates of 80 or more in bold-faced type.]							
	1918	1917	1916	1915	1914	1913	1912	1911
The registration area ¹ .	79.8	81.6	81.8	81.1	79.4	78.9	77.0	74.3
Registration states ² .	79.8	81.2	81.5	80.9	79.0	78.6	76.9	74.0
California.	106.0	105.1	99.5	99.1	97.9	97.6	90.7	82.6
Colorado.	69.4	63.1	59.3	53.4	58.3	50.7	58.0	55.3
Connecticut.	97.9	95.7	93.5	92.6	86.5	85.1	81.4	78.5
Illinois.	82.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana.	90.0	89.8	85.2	82.8	79.1	81.6	74.0	71.3
Kansas.	68.3	67.9	68.9	63.4	61.3	(3)	(3)	(3)
Kentucky (total).	52.9	58.8	51.0	49.7	46.0	48.0	44.9	42.7
White.	52.8	53.2	51.1	49.2	46.1	48.0	45.5	42.0
Colored.	53.5	59.1	50.5	54.4	45.4	48.3	40.7	48.2
Louisiana (total).	46.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White.	50.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored.	40.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine.	107.5	105.9	113.1	106.6	107.6	107.5	110.1	98.6
Maryland (total).	86.6	90.0	87.7	89.7	81.4	82.8	70.0	73.0
White.	92.1	94.8	93.6	96.5	86.1	86.9	83.5	78.0
Colored.	59.1	65.9	58.9	57.1	60.2	64.4	58.2	49.9
Massachusetts.	107.2	108.3	109.2	104.0	101.2	101.4	97.6	94.4
Michigan.	92.4	89.0	88.4	84.7	80.5	81.5	78.6	74.5
Minnesota.	83.0	83.7	86.1	79.2	76.8	75.1	69.7	67.8
Missouri.	72.2	73.9	73.9	67.7	69.0	67.1	64.2	59.4
Montana.	57.4	58.8	53.8	50.0	51.5	49.4	40.4	40.0
New Hampshire.	107.3	105.3	111.4	109.4	100.8	104.4	107.4	96.8
New Jersey.	80.7	83.9	82.2	81.1	79.0	78.4	76.5	67.3

AREA.	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 POPULATION. [Rates of 80 or more in bold-faced type.]								Annual average, 1906 to 1910.
	1918	1917	1916	1915	1914	1913	1912	1911	
New York.	93.2	93.6	92.0	92.0	90.0	87.8	86.2	86.3	79.4
North Carolina (total).	43.5	43.0	45.1	55.9.5	57.8	67.9	66.8	64.8	(4)
White.	46.2	46.4	48.1	62.6	61.4	46.7	62.8	59.4	(4)
Colored.	37.6	35.4	38.5	53.4	51.0	50.1	45.7	46.3	(4)
Ohio.	91.0	91.8	91.2	85.0	83.1	81.8	80.3	76.4	(4)
Oregon.	72.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania.	76.1	78.9	76.6	74.0	72.7	72.2	68.1	66.4	62.3
Rhode Island.	89.4	95.4	92.6	92.1	91.2	93.3	89.8	88.0	84.9
South Carolina (total).	34.4	36.8	34.6	(8)	(8)	(8)	(8)	(8)	(8)
White.	42.3	46.2	41.6	(8)	(8)	(8)	(8)	(8)	(8)
Colored.	27.4	28.6	28.5	(8)	(8)	(8)	(8)	(8)	(8)
Tennessee (total).	44.0	46.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White.	44.3	47.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored.	42.6	44.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah.	50.5	53.4	55.7	48.3	45.8	52.1	47.6	51.9	(4)
Vermont.	99.7	107.7	114.9	104.0	109.9	111.7	110.4	101.0	96.7
Virginia (total).	54.8	53.3	57.0	53.7	48.9	48.4	(3)	(3)	(3)
White.	58.2	55.5	63.1	59.4	52.9	52.4	(3)	(3)	(3)
Colored.	47.0	48.4	43.3	43.3	40.5	40.2	(3)	(3)	(3)
Washington.	60.0	53.6	62.1	57.2	61.9	53.5	53.0	46.1	(4)
Wisconsin.	82.4	83.5	84.3	81.1	81.1	78.5	76.9	74.7	(4)

Note.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

¹ Exclusive of Hawaii.

² Including the District of Columbia.

³ Not added to registration area until a later date.

⁴ Figures for deaths not available for the entire period.

⁵ Figures relate only to municipalities having a population of 1,000 or more in 1910.

⁶ Figures relate only to municipalities having a population of 1,000 or more in 1900.

The states which have the highest rates in 1918 are Maine (107.5), New Hampshire (107.3), Massachusetts (107.2), California (106), and Vermont (99.7). These states also have the highest rates for the preceding six years, although not in the same order. The lowest rates are shown for South Carolina (34.4), North Carolina (43.5), Tennessee (44), Louisiana (46.4), and Utah (50.5). In 1918 rates of 80 or more are shown for 16 states; 7 of these have rates higher than 80 for the years 1911 to 1918, while 5 have such high rates for each year from and including 1907.

The crude rates from cancer in different localities should not be compared without consideration of the age, sex, and race distribution of the population, and allowance should be made for the fact that relatively high mortality for a given city may be caused by deaths of nonresidents who come to the city for hospital treatment.

Cancer and other malignant tumors include seven titles of the International List of Causes of Death, to three of which are charged over two-thirds of all deaths from this cause in 1918. The total number of deaths is 65,340, and 24,783 of these, or 37.9 per cent, are due to cancer of the stomach and liver; 8,642, or 13.2 per cent, to cancer of the peritoneum, intestines, and rectum; and 9,892, or 15.1 per cent, to cancer of the female genital organs.

The classification, by seat of disease, of the deaths from cancer in 1918, with the rate per 100,000 population, is shown in the following table:

MORTALITY STATISTICS.

SEAT OF DISEASE.	DEATHS, REGISTRATION AREA: ¹ 1918.		
	Number.	Rate per 100,000 population.	Per cent.
Cancer and other malignant tumors (aggregate).....	65,340	79.8	100.0
Cancer of the buccal cavity (total).....	2,347	2.9	3.6
Cancer of the—			
Lip.....	382	0.5	0.6
Tongue.....	596	0.7	0.9
Mouth.....	231	0.3	0.4
Jaw.....	923	1.1	1.4
Others of this class.....	215	0.3	0.3
Cancer of the stomach, liver (total).....	24,783	30.3	37.9
Cancer of the—			
Pharynx.....	95	0.1	0.1
Esophagus.....	753	0.9	1.2
Stomach.....	15,844	19.4	24.2
Liver and gall bladder.....	8,091	9.9	12.4
Cancer of the peritoneum, intestines, rectum (total).....	8,642	10.6	13.2
Cancer of the—			
Mesentery and peritoneum.....	590	0.7	0.9
Intestines (except rectum).....	5,449	6.7	8.3
Rectum and anus.....	2,553	3.1	3.9
Others of this class.....	45	0.1	0.1
Cancer of the female genital organs (total).....	9,892	12.1	15.1
Cancer of the—			
Ovary and fallopian tube.....	536	0.7	0.8
Uterus.....	9,043	11.0	13.8
Vagina and vulva.....	246	0.3	0.4
Others of this class.....	67	0.1	0.1
Cancer of the breast.....	6,040	7.4	9.2
Cancer of the skin.....	2,225	2.7	3.4
Cancer of other organs or of organs not specified (total).....	11,411	13.9	17.5
Cancer of the—			
Larynx.....	475	0.6	0.7
Lung and pleura.....	769	0.9	1.2
Pancreas.....	954	1.2	1.5
Kidneys and suprarenals.....	697	0.9	1.1
Prostate.....	1,172	1.4	1.8
Bladder.....	1,742	2.1	2.7
Brain.....	193	0.2	0.3
Bones (except jaw).....	634	0.8	1.0
Testes.....	98	0.1	0.1
Others of this class.....	4,677	5.7	7.2

¹ Exclusive of Hawaii.

Of the total deaths from cancer, 38,619, or 59.1 per cent, are of females and 26,721, or 40.9 per cent, are of males. Year after year the statistics show that more than half of those who die of cancer are females, although the male population of the registration area exceeds the female. The causes which show a large excess of male deaths are cancer of the buccal cavity (1,899 males and 448 females), cancer of the skin (1,368 males and 857 females), and cancer of other organs or of organs not specified (7,125 males and 4,286 females). Cancer of the stomach and liver caused nearly half of all the deaths of males, but only about one-third of the deaths of females are assigned to this cause. Cancer of the breast and cancer of the female genital organs caused 41 per cent of all cancer deaths among females in 1918.

Classification, by age and sex, according to the nature of the malignant disease, whether carcinoma, sarcoma, or hypernephroma, is shown in the following table:

AGE OF DECEDENT.	DEATHS IN THE REGISTRATION AREA: ¹ 1918.					
	Carcinoma.		Sarcoma.		Hyper-nephroma.	
	Male.	Fe-male.	Male.	Fe-male.	Male.	Fe-male.
All ages.....	24,715	36,780	1,923	1,795	83	44
Under 1 year.....	9	13	22	13	1	1
1 year.....	6	4	32	17	—	—
2 years.....	12	19	26	18	2	2
3 years.....	12	17	23	20	—	—
4 years.....	8	8	19	22	—	—
Under 5 years.....	47	61	122	90	3	6
5 to 9 years.....	27	28	44	41	—	—
10 to 14 years.....	23	17	49	35	—	—
15 to 19 years.....	34	43	75	65	—	—
20 to 24 years.....	81	146	89	58	1	2
25 to 29 years.....	155	386	111	75	2	—
30 to 34 years.....	307	558	104	79	1	—
35 to 39 years.....	611	1,626	126	96	6	1
40 to 44 years.....	1,069	2,719	130	125	15	4
45 to 49 years.....	1,711	3,738	131	167	6	3
50 to 54 years.....	2,602	4,246	172	166	14	5
55 to 59 years.....	3,201	4,695	210	156	13	5
60 to 64 years.....	3,714	4,694	163	172	12	5
65 to 69 years.....	3,759	4,566	141	154	5	5
70 to 74 years.....	3,278	3,858	126	126	1	4
75 to 79 years.....	2,246	2,636	70	109	2	2
80 to 84 years.....	1,198	1,540	38	51	—	—
85 to 89 years.....	481	613	19	23	1	—
90 to 94 years.....	102	178	2	6	—	—
95 to 99 years.....	27	27	—	—	—	—
100 years and over.....	6	7	—	—	—	—
Unknown age.....	38	52	1	1	—	—

¹ Exclusive of Hawaii.

ACUTE ANTERIOR POLIOMYELITIS.

The number of deaths from acute anterior poliomyelitis in 1918 is 956, corresponding to a rate of 1.2 per 100,000 population. This is a very decided decrease from the rate for 1916 (10), which is the highest shown in the series of years 1910 to 1918.

The following table shows the rates per 100,000 population for the years 1910 to 1918, rates of 2 and higher being printed in bold-faced type:

AREA.	DEATH RATE FROM ACUTE ANTERIOR POLIOMYELITIS (INFANTILE PARALYSIS) PER 100,000 POPULATION. [Rates of 2 or more in bold-faced type.]								
	1918	1917	1916	1915	1914	1913	1912	1911	1910
The registration area ¹ . Registration states ²	1.2	1.6	10.0	1.0	1.1	1.4	1.9	1.8	2.7
	1.2	1.4	10.5	1.1	1.1	1.4	2.0	1.8	2.9
California.....	0.6	0.8	0.9	0.8	1.2	1.1	4.6	1.2	1.2
Colorado.....	0.9	0.3	0.4	0.6	0.9	0.1	0.5	0.7	0.5
Connecticut.....	0.8	1.3	19.2	1.0	0.5	0.8	0.8	1.3	3.6
Illinois.....	1.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana.....	0.8	1.1	1.9	0.7	1.2	1.6	1.7	2.5	1.8
Kansas.....	0.6	1.0	1.4	1.1	0.7	(3)	(3)	(3)	(3)
Kentucky (total).....	2.2	1.7	2.1	1.0	1.1	2.2	1.6	2.6	(3)
White.....	2.1	1.7	2.1	1.0	1.2	2.1	1.6	2.5	(3)
Colored.....	2.9	1.6	2.0	0.4	0.4	3.0	1.5	3.4	(3)
Louisiana (total).....	0.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White.....	1.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored.....	0.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine.....	0.9	0.6	3.6	0.8	1.0	1.8	1.2	1.7	4.2
Maryland (total).....	1.3	1.2	8.1	1.6	1.1	1.4	2.3	2.6	2.7
White.....	1.3	1.1	7.6	1.1	0.7	1.5	2.5	2.3	2.5
Colored.....	1.3	1.7	10.8	3.9	2.9	1.3	1.7	3.8	3.4
Massachusetts.....	1.0	1.3	12.5	1.1	1.4	1.9	1.4	1.6	3.6
Michigan.....	1.7	1.3	4.9	1.2	1.1	1.4	1.4	1.6	1.7
Minnesota.....	1.4	0.8	4.6	1.3	0.7	1.7	1.3	2.8	9.5
Missouri.....	0.9	1.4	1.4	1.2	1.1	1.4	2.3	1.8	—
Montana.....	1.4	1.7	5.2	0.2	0.9	1.9	2.7	1.3	4.5
New Hampshire.....	1.8	2.0	5.8	2.0	2.1	4.8	1.8	2.5	4.4
New Jersey.....	0.5	1.4	41.0	0.8	0.7	1.1	1.0	1.7	2.0

(See footnotes at end of table.)

CAUSES OF DEATH.

41

AREA.	DEATH RATE FROM ACUTE ANTERIOR POLIOMYELITIS (INFANTILE PARALYSIS) PER 100,000 POPULATION. [Rates of 2 or more in bold-faced type.]									
	1918	1917	1916	1915	1914	1913	1912	1911	1910	
New York.....	0.8	1.1	32.8	0.7	0.9	1.4	2.4	1.8	1.9	
North Carolina (total).....	0.9	1.4	2.0	1.2	2.5	1.8	0.8	4.0	0.8	
White.....	0.6	1.5	2.2	0.3	1.9	1.6	1.2	4.5	0.9	
Colored.....	1.3	1.2	1.7	3.0	3.7	2.1	—	3.0	0.8	
Ohio.....	1.2	2.5	2.5	1.9	1.2	1.2	3.6	2.8	1.6	
Oregon.....	0.2	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Pennsylvania.....	1.2	1.6	7.8	1.0	0.8	1.2	1.5	1.2	3.5	
Rhode Island.....	0.8	1.1	7.0	1.2	1.5	2.2	1.2	2.5	8.1	
South Carolina (total).....	1.1	1.0	1.8	(*)	(*)	(*)	(*)	(*)	(*)	
White.....	1.3	1.3	2.0	(*)	(*)	(*)	(*)	(*)	(*)	
Colored.....	1.0	0.8	1.7	(*)	(*)	(*)	(*)	(*)	(*)	
Tennessee (total).....	1.4	1.2	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
White.....	1.3	1.3	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Colored.....	1.7	1.1	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Utah.....	0.4	0.2	0.7	0.7	1.2	1.7	1.5	0.8	1.9	
Vermont.....	0.3	4.1	3.3	5.0	14.9	1.7	2.5	3.1	2.5	
Virginia (total).....	1.4	3.1	3.1	1.7	2.0	2.1	(*)	(*)	(*)	
White.....	1.4	3.5	3.8	1.4	1.7	2.0	(*)	(*)	(*)	
Colored.....	1.3	2.1	1.6	2.4	2.6	2.3	(*)	(*)	(*)	
Washington.....	0.4	0.4	0.7	0.5	0.8	0.8	0.5	1.6	7.0	
Wisconsin.....	3.8	1.0	2.7	0.5	0.8	1.2	1.3	1.3	1.8	

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

¹ Exclusive of Hawaii.

² Including the District of Columbia.

³ Not added to registration area until a later date.

⁴ Figures relate only to municipalities having a population of 1,000 or more in 1910

⁵ Figures relate only to municipalities having a population of 1,000 or more in 1900

Of the 10 states with higher rates in 1918 than in 1917, those showing marked increases are Wisconsin (3.8 as against 1), Kentucky (2.2 against 1.7), Michigan (1.7 as against 1.3), and Minnesota (1.4 against 0.8).

ORGANIC DISEASES OF THE HEART.

The number of deaths from organic diseases of the heart in 1918 is 124,668, corresponding to a rate of 152.3 per 100,000 population, and constituting 8.5 per cent of the deaths from all causes. More deaths are reported as due to organic heart diseases in 1918, 1917, 1916, and 1915 than to tuberculosis (all forms), which previously held first place among causes of death.

In making comparisons it must not be forgotten that nearly all persons who die of heart diseases have passed middle life, and therefore the crude death rates should be used with caution and considered only in connection with the age distribution of the population.

The greatest increases among the states in the nine-year period 1910 to 1918 are for Maryland (from 131.6 to 203.7), New Jersey (from 137.2 to 175.8), California (from 160.5 to 197.4), Massachusetts (from 177.5 to 213.1), Minnesota (from 81.6 to 113.5), and Montana (from 67.8 to 98.1).

The following table shows the rates per 100,000 population for 1910 to 1918, rates of 150 and higher being printed in bold-faced type:

AREA.	DEATH RATE FROM ORGANIC DISEASES OF THE HEART PER 100,000 POPULATION. [Rates of 150 or more in bold-faced type.]									
	1918	1917	1916	1915	1914	1913	1912	1911	1910	
	152.3	153.2	150.1	147.1	141.8	138.6	142.6	140.9	141.5	
The registration area ¹ . Registration states ² .	152.7	153.0	150.2	146.6	141.7	138.3	141.6	140.5	141.8	
California.....	197.4	186.4	188.4	181.0	188.0	178.4	185.4	178.7	160.5	
Colorado.....	97.7	83.8	79.9	94.4	79.4	86.2	93.5	89.4	88.0	
Connecticut.....	169.2	178.2	175.3	153.7	155.8	154.7	151.1	159.6	160.7	
Illinois.....	150.4	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Indiana.....	167.4	161.0	152.5	147.8	139.1	138.5	151.4	143.2	137.2	
Kansas.....	106.3	113.3	110.3	104.8	96.7	(*)	(*)	(*)	(*)	
Kentucky (total).....	98.4	108.6	92.3	94.8	85.5	87.4	92.6	86.5		
White.....	83.2	93.8	88.1	88.3	73.3	78.3	80.4	74.5	(*)	
Colored.....	233.8	239.0	180.6	192.6	180.7	157.2	187.1	179.5	(*)	
Louisiana (total).....	112.5	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
White.....	91.3	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Colored.....	143.4	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Maine.....	185.9	190.4	191.5	185.4	181.7	175.3	177.4	179.8	184.3	
Maryland (total).....	203.7	189.1	162.8	156.4	152.8	140.4	148.6	142.8	131.6	
White.....	183.8	171.1	147.9	144.4	140.2	127.2	135.5	127.5	120.0	
Colored.....	303.5	278.0	235.6	215.0	210.4	200.9	208.4	212.9	184.8	
Massachusetts.....	213.1	202.8	195.4	180.8	183.3	183.1	186.9	183.5	177.6	
Michigan.....	177.9	181.3	171.5	161.0	156.2	152.2	151.3	147.0	152.6	
Minnesota.....	113.5	104.3	105.9	101.4	101.9	92.8	89.0	90.1	81.6	
Missouri.....	115.5	110.5	108.2	103.5	95.1	95.9	104.0	102.4	(*)	
Montana.....	98.1	100.9	102.1	91.2	89.5	90.9	75.2	80.8	67.8	
New Hampshire.....	206.3	212.9	205.6	213.8	208.1	187.1	192.7	197.0	200.7	
New Jersey.....	175.8	169.2	167.6	146.1	149.5	144.9	143.9	143.3	137.2	
New York.....	194.2	194.5	192.7	184.5	175.6	160.9	154.2	165.7	164.7	
North Carolina (total).....	99.3	98.5	92.1	128.2	123.0	126.5	133.0	136.0	120.2	
White.....	89.9	89.8	84.3	98.9	93.7	97.2	100.8	96.1	92.5	
Colored.....	120.0	117.6	109.1	185.8	180.3	180.3	192.2	209.4	171.3	
Ohio.....	163.0	168.6	162.5	149.9	160.6	150.8	154.1	145.9	141.4	
Oregon.....	110.6	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Pennsylvania.....	157.4	152.0	145.0	141.3	137.7	125.5	133.2	129.0	128.7	
Rhode Island.....	164.4	161.7	169.1	160.1	162.9	159.1	168.8	158.0	160.8	
South Carolina (total).....	92.8	95.0	84.5	(*)	(*)	(*)	(*)	(*)	(*)	
White.....	85.9	88.8	75.8	(*)	(*)	(*)	(*)	(*)	(*)	
Colored.....	98.9	100.4	92.0	(*)	(*)	(*)	(*)	(*)	(*)	
Tennessee (total).....	91.3	96.8	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
White.....	76.8	82.0	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Colored.....	143.9	155.3	(*)	(*)	(*)	(*)	(*)	(*)	(*)	
Utah.....	103.8	102.5	97.0	98.0	95.1	99.6	100.0	82.8	80.2	
Vermont.....	213.8	215.6	219.4	200.0	194.6	213.4	209.6	211.8	221.8	
Virginia (total).....	187.0	188.3	187.0	131.1	123.3	114.3	(*)	(*)	(*)	
White.....	117.7	114.4	115.0	110.1	105.1	99.1	(*)	(*)	(*)	
Colored.....	181.0	192.0	186.0	177.5	161.0	145.7	(*)	(*)	(*)	
Washington.....	84.8	75.7	80.6	82.0	79.4	86.0	78.6	82.8	74.3	
Wisconsin.....	106.7	117.2	118.9	114.4	112.2	108.1	113.0	110.6	98.8	

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

¹ Exclusive of Hawaii.

² Including the District of Columbia.

³ Not added to registration area until a later date.

⁴ Figures relate only to municipalities having a population of 1,000 or more in 1910.

⁵ Figures relate only to municipalities having a population of 1,000 or more in 1900.

Eight states have rates above 150 per 100,000 population for the series of years 1910 to 1918. Of these, the following states show the highest rates in 1918: Vermont (213.8), Massachusetts (213.1), New Hampshire (206.3), California (197.4), and New York (194.2). The states showing the lowest rates in 1918 are Washington (84.8), Tennessee (91.3), South Carolina (92.8), Colorado (97.7), and Montana (98.1).

PNEUMONIA (ALL FORMS).

In 1918 the number of deaths due to pneumonia (all forms) is 232,786. Of these, 152,542 are due to lobar pneumonia, 56,966 to bronchopneumonia, and 23,278 to pneumonia (unqualified). The death rate

MORTALITY STATISTICS.

from pneumonia (all forms) in 1918 is 284.3. This is the highest rate for any year since 1900, the beginning of the annual reports.

The following table shows the death rates per 100,000 population for the years 1911 to 1918 and the annual average for the five-year period 1906 to 1910, rates of 200 and higher being printed in bold-faced type:

AREA.	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 POPULATION. [Rates of 200 or more in bold-faced type.]								
	1918	1917	1916	1915	1914	1913	1912	1911	Annual average, 1906 to 1910.
The registration area ¹ .	284.3	149.8	137.3	132.7	127.0	132.4	132.3	133.7	143.4
Registration states ² .	283.0	147.8	137.0	130.8	124.4	129.0	128.3	129.6	140.8
California.....	233.5	111.2	103.0	97.4	93.5	108.3	111.2	101.5	101.1
Colorado.....	281.3	118.1	99.8	145.4	113.5	119.4	119.4	136.0	146.9
Connecticut.....	358.5	209.4	197.8	155.4	154.3	151.4	145.5	153.5	139.4
Illinois.....	243.5	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Indiana.....	213.0	126.6	114.3	110.3	105.0	97.4	104.7	99.6	97.6
Kansas.....	209.2	107.4	82.7	86.3	67.1	(*)	(*)	(*)	(*)
Kentucky (total).....	213.6	119.7	110.7	93.0	108.4	99.0	100.6	98.9	98.9
White.....	191.5	107.9	101.9	85.4	99.9	89.9	80.8	85.5	(*)
Colored.....	410.2	223.5	187.0	204.9	174.8	169.9	175.8	202.6	(*)
Louisiana (total).....	219.3	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
White.....	214.0	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Colored.....	256.1	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Maine.....	249.0	156.4	137.5	138.2	146.7	145.3	142.2	141.7	146.8
Maryland (total).....	454.2	193.9	181.0	159.2	158.2	146.9	132.0	146.8	137.6
White.....	413.3	150.8	147.7	128.8	131.9	120.0	106.1	119.6	112.4
Colored.....	659.2	497.2	343.9	306.3	278.5	269.9	250.2	271.4	249.9
Massachusetts.....	379.2	169.6	173.0	160.6	155.6	154.8	152.0	158.8	155.2
Michigan.....	224.7	138.2	116.2	103.9	92.4	98.5	93.6	90.4	90.8
Minnesota.....	140.2	95.9	85.8	89.6	97.3	81.1	71.9	96.1	(*)
Missouri.....	230.6	154.9	130.6	121.3	108.9	114.0	115.6	119.7	(*)
Montana.....	267.5	146.5	116.7	114.6	107.3	121.2	95.4	90.2	(*)
New Hampshire.....	290.8	159.1	140.6	123.2	127.9	148.6	131.5	145.5	134.2
New Jersey.....	463.4	174.8	179.1	151.7	153.7	150.8	145.0	151.4	164.1
New York.....	358.1	173.4	161.9	166.9	155.6	171.4	173.5	177.8	184.8
North Carolina (total).....	185.5	107.3	104.8	129.6	150.1	119.7	131.2	160.7	(*)
White.....	143.6	87.8	84.1	83.4	106.6	73.1	83.6	84.5	(*)
Colored.....	267.0	150.1	149.9	213.8	233.0	205.3	218.7	222.3	(*)
Ohio.....	250.3	150.8	138.1	121.5	108.1	111.5	111.8	101.8	(*)
Oregon.....	108.4	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Pennsylvania.....	407.0	188.6	167.7	148.3	146.0	152.8	145.5	140.0	149.5
Rhode Island.....	291.8	179.1	159.0	164.9	143.1	146.8	157.7	152.1	172.8
South Carolina (total).....	251.8	118.7	105.0	(*)	(*)	(*)	(*)	(*)	(*)
White.....	238.2	95.4	82.9	(*)	(*)	(*)	(*)	(*)	(*)
Colored.....	263.8	139.2	124.3	(*)	(*)	(*)	(*)	(*)	(*)
Tennessee (total).....	202.9	110.4	(*)	(*)	(*)	(*)	(*)	(*)	(*)
White.....	169.5	91.8	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Colored.....	335.2	183.7	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Utah.....	177.5	109.5	109.9	103.9	112.7	103.8	101.8	110.6	(*)
Vermont.....	194.4	157.0	122.6	114.8	112.7	140.0	139.1	129.0	140.0
Virginia (total).....	207.4	126.5	126.1	113.6	106.0	90.4	(*)	(*)	(*)
White.....	161.5	93.2	89.3	86.0	79.7	69.5	(*)	(*)	(*)
Colored.....	312.1	201.6	208.3	174.5	160.3	133.8	(*)	(*)	(*)
Washington.....	136.1	54.9	53.4	57.1	50.6	59.0	50.3	64.8	(*)
Wisconsin.....	165.2	120.8	109.3	104.9	95.5	88.9	84.1	85.7	(*)

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

¹ Exclusive of Hawaii.

² Including the District of Columbia.

³ Not added to registration area until a later date.

⁴ Figures for deaths not available for the entire period.

⁵ Figures relate only to municipalities having a population of 1,000 or more in 1910.

⁶ Figures relate only to municipalities having a population of 1,000 or more in 1900.

Among the states, the highest death rates in 1918 from pneumonia (all forms) are for New Jersey (463.4), Maryland (454.2), Pennsylvania (407), Massachusetts (379.2), and Connecticut (358.5), while the lowest are for Oregon (108.4), Washington (136.1), Minnesota (140.2), Wisconsin (165.2), and Utah (177.5).

DIARRHEA AND ENTERITIS (UNDER 2 YEARS).

Diarrhea and enteritis in 1918 is the cause of death of 47,753 children under 2 years of age, corresponding to a rate of 58.3 per 100,000 population. This is the lowest rate for any year since 1900. This marked reduction from the rate of 1900 (108.8) is doubtless due in part to measures now employed to prevent loss of child life. The great difference, however, which still exists between the rates of the various states certainly suggests that some of these rates at least are still too high.

The following table shows the death rates per 100,000 population for the years 1911 to 1918 and the annual average for the five-year period 1906 to 1910, rates of 100 and higher being printed in bold-faced type.

STATE.	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION. [Rates of 100 or more in bold-faced type.]								
	1918	1917	1916	1915	1914	1913	1912	1911	Annual average, 1906 to 1910.
The registration area ¹ ...	58.3	64.0	65.6	59.5	66.0	75.2	70.3	77.4	96.2
Registration states ² ...	57.5	60.7	62.2	56.5	62.6	72.2	66.6	73.6	95.8
California.....	34.1	34.3	28.7	27.8	30.6	45.7	38.6	38.4	39.2
Colorado.....	42.3	32.9	39.5	26.1	39.0	43.2	37.8	55.6	70.6
Connecticut.....	69.4	79.1	75.7	94.6	87.1	83.0	87.3	79.1	105.7
Illinois.....	67.8	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Indiana.....	47.1	54.0	62.6	41.5	57.9	67.4	58.6	61.5	66.8
Kansas.....	28.5	36.6	36.9	23.3	31.4	(*)	(*)	(*)	(*)
Kentucky (total).....	43.2	54.9	49.8	37.3	47.7	55.6	40.6	50.1	(*)
White.....	41.5	53.7	49.6	36.6	46.6	55.5	40.0	49.3	(*)
Colored.....	58.5	66.1	52.9	43.6	56.2	56.1	44.8	56.5	(*)
Louisiana (total).....	67.1	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
White.....	65.2	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Colored.....	69.8	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Maine.....	39.1	38.8	60.3	50.7	51.9	61.4	43.0	63.2	79.6
Maryland (total).....	115.8	97.0	95.1	84.8	92.7	101.1	87.2	98.4	102.0
White.....	101.6	88.1	81.7	77.1	86.8	92.2	79.5	91.0	94.9
Colored.....	186.7	165.7	160.7	122.0	119.5	141.9	122.8	132.7	133.8
Massachusetts.....	75.7	70.3	67.3	73.8	81.7	86.7	94.5	103.2	110.0
Michigan.....	55.0	56.0	68.5	41.4	56.2	59.3	48.3	57.0	76.1
Minnesota.....	22.3	24.5	27.9	26.3	33.9	41.3	29.2	40.1	(*)
Missouri.....	35.6	43.0	48.4	36.4	54.3	57.7	52.0	60.8	(*)
Montana.....	32.1	45.7	39.6	23.3	38.6	38.6	21.7	36.2	(*)
New Hampshire.....	48.6	57.8	60.6	66.5	61.3	96.2	53.8	88.7	92.0
New Jersey.....	77.0	83.2	73.5	83.2	85.6	89.9	95.9	99.7	108.2
New York.....	51.4	57.8	57.3	67.3	65.5	74.6	76.5	81.8	107.7
North Carolina (total).....	81.0	97.1	77.9	611.2	613.4	614.4	613.6	615.0	(*)
White.....	73.4	90.4	74.5	88.9	111.7	97.6	121.6	120.7	(*)
Colored.....	97.7	111.8	85.2	175.5	176.4	145.2	164.9	185.8	(*)
Ohio.....	51.6	58.5	62.4	46.0	55.9	72.4	61.7	59.8	(*)
Oregon.....	14.3	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Pennsylvania.....	95.7	94.8	101.7	90.7	95.4	106.3	93.7	104.1	127.4
Rhode Island.....	69.0	55.6	69.7	76.3	73.6	83.7	81.3	88.3	131.8
South Carolina (total).....	75.1	79.4	71.9	76.0	(*)	(*)	(*)	(*)	(*)
White.....	62.4	75.8	70.6	(*)	(*)	(*)	(*)	(*)	(*)
Colored.....	86.4	82.6	73.0	(*)	(*)	(*)	(*)	(*)	(*)
Tennessee (total).....	40.9	48.4	(*)	(*)	(*)	(*)	(*)	(*)	(*)
White.....	39.9	48.8	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Colored.....	44.9	54.9	(*)	(*)	(*)	(*)	(*)	(*)	(*)
Utah.....	23.1	39.2	26.0	22.4	30.9	43.0	27.9	37.4	(*)
Vermont.....	41.5	27.1	41.0	44.1	53.4	49.2	40.4	61.8	67.3
Virginia (total).....	60.5	66.0	66.1	55.4	58.5	69.0	(*)	(*)	(*)
White.....	49.5	55.7	55.8	43.9	49.5	66.2	(*)	(*)	(*)
Colored.....	85.5	89.3	80.3	80.9	77.1	74.8	(*)	(*)	(*)
Washington.....	13.9	15.3	11.1	12.5	15.7	21.6	16.5	25.4	(*)
Wisconsin.....	28.3	30.3	38.8	29.8	36.4	45.7	46.2	51.3	(*)

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

¹ Exclusive of Hawaii.

² Including the District of Columbia.

³ Not added to registration area until a later date.

⁴ Figures for deaths not available for the entire period.

⁵ Figures relate only to municipalities having a population of 1,000 or more in 1910.

⁶ Figures relate only to municipalities having a population of 1,000 or more in 1900.

CAUSES OF DEATH.

43

The five states having the highest rates in 1918 are Maryland (115.8), Pennsylvania (95.7), North Carolina (81), New Jersey (77), and Massachusetts (75.7). The states showing low rates are Washington (13.9), Oregon (14.3), Minnesota (22.3), Utah (23.1), and Wisconsin (28.3).

ACUTE NEPHRITIS AND BRIGHT'S DISEASE.

In 1918 the number of deaths from acute nephritis and Bright's disease is 79,343, corresponding to a rate of 96.9 per 100,000 population, which is 8.9 per cent higher than the rate for 1900 (89). Of these deaths, 5,990 are due to acute nephritis and 73,353 to Bright's disease, which includes chronic nephritis and nephritis unqualified.

The five states which have the highest rates in 1918 are Maryland (163.4), New Jersey (124), New Hampshire (116.9), New York (115.1), and Missouri (110.8). The states which have the lowest rates are Washington (48.2), Oregon (52.7), Utah (56.2), Wisconsin (59.6), and Montana (66.2). In a comparison of the rates for 1917 and 1918 very marked decreases are shown in the later year for Connecticut (from 123.2 to 103.5), New York (from 131.4 to 115.1), and for Utah (from 71.2 to 56.2).

The only state with a death rate as high as 150 from acute nephritis and Bright's disease is Maryland, and this state for only the years 1915, 1916, 1917, and 1918. In fact, Maryland is the only state which shows a rate as high as 150 in the annual mortality reports, the first of which was published in 1900.

In making a comparison of crude rates from acute nephritis and Bright's disease, it should be borne in mind that about 80 per cent of the deaths from this cause occur among persons past 40 years of age.

The following table shows the death rates per 100,000 population for the years 1911 to 1918 and the annual average for the five-year period 1906 to 1910, rates of 150 and higher being printed in bold-faced type:

AREA	DEATH RATE FROM ACUTE NEPHRITIS AND BRIGHT'S DISEASE PER 100,000 POPULATION. [Rates of 150 or more in bold-faced type.]								
	1918	1917	1916	1915	1914	1913	1912	1911	Annual average, 1906 1910.
The registration area ¹ . Registration states ² .	96.9 96.2	107.4 105.4	105.2 103.7	104.7 102.1	102.4 99.9	102.9 100.1	103.0 99.7	97.5 94.1	97.5 94.7
California.....	99.7	106.4	109.1	107.2	100.5	98.7	95.3	92.1	82.3
Colorado.....	68.9	70.7	67.5	77.4	75.4	75.5	83.0	79.9	73.6
Connecticut.....	103.5	123.2	122.9	114.5	116.5	112.0	106.3	117.5	103.1
Illinois.....	95.5 (3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana.....	103.6	113.1	105.8	101.7	97.1	92.7	92.9	84.6	73.8
Kansas.....	75.9	79.9	75.6	69.6	65.4	(3)	(3)	(3)	(3)
Kentucky (total).....	87.3	96.3	82.8	83.7	79.7	80.3	75.4	65.9	(3)
White.....	77.6	85.2	73.6	74.2	70.8	71.4	68.4	61.3	(3)
Colored.....	173.7	193.7	162.0	163.7	148.7	149.3	129.9	102.1	(3)
Louisiana (total).....	93.3 (3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White.....	82.6 (3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored.....	108.9 (3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine.....	106.1	111.9	119.0	119.2	120.0	102.9	101.4	114.1	98.3
Maryland (total).....	163.4	163.8	152.9	150.2	141.4	140.1	139.4	128.0	121.4
White.....	147.6	149.2	143.9	136.5	133.7	129.2	125.3	116.7	112.2
Colored.....	242.7	235.9	201.8	216.7	176.4	189.6	203.8	179.6	162.5
Massachusetts.....	87.7	96.3	97.0	93.8	94.4	90.9	90.3	86.7	85.5
Michigan.....	80.1	86.6	82.1	81.5	74.7	74.9	75.4	67.2	63.5
Minnesota.....	70.1	73.1	76.3	78.0	74.3	72.5	70.6	63.3	(4)
Missouri.....	110.8	116.3	111.2	109.1	99.7	95.2	98.4	85.2	(8)
Montana.....	66.2	75.7	78.1	76.0	57.6	58.9	60.6	52.0	(4)
New Hampshire.....	116.9	122.2	114.6	113.9	117.6	118.8	121.7	110.9	103.5
New Jersey.....	124.0	132.0	131.1	124.7	126.2	121.8	117.1	116.5	103.7
New York.....	115.1	131.4	131.5	124.9	131.6	134.7	138.5	132.0	129.4
North Carolina (total).....	83.0	84.2	72.6	114.5	121.1	6105.1	106.0	69.1	9(4)
White.....	74.4	78.6	69.2	94.2	99.5	57.5	94.8	74.6	(4)
Colored.....	102.1	98.3	80.0	154.2	162.3	137.4	126.6	123.6	(4)
Ohio.....	89.2	97.1	96.5	92.2	87.8	87.6	90.1	77.5	(4)
Oregon.....	52.7 (3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania.....	103.4	116.2	107.2	103.7	100.3	103.0	94.4	91.9	88.4
Rhode Island.....	102.9	115.5	130.6	120.8	124.8	123.9	123.6	124.2	125.2
South Carolina (total).....	90.9	96.5	96.5	(3)	(3)	(3)	(3)	(3)	(3)
White.....	88.7	90.3	82.1	(3)	(3)	(3)	(3)	(3)	(3)
Colored.....	92.7	102.0	109.0	(3)	(3)	(3)	(3)	(3)	(3)
Tennessee (total).....	71.2	74.6 (3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White.....	59.1	62.9 (3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored.....	119.4	120.2 (3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah.....	56.2	71.2	70.5	68.6	65.4	64.7	69.6	59.7	(4)
Vermont.....	109.8	113.4	114.7	122.5	110.7	115.6	115.7	105.7	101.4
Virginia (total).....	108.6	107.8	109.6	109.4	98.1	93.9	(3)	(3)	(3)
White.....	92.5	92.7	94.0	94.3	87.7	81.7	(3)	(3)	(3)
Colored.....	145.5	141.9	144.3	142.6	119.8	119.2	(3)	(3)	(3)
Washington.....	48.2	46.1	49.3	53.5	54.3	55.6	49.9	55.0	(4)
Wisconsin.....	59.6	69.6	69.7	64.4	62.5	63.4	67.2	64.2	(4)

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1918 is far away from the last census year, the estimates are probably far too high in some cases and far too low in others.

¹ Exclusive of Hawaii.

² Including the District of Columbia.

³ Not added to registration area until a later date.

⁴ Figures for deaths not available for the entire period.

⁵ Figures relate only to municipalities having a population of 1,000 or more in 1910.

⁶ Figures relate only to municipalities having a population of 1,000 or more in 1900.

SUICIDE.

The death rate from suicide in 1918 is the lowest (12.1 per 100,000 population) recorded since 1902. The five states which show the highest rates in 1918 are California (26), Montana (19.9), New Hampshire (15.2), Connecticut (15.1), and Maine (13.7). California has had the highest rate of any of the registration states since it was added to the registration area in 1906. The five states which have the lowest rates in 1918 are South Carolina and North Carolina (each 4.3), Tennessee (5.2), Louisiana (6.1), and Utah (6.6).

Under the title "Suicide" are included nine headings, to four of which more than 80 per cent of all deaths from this cause are charged in 1918. The greatest number of deaths in this class are due to firearms (3,482), with a rate of 4.3 per 100,000 population; followed by hanging or strangulation (1,684, with a rate of 2.1); poison (1,514, with a rate of 1.8), and asphyxia (1,292, with a rate of 1.6).

VIOLENT DEATHS (SUICIDE EXCEPTED).

In 1918 the number of deaths due to all forms of violence (suicide excepted) is 72,412, which corresponds to a rate of 88.4 per 100,000 population, against a rate of 95.5 in 1917. Under this heading are included deaths from accidental or undefined causes, and those from homicide, the former numbering 66,904, with a rate of 81.7 per 100,000, and the latter 5,508, with a rate of 6.7, the rate from each of these titles being less than the rate for 1917.

The greatest number of deaths under this title are due to traumatism by fall (10,330, with a rate of 12.6 per 100,000); next in order are deaths due to railroad accidents and injuries (8,610, with a rate of 10.5); automobile accidents and injuries (7,525, with a rate of 9.2); burns (conflagration excepted) (6,638, with a rate of 8.1); accidental drowning (5,633, with a rate of 6.9); homicide (5,508, with a rate of 6.7); and absorption of deleterious gases (conflagration excepted) (3,371, with a rate of 4.2). All of these causes of

death show lower rates in 1918 than in 1917, except automobile accidents and injuries. It is of interest to note that automobile accidents have become the third most important cause of violent deaths.

The death rate in 1918 from street-car accidents and injuries (2.9) is lower than the rate in 1917 (3), and deaths from injuries by other vehicles show a slightly lower rate in 1918 (2.7, compared with 3.1). Deaths from the effects of heat show a rate of 1.4, which is lower than the 1917 rate (2.6).

Among the registration states, those showing the highest death rates in 1918 from violent deaths (suicide excepted) are Montana (140.6), Pennsylvania (113.2), Ohio (109.6), Maryland (108.9), and California (108.8). Those showing the lowest rates are Wisconsin (59.2), North Carolina (61.8), South Carolina (69.3), and Kansas and New Hampshire (each 70.8).

The death rate from automobile accidents and injuries again shows a decided increase over the figures for the preceding year—9.2 per 100,000 population against the 1917 rate of 8.9. The five states showing the highest rates are California (17.5), Connecticut (14.3), Montana (13.2), New Jersey (12.8), and Massachusetts (12.7). The five states showing the lowest rates are North Carolina (3.2), Tennessee (3.5), Vermont (3.6), South Carolina (3.7), and Kentucky (3.8).

As estimated populations in 1918 for cities are not considered very reliable, no rates from this cause have been calculated, but the five cities showing the highest percentages of increase from this cause in 1918 compared with 1917 are Birmingham (109 per cent), Denver (87 per cent), Lowell (57 per cent), Providence (41 per cent), and Seattle (38 per cent). The five cities showing the greatest improvement in 1918 as compared with 1917 are New Orleans (a decrease of 36 per cent), Grand Rapids (a decrease of 36 per cent), Albany (a decrease of 35 per cent), Atlanta (a decrease of 33 per cent), and Bridgeport (a decrease of 27 per cent).

As mortality rates from automobile accidents and injuries are not available for England and Wales, it is not possible to compare their rates from this cause with those for the registration area, but it is very apparent that their toll from this cause is very much less than ours. In 1917 in England and Wales the mortality rate from "vehicles and horses" was 9 and the rate from all causes included under International List No. 175 was 9.9, while in the registration area the 1917 rate for vehicles and horses was at least 26.2 and the rate for causes included under International List No. 175 was 26.9.

In 1900, when an automobile was almost a curiosity, the mortality rate from "accidents and injuries by vehicles and horses" per 100,000 population in the registration area was 1.3 (including automobile accidents)—a rate which stands in striking contrast with the rate 9.2 from automobile accidents and injuries in 1918.

One phase, which is particularly distressing, is the large number of deaths from this cause among children. In 1918, 31.1 per cent of the total number of deaths from automobile accidents are of children under 15 years of age, as contrasted with 7.5 per cent below that age from railroad accidents.

It is useless to present further figures to show that much of the mortality from automobile accidents and injuries is unnecessary; the fact is one of common knowledge; reckless driving and speeding are such everyday terms that the child in the kindergarten understands them. It is high time to pay more attention to this increasing menace to our people and especially to our children. Traffic laws should be improved, and more important still, traffic laws should be enforced.

In the following table are given for 1918, 1917, and 1916 deaths from railroad accidents and injuries and automobile accidents and injuries for cities which had 100,000 or more inhabitants in 1910:

CITY.	NUMBER OF DEATHS FROM—					
	Railroad accidents and injuries.			Automobile accidents and injuries.		
	1918	1917	1916	1918	1917	1916
Total.....	1,784	1,820	1,766	3,254	2,906	2,252
Birmingham, Ala.....	41	36	15	23	11	14
Los Angeles, Calif.....	59	37	43	91	99	91
Oakland, Calif.....	38	19	16	24	21	18
San Francisco, Calif.....	13	19	16	74	72	62
Denver, Colo.....	5	9	11	43	23	21
Bridgeport, Conn.....	12	8	16	22	30	26
New Haven, Conn.....	12	14	18	28	22	23
Washington, D. C.....	6	15	9	54	46	37
Atlanta, Ga.....	21	20	15	20	30	27
Chicago, Ill.....	204	269	248	291	310	243
Indianapolis, Ind.....	28	48	27	27	31	19
Louisville, Ky.....	25	37	17	28	22	9
New Orleans, La.....	35	21	27	28	44	20
Baltimore, Md.....	38	29	17	102	80	36
Boston, Mass.....	37	41	63	108	84	71
Cambridge, Mass.....	3	5	3	14	15	12
Fall River, Mass.....	2	4	4	14	12	6
Lowell, Mass.....	9	6	5	22	14	6
Worcester, Mass.....	13	19	16	29	27	20
Detroit, Mich.....	48	55	88	125	157	127
Grand Rapids, Mich.....	3	17	12	9	14	9
Minneapolis, Minn.....	23	33	35	43	43	33
St. Paul, Minn.....	19	20	29	27	24	31
Kansas City, Mo.....	54	43	48	64	56	38
St. Louis, Mo.....	46	55	59	93	73	67
Omaha, Nebr.....	13	12	16	26	23	14
Jersey City, N. J.....	72	51	57	30	22	19
Newark, N. J.....	34	22	18	62	62	53
Paterson, N. J.....	24	15	15	19	19	14
Albany, N. Y.....	17	12	21	11	17	11
Buffalo, N. Y.....	60	62	65	90	81	56
New York, N. Y.....	133	78	89	601	549	432
Rochester, N. Y.....	12	24	25	25	21	29
Syracuse, N. Y.....	19	22	25	22	20	12
Cincinnati, Ohio.....	47	59	65	59	56	56
Cleveland, Ohio.....	74	111	111	168	137	98
Columbus, Ohio.....	27	33	29	38	30	26
Dayton, Ohio.....	15	10	20	22	19	8
Toledo, Ohio.....	35	34	41	32	26	19
Portland, Oreg.....	11	7	12	31	30	14
Philadelphia, Pa.....	138	115	99	226	169	153
Pittsburgh, Pa.....	100	122	105	105	100	64
Scranton, Pa.....	36	31	35	16	14	16
Providence, R. I.....	10	10	9	38	27	25
Memphis, Tenn.....	25	25	(1)	19	23	(1)
Nashville, Tenn.....	36	12	(1)	14	13	(1)
Richmond, Va.....	9	13	10	9	10	10
Seattle, Wash.....	7	8	9	40	29	27
Spokane, Wash.....	5	8	3	10	8	5
Milwaukee, Wis.....	31	45	30	48	41	25

¹ Transcripts of deaths not received.

MORTALITY STATISTICS.

ILL-DEFINED AND UNKNOWN CAUSES.

Marked and steady improvement year after year in the certification of causes of death is shown in the table below.

Although the per cent of total deaths classified as due to ill-defined and unknown causes by no means tells the whole story in regard to certification, still it

does serve as a very reliable index of the character of such certification.

The per cent of certificates showing ill-defined and unknown causes of death in the registration area fell steadily from 4.2 in 1900 to 0.8 in 1912. The slightly higher per cents (1.1 in 1918 and 1.3 in 1917) are accounted for by the addition of new territory to the registration area for those years.

NOTE.—Previous to 1900 the registration area comprised certain states and cities for which mortality figures were compiled only for the census years 1880 and 1890 from data collected by census enumerators.

¹ Exclusive of Hawaii.

² Average not shown for less than 5 years.

³ From 1910 to 1914 returns received only from municipalities of 1,000 population or more in 1900; for 1914 and 1915, returns received only from municipalities of 1,000 population or more in 1910; in 1916 the remainder of the state was added to the registration area.

⁴ Dropped from the registration area in 1910.
⁵ Less than one-tenth of 1 per cent.

⁵ Less than one-tenth of 1 per cent.

CAUSES OF DEATH.

47

DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

Deaths of children under 1 year of age are usually considered in connection with the number of births, and the number of deaths under 1 year of age per 1,000 births is commonly spoken of as the infant mortality rate.

The following tables indicate that infant deaths are every year forming a smaller and smaller part of total deaths, but that the decreases have occurred principally after the second week of life, that premature birth and bronchopneumonia form considerably larger per cents of the total in 1918 than in 1910, and that influenza and whooping cough exacted a very high toll in 1918.

PER CENT OF TOTAL DEATHS UNDER 1 YEAR OF AGE TO TOTAL DEATHS, AND IN EACH OF THE 12 SUBDIVISIONS OF THE FIRST YEAR OF LIFE TO DEATHS UNDER 1 YEAR OF AGE IN THE REGISTRATION STATES AS OF 1910 (EXCLUSIVE OF NORTH CAROLINA): 1910 TO 1918.

AGE.	1918	1917	1916	1915	1914	1913	1912	1911	1910
Deaths under 1 year of age to total deaths.....	13.0	15.7	16.1	16.6	17.3	17.9	17.7	17.9	19.4
Total deaths under 1 year of age	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 day.....	14.9	15.8	15.6	16.0	14.6	13.3	12.7	11.8	9.8
1 day.....	4.9	4.9	5.0	5.0	5.1	4.9	5.2	5.3	4.9
2 days.....	3.6	3.8	3.8	3.7	3.8	3.4	3.5	3.3	2.9
3 to 6 days.....	6.4	7.2	7.2	7.1	7.3	6.7	6.9	6.8	6.1
1 week.....	5.9	6.2	6.0	6.2	6.3	6.2	6.2	6.1	5.7
2 weeks.....	4.3	4.6	4.4	4.7	4.8	4.7	4.8	4.8	4.6
3 weeks but under 1 month.....	3.4	3.7	3.5	3.7	3.7	3.7	3.9	3.7	3.8
1 month.....	8.8	8.8	9.0	9.2	9.2	9.6	9.8	9.9	9.9
2 months.....	7.0	7.0	7.0	7.3	7.6	7.7	8.0	7.9	8.4
3 to 5 months.....	16.4	16.2	16.2	16.3	16.7	17.5	17.3	17.7	19.3
6 to 8 months.....	13.6	12.0	12.4	11.9	12.0	12.5	12.4	12.8	14.1
9 to 11 months.....	11.3	9.7	10.1	9.1	9.1	9.9	9.6	9.9	10.7

PER CENT OF DEATHS FROM CERTAIN IMPORTANT CAUSES TO TOTAL DEATHS UNDER 1 YEAR OF AGE IN THE REGISTRATION STATES AS OF 1910 (EXCLUSIVE OF NORTH CAROLINA): 1910 TO 1918.

Abridged Int. List No.	CAUSE OF DEATH.	1918	1917	1916	1915	1914	1913	1912	1911	1910
	All causes under 1 year of age.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
5	Measles.....	1.0	1.0	1.4	0.7	0.7	1.3	0.8	0.9	1.0
6	Scarlet fever.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
7	Whooping cough.....	3.0	2.2	2.4	2.1	2.3	2.1	2.1	2.4	2.2
8	Diphtheria and croup.....	0.4	0.5	0.5	0.5	0.5	0.5	0.5	0.6	0.6
9	Influenza.....	6.3	0.8	0.9	0.6	0.3	0.4	0.3	0.4	0.3
(12)	Dysentery.....	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.5
(12)	Erysipelas.....	0.4	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
(37)	Tetanus.....	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
(37)	Tuberculosis of the lungs.....	0.6	0.5	0.5	0.5	0.5	0.5	0.6	0.6	0.6
13	Tuberculous meningitis.....	0.5	0.6	0.5	0.5	0.5	0.5	0.6	0.6	0.6
14	Other forms of tuberculosis.....	0.7	0.8	0.8	0.8	0.8	0.8	0.8	0.7	0.7
(37)	Syphilis.....	1.0	1.3	1.3	1.3	1.2	1.2	1.1	1.2	1.0
17	Meningitis.....	0.8	0.9	0.8	1.0	1.0	1.1	1.1	1.2	1.6
(37)	Convulsions.....	1.1	1.1	1.2	1.6	2.0	2.1	2.4	2.6	2.7
19	Organic diseases of the heart.....	0.3	0.4	0.3	0.4	0.4	0.3	0.3	0.3	0.3
20	Acute bronchitis.....	2.3	2.6	2.3	2.4	2.4	2.5	2.7	2.6	2.3
22	Pneumonia.....	5.1	4.6	4.0	4.4	4.5	4.5	5.0	4.8	5.3
(23)	Bronchopneumonia.....	9.6	9.5	9.1	9.8	9.1	8.5	8.3	7.4	6.8
24	Diseases of the stomach.....	1.4	1.2	1.4	1.5	1.7	1.9	2.0	2.0	2.0
25	Diarrhea and enteritis.....	20.0	22.5	22.9	21.9	22.8	24.2	23.3	25.0	28.6
(33)	Malformations.....	6.8	7.3	7.1	6.6	6.7	5.9	5.8	5.5	5.0
(33)	Premature birth.....	20.0	20.5	20.1	19.6	18.5	17.2	17.0	15.8	13.3
(33, 37)	Congenital debility.....	9.1	9.2	9.8	11.5	12.3	13.3	13.4	12.6	10.0
(37)	Injuries at birth.....	3.5	4.4	4.2	4.2	3.9	3.4	3.3	3.2	2.4
35	External causes.....	1.0	1.3	1.2	1.1	1.1	1.1	1.1	1.3	1.0
38	Unknown or ill-defined diseases.....	1.0	1.0	1.0	0.9	0.9	0.9	1.0	1.1	1.1
	All other causes.....	4.2	5.1	5.7	5.4	5.2	4.9	5.4	5.8	5.5

As the number of births is known in but two-thirds of the states of the death registration area, no consideration of infant mortality in the usual way of the entire death registration area is possible. But as we now have a birth registration area and an annual report on Birth Statistics, it has been thought best to show in that report those infant mortality tables which relate exclusively to the birth registration area and to retain in the Mortality Statistics other tables which relate to the death registration area.

In default of infant mortality rates based upon births, some idea of the improving conditions which surround our children under 1 year of age may be obtained by a glance at the following table, which gives for a series of years rates per 1,000 estimated midyear population under 1 year of age in the registration states as of 1910 (exclusive of North Carolina):

DEATH RATE PER 1,000 ESTIMATED MIDYEAR POPULATION UNDER 1 YEAR OF AGE FROM CERTAIN IMPORTANT CAUSES IN THE REGISTRATION STATES AS OF 1910 (EXCLUSIVE OF NORTH CAROLINA): 1910 TO 1918.

Abridged Int. List No.	Cause of Death.	1918	1917	1916	1915	1914	1913	1912	1911	1910
5	All causes under 1 year of age.....	110.7	102.9	105.4	103.4	108.7	116.0	112.2	116.0	131.7
6	Measles.....	1.1	1.1	1.4	0.7	0.7	1.5	0.9	1.0	1.3
7	Scarlet fever.....	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3
8	Whooping cough.....	3.8	2.3	2.5	2.1	2.4	2.5	2.3	2.8	3.0
9	Diphtheria and croup.....	0.4	0.5	0.5	0.5	0.6	0.5	0.5	0.6	0.8
(12)	Influenza.....	6.9	8.0	8.0	7.0	7.3	4.4	3.0	0.5	0.4
(12)	Dysentery.....	0.3	0.2	0.2	0.3	0.3	0.3	0.3	0.4	0.6
(12)	Erysipelas.....	0.5	0.6	0.6	0.5	0.5	0.6	0.6	0.6	0.6
(37)	Tetanus.....	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
(37)	Tuberculosis of the lungs.....	0.5	0.6	0.6	0.5	0.6	0.6	0.6	0.7	0.8
13	Tuberculous meningitis.....	0.8	0.8	0.8	0.8	0.8	0.8	0.9	0.9	1.0
14	Other forms of tuberculosis.....	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.4
(37)	Syphilis.....	1.1	1.3	1.4	1.3	1.3	1.3	1.3	1.3	1.3
17	Meningitis.....	0.9	0.9	0.8	1.0	1.0	1.1	1.2	1.3	2.0
(37)	Convulsions.....	1.2	1.1	1.3	1.7	2.2	2.5	2.7	3.0	3.6
19	Organic diseases of the heart.....	0.4	0.4	0.4	0.4	0.4	0.4	0.6	0.7	0.8
20	Acute bronchitis.....	2.5	2.7	2.4	2.5	2.5	2.6	2.9	3.1	3.0
22	Pneumonia.....	5.6	4.7	4.2	4.5	4.8	5.3	5.7	5.6	6.9
(23)	Bronchopneumonia.....	10.7	9.8	9.6	10.1	9.9	9.9	9.3	8.6	8.9
24	Diseases of the stomach.....	1.5	1.3	1.5	1.6	1.8	2.2	2.3	2.3	2.6
25	Diarrhea and enteritis.....	22.2	23.2	24.1	22.6	24.7	28.1	26.2	29.0	37.7
(33)	Malformations.....	7.5	7.5	6.9	7.5	7.3	6.8	6.5	6.4	6.6
(33)	Premature birth.....	22.1	21.1	21.2	20.3	20.1	20.0	19.1	18.4	17.5
(33, 37)	Congenital debility.....	10.1	9.4	10.3	11.9	13.4	15.5	18.0	14.6	13.2
(37)	Injuries at birth.....	3.9	4.6	4.4	4.3	4.2	3.9	3.7	3.7	3.2
35	External causes.....	1.1	1.4	1.2	1.1	1.2	1.3	1.2	1.5	1.3
38	Unknown or ill-defined diseases.....	1.1	1.1	1.0	0.9	1.0	1.1	1.1	1.1	5.8
	All other causes.....	4.6	5.2	6.0	5.5	5.6	5.7	6.0	6.7	7.2

The rate from all causes under 1 year of age declined from 131.7 in 1910 to 102.9 in 1917, but has risen again in 1918 to 110.7. The rate from diarrhea and enteritis has declined from 37.7 in 1910 to 22.2 in 1918. On the other hand, a few increases appear which should serve as food for thought. Influenza has a rate of 6.9 in 1918 against 0.8 in 1917. Bronchopneumonia also shows an increase—10.7 against 9.8 in 1917. What has occasioned the increase in the rate from premature birth from 17.5 in 1910 to 22.1 in 1918?

MORTALITY STATISTICS.

DEATHS OF SOLDIERS, SAILORS, AND MARINES.

The number of deaths of soldiers, sailors, and marines in the registration area (exclusive of Hawaii) during the year 1918, as reported to the Bureau of the Census by state and municipal registration offices, is 26,209. Of this number, 21,051, or more than 80 per cent, are in the age periods 20 to 24 and 25 to 29, and 23,206, or more than 88 per cent, are white.

Of the total number, 20,777, or more than 79 per cent, are deaths from influenza and pneumonia (all forms), the next most important factor being deaths from external causes, credited with 1,340

deaths, due principally to suicide, 292; accidental drowning, 169; railroad accidents and injuries, 119; accidental traumatisms by firearms, 108; automobile accidents and injuries, 101; and airplane accidents, 101. Other important causes are tuberculosis of the lungs, 763; measles, 583; and meningitis, 564.

Tables showing deaths in the registration area and registration states and in Hawaii by color and age of decedent and by important causes, also for the registration area and for Hawaii, for all ages, by each cause and class of causes, may be found on pages 589 to 594.

ACCURACY OF STATISTICS OF CAUSES OF DEATH.

It is obvious that the cause of death can not be classified correctly unless it has been stated accurately. It is not stated accurately when one or two of several factors are not given in the physician's report. Again, it is not stated accurately when the physician fails to enter on the death certificate a qualifying term which, if given, would modify the classification of the death. For example, the reporting of a death from tuberculous peritonitis as having been caused by "peritonitis" represents an error of omission which, if not corrected, would cause the death to be incorrectly classified, not only with reference to the title of the International List of Causes of Death to which, on the basis of the incomplete statement, it would have to be assigned, but also with reference to the class or group of causes into which the list is divided.

One of the principal difficulties in classifying deaths according to the International List is the fact that each year the Census Bureau receives several hundred thousand certificates of deaths on each of which the names of two or more diseases appear. All systems of classification in present use are based upon the principle that each death must be charged to a single cause. This means that if two or more morbid conditions are stated on a certificate with nothing to indicate which was the chief or primary cause, one of them must be selected as the cause under which the death shall be classified. In many cases no dependence can be placed upon the order in which the terms are written; nor can the compiler rely upon the statements as to the "cause of death" or the "contributory cause," since these terms are used with different and diametrically opposed meanings, not only by physicians but by registration officers.

In its effort to improve the statement of cause of death, the Bureau of the Census has sent to every physician in the country two pamphlets bearing upon this subject, namely, "Relation of Physicians to Mor-

tality Statistics" and "Physicians' Pocket Reference to the International List of Causes of Death." These pamphlets were, first, to acquaint physicians with the form, scope, and requirements of the International List of Causes of Death, and, second, to emphasize the fact that the value of statistics of cause of death depends largely upon the precision and completeness with which the information is supplied by the medical profession. With these ends in view, the titles of the International List have been included in each pamphlet, together with comments on some of the principal undesirable terms commonly used in reporting causes of death; these comments give the reasons why each such term is unsatisfactory and present suggestions for more precise statements.

The first test inquiry was made for 1911. Five of the undesirable terms frequently used in reporting causes of death—"meningitis," "paralysis," "convulsions," "pneumonia," and "peritonitis"—were selected, and, in cases where they had been employed *without qualification*, circular letters were sent to the physicians who had signed the death certificates. These letters requested such additional statements or information relative to the cause of death as might be needed for a more satisfactory classification, and with each was inclosed a copy of the "Physicians' Pocket Reference to the International List of Causes of Death," the paragraph therein referring to the unsatisfactory nature of the term used being marked. In Mortality Statistics, 1911 (pp. 36-38), the results of this test may be found. It is sufficient to say that approximately 2,000 replies were received, and the additional information obtained from the physicians enabled the bureau to improve the classification in 57 per cent of the cases covered by replies.

The following table shows the results obtained in 1918 by sending queries to physicians:

CAUSES OF DEATH.

49

RESULTS OBTAINED BY SENDING QUERIES TO PHYSICIANS IN 1918.

UNSATISFACTORY TERM.	Number of replies.	Number of changes in classification.	Percent changed.	International titles and subtitles (detailed list) principally affected.	UNSATISFACTORY TERM.	Number of replies.	Number of changes in classification.	Percent changed.	International titles and subtitles (detailed list) principally affected.
Croup, membranous laryngitis.	60	30	50.0	6, 87, 91.	Pulmonary abscess and hemorrhage	149	105	70.5	28, 90, 92 (1).
Septicemia, sepsis, blood poisoning.	122	82	67.2	137, 144, 146, 186.	Stricture of esophagus	29	12	41.4	150 (3), 155, 165.
Tubes mesenterica.	19	2	10.5	28, 151.	Gastritis, indigestion, acute indigestion.	879	362	41.2	56, 79, 102, 104, 105, 164.
Auto intoxication, toxemia, ptomaine poisoning.	68	45	66.2	10, 104, 105, 164.	Intestinal congestion	2	1	50.0	102.
Cerebral abscess.	56	41	73.2	76, 146, 172.	Liver trouble, disease of liver.	6	2	33.3	28, 79.
Meningitis, cerebral meningitis, cerebrospinal meningitis (undefined).	1, 232	890	72.2	10, 30, 37, 61 (3), 76, 104, 172.	Peritonitis, general and septic peritonitis.	151	101	66.9	31, 105, 108, 137, 172.
Cerebral congestion.	21	13	61.9	104, 105.	Acute Bright's disease, acute nephritis.	894	268	30.0	6, 7, 10, 37, 79, 100, 120, 138.
Cerebral softening.	54	28	51.9	64, 81, 82.	Bright's disease, nephritis, uremia.	319	113	35.4	119, 122, 138.
Hemiplegia, paralysis, general paralysis.					Renal congestion, disease of kidneys.	8	6	75.0	120.
Paresis.	907	653	72.0	37, 63 (2), 64, 67, 79, 120.	Extravasation of urine.	4	1	25.0	126.
Convulsions (5 years and over).	281	138	49.1	37, 63 (2), 64, 66, 120.	Salpingitis, pyosalpinx, pus tubes.	260	186	71.5	37, 38, 137.
Convulsions (under 5 years).	13	10	76.9	138.	Abscess, cellulitis.	8	7	87.5	34.
Cerebral tumor.	400	161	40.3	104, 151 (1), 152 (1).	Hydrocephalus.	41	11	26.8	30, 74.
Acute cardiac dilatation, cardiac insufficiency.	7	2	28.6	65, 150 (1).	Inanition, debility, mærasmus, etc. (under 1 year).	1, 192	569	47.7	28, 31, 36, 37, 103, 104, 150 (2), 150 (3), 151 (1), 152 (1).
Hemorrhage.	472	127	26.9	56, 78, 81, 103, 120.	Senility, old age.	222	102	45.9	37, 64, 79, 81, 120.
Edema of glottis.	17	15	88.2	134, 135.	Anasarca, ascites, dropsy.	84	65	77.4	79, 120.
Bronchopneumonia.	10	5	50.0	28, 37, 88, 152 (1), 165.	Natural causes, heart failure, fever, etc.	270	142	52.6	28, 79, 104, 105.
Pneumonia (unqualified), typhoid pneumonia.	4, 971	1, 156	23.3	8, 8, 10, 28, 37, 92 (1), 104, 152 (1).	Total.	16, 393	8, 183	49.9	6, 8, 10, 28, 37, 38, 61 (3), 91, 92 (1), 104, 105, 138.
Pleurisy.	2, 985	2, 590	87.4	1, 6, 8, 10, 28, 91, 92 (1).					
Pulmonary congestion, edema of lungs.	1	1	100.0	92 (1).					
	199	141	70.9	79, 91, 92 (1), 120.					

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII AND OF SOLDIERS, SAILORS, AND MARINES): 1917.

For 1917 a special tabulation was made of contributory causes of death in relation to primary causes. Of the 1,066,711 death certificates of civilians in the registration area in 1917, 372,291, or 35 per cent, having double assignments of causes of death were tabulated to show contributory causes in relation to primary causes of death, and the figures are presented in detail in the table which begins on page 50.

An occasional tabulation of this kind is essential to paint properly the mortality picture of the various causes of death. Some causes, like smallpox and plague, are so invariably preferred to other causes on the death certificates that a table showing contributory causes will not increase the number of those who died from those diseases. But, on the other hand, alcoholism, for example, in the regular tables is credited in 1917 with only 3,907 deaths, while this contributory cause table shows that 5,363 other death certificates had alcoholism given. Similarly, meningitis, credited in the regular tables with 6,673 deaths, shows 6,815 other deaths where meningitis was a contributory cause. Then, again, cerebral hemorrhage, apoplexy, is credited with 62,417 deaths, but the contributory cause table shows 7,927 other deaths where cerebral hemorrhage or apoplexy was a contributory cause. Another example may be mentioned, Bright's disease, which is credited with 74,639 deaths, but the contributory cause table shows 23,180 other deaths where

this disease was a contributory cause. The table is full of these interesting figures, and these few examples are cited merely to call attention to the importance of the subject.

Looking at the table from another angle, other equally important and interesting figures appear, namely, those showing the contributory causes which occur with each primary cause of death. Under measles, for example, with 10,442 deaths, it appears that more than half of the death certificates contained bronchopneumonia or lobar pneumonia as contributory causes. Under scarlet fever, with 3,124 deaths, it appears that acute nephritis and Bright's disease was also given on 507 certificates. Under deaths from external causes, with 81,340 deaths, it appears that alcoholism was also given on 827 certificates. Under organic diseases of the heart, with 115,304 deaths, the principal contributory causes are diseases of the arteries, atheroma, aneurism, etc., and Bright's disease, and under pneumonia the principal contributory causes are organic diseases of the heart, influenza, pleurisy, and Bright's disease. It is hardly necessary to point out any further figures, for the whole table should be carefully studied. A table of this kind clearly shows how joint causes of death are assigned in the Bureau of the Census, and it will doubtless explain many slight differences between local reports and census reports.

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed List No.	Cause of Death.	All primary causes.	Contributory Cause.									
			All contributory causes.	Typhoid fever.	Malaria.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Cholera nostras.	10
	All causes.....	1,066,711	372,291	188	594	1,074	13	1,162	292	6,458	70	
	I.—General diseases.....	284,993	92,315	177	236	722	3	539	279	1,207	10	
1	Typhoid fever.....	10,089	2,872		54	17		15	12	21		
2	Typhus fever.....	16	3									
3	Relapsing fever.....	1	1									
4	Malaria.....	2,385	798							9		2
5	Smallpox.....	204	74			1	2		1	1		
6	Measles.....	10,442	8,802		11			297		38		1
7	Scarlet fever.....	3,124	1,685	5	1	37		7	204	2		
8	Whooping cough.....	7,837	5,445		16					12		1
9	Diphtheria and croup.....	12,442	3,136	1	4	259		36		18		
10	Influenza.....	12,965	9,282		13							1
11	Miliary fever.....	1										
13	Cholera nostras.....	242	45									
14	Dysentery.....	4,546	1,178		20			46		22		2
17	Leprosy.....	17	3									
18	Erysipelas.....	2,563	1,272		1					43		1
19	Other epidemic diseases.....	405	307									
20	Purulent infection and septicemia.....	1,110	182									
21	Glanders.....	4	1									
22	Anthrax.....	61	3									
23	Rabies.....	66	3									
24	Tetanus.....	1,329	693		1			1	1			
25	Mycoses.....	39	11									
26	Pellagra.....	3,666	618		3	8				7		
27	Beriberi.....	15	3									1
	Tuberculous (total).....	110,144	21,103	165	76	385			133	757	2	
28	Tuberculosis of the lungs.....	93,290	16,572	143	63	277			81	608	1	
29	Acute military tuberculosis.....	3,631	1,019	22	3	35			13	76		
30	Tuberculous meningitis.....	6,084	1,089		5	51			35	41		
31	Abdominal tuberculosis.....	3,745	1,024		1	13			3	17		
32	Pott's disease.....	889	494		2	3				5		
33	White swellings.....	505	290			2						
34	Tuberculosis of other organs.....	1,381	494		2	1				1		
35	Disseminated tuberculosis.....	619	121			3				5		1
36	Rickets.....	566	220		1				1			
37	Syphilis.....	7,795	4,954		7				3		8	
38	Gonococcus infection.....	595	587									
	Cancer and other malignant tumors (total).....	61,429	16,688	6	15	2	1	1	1	82		
39	Of the buccal cavity.....	2,279	676		1					2		
40	Of the stomach, liver.....	23,406	5,268	3	5	1				32		
41	Of the peritoneum, intestines, rectum.....	8,177	2,447	2	2					8		
42	Of the female genital organs.....	9,331	2,546		2				1	13		
43	Of the breast.....	5,712	2,338		1	1				11		
44	Of the skin.....	2,157	673	1	1					9		
45	Of other organs or of organs not specified.....	10,367	2,740		3			1		7		
46	Other tumors (tumors of the female genital organs excepted).....	272	90									
47	Acute articular rheumatism.....	3,432	2,596		4					19		
48	Chronic rheumatism and gout.....	1,021	376									
49	Scurvy.....	94	21									
50	Diabetes.....	12,734	6,080		4	13				143		
51	Exophthalmic goiter.....	1,264	634		1					9		
52	Addison's disease.....	320	83							2		
53	Leukemia.....	1,506	399		4					13		
54	Anemia, chlorosis.....	4,022	579									
55	Other general diseases.....	1,623	288									
56	Alcoholism (acute or chronic).....	3,907	1,041									
57	Chronic lead poisoning.....	147	102									
58	Other chronic occupation poisonings.....	18	6									
59	Other chronic poisonings.....	235	101									
	II.—Diseases of the nervous system and of the organs of special sense.....	100,291	42,785		54	50		35	4	653	6	
60	Encephalitis.....	620	152							1		
61	Meningitis (total).....	6,673	1,436		9	43		27	2	67	1	
	Simple meningitis.....	2,735	755									
	Cerebrospinal meningitis (undefined).....	1,186	336		6	32		21		54		
	Cerebrospinal fever.....	2,752	345		3	11		6	2	13		
62	Locomotor ataxia.....	1,772	835		2					18		
63	Other diseases of the spinal cord (total).....	5,147	1,826		5	7		7	2	56		
	Acute anterior poliomyelitis.....	1,182	213		2	7		7	2	56		
	Other diseases of the spinal cord.....	3,965	1,613		3			7	2	50		
64	Cerebral hemorrhage, apoplexy.....	62,417	30,625		27					386	3	
65	Softening of the brain.....	888	585		1							
66	Paralysis without specified cause.....	5,445	2,431		8					99		2
67	General paralysis of the insane.....	5,248	1,366		1					21		
68	Other forms of mental alienation.....	1,651	200									
69	Epilepsy.....	3,161	662									
70	Convulsions (nonpuerperal).....	137										
71	Convulsions of infants.....	2,172	224									
72	Chorea.....	102	21									
73	Neuralgia and neuritis.....	429	150									
74	Other diseases of the nervous system.....	2,731	739						1		5	
75	Diseases of the eyes and their annexa.....	97	61		1							
76	Diseases of the ears.....	1,601	1,472									

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CONTRIBUTORY CAUSES OF DEATH.

51

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917.

, and marines after the United States entered the war.]

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

CONTRIBUTORY CAUSES OF DEATH.

53

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines after the United States entered the war.]

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed List No.	Cause of Death.	All primary causes.	All contributory causes.	Contributory Cause.															
				Typhoid fever.	Malaria.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Cholera nostras.	1	4	6	7	8	9	10	13
	VIII.—Diseases of the skin and of the cellular tissue.....	3,315	1,586			1												1	
142	Gangrene.....	1,462	557			1												1	
143	Furuncle.....	449	320																
144	Acute abscess.....	681	406																
145	Other diseases of the skin and annexa.....	723	303																
	IX.—Diseases of the bones and of the organs of locomotion.....	2,295	1,633																2
146	Diseases of the bones (tuberculosis excepted).....	1,953	1,476																
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	252	132																2
148	Ampputations.....	6	1																
149	Other diseases of the organs of locomotion.....	84	24																
	X.—Malformations.....	11,841	2,757			3													20
150	Congenital malformations (stillbirths not included) (total).....	11,841	2,757			3													20
	Hydrocephalus.....	994	417			1													6
	Congenital malformations of the heart.....	7,166	1,382			2													11
	Other congenital malformations.....	3,681	958																3
	XI.—Early infancy.....	57,048	4,255			1	7												12
151	Congenital debility, icterus, and sclerema (total).....	45,132	2,219			1	7												12
	Premature birth.....	34,704	2,122			1	7												12
	Congenital debility, "atrophy," "marasmus," etc.....	10,428	97																
152	Other causes peculiar to early infancy (total).....	11,717	2,025																
	Injuries at birth.....	6,631	1,759																
153	Other causes peculiar to early infancy ¹	5,086	266																
	Lack of care.....	199	11																
	XII.—Old age.....	11,647																	
154	Senility.....	11,647																	
	XIII.—External causes.....	81,340	15,212	10	4	10	10	6	9	66	3								
155	Suicide (total).....	9,942	1,156			1													3
156	By poison.....	1,344	173																
157	By asphyxia.....	1,469	97																2
158	By hanging or strangulation.....	1,569	216																
159	By drowning.....	603	84																
160	By firearms.....	3,269	343			1													
161	By cutting or piercing instruments.....	711	144																1
162	By jumping from high places.....	269	60																
163	By crushing.....	103	10																
	Other suicides.....	105	29																
164	Accidental or undefined (total).....	65,644	13,479	9	4	9	10	6	9	62	8								
165	Poisoning by food.....	779	243	1						1	3								1
166	Other acute poisonings.....	1,294	275	1							2	2							
167	Conflagration.....	1,157	66																
168	Burns (conflagration excepted).....	6,829	1,144			1	5	7	2	2	5								
	Absorption of deleterious gases (conflagration excepted).....	3,866	259			1													
169	Accidental drowning.....	5,462	113																
170	Traumatism by firearms.....	1,730	171																
171	Traumatism by cutting or piercing instruments.....	164	127																
172	Traumatism by fall.....	11,088	5,369	3						2	1								1
173	Traumatism in mines and quarries (total).....	2,713	198	1															
	Traumatism in mines.....	2,623	190	1															
	Traumatism in quarries.....	90	8																
174	Traumatism by machines.....	2,108	299																
175	Traumatism by other crushing (total).....	20,284	2,489	2						1									
	Railroad accidents and injuries.....	8,526	728	1															
	Street-car accidents and injuries.....	2,259	472																
	Automobile accidents and injuries.....	6,677	818	1															
	Injuries by other vehicles.....	2,302	420																
	Landslide, other crushing.....	520	51																
176	Injuries by animals.....	653	232																
177	Starvation.....	38	15																
178	Excessive cold.....	507	226																
179	Effects of heat.....	1,963	430																
180	Lightning.....	359	8																
181	Electricity (lightning excepted).....	654	62																
185	Fractures (cause not specified).....	475	208																
186	Other external violence.....	4,021	1,545	1	1	1	2			1	2	4							
	Homicide (total).....	5,754	577																
182	By firearms.....	3,793	251																
183	By cutting or piercing instruments.....	761	75																
184	By other means.....	1,200	251																

¹ Exclusive of injuries at birth.

CONTRIBUTORY CAUSES OF DEATH.

55

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

[and marines after the United States entered the war.]

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed Int. List No.	Cause of Death.	Contributory Cause.										
		Dissemi-nated tuber-cu-lousis.	Rickets.	Syphilis.	Gono-coccus infection.	Cancer, buccal cavity.	Cancer, stomach, liver.	Cancer, perito-neum, intestines, rectum.	Cancer, female genital organs.	Cancer, breast.	Cancer, skin.	Cancer, other organs or organs not specified.
		35	36	37	38	39	40	41	42	43	44	45
	All causes.....	218	861	248	117	105	1,222	1,365	229	155	236	2,366
	I.—General diseases.....	214	106	116	39	186	1,203	1,354	223	145	223	2,328
1	Typhoid fever.....	2	2	2								
2	Typhus fever.....											
3	Relapsing fever.....			2								
4	Malaria.....											
5	Smallpox.....											
6	Measles.....			9	1	1						
7	Scarlet fever.....					1						
8	Whooping cough.....			10								
9	Diphtheria and croup.....	1	5	9	2							
10	Influenza.....		2									
11	Miliary fever.....											
13	Cholera nostras.....											
14	Dysentery.....			3								
17	Leprosy.....											
18	Erysipelas.....		1			1						
19	Other epidemic diseases.....			4								
20	Purulent infection and septicemia.....											
21	Glanders.....											
22	Anthrax.....											
23	Rabies.....											
24	Tetanus.....				1	1						1
25	Mycoses.....											
26	Pellagra.....			1	22	1						
27	Beriberi.....					1						
28	Tuberculosis (total).....	209	53	11	10							
29	Tuberculosis of the lungs.....	102	18	11	5							
30	Acute miliary tuberculosis.....	2	6									
31	Tuberculous meningitis.....	36	15		2							
32	Abdominal tuberculosis.....	36	6		1							
33	Pott's disease.....	8	4									
34	White swellings.....	11	1									
35	Tuberculosis of other organs.....	14	1		1							
36	Disseminated tuberculosis.....		2		1							
37	Rickets.....			8		17						
38	Syphilis.....			1								
39	Gonococcus infection.....											
40	Cancer and other malignant tumors (total).....	1		67	4	186	1,203	1,354	223	144	223	2,328
41	Of the buccal cavity.....			7		22	2				136	208
42	Of the stomach, liver.....	1	25		17		725		58	87	16	480
43	Of the peritoneum, intestines, rectum.....		7		2		259		90	7	8	210
44	Of the female genital organs.....		8	1			175	404		21	2	404
45	Of the breast.....		3			4	438	61	35		9	840
46	Of the skin.....		2	1	14	18			1		1	136
47	Of other organs or of organs not specified.....		15	2	149	291	155	39	28		28	52
48	Other tumors (tumors of the female genital organs excepted).....	1										
49	Acute articular rheumatism.....			1								
50	Chronic rheumatism and gout.....											
51	Scurvy.....											
52	Diabetes.....											
53	Exophthalmic goiter.....											
54	Addison's disease.....	1										
55	Leukemia.....			2								
56	Anemia, chlorosis.....		1									
57	Other general diseases.....		2									
58	Alcoholism (acute or chronic).....				1							
59	Chronic lead poisoning.....											
60	Other chronic occupation poisonings.....											
61	Other chronic poisonings.....											
62	II.—Diseases of the nervous system and of the organs of special sense.....		14	6								
63	Encephalitis.....			1								
64	Meningitis (total).....		2	6								
65	Simple meningitis.....		2									
66	Cerebrospinal meningitis (undefined).....											
67	Cerebrospinal fever.....			6								
68	Locomotor ataxia.....											
69	Other diseases of the spinal cord (total).....		3									
70	Acute anterior poliomyelitis.....	1										
71	Other diseases of the spinal cord ^a	2										
72	Cerebral hemorrhage, apoplexy.....											
73	Softening of the brain.....											
74	Paralysis without specified cause.....		1									
75	General paralysis of the insane.....											
76	Other forms of mental alienation.....											
77	Epilepsy.....		5									
78	Convulsions (nonpuerperal).....											
79	Convulsions of infants.....											
80	Chorea.....											
81	Neuralgia and neuritis.....											
82	Other diseases of the nervous system.....		2									
83	Diseases of the eyes and their annexa.....											
84	Diseases of the ears.....											

^aTumors of the female genital organs excepted.

CONTRIBUTORY CAUSES OF DEATH.

57

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines after the United States entered the war.]

Contributory Cause.																	Detailed Int. List No.
Other tumors. ¹	Acute articular rheumatism.	Chronic rheumatism and gout.	Scurvy.	Diabetes.	Exophthalmic goiter.	Addison's disease.	Leukemia.	Anemia, chlorosis.	Other general diseases.	Alcoholism.	Chronic lead poison.	Other chronic poisonings.	Encephalitis.	Simple meningitis.	Cerebro-spinal meningitis (undefined).	61b	
46	47	48	49	50	51	52	53	54	55	56	57	59	60	61a	61b		
119	2,782	2,351	61	758	118	32	74	2,739	638	5,363	16	216	904	6,275	532		
26	227	167	12	575	46	31	47	764	128	552	13	62	160	1,622	75		
1	11	2	1	5	1	4	17	7	9	1	15	246	18		
	4	2						35	2	1				4	29	3	
	8	1		3			1	4	5	4		1	12	165	6		
	9			1			3	1	5	1		4	46	8			
	6	1		1	1		1	7	6	3		7	142	9			
3	35	27						38	11	28		1	7	45	400	10	
		1															
	3	12						16	8	10		4	4	77			
	9	9		1				4	3	42				80			
	1							2	2				1	15	2		
												2					
				1							1				1		
2	1	3	..	4					6	2	4	1	3	1	3	25	
5	77	48	2	365	21	27	19	159	19	313	5	25	15	54	10		
4	62	38	1	344	18	24	14	114	11	284	5	23	9	36	6	28	
3	1	4	1	4	1	1	1	10	2	13			1	5		29	
1	3	1	1	4	1	1	1	13	1	5			2	2	1	30	
	3	3		4	1	3		5	2	1			1	3	2	31	
	2	2		1				2	1				3	3	1	32	
	2	3		1				3	1				1	1		33	
	1	1		7				9	2	2			1	2	3	34	
								1		1			1	1		35	
3	7	2	1	11		1	2	19	14	62		4	34	178	16	36	
1								1	1				9		1	37	
6	25	34	1	181	13	8	17	314	15	36	6	4	4	21	2	38	
		1	2				1	4	1				1				
3	4	13	47	2	1	1	4	141	2	25	2	1	1			39	
1	1	6	25	1			1	44	3	2	1	1				40	
	4	4	32	4	1	3	2	61	2				1			41	
	6	3	29	5	1	1	1	15	1	1			1			42	
2	3	2	2				1	9	2	1		1	2	8		43	
2	7	5	44	1	1	7	7	40	5	6	2	1	1	10	2	44	
								2								45	
																46	
1		4			1			13	6	12			1	41	1	47	
1		1						12	1				1	1		48	
5	15	8			9			18	2	15			1	1	2	49	
2	2	1						7	2				1	1		50	
2								4								51	
1								32	8							52	
3	4	4						4	3				1	1	3	53	
4	3							25	1				7	7	4	54	
1	1	2						5	2	3			1	67	2	55	
													1	1		56	
								3								57	
																58	
																59	
13	92	154	4	2	19		3	143	65	417		8	324	940	80		
	1							1	1					7		60	
	3	3	2		1			3	8	7		1	52			61	
	1	2	2					3	3	1		1	44				
	2	1			1				2	6			4			62	
1	7	16	1				3	12	6	6		5	27	3		63	
1							48	3	9			10	17	2			
8	72	106	1		14			28	38	249		3	29	43	3	64	
3	6	24					2	2	13		1	2	1	65		65	
1					2			17	4	25		1	4	3		66	
								6	27			2	7	1		67	
								4	1							68	
								6	4	38		1	4	30	1	69	
								9	2	36		1	2	40	2	70	
								6	1	4		1	12	40	2	71	
												5	22			72	
												207	759	79	76	73	

² Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed Int. List No.	CAUSE OF DEATH.	CONTRIBUTORY CAUSE.										
		Dissemi- nated tuber- culosis.	Rickets.	Syphilis.	Gono- coccus infection.	Cancer, buccal cavity.	Cancer, stomach, liver.	Cancer, perito- neum, intes- tines, rectum.	Cancer, female genital organs.	Cancer, breast.	Cancer, skin.	Cancer, other organs or organs not specified.
		85	86	87	88	89	40	41	42	43	44	45
	III.—Diseases of the circulatory system.		27		11							
77	Pericarditis.											
78	Acute endocarditis.		7		1							
79	Organic diseases of the heart.		18		9							
80	Angina pectoris.				1							
81	Diseases of the arteries, atherosoma, aneurism, etc.											
82	Embolism and thrombosis.											
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).											
84	Diseases of the lymphatic system (lymphangitis, etc.).		2									
85	Hemorrhage; other diseases of the circulatory system.											
	IV.—Diseases of the respiratory system.		434	81	23							
86	Diseases of the nasal fossae.											
87	Diseases of the larynx.		3									
88	Diseases of the thyroid body.											
89	Acute bronchitis.	56			1							
90	Chronic bronchitis.	7			1							
91	Bronchopneumonia.	290			13							
92	Pneumonia (total).	75	81	8								
	Lobar pneumonia.	57	70	7								
	Pneumonia (undefined).	18	11	1								
93	Pleurisy.	2										
94	Pulmonary congestion, pulmonary apoplexy.	1										
95	Gangrene of the lung.											
96	Asthma.											
97	Pulmonary emphysema.											
98	Other diseases of the respiratory system (tuberculosis excepted).											
	V.—Diseases of the digestive system.	1	243	6	16							
99	Diseases of the mouth and annexa.		2									
100	Diseases of the pharynx.	1										
101	Diseases of the esophagus.			3	1							
102	Ulcer of the stomach.											
103	Other diseases of the stomach (cancer excepted).											
104	Diarrhea and enteritis (under 2 years).	208			13							
105	Diarrhea and enteritis (2 years and over).	31										
106	Ankylostomiasis.											
107	Intestinal parasites.											
108	Appendicitis and typhlitis.	1		2								
109	Hernia, intestinal obstruction (total).			1	1	1						
	Hernia.				1							
110	Intestinal obstruction.						1					
	Other diseases of the intestines.											
111	Acute yellow atrophy of the liver.											
112	Hydatid tumor of the liver.											
113	Cirrhosis of the liver.	1										
114	Biliary calculi.											
115	Other diseases of the liver.											
116	Diseases of the spleen.											
117	Simple peritonitis (nonpuerperal).											
118	Other diseases of the digestive system (cancer and tuberculosis excepted).											
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	14	4	9								
119	Acute nephritis.		4									
120	Bright's disease.	9			5							
121	Chyluria.											
122	Other diseases of the kidneys and annexa.	1										
123	Calculus of the urinary passages.											
124	Diseases of the bladder.											
125	Diseases of the urethra, urinary abscess, etc.											
126	Diseases of the prostate.					1						
127	Nonvenereal diseases of the male genital organs.											
128	Uterine hemorrhage (nonpuerperal).											
129	Uterine tumor (noncancerous).				2	3						
130	Other diseases of the uterus.				1	1						
131	Cysts and other tumors of the ovary.											
132	Salpingitis and other diseases of the female genital organs.											
133	Nonpuerperal diseases of the breast (cancer excepted).											
	VII.—The puerperal state.		2	13								
134	Accidents of pregnancy.											
135	Puerperal hemorrhage.											
136	Other accidents of labor.					1	1					
137	Puerperal septicemia.				1		12					
138	Puerperal albuminuria and convulsions.											
139	Puerperal phlegmasia alba dolens, embolus, sudden death.											
140	Following childbirth (not otherwise defined).											
141	Puerperal diseases of the breast.											

¹ Tumors of the female genital organs excepted.

CONTRIBUTORY CAUSES OF DEATH.

59

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines after the United States entered the war.]

CONTRIBUTORY CAUSE.

Other tumors. ¹	Acute articular rheumatism.	Chronic rheumatism and gout.	Scurvy.	Diabetes.	Exophthalmic goiter.	Addison's disease.	Leukemia.	Anemia, chlorosis.	Other general diseases.	Alcoholism.	Chronic lead poisoning.	Other chronic poisonings.	Encephalitis.	Simple meningitis.	Cerebrospinal meningitis (undefined).	Detailed Int. List No.
46	47	48	49	50	51	52	53	54	55	56	57	59	60	61a	61b	
38	1,971	1,559		4			1	540	82	911		59	42	78	4	
1	7	48						3	1	5		1	5	6	1	77
31	1,860	1,244						71	8	145		5	6	12		78
	56	31						389	55	722		35	9	24		79
4	41	84						13	1	15		5	1	23		80
2	7	8						42	8	14		12	13	14		81
								13	4	4		1	14	12		82
								5	2	6				4		83
								1	1							84
								3	2							85
11	217	206	22		29		18	339	72	1,405		35	52	1,392	190	
								1	1					7		86
2		7						3	1	3						87
								4								88
2	4	25	3					40	9	13		1	5	54	7	89
2	20	37						34	2	19		2	1	6	2	90
3	26	65	13					95	29	226		10	14	528	71	91
3	157	66	5					136	28	1,117		21	21	775	109	92
3	137	48	3					100	21	1,116		16	15	603	75	
1	20	18	2					36	7	1		5	6	172	34	
	7	6	1					13	1	22		1	10	18	1	93
								5	1							94
								1	4							95
								3		5			1	4		96
10	51	51	17	58	8		2	408	160	498	1	9	63	899	35	
								2	4	7		4	20			99
	8	2						14	14	4		7	75	11		100
										1						101
	3	2			4			56	3	20		1	2	4		102
4	4	5						45	16	2		1	1	2		103
2	7	14	1	2				47	58			30	712	17		104
8	22							92	20	51		7	34	4		105
								6								106
	3	3	27	3				1	6	4		1	18			107
4	3	5	1	17				12	11	18		3	6	1		108
1	1	16						3	3	12		1	3	1		109
3	3	4	1					1	9	8						110
	2							9	5	4						111
1		1						2		1			1	1		112
1	8	1						63	7	339		4	1	3	2	113
2	1	5		5	5			6	5	4		2	14			114
	1	4	1	1				30	8	26						115
	5	3										1	2	5		116
								5	3	7		1				117
								1	2	4						118
21	190	187	5	15	2			359	57	738		26	16	91	10	
15	32	12						26	14	256		4	26			119
	151	161	5					244	23	473		8	46	9		120
1	3	4							5				6	1		121
									9	4	4					122
									5							123
									2	1						124
										1						125
i	2	2	2						4	4	2		2	4		126
									4	2			1			127
									43	2						128
1	2	2	5					8				1	1	2		129
1	2	2	1					4	1			1		2		130
2		2	2					2		1			1	2		131
														1		132
																133
	9			6	11			98	7	2			4	22	2	
									28	2				3	1	134
									26	2				2		135
	3				5				21	3				13	1	136
					3				13					2		137
					1				8	2				2		138
					2				2					1		139
																140
														1		141

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed Int. List No.	CAUSE OF DEATH.	CONTRIBUTORY CAUSE.										
		Dissemi-nated tuber-cu- lo-sis.	Rickets.	Syphilis.	Gono-coccus infection.	Cancer, buccal cavity.	Cancer, stomach, liver.	Cancer, perito-neum, intes-tines, rectum.	Cancer, female genital organs.	Cancer, breast.	Cancer, skin.	Cancer, other organs or organs not specified.
		35	36	37	38	39	40	41	42	43	44	45
	VIII.—Diseases of the skin and of the cellular tissue					1						
142	Gangrene.....					1						
143	Furuncle.....											
144	Acute abscess.....											
145	Other diseases of the skin and annexa.....											
	IX.—Diseases of the bones and of the organs of locomotion.....			1								
146	Diseases of the bones (tuberculosis excepted).....			1								
147	Diseases of the joints (tuberculosis and rheumatism excepted).....											
148	Amputations.....											
149	Other diseases of the organs of locomotion.....											
	X.—Malformations.....		14	1								
150	Congenital malformations (stillbirths not included) (total).....		14	1								
	Hydrocephalus.....		10									
	Congenital malformations of the heart.....		3									
	Other congenital malformations.....		1	1								
	XI.—Early infancy.....		1	3	1							
151	Congenital debility, icterus, and sclerema (total).....		1									
	Premature birth.....		1									
	Congenital debility, "atrophy," "marasmus," etc.											
152	Other causes peculiar to early infancy (total).....			3	1							
	Injuries at birth.....			3	1							
	Other causes peculiar to early infancy 2.....											
153	Lack of care.....											
	XII.—Old age.....											
154	Senility.....											
	XIII.—External causes.....		3	7	29	4	9	19	11	6	10	13
	Suicide (total).....		1		7		4	2	2	2	3	5
155	By poison.....		1		1							
156	By asphyxia.....										1	2
157	By hanging or strangulation.....				1							2
158	By drowning.....						1					
159	By firearms.....						3	2	2			3
160	By cutting or piercing instruments.....				3							
161	By jumping from high places.....				2							
162	By crushing.....											
163	Other suicides.....											
	Accidental or undefined (total).....		2	7	22	4	5	17	9	4	10	10
164	Poisoning by food.....				2				1			1
165	Other acute poisonings.....				3	2		1				
166	Conflagration.....					1						
167	Burns (conflagration excepted).....				1		1					
168	Absorption of deleterious gases (conflagration excepted).....				1							
169	Accidental drowning.....											
170	Traumatism by firearms.....					1						
171	Traumatism by cutting or piercing instruments.....											
172	Traumatism by fall.....				4	7		4	12	6	4	9
	Traumatism in mines and quarries (total).....											1
	Traumatism in mines.....											1
	Traumatism in quarries.....											
173	Traumatism by machines.....					1						
	Traumatism by other crushing (total).....								2	2		8
	Railroad accidents and injuries.....											1
	Street-car accidents and injuries.....											1
	Automobile accidents and injuries.....											4
	Injuries by other vehicles.....								1	2		2
	Landslide, other crushing.....											
176	Injuries by animals.....								1			1
177	Starvation.....											
178	Excessive cold.....		1									
179	Effects of heat.....			2	1	1						
180	Lightning.....											
181	Electricity (lightning excepted).....											
182	Fractures (cause not specified).....				1	2				1	2	
183	Other external violence.....					3						1
	Homicide (total).....											
182	By firearms.....											
183	By cutting or piercing instruments.....											
184	By other means.....											

¹ Tumors of the female genital organs excepted.

CONTRIBUTORY CAUSES OF DEATH.

61

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines after the United States entered the war.]

CONTRIBUTORY CAUSE.																	Detailed Int. List No.
Other tumors. ¹	Acute articular rheumatism.	Chronic rheumatism and gout.	Scurvy.	Diabetes.	Exophthalmic goiter.	Addison's disease.	Leukemia.	Anemia, chlorosis.	Other general diseases.	Alcoholism.	Chronic lead poisoning.	Other chronic poisonings.	Encephalitis.	Simple meningitis.	Cerebro-spinal meningitis (undescribed).		
46	47	48	49	50	51	52	53	54	55	56	57	59	60	61a	61b		
3		8							13	8	8		2	1	16		
3		7							7	2	3		1		6		142
		1								3	1			1	4		143
									2	2	3		1		5		144
									4	1	1				1		145
	2	1	1	5					13	3	5		189	476	31		
2	1	1	5						9	3	4		139	469	31	146	
									3		1				7		147
																	148
									1								149
5			1						13	13				2	142	22	
5			1						13	13				2	142	22	150
5			1						6	6			1		28	2	
									7	6			1		117	20	
1									27	82				4	84	6	
1	1								23	19					4		151
									23	19					4		
									4	63				4	80	6	152
									4	23				4	78	6	153
									40					2			
																	154
	14	18		92	3	1	3	23	11	827	2	15	97	513	67		
1			1					1		100	1	5	1		6		155
									13								156
1			1						5	1			3				157
									18								158
									6								159
									26		2	1	5				160
									16								161
									9								162
									2					1			163
	13	18		90	3	1	3	21	11	714	1	10	90	478	64		
				2				1		3		4	1	8	2	164	
				1				2		22		4		3			165
				1					10								166
	2		1	5				1	1	37		1	1	12	3		167
				1					54		2	1					168
										34							169
									1			5	11				170
									5			4		1			171
	7	13		56	2		1	13	3	267	1	1	44	229	32		172
				3					4			2	4				173
				3					3			2	3				
				1					1				1				174
				9		1	2	1	1	131		1	5	73	9		175
				1		1	1		48		1	1	12	1			
				2					16				9				
				3			1		36			3	35	4			
				3					30			1	17	4			
									1								
										7			5	22	1		176
													1				177
	2	2		1	1			2	1	68		2	17	1			178
				1					20								179
				0						1		1	20	74	14		180
				1						14			1	9			181
				1					30			6	29	3			182
				1					1			2	12	2			183
									8			4	15	1			184

² Exclusive of injuries at birth.

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed Int. List No.	Cause of Death.	Contributory Cause.										
		Cerebro-spinal fever.	Loco-motor ataxia.	Acute anterior poliomyelitis.	Other diseases, spinal cord.	Cerebral hemorrhage.	Softening, brain.	Paralysis without specified cause.	General paralysis, insane.	Other forms of mental alienation.	Epilepsy.	Convulsions (nonpuerperal).
		61c	62	63a	63b	64	65	66	67	68	69	70
	All causes.....	8	225	26	569	7,927	722	7,420	648	3,898	1,508	290
	I.—General diseases.....	3	190	19	167	1,443	66	682	588	1,079	354	58
1	Typhoid fever.....	2		3	2	25		19	2	15	12	2
2	Typhus fever.....											
3	Relapsing fever.....											
4	Malaria.....											
5	Smallpox.....			1	1			10		3	1	4
6	Measles.....			1	6	19		8	1		17	1
7	Scarlet fever.....		1	2	1	2				1	2	
8	Whooping cough.....				2	61		5		1	8	1
9	Diphtheria and croup.....				4	5		88		4	1	
10	Influenza.....					16	9			24	18	5
11	Miliary fever.....											
13	Cholera nostras.....											1
14	Dysentery.....						7	1			21	1
17	Leprosy.....											
18	Erysipelas.....							1	2		19	15
19	Other epidemic diseases.....						1	1			2	
20	Purulent infection and septicemia.....								3		12	
21	Glanders.....											
22	Anthrax.....											
23	Rabies.....											
24	Tetanus.....			1								
25	Mycoses.....							1				
26	Pellagra.....	2			4	15	1	20	3	86	16	1
27	Beriberi.....											
	Tuberculosis (total).....			25	4	46	149	6	98	61	718	193
28	Tuberculosis of the lungs.....		22	3	20	109	3	61	53	660	186	11
29	Acute military tuberculosis.....	1			1	2	1	2	3	18	6	2
30	Tuberculous meningitis.....					19	1	15	2	5	7	8
31	Abdominal tuberculosis.....	1			8	4		4	1	25	6	
32	Pott's disease.....				10	4		5		1	2	1
33	White swellings.....				1	3	1			2	2	
34	Tuberculosis of other organs.....	1			4	7		4		2	2	
35	Disseminated tuberculosis.....				2	1		2	2	5	2	
36	Rickets.....					1				1		
37	Syphilis.....	1	189	2	59	319	38	195	508	43	34	3
38	Gonococcus infection.....								1			
	Cancer and other malignant tumors (total).....			15		20	273	7	106	6	47	15
39	Of the buccal cavity.....					14		6	1	2		
40	Of the stomach, liver.....	3			1	84	2	32	2	14	4	
41	Of the peritoneum, intestines, rectum.....				4	39		6	5	5	2	
42	Of the female genital organs.....	1			3	34		15	1	9	2	
43	Of the breast.....	2			5	31	2	12	9	9	3	
44	Of the skin.....	2			1	20		14	4			
45	Of other organs or of organs not specified.....	3			6	51	2	21	2	4	4	
46	Other tumors (tumors of the female genital organs excepted).....											
47	Acute articular rheumatism.....						10			4	2	
48	Chronic rheumatism and gout.....					2		1				
49	Scurvy.....											
50	Diabetes.....	7	1	13		397	1	76	4	13	7	8
51	Exophthalmic goiter.....					6		5		5	1	
52	Addison's disease.....							1		1		
53	Leukemia.....				3	8		2		3	1	
54	Anæmia, chlorosis.....					2		6		18	6	
55	Other general diseases.....					1			4		1	
56	Alcoholism (acute or chronic).....						85	1		33		14
57	Chronic lead poisoning.....	1		2		8		3	3	1		
58	Other chronic occupation poisonings.....											
59	Other chronic poisonings.....						1			2	1	
	II.—Diseases of the nervous system and of the organs of special sense.....			3	132	481	336	4,447	20	347	270	86
60	Encephalitis.....						3		6	7	3	3
61	Meningitis (total).....			2	1	12	8	31		16	2	10
	Simple meningitis.....					7	7	18		16		8
	Cerebrospinal meningitis (undifferentiated).....					2		6				
	Cerebrospinal fever.....			2	1	12	103	1	43	20	2	2
62	Locomotor ataxia.....					83	13	58		12	11	
63	Other diseases of the spinal cord (total).....					2						
	Acute anterior poliomyelitis.....					81	13	58		12	11	1
	Other diseases of the spinal cord ¹					104	2	296	4,071	188	225	18
64	Cerebral hemorrhage, apoplexy.....								81		8	
65	Softening of the brain.....									26		2
66	Paralysis without specified cause.....				1	10	187	8	20		2	29
67	General paralysis of the insane.....						4			2	17	1
68	Other forms of mental alienation.....						6	5	38	46		2
69	Epilepsy.....											
70	Convulsions (nonpuerperal).....											
71	Convulsions of infants.....									4		1
72	Chorea.....						1		1			
73	Neuritis and neuritis.....						1			7		
74	Other diseases of the nervous system.....					4	77	5	95	25	10	17
75	Diseases of the eyes and their annexa.....								1	1		
76	Diseases of the ears.....							2		3	1	

¹ Varices, hemorrhoids, phlebitis, etc.

CONTRIBUTORY CAUSES OF DEATH.

63

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines after the United States entered the war.]

CONTRIBUTORY CAUSE.																			Detailed Int. List No.
Convulsions of infants.	Chorea.	Neuralgia and neuritis.	Other diseases, nervous system.	Diseases, eyes and their annexa.	Diseases, ears.	Pericarditis.	Acute endocarditis.	Organic diseases, heart.	Angina pectoris.	Diseases, arteries, atherosclerosis, aneurism, etc.	Embolism and thrombosis.	Diseases, veins. ¹	Diseases, lymphatic system.	Hemorrhage; other diseases, circulatory system.	Diseases, nasal fossae.	Diseases, larynx.			
71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87			
6,041	201	624	1,527	72	706	1,430	10,368	35,666	551	40,289	4,224	427	381	247	287	868			
098	35	169	364	20	279	333	3,919	6,864	108	1,749	569	96	86	51	27	321			
4	2	3	7		18	4	127	200		6	23	12	3	2			3	1	
18		2	2		3	1	12	39		11	1	1	1	1			1	4	
68	3	2	7	3	55	5	49	82	1	1	5		5	2	2	54	5	1	
14	1	1	1	1	30	1	86	61		1	2		20	1		18	7		
263	1		11		4	2	23	60			1		5			24	8		
16	1	5	23		9	5	507	208		1	5	1	3	5	2	58	9		
25	19	22			64	33	344	238		324	35	4	8	1	7	20	10		
3																	11		
32		1	7					1	13			6	3	5		2	1	13	
12	2	5	4	17	4	70	25			72	11	14	4	1	5	13	17		
17		2	3	3		10	6			2		8		1		3	19		
4		1	2	2			2	12									20		
									1								21		
5			2						1			1	2	2			22		
	1	3	5			2	7	46			13						23		
																	24		
73	6	27	117	2	45	71	588	2,127	15	232	69	14	13	2	5	56	56		
6	5	22	85	1	17	64	492	1,870	13	192	34	12	9	1	3	50	28		
	1	4			4	3	29	70		7	1	2	2			2	29		
64	1	15	1	21		15	23			1	1	1					30		
3	1	6	1	1		2	19	57		9							31		
1	1	2					11	29		5	9						32		
4		1			1	2	10	38	1	11	8						33		
		2			3		4	15		2	1						34		
45	1	9					1										1	35	
46	7	74	2	4	7	110	479	17	174	50	1	5	3			24	37		
					16	2				1	2						38		
1	24	29	2	4	19	217	1,612	18		476	257	22	2	12			18		
	6	4	1	1	7	4	38			22	14						3	39	
2	5	5	1	1	5	68	682	7		208	53	1					2	40	
3	4	10				24	202	4		60	32	13					41		
9	10					1	41	3		23	74	3					42		
	1	4	5		2	1	28	173	1	34	31	1					43		
					1	5	49	249	3	35	10						44		
						5		5	94	43	3						10		
									4	4	1						2	46	
1	18	13	4		1	162	1,474	81		23	20	3	2	1	2	1	47		
1	5				10	41			47	1							48		
1	14	8	1	19	9	76	812	53		223	44	9	4	1	1	6	50		
	3	3	1	1	5	69	231	4		5	8	1	3				51		
					6	6	10			4	2						52		
5	9	15			2	2	20	60		5	2	5	1	1			53		
41						5	25			36	5	5	2	11			54		
		27	2	3		5	251	75		1							55		
		3	2		1		8										56		
																	57		
																	58		
																	59		
209	13	76	288	18	23	27	270	1,906	28	16,529	219	17	32	12	27	22			
22	1	2	8	2		1	2					1					3		
95	6	5	27	11	11	1	28	17		1	2					19	4		
78	6	5	12	9			13	3			8	1				18	2		
3		6	2			10	4				2					1	1		
14		9			11	1	5	10		2							1		
1	2	2				18	105			32	6						2		
8	15	41			3	30	182	1	151	20	3						3		
5		15	39		3	8	27	174	1	151	17	2					4		
28	4	29	95	3	8	21	136	1,242	27	14,842	123	12	5	4	1	5	64		
	1	9			1				4	290							65		
	1	20		1	2		22	153		109	7						66		
		2	14	1			56										67		
		1	1														68		
4	2		62				9	56		54	3		5	1	1		69		
																	70		
2		1						4									71		
35		3	4	1	1		10	40		65	7		3	1		1	3	72	
		2	1							1	4	2	9	1			73		
13		2	4			1	14	2		3	47	2					74		
																	75		
																	76		

² Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed Int. List No.	Cause of Death.	Contributory Cause.										
		Cerebro-spinal fever.	Loco-motor ataxia.	Acute anterior polio-myelitis.	Other diseases, spinal cord.	Cerebral hemorrhage.	Softening brain.	Paralysis without specified cause.	General paralysis, insane.	Other forms of mental alienation.	Epilepsy.	Convulsions (nonpuerperal).
		61c	62	63a	63b	64	65	66	67	68	69	70
	III.—Diseases of the circulatory system.		6		44	2,202	239	983	2	650	221	11
77	Pericarditis.					1		5		7	2	
78	Acute endocarditis.					26		37		65	31	
79	Organic diseases of the heart.				39	2,131	51	699		388	175	3
80	Angina pectoris.		5		4	15		17		5	5	
81	Diseases of the arteries, atheroma, aneurism, etc.		1		1	24	62	70	2	173	6	
82	Embolism and thrombosis.					5	126	155		11	7	1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).										1	
84	Diseases of the lymphatic system (lymphangitis, etc.).									1		1
85	Hemorrhage; other diseases of the circulatory system.											
	IV.—Diseases of the respiratory system.				39	184	9	265		430	281	15
86	Diseases of the nasal fossae.					1						
87	Diseases of the larynx.						1	1		1		1
88	Diseases of the thyroid body.					1		1		4		
89	Acute bronchitis.									1	7	2
90	Chronic bronchitis.					3				12	11	
91	Bronchopneumonia.				5	18		51		186	132	4
92	Pneumonia (total).				34	157	9	205		216	126	7
	Lobar pneumonia.				34	154	9	161		209	111	3
	Pneumonia (undefined).					3		44		7	15	4
							6		5		.5	
93	Pleurisy.									1		
94	Pulmonary congestion, pulmonary apoplexy.					4				1		1
95	Gangrene of the lung.							1		1		
96	Asthma.									1		
97	Pulmonary emphysema.									2		
98	Other diseases of the respiratory system (tuberculosis excepted).											
	V.—Diseases of the digestive system.		3		10	259	2	46		285	28	66
99	Diseases of the mouth and annexa.					1				6		1
100	Diseases of the pharynx.					1				4		2
101	Diseases of the esophagus.											
102	Ulcer of the stomach.		2		2		12		8		1	1
103	Other diseases of the stomach (cancer excepted).									25	1	11
104	Diarrhea and enteritis (under 2 years).				4	73		4			9	3
105	Diarrhea and enteritis (2 years and over).				19			1		190	4	39
106	Ankylostomiasis.											
107	Intestinal parasites.					2						3
108	Appendicitis and typhlitis.				1	9		2			1	
109	Hernia, intestinal obstruction (total).				2	17		7		16	2	1
	Hernia.				1	15		4		3	1	
	Intestinal obstruction.				1	2		3		13	1	1
110	Other diseases of the intestines.					2		1		9		3
111	Acute yellow atrophy of the liver.		1			1				1		
112	Hydatid tumor of the liver.											
113	Cirrhosis of the liver.				1	107	1	14		7	2	
114	Biliary calculi.					4		4		3	1	
115	Other diseases of the liver.					5		1		8	5	1
116	Diseases of the spleen.											1
117	Simple peritonitis (nonpuerperal).					4	1	3		4	1	
118	Other diseases of the digestive system (cancer and tuberculosis excepted).							1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.				79	2,090	47	803		322	111	38
119	Acute nephritis.					8		24		53	22	9
120	Bright's disease.				79	2,057	46	761		237	83	28
121	Chyluria.											
122	Other diseases of the kidneys and annexa.					2		6		7	1	
123	Calculus of the urinary passages.											
124	Diseases of the bladder.					2		1			10	
125	Diseases of the urethra, urinary abscess, etc.							2			1	
126	Diseases of the prostate.					13		4		4	1	
127	Nonvenereal diseases of the male genital organs.											
128	Uterine hemorrhage (nonpuerperal).											
129	Uterine tumor (noncancerous).					4		3		1	2	
130	Other diseases of the uterus.					3	1			7	1	1
131	Cysts and other tumors of the ovary.								1			
132	Salpingitis and other diseases of the female genital organs.					1		1		1	1	
133	Nonpuerperal diseases of the breast (cancer excepted).											
	VII.—The puerperal state.				2	'57		18		3	8	
134	Accidents of pregnancy.								1			
135	Puerperal hemorrhage.					1						
136	Other accidents of labor.					24		5			2	
137	Puerperal septicemia.					1	2	2				
138	Puerperal albuminuria and convulsions.				1	29		5		1	4	
139	Puerperal phlegmasia alba dolens, embolus, sudden death.					1		2				
140	Following childbirth (not otherwise defined).								1		1	
141	Puerperal diseases of the breast.								1			

¹ Varices, hemorrhoids, phlebitis, etc.

CONTRIBUTORY CAUSES OF DEATH.

65

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued..

and marines after the United States entered the war.]

CONTRIBUTORY CAUSE.																	Detailed Int. List No.
Convulsions of infants.	Chorea.	Neuralgia and neuritis.	Other diseases, nervous system.	Diseases, eyes and their annexa.	Diseases, ears.	Pericarditis.	Acute endocarditis.	Organic diseases, heart.	Angina pectoris.	Diseases, arteries, arterio-aneurysm, etc.	Embolism and thrombosis.	Diseases, veins. ¹	Diseases, lymphatic system.	Hemorrhage; other diseases, circulatory system.	Diseases, nasal fossae.	Diseases, larynx.	
71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98
32	110	159	237	8	23	393	920	1,238	342	12,965	1,659	103	31	99	9	62 <th data-kind="ghost"></th>	
16	64 43	19 86	3 20 112	20 6 18	4 18 272	101 10 67	725	4 18 243	342	37 213 10,602	6 262 1,205	17 72	8 13	2 41 2	2 6 1		
	3	29	83	1	1	10	101	767		1,541	15			4 5	46		
	4 1	5				20 23	23 3	570 12		39	14			1	2		
11		1	1					9			130				1		
1																	
977	23	73	278	8	249	366	1,870	5,920	36	2,726	278	54	106	31	152	283 <th data-kind="ghost"></th>	
5 11		4					1	12		5	1		1				
		6					3	12		2	11	1		4			
223	3 2 505	5 9 21	21 11 134	1 5 5	5 1 151	5 2 49	50 92 411	116 229 553		193 549 1,046	8 11 43	1 1 17	16 50	4 6 124	73 26 117		
202	9 148	24 19	92 78		82 68	208 171	1,148 997 4,295	4,445 36 36	863	160 724 125	24 15	26 21	8 6 5	11 7 4	50 31 19		
54 4 23	5 1 3	14 4	14 10	37	107	151	150 184	118		129 46	35 35	9 7	1 1	2 6	1		
1	1	2					5										
1	1	2					1	8		9	6	1		5			
1	1	2						21		12					8		
1	2		1					18		1	1				1		
3,221	6	61	174	4	97	66	768	2,572	4	563	561	67	71	20	47	106 <th data-kind="ghost"></th>	
13 4 1	1 2 2	2 4	1 1	21	9	11 235	4 45		3 10	4 35			4 27	1 25	87	99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118	
196		17	22		9	29	67	1	55	30			1	1	8	3	
2,540 350	1 1	53 10	71	1	72	84			4	4	2			22	9	12	
23					9	81			1	13	12	10	4	5	5	1	
49 7 42 32	1 4 1 3	4 3 2 4	3 1 3 1	21	167 248 88 25	2	14 97 41 12	195 139 92 26	1 1 56 12	16 3 52 5	2 3 1 1		1 1 1		1		
					1	4	8		4	2							
						1	1		2	2							
						1	20	177	1,354	272	8	16				2	
6	13 2 4	5 2 3		1	5	41	106	1	23	52	1					113	
1	2				7	38	78		44	38	9	1	2	2		114	
1	2				3	16	36		5	2	8	2	4	1	1	115	
38	6	64	87	4	28	215	2,284	15,882	3	5,344	538	66	17	25	17	37	
25 2	5 47	9 56	18 2	2	3	302	185		5,220	233	35	9	1 7	14 17	6 1	29	119 120 121 122 123 124 125 126 127 128
8		2	2		2	3	10	23		41	11			2	1	1	
1		4	3		1	2	8			6	6						
		1	1		1	3	5			9	3	2			1		
2		1	1		1	1	1	2	50	47	6			4			
		1	2		1	43	87		10	117	6	1					
	1	3			15	36			3	43	10				1		
	1				15	18			1	32	1			1			
					20	16			1	36	6						
					1				1	1							
	2	2	2			12	149	362	13	2	11	4	1		3		
			1				17	49								134	
					3	30	122		6			1				135	
	2	2	1		3	55	38		1	2	3					136	
					5	97	6		1	1	7					137	
					21	1			7	1						138	
					1		4		1							139	
					1		1									140	
							2									141	

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed Int'l List No.	Cause of Death.	Contributory Cause.										
		Cerebro-spinal fever.	Loco-motor ataxia.	Acute anterior polio-myelitis.	Other diseases, spinal cord.	Cerebral hemorrhage.	Softening, brain.	Paralysis without specified cause.	General paralysis, insane.	Other forms of mental alienation.	Epilepsy.	Convulsions (nonpuerperal).
		61c	62	63a	63b	64	65	66	67	68	69	70
	VIII.—Diseases of the skin and of the cellular tissue.....					1	2	2		21		
142	Gangrene.....							2	1		8	
143	Furuncle.....										4	
144	Acute abscess.....					1					5	
145	Other diseases of the skin and annexa.....								1		4	
	IX.—Diseases of the bones and of the organs of locomotion.....					8		4		3		2
146	Diseases of the bones (tuberculosis excepted).....					8		4		2		1
147	Diseases of the joints (tuberculosis and rheumatism excepted).....									1		1
148	Amputations.....											
149	Other diseases of the organs of locomotion.....											
	X.—Malformations.....				5	12		8		1	4	3
150	Congenital malformations (stillbirths not included) (total).....				5	12		8		1	4	3
	Hydrocephalus.....				2	5		6			1	1
	Congenital malformations of the heart.....				3	4		2			1	1
	Other congenital malformations.....										2	1
	XI.—Early infancy.....				1			2			1	
151	Congenital debility, icterus, and sclerema (total).....							1				
	Premature birth.....							1				
	Congenital debility, "atrophy," "marasmus," etc.											
152	Other causes peculiar to early infancy (total).....				1	1		1			1	
	Injuries at birth.....				1	1		1			1	
	Other causes peculiar to early infancy ²											
153	Lack of care.....											
	XII.—Old age.....											
154	Senility.....											
	XIII.—External causes.....	5	26	4	90	1,190	21	160	38	757	230	11
	Suicide (total).....		5		1	55				3	683	10
155	By poison.....									89	1	2
156	By asphyxia.....									65		1
157	By hanging or strangulation.....				1				1	170		
158	By drowning.....		1							60	3	
159	By firearms.....		3			51			1	180	2	
160	By cutting or piercing instruments.....				1				1	61	3	
161	By jumping from high places.....				3					27	1	
162	By crushing.....									9		
163	Other suicides.....		1							22		
	Accidental or undefined (total).....	5	21	4	87	1,075	21	167	34	72	220	9
164	Poisoning by food.....			1		1				1	3	2
165	Other acute poisonings.....										1	
166	Conflagration.....				3	17	1	8	2	5	45	1
167	Burns (conflagration excepted).....	1			4	1	1			1	36	
168	Absorption of deleterious gases (conflagration excepted).....											
169	Accidental drowning.....				6					9	35	3
170	Traumatism by firearms.....				7			5				
171	Traumatism by cutting or piercing instruments.....							1				
172	Traumatism by fall.....	2	16	2	54	549	14	92	9	16	79	2
173	Traumatism in mines and quarries (total).....				2	7		4	1	1	1	
	Traumatism in mines.....				2	7		4	1	1	1	
	Traumatism in quarries.....											
174	Traumatism by machines.....				1	15		3				
175	Traumatism by other crushing (total).....	1	1		13	314	2	18	2	7	6	
	Railroad accidents and injuries.....				2	49		1			6	3
	Street-car accidents and injuries.....				2	42	1	2			1	
	Automobile accidents and injuries.....	1			2	152		5	2	1	1	
	Injuries by other vehicles.....		1		6	70	1	10				1
	Landslide, other crushing.....				1	1						
176	Injuries by animals.....	1			2	12	1	2				
177	Starvation.....											
178	Excessive cold.....	2			2				1	8	3	
179	Effects of heat.....			4	42		4	2	4	1	1	1
180	Lightning.....						1					
181	Electricity (lightning excepted).....				22	1	4	3	1		1	
182	Fractures (cause not specified).....	1	1	7	77	1	14	13	17		10	
183	Other external violence.....				1	20		3				
184	Homicide (total).....				2	60		3	1	2		
	By firearms.....				1							
	By cutting or piercing instruments.....				1	40			1	1		
	By other means.....											

¹ Varices, hemorrhoids, phlebitis, etc.

CONTRIBUTORY CAUSES OF DEATH.

67

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines after the United States entered the war.]

CONTRIBUTORY CAUSE.																			Detailed Int. List No.
Convulsions of infants.	Chorea.	Neuralgia and neuritis.	Other diseases, nervous system.	Diseases, eyes and their annexa.	Diseases, ears.	Pericarditis.	Acute endocarditis.	Organic diseases, heart.	Angina pectoris.	Diseases, arteries, atherosclerosis, aneurism, etc.	Embolism and thrombosis.	Diseases, veins. ¹	Diseases, lymphatic system.	Hemorrhage; other diseases, circulatory system.	Diseases, nasal fossae.	Diseases, larynx.			
71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87			
15	1	6	6	1	1	7	21	15	5	3	4	5	142 143 144 145	
1	3	6	2	1	3	9	3	7	4	1	1		
8	7	1	1	4	5	2	3	2	2	1	5		
3	3	5	4	3	3	35	18	1	14	96	3	8	2	4	1		
3	1	5	4	3	3	30	13	1	12	91	3	7	2	4	1	146 147		
.....	2	3	148 149		
162	21	4	2	14	5	7	9	1	7	150		
162	21	4	2	14	5	7	9	1	7		
31	8	1	2	1	4		
55	4	1	2	12	2	3	3		
76	9	2	2	3	4	6	1	3		
611	1	8	1	2	22	28	3	1	4		
276	1	5	1	1	19	28	3	1	1	1	151		
227	1	5	1	1	19	28	3	1	1		
49		
335	3	1	3	3	3		
270	3	1	3	152		
65	153		
.....	154		
75	4	11	57	4	4	11	110	850	16	397	271	12	14	3	2	17		
.....	7	2	1	5	4	11	2	4	1	1	155		
.....	2	1	2	2	1	156		
.....	1	1	1	1	1	1	157		
.....	1	1	1	4	1	1	158		
.....	1	1	1	1	1	1	159		
.....	1	1	1	1	1	1	160		
.....	1	1	1	1	1	1	161		
.....	1	1	1	1	1	1	162		
.....	1	1	1	1	1	1	163		
75	4	11	50	4	4	10	105	836	16	390	265	12	14	3	2	17		
11	1	1	1	1	15	21	2	4	4	1	1	1	1	1	164		
13	1	1	1	1	6	9	1	1	1	1	1	1	1	1	165		
18	4	2	3	1	1	1	12	26	1	6	10	1	1	1	1	1	166		
.....	1	1	1	1	1	1	2	8	1	2	7	1	1	1	1	1	167		
.....	1	1	1	1	1	1	4	2	1	2	2	1	1	1	1	1	168		
.....	1	1	1	1	1	1	1	3	1	2	1	1	1	1	1	1	169		
.....	1	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1	170		
.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	171		
7	2	5	22	1	5	29	523	7	318	118	3	1	1	1	172		
.....	1	1	1	1	1	1	1	7	1	1	8	8	8	1	1	1	173		
.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	174		
.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	175		
.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	176		
.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	177		
20	1	10	6	57	8	6	24	1	2	1	1	1	1	1	178		
.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	179		
.....	1	1	1	1	1	1	1	16	2	11	33	3	3	3	3	3	180		
.....	1	1	1	1	1	1	1	1	3	1	5	4	1	1	1	1	181		
.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	182		
.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	183		
.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	184		

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed Int. List No.	Cause of Death.	Contributory Cause.										
		Diseases, thyroid body.	Acute bronchitis.	Chronic bronchitis.	Broncho-pneumonia.	Lobar pneumonia.	Pneumonia (undefined).	Pleurisy.	Pulmonary congestion.	Gangrene lung.	Asthma.	Pulmonary emphysema.
		88	89	90	91	92a	92b	93	94	95	96	97
	All causes.....	438	6,224	5,786	21,100	5,443	7,607	3,991	13,252	141	3,927	679
	I.—General diseases.....	76	1,187	1,254	13,206	3,275	4,484	1,100	1,776	55	493	146
1	Typhoid fever.....	5	14	20	219	312	296	21	86	5	4	
2	Typhus fever.....				2		1					
3	Relapsing fever.....											
4	Malaria.....											
5	Smallpox.....											
6	Measles.....	1	243	49	4,596	876	1,178	38	63	2	16	5
7	Scarlet fever.....	1	8	1	133	60	63	12	3	1	1	
8	Whooping cough.....	1	258	13	3,144	329	534	14	44	3	8	1
9	Diphtheria and croup.....	2	55	15	625	137	102	11	23			
10	Influenza.....	12	315	555	2,661	21	1,159	152	256		119	7
11	Miliary fever.....											
13	Cholera nostras.....											
14	Dysentery.....		12	20	60	1	36	2	11		5	
17	Leprosy.....				2							
18	Erysipelas.....	2	8	11	135	1	58	3	30		2	
19	Other epidemic diseases.....		7		106	32	12	3	5			
20	Purulent infection and septicemia.....			1				1	12		3	
21	Glanders.....											
22	Anthrax.....											
23	Rabies.....											
24	Tetanus.....	1	1	1	1	4	2	1	2			
25	Mycoses.....			1				2				
26	Pellagra.....		2	2	12	10	13	1	11		2	
27	Beriberi.....											
	Tuberculosis (total).....	17	131	342	730	855	638	666	411	33	220	38
28	Tuberculosis of the lungs.....	12	83	300	507	704	534	590	311	32	207	36
29	Acute miliary tuberculosis.....	1	17	18	50	59	55	29	20		9	1
30	Tuberculosis meningitis.....		19	7	99	30	22	18	45			
31	Abdominal tuberculosis.....	2	8	6	16	17	8	18	13	1	1	
32	Pott's disease.....		1	7	20	12	6	4	9		2	
33	White swellings.....	1		3	9	6	5	1	5			
34	Tuberculosis of other organs.....	1	3	1	24	20	7	6	5			
35	Disseminated tuberculosis.....				5	7	1		3		1	
36	Rickets.....							5			2	
37	Syphilis.....	1	26	9	187	50	21	13	30	2	6	2
38	Gonococcus infection.....			8	2	1	1					
	Cancer and other malignant tumors (total).....	17	31	103	261	260	157	78	387	4	34	4
39	Of the buccal cavity.....	1	4	24	12	8	2			1		
40	Of the stomach, liver.....	4	6	35	66	67	45	20	126	2	14	3
41	Of the peritoneum, intestines, rectum.....	2	1	12	23	29	15	5	46		3	
42	Of the female genital organs.....	3	4	8	24	43	20	4	43	1	5	
43	Of the breast.....	4	8	15	31	53	18	15	63			
44	Of the skin.....	6	5	14	14	7		13				
45	Of other organs or of organs not specified.....	4	5	24	79	42	44	32	92	1	6	1
46	Other tumors (tumors of the female genital organs excepted).....	1		1	1	1	2	1	2	1	1	1
47	Acute articular rheumatism.....		4	12	54	1	35	25	27		14	79
48	Chronic rheumatism and gout.....								24		9	
49	Scurvy.....											
50	Diabetes.....	6	47	63	170	273	85	35	116	5	16	1
51	Exophthalmic goiter.....	7	4	9	20	6	8	9	19		1	
52	Addison's disease.....				4	1		2	2			
53	Leukemia.....	1	3	8	22	9	11	7	32		2	
54	Anemia, chlorosis.....	1	1	6					68		4	
55	Other general diseases.....		1				1		15			
56	Alcoholism (acute or chronic).....			1	1	2	3	3	70		8	
57	Chronic lead poisoning.....								1			
58	Other chronic occupation poisonings.....								6		5	
59	Other chronic poisonings.....											
	II.—Diseases of the nervous system and of the organs of special sense.....	23	187	312	949	443	282	64	1,239	4	128	13
60	Encephalitis.....		2	1	2			.1	9			
61	Meningitis (total).....		29	4	52	32	11		57		1	
	Simple meningitis.....	14	3						31			
	Cerebrospinal meningitis (undefined).....	9	1						3			
62	Cerebrospinal fever.....		6		52	32	11		23		1	
63	Locomotor ataxia.....	4	12	35	35	10	1	1	39		3	
	Other diseases of the spinal cord (total).....	2	32	26	146	50	35	10	82		6	2
	Acute anterior poliomyelitis.....	10		52	22	11	1	4	78		6	1
	Other diseases of the spinal cord.....	2	22	26	94	28	24	9		8	4	
64	Cerebral hemorrhage, apoplexy.....	16	77	205	414	215	179	35	676	3	92	6
65	Softening of the brain.....		2	8	10		6		8			
66	Paralysis without specified cause.....		18	39	89	1	16	3	85		15	4
67	General paralysis of the insane.....		6	10	163	99	11	6	59	1		1
68	Other forms of mental alienation.....								48			
69	Epilepsy.....	1							102		7	
70	Convulsions (nonpuerperal).....											
71	Convulsions of infants.....											
72	Chorea.....									1		
73	Neuralgia and neuritis.....								17			
74	Other diseases of the nervous system.....	2	2	2	26	3	2	2	49			
75	Diseases of the eyes and their annexa.....		2		1					3		
76	Diseases of the ears.....		16	4	13	8	12	5	4			

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CONTRIBUTORY CAUSES OF DEATH.

69

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines after the United States entered the war.]

CONTRIBUTORY CAUSE.																		
Other respiratory diseases (tuberculosis excepted).	Diseases, mouth and annexa.	Diseases, pharynx.	Diseases, esophagus.	Ulcer, stomach.	Other diseases, stomach (cancer excepted).	Diarrhea and enteritis (under 2 years).	Diarrhea and enteritis (2 years and over).	Ankylostomiasis.	Intestinal parasites.	Appendicitis.	Hernia.	Intestinal obstruction.	Other diseases, intestines.	Acute yellow atrophy, liver.	Cirrhosis, liver.	Biliary calculi.	Detailed Int. List No.	
98	99	100	101	102	103	104	105	106	107	108	109a	109b	110	111	113	114		
1,671	639	1,074	150	547	7,452	877	4,952	21	70	465	350	3,258	2,005	13	1,692	813		
321	164	357	62	259	1,127	416	1,244	14	21	253	85	1,000	404	9	459	303		
8	19	7	-----	8	15	9	28	2	1	30	2	19	22	-----	9	3		
3	2	4	1	1	54	1	71	1	6	2	-----	6	8	-----	20	2		
9	11	24	1	5	25	7	138	5	2	2	4	5	-----	1	1			
4	1	31	-----	1	1	12	12	7	2	2	3	3	2	1	1			
7	9	2	1	2	28	79	1	1	1	6	4	5	5	1	1			
4	4	102	30	2	15	30	19	108	4	17	15	-----	1	1	1	1		
51	8	30	2	114	114	103	103	103	103	103	103	103	103	103	103	103		
3	13	9	58	67	87	87	87	4	2	2	20	1	1	1	1	1		
1	11	11	3	6	1	1	1	3	1	1	4	2	2	1	1	3		
1	1	1	-----	2	6	6	6	1	1	1	1	1	1	1	1	1		
1	4	1	1	3	4	3	3	4	2	1	1	1	1	1	1	1		
2	6	6	3	10	5	63	2	2	2	2	1	4	4	4	4	4		
153	9	35	8	61	205	149	339	2	3	121	20	104	138	1	203	8		
137	6	18	6	47	147	58	243	1	1	70	15	17	81	1	160	5		
5	1	2	2	14	11	15	15	8	1	2	9	14	14	1	14	1		
7	1	10	1	12	61	27	27	2	5	31	4	77	35	4	32	2		
1	1	1	8	21	5	34	1	1	5	1	1	3	3	3	32	2		
2	1	1	1	3	1	4	1	1	5	1	1	1	1	1	32	2		
1	4	1	1	1	6	7	7	1	1	5	4	4	4	4	32	2		
1	9	15	10	6	13	13	13	1	1	1	1	1	1	1	1	1		
16	1	1	1	1	28	137	28	1	1	1	15	26	3	93	3	36		
23	20	8	33	160	230	126	126	37	36	788	100	4	99	4	258	38		
3	10	2	1	1	1	5	20	9	9	88	26	1	1	1	40	38		
6	3	3	27	149	168	46	46	20	11	565	42	10	67	205	41	38		
1	1	1	1	1	18	37	37	5	5	91	20	1	5	4	44	38		
1	1	2	3	17	17	9	9	1	2	1	2	1	1	1	44	38		
10	4	3	4	7	18	1	1	2	3	42	7	1	15	1	43	36		
3	1	1	1	1	1	1	1	1	1	15	1	1	1	1	1	46		
1	2	53	25	14	14	14	14	1	1	1	3	2	2	2	47			
2	1	1	1	2	2	24	24	1	1	1	1	1	1	1	48			
13	5	12	9	49	5	50	50	23	4	13	18	42	21	2	50	2		
2	8	1	1	5	5	5	5	6	3	3	3	51	51	51	52			
1	3	7	1	2	3	3	3	1	1	1	1	4	4	4	53			
4	18	1	1	3	39	10	10	1	1	1	7	6	6	6	55			
1	2	1	1	1	160	1	3	1	2	3	2	2	2	2	56			
5	2	2	1	1	1	1	1	1	1	1	1	1	1	1	57			
2	1	1	2	2	9	9	9	1	1	1	1	1	1	1	58			
73	41	56	6	25	512	94	585	3	3	11	57	103	28	34	34	59		
9	2	1	1	2	2	3	3	2	1	2	11	9	9	9	60			
1	17	4	1	71	84	249	249	1	1	1	1	1	1	1	61			
15	1	1	1	60	71	34	34	1	1	1	1	1	1	1	62			
1	2	1	2	6	13	7	7	1	1	1	2	2	2	2	63			
1	1	4	2	5	13	1	1	1	1	1	6	3	3	3	64			
11	3	12	1	2	25	8	40	1	1	13	12	5	5	5	65			
4	2	2	1	4	7	3	3	1	1	12	12	14	14	14	66			
7	3	10	1	2	21	37	37	1	1	8	22	45	45	45	67			
27	6	23	19	308	5	123	123	1	1	8	22	3	3	3	68			
4	6	1	1	1	33	59	59	2	2	9	14	14	14	14	69			
4	2	1	2	7	30	30	30	3	3	3	5	5	5	5	70			
8	2	1	1	26	46	46	46	2	2	7	7	7	7	7	71			
5	1	1	1	5	1	6	6	1	1	1	2	2	2	2	72			
1	8	4	1	4	1	1	1	1	1	1	1	1	1	1	73			
3	5	1	1	19	1	6	6	1	1	1	1	1	1	1	74			
1	8	4	1	4	1	1	1	1	1	1	1	1	1	1	75			

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

CONTRIBUTORY CAUSES OF DEATH.

71

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines after the United States entered the war.]

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed Int. List No.	CAUSE OF DEATH.	CONTRIBUTORY CAUSE.										
		Diseases, thyroid body.	Acute bronchitis.	Chronic bronchitis.	Broncho-pneumonia.	Lobar pneumonia.	Pneumonia (undefined).	Pleurisy.	Pulmonary congestion.	Gangrene, lung.	Asthma.	Pulmonary emphysema.
		88	89	90	91	92a	92b	93	94	95	96	97
	VIII.—Diseases of the skin and of the cellular tissue.....	3	1	6	32	2	16		38			3
142	Gangrene.....	3	1	6	29	1	5		21			2
143	Furuncle.....				3	1	8		2			1
144	Acute abscess.....						3		2			
145	Other diseases of the skin and annexa.....								13			
	IX.—Diseases of the bones and of the organs of locomotion.....	1	5	3	36	10	35	2	21			
146	Diseases of the bones (tuberculosis excepted).....	1	4	3	31	10	34	2	10			
147	Diseases of the joints (tuberculosis and rheumatism excepted).....		1		5		1		8			
148	Amputations.....									1		
149	Other diseases of the organs of locomotion.....								2			
	X.—Malformations.....		107	10	190	11	37	3	68			4
150	Congenital malformations (stillbirths not included) (total).....		107	10	190	11	37	3	68			4
	Hydrocephalus.....		6	3	31		1					
	Congenital malformations of the heart.....	85	5	94		20	1		54			3
	Other congenital malformations.....	16	2	65	11	16	2		14			1
	XI.—Early infancy ¹	1	43		145	19	24		22			1
151	Congenital debility, icterus, and sclerema (total).....	1	38		67	13	15		14			
	Premature birth.....	1	38		67	13	15		14			
	Congenital debility, "atrophy," "marasmus," etc.											
152	Other causes peculiar to early infancy (total).....		5		78	6	9		8			1
	Injuries at birth.....	5		76	6	8		8				1
153	Lack of care.....			2		1						
	XII.—Old age.....											
154	Senility.....											
	XIII.—External causes.....		5	28	42	454	505	462	70	560	9	16
	Suicide (total).....					8	18	6	3	2	1	
155	By poison.....						4			1		
156	By asphyxia.....					5			1			
157	By hanging or strangulation.....								1			
158	By drowning.....					1						
159	By firearms.....				1	1	3	2				
160	By cutting or piercing instruments.....				5	6	2			1		
161	By jumping from high places.....				1	1	1					
162	By crushing.....											
163	Other suicides.....				1							
	Accidental or undefined (total).....	5	28	42	441	467	434	59	556	8	16	10
164	Poisoning by food.....				6	8	7		4			
165	Other acute poisonings.....		2		10	4	10		6			1
166	Conflagration.....				4	2			4			
167	Burns (conflagration excepted).....	1	6	2	74	62	68	2	38			
168	Absorption of deleterious gases (conflagration excepted).....	1	1		9	15	8		10			3
169	Accidental drowning.....				1	1			2			
170	Traumatism by firearms.....				2	4	8	3	3			
171	Traumatism by cutting or piercing instruments.....				1	2	1					
172	Traumatism by fall.....	2	14	34	234	206	175	25	363		4	2
173	Traumatism in mines and quarries (total).....				3	7	12	1	3			
	Traumatism in mines.....				3	7	12	1	3			
174	Traumatism in quarries.....											
175	Traumatism by machines.....		1	1	4	12	16	2	7	1		2
	Traumatism by other crushing (total).....		2	44	79	69	14		50	4	3	5
	Railroad accidents and injuries.....			4	16	13	1		5		1	2
	Street-car accidents and injuries.....			9	9	9	2		6			
	Automobile accidents and injuries.....		1	21	27	27	11		22	4		2
	Injuries by other vehicles.....		1	9	23	19			16		2	1
	Landslide, other crushing.....		1	4	1				1			
176	Injuries by animals.....				5	6	11	1	4			1
177	Starvation.....		1						1			
178	Excessive cold.....			1	2	3	6		7			
179	Effects of heat.....	1		4	1	1	1		17		2	
180	Lightning.....						1		1			
181	Electricity (lightning excepted).....				8	6			21			
182	Fractures (cause not specified).....		3	2	15	8	6					
183	Other external violence.....				23	47	35	11	15	3	2	
	Homicide.....					5	20	22	8	2		
182	By firearms.....					2	8	15	3	1		
183	By cutting or piercing instruments.....					2	4	6	4			
184	By other means.....					1	8	1	1			

¹ Exclusive of injuries at birth.

CONTRIBUTORY CAUSES OF DEATH.

73

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines after the United States entered the war.]

CONTRIBUTORY CAUSE.																	Detailed Int. List No.
Other respiratory diseases (tuberculosis excepted).	Diseases, mouth and annexa.	Diseases, pharynx.	Diseases, esophagus.	Ulcer, stomach.	Other diseases, stomach (cancer excepted).	Diarrhea and enteritis (under 2 years).	Diarrhea and enteritis (2 years and over).	Ankylostomiasis.	Intestinal parasites.	Appendicitis.	Hernia.	Intestinal obstruction.	Other diseases, intestines.	Acute yellow atrophy, liver.	Cirrhosis, liver.	Biliary calculi.	
98	99	100	101	102	103	104	105	106	107	108	109a	109b	110	111	113	114	
2	10	4			7	1	3		1				3				
6	2	2			4	1	3		1								142
2	2				2								3				143
					1												144
																	145
5	14	6			8	1	6					1	4				
5	18	6			3	1	2					1	4				146
	1				4		4										147
						1											148
																	149
3	5	2	1		42	111	11				7	11	8				
3	5	* 2	1		42	111	11				7	11	8				150
3	3				5	7	4										
2	2	2	1		23	73	5				3	2	4				
					14.	31	2				4	9	4				
2	4		1		74	95					1	6	2				
4	4	1	1		71	85					1	6	2				151
					66	85					1	6	2				
2	2				5												152
						3	10										153
																	154
57	17	10	29	18	109	62	135		2	14	35	57	43		17	9	
1					4	1	2	5		1	1		1		2		155
						1	1	3									156
																	157
1						1	1	1		1	1		1		1		158
																	159
													1		1		160
																	161
																	162
																	163
54	17	10	25	17	107	62	130		1	13	35	53	40		15	9	
1	2	1	18	3	36	7	36		2	2		4	2	1	1	1	164
1	1	10	1	3	13	8	8					2					165
												1					166
												1	2				167
												1	1				168
																	169
1						2		1				2	2		1		170
								1					1				171
14	3	3	1	6	26	8	36		2		11	23	15		8	4	172
2	2							2				1			1		173
1	14	3	1	2	2	4			1	3	9	2	3		2	1	174
3					1	2						3	3				175
1	9				1							1	1	1			
1												5	1			1	
												1					
												2	1	6		1	176
												2	1	1			177
																	178
																	179
																	180
																	181
1	18		1	4	3	1	8	5	1	2	10	9	6				182
2												4	2				183
1												2	2				184

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed Int. List No.	Cause of Death.	Contributory Cause.										
		Other diseases, liver.	Diseases, spleen.	Simple peritonitis.	Other diseases, digestive system. ¹	Acute nephritis.	Bright's disease.	Other diseases, kidneys and annexa.	Calculi, urinary passages.	Diseases, bladder.	Diseases, urethra, etc.	Diseases, prostate.
		115	116	117	118	119	120	122	123	124	125	126
	All causes.....	3,010	108	10,040	279	6,326	23,180	1,969	128	2,908	178	1,383
	I.—General diseases.....	510	36	974	53	2,237	4,982	326	31	277	49	153
1	Typhoid fever.....	32	—	273	1	81	125	14	1	4	—	2
2	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—
3	Relapsing fever.....	—	—	—	—	—	—	—	—	—	—	—
4	Malaria.....	38	9	6	1	42	39	13	—	4	1	2
5	Smallpox.....	—	—	1	—	3	8	—	—	—	—	—
6	Measles.....	3	—	20	—	153	97	6	—	2	—	—
7	Scarlet fever.....	3	—	10	1	336	171	7	—	—	—	—
8	Whooping cough.....	2	—	6	—	39	27	5	1	2	—	—
9	Diphtheria and croup.....	5	—	4	—	206	110	12	—	—	—	—
10	Influenza.....	67	—	4	4	414	218	20	1	33	—	25
11	Miliary fever.....	—	—	—	—	—	—	—	—	—	—	—
12	Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—
13	Dysentery.....	22	—	31	—	20	15	4	—	11	—	2
14	Leprosy.....	—	—	—	—	—	1	—	—	—	—	—
15	Erysipelas.....	6	—	3	2	58	49	5	—	3	—	3
16	Other epidemic diseases.....	—	—	—	—	12	11	1	—	—	—	—
17	Purulent infection and septicemia.....	—	—	—	—	20	—	—	—	1	—	—
18	Glanders.....	—	—	—	—	—	—	—	—	—	—	—
19	Anthrax.....	—	—	—	—	—	—	—	—	—	—	—
20	Rabies.....	—	—	—	—	—	—	—	—	—	—	—
21	Tetanus.....	—	—	—	1	—	1	—	—	—	—	—
22	Mycoses.....	—	—	2	—	—	2	—	—	—	—	—
23	Pellagra.....	3	—	1	—	8	65	1	—	2	1	—
24	Beriberi.....	—	—	—	—	1	—	—	—	—	—	—
25	Tuberculosis (total).....	57	3	106	13	319	1,280	57	9	41	10	22
26	Tuberculosis of the lungs.....	35	1	49	9	254	1,052	29	5	23	5	17
27	Acute miliary tuberculosis.....	5	—	4	—	19	30	5	1	—	1	1
28	Tuberculous meningitis.....	1	—	—	1	5	13	4	—	2	—	—
29	Abdominal tuberculosis.....	11	1	27	—	11	51	4	—	2	—	—
30	Pott's disease.....	3	—	2	1	5	29	2	—	3	—	—
31	White swellings.....	—	—	1	—	8	20	1	—	—	—	—
32	Tuberculosis of other organs.....	2	—	20	2	12	80	12	3	11	4	3
33	Disseminated tuberculosis.....	—	—	1	—	5	5	—	—	—	—	1
34	Rickets.....	—	—	1	—	—	—	—	—	—	—	—
35	Syphilis.....	19	2	19	1	67	265	10	1	11	4	4
36	Gonococcus infection.....	—	—	31	—	6	2	3	—	8	19	8
37	Cancer and other malignant tumors (total).....	199	3	431	12	150	1,279	127	9	114	13	49
38	Of the buccal cavity.....	—	—	—	—	38	1	—	—	—	—	—
39	Of the stomach, liver.....	136	1	110	8	53	460	22	2	13	—	11
40	Of the peritoneum, intestines, rectum.....	7	1	151	3	14	142	11	7	3	6	6
41	Of the female genital organs.....	9	1	134	1	41	202	37	1	12	—	—
42	Of the breast.....	10	—	—	—	19	88	3	2	—	—	—
43	Of the skin.....	—	—	—	—	3	49	—	2	—	—	—
44	Of other organs or of organs not specified.....	37	—	36	—	20	300	53	6	78	10	32
45	Other tumors (tumors of the female genital organs excepted).....	2	—	11	—	3	3	—	—	—	—	—
46	Acute articular rheumatism.....	3	1	7	—	64	50	4	1	5	—	2
47	Chronic rheumatism and gout.....	1	1	—	—	12	24	2	6	—	—	3
48	Scurvy.....	—	—	—	—	—	1	—	—	—	—	—
49	Diabetes.....	26	—	2	17	103	951	22	7	21	1	30
50	Exophthalmic goiter.....	4	—	1	—	8	53	—	—	—	—	—
51	Addison's disease.....	2	—	1	—	1	—	1	1	—	—	—
52	Leukemia.....	3	5	1	1	13	27	1	—	1	—	—
53	Anemia, chlorosis.....	7	11	1	—	21	15	6	—	7	—	1
54	Other general diseases.....	1	1	—	—	11	3	1	—	—	—	—
55	Alcoholism (acute or chronic).....	4	—	—	—	48	48	4	—	1	—	—
56	Chronic lead poisoning.....	1	—	—	—	3	28	—	—	—	—	—
57	Other chronic occupation poisonings.....	—	—	—	—	15	4	—	—	—	—	—
58	Other chronic poisonings.....	—	—	—	—	—	—	—	—	—	—	—
59	II.—Diseases of the nervous system and of the organs of special sense.....	86	1	5	2	272	3,562	119	12	196	2	64
60	Encephalitis.....	—	—	—	—	3	—	2	—	—	—	—
61	Meningitis (total).....	4	—	1	—	15	21	3	—	6	—	1
62	Simple meningitis.....	4	—	—	—	—	8	2	—	5	—	—
63	Cerebrospinal meningitis (undefined).....	—	—	—	—	6	1	1	—	—	—	—
64	Cerebrospinal fever.....	—	—	1	—	9	12	—	—	1	—	—
65	Locomotor ataxia.....	4	—	1	—	15	122	22	—	22	1	3
66	Other diseases of the spinal cord (total).....	5	—	1	1	28	123	20	1	30	—	5
67	Acute anterior poliomyelitis.....	—	—	—	—	4	5	1	1	—	—	—
68	Other diseases of the spinal cord ²	5	—	1	1	24	118	19	—	30	—	5
69	Cerebral hemorrhage, apoplexy.....	60	1	1	1	151	3,087	36	11	94	—	43
70	Softening of the brain.....	1	—	—	—	1	6	2	—	4	—	2
71	Paralysis without specified cause.....	10	—	—	—	21	48	16	—	24	—	11
72	General paralysis of the insane.....	1	—	—	—	12	108	7	—	7	—	—
73	Other forms of mental alienation.....	—	—	—	—	—	—	—	—	—	—	—
74	Epilepsy.....	—	—	—	—	—	12	—	—	7	—	—
75	Convulsions (nonpuerperal).....	—	—	—	—	—	—	—	—	—	—	—
76	Convulsions of infants.....	—	—	—	—	—	—	—	—	—	—	—
77	Chorea.....	—	—	—	—	—	—	—	—	—	—	—
78	Neuralgia and neuritis.....	—	—	—	—	—	—	—	—	—	—	—
79	Other diseases of the nervous system.....	1	—	—	—	7	30	6	—	2	—	—
80	Diseases of the eyes and their annexa.....	—	—	—	—	—	1	—	—	2	—	—
81	Diseases of the ears.....	—	—	1	—	18	4	3	—	—	—	—

¹ Cancer and tuberculosis excepted.

CONTRIBUTORY CAUSES OF DEATH.

75

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines after the United States entered the war.]

CONTRIBUTORY CAUSE.																	Detailed Int. List No.	
Non-venereal diseases, male genital organs.	Uterine hemorrhage (non-puerperal).	Uterine tumor (non-cancerous).	Other diseases, uterus.	Cysts and other tumors, ovary.	Salpingitis and other diseases, female genital organs.	Non-puerperal diseases, breast (cancer excepted).	Accidents, pregnancy.	Puerperal hemorrhage.	Other accidents of labor.	Puerperal septicemia.	Puerperal albuminuria and convulsions.	Puerperal embolus, sudden death.	Following child birth (not otherwise defined).	Puerperal diseases, breast.	Gangrene.	Furuncle.		
127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143		
99	58	427	367	207	622	25	2,346	270	537	152	325	176	22	7	3,396	479		
33	22	98	82	42	418	9	226	18	215	31	27	3	8	1	1,417	256		
	2	2	3	1	3		27	2	17	7	3		1		11	3	1	
					1		5		8						1	2	2	
						2		3		1	1						4	
							17	4	22				2		14	2	6	
								10		5	1		2		1	1	7	
								1		1	1				3	1	8	
					1	2		3							3	1	9	
															12		10	
																	11	
																	13	
																	14	
8						1		1	1							16	24	17
2																	20	
																	21	
																	22	
																	23	
																	24	
																	25	
	i	2	3	1	2		5		4							4		26
																	27	
		21	20	8	26		119	9	133		15	3	2		36	7	28	
		11	13	4	7		90	7	105	14	14	3	2		27	5	29	
		3	3	3	3		14	2	18		1					1	30	
		1	2						5						2		31	
		3	1	4	10		8		3						1		32	
							1								2	1	33	
								4							4		34	
								2									35	
																	36	
2	1	2	5	2	17		4	1	1	15	2				17	4	37	
		1	12	1	342										1	1	38	
	14	55	23	24	19	5	8	1	6	2	2		1		37	6	39	
																	40	
		4	1	5	3		1	2	1						15	1	41	
		8	5	7	3					1					6	1	42	
		11	37	17	15		3		3	2	1				3		43	
		2	2	1	1	4	2		1						4	1	44	
		1	2												4	3	45	
																	46	
																	47	
															2	10	48	
	i	1	7	5	3	5	1	9	8						1	1,235	200	49
		2													5	1	50	
															5	1	51	
																	52	
	17	3	2												2		53	
		1														2	54	
																1	55	
																	56	
																	57	
																	58	
																	59	
5	2	21	33	4		1	14								143	28		
					1											1	60	
	1			2				1							16		61	
				2											15	1		
								1									62	
																	63	
																	64	
	2	1	18	15	2	1	1	9							67	4	65	
															36	2	66	
															11	5	67	
																	68	
																	69	
																	70	
																	71	
																	72	
																	73	
																	74	
																	75	
																	76	

² Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed Int. List No.	Cause of Death.	Contributory Cause.										
		Other diseases, liver.	Diseases, spleen.	Simple peritonitis.	Other diseases, digestive system. ¹	Acute nephritis.	Bright's disease.	Other diseases, kidneys and annexa.	Calculi, urinary passages.	Diseases, bladder.	Diseases, urethra, etc.	Diseases, prostate.
		115	116	117	118	119	120	122	123	124	125	126
	III.—Diseases of the circulatory system....	660	18	26	19	1,576	10,411	508	24	375	18	423
77	Pericarditis.	7	6		1	29	3	3		2		2
78	Acute endocarditis.	67	9	13	16	1,223	24	23		13	4	10
79	Organic diseases of the heart.	525			1	9,732	447	18	185	10	241	3
80	Angina pectoris.	12			1	12	254	4	2	1	1	153
81	Diseases of the arteries, atheroma, aneurism, etc.	26	1			259	393	29	4	163	2	11
82	Embolism and thrombosis.	21	2	10	1	11	4	1	8	1	1	3
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	1		3		8	1					
84	Diseases of the lymphatic system (lymphangitis, etc.).	1				1		1				
85	Hemorrhage; other diseases of the circulatory system.											
	IV.—Diseases of the respiratory system....	335	12	86	18	1,028	1,718	105	5	161	7	121
86	Diseases of the nasal fossae.				1							
87	Diseases of the larynx.					3						
88	Diseases of the thyroid body.					2	3	2				4
89	Acute bronchitis.	12				65	11	2		11	1	5
90	Chronic bronchitis.	13				89	23	7		31		52
91	Bronchopneumonia.	51	5	1	2	243	58	18		61		
92	Pneumonia (total).	235	7	81	6	576	1,607	63	5	54	5	54
	Lobar pneumonia.	199	5	81	6	496	1,569	52	43	4	1	41
	Pneumonia (undefined).	36	2			80	38	11		11	1	13
93	Pleurisy.	19		2	9	50	12	12		3		6
94	Pulmonary congestion, pulmonary apoplexy.							1				
95	Gangrene of the lung.	4		1	1		2					
96	Asthma.											
97	Pulmonary emphysema.						2			1	1	
98	Other diseases of the respiratory system (tuberculosis excepted).	1										
	V.—Diseases of the digestive system....	1,023	27	7,163	156	624	810	163	9	88	3	21
99	Diseases of the mouth and annexa.	1					1			1		
100	Diseases of the pharynx.	2	1	9		142	15	7		1		1
101	Diseases of the esophagus.							1				4
102	Ulcer of the stomach.	29	2	533	15	23	42	4		4		1
103	Other diseases of the stomach (cancer excepted).	28		9		1	4	4		1		1
104	Diarrhea and enteritis (under 2 years).	12	2	77		132	49	29		2		
105	Diarrhea and enteritis (2 years and over).	40	3	396	15	13	24	12		3	1	
106	Ankylostomiasis.											
107	Intestinal parasites.			2								1
108	Appendicitis and typhlitis.	154	3	4,361	22	59	105	17	4	4		3
109	Hernia, intestinal obstruction (total).	26	2	990	6	33	110	21	1	14	1	2
	Hernia.	9	1	317	1	17	38	8	1	5		1
	Intestinal obstruction.	17	1	673	5	16	27	13	9	1	1	2
110	Other diseases of the intestines.	15		152	1	11	10	7		7		
111	Acute yellow atrophy of the liver.	11		1		2	9					
112	Hydatid tumor of the liver.	1		1		1	1					
113	Cirrhosis of the liver.	137	5	35	13	89	309	14	1	9	1	1
114	Biliary calculi.	496		231	67	45	75	16	3	3	8	
115	Other diseases of the liver.		5	306	17	51	50	25				
116	Diseases of the spleen.	4		8		1		1				
117	Simple peritonitis (nonpuerperal).	5	1	52		17	4	3		31		7
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	62	3			4	2	2				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa....	313	9	1,110	23	227	982	649	45	1,749	88	590
119	Acute nephritis.	15	1			41	58			70		
120	Bright's disease.	245	6	43	12	10	199	34	436	80		554
121	Chyluria.											
122	Other diseases of the kidneys and annexa.	27	2	33	5	28	145			175	11	12
123	Calculi of the urinary passages.	2		20		19	60	105		37	3	22
124	Diseases of the bladder.	2		22		3	134	11				
125	Diseases of the urethra, urinary abscess, etc.			25		16	36	16		66		2
126	Diseases of the prostate.	1		22		98	482	235	11	946	40	
127	Nonvenereal diseases of the male genital organs.			5		1	2			2		
128	Uterine hemorrhage (nonpuerperal).			1								
129	Uterine tumor (noncancerous).	5		147	27	35	8		6	10	1	
130	Other diseases of the uterus.	6		191	12	17	4					
131	Cysts and other tumors of the ovary.	6		94	1	8	16	5				
132	Salpingitis and other diseases of the female genital organs.	4		507	5	6	15	6		1		
133	Nonpuerperal diseases of the breast (cancer excepted).											
	VII.—The puerperal state....	33		13	4	6	44	25	1	5		
134	Accidents of pregnancy.	10		1			10	5	1	1		
135	Puerperal hemorrhage.	1				1	3					
136	Other accidents of labor.	4				7	2			2		
137	Puerperal septicemia.	10		12	4	1	17	6		1		
138	Puerperal albuminuria and convulsions.	8				4	6	11	1			
139	Puerperal phlegmasia alba dolens, embolus, sudden death.						1					
140	Following childbirth (not otherwise defined).											
141	Puerperal diseases of the breast.											

¹ Cancer and tuberculosis excepted.

CONTRIBUTORY CAUSES OF DEATH

77

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines after the United States entered the war.]

CONTRIBUTORY CAUSE.																	Detailed Int. List No.
Non-venereal diseases, male genital organs.	Uterine hemorrhage (non- puerperal).	Uterine tumor (non-cancerous).	Other diseases, uterus.	Cysts and other tumors, ovary.	Salpingitis and other diseases, female genital organs.	Non- puer- puer- puer- puer- puer- puer- puer- puer-	Acci- puer- acci- acci- acci- acci- acci- acci- acci-	Puer- puer- puer- puer- puer- puer- puer- puer-	Other acci- puer- acci- acci- acci- acci- acci- acci- acci-	Puer- puer- puer- puer- puer- puer- puer- puer-	Follow- child- puer- puer- puer-	Furuncle.					
127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	
16	5	71	33	45	1	5	99	—	77	—	—	1	—	—	1,225	39	
4	5	68	24	42	1	4	15	80	77	—	—	—	—	—	1	20	77
3	—	3	2	—	1	1	3	—	—	—	—	1	—	—	307	18	78
9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	768	11	80
8	3	16	20	3	8	4	80	—	—	—	—	—	—	—	110	1	81
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19	1	82
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	83
2	2	10	9	3	8	2	68	—	—	—	—	—	—	—	—	—	84
2	2	6	8	3	8	1	58	—	—	—	—	—	—	—	—	—	85
1	4	1	—	—	—	1	10	—	—	—	—	—	—	—	—	—	86
1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	87
1	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	88
4	2	4	—	—	—	1	—	—	—	—	—	—	—	—	—	1	89
2	2	10	9	3	8	2	68	—	—	—	—	—	—	—	—	3	90
2	2	6	8	3	8	1	58	—	—	—	—	—	—	—	—	22	91
1	4	1	—	—	—	1	10	—	—	—	—	—	—	—	—	15	92
1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	2	2	93
1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	94
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	95
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	96
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	97
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	98
15	5	49	79	41	46	2	47	1	14	—	5	—	1	—	92	43	
2	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	1	99
1	—	3	1	1	1	—	5	—	—	—	—	—	1	—	1	1	100
6	2	—	2	—	—	1	—	—	1	—	—	—	—	—	2	101	101
7	1	19	52	38	43	—	13	—	—	—	—	—	—	—	—	6	102
7	4	4	10	1	1	—	9	—	—	—	—	—	—	—	12	33	103
7	4	4	4	—	—	—	1	—	—	—	—	—	—	—	—	2	104
1	6	1	1	1	1	—	9	—	—	—	—	—	—	—	12	33	105
1	4	4	—	—	—	—	13	—	8	—	5	—	—	—	—	25	106
1	3	6	1	1	1	—	3	1	—	—	—	—	—	—	8	17	107
1	1	1	1	1	1	—	1	—	—	—	—	—	—	—	2	9	108
1	1	1	1	1	1	—	1	—	—	—	—	—	—	—	3	8	109
1	3	3	—	—	—	—	—	—	—	—	—	—	—	—	4	12	110
14	20	138	97	65	24	2	51	—	29	—	120	—	4	—	234	48	
2	—	3	—	19	8	1	43	—	—	29	—	120	—	4	—	193	119
5	—	34	19	19	—	—	4	—	—	—	—	—	—	—	2	32	120
2	—	2	4	—	—	—	—	—	—	—	—	—	—	—	2	2	121
1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	3	122
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19	123
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	124
11	8	11	12	16	1	3	—	—	—	—	—	—	—	—	—	3	125
1	39	11	11	34	—	—	1	—	—	—	—	—	—	—	—	2	126
63	48	—	—	—	—	—	—	—	—	—	—	—	—	—	5	5	127
29	19	7	122	—	1,796	253	199	—	—	171	167	8	6	3	1	4	128
3	1	2	5	—	—	40	104	—	—	2	11	1	—	—	1	1	129
9	2	1	—	—	—	—	36	—	—	33	33	1	—	—	1	1	130
9	1	1	1	—	—	1,464	113	103	—	131	21	6	5	2	1	1	131
8	15	3	117	—	242	74	50	2	—	20	82	20	—	—	1	1	132
29	19	7	122	—	1,796	253	199	—	—	171	167	8	6	3	1	1	133
3	1	2	5	—	—	40	104	—	—	2	11	1	—	—	1	1	134
9	2	1	—	—	—	—	36	—	—	33	33	1	—	—	1	1	135
9	1	1	1	—	—	1,464	113	103	—	131	21	6	5	2	1	1	136
8	15	3	117	—	242	74	50	2	—	20	82	20	—	—	1	1	137
3	1	2	5	—	—	40	104	—	—	2	11	1	—	—	1	1	138
9	2	1	—	—	—	—	36	—	—	33	33	1	—	—	1	1	139
9	1	1	1	—	—	1,464	113	103	—	131	21	6	5	2	1	1	140
8	15	3	117	—	242	74	50	2	—	20	82	20	—	—	1	1	141

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed Int. List No.	CAUSE OF DEATH.	CONTRIBUTORY CAUSE.											
		Other diseases, liver.	Diseases, spleen.	Simple peritonitis.	Other diseases, digestive system. ¹	Acute nephritis.	Bright's disease.	Other diseases, kidneys and annexa.	Calculi, urinary passages.	Diseases, bladder.	Diseases, urethra, etc.	Diseases, prostate.	
		115	116	117	118	119	120	122	123	124	125	126	
	VIII.—Diseases of the skin and of the cellular tissue.....	1		6		22	12	4		3		1	
142	Gangrene.....	1		3		19	7	2		3		1	
143	Furuncle.....						3	1					
144	Acute abscess.....			2				1					
145	Other diseases of the skin and annexa.....			1		3	2						
	IX.—Diseases of the bones and of the organs of locomotion.....	5		3		30	18	5		1	1		
146	Diseases of the bones (tuberculosis excepted).....	4		2		30	17	5		1	1		
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	1		1			1						
148	Amputations.....												
149	Other diseases of the organs of locomotion.....												
	X.—Malformations.....	2		18		19	10	11		5	1		
150	Congenital malformations (stillbirths not included) (total). Hydrocephalus.....	2		18		19	10	11		5	1		
	Congenital malformations of the heart.....	2				1	1						
	Other congenital malformations.....			18		10	5	2					
	2					8	4	9		5	1		
	XI.—Early infancy.....	2		29		9		6					
151	Congenital debility, icterus, and sclerema (total). Premature birth.....	2				6							
	Congenital debility, "atrophy," "marasmus," etc.....	2				6							
						1							
152	Other causes peculiar to early infancy (total). Injuries at birth.....			29		3							
	Other causes peculiar to early infancy ²			3		3							
153	Lack of care.....			26									
	XII.—Old age.....												
154	Senility.....												
	XIII.—External causes.....	40	5	607	4	276	631	48	1	43	9	0	
	Suicide (total).....	1		11		15	25	2		2		1	
155	By poison.....		2			14	8	1					
156	By asphyxia.....					1	4						
157	By hanging or strangulation.....	1					2						
158	By drowning.....												
159	By firearms.....			5			4					1	
160	By cutting or piercing instruments.....		3				4	1					
161	By jumping from high places.....		1				3						
162	By crushing.....												
163	Other suicides.....												
	Accidental or undefined (total).....	39	5	460	3	259	602	44	1	46	9	9	
164	Poisoning by food.....	2		13	8	4	2			1			
165	Other acute poisonings.....	1		3		33	10	4	1			1	
166	Conflagration.....					5	7						
167	Burns (conflagration excepted).....			8	1	132	93	5		1			
168	Absorption of deleterious gases (conflagration excepted).....					1	7			1			
169	Accidental drowning.....						1						
170	Traumatism by firearms.....			50		3	1					1	
171	Traumatism by cutting or piercing instruments.....			3			2						
172	Traumatism by fall.....	14	2	102	1	41	346	11		29	2	4	
173	Traumatism in mines and quarries (total). Traumatism in mines.....			7		1	2				7		
	Traumatism in quarries.....			7		1	2				7		
174	Traumatism by machines.....	1		24		2	4	2		1	1		
175	Traumatism by other crushing (total). Railroad accidents and injuries.....	9	2	52	1	14	56	12		4	2	2	
	Street-car accidents and injuries.....	1		11			9	5					
	Automobile accidents and injuries.....	1		4	1		1						
	Injuries by other vehicles.....	5	1	28		7	28	7		3	1	1	
	Landslide, other crushing.....	1	1	34		6	10			1	1	1	
				5			2						
176	Injuries by animals.....			61		1	6	1		1		1	
177	Starvation.....												
178	Excessive cold.....	1				2	7					1	
179	Effects of heat.....	2				6	20						
180	Lightning.....												
181	Electricity (lightning excepted).....					1	1						
185	Fractures (cause not specified).....	1		1		3	10	3					
186	Other external violence.....	8	1	106		6	25	4		2	2		
	Homicide (total).....			136	1	2	4	2					
182	By firearms.....			102	1		2	2					
183	By cutting or piercing instruments.....			27		1							
184	By other means.....			7		1	2						

¹ Cancer and tuberculosis excepted.

CONTRIBUTORY CAUSES OF DEATH.

79

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines after the United States entered the war.]

CONTRIBUTORY CAUSE.																	Detailed Int. List No.
Non-venereal diseases, male genital organs.	Uterine hemorrhage (non-puerperal).	Uterine tumor (non-cancerous).	Other diseases, uterus.	Cysts and other tumors, ovary.	Salpingitis and other diseases, female genital organs.	Non-puerperal diseases, breast (cancer excepted).	Accidents, pregnancy.	Puerperal hemorrhage.	Other accidents of labor.	Puerperal septicemia.	Puerperal albuminuria and convulsions.	Puerperal embolus, sudden death.	Following child-birth (not otherwise defined).	Puerperal diseases, breast.	Gangrene.	Furuncle.	
127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	
1							1										11
1								1									142
																	143
																	144
																	145
						2										7	2
						2										7	2
																7	2
																	146
																	147
																	148
																	149
2																2	2
2																2	2
2																2	
																1	
																1	
																	151
																	152
																	153
																	154
5	1	5	4		3		32	3	3	121	2	5	.1		207	4	
		.	.					1								1	
								1									155
																	156
																	157
																	158
																	159
																	160
																	161
																	162
																	163
5	1	5	4		2		19	1	2	13	2	4			199	4	
		1					2		1	2	2					4	
1	4							2								1	
																10	
																1	
																	164
																	165
																	166
																	167
																	168
																	169
																	170
																	171
1	1	1			1		4		1	8		2			47	3	172
																1	
																1	
																	173
																	174
								1									175
																	176
																	177
																	178
																	179
																	180
																	181
																	182
																	183
																	184

^a Exclusive of injuries at birth.

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed Inf. List No.	Cause of Death.	Contributory Cause.											
		Acute abscess.	Other diseases, skin and annexa.	Diseases, bones (tuberculosis excepted).	Diseases, joints. ¹	Ampputations.	Other diseases, organs of locomotion.	Hydrocephalus.	Con genital malformations, heart.	Other con genital malformations.	Premature birth.	Con genital debility, etc.	
		144	145	146	147	148	149	150a	150b	150c	151a	151b	
	All causes.....	809	795	625	431	6	169	152	201	404	2,383	6,687	
	I.—General diseases.....	219	125	210	76	2	23	44	41	28	255	850	
1	Typhoid fever.....	4	3	7	5		2			1			
2	Typhus fever.....												
3	Relapsing fever.....												
4	Malaria.....	1	1	1	2					1		8	
5	Smallpox.....									2			
6	Measles.....	6	3	17				1	6	2	19	18	
7	Scarlet fever.....	11	1	16	2				1	1			
8	Whooping cough.....	4	2	2				6	13	1	19	79	
9	Diphtheria and croup.....	7	1	7						2	2	17	
10	Influenza.....	9	4	23	5		2					32	
11	Miliary fever.....												
13	Cholera nostras.....											4	
14	Dysentery.....	1	1	1	1		1			1	3	51	
17	Leprosy.....												
18	Erysipelas.....	30	11	1	4			1			5	6	
19	Other epidemic diseases.....	4	2	1								4	
20	Purulent infection and septicemia.....	37	1		2	1	2					11	
21	Glanders.....												
22	Anthrax.....												
23	Rabies.....												
24	Tetanus.....		2	1						1	2	1	
25	Mycoses.....												
26	Pellagra.....	1											
27	Beriberi.....										1		
28	Tuberculosis (total).....	16	14	52	18		3	20	6	3	11	121	
29	Tuberculosis of the lungs.....	7	9	27	16		3	4	4	1	5	52	
30	Acute miliary tuberculosis.....	1			1							9	
31	Tuberculous meningitis.....	2			10			16	1	2		24	
32	Abdominal tuberculosis.....	1	1	3								17	
33	Pott's disease.....	2	2	3								1	
34	White swellings.....	1	1	5	1							3	
35	Tuberculosis of other organs.....	2	1	4								9	
36	Disseminated tuberculosis.....											6	
37	Rickets.....	1		1							1	8	
38	Syphilis.....	7	14	25	4		1	16	14	12	177	310	
39	Gonococcus infection.....	2	1	1	4						5	10	
40	Cancer and other malignant tumors (total).....	10	23	14	9		1					1	
41	Of the buccal cavity.....	1		5									
42	Of the stomach, liver.....	1	6	2	3								
43	Of the peritoneum, intestines, rectum.....	4	1		1								
44	Of the female genital organs.....	1	3										
45	Of the breast.....	1	6	2	2								
46	Of the skin.....	1	2		1								
47	Of the other organs or of organs not specified.....	1	5	5	1		1						
48	Other tumors (tumors of the female genital organs excepted).....	1											
49	Acute articular rheumatism.....	3	6	1	10		8			1		1	
50	Chronic rheumatism and gout.....	1	10		1		1						
51	Scurvy.....	1										7	
52	Diabetes.....	54	14	34	4		1					1	
53	Exophthalmic goiter.....	1		1	1								
54	Addison's disease.....	1	1										
55	Leukemia.....	1		3								2	
56	Anemia, chlorosis.....	2	3	1								41	
57	Other general diseases.....	1	2								1	38	
58	Alcoholism (acute or chronic).....	2	3		3								
59	Chronic lead poisoning.....												
	Other chronic occupation poisonings.....												
	Other chronic poisonings.....	1	2										
	II.—Diseases of the nervous system and of the organs of special sense.....	51	150	120	22		22	21	1	1	3	283	
60	Encephalitis.....	1	2		2								
61	Meningitis (total).....	23	10	3	2		1	21	1		3	23	
	Simple meningitis.....	20	8				1	11			1	19	
	Cerebrospinal meningitis (undefined).....	1	2	2	2			2				3	
	Cerebrospinal fever.....	2		1				8	1		2	1	
62	Locomotor ataxia.....	1	10	1	1								
63	Other diseases of the spinal cord (total).....	5	41	5	3							1	
	Acute anterior poliomyelitis.....	1		1				1					
	Other diseases of the spinal cord ²	5	40	4	3			4				1	
64	Cerebral hemorrhage, apoplexy.....	7	35	14	12			10					
65	Softening of the brain.....	2											
66	Paralysis without specified cause.....	3	16	1	1		3					3	
67	General paralysis of the insane.....	3	17	2	1								
68	Other forms of mental alienation.....		4										
69	Epilepsy.....	2	4								1	2	
70	Convulsions (nonpuerperal).....											222	
71	Convulsions of infants.....											1	
72	Chorea.....		5				2					1	
73	Neuralgia and neuritis.....												
74	Other diseases of the nervous system.....	2	2				1					14	
75	Diseases of the eyes and their annexa.....											2	
76	Diseases of the ears.....	4	2	94								14	

¹ Tuberculosis and rheumatism excepted.

CONTRIBUTORY CAUSES OF DEATH.

81

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines after the United States entered the war.]

CONTRIBUTORY CAUSE.																	Detailed Int. List No.
Injuries at birth.	Other causes peculiar to early infancy.	Lack of care.	Senility.	Suicide by poison.	Suicide by asphyxia.	Suicide by hanging or strangulation.	Suicide by drowning.	Suicide by firearms.	Suicide by cutting instruments.	Suicide by jumping from high places.	Suicide by crushing.	Other suicides.	Poisoning by food.	Other acute poisonings.	Conflagration.	Burns (conflagration excepted).	
152a	152b	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	
58	1,730	49	20,248	7	2	7	3	6	6	1	1	2	4	30	2	207	
9	120	2	2,470										3	30		36	
			13										1				1
				55													2
				2													6
				8													7
																	8
																	9
																	10
																	11
																	12
																	13
																	14
																	15
																	16
																	17
																	18
																	19
																	20
																	21
																	22
																	23
4	41													1		35	24
																	25
																	26
																	27
																	28
																	29
																	30
																	31
																	32
																	33
																	34
																	35
5	30	1	9												13		36
			1														37
																	38
																	39
																	40
																	41
																	42
																	43
																	44
																	45
																	46
																	47
																	48
																	49
																	50
																	51
																	52
																	53
																	54
																	55
																	56
																	57
																	58
																	59
7	1	2,835													16		
																	60
																	61
																	62
																	63
																	64
																	65
																	66
																	67
																	68
																	69
																	70
																	71
																	72
																	73
																	74
																	75
																	76

* Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed Int. List No.	Cause of Death.	Contributory Cause.											
		Acute abscess.	Other diseases, skin and annexa.	Diseases, bones (tuberculosis excepted).	Diseases, joints. ¹	Amputations.	Other diseases, organs of locomotion.	Hydrocephalus.	Con genital malformations, heart.	Other con genital malformations.	Premature birth.	Con genital debility, etc.	
		144	145	146	147	148	149	150a	150b	150c	151a	151b	
	III.—Diseases of the circulatory system.	87	141	49	182	3	84	3		1	17	76	
77	Pericarditis.	2			4		5					1	
78	Acute endocarditis.	8	7	57			16				13	23	
79	Organic diseases of the heart.	43	75	34	94		49	3				35	
80	Angina pectoris.	3	1	1	2		8						
81	Diseases of the arteries, atheroma, aneurism, etc.	18	44	4	16		4						
82	Embolism and thrombosis.	8	7	3	7	1	2			1		3	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	5	2		3							1	
84	Diseases of the lymphatic system (lymphangitis, etc.).	3	2								4	11	
85	Hemorrhage; other diseases of the circulatory system.											2	
	IV.—Diseases of the respiratory system.	166	99	105	66		14	24	22	29	279	1,244	
86	Diseases of the nasal fossae.				1							5	
87	Diseases of the larynx.	6	1									1	
88	Diseases of the thyroid body.	1			1							2	
89	Acute bronchitis.	8	9		3		1	3		2	86	271	
90	Chronic bronchitis.	3	4	1	3		2					3	
91	Bronchopneumonia.	63	46	31	19		1			23	142	793	
92	Pneumonia (total).	77	37	68	38		8	21	22	4	48	133	
	Lobar pneumonia.	55	28	59	27		8	16	22	2	21	99	
	Pneumonia (undefined).	22	9	9	11		5			2	27	34	
93	Pleurisy.	4	2	5	1		1				2	2	
94	Pulmonary congestion, pulmonary apoplexy.											25	
95	Gangrene of the lung.	1											
96	Asthma.	1			2						1	3	
97	Pulmonary emphysema.											1	
98	Other diseases of the respiratory system (tuberculosis excepted).	2			1		1					5	
	V.—Diseases of the digestive system.	114	107	36	25		9	48	6	59	397	3,158	
99	Diseases of the mouth and annexa.	16	1	11	2							5	
100	Diseases of the pharynx.	23	1	3	8		1					6	
101	Diseases of the esophagus.	2	1									2	
102	Ulcer of the stomach.	2										1	
103	Other diseases of the stomach (cancer excepted).		9		1							25	
104	Diarrhea and enteritis (under 2 years).	29	70	11	2		3	42		58	356	2,674	
105	Diarrhea and enteritis (2 years and over).	8	14	3			2	6	1				
106	Ankylostomiasis.												
107	Intestinal parasites.												
108	Appendicitis and typhlitis.	10		2	2					1			
109	Hernia, intestinal obstruction (total).	6	2	1	1		1		1		10	23	
	Hernia.	4									4	6	
110	Intestinal obstruction.	2	2	1	1		1		1		6	17	
111	Other diseases of the intestines.	6	1		1								
112	Acute yellow atrophy of the liver.												
113	Hydatid tumor of the liver.												
114	Cirrhosis of the liver.	1	3	3	4								
115	Biliary calculi.	2			1		1						
116	Other diseases of the liver.	1	1	1	1							6	
117	Diseases of the spleen.											1	
118	Simple peritonitis (nonpuerperal).	6	4		2		1			1		3	
	Other diseases of the digestive system (cancer and tuberculosis excepted).	2		1									
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	51	78	40	35		9			2	12	44	
119	Acute nephritis.	4	16	1	7		3				9	18	
120	Bright's disease.	28	59	30	24		5			2	3	12	
121	Chyluria.												
122	Other diseases of the kidneys and annexa.	3	2	3	1							11	
123	Calculi of the urinary passages.			1									
124	Diseases of the bladder.	1	1				1					1	
125	Diseases of the urethra, urinary abscess, etc.	4		1	1								
126	Diseases of the prostate.	9		2	1								
127	Nonvenereal diseases of the male genital organs.	1										1	
128	Uterine hemorrhage (nonpuerperal).												
129	Uterine tumor (noncancerous).				2								
130	Other diseases of the uterus.	1											
131	Cysts and other tumors of the ovary.												
132	Salpingitis and other diseases of the female genital organs.					1							
133	Nonpuerperal diseases of the breast (cancer excepted).											1	
	VII.—The puerperal state.	2	3	3	2		1						
134	Accidents of pregnancy.						1						
135	Puerperal hemorrhage.												
136	Other accidents of labor.		1	1									
137	Puerperal septicemia.	2	1	1	2								
138	Puerperal albuminuria and convulsions.			1	1								
139	Puerperal phlegmasia alba dolens, embolus, sudden death.												
140	Following childbirth (not otherwise defined).												
141	Puerperal diseases of the breast.												

¹ Tuberculosis and rheumatism excepted.

CONTRIBUTORY CAUSES OF DEATH.

83

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines, after the United States entered the war.]

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed Int. List No.	Cause of Death.	Contributory Cause.										
		Acute abscess.	Other diseases, skin and annexa.	Diseases, bones (tuberculosis excepted).	Diseases, joints. ¹	Amputations.	Other diseases, organs of locomotion.	Hydrocephalus.	Con genital malformations, heart.	Other con genital malformations.	Premature birth.	Con genital debility, etc.
		144	145	146	147	148	149	150a	150b	150c	151a	151b
	VIII.—Diseases of the skin and of the cellular tissue.....	24	24	2	3		2			1	1	62
142	Gangrene.....	8	21	1	3		2					1
143	Furuncle.....	14									1	14
144	Acute abscess.....		3							1		17
145	Other diseases of the skin and annexa.....	2		1								30
	IX.—Diseases of the bones and of the organs of locomotion.....	16	2		8		1					6
146	Diseases of the bones (tuberculosis excepted).....	14	1		8							4
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	2	1				1					2
148	Amputations.....											
149	Other diseases of the organs of locomotion.....											
	X.—Malformations.....	2	6	2				9		247	725	310
150	Congenital malformations (stillbirths not included) (total).....	2	6	2				9		247	725	310
	Hydrocephalus.....	1		1							199	21
	Congenital malformations of the heart.....	1	3	1				7			48	89
	Other congenital malformations.....		3					2			149	200
	XI.—Early infancy.....	7	8	1				2	127	32	676	635
151	Congenital debility, icterus, and sclerema (total).....	3	7							88	4	403
	Premature birth.....	3	7							88	4	403
	Congenital debility, "atrophy," "marasmus" etc.											
152	Other causes peculiar to early infancy (total).....	4	1	1						2	39	28
	Injuries at birth.....	4	1	1						2	39	28
	Other causes peculiar to early infancy ?.....										676	676
153	Lack of care.....											224
												94
												130
												8
	XII.—Old age.....											
154	Senility.....											
	XIII.—External causes.....	70	52	57	12	1	4	1	4	4	18	19
155	Suicide (total).....	1	2									
156	By poison.....											
157	By asphyxia.....											
158	By hanging or strangulation.....											
159	By drowning.....											
160	By firearms.....		2									
161	By cutting or piercing instruments.....	1										
162	By jumping from high places.....											
163	By crushing.....											
	Other suicides.....											
164	Accidental or undefined (total).....	69	49	56	12	1	4	1	4	4	17	19
	Poisoning by food.....		1								1	1
165	Other acute poisonings.....	1										
166	Conflagration.....											
167	Burns (conflagration excepted).....	1	2	1								
168	Absorption of deleterious gases (conflagration excepted).....	4		3	1		3		1	2	6	1
169	Accidental drowning.....											
170	Traumatism by firearms.....											
171	Traumatism by cutting or piercing instruments.....	3	1	1								
172	Traumatism by fall.....	19	38	25	4					1		3
173	Traumatism in mines and quarries (total).....		1			1						1
	Traumatism in mines.....		1			1						
	Traumatism in quarries.....											
174	Traumatism by machines.....	3					1					
175	Traumatism by other crushing (total).....	6	1	7	2	1						
	Railroad accidents and injuries.....		1			1						
	Street-car accidents and injuries.....	1			2	1						
	Automobile accidents and injuries.....	3			4	1						
	Injuries by other vehicles.....	2			1							
	Landslide, other crushing.....											
176	Injuries by animals.....	1		1	1							1
177	Starvation.....											
178	Excessive cold.....		2									
179	Effects of heat.....	1	1								1	13
180	Lightning.....											
181	Electricity (lightning excepted).....											
182	Fractures (cause not specified).....	30	1	15	1	2		1		1	5	2
183	Other external violence.....											
184	Homicide (total).....		1	1								
	By firearms.....		1	1								
	By cutting or piercing instruments.....											
	By other means.....											1

¹ Tuberculosis and rheumatism excepted.

CONTRIBUTORY CAUSES OF DEATH.

85

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines after the United States entered the war.]

CONTRIBUTORY CAUSE.																Detailed Int. List No.	
Injuries at birth.	Other causes peculiar to early infancy.	Lack of care.	Senility.	Suicide by poison.	Suicide by asphyxia.	Suicide by hanging or strangulation.	Suicide by drowning.	Suicide by firearms.	Suicide by cutting instruments.	Suicide by jumping from high places.	Suicide by crushing.	Other suicides.	Poisoning by food.	Other acute poisonings.	Conflagration.	Burns (conflagration excepted).	
152a	152b	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	
		2		242													
				180													142
				7													143
				17													144
				38													145
				25													
				7													146
				11													147
				7													148
																	149
47	171																
47	171																150
12																	
22	124																
13	47																
	1,312	39															
	928	38															151
	928	38															
	381	1															152
	381	1															
	8																153
																	154
2		2	631	7	2	7	3	6	6	1	1	2	1		2	171	
				7	7	2	7	3	6	6	1	1	2				1
					1	1	2	3	1	1	1	1	2				155
						1											156
						2	1		1	1							157
						2	1		1	2							158
						1	3	4	1	2	2						159
						2	3	1	1	2	2						160
												1	1				161
																	162
																	163
1		2	624											1	1	167	
			1														164
			1														165
			1														166
			16														167
			1														168
			1														169
			1														170
			1														171
			479														172
																	30
																	30
																	52
																	174
																	62
																	39
																	1
																	21
																	1
																	176
																	177
																	178
																	179
																	180
																	181
																	185
																	186
1															1	3	
1															1	3	

* Exclusive of injuries at birth.

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed List Int. No.	CAUSE OF DEATH.	CONTRIBUTORY CAUSE.								
		Absorption of deleterious gases. ¹	Accidental drowning.	Trauma-tism by firearms.	Trauma-tism by cutting instruments.	Trauma-tism by fall.	Trauma-tism in mines.	Trauma-tism in quarries.	Trauma-tism by machines.	Railroad accidents.
168	169	170	171	172	173a	173b	174	175a		
All causes.....	109	70	17	49	134	2	1	47	16	
I.—General diseases.....	8	—	17	43	55	2	1	33	16	
1 Typhoid fever.....										
2 Typhus fever.....										
3 Relapsing fever.....										
4 Malaria.....										
5 Smallpox.....										
6 Measles.....										
7 Scarlet fever.....										
8 Whooping cough.....										
9 Diphtheria and croup.....										
10 Influenza.....										
11 Miliary fever.....										
13 Cholera nostras.....										
14 Dysentery.....										
17 Leprosy.....										
18 Erysipelas.....										
19 Other epidemic diseases.....										
20 Purulent infection and septicemia.....										
21 Glanders.....										
22 Anthrax.....										
23 Rabies.....										
24 Tetanus.....	2		17	40	50	2	1	33	14	
25 Mycoses.....										
26 Pellagra.....										
27 Beriberi.....										
28 Tuberculosis (total).....		1								
29 Tuberculosis of the lungs.....	1									
30 Acute military tuberculosis.....										
31 Tuberculous meningitis.....										
32 Abdominal tuberculosis.....										
33 Pott's disease.....										
34 White swellings.....										
35 Tuberculosis of other organs.....										
36 Disseminated tuberculosis.....										
37 Rickets.....										
38 Syphilis.....										
39 Gonococcus infection.....										
40 Cancer and other malignant tumors (total).....	2					5				2
41 Of the buccal cavity.....										
42 Of the stomach, liver.....						3				1
43 Of the peritoneum, intestines, rectum.....										
44 Of the female genital organs.....						1				
45 Of the breast.....										
46 Of the skin.....	1									
47 Of other organs or of organs not specified.....	1					1				1
48 Other tumors (tumors of the female genital organs excepted).....										
49 Acute articular rheumatism.....										
50 Chronic rheumatism and gout.....										
51 Scurvy.....										
52 Diabetes.....										
53 Exophthalmic goiter.....	3			2						
54 Addison's disease.....										
55 Leukemia.....										
56 Anemia, chlorosis.....										
57 Other general diseases.....										
58 Alcoholism (acute or chronic).....										
59 Chronic lead poisoning.....										
60 Other chronic occupation poisonings.....										
61 Other chronic poisonings.....										
62 II.—Diseases of the nervous system and of the organs of special sense.....	1					1				
63 Encephalitis.....										
64 Meningitis (total).....										
65 Simple meningitis.....										
66 Cerebrospinal meningitis (undefined).....										
67 Cerebrospinal fever.....										
68 Locomotor ataxia.....										
69 Other diseases of the spinal cord (total).....	1					1				
70 Acute anterior poliomyelitis.....	1									
71 Other diseases of the spinal cord ²										
72 Cerebral hemorrhage, apoplexy.....										
73 Softening of the brain.....										
74 Paralysis without specified cause.....										
75 General paralysis of the insane.....										
76 Other forms of mental alienation.....										
77 Epilepsy.....										
78 Convulsions (nonpuerperal).....										
79 Convulsions of infants.....										
80 Chorea.....										
81 Neuralgia and neuritis.....										
82 Other diseases of the nervous system.....										
83 Diseases of the eyes and their annexa.....										
84 Diseases of the ears.....										

¹ Conflagration excepted.

CONTRIBUTORY CAUSES OF DEATH.

87

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines after the United States entered the war.]

CONTRIBUTORY CAUSE.															Detailed List No.
Street-car accidents.	Automobile accidents.	Injuries by other vehicles.	Landslide, other crushing.	Injuries by animals.	Starvation.	Excessive cold.	Effects of heat.	Electricity, (lightning excepted).	Homicide by firearms.	Homicide by cutting instruments.	Homicide by other means.	Fractures (cause not specified).	Other external violence.		
175b	175c	175d.	175e	176	177	178	179	181	182	183	184	185	186		
25	564	316	14	9	8	56	610	48	5	6	5	19	428		
17	17	16	5	9		18	104	2				14	240		
							1								1
							3								2
							1								3
							2								4
							6								5
															6
															7
															8
															9
															10
															11
															12
															13
															14
															15
															16
															17
															18
															19
															20
															21
															22
															23
17	17	16	5	8		17		2				13	239		24
															25
															26
															27
							18								28
							15								29
							1								30
							1								31
							1								32
															33
															34
															35
								1							36
															37
															38
							1					1	1		39
								7							40
								1				1			41
								1							42
								2							43
								2							44
															45
															46
								4							47
								4							48
								1							49
								10							50
															51
								44							52
															53
															54
															55
															56
															57
															58
															59
						6		72							60
															61
								1							62
								8							63
								7							64
								1							65
								5							66
								4							67
								41							68
															69
								2							70
								5							71
								2							72
								3							73
															74
								1							75
															76

* Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed List No.	CAUSE OF DEATH.	CONTRIBUTORY CAUSE.								
		Absorption of deleterious gases. ¹	Accidental drowning.	Trauma- tism by firearms.	Trauma- tism by cutting in- struments.	Trauma- tism by fall.	Trauma- tism in mines.	Trauma- tism in quarries.	Trauma- tism by machines.	Railroad accidents.
		168	169	170	171	172	173a	173b	174	175a
	III.—Diseases of the circulatory system.....	4	1
77	Pericarditis.....									
78	Acute endocarditis.....									
79	Organic diseases of the heart.....									
80	Angina pectoris.....					1				
81	Diseases of the arteries, atheroma, aneurism, etc.....									
82	Embolism and thrombosis.....									
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	2					
84	Diseases of the lymphatic system (lymphangitis, etc.).	2					
85	Hemorrhage; other diseases of the circulatory system.....									
	IV.—Diseases of the respiratory system.....	7					
86	Diseases of the nasal fossae.....		4					
87	Diseases of the larynx.....			2					
88	Diseases of the thyroid body.....								
89	Acute bronchitis.....									
90	Chronic bronchitis.....									
91	Bronchopneumonia.....									
92	Pneumonia (total). Lobar pneumonia. Pneumonia (undefined). Pleurisy.....									
93		1					
94	Pulmonary congestion, pulmonary apoplexy.....									
95	Gangrene of the lung.....									
96	Asthma.....									
97	Pulmonary emphysema.....									
98	Other diseases of the respiratory system (tuberculosis excepted). V.—Diseases of the digestive system.....									
		37					
99	Diseases of the mouth and annexa.....									
100	Diseases of the pharynx.....	22					
101	Diseases of the esophagus.....									
102	Ulcer of the stomach.....	2					
103	Other diseases of the stomach (cancer excepted). VI.—Nonvenereal diseases of the genito-urinary system and annexa.....									
		7					
104	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Ankylostomiasis.....									
105										
106										
107	Intestinal parasites.....									
108	Appendicitis and typhlitis.....	3					
109	Hernia, intestinal obstruction (total). Hernia..... Intestinal obstruction.....		9					
110	Other diseases of the intestines.....									
111	Acute yellow atrophy of the liver.....									
112	Hydatid tumor of the liver.....									
113	Cirrhosis of the liver.....									
114	Biliary calculi.....									
115	Other diseases of the liver.....	1					
116	Diseases of the spleen.....									
117	Simple peritonitis (nonpuerperal). Other diseases of the digestive system (cancer and tuberculosis excepted). VII.—The puerperal state.....									
		7					
119	Acute nephritis.....									
120	Bright's disease.....									
121	Chyluria.....									
122	Other diseases of the kidneys and annexa.....									
123	Calculi of the urinary passages.....									
124	Diseases of the bladder.....	2					
125	Diseases of the urethra, urinary abscess, etc.....									
126	Diseases of the prostate.....	1					
127	Nonvenereal diseases of the male genital organs.....	1					
128	Uterine hemorrhage (nonpuerperal). Uterine tumor (noncancerous). Other diseases of the uterus.....									
129										
130										
131	Cysts and other tumors of the ovary.....	3					
132	Salpingitis and other diseases of the female genital organs.....									
133	Nonpuerperal diseases of the breast (cancer excepted). VIII.—Accidents of pregnancy.....									
		10	18	
134	Accidents of pregnancy.....	4					
135	Puerperal hemorrhage.....	2	1	
136	Other accidents of labor.....	4					
137	Puerperal septicemia.....									
138	Puerperal albuminuria and convulsions.....							17		
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....									
140	Following childbirth (not otherwise defined). Puerperal diseases of the breast.....									
141										

¹ Conflagration excepted.

CONTRIBUTORY CAUSES OF DEATH.

89

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines after the United States entered the war.]

MORTALITY STATISTICS.

CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF

[This table excludes the deaths of soldiers, sailors,

Detailed List N.C.	CAUSE OF DEATH.	CONTRIBUTORY CAUSE.								
		Absorption of deleterious gases. ¹	Accidental drowning.	Trauma- tism by firearms.	Trauma- tism by cutting in- struments.	Trauma- tism by fall.	Trauma- tism in mines.	Trauma- tism in quarries.	Trauma- tism by machines.	Railroad accidents.
168	169	170	171	172	173a	173b	174	175a		
VIII.—Diseases of the skin and of the cellular tissue.....										
142	Gangrene.....									
143	Furuncle.....									
144	Acute abscess.....									
145	Other diseases of the skin and annexa.....									
IX.—Diseases of the bones and of the organs of locomotion.....										
	3									
146	Diseases of the bones (tuberculosis excepted).....	3								
147	Diseases of the joints (tuberculosis and rheumatism excepted).....									
148	Amputations.....									
149	Other diseases of the organs of locomotion.....									
X.—Malformations.....										
	3									
150	Congenital malformations (stillbirths not included) (total).....	3								
	Hydrocephalus.....									
	Congenital malformations of the heart.....									
	Other congenital malformations.....	3								
XI.—Early infancy.....										
		1								
151	Congenital debility, icterus, and sclerema (total).....									
	Premature birth.....									
	Congenital debility, "atrophy," "marasmus," etc.....									
152	Other causes peculiar to early infancy (total).....		1							
	Injuries at birth.....		1							
	Other causes peculiar to early infancy ²									
153	Lack of care.....									
XII.—Old age.....										
154	Senility.....									
XIII.—External causes.....										
	29	69		6	59				14	
155	Suicide (total).....									
	By poison.....									
	By asphyxia.....									
	By hanging or strangulation.....									
	By drowning.....									
159	By firearms.....									
160	By cutting or piercing instruments.....									
161	By jumping from high places.....									
162	By crushing.....									
163	Other suicides.....									
Accidental or undefined (total).....										
164	Poisoning by food.....	29	69	6	58				14	
165	Other acute poisonings.....					1				
166	Conflagration.....	1				1				
167	Burns (conflagration excepted).....					8			1	
168	Absorption of deleterious gases (conflagration excepted).....					4				
169	Accidental drowning.....	2				5				
170	Traumatism by firearms.....					1				
171	Traumatism by cutting or piercing instruments.....					4				
172	Traumatism by fall.....	8	4	5						
173	Traumatism in mines and quarries (total).....	7	6							1
	Traumatism in mines.....	7	3							1
	Traumatism in quarries.....		3							
174	Traumatism by machines.....	3		1	2					
175	Traumatism by other crushing (total).....	4	59	7					3	
	Railroad accidents and injuries.....	1	6	1						
	Street-car accidents and injuries.....		9	2						
	Automobile accidents and injuries.....		38							
	Injuries by other vehicles.....	1	6	4					2	
	Landslide, other crushing.....	2								
176	Injuries by animals.....	1								
177	Starvation.....									
178	Excessive cold.....									
179	Effects of heat.....	1				1				
180	Lightning.....									
181	Electricity (lightning excepted).....	1				24			9	
182	Fractures (cause not specified).....	1								
183	Other external violence.....									
184	Homicide (total).....					1				
	By firearms.....									
	By cutting or piercing instruments.....									
	By other means.....					1				

¹Conflagration excepted.

CONTRIBUTORY CAUSES OF DEATH.

91

DEATH IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1917—Continued.

and marines after the United States entered the war.]

2 Exclusive of injuries at birth.

SUMMARY AND RATE TABLES.

SUMMARY AND RATE TABLES.

TABLE I A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1918.

[All deaths include deaths of nonresidents and deaths in hospitals and institutions, but exclude the deaths of soldiers, sailors, and marines. The term "cities" indicate municipalities of 10,000 inhabitants or more in 1910, smaller places being included in the "rural districts."]

AREA.	Number of deaths, 1918.	AREA.	Number of deaths, 1918.	AREA.	Number of deaths, 1918.
SUMMARY.					
The registration area (exclusive of Hawaii) (total).....	1,445,158	Total.....	100,396	Total.....	32,134
White.....	1,287,399	White.....	95,831	White.....	24,329
Colored.....	157,759	Colored.....	4,565	Colored.....	7,805
Registration states ¹ (total).....	1,404,116	Cities (total).....	63,242	Cities (total).....	17,359
White.....	1,259,539	White.....	59,753	White.....	13,581
Colored.....	144,577	Colored.....	3,489	Colored.....	3,778
Cities in registration states ¹ (total).....	741,187	Rural districts (total).....	37,154	Rural districts (total).....	14,775
White.....	679,678	White.....	36,073	White.....	10,748
Colored.....	61,511	Colored.....	1,076	Colored.....	4,027
Rural part of registration states (total).....	662,929	INDIANA.		MASSACHUSETTS.	
White.....	579,863	Total.....	45,993	Total.....	77,248
Colored.....	83,066	White.....	43,940	White.....	75,867
Registration cities in nonregistration states (total).....	41,042	Colored.....	2,053	Colored.....	1,381
White.....	27,860	Cities (total).....	18,502	Cities (total).....	61,196
Colored.....	13,182	White.....	16,943	White.....	60,018
All registration cities ¹ (total).....	782,229	Colored.....	1,559	Colored.....	1,178
White.....	707,538	Rural districts (total).....	27,491	Rural districts (total).....	16,052
Colored.....	74,693	White.....	26,997	White.....	15,849
ALABAMA.		Colored.....	494	Colored.....	203
Registration cities ² (total).....	6,697	KANSAS.		MICHIGAN.	
White.....	3,176	Total.....	25,053	Total.....	53,320
Colored.....	3,521	White.....	23,464	White.....	52,103
CALIFORNIA.		Colored.....	1,589	Colored.....	1,217
Total.....	56,488	Cities (total).....	6,681	Cities (total).....	25,455
White.....	52,770	White.....	5,811	White.....	24,751
Colored.....	3,718	Colored.....	870	Colored.....	704
Cities (total).....	33,317	Rural districts (total).....	18,372	Rural districts (total).....	27,865
White.....	31,127	White.....	17,653	White.....	27,352
Colored.....	2,190	Colored.....	719	Colored.....	513
Rural districts (total).....	23,171	KENTUCKY.		MINNESOTA.	
White.....	21,643	Total.....	39,532	Total.....	31,109
Colored.....	1,528	White.....	32,972	White.....	30,709
COLORADO.		Colored.....	6,560	Colored.....	400
Total.....	17,546	Cities (total).....	9,708	Cities (total).....	11,575
White.....	17,141	White.....	7,354	White.....	11,388
Colored.....	405	Colored.....	2,354	Colored.....	187
Cities (total).....	7,470	Rural districts (total).....	29,824	Rural districts (total).....	19,534
White.....	7,214	White.....	25,618	White.....	19,321
Colored.....	256	Colored.....	4,206	Colored.....	213
Rural districts (total).....	10,076	LOUISIANA.		MISSISSIPPI.	
White.....	9,927	Total.....	32,201	Registration cities ⁵ (total).....	3,063
Colored.....	149	White.....	15,822	White.....	1,181
CONNECTICUT.		Colored.....	16,379	Colored.....	1,882
Total.....	27,240	Cities (total).....	12,359	MISSOURI.	
White.....	26,550	White.....	7,210	Total.....	53,311
Colored.....	690	Colored.....	5,149	White.....	48,485
Cities (total).....	19,982	Rural districts (total).....	19,842	Colored.....	4,846
White.....	19,391	White.....	8,612	Cities (total).....	25,374
Colored.....	571	Colored.....	11,230	White.....	22,040
Rural districts (total).....	7,278	MAINE.		Colored.....	3,334
White.....	7,159	Total.....	14,499	Rural districts (total).....	27,937
Colored.....	119	White.....	14,443	White.....	26,425
FLORIDA.		Colored.....	56	Colored.....	1,512
Registration cities ³ (total).....	4,194	Cities (total).....	3,987	MONTANA.	
White.....	2,844	White.....	3,949	Total.....	8,985
Colored.....	1,850	Colored.....	18	White.....	8,736
GEORGIA.		Rural districts (total).....	10,532	Colored.....	249
Registration cities ⁴ (total).....	5,825	White.....	10,494	Cities (total).....	3,212
White.....	2,830	Colored.....	38	White.....	3,188
Colored.....	2,995	MISSISSIPPI.		Colored.....	74

¹ Includes the District of Columbia.

² Includes Birmingham, Mobile, and Montgomery.

³ Includes Jacksonville, Key West, Pensacola, and Tampa.

⁴ Includes Atlanta, Brunswick, and Savannah.

⁵ Includes Hattiesburg, Jackson, Meridian, Natchez, and Vicksburg.

DEATHS, URBAN AND RURAL.

95

TABLE I A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1918—Continued.

[All deaths include deaths of nonresidents and deaths in hospitals and institutions, but exclude the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910, smaller places being included in the "rural districts."]

AREA.	Number of deaths, 1918.	AREA.	Number of deaths, 1918.	AREA.	Number of deaths, 1918.
NEBRASKA.		OREGON.		UTAH.	
Registration cities ¹ (total).....	4,104	Total.....	9,679	Total.....	6,172
White.....	3,876	White.....	9,329	White.....	5,986
Colored.....	228	Colored.....	350	Colored.....	186
NEW HAMPSHIRE.		Cities (total).....	3,972	Cities (total).....	2,363
Total.....	9,581	White.....	3,820	White.....	2,294
White.....	9,564	Colored.....	152	Colored.....	69
Colored.....	17	Rural districts (total).....	5,707	Rural districts (total).....	3,809
Cities (total).....	4,493	White.....	5,509	White.....	3,692
White.....	4,482	Colored.....	198	Colored.....	117
Colored.....	11	PENNSYLVANIA.		VERMONT.	
Rural districts (total).....	5,088	Total.....	187,951	Total.....	6,803
White.....	5,082	White.....	179,016	White.....	6,800
Colored.....	6	Colored.....	8,935	Colored.....	3
NEW JERSEY.		Cities (total).....	99,912	Cities (total).....	1,131
Total.....	60,988	White.....	98,052	White.....	1,130
White.....	57,468	Colored.....	6,860	Colored.....	1
Colored.....	3,520	Rural districts (total).....	88,039	Rural districts (total).....	5,672
Cities (total).....	39,142	White.....	85,964	White.....	5,670
White.....	38,311	Colored.....	2,075	Colored.....	2
Colored.....	2,331	RHODE ISLAND.		VIRGINIA.	
Rural districts (total).....	21,846	Total.....	12,407	Total.....	41,272
White.....	20,657	White.....	12,021	White.....	24,687
Colored.....	1,189	Colored.....	386	Colored.....	16,585
NEW YORK.		Cities (total).....	10,235	Cities (total).....	12,114
Total.....	190,764	White.....	9,902	White.....	6,966
White.....	185,340	Colored.....	333	Colored.....	5,148
Colored.....	5,424	Rural districts (total).....	2,172	Rural districts (total).....	29,158
Cities (total).....	145,303	White.....	2,119	White.....	17,721
White.....	140,842	Colored.....	53	Colored.....	11,437
Colored.....	4,661	SOUTH CAROLINA.		WASHINGTON.	
Rural districts (total).....	45,461	Total.....	30,761	Total.....	16,837
White.....	44,698	White.....	17,152	White.....	15,985
Colored.....	763	Colored.....	13,609	Colored.....	852
NORTH CAROLINA.		Cities (total).....	4,623	Cities (total).....	8,717
Total.....	42,274	White.....	2,066	White.....	8,359
White.....	24,907	Colored.....	2,557	Colored.....	358
Colored.....	17,367	Rural districts (total).....	26,138	Rural districts (total).....	8,120
Cities (total).....	5,309	White.....	9,086	White.....	7,626
White.....	2,982	Colored.....	17,052	Colored.....	494
Colored.....	2,327	TENNESSEE.		WISCONSIN.	
Rural districts (total).....	36,965	Total.....	37,134	Total.....	34,992
White.....	21,925	White.....	25,949	White.....	34,700
Colored.....	15,040	Colored.....	11,185	Colored.....	292
OHIO.		Cities (total).....	10,000	Cities (total).....	14,140
Total.....	92,356	White.....	5,831	White.....	14,032
White.....	87,714	Colored.....	4,169	Colored.....	108
Colored.....	4,642	Rural districts (total).....	27,134	Rural districts (total).....	20,852
Cities (total).....	51,264	White.....	20,118	White.....	20,668
White.....	47,860	Colored.....	7,016	Colored.....	184
Colored.....	3,404	TEXAS.			
Rural districts (total).....	41,092	Registration cities ² (total).....	13,111		
White.....	39,854	White.....	10,790		
Colored.....	1,238	Colored.....	2,321		

¹ Includes Lincoln and Omaha.

² Includes Beaumont, Cleburne, Dallas, El Paso, Galveston, Houston, and San Antonio.

MORTALITY STATISTICS.

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918.

[This table excludes the deaths of soldiers, sailors, and marines. Minor areas containing state insane asylums, state hospitals, etc., are designated by asterisks (*). The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. A detailed explanation of this table will be found on p. 14.]

AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.			
	Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and includ-ing residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and includ-ing residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.				
REGISTRATION CITIES.											REGISTRATION CITIES—Con.			
ALABAMA.¹											GEORGIA.¹			
Birmingham.....	4,346	4,338	4,367	589	-13	Atlanta.....	3,702	3,660	3,678	266	-8			
Mobile.....	1,430	1,402	1,417	256	-19	Brunswick.....	278	275	282	10	-2			
Montgomery.....	921	910	917	115	-13	Savannah.....	1,845	1,845	1,856	1	+1			
CALIFORNIA.											ILLINOIS.			
Alameda.....	419	383	424	3	-	Alton.....	499	477	488	1	-3			
Bakersfield.....	611	593	602	1	-2	Aurora.....	739	680	695	3	-6			
Berkeley.....	679	588	667	11	-3	Belleville.....	480	430	439	1	-9			
Eureka.....	251	250	259	-	Bloomington.....	525	501	518	4	-2				
Fresno.....	679	672	697	-	Cairo.....	396	393	395	-	-				
Long Beach.....	671	566	595	40	-17	Canton.....	256	255	259	-	+1			
Los Angeles.....	9,348	8,987	9,097	47	-3	Champaign.....	265	262	275	-	+4			
Oakland.....	3,212	3,028	3,200	9	-1	Chicago.....	44,069	43,041	43,647	173	-1			
Pasadena.....	566	539	581	6	+2	Chicago Heights.....	398	384	395	-	-1			
Pomona.....	180	175	187	1	+3	Cicero.....	412	409	430	1	+4			
Redlands.....	122	122	126	-	Danville.....	709	604	612	5	-14				
Riverside.....	339	338	342	-	Decatur.....	685	599	610	5	-12				
Sacramento.....	1,727	1,475	1,516	25	-14	East St. Louis.....	1,216	1,209	1,243	4	+2			
San Bernardino.....	499	423	429	1	-14	Elgin*.....	685	557	577	1	-16			
San Diego.....	1,534	1,414	1,431	36	-9	Evanston.....	491	439	466	-	-5			
San Francisco.....	9,855	9,063	9,222	99	-7	Freeport.....	366	324	331	10	-12			
San Jose.....	587	577	610	1	+4	Galesburg.....	459	440	447	5	-4			
Santa Barbara.....	250	243	252	2	-	Granite.....	273	273	283	-	+4			
Santa Cruz.....	195	194	203	-	Jacksonville*.....	617	592	599	5	-4				
Stockton*.....	1,347	1,341	1,398	1	+4	Joliet.....	1,061	1,045	1,058	2	-			
Vallejo.....	246	237	251	1	+2	Kankakee*.....	774	773	781	-	+1			
COLORADO.											ILLINOIS.			
Colorado Springs.....	842	735	755	82	-20	La Salle.....	326	307	310	-	-5			
Denver.....	5,199	4,790	4,905	165	-9	Lincoln*.....	403	290	294	3	-28			
Pueblo.....	1,072	1,008	1,034	12	-5	Mattoon.....	257	253	259	2	-			
Trinidad.....	357	343	348	5	-4	Moline.....	614	601	613	-	-			
CONNECTICUT.											ILLINOIS.			
Ansonia.....	318	318	343	-	+8	Oak Park.....	508	411	442	2	-13			
Bridgeport.....	2,981	2,851	2,937	-	-1	Peoria.....	1,389	1,289	1,307	12	-7			
Bristol.....	304	304	369	-	+21	Quincy.....	857	780	788	2	-8			
Danbury town.....	490	445	456	2	-7	Rockford.....	1,090	1,055	1,081	6	-1			
Greenwich town.....	377	356	372	1	-2	Rock Island.....	548	547	555	-	+1			
Hartford.....	3,117	2,562	2,635	1	-15	Springfield.....	1,222	1,044	1,062	6	-14			
Manchester town.....	221	218	237	-	+7	Streator.....	345	316	320	7	-9			
Meriden town.....	800	726	746	-	-7	Waukegan.....	308	287	298	1	-4			
Middletown town*.....	756	711	728	-	-4	INDIANA.					INDIANA.			
Naugatuck.....	248	248	283	-	+14	Anderson.....	409	403	413	-	+1			
New Britain.....	1,112	1,077	1,145	-	+3	East Chicago.....	735	725	732	-	+8			
New Haven.....	3,343	3,071	3,163	3	-5	Elkhart.....	418	403	408	-	-2			
New London.....	586	525	541	3	-8	Elwood.....	212	212	219	-	+3			
Norwalk.....	559	534	549	3	-2	Evansville.....	1,444	1,397	1,423	3	-2			
Norwich town.....	765	673	683	1	-11	Fort Wayne.....	1,213	1,075	1,093	5	-10			
Orange town.....	248	237	248	-	-	Gary.....	1,098	925	945	3	-14			
Stamford town.....	794	721	739	4	-7	Hammond.....	777	674	691	1	-11			
Torrington town.....	326	312	330	-	+1	Huntington.....	197	196	199	-	+1			
Wallingford town.....	184	181	234	-	+27	Indianapolis.....	5,241	4,936	5,010	8	-5			
Waterbury.....	2,087	2,006	2,056	-	-1	Jeffersonville.....	212	212	218	-	+3			
Windham town.....	346	320	323	1	-7	Kokomo.....	392	336	398	-	+2			
DELAWARE.¹											DELAWARE.			
Wilmington.....	2,606	2,577	2,597	30	-1	Lafayette.....	512	418	424	2	-16			
DISTRICT OF COLUMBIA.											DISTRICT OF COLUMBIA.			
Washington.....	9,090	8,736	8,863	35	-3	Laporte.....	279	264	272	-	-3			
FLORIDA.¹											FLORIDA.			
Jacksonville.....	2,049	1,987	1,948	338	-21	Logansport.....	408	386	400	-	-2			
Key West.....	387	387	392	-	+1	Marion.....	346	338	352	-	+2			
Pensacola.....	672	667	673	9	-1	Michigan City.....	314	300	307	-	-2			
Tampa.....	1,086	1,059	1,074	74	-8	Mishawaka.....	252	236	240	3	-6			
						Muncie.....	429	410	411	-	-4			
						New Albany.....	430	410	421	-	-2			
						Perry.....	186	182	190	-	+2			
						Richmond.....	409	409	420	-	+3			
						South Bend.....	1,085	1,028	1,052	3	-3			
						Terre Haute.....	1,164	1,110	1,124	9	-4			
						Vincennes.....	340	336	340	1	-			

For footnotes, see p. 113.

DEATHS OF NONRESIDENTS.

97

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

AREA.	NUMBER OF DEATHS, 1918				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.		
	Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and includ-ing residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and includ-ing residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			
REGISTRATION CITIES—Con.													
KANSAS.													
Atchison.	217	217	223		+3	Marlborough	277	251	268		-3		
Coffeyville	230	230	233		+1	Medford	505	465	604		+20		
Fort Scott	226	226	228		+1	Melrose	282	252	289		+2		
Hutchinson	395	394	395			Methuen town	214	186	233		+9		
Independence	210	210	214		+2	Milford town	325	300	324				
Kansas City	2,084	2,062	2,089	1	-	New Bedford	2,895	2,813	2,889	1			
Lawrence	200	197	202		+1	Newburyport	351	318	340		-3		
Leavenworth	388	387	390		+1	Newton	750	675	774	1	+3		
Parsons	275	275	282		+3	North Adams	419	376	389		-7		
Pittsburg	272	272	276		+1	Northampton*	586	479	496	4	-16		
Topeka	960	958	967		+1	Peabody	351	332	385		+10		
Wichita	1,224	1,179	1,189	12	-4	Pittsfield	959	862	890		-7		
KENTUCKY.													
Covington	1,198	1,130	1,143	4	-5	Plymouth town	250	227	242	1	-4		
Frankfort	283	283	286		+1	Quincy	850	791	875		+3		
Henderson	289	289	289			Revere	304	294	435	1	+43		
Lexington*	1,231	1,181	1,187	1	-4	Salem	887	793	850		-4		
Louisville	5,083	5,013	5,043		-1	Somerville	1,521	1,464	1,739		+14		
Newport	465	465	501		+3	Southbridge town	208	207	235		+13		
Owensboro	487	487	490		+1	Springfield	2,534	2,246	2,340	1	-8		
Paducah	672	660	662		-1	Taunton*	951	922	957		+1		
LOUISIANA.													
Alexandria	402	386	399	3	-1	Wakefield town	173	166	206		+19		
Baton Rouge	447	439	506	2	+13	Waltham	713	650	707		-1		
Lake Charles	353	338	356	3	-	Watertown town	279	261	358		+28		
Monroe	310	288	292	7	-8	Webster town	229	223	249		+9		
New Orleans	9,756	8,902	8,944	195	-16	Westfield town	460	428	444		-3		
Shreveport*	1,091	947	958	26	-15	MICHIGAN.							
MAINE.													
Auburn	229	227	233		+10	Adrian	246	244	247				
Augusta*	359	345	349		-3	Alpena	230	226	229				
Bangor*	723	659	670		-7	Aren Arbor	508	422	428		-16		
Biddeford	347	335	342		-1	Battle Creek	697	665	674	9	-5		
Lewiston	607	514	522	1	-14	Bay City	796	785	792		-1		
Portland	1,407	1,329	1,361	6	-4	Detroit	12,889	12,665	12,834	5			
Waterville	295	283	290		-2	Escanaba	280	282	263		-8		
MARYLAND.													
Baltimore	15,810	14,748	14,940	170	-7	Flint	1,105	1,092	1,125	3	+2		
Cumberland	746	653	656	54	-19	Grand Rapids	1,893	1,846	1,872	2	-1		
Frederick	271	253	257		+1	Holland	146	143	149		+2		
Hagerstown	532	529	537			MICHIGAN.							
MASSACHUSETTS:													
Adams town	199	196	210		+6	Ironwood	215	207	214				
Arlington town	283	243	294		+4	Ishpeming	158	157	161		+2		
Attleboro	315	281	298	1	-6	Jackson	899	877	888		-1		
Beverly	326	301	336		+3	Kalamazoo*	1,088	1,069	1,088				
Boston	17,287	15,089	15,753	39	-9	Lansing	722	720	728		+1		
Brockton	1,192	1,099	1,166	1	-2	MICHIGAN.							
Brookline town	519	443	591		+14	Port Huron	358	354	358				
Cambridge	2,286	2,043	2,359	2	+4	Saginaw	936	917	935	1			
Chelsea	852	794	932	2	-9	Sault Ste. Marie	224	222	226		+1		
Chicopee	514	502	601	1	+17	Traverse City*	315	300	301		-4		
Clinton town	283	258	267		-6	MINNESOTA.							
Everett	563	543	668		+19	Duluth	1,390	1,153	1,215	34	-15		
Fall River	2,858	2,801	2,869			Mankato	276	220	231	9	-20		
Fitchburg	758	753	754			Minneapolis	5,392	4,652	4,779	227	-16		
Framingham town	391	299	322		-18	St. Cloud	275	240	256	6	-9		
Gardner town	333	319	336		+1	MISSISSIPPI.							
Gloucester	544	519	557		+2	St. Paul	3,602	3,183	3,313	119	-11		
Greenfield town	299	258	271	1	-10	Stillwater	123	108	123	1	-1		
Haverhill	853	805	842		-1	Virginia	216	193	227	5	+3		
Holyoke	1,272	1,135	1,175	1	-8	Winona	301	282	293	4	-4		
Lawrence	2,030	1,935	2,025			MISSISSIPPI.							
Leominster	349	336	366		+5	Hattiesburg	374	371	375	23	-6		
Lowell	2,466	2,384	2,527	3	+2	Jackson	1,057	1,032	1,038	417	-41		
Lynn	1,811	1,708	1,811			Meridian	622	616	624	81	-13		
Malden	851	772	861		+1	Natchez	329	315	322	8	-5		
						Vicksburg	681	662	675	195	-30		

For footnotes, see p. 113.

MORTALITY STATISTICS.

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.		
	Includ-ing non-residents.	Exclud-ing trans-ferable nonresidents.	Exclud-ing trans-ferable nonresidents and includ-ing residents who died in regis-tration area outside.	Non-residents not trans-ferable.			Includ-ing non-residents.	Exclud-ing trans-ferable nonresidents.	Exclud-ing trans-ferable nonresidents and includ-ing residents who died in regis-tration area outside.	Non-residents not trans-ferable.			
REGISTRATION CITIES—Con.													
MISSOURI.													
Hannibal.....	419	414	418		Buffalo.....	10,112	9,662	9,781	11	-3		
Jefferson City.....	237	235	240	3	Cohoes.....	497	479	515	+4		
Joplin.....	810	806	814	5	Corning.....	294	257	273	1	-7		
Kansas City.....	6,608	6,254	6,345	83	-5	Cortland.....	311	274	286	-8		
Moberly.....	252	239	243	-4	Dunkirk.....	400	376	384	2	-4		
St. Joseph*.....	1,797	1,644	1,661	36	-10	Elmira.....	868	816	839	1	-3		
St. Louis.....	18,727	13,283	13,426	53	-3	Fulton.....	311	302	315	+1		
Sedalia.....	447	443	454	2	+1	Geneva.....	258	229	241	-7		
Springfield.....	827	814	826	1	Glens Falls.....	428	357	370	-14		
Webb City.....	250	242	244	-2	Gloversville.....	526	482	496	-6		
MONTANA.													
Anaconda.....	211	207	211		Hornell.....	282	265	278	-1		
Billings.....	317	245	262	15	-22	Hudson.....	292	271	285	-2		
Butte.....	1,455	1,371	1,404	3	-4	Ithaca.....	317	277	291	1	-9		
Great Falls.....	603	491	474	5	-22	Jamestown.....	572	548	563	-2		
Helena.....	288	233	244	-15	Johnstown.....	188	188	210	+12		
Missoula.....	338	247	256	13	-28	Kingston.....	691	603	619	-10		
NEBRASKA. ¹													
Lincoln.....	905	885	906	153	-17	Lackawanna.....	494	491	493	-2		
Omaha.....	3,199	3,125	3,169	384	-18	Little Falls.....	257	233	266	+4		
NEW HAMPSHIRE.													
Berlin.....	338	325	328	-3	Lockport.....	373	358	376	+1		
Concord*.....	632	655	681		Middletown*.....	521	469	482	-7		
Dover.....	277	267	276		Mount Vernon.....	588	561	603	+3		
Keene.....	275	255	258	-6	New Rochelle.....	515	494	534	+4		
Laconia.....	296	280	286		New York:							
Manchester.....	1,659	1,625	1,746		Bronx Borough.....	10,807	10,457	10,474	25	-1		
Nashua.....	632	594	638		Brooklyn Borough.....	34,010	33,762	34,135	18		
Portsmouth.....	334	310	331		Manhattan Borough.....	42,859	41,611	41,613	94	-3		
NEW JERSEY.													
Ashbury Park.....	203	187	215	4	+4	Queens Borough.....	7,011	6,900	6,942	29	-1		
Atlantic City.....	1,210	994	1,018	10	-17	Richmond Borough.....	2,502	2,447	2,471	12	-2		
Bayonne.....	1,439	1,425	1,468		Newburgh.....	694	630	643	-7		
Bloomfield.....	246	242	328		Niagara Falls.....	963	924	952	-1		
Bridgeton.....	396	389	411		North Tonawanda.....	276	244	260	2	-7		
Camden.....	3,062	2,922	3,071	5	Ogdensburg*.....	690	611	618	-10		
East Orange.....	471	460	628		Olean.....	364	303	318	1	-13		
Elizabeth.....	1,846	1,657	1,721	5	-7	Ossining.....	218	199	208	1	-5		
Garfield.....	251	245	274		Oswego.....	539	529	553	+3		
Hackensack.....	434	286	315	6	-29	Peekskill.....	303	263	277	-9		
Harrison.....	225	221	274		Plattsburg.....	307	254	258	-16		
Hoboken.....	1,132	1,115	1,325	1	+12	Port Chester.....	346	326	343	-1		
Irvington.....	802	293	349		Poughkeepsie.....	744	689	717	-4		
Jersey City.....	6,081	5,745	5,903	21	-3	Rensselaer.....	174	170	201	+16		
Kearny.....	438	409	436		Rochester.....	4,807	4,559	4,714	1	-2		
Long Branch.....	379	239	245	6	-37	Rome*.....	833	711	722	-13		
Millville.....	317	305	317		Saratoga Springs.....	368	314	329	1	-11		
Montclair.....	301	284	408		Schenectady.....	1,600	1,490	1,536	2	-4		
Morrisstown.....	407	249	259	2	-37	Syracuse.....	3,278	3,056	3,162	6	-4		
New Brunswick.....	893	820	840	21	-8	Troy.....	2,105	1,829	1,862	4	-12		
Newark.....	8,132	7,619	7,881	22	-3	Utica*.....	2,062	1,950	2,037	1	-1		
Orange.....	844	591	635	4	-25	Watertown.							
Passaic.....	1,192	1,109	1,149		Watervliet.....	853	778	797	4	-7		
Paterson.....	2,686	2,520	2,575	13	-5	White Plains.....	310	247	276	1	+21		
Perth Amboy.....	1,030	980	1,042	2	+1	Yonkers.....	1,574	1,503	1,571	1	-11		
Phillipsburg.....	342	338	355		NORTH CAROLINA.							
Plainfield.....	616	503	534	3	-14	Asheville*.....	752	713	720	10	-6		
Trenton*.....	2,927	2,702	2,745	7	-6	Charlotte.....	1,039	1,030	1,040	2		
Union.....	265	265	270		Durham.....	455	454	456			
West Hoboken.....	493	488	604		Greensboro.....	359	354	359	1		
West New York.....	350	349	388		Raleigh*.....	741	719	722	1	-3		
West Orange.....	182	179	252		Wilmington.....	836	833	836			
NEW YORK.													
Albany.....	2,548	2,317	2,392	4	-6	Winston-Salem.....	1,127	1,127	1,130			
Amsterdam.....	576	537	552		Fargo.....	412	363	377	94	-31		
Auburn.....	708	681	700		OHIO.							
Batavia.....	325	282	291		Akron.....	2,425	2,399	2,429	8		
Binghamton*.....	1,363	1,277	1,293	2	-5	Alliance.....	389	359	363	3	-7		
						Ashtabula.....	310	309	314	+1		
						Bellaire.....	328	328	338	+3		
						Cambridge.....	243	240	244			

For footnotes, see p. 113.

DEATHS OF NONRESIDENTS.

99

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.		
	Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and in-cluding residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and in-cluding residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			
REGISTRATION CITIES—Con.													
OHIO—continued.													
Canton.....	1,261	1,246	1,257	+2		Mahanoy City.....	415	415	426	+3		
Chillicothe.....	321	321	329	-2		Meadville.....	286	266	277	-4		
Cincinnati.....	8,591	8,370	8,437	8	-2		Monesson.....	482	482	531	+10		
Cleveland.....	13,043	12,349	12,939	9	-1		Mount Carmel.....	406	406	408		
—Columbus.....	4,164	3,869	3,897	5	-7		Nanticoke.....	665	650	654	-2		
Dayton.....	2,544	2,475	2,492	2	-2		New Castle.....	890	890	901	+1		
East Liverpool.....	452	437	440	-3		Norristown*.....	1,166	1,116	1,122	-4		
Elyria.....	330	314	323	-2		North Braddock.....	253	250	254		
Findlay.....	275	272	275		Oil City.....	379	360	363	1		
—Hamilton.....	710	702	707		Old Forge.....	244	243	248	+2		
Ironton.....	341	341	343	+1		Philadelphia.....	42,479	42,002	42,465	43		
Lakewood.....	407	406	410	+1		Phoenixville.....	316	308	312	-2		
Lancaster.....	200	200	205	+3		Pittsburgh.....	15,433	14,555	14,659	-5		
Lima.....	670	660	666	-1		Pittston.....	493	492	493	1		
—Lorain.....	675	668	669	-1		Plymouth.....	262	262	273	+4		
Mansfield.....	414	409	423	+2		Pottstown.....	409	405	412	+1		
Marietta.....	231	230	234	3		Pottsville.....	789	614	618	-22		
Marion.....	393	393	407	+4		Reading.....	2,223	2,121	2,132	-4		
Massillon.....	261	239	242	-7		Scranton.....	3,092	2,921	2,953	-5		
—Middletown.....	408	407	416	+2		Shamokin.....	475	475	486	+2		
Newark.....	524	513	521	-1		Sharon.....	416	410	418	1		
Norwood.....	229	229	240	+5		Shenandoah.....	701	701	704		
Piqua.....	271	263	268	-1		South Bethlehem.....	394	394	417	+6		
Portsmouth.....	658	647	657	1		Steeltown.....	351	350	394	+12		
—Sandusky.....	361	358	364	+1		Sunbury.....	331	327	335	+		
Springfield.....	1,014	989	1,006	+1		Uniontown.....	385	365	375	-3		
Steubenville.....	655	626	631	17	-6		Warren.....	220	202	208	-5		
Tiffin.....	257	255	256		Washington.....	495	478	485	-3		
Toledo.....	4,038	3,936	3,975	4	-2		West Chester.....	427	361	370	-13		
—Warren.....	444	435	439	1	-1		Wilkes-Barre.....	1,755	1,694	1,707	1		
Youngstown.....	2,815	2,729	2,749	2	-2		Willkinsburg.....	523	484	493	-5		
Zanesville.....	612	608	617	+1		Williamsport.....	829	734	739	-11		
OREGON.													
Portland.....	3,760	3,410	3,518	50	-8		York.....	941	895	912	-3		
Salem.....	212	185	198	1	-7		RHODE ISLAND.						
PENNSYLVANIA.													
Allentown.....	1,426	1,382	1,395	-2		Central Falls.....	445	445	535	+20		
Altoona.....	1,067	1,031	1,043	1	-2		Cranston (exclusive of).....	419	419	516	+23		
Beaver Falls.....	361	359	362		State institutions.....	474	474	474		
Bethlehem.....	324	324	346	+7		Cumberland town.....	173	173	188	+6		
Braddock.....	790	725	755	-4		East Providence town.....	316	316	367	+16		
Bradford.....	286	286	295	+3		Newport.....	460	439	461		
Butler.....	519	498	508	-2		Pawtucket.....	1,417	1,273	1,354	-5		
Carbondale.....	501	487	491	1	-2		Providence.....	5,210	4,691	4,857	-8		
Carlisle.....	279	279	285	+2		Warwick town.....	249	247	286	+15		
Carnegie.....	239	239	258	+8		West Warwick town.....	285	285	285		
Chambersburg.....	284	281	284		Woonsocket.....	782	736	764	-2		
Chester.....	1,473	1,433	1,449	1	-2		SOUTH CAROLINA.						
Coatesville.....	302	301	323	+7		Charleston.....	1,935	1,933	1,952	+1		
Columbia.....	294	292	295		Columbia*.....	1,709	1,692	1,695	-1		
Connellsville.....	268	268	276	+3		Greenville.....	448	448	459	+2		
Dubois.....	294	267	275	1	-7		Spartanburg.....	531	531	534	+1		
Dunmore.....	471	471	509	+8		TENNESSEE.						
Duquesne.....	460	458	501	+9		Chattanooga.....	1,533	1,500	1,510	29		
Easton.....	847	791	802	6	-6		Jackson.....	373	373	379	+2		
Erie.....	1,900	1,866	1,897	2		Knoxville.....	1,326	1,245	1,254	-6		
Farrell.....	320	319	322	+1		Memphis.....	3,615	3,521	3,566	302		
Greensburg.....	364	325	338	-7		Nashville.....	3,153	3,046	3,064	15		
Harrisburg*.....	1,693	1,570	1,596	1	-6		TEXAS.¹						
Hazleton*.....	851	847	853	1		Beaumont.....	700	688	705	101		
Homestead.....	442	442	484	+10		Cleburne.....	238	238	242	+1		
Johnstown.....	1,507	1,333	1,342	4	-11		Dallas.....	2,339	2,301	2,317	316		
Lancaster.....	1,232	1,187	1,195	-3		El Paso.....	2,498	2,482	2,503	26		
Lebanon.....	659	634	635	1	-4		Galveston.....	839	828	847	38		
McKees Rocks.....	360	360	374	+4		Houston.....	2,374	2,331	2,365	249		
McKeesport.....	1,174	1,053	1,067	1	-9		San Antonio.....	4,123	3,995	4,015	270		

For footnotes, see p. 113.

MORTALITY STATISTICS.

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

AREA.	NUMBER OF DEATHS, 1918.					Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA	NUMBER OF DEATHS, 1918.					Per cent change, if corrected for transferable and non-transferable deaths of non-residents.			
	Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and includ-ing residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.	Non-resi-dents and includ-ing residents who died in regis-tration area outside.		AREA	Exclud-ing trans-ferable nonresi-dents.	Non-resi-dents not trans-ferable.	Non-resi-dents and includ-ing residents who died in regis-tration area outside.	Exclud-ing trans-ferable nonresi-dents.	Non-resi-dents not trans-ferable.				
REGISTRATION CITIES—Con.																
UTAH.																
Ogden.....	583	500	531	44	-16											
—Salt Lake City.....	1,780	1,439	1,503	126	-23											
VERMONT.																
Barre.....	304	296	307	+1											
Burlington.....	560	497	529	-6											
Rutland.....	267	252	267												
VIRGINIA.																
Alexandria.....	528	527	537	+2											
Danville.....	500	492	501												
Lynchburg.....	786	737	748	25	-8											
Newport News.....	817	803	812	1	-1											
Norfolk.....	2,713	2,622	2,662	10	-2											
Petersburg.....	852	827	840	4	-2											
—Portsmouth.....	854	851	870	+2											
Richmond.....	3,812	3,565	3,612	40	-6											
Roanoke.....	871	800	810	17	-9											
Staunton *.....	381	361	369	-3											
WASHINGTON.																
Aberdeen.....	187	169	176	9	-11											
—Bellingham.....	373	310	319	10	-17											
Everett.....	317	284	294	5	-9											
North Yakima.....	364	285	287	25	-28											
Seattle.....	4,090	3,798	4,018	82	-4											
Spokane.....	1,529	1,273	1,341	35	-18											
Tacoma.....	1,577	1,353	1,402	39	-14											
Walla Walla.....	281	235	246	13	-17											
WEST VIRGINIA.¹																
Wheeling.....	1,030	986	997	35	-7											
WISCONSIN.																
Appleton.....	283	283	284												
Ashton.....	348	348	352	+1											
Beloit.....	391	391	396	+1											
Eau Claire.....	337	337	347	+3											
Fond du Lac.....	360	360	364	+1											
Green Bay.....	609	607	612												
Janesville.....	274	274	275												
Kenosha.....	629	629	642	+2											
La Crosse.....	584	584	570	+1											
Madison.....	591	590	606	+3											
Manitowoc.....	309	309	310												
Marinette.....	201	201	208	+3											
Milwaukee.....	6,550	6,537	6,579	1	-1											
Oshkosh.....	463	463	466	+1											
Racine.....	822	822	831	+1											
Sheboygan.....	510	510	513	+1											
Superior.....	628	628	645	+3											
Wausau.....	271	271	273	+1											
RURAL PART OF REGISTRATION STATES.²																
CALIFORNIA.																
—Alameda County.....	975	951	990	4	+1											
Alpine County.....	2	2	2												
Amador County.....	145	140	150	+3											
Butte County.....	522	517	535	+2											
Calaveras County.....	88	88	93	+6											
Colusa County.....	138	135	154	+12											
Contra Costa County.....	800	791	854	1	+7											
Del Norte County.....	19	19	19												
Eldorado County.....	116	113	122	+5											
Fresno County.....	1,066	1,052	1,064												
Glenn County.....	131	130	137	+5											
Humboldt County.....	213	213	218	+2											
Imperial County.....	608	608	621	+2											
Inyo County.....	56	56	60	1	+5											
Kern County.....	371	370	388	+5											
COLORADO.																
Adams County.....	168	164	194	2	+14											
Alamosa County.....	119	116	117	-2											
Arapahoe County.....	208	190	202	7	-6											
Archuleta County.....	55	54	58	+5											
Baca County.....	14	14	15	+7											
Bent County.....	118	116	122	6	-2											
Boulder County.....	683	650	683	16	-2											
Chaffee County.....	224	215	225												
Cheyenne County.....	30	30	32	1	+3											
Clear Creek County.....	98	96	105	1	+6											
Conejos County.....	41	41	46												
Costilla County.....	4	4	4												
Crowley County.....	108	106	107	-1											
Custer County.....	16	16	17	+6											
Delta County.....	136	136	139	1	+1											
Dolores County.....	41	41	46												
Douglas County.....	49	45	52	1	+4											
Eagle County.....	54	51	56	2	+3											
El Paso County.....	249	209	283	25	-14											
Elbert County.....	56	55	62	1	+9											
Fremont County.....	325	324	330	2	+1											
Garfield County.....	159	158	165	1	+3											
Gilpin County.....	48	47	52	+8											
Grand County.....	21	19	26												
Gunnison County.....	55	53	57	4	+4											

For footnotes, see p. 113.

DEATHS OF NONRESIDENTS.

101

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 90.]

AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.		
	Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and in-cluding residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and in-cluding residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			
RURAL PART OF REGISTRATION STATES²—Contd.													
COLORADO—continued.													
Hinsdale County.....	10	10	10	2	+2	Cook County *.....	3,855	3,757	4,035	6	+5		
Huerfano County.....	328	326	336			Crawford County.....	297	297	300		+1		
Jackson County.....	15	15	16		+7	Cumberland County.....	149	149	154		+3		
Jefferson County.....	377	317	336	46	-23	Dekalb County.....	504	502	520		+3		
Kiowa County.....	5	4	10		+100	Dewitt County.....	258	257	268		+4		
Kit Carson County.....	71	68	72	1		Douglas County.....	228	228	244				
La Plata County.....	272	262	265	10	-6	Dupage County.....	455	429	479	4	+4		
Lake County.....	355	355	366		+3	Edgar County.....	362	360	368	1	+1		
Larimer County.....	465	484	490	2	+5	Edwards County.....	105	105	107		+2		
Las Animas County.....	490	490	507		+3	Effingham County.....	306	306	311		+2		
Lincoln County.....	12	12	20		+67	Fayette County.....	304	304	312		+3		
Logan County.....	266	266	276		+4	Ford County.....	199	198	206		+4		
Mesa County.....	324	320	330	1	+2	Franklin County.....	790	787	806		+2		
Mineral County.....	35	35	35			Fulton County.....	500	500	510		+2		
Moffat County.....	57	57	58	3	-4	Gallatin County.....	145	145	148		+2		
Montezuma County.....	101	100	104	1	+2	Greene County.....	329	328	343		+4		
Monrose County.....	168	166	170		+1	Grundy County.....	269	268	281		+4		
Morgan County.....	218	216	232	4	+5	Hamilton County.....	162	162	163		+1		
Otero County.....	538	522	528	9	-4	Hancock County.....	338	338	348		+3		
Ouray County.....	58	58	59		+2	Hardin County.....	118	118	118				
Park County.....	29	28	33		+14	Henderson County.....	88	88	91		+3		
Phillips County.....	66	65	69	4	-2	Henry County.....	576	569	583	3	+1		
Pitkin County.....	71	71	74		+4	Iroquois County.....	419	418	429		+2		
Prowers County.....	236	235	246		+4	Jackson County.....	544	527	539		-1		
Pueblo County*.....	680	601	610	2	-11	Jasper County.....	145	144	145				
Rio Blanco County.....	44	44	49		+11	Jefferson County.....	382	382	386		+1		
Rio Grande County.....	74	72	75	2	-1	Jersey County.....	164	164	170		+4		
Routt County.....	65	63	68		+5	Jo Daviess County.....	223	228	236		+4		
Saguache County.....	52	51	53		+2	Johnson County.....	140	140	142		+1		
San Juan County.....	175	173	178	2	+6	Kane County.....	422	415	469		+11		
San Miguel County.....	100	100	102	1	+1	Kankakee County.....	283	282	287		+1		
Sedgwick County.....	31	31	31	2	-6	Kendall County.....	150	150	163		+9		
Summit County.....	58	56	57		+2	Knox County.....	254	251	261	1	+2		
Teller County.....	208	208	224		+8	La Salle County.....	850	859	899	1	+5		
Washington County.....	54	54	61		+13	Lake County.....	533	520	565	3	+4		
Weld County.....	818	815	846	12	+2	Lawrence County.....	250	250	254		+2		
Yuma County.....	112	112	123		+10	Lee County.....	347	345	348				
CONNECTICUT.													
Fairfield County.....	1,033	984	1,178		+14	Livingston County.....	373	371	393		+5		
Hartford County.....	1,585	1,533	1,908		+20	Logan County.....	139	139	149		+7		
Litchfield County.....	933	895	1,006		+8	Madison County.....	196	196	206		+5		
Middlesex County.....	358	345	412		+15	Massac County.....	278	277	277				
New Haven County.....	1,172	1,126	1,324		+13	Menard County.....	171	171	192		+12		
New London County*.....	1,019	910	1,035	3	+1	Mercer County.....	223	223	229	1	+2		
Tolland County.....	509	465	537		+6	Monroe County.....	166	166	169		+2		
Windham County.....	669	655	734		+10	Montgomery County.....	570	534	546	5	-5		
ILLINOIS.													
Adams County.....	316	316	343		+9	Marion County.....	573	572	585		+2		
Alexander County.....	112	112	115		+3	Marshall County.....	139	139	149		+7		
Bond County.....	182	182	188		+3	Mason County.....	196	196	206		+5		
Boone County.....	215	214	221	1	+2	Massac County.....	278	277	277				
Brown County.....	124	124	138		+11	Moultrie County.....	204	204	213		+4		
Bureau County.....	623	623	637		+2	Ogle County.....	300	300	313		+4		
Calhoun County.....	102	102	108		+6	Peoria County*.....	775	772	802		+3		
Carroll County.....	226	226	231		+2	Perry County.....	365	364	370		+1		
Cass County.....	243	243	258		+6	Platt County.....	152	152	179		+18		
Champaign County.....	536	534	551		+3	Pike County.....	326	326	346		+6		
Christian County.....	586	569	594	7		Pope County.....	36	35	41		+14		
Clark County.....	298	298	306		+3	Pulaski County.....	292	290	295		+1		
Clay County.....	237	237	242		+2	Putnam County.....	105	105	108		+3		
Clinton County.....	362	362	372		+3	Randolph County.....	398	394	410	1	+3		
Coles County.....	300	300	304		+1	Richland County.....	163	163	167		+2		

For footnotes, see p. 113.

MORTALITY STATISTICS.

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

AREA	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.		
	Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and in-cluding residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and in-cluding residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			
RURAL PART OF REGISTRATION STATES²—Contd.													
ILLINOIS—continued.													
Rock Island County*	583	583	593	+2	Jennings County	211	211	215	+2		
St. Clair County	561	560	600	+9	Johnson County	313	313	331	+6		
Saline County	427	427	432	+1	Knox County	361	361	365	+1		
Sangamon County	368	359	441	2	+19	Kosciusko County	399	398	414	+4		
Schuylerville County	164	164	166	+1	Lagrange County	224	224	232	+4		
Scott County	97	97	100	+3	Lake County	522	519	679	+30		
Shelby County	322	321	335	+4	Lapeorte County	206	204	220	+7		
Stark County	94	94	99	+5	Lawrence County	420	420	427	+2		
Stephenson County	170	169	188	+11	Madison County	439	437	454	+3		
Tazewell County	570	569	588	+3	Marion County*	657	628	646	-2		
Union County*	517	503	508	-2	Marshall County	371	371	383	+3		
Vermilion County (exclusive of)	757	751	808	1	+7	Martin County	146	146	146	-		
National Military Home	165	165	165	-	Miami County	247	245	253	+2		
Wabash County	183	183	192	+5	Monroe County	350	350	356	+2		
Warren County	275	275	281	+2	Montgomery County	420	419	433	+3		
Washington County	177	176	182	+3	Morgan County	303	298	310	+2		
Wayne County	275	273	281	+2	Newton County	138	138	143	+4		
White County	220	220	227	+3	Noble County	356	356	370	+4		
Whiteside County	489	488	499	+2	Ohio County	39	39	41	+5		
Will County	482	478	499	+4	Orange County	223	221	225	+1		
Williamson County	701	699	716	2	+2	Owen County	164	164	169	+3		
Winnebago County	215	213	225	2	+4	Parker County	327	327	339	+4		
Woodford County	223	223	239	+7	Perry County	234	234	238	+2		
INDIANA—continued.													
Adams County	233	233	245	+5	Pike County	312	312	316	+1		
Allen County	343	340	354	+3	Porter County	282	277	292	+4		
Bartholomew County	438	431	438	+1	Posey County	269	269	277	+3		
Benton County	164	164	184	+12	Pulaski County	156	156	168	+8		
Blackford County	203	203	209	+3	Putnam County	303	302	318	+5		
Boone County	390	388	392	+1	Randolph County	399	397	408	2	+2		
Brown County	90	90	92	+2	Ripley County	259	259	261	+1		
Carroll County	232	231	243	+5	Rush County	297	296	302	+2		
Cass County*	288	283	289	-	St. Joseph County	275	249	280	+2		
Clark County	304	303	309	+2	Scott County	104	104	105	+1		
Clay County	432	429	438	+1	Shelby County	400	400	418	+5		
Clinton County	442	438	457	1	+3	Spencer County	219	219	221	+1		
Crawford County	161	161	164	+2	Starke County	131	131	138	+5		
Davies County	329	329	333	+1	Steuben County	234	234	243	+4		
Dearborn County	313	312	323	+3	Sullivan County	519	519	534	+3		
Decatur County	264	261	271	+3	Switzerland County	117	117	119	+2		
Dekalb County	317	315	329	1	+3	Tippecanoe County	324	311	342	+6		
Delaware County	342	342	351	+3	Tipton County	249	249	256	+3		
Dubois County	238	238	241	+1	Union County	95	95	101	+6		
Elkhart County	503	498	504	-	Vanderburg County*	300	284	286	-5		
Fayette County	271	268	272	-	Vermilion County	465	465	483	+4		
Floyd County	83	83	85	2	-	Vigo County	578	575	582	+1		
Fountain County	309	308	329	1	+6	Wabash County	376	376	382	+2		
Franklin County	175	175	177	+1	Warren County	120	120	137	+14		
Fulton County	229	225	229	2	-1	Warrick County	295	295	298	+1		
Gibson County	414	414	419	+1	Washington County	203	203	204	-		
Grant County (exclusive of)	446	436	449	+1	Wayne County*	411	398	403	-2		
National Military Home	153	153	153	-	Wells County	252	251	257	+2		
Greene County	525	524	537	+2	White County	247	247	263	+6		
Hamilton County	381	380	390	+2	Whitley County	196	195	204	+4		
Hancock County	270	270	286	+6	KANSAS.							
Harrison County	213	213	215	+1	Allen County	348	348	352	+1		
Hendricks County	314	313	330	+5	Anderson County	150	150	153	+2		
Henry County*	439	435	452	+3	Atchison County	119	119	121	+2		
Howard County	216	214	219	+1	Barber County	113	112	114	+1		
Huntington County	238	236	244	+3	Barton County	249	249	251	+1		
Jackson County	359	356	360	1	-	Bourbon County	155	155	157	+1		
Jasper County	178	170	178	-	Brown County	237	237	250	+5		
Jay County	315	315	323	+3	Butler County	531	531	546	+3		
Jefferson County*	485	480	483	-	Chase County	84	84	88	+5		
						Chautauqua County	115	115	116	+1		

For footnotes, see p. 113.

DEATHS OF NONRESIDENTS.

103

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

AREA.	NUMBER OF DEATHS, 1918.				AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	
	Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and includ-ing residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.		Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and includ-ing residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.		
RURAL PART OF REGIS-TRATION STATES²—Contd.											
KANSAS—continued.											
Cherokee County.....	597	597	598		Pottawatomie County.....	217	217	221		+2	
Cheyenne County.....	47	47	49		Pratt County.....	132	132	135		+2	
Clark County.....	33	33	34		Rawlins County.....	66	66	68		+3	
Clay County.....	182	181	184		Reno County.....	218	218	222		+2	
Cloud County.....	297	297	300		Republic County.....	180	180	181		+1	
Coffey County.....	159	159	160		Rice County.....	203	203	206		+1	
Comanche County.....	49	49	52		Riley County.....	248	248	254		+2	
Cowley County.....	578	577	584		Rooks County.....	82	82	83		+1	
Crawford County.....	743	743	744		Rush County.....	76	76	78		+3	
Decatur County.....	60	60	61		Russell County.....	95	95	96		+1	
Dickinson County.....	336	336	341		Saline County.....	369	369	379		+3	
Doniphan County.....	162	162	173		Scott County.....	30	30	30			
Douglas County.....	127	124	128	4	Sedgwick County.....	177	177	188		+6	
Edwards County.....	57	57	62		Seward County.....	99	99	100		+1	
Elk County.....	104	104			Shawnee County*.....	418	418	419			
Ellis County.....	201	201	204		Sheridan County.....	35	35	36		+3	
Ellsworth County.....	136	136	136		Sherman County.....	46	46	47		+2	
Finney County.....	140	140	143		Smith County.....	145	145	147		+1	
Ford County.....	221	221	221		Stafford County.....	145	145	145			
Franklin County.....	312	312	321		Stanton County.....	4	4	4			
Geary County.....	260	260	263	1	Stevens County.....	28	28	28			
Gove County.....	37	37	38		Summer County.....	377	377	380		+1	
Graham County.....	65	65	65		Thomas County.....	36	36	39		+8	
Grant County.....	6	6	6		Trego County.....	57	57	58		+2	
Gray County.....	51	51	51		Wabaunsee County.....	146	146	147		+1	
Greeley County.....	4	4	4		Wallace County.....	30	30	31		+3	
Greenwood County.....	172	172	179		Washington County.....	211	211	218		+3	
Hamilton County.....	30	30	31		Wichita County.....	13	13	13			
Harper County.....	128	128	130		Wilson County.....	281	281	286		+2	
Harvey County.....	318	318	319		Woodson County.....	111	111	112		+1	
Haskell County.....	11	11	11		Wyandotte County.....	379	379	392		+3	
Hodgeman County.....	24	24	24		KENTUCKY						
Jackson County.....	189	189	194		Adair County.....	276	276	277			
Jefferson County.....	192	192	194		Allen County.....	231	231	235		+2	
Jewell County.....	173	172	174		Anderson County.....	157	157	158		+1	
Johnson County.....	254	254	258		Ballard County.....	147	147	148		+1	
Kearny County.....	29	29	30		Barnett County.....	497	497	498			
Kingman County.....	124	124	127		Bath County.....	177	177	179		+1	
Kiowa County.....	49	49	51		Bell County.....	493	493	496		+1	
Lambette County*.....	345	345	346		Boone County.....	106	106	108		+2	
Lane County.....	20	20	22		Bourbon County.....	299	299	305		+2	
Leavenworth County (exclusive of). National Military Home.....	198	198	202		Boyd County.....	591	590	592			
Lincoln County.....	333	333	333		Boyle County.....	297	296	297			
Linn County.....	81	81	82		Bracken County.....	138	138	143		+4	
Logan County.....	157	157	161		Breathitt County.....	279	279	280			
Lyon County.....	23	23	23		Breckinridge County.....	274	274	276		+1	
McPherson County.....	360	360	364		Bullitt County.....	157	157	159		+1	
Marion County.....	263	263	265		Butler County.....	137	137	142		+4	
Marshall County.....	228	228	230		Caldwell County.....	168	168	172		+2	
Meade County.....	269	269	277		Calloway County.....	246	246	248		+1	
Miami County*.....	45	45	48		Campbell County.....	467	464	477		+2	
Mitchell County.....	467	467	475		Carlisle County.....	142	142	146		+3	
Montgomery County.....	178	178	180		Carroll County.....	119	119	120		+1	
Morris County.....	345	345	346		Carter County.....	503	503	504			
Morton County.....	140	140	145		Casey County.....	188	188	188			
Nemaha County.....	51	51	52		Christian County*.....	877	860	862	1	-2	
Neosho County.....	228	228	232		Clark County.....	331	330	335		+1	
Ness County.....	368	368	369		Clay County.....	202	202	204		+1	
Norton County.....	54	54	63		Clinton County.....	48	48	48			
Osage County.....	129	129	130		Crittenden County.....	172	172	176		+2	
Osborne County.....	233	233	235		Cumberland County.....	105	105	105			
Ottawa County.....	139	139	140		Davies County.....	322	322	323			
Pawnee County.....	110	110	113								
Phillips County.....	99	99	102								
	107	107	109								

For footnotes, see p. 113.

MORTALITY STATISTICS.

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.		
	Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and in-cluding residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and in-cluding residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			
RURAL PART OF REGISTRATION STATES 2—Contd.													
KENTUCKY—continued.													
Edmonson County.....	132	132	133	+1	Pendleton County.....	168	168	174	+4		
Elliott County.....	134	134	134		Perry County.....	385	385	387	+1		
Estill County.....	178	178	178		Pike County.....	794	794	797			
Fayette County.....	162	161	165	1	+1	Powell County.....	47	47	48	+2		
—Fleming County.....	231	231	233	+1	Pulaski County.....	446	446	451	+1		
Floyd County.....	279	279	279		Robertson County.....	56	56	56			
Franklin County.....	145	140	141	1	-3	Rockcastle County.....	234	234	234			
Fulton County.....	293	293	300		Rowan County.....	174	174	174			
Gallatin County.....	52	52	53		Russell County.....	109	109	110	+1		
Garrard County.....	189	189	190		Scott County.....	299	299	300			
Grant County.....	133	133	141	+6	Shelby County.....	271	271	273	+1		
Graves County.....	482	482	490		Simpson County.....	150	150	151	+1		
Grayson County.....	247	247	250		Spencer County.....	114	114	115	+1		
Green County.....	135	135	135		Taylor County.....	144	144	144			
—Greenup County.....	362	362	362		Todd County.....	279	279	283	+1		
Hancock County.....	84	84	84		Trigg County.....	222	222	222			
Hardin County.....	407	407	409		Trimble County.....	49	49	50	+2		
Harlan County.....	521	521	524		Union County.....	342	342	360	+2		
Harrison County.....	238	236	236	+1	Warren County.....	534	534	543	+2		
Hart County.....	238	236	239		Washington County.....	191	191	192	+1		
Henderson County.....	245	241	241	-2	Wayne County.....	131	131	132	+1		
Henry County.....	174	174	176	+1	Webster County.....	320	320	326	+2		
Hickman County.....	152	152	155	+2	Whitley County.....	395	395	400	+1		
Hopkins County.....	565	565	573	+1	Wolfe County.....	128	128	129	+1		
Jackson County.....	104	104	105	+1	Woodford County.....	234	234	242	+3		
Jefferson County.....	981	971	985		LOUISIANA.							
Jessamine County.....	242	241	243		Acadia Parish.....	578	577	584	+1		
Johnson County.....	260	260	260		Allen Parish.....	305	305	323	+6		
Kenton County.....	208	208	220	+6	Ascension Parish.....	385	385	409	+6		
Knott County.....	144	144	144		Assumption Parish.....	392	392	405	+3		
Knox County.....	489	489	490		Avoyelles Parish.....	393	392	408	+4		
Larue County.....	148	148	149		Beauregard Parish.....	314	314	340	+8		
Laural County.....	318	318	318		Bienville Parish.....	214	214	225	1	+5		
Lawrence County.....	242	242	244		Bossier Parish.....	262	262	283	+8		
—Lee County.....	98	98	99		Caddo Parish.....	567	565	591	+4		
Leslie County.....	151	151	152		Calcasieu Parish.....	268	268	278	+4		
Letcher County.....	275	273	273	-1	Caldwell Parish.....	161	161	163	+1		
Lewis County.....	244	230	233	-5	Cameron Parish.....	43	43	43			
Lincoln County.....	308	308	311	+1	Catahoula Parish.....	165	165	174	+5		
Livingston County.....	139	139	141	+1	Claiborne Parish.....	265	265	269	1	+1		
Logan County.....	356	356	360	+1	Concordia Parish.....	160	160	168	+5		
Lyon County.....	131	131	131		De Soto Parish.....	467	467	489	+5		
McCracken County.....	161	161	163	+1	East Baton Rouge Parish.....	387	387	398	-4		
McCreary County.....	170	170	170		East Carroll Parish.....	196	196	201	+3		
—McLean County.....	209	209	211	+1	East Feliciana Parish*.....	336	336	349	+4		
Madison County.....	381	381	384	+1	Evangeline Parish.....	195	194	202	+4		
Magoffin County.....	154	154	156	+1	Franklin Parish.....	296	296	303	+2		
Marion County.....	297	296	299	+1	Grant Parish.....	167	166	172	+3		
Marshall County.....	177	177	178	+1	Iberia Parish.....	607	606	620	+2		
Martin County.....	99	99	99		Iberia Parish.....	717	716	747	+4		
Mason County.....	287	287	290	+1	Jackson Parish.....	192	192	197	+3		
Meade County.....	152	152	153	+1	Jefferson Parish.....	330	327	394	+19		
Menifee County.....	60	60	60		Jefferson Davis Parish.....	214	214	222	+4		
Mercer County.....	221	220	223	+1	La Salle Parish.....	70	70	71	+1		
—Metcalfe County.....	111	111	111		Lafayette Parish.....	510	510	519	+2		
Monroe County.....	192	192	194	+1	Lafourche Parish.....	572	572	605	+6		
Montgomery County.....	212	212	218	+3	Lincoln Parish.....	193	193	200	+4		
Morgan County.....	239	239	240		Livingston Parish.....	107	107	120	+12		
Muhlenberg County.....	587	587	570	+1	Madison Parish.....	93	93	101	+9		
Nelson County.....	293	293	298	+2	Morehouse Parish.....	283	281	289	+2		
Nicholas County.....	142	142	148	+4	Natchitoches Parish.....	500	499	519	+4		
Ohio County.....	399	399	404	+1	Ouachita Parish.....	217	217	222	+2		
Oldham County.....	110	110	113	+3	Plaquemines Parish.....	221	221	232	+5		
Owen County.....	131	131	132	+1	Pointe Coupee Parish.....	412	412	441	+7		
Owsley County.....	89	89	90	+1	Rapides Parish*.....	719	714	734	+2		
						Red River Parish.....	131	130	140	+7		

For footnotes, see p. 113.

DEATHS OF NONRESIDENTS.

105

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.					
	Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and in-cluding residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and in-cluding residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.						
RURAL PART OF REGISTRATION STATES²—Contd.																
LOUISIANA —continued.																
Richland Parish.....	324	324	333	+3	RURAL PART OF REGISTRATION STATES²—Contd.										
Sabine Parish.....	221	220	228	+3	MASSACHUSETTS.	MASSACHUSETTS.									
St. Bernard Parish.....	107	107	124	+16	Barnstable County.....	546	519	564	1	+3					
St. Charles Parish.....	195	194	204	+5	Berkshire County.....	623	596	697	1	+12					
St. Helena Parish.....	81	81	86	+6	Bristol County.....	1,079	1,003	1,176	+9					
St. James Parish.....	420	419	447	+6	Dukes County.....	84	78	84						
St. John the Baptist Parish.....	300	300	312	+4	Essex County*.....	1,805	1,629	1,884	+4					
St. Landry Parish.....	989	989	1,017	+3	Franklin County.....	700	662	738	+5					
St. Martin Parish.....	313	313	319	+2	Hampshire County.....	1,123	910	1,106	1	-2					
St. Mary Parish.....	732	730	822	1	+5	Middlesex County*.....	713	679	814	+14					
St. Tammany Parish.....	282	282	340	+21	Nantucket County.....	74	70	76	1	+1					
Tangipahoa Parish.....	409	407	469	+15	Norfolk County*.....	2,164	2,012	2,349	2	+9					
Tensas Parish.....	249	249	257	+3	Plymouth County*.....	1,648	1,549	1,765	+7					
Terrebonne Parish.....	469	469	497	1	+6	Worcester County*.....	2,725	2,350	2,700	1	-1					
Union Parish.....	227	227	232	+2	MICHIGAN.	MICHIGAN.									
Vermilion Parish.....	393	393	401	+2	Alcona County.....	64	63	68	+6					
Vernon Parish.....	193	193	202	+5	Alger County.....	84	84	86	+2					
Washington Parish.....	335	335	358	1	+7	Allegan County.....	542	539	551	+2					
Webster Parish.....	256	256	267	+4	Alpena County.....	100	100	102	+2					
West Baton Rouge Parish.....	179	179	186	+4	Antrim County.....	226	226	230	+2					
West Carroll Parish.....	149	149	152	+2	Arenac County.....	111	111	113	+2					
West Feliciana Parish.....	177	177	186	+5	Baraga County.....	71	71	75	+6					
Winn Parish.....	160	160	165	+3	Barry County.....	317	317	323	+2					
MAINE.																
Androscoggin County.....	290	288	318	+10	Bay County.....	276	276	280	+1					
Aroostook County.....	1,460	1,443	1,467	+5	Benzie County.....	118	118	118						
Cumberland County.....	997	996	1,045	+5	Berrien County.....	889	881	919	+3					
Franklin County.....	325	325	352	+8	Branch County.....	458	456	468	+2					
Hancock County.....	578	574	592	+2	Calhoun County.....	543	540	546	+1					
Kennebec County (exclusive of).....	593	592	626	+6	Cass County.....	328	326	338	+3					
National Military Home.....	122	122	122		Charlevoix County.....	225	224	234	+4					
Knox County.....	595	589	597		Cheboygan County.....	221	220	227	+3					
Lincoln County.....	278	277	291	+5	Chippewa County.....	150	150	153	+2					
Oxford County.....	688	682	708	+3	Clare County.....	98	98	99	+1					
Penobscot County.....	1,043	1,040	1,081	1	+4	Clinton County.....	353	353	362	+3					
Piscataquis County.....	360	353	370	1	+3	Crawford County.....	57	56	57						
Sagadahoc County.....	425	421	436	+3	Delta County.....	215	214	228	1	+6					
Somerset County.....	720	677	696	-3	Dickinson County.....	233	231	234						
Waldo County.....	438	436	445	+2	Eaton County.....	490	488	489	1	+2					
Washington County.....	733	727	753	1	+3	Emmet County.....	335	309	311	-7					
York County.....	887	879	930	1	+5	Genesee County.....	514	508	518	+1					
MARYLAND.																
Allegany County.....	815	810	840	1	+3	Houghton County.....	1,011	1,004	1,015						
Anne Arundel County*.....	1,151	1,143	1,211	9	+5	Huron County.....	440	439	444	+1					
Baltimore County*.....	3,325	3,183	3,506	9	+5	Ingham County.....	415	403	408	-2					
Calvert County.....	190	190	202	+6	Ionia County*.....	502	498	509	+1					
Caroline County.....	388	387	393	+1	Iosco County.....	132	131	132						
Carroll County*.....	721	663	700	-3	Iron County.....	209	209	211	+1					
Cecil County.....	514	514	530	1	+3	Isabella County.....	340	340	342	+1					
Charles County.....	346	346	376	+9	Jackson County.....	390	380	391						
Dorchester County*.....	671	661	678	+1	Kalamazoo County.....	335	329	340	+1					
Frederick County*.....	848	847	862	+2	Kalkaska County.....	83	83	86	+4					
Garrett County.....	268	267	280	+4	Kent County.....	875	864	882	+1					
Harford County.....	584	582	629	1	+8	Keweenaw County.....	66	66	67	+2					
Howard County.....	288	285	325	+13	Lake County.....	58	58	58						
Kent County.....	370	370	388	+5	Lapeer County*.....	427	426	425	+2					
Montgomery County.....	562	545	612	+9	Leelanau County.....	122	122	123	+1					
Prince Georges County.....	690	689	771	2	+11	Lenawee County.....	650	647	657	+1					
Queen Anne's County.....	328	328	335	+2	Livingston County*.....	301	301	303	+1					
St. Marys County.....	281	281	293	+4	Luce County*.....	226	226	228	+1					
Somerset County.....	502	502	520	+4	Mackinac County.....	113	111	113						
Talbot County.....	432	432	446	1	+3	Macomb County.....	511	505	515	+1					
Washington County.....	493	493	505	+2	Manistee County.....	159	156	159						
Wicomico County.....	604	592	601	14	-3	Marquette County.....	296	295	307	2	+3					
Worcester County.....	404	404	412	+2	Mason County.....	303	303	310	+2					
						Mecosta County.....	256	256	261	+2					
						Menominee County.....	173	173	176	+2					

For footnotes, see p. 113.

MORTALITY STATISTICS.

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.		
	Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and includ-ing residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and includ-ing residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			
RURAL PART OF REGIS-TRATION STATES²—Contd.													
MICHIGAN—continued.													
Midland County	264	261	263	—	+4	Lyon County	245	238	253	—	+3		
Muskegon County	139	139	144	—	+4	McLeod County	177	177	195	—	+10		
Monroe County	480	478	491	—	+2	Mahnomen County	54	54	64	—	+19		
Montcalm County	499	498	508	1	+2	Marshall County	228	226	237	—	+4		
Montmorency County	48	48	48	—	—	Martin County	219	216	230	—	+5		
Muskegon County	290	288	295	—	+2	Meeker County	170	168	187	—	+10		
Newaygo County	231	231	235	—	+2	Mille Lacs County	169	155	162	1	-5		
Oakland County	622	612	647	—	+4	Morrison County	305	289	302	2	-2		
Oceana County	227	227	233	—	+3	Mower County	284	283	294	1	+3		
Ogemaw County	95	95	96	—	+1	Murray County	117	116	119	—	+2		
Ontonagon County	136	136	141	—	+4	Nicollet County*	332	327	341	1	+2		
Oscoda County	224	224	228	—	+2	Nobles County	167	163	166	—	-1		
Oscoda County	17	17	18	—	+6	Norman County	147	146	166	—	+13		
Otsego County	92	92	92	—	—	Olmsted County*	1,032	682	698	207	-52		
Ottawa County	464	463	469	—	+1	Otter Tail County*	847	811	830	12	-3		
Presque Isle County	129	129	134	—	+4	Pennington County	135	117	125	3	-10		
Roscommon County	30	30	30	—	—	Pine County	218	211	236	3	+7		
Saginaw County	460	460	479	—	+4	Pipistone County	115	115	120	1	+3		
St. Clair County	493	497	510	1	+2	Polk County	448	419	435	2	-3		
St. Joseph County	413	413	422	1	+2	Pope County	135	130	144	1	+6		
Sanilac County	338	338	352	—	+4	Ramsey County	97	86	140	1	+43		
Schoolcraft County	118	116	119	—	+1	Red Lake County	103	103	109	—	+6		
Shiawassee County	610	609	619	—	+1	Redwood County	193	191	208	—	+8		
Tuscola County*	556	555	568	—	+2	Renville County	207	207	225	—	+14		
Van Buren County	529	521	531	—	—	Rice County*	426	414	435	2	+2		
Washtenaw County	481	470	487	1	+1	Rock County	110	107	113	1	+2		
Wayne County	2,794	2,755	2,844	—	+2	Roseau County	133	131	143	—	+8		
Wexford County	315	315	318	—	+1	St. Louis County	1,239	1,158	1,296	1	+5		
MINNESOTA.													
Aitkin County	158	155	172	2	+8	Scott County	165	160	177	—	+7		
Anoka County*	246	238	260	1	+5	Sherburne County	113	112	128	—	+13		
Becker County	241	228	246	—	+2	Sibley County	124	124	140	1	+12		
Bemidji County	352	328	346	5	-3	Stearns County	491	488	532	—	+8		
Benton County	120	120	131	—	+9	Steele County	205	195	208	1	+1		
Big Stone County	128	120	125	3	-5	Stevens County	106	106	119	—	+12		
Blue Earth County	177	172	200	—	+13	Swift County	178	177	186	1	+4		
Brown County	301	267	281	4	-8	Todd County	241	240	256	—	+6		
Carlton County	446	440	506	—	+13	Traverse County	63	62	69	1	+8		
Carver County	193	193	214	—	+11	Wabash County	281	271	290	1	+3		
Cass County*	209	160	181	1	-14	Wadena County	153	139	142	1	-8		
Chippewa County	178	158	168	—	-6	Waseca County	127	126	141	—	+11		
Chisago County	155	154	181	—	+17	Washington County	188	187	212	1	+12		
Clay County	275	259	291	4	+4	Watonwan County	129	122	135	—	+5		
Clearwater County	71	70	80	—	+13	Wilkin County	113	106	115	12	-9		
Cook County	13	12	12	—	-8	Winona County	175	175	189	—	+8		
Cottonwood County	168	167	173	1	+2	Wright County	335	330	361	—	+8		
Crow Wing County	406	366	394	5	-4	Yellow Medicine County	168	164	187	6	+8		
Dakota County*	379	359	407	2	+7	MISSOURI.							
Dodge County	141	140	156	—	+11	Adair County	332	326	327	3	-2		
Douglas County	218	212	232	—	+6	Andrew County	215	209	224	5	+2		
Faribault County	259	259	279	—	+8	Atchison County	104	104	116	—	+12		
Fillmore County	305	305	325	—	+7	Audrain County	304	302	309	—	+2		
Freeborn County	236	233	239	7	-2	Barry County	227	227	228	—	—		
Goodhue County	369	351	376	—	+2	Barton County	196	195	195	—	-1		
Grant County	101	100	111	1	+9	Bates County	353	353	358	—	+1		
Hennepin County	347	343	414	1	+19	Benton County	172	172	175	—	+2		
Houston County	173	173	178	—	+3	Bollinger County	114	114	115	—	+1		
Hubbard County	116	115	124	1	+6	Boone County	427	427	438	1	+1		
Isanti County	152	149	163	1	+7	Buchanan County	211	206	220	—	+4		
Itasca County	224	216	247	—	+10	Butler County	543	543	546	—	+1		
Jackson County	139	137	145	—	+4	Caldwell County	168	168	175	—	+4		
Kanabec County	57	57	69	—	+21	Calloway County*	458	446	452	—	-1		
Kandiyohi County	288	271	284	2	-2	Camden County	77	77	77	—	—		
Kittson County	92	92	102	—	+11	Cape Girardeau County	436	432	435	—	—		
Koochiching County	131	113	129	4	-5	Carroll County	347	347	351	—	+1		
Lac qui Parle County	148	145	150	2	—	Carter County	103	103	103	—	—		
Lake County	106	100	104	1	-3	Cass County	245	245	252	—	+3		
Le Sueur County	195	193	215	—	+10	Cedar County	176	176	181	—	+3		
Lincoln County	124	124	131	—	+6								

For footnotes, see p. 112.

DEATHS OF NONRESIDENTS.

107

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.		
	Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and includ-ing residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and includ-ing residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			
RURAL PART OF REGIS-TRATION STATES²—Cond.													
MISSOURI—continued.													
Chariton County.....	308	308	318	1	+3	Ripley County.....	95	95	96	+1		
Christian County.....	118	118	119	+1	St. Charles County.....	305	303	313	+3		
Clark County.....	141	141	145	+3	St. Clair County.....	159	159	160	+1		
Clay County.....	396	376	383	20	-8	St. Francois County *.....	575	574	584	+2		
Clinton County.....	191	191	205	+7	St. Louis County *.....	1,591	1,620	1,572	4	-1		
Cole County.....	91	91	93	+2	Ste. Genevieve County.....	129	129	131	+2		
Cooper County.....	286	286	291	+2	Saline County.....	447	447	461	+3		
Crawford County.....	126	126	131	+4	Schuylerville County.....	98	98	99	+1		
Dade County.....	161	161	163	+1	Scotland County.....	108	108	110	+2		
Dallas County.....	61	61	61	Scott County.....	370	370	375	+1		
Davies County.....	197	197	206	+5	Shannon County.....	113	113	113		
Dekalb County.....	135	135	140	+4	Shelby County.....	168	168	170	+1		
Dent County.....	143	143	145	+1	Stoddard County.....	409	409	416	+2		
Douglas County.....	95	95	95	Stone County.....	98	98	101	+3		
Dunklin County.....	944	944	952	+1	Sullivan County.....	253	253	258	+2		
Franklin County.....	394	394	408	+4	Taney County.....	75	75	75		
Gasconade County.....	160	160	164	+3	Texas County.....	209	209	210		
Gentry County.....	161	161	173	+7	Vernon County *.....	611	602	605	1	-1		
Greene County.....	331	331	334	+1	Warren County.....	103	103	105	+2		
Grundy County.....	226	225	229	1	+1	Washington County.....	201	201	204	+1		
Harrison County.....	247	247	262	+6	Wayne County.....	170	170	176	+4		
Henry County.....	285	285	290	+2	Webster County.....	172	172	173	+1		
Hickory County.....	85	85	85	Worth County.....	66	66	69	+5		
Holt County.....	162	162	176	+9	Wright County.....	197	197	201	+2		
Howard County.....	182	182	189	+4	MONTANA.							
Howell County.....	216	216	216	Beaverhead County.....	90	87	101	1	+11		
Iron County.....	82	82	83	+1	Big Horn County.....	25	25	28	+12		
Jackson County.....	589	587	616	4	+4	Blaine County.....	124	124	133	+7		
Jasper County.....	666	658	671	3	-1	Broadwater County.....	42	42	50	+19		
Jefferson County.....	413	413	431	+4	Carbon County.....	231	228	246	+6		
Johnson County.....	290	290	304	+5	Carter County.....	40	39	39	-2		
Knox County.....	102	102	105	+3	Cascade County.....	197	192	258	+31		
Laclede County.....	150	150	153	+2	Chouteau County.....	159	159	180	+13		
Lafayette County.....	489	489	505	+6	Custer County.....	276	246	254	12	-12		
Lawrence County.....	356	356	358	+1	Dawson County.....	222	206	221	10	-5		
Lewis County.....	157	157	167	+6	Deer Lodge County *.....	239	239	240	2		
Lincoln County.....	200	200	207	+4	Felon County.....	38	38	47	+24		
Linn County.....	376	375	384	+2	Fergus County.....	250	246	270	+8		
Livingston County.....	287	287	289	+1	Flathead County.....	287	279	294	1	+2		
McDonald County.....	90	90	91	+1	Gallatin County.....	267	250	265	-1		
Macon County.....	436	436	443	+2	Granite County.....	86	84	101	1	+16		
Madison County.....	154	154	156	+1	Hill County.....	222	218	235	2	+5		
Maries County.....	82	82	83	+1	Jefferson County.....	78	77	94	+21		
Marion County.....	166	166	170	+2	Lewis and Clark County.....	116	114	149	+28		
Mercer County.....	91	91	92	+1	Lincoln County.....	75	75	86	+15		
Miller County.....	140	140	142	+1	Madison County.....	85	82	97	+14		
Mississippi County.....	226	226	227	Meagher County.....	37	36	46	+24		
Moniteau County.....	161	161	163	+1	Mineral County.....	14	11	26	+86		
Monroe County.....	214	214	220	+3	Missoula County.....	105	101	128	2	+20		
Montgomery County.....	234	234	238	+2	Musselshell County.....	174	171	183	1	+5		
Morgan County.....	144	144	145	+1	Park County.....	186	177	187	1		
New Madrid County.....	275	275	279	+1	Phillips County.....	88	84	96	+9		
Newton County.....	385	385	391	+2	Powell County.....	98	98	111	1	+12		
Nodaway County.....	329	329	345	+5	Prairie County.....	28	26	28		
Oregon County.....	116	116	116	Ravalli County.....	112	108	131	3	+14		
Osage County.....	129	129	131	+2	Richland County.....	134	130	141	+5		
Ozark County.....	91	91	92	+1	Rosebud County.....	120	114	128	1	+6		
Pemiscot County.....	475	475	482	+1	Sanders County.....	45	43	57	+27		
Perry County.....	170	170	171	+1	Sheridan County.....	269	267	287	2	+6		
Pettis County.....	117	117	118	+1	Silver Bow County.....	394	385	410	+4		
Phelps County.....	198	198	210	+6	Stillwater County.....	101	99	105	+4		
Pike County.....	269	269	280	+4	Sweet Grass County.....	55	55	59	+7		
Platte County.....	170	170	181	+6	Teton County.....	185	177	209	2	+12		
Polk County.....	218	218	220	+1	Toole County.....	41	38	47	2	+10		
Pulaski County.....	113	113	115	+2	For footnotes, see p. 113.							
Putnam County.....	127	127	128	+1	Valley County.....	152	135	145	1	-5		
Ralls County.....	131	131	135	+3	Whealton County.....	84	84	85	+1		
Randolph County.....	190	190	196	+3	Wibaux County.....	28	28	32	+14		
Ray County.....	303	303	312	+3	Yellowstone County.....	174	166	201	6	+12		
Reynolds County.....	64	64	66	+3								

MORTALITY STATISTICS.

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	
	Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and includ-ing residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and includ-ing residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.		
RURAL PART OF REGIS-TRATION STATES 2—Contd.												
NEW HAMPSHIRE.												
Belknap County.....	235	226	250	+6	Otsego County.....	950	949	969	+1	
Carroll County.....	308	293	315	+2	Putnam County.....	199	194	213	+7	
Cheshire County.....	351	348	386	+10	Rensselaer County.....	626	615	698	1	+11	
Cos County.....	329	314	333	2	+1	Rockland County.....	845	798	839	3	-1	
Grafton County.....	827	782	809	-2	St. Lawrence County.....	1,345	1,342	1,431	2	+6	
Hillsborough County.....	702	577	634	1	-10	Saratoga County.....	870	843	954	+10	
Merrimack County.....	664	578	656	1	-1	Schenectady County.....	324	296	319	1	-2	
Rockingham County.....	784	759	809	1	+3	Schoharie County.....	446	437	471	+6	
Strafford County.....	508	491	509	1	Schuyler County.....	255	246	257	1	
Sullivan County.....	380	371	384	+1	Seneca County*.....	862	851	880	+2	
NEW JERSEY.												
Atlantic County.....	623	613	643	12	+1	Steuben County.....	1,192	1,173	1,220	1	+2	
Bergen County.....	2,328	2,238	2,576	3	+11	Suffolk County*.....	2,848	2,788	2,868	1	+1	
Burlington County.....	1,543	1,508	1,587	4	+3	Sullivan County*.....	744	562	617	8	-18	
Camden County.....	1,328	1,214	1,307	3	-2	Tioga County.....	444	435	466	4	+4	
Cape May County.....	359	294	308	6	-16	Tompkins County.....	343	333	369	+8	
Cumberland County.....	705	592	612	7	-14	Ulster County.....	1,005	977	1,081	1	+7	
Essex County*.....	1,490	1,265	1,402	2	-6	Warren County.....	283	278	312	+10	
Gloucester County.....	933	922	971	1	+4	Washington County.....	898	895	973	+8	
Hudson County*.....	1,454	1,395	1,526	+5	Wayne County.....	821	819	869	+6	
Hunterdon County*.....	583	582	622	+7	Westchester County.....	1,586	1,517	1,705	+8	
Mercer County.....	780	739	813	+7	Wyoming County.....	495	492	523	1	+5	
Middlesex County.....	1,636	1,608	1,814	1	+11	Yates County.....	304	303	320	+5	
Monmouth County.....	1,428	1,352	1,502	2	+5	NORTH CAROLINA.						
Morris County*.....	1,607	1,570	1,739	3	+8	Alamance County.....	503	502	505		
Ocean County.....	365	335	357	7	-4	Alexander County.....	146	146	146		
Passaic County.....	780	775	870	3	+11	Alleghany County.....	57	57	57		
Salem County.....	706	687	730	7	+2	Anson County.....	362	361	361		
Somerset County*.....	932	914	997	1	+7	Ashe County.....	173	173	175	+1	
Sussex County.....	588	585	614	+4	Avery County.....	112	112	112		
Union County.....	1,145	1,029	1,202	1	+5	Beaufort County.....	568	567	572	+1	
Warren County.....	553	553	585	+6	Bertie County.....	433	433	439	+1	
NEW YORK.												
Albany County.....	596	586	666	+12	Bladen County.....	304	304	304		
Allegany County.....	603	593	638	+6	Brunswick County.....	250	250	252	1	
Broome County.....	751	727	764	2	+1	Buncombe County.....	346	345	347	1	
Cattaraugus County.....	919	884	943	3	+2	Burke County*.....	387	386	388		
Cayuga County.....	510	505	546	+7	Cabarrus County.....	600	600	601		
Chautauqua County.....	903	892	946	2	+5	Caldwell County.....	264	264	264		
Chemung County.....	346	342	369	+7	Camden County.....	60	60	60		
Chenango County.....	715	703	737	+3	Carteret County.....	305	305	308	+1	
Clinton County*.....	657	648	636	+4	Caswell County.....	246	245	245		
Columbia County.....	583	578	618	3	+5	Catawba County.....	399	399	400		
Cortland County.....	297	294	326	2	+9	Chatham County.....	336	336	338	+1	
Delaware County.....	763	756	783	+3	Cherokee County.....	107	107	109	+2	
Dutchess County*.....	1,652	1,606	1,674	+1	Chowan County.....	211	211	213	+1	
Erie County*.....	1,692	1,621	1,825	8	+7	Clay County.....	52	52	53	+2	
Essex County*.....	740	663	708	4	-5	Cleveland County.....	486	486	487		
Franklin County*.....	1,095	946	973	6	-12	Columbus County.....	506	506	508		
Fulton County.....	252	238	257	+2	Craven County.....	652	650	651		
Genesee County.....	401	396	439	+9	CHESAPEAKE BAY.						
Greene County.....	578	562	617	+7	Chesapeake County.....	211	211	213	+1	
Hamilton County.....	82	82	90	+10	Delaware County.....	67	67	67		
Herkimer County.....	1,008	997	1,047	2	+4	Delaware County.....	70	70	70		
Jefferson County.....	895	870	937	2	+4	Delaware County.....	406	406	406		
Lewis County.....	492	478	512	1	+6	Delaware County.....	692	692	694		
Livingston County*.....	883	796	836	2	-6	Delaware County.....	495	495	495		
Madison County.....	740	712	746	+1	Delaware County.....	508	508	513	+1	
Monroe County.....	1,085	973	1,082	2	Gaston County.....	907	907	909		
Montgomery County.....	492	488	520	+6	Gates County.....	101	101	101		
Nassau County.....	1,803	1,764	1,915	2	+6	Graham County.....	48	48	48		
Niagara County.....	457	438	482	+5	Forsyth County.....	347	347	348		
Oneida County.....	1,153	1,118	1,239	1	+7	Greene County.....	312	312	313		
Onondaga County.....	1,326	1,255	1,363	1	+3	Guildford County.....	1,010	1,007	1,014		
Ontario County.....	748	704	736	1	-2	Hanover County.....	873	872	875		
Orange County.....	1,394	1,328	1,419	3	+2	Harnett County.....	444	444	446		
Orleans County.....	498	487	517	+4	Haywood County.....	332	332	335		
Oswego County.....	668	640	683	1	+2	Henderson County.....	256	252	258	3	-2	

For footnotes, see p. 113.

DEATHS OF NONRESIDENTS.

109

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.		
	Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and includ-ing residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and includ-ing residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			
RURAL PART OF REGISTRATION STATES²—Contd.													
NORTH CAROLINA—continued.													
Hertford County.....	304	303	306	+1	Coshocton County.....	420	420	423	+1		
Hoke County.....	194	190	191	-2	Crawford County.....	509	508	513	1	+1		
Hyde County.....	138	138	138		Cuyahoga County.....	1,258	1,236	1,294	1	+3		
Iredell County.....	550	548	551		Darke County.....	589	589	595	+1		
Jackson County.....	162	162	162		Defiance County.....	310	310	312	+1		
Johnston County.....	730	729	731		Delaware County.....	376	372	378	+1		
Jones County.....	109	109	109		Erie County.....	362	360	366	+1		
Lee County.....	210	210	212	+1	Fairfield County.....	319	318	325	+2		
Lenoir County.....	661	661	663		Fayette County.....	340	340	349	+3		
Lincoln County.....	203	203	204		Franklin County.....	668	657	695	+4		
McDowell County.....	278	278	279		Fulton County.....	304	304	311	+2		
Macon County.....	153	157	158	1	-1	Gallia County*.....	604	602	607			
Madison County.....	236	236	238	1		Geauga County.....	224	223	233	+4		
Martin County.....	372	372	373		Greene County.....	509	508	528	+4		
Mecklenburg County.....	429	429	430		Guernsey County.....	441	441	444	+1		
Mitchell County.....	148	148	148		Hamilton County.....	944	942	1,022	+8		
Montgomery County.....	156	156	159		Hancock County.....	231	231	238	+3		
Moore County.....	262	257	260	1	-1	Hardin County.....	441	441	446	+1		
Nash County.....	783	782	782		Harrison County.....	297	297	303	+2		
New Hanover County.....	111	111	111		Henry County.....	263	263	267	+2		
Northampton County.....	363	363	369	+2	Highland County.....	378	378	380	+1		
Onslow County.....	226	226	228		Hocking County.....	424	424	432	+2		
Orange County.....	263	263	264		Holmes County.....	209	209	212	+1		
Pamlico County.....	217	217	219		Huron County.....	570	568	580	+2		
Pasquotank County.....	420	420	426	+1	Jackson County.....	464	464	473	+2		
Pender County.....	269	269	270		Jefferson County.....	836	834	875	+5		
Perquimans County.....	221	221	222	1		Knox County.....	470	470	481	+2		
Person County.....	309	309	313		Lake County.....	428	428	442	+3		
Pitt County.....	842	842	849	+1	Lawrence County.....	461	461	462			
Polk County.....	86	85	86		Licking County.....	406	406	421	+4		
Randolph County.....	384	384	385		Logan County.....	378	374	385	+2		
Richmond County.....	455	455	461		Lorain County.....	449	449	472	1	+5		
Robeson County.....	818	818	826	+1	Lucas County.....	388	385	393	1	+1		
Rockingham County.....	700	700	702		Madison County.....	301	301	319	+6		
Rowan County.....	617	616	619		Mahoning County.....	918	917	948	+3		
Rutherford County.....	462	460	461		Marion County.....	210	204	207	-1		
Sampson County.....	614	614	615		Medina County.....	368	367	382	+4		
Scotland County.....	342	342	343		Meigs County.....	418	418	422	+1		
Stanly County.....	429	429	430		Mercer County.....	323	323	328	+2		
Stokes County.....	243	243	248		Miami County.....	465	460	475	+2		
Surry County.....	510	510	512		Monroe County.....	265	265	268	+1		
Swain County.....	158	158	160	+1	Montgomery County (exclusive of) National Military Home.....	859	854	883	+3		
Transylvania County.....	90	90	91		365	365	365				
Tyrrell County.....	75	75	75	+1	Morgan County.....	221	217	222			
Union County.....	505	505	505		Morrow County.....	174	174	182	+5		
Vance County.....	429	429	433		Muskingum County.....	424	421	429	+1		
Wake County.....	761	761	769	+1	Noble County.....	247	247	249	+1		
Warren County.....	448	448	450		Ottawa County.....	323	322	326	+1		
Washington County.....	251	249	250		Paulding County.....	228	228	236	+4		
Watauga County.....	153	153	153		Perry County.....	490	490	506	+3		
Wayne County*.....	1,043	1,040	1,045		Pickaway County.....	421	418	432	+3		
Wilkes County.....	355	355	356		Pike County.....	226	226	228	+1		
Wilson County.....	699	699	703		Portage County.....	522	522	536	+3		
Yadkin County.....	214	214	214	+1	Preble County.....	342	342	350	+2		
Yancey County.....	148	148	148		Putnam County.....	333	333	392	+2		
OHIO.													
Adams County.....	303	303	310	+1	Richland County.....	360	359	366	+2		
Allen County*.....	387	382	387		Ross County.....	403	403	408	+1		
Ashland County.....	340	340	343	1	+2	Sandusky County.....	528	528	540	+2		
Ashtabula County.....	688	687	696	+1	Scioto County.....	582	582	588	+1		
Athens County*.....	885	885	915	+3	Seneca County.....	443	442	448	+1		
Auglaize County.....	313	313	322	+3	Shelby County.....	347	347	352	+1		
Belmont County.....	1,206	1,191	1,225	1	+1	Stark County*.....	961	952	979	+2		
Brown County.....	294	294	298		Summit County.....	1,064	1,052	1,070	+1		
Butler County.....	350	350	357	1	+2	Trumbull County.....	845	845	884	+5		
Carroll County.....	213	212	216		Tuscarawas County.....	936	935	945	+1		
Champaign County.....	391	390	410	+5	Union County.....	272	272	282	+4		
Clark County.....	343	333	338		Van Wert County.....	329	328	331	+1		
Clermont County.....	483	483	493	+2	Vinton County.....	211	211	214	+1		
Clinton County.....	391	391	399	+2	Warren County.....	394	394	416	+6		
Columbiana County.....	992	989	1,010	+2	Washington County.....	342	342	349	+2		
						Wyandot County.....	217	217	224	+3		

For footnotes, see p. 113.

MORTALITY STATISTICS.

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.				
	Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and in-cluding residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and in-cluding residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.					
RURAL PART OF REGIS-TRATION STATES²—Contd.															
OREGON.															
Baker County.....	237	223	234	1	-2	PENNSYLVANIA—continued.									
Benton County.....	113	103	116		+3	Huntingdon County.....	808	802	827	v	+2				
Clackamas County.....	379	361	407	1	+7	Indiana County.....	1,539	1,539	1,574		+2				
Clatsop County.....	342	307	319	4	-8	Jefferson County.....	1,296	1,272	1,301						
Columbia County.....	105	105	130		+24	Juniata County.....	210	210	217		+3				
Coos County.....	283	276	286	1	+1	Lackawanna County.....	2,121	2,120	2,211		+4				
Crook County.....	28	28	33		+18	Lancaster County.....	1,885	1,882	1,935		+3				
Curry County.....	10	10	11		+10	Lawrence County.....	738	736	754		+2				
Deschutes County.....	121	113	117		-3	Lebanon County.....	738	738	769		+4				
Douglas County.....	251	242	258	3	+2	Lehigh County*.....	1,673	1,635	1,661	-1					
Gilliam County.....	20	20	22		+10	Luzerne County.....	4,920	4,894	4,966	1	+1				
Grant County.....	78	75	85		+9	Lycoming County.....	833	833	906		+9				
Harney County.....	39	39	40		+3	McKean County.....	494	493	524		+6				
Hood River County.....	118	106	115	1	-3	Mercer County.....	969	967	980		+1				
Jackson County.....	263	241	251		-5	Mifflin County.....	660	659	662						
Jefferson County.....	22	19	20		-9	Monroe County.....	541	541	553		+2				
Josephine County.....	118	113	117		-1	Montgomery County.....	2,709	2,664	2,764		+2				
Klamath County.....	204	197	202		-1	Montour County*.....	433	412	418	-3					
Lake County.....	19	19	20		+5	Northampton County.....	1,642	1,639	1,670		+2				
Lane County.....	390	385	403		+3	Northumberland County.....	1,536	1,536	1,555		+1				
Lincoln County.....	57	56	61		+7	Perry County.....	381	381	389		+2				
Linn County.....	254	241	250		-2	Pike County.....	116	116	130		+12				
Malheur County.....	84	84	89	6	-1	Potter County.....	391	381	390		+2				
Marion County*.....	507	500	530		+5	Schuylkill County*.....	4,333	4,331	4,495	+4					
Morrow County.....	47	44	48		+2	Snyder County.....	280	280	280						
Multnomah County.....	168	156	197	5	+14	Somerset County.....	1,510	1,501	1,572		+4				
Polk County.....	135	130	146		+8	Sullivan County.....	140	140	150		+7				
Sherman County.....	33	32	36		+9	Susquehanna County.....	632	630	670		+6				
Tillamook County.....	76	75	81		+7	Tioga County.....	665	665	701		+5				
Umatilla County*.....	321	313	331	2	+2	Union County.....	274	274	283		+3				
Union County.....	185	171	179	6	-6	Venango County*.....	676	672	700		+4				
Wallowa County.....	82	82	86		+5	Warren County*.....	591	581	609		+3				
Wasco County.....	165	149	155		-6	Washington County.....	3,246	3,196	3,346	2	+3				
Washington County.....	211	207	235		+11	Wayne County.....	503	500	526		+5				
Wheeler County.....	19	19	22		+16	Westmoreland County.....	4,669	4,662	4,795	3	+3				
Yamhill County.....	223	221	242	1	+8	Wyoming County.....	268	268	282		+5				
PENNSYLVANIA.															
Adams County.....	481	479	497		+3	York County.....	1,340	1,338	1,385		+3				
Allegheny County.....	9,046	8,999	9,424	5	+4	RHODE ISLAND.									
Armstrong County.....	1,503	1,502	1,547		+3	Bristol County.....	414	414	473		+14				
Beaver County.....	2,049	2,045	2,098	1	+2	Kent County.....	147	147	178		+21				
Bedford County.....	553	552	585		-6	Newport County.....	183	183	214		+17				
Berks County*.....	2,042	2,032	2,119		+4	Providence County.....	889	753	884	-1					
Blair County.....	1,161	1,149	1,177		+1	Washington County.....	539	539	573		+6				
Bradford County.....	1,133	1,098	1,115	2	-2	SOUTH CAROLINA.									
Bucks County.....	1,502	1,588	1,678		+5	Abbeville County.....	400	400	400						
Butler County.....	848	848	885		+4	Aiken County.....	686	686	688						
Cambria County.....	2,866	2,827	2,924		+2	Anderson County.....	1,163	1,163	1,167						
Cameron County.....	139	139	154		+11	Bamberg County.....	345	345	345						
Carbon County.....	1,188	1,178	1,191		+2	Barnwell County.....	436	436	438						
Center County.....	885	877	888		+5	Beaufort County.....	547	547	547						
Chester County.....	1,667	1,662	1,755	7	+5	Berkeley County.....	555	555	555						
Clarion County.....	566	565	588		+4	Calhoun County.....	439	439	439						
Clearfield County.....	1,525	1,523	1,556		+2	Charleston County.....	832	832	832						
Clinton County.....	611	604	610		+2	Cherokee County.....	402	402	402						
Columbia County.....	825	820	827		+5	Chester County.....	473	473	475						
Crawford County.....	776	772	791		+2	Charleston County.....	402	402	402						
Cumberland County.....	818	818	839		+3	Dorchester County.....	244	244	244						
Dauphin County*.....	1,363	1,353	1,390		+3	Edgefield County.....	271	271	271						
Delaware County.....	2,227	2,184	2,300	2	+3	Fairfield County.....	348	348	350		+1				
Elk County.....	642	633	646	1	-1	Florence County.....	1,073	1,073	1,075						
Erie County.....	931	918	950		+2	Georgetown County.....	570	570	570						
Fayette County.....	3,250	3,242	3,304		+2	Greenville County.....	932	932	934						
Forest County.....	92	92	95		+3	Greenwood County.....	567	567	570		+1				
Franklin County*.....	928	928	938		+1	Hampton County.....	451	451	451						
Fulton County.....	133	133	133			Horry County.....	610	610	611						
Greene County.....	460	460	468		+2										

For footnotes, see p. 113.

DEATHS OF NONRESIDENTS.

111

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.		
	Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and in-cluding residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and in-cluding residents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			
RURAL PART OF REGIS-TRATION STATES^a—Contd.													
SOUTH CAROLINA—continued.													
Jasper County.....	187	187	187		Lawrence County.....	287	287	287			
Kershaw County.....	405	405	407		Lewis County.....	58	58	59	+2		
Lancaster County.....	539	539	539		Lincoln County.....	335	335	335			
Laurens County.....	659	659	665	+1		London County.....	214	214	219	+2		
Lee County.....	643	643	644		McMinn County.....	337	337	342	+1		
Lexington County.....	485	485	486		McNairy County.....	266	266	267			
McCormick County.....	192	192	192		Macon County.....	205	205	208	+1		
Marion County.....	481	481	481		Madison County.....	326	326	327			
Marlboro County.....	852	852	853		Marion County.....	199	199	200	+1		
Newberry County.....	573	573	575		Marshall County.....	309	309	310			
Oconee County.....	472	472	473		Maurt County.....	611	611	620	+1		
Orangeburg County.....	1,296	1,296	1,298		Meigs County.....	56	56	58	+4		
Pickens County.....	378	378	380	+1		Monroe County.....	274	274	278	+1		
Richland County.....	543	543	544		Montgomery County.....	551	551	555	+1		
Saluda County.....	276	276	277		Moore County.....	70	70	70			
Spartanburg County.....	1,035	1,035	1,035		Morgan County.....	245	245	246			
Sumter County.....	1,072	1,072	1,075		Obion County.....	458	458	465	+2		
Union County.....	382	382	385	+1		Overton County.....	146	146	148	+1		
Williamsburg County.....	806	806	806		Perry County.....	86	86	87	+1		
York County.....	805	805	805		Pickett County.....	45	45	45			
TENNESSEE.													
Anderson County.....	228	228	233	+2	Polk County.....	230	230	230			
Bedford County.....	320	320	323	+1	Putnam County.....	273	273	277	+1		
Benton County.....	181	181	182	+1	Rhea County.....	189	189	191	+1		
Bledsoe County.....	66	66	66	+1	Roane County.....	389	389	400	+3		
Blount County.....	411	410	419	+2	Robertson County.....	392	392	396	+1		
Bradley County.....	343	341	345	+1	Rutherford County.....	485	485	497	+2		
Campbell County.....	220	220	227	+3	Scott County.....	188	188	188			
Cannon County.....	156	156	156	+1	Sequatchie County.....	56	56	57	+2		
Carroll County.....	319	318	320	1	+1	Sevier County.....	194	194	202	+4		
Carter County.....	325	325	327	+1	Shelby County.....	1,267	1,262	1,283	8	+1		
Cheatham County.....	141	141	146	+4	Smith County.....	272	272	274	+1		
Chester County.....	127	127	128	+1	Stewart County.....	201	201	204	+1		
Claiborne County.....	242	242	246	+2	Sullivan County.....	477	477	483	+1		
Clay County.....	85	85	86	+1	Sumner County.....	417	417	425	+2		
Cooke County.....	261	261	262	+1	Tipton County.....	429	429	432	+1		
Coffee County.....	214	214	215	+1	Trousdale County.....	75	75	77	+3		
Crockett County.....	235	235	240	+2	Unicoi County.....	138	138	138			
Cumberland County.....	89	89	89	+1	Union County.....	113	113	114	+1		
Davidson County*.....	1,492	1,470	1,477	10	-2	Van Buren County.....	25	25	25			
Decatur County.....	122	122	122	+1	Warren County.....	200	200	203	+2		
Dekalb County.....	211	211	212	+1	Washington County (exclusive of).....	477	477	479			
Dickson County.....	238	238	241	+1	National Military Home.....	126	126	126			
Dyer County.....	466	466	468	+1	Wayne County.....	142	142	144	+1		
Fayette County.....	482	482	487	+1	Weakley County.....	473	473	477	+1		
Fentress County.....	26	26	30	+16	White County.....	183	183	185	+1		
Franklin County.....	267	267	272	+2	Williamson County.....	302	302	309	+2		
Gibson County.....	675	675	676	+1	Wilson County.....	407	407	410	+1		
Giles County.....	489	489	476	+1								
Grainger County.....	192	192	193	+1								
Greene County.....	391	391	392	+1								
Grundy County.....	127	127	128	+1	Beaver County.....	69	66	77	5	+4		
Hamblen County.....	218	218	221	+1	Box Elder County.....	223	212	233	5	+2		
Hamilton County.....	883	882	894	2	+1	Cache County.....	314	313	333	9	+3		
Hancock County.....	138	138	138	+1	Carbon County.....	176	162	184	4	+2		
Hardeman County*.....	356	355	359	+1	Daggett County.....	2	2	2	(3)			
Hardin County.....	181	181	182	+1	Davis County.....	117	111	128	2	+8		
Hawkins County.....	244	244	246	+1	Duchesne County.....	82	82	85	+4		
Haywood County.....	474	474	477	+1	Emery County.....	76	76	88	2	+13		
Henderson County.....	233	233	233	+1	Garfield County.....	58	57	60	1	+2		
Henry County.....	262	262	264	+1	Grand County.....	16	15	17	+6		
Hickman County.....	129	129	133	+3	Iron County.....	69	64	68	1	-3		
Houston County.....	69	69	70	+1	Juab County.....	162	155	174	+7		
Humphreys County.....	180	180	181	+1	Kane County.....	12	12	12			
Jackson County.....	170	170	172	+1	Millard County.....	97	89	101	4	+2		
James County.....	66	66	66	+1	Morgan County.....	36	34	38	+2		
Jefferson County.....	182	182	184	+1	Piute County.....	33	32	37	+12		
Johnson County.....	145	145	148	+2	Rich County.....	17	17	21	+24		
Knox County*.....	303	302	311	+3	Salt Lake County.....	706	664	760	8	+7		
Lake County.....	182	182	183	+1	San Juan County.....	28	27	30	1	+4		
Lauderdale County.....	400	400	408	+2	Sampson County.....	205	201	220	+7		

For footnotes, see p. 113.

MORTALITY STATISTICS.

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.		
	Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and includ-ing nonresi-dents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			Includ-ing non-residents.	Exclud-ing trans-ferable nonresi-dents.	Exclud-ing trans-ferable nonresi-dents and includ-ing nonresi-dents who died in regis-tration area outside.	Non-resi-dents not trans-ferable.			
RURAL PART OF REGIS-TRATION STATES 2—Contd.													
UTAH—continued.													
Sevier County.....	151	139	145	1	-5	RURAL PART OF REGIS-TRATION STATES 2—Contd.							
Summit County.....	132	127	133	1	+4	VIRGINIA—continued.							
Tooele County.....	120	115	123	1	+6	Fredericksburg (city).....	165	165	169		+2		
Uinta County.....	132	132	135		+2	Giles County.....	159	159	163		+3		
Utah County*.....	532	518	557	3	+4	Gloucester County.....	153	153	156		+2		
Wasatch County.....	57	56	63			Goochland County.....	130	129	136		+5		
Washington County.....	63	58	65	4	+11	Grayson County.....	238	238	243		+2		
Wayne County.....	16	16	17		-3	Greene County.....	100	100	101		+1		
Weber County.....	110	102	118	2	+6	Greenville County.....	224	224	230		+3		
VERMONT.													
Addison County.....	258	254	280		+9	Halifax County.....	701	701	708		+1		
Bennington County.....	378	375	400		+6	Hanover County.....	308	306	314	1	+2		
Caledonia County.....	508	484	505	1	-1	Henrico County.....	339	329	353	4	+3		
Chittenden County.....	396	350	387		-2	Henry County.....	281	281	285		+1		
Essex County.....	115	114	124		+8	Highland County.....	55	55	55				
Franklin County.....	584	580	603		+3	Isle of Wight County.....	215	215	224		+4		
Grand Isle County.....	55	55	60		+9	James City County*.....	244	242	242		-1		
Lamoille County.....	187	186	204		+9	King and Queen County.....	145	145	146		+1		
Orange County.....	283	281	308		+9	King George County.....	85	85	88		+4		
Orleans County.....	403	402	436		+8	King William County.....	201	201	205		+2		
Rutland County.....	575	568	592		+3	Lancaster County.....	171	170	178		+4		
Washington County*.....	726	630	652		-10	Lee County.....	432	433	433				
Windham County.....	551	541	566		+3	Loudoun County.....	350	350	360		+3		
Windsor County.....	658	650	697		+7	Louisa County.....	317	317	325		+3		
VIRGINIA.													
Accomac County.....	610	610	625		+2	Lunenburg County.....	217	217	222		+2		
Alebermarle County.....	522	510	519	1	-1	Madison County.....	111	111	111				
Alexandria County.....	168	168	199		+18	Mathews County.....	131	131	133		+2		
Alleghany County.....	217	217	224		+3	Mecklenburg County.....	433	433	433		+2		
Amelia County.....	172	172	181		+5	Middlesex County.....	171	171	172		+1		
Amherst County*.....	308	306	323		+5	Montgomery County.....	227	226	233		+5		
Appomattox County.....	109	109	115		+6	Nansemond County.....	485	483	486				
Augusta County.....	512	511	518		+1	New Kent County.....	189	189	192		+2		
Bath County.....	71	70	71			Nelson County.....	81	81	83		+2		
Bedford County.....	431	429	442		+3	Norfolk County.....	1,071	1,066	1,077	1			
Bland County.....	61	61	61			Northampton County.....	285	285	296		+4		
Botetourt County.....	225	224	234		+4	Northumberland County.....	190	190	205		+8		
Bristol (city).....	138	138	138			Nottoway County.....	228	220	235		+3		
Brunswick County.....	356	356	358		+1	Orange County.....	154	154	159		+3		
Buchanan County.....	298	298	298			Page County.....	259	259	260				
Buckingham County.....	231	231	231			Patrick County.....	156	156	156				
Buena Vista (city).....	87	87	87			Pittsylvania County.....	828	828	837		+1		
Campbell County.....	333	333	397		+4	Powhatan County.....	108	108	112		+5		
Caroline County.....	237	237	245		+3	Prince Edward County.....	223	223	234		+3		
Carroll County.....	218	218	219			Prince George County.....	688	688	704	1	+2		
Charles City County.....	76	76	77		+1	Prince William County.....	207	206	219	1	+5		
Charlotte County.....	201	201	208		+3	Princess Anne County*.....	310	308	315		+2		
Charlottesville (city).....	218	218	218			Pulaski County.....	339	339	344		+1		
Chesterfield County.....	317	317	332		+5	Radford (city).....	84	84	84				
Clarke County.....	135	135	136		+1	Rappahannock County.....	112	112	112				
Clifton Forge (city).....	130	123	123	8	-12	Richmond County.....	108	108	112		+4		
Craig County.....	50	50	51		+2	Roanoke County*.....	387	375	379		-2		
Culpeper County.....	153	153	159		+4	Rockbridge County.....	303	303	314		+4		
Cumberland County.....	147	147	149		+1	Rockingham County.....	581	581	585		+1		
Dickenson County.....	196	196	196			Russell County.....	393	393	393				
Dinwiddie County*.....	560	559	569	1	+1	Scott County.....	295	295	296				
Elizabeth City County (exclu-sive of).....	573	569	571	1	-1	Shenandoah County.....	349	349	354		+1		
National Military Home.....	147	147	147			Smyth County*.....	433	432	437		+1		
Essex County.....	138	138	140		+1	Southampton County.....	464	463	469		+1		
Fairfax County.....	397	397	421		+6	Spotsylvania County.....	147	147	148		+1		
Fauquier County.....	318	318	332		+4	Stafford County.....	101	101	102		+1		
Floyd County.....	161	161	162		+1	Surry County.....	171	171	175		+2		
Fluvanna County.....	117	117	121		+3	Sussex County.....	237	237	245		+3		
Franklin County.....	271	271	278		+3	Tazewell County.....	491	491	492				
Frederick County.....	162	162	160		+5	Warren County.....	147	147	149		+1		

For footnotes, see p. 113.

DEATHS OF NONRESIDENTS.

113

TABLE I B.—DEATHS OF NONRESIDENTS IN RELATION TO TOTAL DEATHS IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1918—Continued.

[See note at head of this table, p. 96.]

AREA.	NUMBER OF DEATHS, 1918.				Per cent change, if corrected for transferable and non-transferable deaths of non-residents.	AREA.	NUMBER OF DEATHS, 1918.				Per cent change if corrected for transferable and non-transferable deaths of non-residents.	
	Including non-residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non-residents not transferable.			Including non-residents.	Excluding transferable nonresidents.	Excluding transferable nonresidents and including residents who died in registration area outside.	Non-residents not transferable.		
RURAL PART OF REGISTRATION STATES²—Contd.												
WASHINGTON.												
Adams County.....	117	116	123	—	+5	Douglas County.....	63	63	64	—	+2	
Asotin County.....	69	69	74	—	+7	Dunn County.....	266	266	273	—	+3	
Benton County.....	100	99	108	—	+8	Eau Claire County.....	116	116	116	—	—	
Chelan County.....	282	259	270	10	-8	Florence County.....	32	32	33	—	+3	
Clallam County.....	148	139	147	3	-3	Fond du Lac County.....	408	408	411	—	+1	
Clarke County.....	363	334	353	11	-6	Forest County.....	98	98	98	—	—	
Columbia County.....	58	57	59	—	+2	Grant County.....	499	499	503	—	+1	
Cowlitz County.....	122	122	141	—	+16	Green County.....	266	266	273	—	+3	
Douglas County.....	91	91	100	1	+9	Green Lake County.....	191	191	191	—	—	
Ferry County.....	61	61	67	1	+8	Iowa County.....	262	262	265	—	+1	
Franklin County.....	74	74	79	—	+7	Iron County.....	178	178	181	—	+2	
Garfield County.....	30	30	31	—	+3	Jackson County.....	202	202	205	—	+1	
Grant County.....	90	90	109	—	+21	Jefferson County.....	460	460	463	—	+1	
Grays Harbor County.....	272	271	292	—	+7	Juneau County.....	243	243	247	—	+2	
Island County.....	43	42	47	—	+9	Kenosha County.....	106	106	108	—	+2	
Jefferson County.....	100	99	107	1	+6	Kewaunee County.....	211	211	213	—	+1	
King County.....	716	568	693	7	-3	La Crosse County.....	159	159	162	—	+2	
Kitsap County.....	306	303	349	—	+14	Lafayette County.....	269	269	277	—	+3	
Kittitas County.....	202	201	223	—	+10	Langlade County.....	253	253	254	—	—	
Klickitat County.....	76	76	91	—	+20	Lincoln County.....	266	266	268	—	+1	
Lewis County.....	440	432	463	—	+5	Manitowoc County.....	417	415	418	—	—	
Lincoln County.....	152	150	182	—	+20	Marathon County.....	508	508	512	—	+1	
Mason County.....	33	33	44	—	+33	Marinette County.....	259	259	262	—	+1	
Okanogan County.....	145	144	157	—	+8	Marquette County.....	133	133	135	—	+2	
Pacific County.....	140	135	141	8	-5	Milwaukee County* (exclusive of National Military Home).....	1,632	1,631	1,623	—	—	
Pend Oreille County.....	56	55	68	1	+20	Monroe County.....	464	464	467	—	+1	
Pierce County*.....	710	656	802	5	+12	Oconto County.....	292	292	295	—	+1	
San Juan County.....	27	26	31	—	+15	Oneida County.....	157	157	159	—	+1	
Skagit County*.....	487	483	515	2	+5	Outagamie County.....	385	385	387	—	+1	
Skamania County.....	16	16	22	—	+38	Ozaukee County.....	197	197	197	—	—	
Snohomish County.....	399	391	439	2	+10	Pepin County.....	78	78	85	—	+9	
Spokane County*.....	546	510	596	5	+8	Pierce County.....	186	186	198	—	+6	
Stevens County.....	239	237	257	3	+6	Polk County.....	300	300	325	—	+8	
Thurston County.....	252	242	255	3	+10	Portage County.....	423	423	432	—	+2	
Wahkiakum County.....	35	35	50	—	+43	Price County.....	157	157	159	—	+1	
Walla Walla County.....	121	118	141	—	+17	Racine County.....	249	249	250	—	—	
Whatcom County.....	228	218	254	—	+11	Richland County.....	225	225	228	—	+1	
Whitman County.....	325	320	358	2	+10	Rock County.....	326	325	326	—	—	
Yakima County.....	449	444	512	3	+13	Rusk County.....	130	130	132	—	+2	
WISCONSIN.												
Adams County.....	125	125	125	—	—	St. Croix County.....	329	329	354	—	+8	
Ashland County.....	100	100	102	—	+2	Sauk County.....	356	356	360	—	+1	
Barron County.....	379	379	390	—	+3	Sawyer County.....	77	77	80	—	+4	
Bayfield County.....	163	163	171	—	+5	Shawano County.....	389	389	392	—	+1	
Brown County.....	315	315	318	—	—	Sheboygan County.....	318	318	320	—	+1	
Buffalo County.....	152	152	156	—	—	Taylor County.....	172	172	175	—	+2	
Burnett County.....	87	87	96	—	+10	Trempealeau County.....	282	282	290	—	+3	
Calumet County.....	160	160	160	—	—	Vernon County.....	310	310	312	—	+1	
Chippewa County*.....	582	582	588	—	+1	Vilas County.....	52	52	54	—	+4	
Clark County.....	302	302	308	—	+2	Walworth County.....	389	389	401	—	+3	
Columbia County.....	371	371	377	—	+2	Washington County.....	97	97	106	—	+9	
Crawford County.....	185	185	188	—	+2	Washington County.....	267	267	271	—	+1	
Dane County*.....	778	778	784	—	+1	Waukesha County*.....	578	578	584	—	+1	
Dodge County.....	514	514	522	—	+2	Waupaca County.....	500	500	501	—	—	
Door County.....	237	237	239	—	+1	Wausau County.....	155	155	158	—	+2	
						Winnebago County*.....	415	415	417	—	—	
						Wood County.....	464	464	470	—	+1	

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.² Exclusive of municipalities having a population of 10,000 or more in 1910.³ No deaths here, but 2 residents died in registration area outside.

MORTALITY STATISTICS.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1915 to 1918.

[The deaths and death rates in 1917 and 1918 exclude those of soldiers, sailors, and marines after the United States entered the war. The causes of death originally classified according to the first revision of the International List, which was in effect for the years 1900 to 1909, are rearranged, as far as practicable, to correspond with the second revision, in effect Jan. 1, 1910. Changes depending upon new titles are indicated by asterisks (*) following the titles, and references should be made to the statements in the text (p. 20) relative to changes in classification. In some cases these changes markedly affect the comparability of the rates.]

Detailed Int. List No.	Cause of Death.	Number of Deaths.						Death Rate per 100,000 Population.					
		1918	1917	1916	1915	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1918	1917	1916	1915	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	All causes.....	1,445,158	1,066,711	1,001,921	909,155	714,933	529,630	1,765.2	1,418.5	1,398.9	1,350.2	1,511.5	1,619.7
	I.—General diseases *.....	521,903	284,993	268,040	240,858	191,161	146,137	637.5	378.4	374.2	357.7	404.1	446.9
1	Typhoid fever.....	10,167	10,089	9,510	8,332	12,120	10,458	12.4	13.4	13.3	12.4	25.6	32.0
1	Typhus fever.....	3	16	35	2	1	3	(1)	(1)	(1)	(1)	(1)	(1)
1	Relapsing fever.....	1	1	1	1	1	2	(1)	(1)	(1)	(1)	(1)	(1)
4	Malaria.....	2,534	2,385	2,175	1,541	1,206	1,568	3.1	3.2	3.0	2.3	2.6	4.8
5	Smallpox.....	338	204	114	169	108	1,119	0.4	0.3	0.2	0.3	0.2	3.4
6	Measles.....	8,223	10,442	7,947	3,849	5,092	2,951	10.0	13.9	11.1	5.4	10.8	9.0
7	Scarlet fever.....	2,335	3,124	2,355	2,419	5,030	3,308	2.9	4.1	3.3	3.6	10.6	11.0
8	Whooping cough.....	13,728	7,837	7,284	5,421	5,440	3,572	16.8	10.4	10.2	8.1	11.5	10.9
9	Diphtheria and croup.....	11,183	12,442	10,367	10,544	10,576	9,674	13.7	16.5	14.5	15.7	22.4	29.6
10	Influenza.....	234,290	12,965	18,886	10,768	7,760	6,508	286.2	17.2	26.4	16.0	16.4	19.9
11	Miliary fever.....	1	—	—	(2)	—	—	(1)	—	—	—	(1)	(1)
12	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—
13	Cholera nostras.....	299	242	291	210	485	160	0.4	0.3	0.4	0.3	1.0	1.4
14	Dysentery.....	4,720	4,346	3,550	2,519	3,076	2,810	5.8	6.0	5.0	3.7	6.5	8.6
15	Plague.....	—	—	—	1	19	18	(1)	—	—	—	—	0.1
16	Yellow fever.....	—	—	1	—	92	—	(1)	(1)	(1)	(1)	(1)	0.3
17	Leprosy.....	24	17	11	8	5	(1)	(1)	(1)	(1)	(1)	(1)	(1)
18	Erysipelas.....	2,579	2,863	2,680	2,340	1,977	1,455	3.2	3.8	3.7	3.5	4.2	4.5
19	Other epidemic diseases *.....	558	405	218	235	156	76	0.7	0.5	0.3	0.3	0.3	0.2
20	Purulent infection and septicemia.....	1,446	1,110	1,407	1,555	1,798	1,998	1.8	1.5	2.0	2.3	3.8	6.1
21	Glanders.....	4	4	4	4	7	5	(1)	(1)	(1)	(1)	(1)	(1)
22	Anthrax.....	34	61	28	35	21	23	(2)	(1)	(1)	(1)	(1)	0.1
23	Rabies.....	63	66	36	52	72	42	0.1	0.1	0.1	0.1	0.2	0.1
24	Tetanus *.....	1,278	1,329	1,225	1,229	1,276	1,150	1.6	1.8	1.7	1.8	2.7	3.5
25	Mycoses.....	46	39	41	42	29	14	0.1	0.1	0.1	0.1	(1)	(1)
26	Pellagra.....	3,741	3,666	2,390	2,843	101	1	4.6	4.9	3.3	4.2	0.2	(1)
27	Beriberi *.....	11	15	6	(6)	(4)	(1)	(1)	(1)	(1)	(1)	(3)	(4)
28	Tuberculosis (total).....	121,204	110,144	101,396	98,194	79,792	62,978	148.0	146.3	141.6	145.8	168.7	192.6
29	Tuberculosis of the lungs *.....	103,968	93,290	85,538	82,853	69,436	55,809	127.0	123.9	119.4	123.0	146.8	170.7
30	Acute miliary tuberculosis *.....	3,636	3,821	3,128	3,140	(3)	(4)	4.4	4.8	4.4	4.7	(3)	(4)
31	Tuberculous meningitis.....	5,874	6,084	5,706	5,445	4,289	2,905	7.2	8.1	8.0	8.1	9.1	8.9
32	Abdominal tuberculosis.....	4,084	3,745	3,588	3,410	2,843	1,946	4.9	5.0	5.0	5.1	6.0	6.0
33	Pott's disease.....	1,010	889	896	877	692	492	1.2	1.2	1.3	1.3	1.5	1.5
34	White swellings.....	570	505	496	468	348	234	0.7	0.7	0.7	0.7	0.7	0.7
35	Tuberculosis of other organs *.....	1,445	1,381	1,339	1,330	988	666	1.8	1.8	1.9	2.0	2.1	2.0
36	Disseminated tuberculosis.....	669	619	707	676	1,195	926	0.8	0.8	1.0	1.0	2.5	2.8
37	Rickets *.....	564	566	574	474	(3)	(4)	0.7	0.8	0.8	0.7	(3)	(4)
38	Syphilis.....	7,522	7,795	6,902	5,819	2,550	1,335	9.2	10.4	9.6	8.6	5.4	4.1
39	Gonococcus infection.....	500	595	539	340	121	41	0.6	0.8	0.8	0.5	0.3	0.1
40	Cancer and other malignant tumors (total).....	65,282	61,429	58,600	54,584	34,320	22,214	79.7	81.6	81.8	81.1	72.6	67.9
41	Of the buccal cavity.....	2,344	2,279	2,091	2,123	677	2.9	3.0	2.9	3.2	2.6	2.1	2.1
42	Of the stomach, liver.....	24,766	23,406	22,480	21,221	13,395	8,091	30.3	31.1	31.4	31.5	28.3	24.7
43	Of the peritoneum, intestines, rectum.....	8,830	8,177	7,716	7,332	4,148	2,332	10.5	10.9	10.8	10.9	8.8	7.1
44	Of the female genital organs.....	9,892	9,331	8,898	8,120	5,118	3,263	12.1	12.4	12.4	12.1	10.8	10.0
45	Of the breast.....	6,040	5,712	5,288	5,163	3,070	1,845	7.4	7.6	7.8	7.7	6.5	5.6
46	Of the skin.....	2,224	2,157	2,042	1,955	1,268	740	2.7	2.9	2.9	2.9	2.7	2.3
47	Of other organs or of organs not specified.....	11,386	10,367	9,815	8,670	6,110	5,266	13.9	13.8	13.7	12.9	12.9	16.1
48	Other tumors (tumors of the female genital organs excepted).....	276	272	337	315	489	488	0.3	0.4	0.5	0.5	1.0	1.5
49	Acute articular rheumatism *.....	3,111	3,432	3,258	3,274	2,551	1,698	3.8	4.6	4.5	4.9	5.4	5.2
50	Chronic rheumatism and gout *.....	1,033	1,021	908	865	1,039	1,191	1.3	1.4	1.3	1.3	2.2	3.6
51	Scurvy.....	91	94	77	79	67	48	0.1	0.1	0.1	0.1	0.1	0.1
52	Diabetes.....	12,880	12,734	12,199	11,775	6,494	3,772	15.7	16.9	17.0	17.5	13.7	11.5
53	Exophthalmic goiter.....	1,416	1,264	1,158	1,067	512	218	1.7	1.7	1.6	1.6	1.1	0.7
54	Addison's disease.....	306	320	312	288	200	149	0.4	0.4	0.4	0.4	0.4	0.5
55	Leukemia.....	1,416	1,508	1,424	1,325	728	394	1.7	2.1	2.0	2.0	1.5	1.2
56	Anemias, chlorosis.....	4,520	4,022	3,785	3,521	2,298	1,578	5.5	5.3	5.3	5.2	4.8	4.8
57	Other general diseases *.....	1,639	1,623	1,431	1,428	476	158	2.0	2.2	2.0	2.1	1.0	0.5
58	Alcoholism (acute or chronic).....	2,193	3,907	4,161	2,945	2,734	2,002	2.7	5.2	5.8	4.4	5.8	6.1
59	Chronic lead poisoning.....	123	147	190	155	101	87	0.2	0.2	0.3	0.2	0.2	0.3
60	Other chronic occupation poisonings.....	29	18	15	10	5	5	(1)	(1)	(1)	(1)	(1)	(1)
61	Other chronic poisonings.....	196	235	212	471	233	186	0.2	0.3	0.3	0.7	0.5	0.5
	II.—Diseases of the nervous system and of the organs of special sense *.....	107,184	100,291	99,077	88,108	72,470	58,890	130.9	133.2	138.3	130.8	153.2	180.1
62	Encephalitis.....	687	820	554	581	517	630	0.8	0.8	0.8	0.9	1.1	1.9
63	Meningitis (total).....	7,500	6,673	5,091	4,985	9,197	10,386	9.2	8.9	7.1	7.4	19.4	31.7
64	Simple meningitis.....	3,180	2,735	2,573	2,841	6,384	7,601	3.9	3.6	3.6	4.2	13.5	23.2
65	Cerebrospinal meningitis (undefined).....	1,963	1,186	983	1,181	1,181	2,813	2,765	2.4	1.6	1.8	5.9	8.5
66	Cerebrospinal fever.....	2,357	2,752	1,535	963	—	—	2.9	3.7	2.1	1.4	—	—

For footnotes, see p. 117.

DEATHS AND DEATH RATES, BY CAUSES.

115

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1915 to 1918—Continued.

[See note at head of this table, p. 114.]

Detailed Int. List No.	Cause of Death.	Number of Deaths.						Death Rate per 100,000 Population.					
		1918	1917	1916	1915	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1918	1917	1916	1915	Annual average: 1906 to 1910	Annual average: 1901 to 1905
II.—Diseases of the nervous system and of the organs of special sense*—Contd.													
62	Locomotor ataxia.....	1,857	1,772	1,717	1,757	1,249	786	2.3	2.4	2.4	2.6	2.6	2.4
63	Other diseases of the spinal cord (total).....	4,998	5,147	11,036	4,183	2,736	1,589	6.1	6.8	15.4	6.2	5.8	4.9
	Acute anterior poliomyelitis.....	954	1,182	7,130	691	2,736	1,589	1.2	1.6	10.0	1.0	5.8	4.9
	Other diseases of the spinal cord	4,044	3,965	3,908	3,492			4.9	5.3	5.5	5.2		
64	Cerebral hemorrhage, apoplexy.....	64,861	62,417	58,233	53,397	33,913	22,756	79.2	82.9	81.3	79.3	71.7	69.6
65	Softening of the brain.....	1,115	888	921	1,041	1,163	1,198	1.4	1.2	1.3	1.5	2.5	3.7
66	Paralysis without specified cause	7,180	5,445	5,165	6,052	7,606	6,583	8.8	7.2	7.2	9.0	16.1	20.1
67	General paralysis of the insane	5,855	5,248	5,150	5,014	2,588	2,234	7.2	7.0	7.2	7.4	5.5	6.8
68	Other forms of mental alienation.....	1,969	1,651	1,438	1,464	1,719	1,170	2.4	2.2	2.0	2.2	3.6	3.6
69	Epilepsy	3,581	3,161	2,882	2,582	1,981	1,452	4.4	4.2	4.0	3.8	4.2	4.4
70	Convulsions (nonpuerperal).....	157	137	124	109	256	364	0.2	0.2	0.2	0.2	0.5	1.1
71	Convulsions of infants.....	2,680	2,172	2,437	2,694	6,038	7,000	3.3	2.9	3.4	4.0	12.8	21.4
72	Chorea.....	113	102	104	109	103	87	0.1	0.1	0.1	0.2	0.2	0.3
73	Neuralgia and neuritis*.....	373	429	392	391	2,599	2,240	0.5	0.6	0.5	0.6	5.5	6.9
74	Other diseases of the nervous system*.....	2,774	2,781	2,386	2,435	1,393	1,248	3.4	3.6	3.3	3.6	0.1	0.1
75	Diseases of the eyes and their annexa.....	92	97	54	66			29	22	0.1	0.1		
76	Diseases of the ears.....	1,392	1,601	1,393	1,248			776	413	1.7	2.1	1.9	1.6
III.—Diseases of the circulatory system*.													
77	Pericarditis.....	913	882	735	772	638	677	1.1	1.1	1.0	1.1	1.3	2.1
78	Acute endocarditis*.....	6,655	6,669	6,695	6,147	5,790	3,665	8.9	9.3	9.1	12.2	11.2	
79	Organic diseases of the heart*.....	124,514	115,304	107,475	99,053	62,985	40,612	152.1	153.1	150.1	147.1	133.2	124.2
80	Angina pectoris.....	6,037	5,914	5,445	5,180	3,204	2,143	7.4	7.9	7.6	7.7	6.8	6.6
81	Diseases of the arteries, atherosclerosis, aneurism, etc.	19,013	19,050	17,115	15,685	8,394	3,066	23.2	25.3	23.9	23.3	17.7	9.4
82	Embolism and thrombosis.....	2,754	2,706	2,829	2,732	1,866	1,367	3.4	3.6	3.9	4.1	3.9	4.2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	469	454	544	441	284	187	0.6	0.6	0.8	0.7	0.6	0.6
84	Diseases of the lymphatic system (lymphangitis, etc.).....	475	454	462	452	144	65	0.6	0.6	0.6	0.7	0.3	0.2
85	Hemorrhage; other diseases of the circulatory system*.....	386	318	288	293	736	915	0.5	0.4	0.4	0.4	1.6	2.8
IV.—Diseases of the respiratory system.													
86	Diseases of the nasal fossae.....	343	367	275	125	99	71	0.4	0.5	0.4	0.2	0.2	0.2
87	Diseases of the larynx.....	778	821	735	762	781	756	1.0	1.1	1.0	1.1	1.7	2.3
88	Diseases of the thyroid body.....	558	521	467	447	183	97	0.7	0.7	0.7	0.7	0.4	0.3
89	Acute bronchitis.....	7,615	7,296	6,700	6,505	7,206	6,996	9.3	9.7	9.4	9.7	15.2	21.4
90	Chronic bronchitis.....	5,145	5,011	4,887	5,177	5,239	5,031	6.3	6.7	6.8	7.7	11.1	15.4
91	Bronchopneumonia.....	54,697	37,870	35,105	33,501	19,130	10,768	66.8	50.3	49.0	49.8	40.4	32.9
92	Pneumonia (total).....	167,703	74,517	63,229	55,825	48,713	41,044	204.8	98.9	88.3	82.9	103.0	125.5
	Lobar pneumonia.....	144,721	65,108	54,699	44,153	11,672	48,713	176.8	86.5	76.4	65.6	103.0	125.5
	Pneumonia (undefined).....	22,982	9,409	8,580	11,672			41,044	28.1	12.5	11.9	17.3	
93	Pleurisy.....	3,179	2,827	2,599	2,323	1,955	1,520	3.9	3.8	3.6	3.4	4.1	4.6
94	Pulmonary congestion, pulmonary apoplexy.....	1,480	1,471	1,326	1,630	2,636	2,802	1.8	2.0	1.9	2.4	5.6	8.6
95	Gangrene of the lung.....	287	226	236	215	177	166	0.4	0.3	0.3	0.4	0.5	
96	Asthma.....	2,103	1,819	1,752	1,664	1,386	1,220	2.6	2.4	2.4	2.5	2.9	3.7
97	Pulmonary emphysema.....	173	170	182	185	169	227	0.2	0.2	0.3	0.3	0.4	0.7
98	Other diseases of the respiratory system (tuberculosis excepted).....	1,150	979	942	1,085	1,302	1,393	1.4	1.3	1.3	1.6	2.8	4.3
V.—Diseases of the digestive system.													
99	Diseases of the mouth and annexa.....	740	716	676	552	349	242	0.9	1.0	0.9	0.8	0.7	0.7
100	Diseases of the pharynx.....	2,013	2,174	1,850	1,569	735	473	2.5	2.9	2.6	2.3	1.6	1.4
101	Diseases of the esophagus.....	100	120	145	143	132	113	0.1	0.2	0.2	0.2	0.3	
102	Ulcer of the stomach.....	3,136	3,302	3,265	2,922	1,680	964	3.8	4.4	4.6	4.3	3.6	2.9
103	Other diseases of the stomach (cancer excepted).....	8,200	7,021	7,065	7,069	7,939	5,786	10.0	9.3	9.9	10.5	16.8	17.7
104	Diarrhea and enteritis (under 2 years).....	47,753	48,231	46,956	40,099	45,516	29,094	58.3	64.0	65.6	59.5	96.2	89.0
105	Diarrhea and enteritis (2 years and over).....	11,329	11,269	9,807	8,226	7,891	6,610	13.8	15.0	13.7	12.2	16.7	20.2
106	Aalkystomiasis*.....	28	29	22	18	84	38	(1)	(1)	(1)	(1)	0.1	0.1
107	Intestinal parasites*.....	207	162	128	84			0.3	0.2	0.2	0.1		
108	Appendicitis and typhilitis.....	9,733	9,374	9,157	8,397			5,306	3,589	11.9	12.4	12.8	11.0
109	Hernia, intestinal obstruction (total).....	9,318	8,668	8,074	7,577	6,089	4,256	11.4	11.5	11.3	11.3	12.9	13.0
	Hernia.....	3,376	3,044	2,880	2,604	1,927	1,364	4.1	4.0	4.0	3.9	4.1	4.2
	Intestinal obstruction.....	5,932	5,619	5,194	4,973	4,162	2,892	7.3	7.5	7.3	7.4	8.8	8.8
110	Other diseases of the intestines.....	1,832	1,855	1,823	1,934	1,311	945	2.2	2.5	2.5	2.9	2.8	2.9
111	Acute yellow atrophy of the liver.....	303	293	306	274	189	131	0.4	0.4	0.4	0.4	0.4	0.4
112	Hydatid tumor of the liver.....	31	27	32	20	16	11	(1)	(1)	(1)	(1)	(1)	14.4
113	Cirrhosis of the liver.....	7,794	8,567	8,799	8,439	6,784	4,694	9.5	11.4	12.3	12.5	14.3	
114	Biliary calculi.....	2,458	2,475	2,438	2,228	1,301	736	3.0	3.3	3.4	3.3	2.8	
115	Other diseases of the liver.....	3,539	3,422	3,487	3,276	2,865	2,443	4.3	4.5	4.9	4.9	6.1	7.5
116	Diseases of the spleen.....	182	129	132	107	95	85	0.2	0.2	0.2	0.2	0.2	0.3
117	Simple peritonitis (nonpuerperal).....	1,858	1,503	1,378	1,527	2,899	3,537	2.3	2.0	1.9	2.3	6.1	10.8
118	Other diseases of the digestive system (cancer and tuberculosi excepted).....	451	476	492	531	214	88	0.6	0.6	0.7	0.8	0.5	0.3

For footnotes, see p. 117.

MORTALITY STATISTICS.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1915 to 1918—Continued.

[See note at head of this table, p. 114.]

Detailed Int. List No.	Cause of Death.	Number of Deaths.						Death Rate per 100,000 Population.					
		1918	1917	1916	1915	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1918	1917	1916	1915	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	91,083	92,397	86,324	80,808	54,171	37,584	111.3	122.7	120.5	120.0	114.5	114.9
119	Acute nephritis.....	5,953	6,233	5,921	6,020	4,773	3,138	7.3	8.3	8.3	8.9	10.1	9.6
120	Bright's disease.....	73,239	74,639	69,395	64,480	41,339	28,556	89.5	99.1	96.9	95.8	87.4	87.4
121	Chyluria*.....	1	3					(1)		(1)		2.6	2.8
122	Other diseases of the kidneys and annexa *.....	1,885	1,785	1,812	1,609	1,247	926	2.3	2.4	2.5	2.4		
123	Calculi of the urinary passages.....	472	496	471	478	265	155	0.6	0.7	0.7	0.7	0.6	0.5
124	Diseases of the bladder.....	1,357	1,275	1,235	1,335	1,484	1,415	1.7	1.7	1.7	2.0	3.1	4.3
125	Diseases of the urethra, urinary abscess, etc.....	303	374	285	288	204	136	0.4	0.5	0.4	0.4	0.4	0.4
126	Diseases of the prostate.....	3,385	3,118	2,922	2,612	1,628	862	4.1	4.1	4.1	3.9	3.4	2.6
127	Nonvenereal diseases of the male genital organs.....	87	86	86	78	49	35	0.1	0.1	0.1	0.1	0.1	0.1
128	Uterine hemorrhage (nonpuerperal).....	61	45	47	49	79	89	0.1	0.1	0.1	0.1	0.2	0.3
129	Uterine tumor (nongenital).....	1,467	1,494	1,329	1,253	837	581	1.8	2.0	1.9	1.9	1.8	1.8
130	Other diseases of the uterus.....	804	834	806	658	734	564	1.0	1.1	1.1	1.0	1.6	1.7
131	Cysts and other tumors of the ovary.....	611	647	635	562	472	430	0.7	0.9	0.9	0.8	1.0	1.3
132	Salpingitis and other diseases of the female genital organs.....	1,423	1,331	1,326	1,337	1,034	671	1.7	1.8	1.9	2.0	2.2	2.1
133	Nonpuerperal diseases of the breast (cancer excepted).....	35	40	51	49	26	17	(1)	0.1	0.1	0.1	0.1	0.1
	VII.—The puerperal state.....	18,177	12,528	11,642	10,237	7,330	4,643	22.2	16.6	16.3	15.2	15.5	14.2
134	Accidents of pregnancy.....	4,250	1,028	985	941	800	549	5.2	1.4	1.4	1.4	1.7	1.7
135	Puerperal hemorrhage*.....	1,249	1,178	1,118	1,000	491	337	1.5	1.6	1.6	1.5	1.0	1.0
136	Other accidents of labor *.....	3,271	1,194	1,212	979	629	295	4.0	1.6	1.7	1.5	1.3	0.9
137	Puerperal septicemia *.....	5,250	5,211	4,786	4,214	3,224	2,057	6.4	6.9	6.7	6.3	6.8	6.3
138	Puerperal albuminuria and convulsions*.....	3,651	3,409	3,087	2,673	1,593	911	4.5	4.5	4.3	4.0	3.4	2.8
139	Puerperal phlegmnia alba dolens, embolus, sudden death *.....	410	439	415	388	61	4	0.5	0.6	0.6	0.6	0.1	(1)
140	Following childbirth (not otherwise defined)*.....	83	58	34	41	528	488	0.1	0.1	0.1	0.1	1.1	1.5
141	Puerperal diseases of the breast.....	13	11	5	6	3	1	(1)	(1)	(1)	(1)	(1)	(1)
	VIII.—Diseases of the skin and of the cellular tissue.....	3,416	3,315	3,358	3,071	2,869	2,392	4.2	4.4	4.7	4.6	6.1	7.3
142	Gangrene.....	1,658	1,462	1,528	1,440	1,656	1,457	2.0	1.9	2.1	2.1	3.5	4.5
143	Furuncle.....	444	449	448	421	221	149	0.5	0.6	0.6	0.6	0.5	0.5
144	Acute abscess.....	629	681	709	571	512	473	0.8	0.9	1.0	0.8	1.1	1.4
145	Other diseases of the skin and annexa.....	685	723	673	639	480	312	0.8	1.0	0.9	0.9	1.0	1.0
	IX.—Diseases of the bones and of the organs of locomotion*.....	2,041	2,295	2,039	1,771	1,335	932	2.5	3.0	2.8	2.6	2.8	2.9
146	Diseases of the bones (tuberculosis excepted)*.....	1,742	1,953	1,721	1,626	1,190	795	2.1	2.6	2.4	2.3	2.5	2.4
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	226	252	242	185	97	75	0.3	0.3	0.3	0.3	0.2	0.2
148	Amputations.....	2	6	1	3	13	35	(1)	(1)	(1)	(1)	0.1	0.1
149	Other diseases of the organs of locomotion.....	71	84	75	57	36	27	0.1	0.1	0.1	0.1	0.1	0.1
	X.—Malformations.....	12,841	11,841	11,412	9,986	7,066	3,978	15.7	15.7	15.9	14.8	14.9	12.2
150	Congenital malformations (stillbirths not included) (total).....	12,841	11,841	11,412	9,986	7,066	3,978	15.7	15.7	15.9	14.8	14.9	12.2
	Hydrocephalus.....	1,169	994	995	853	669	527	1.4	1.3	1.4	1.3	1.4	1.6
	Congenital malformations of the heart.....	7,823	7,166	6,718	6,032	4,272	2,190	9.6	9.5	9.4	9.0	9.0	6.7
	Other congenital malformations.....	3,349	3,681	3,699	3,101	2,125	1,261	4.7	4.9	5.2	4.6	4.5	3.9
	XI.—Early infancy*.....	62,190	57,048	55,678	51,765	35,456	24,167	76.0	75.8	77.7	76.9	75.0	73.9
151	Congenital debility, iuterus, and sclerema* (total).....	50,533	45,132	44,090	41,115	30,526	17,646	61.7	59.9	61.6	61.1	64.5	54.0
	Premature birth.....	33,535	34,704	33,123	29,027	16,899	10,062	47.1	46.1	46.2	43.1	35.7	30.8
	Congenital debility, "atrophy," "marasmus," etc.....	11,998	10,428	10,967	12,088	13,627	7,585	14.7	13.8	15.3	18.0	23.8	23.2
152	Other causes peculiar to early infancy* (total).....	11,466	11,717	11,313	10,424	4,765	2,499	14.0	15.6	15.8	15.5	10.1	7.6
	Injuries at birth*.....	6,149	6,631	6,274	5,914	3,138	1,634	7.5	8.8	8.8	8.8	6.6	5.0
153	Other causes peculiar to early infancy?.....	5,307	5,086	5,039	4,510	1,827	864	6.5	6.8	7.0	6.7	3.4	2.6
	Lack of care*.....	201	199	275	226	165	4,022	0.2	0.3	0.4	0.3	0.3	12.3
	XII.—Old age*.....	12,251	11,647	12,165	12,392	13,715	13,400	15.0	15.5	17.0	18.4	29.0	41.0
154	Senility*.....	12,251	11,647	12,165	12,392	13,715	13,400	15.0	15.5	17.0	18.4	29.0	41.0
	XIII.—External causes*.....	81,009	81,340	75,283	67,292	51,058	33,251	99.0	108.0	105.1	99.9	107.9	101.7
	Suicide (total).....	9,645	9,942	10,162	11,216	7,584	4,548	11.8	13.2	14.2	16.7	16.0	13.9
155	By poison.....	1,474	1,844	2,016	2,481	2,281	1,549	1.8	2.4	2.8	3.7	4.8	4.7
156	By asphyxia.....	1,278	1,469	1,458	1,584	785	365	1.6	2.0	2.0	2.4	1.7	1.1
157	By hanging or strangulation.....	1,644	1,569	1,509	1,749	1,085	684	2.0	2.1	2.1	2.6	2.3	2.1
158	By drowning.....	649	603	623	670	415	231	0.8	0.8	0.9	1.0	0.9	0.7
159	By firearms.....	3,350	3,269	3,336	3,608	2,233	1,108	4.1	4.3	4.7	5.4	4.7	3.4
160	By cutting or piercing instruments.....	730	711	671	631	472	261	1.0	0.9	0.9	1.0	1.0	0.8
161	By jumping from high places.....	281	269	283	259	128	55	0.3	0.4	0.4	0.4	0.3	0.2
162	By crushing.....	84	103	104	83	67	20	0.1	0.1	0.1	0.1	0.1	0.1
163	Other suicides.....	105	105	112	101	118	275	0.1	0.1	0.2	0.1	0.3	0.3

For footnotes see p. 117.

DEATHS AND DEATH RATES, BY CAUSES.

117

TABLE III.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1915 to 1918—Continued.

[See note at head of this table, p. 114.]

Detailed Int. List No.	Cause of Death.	Number of Deaths.						Death Rate per 100,000 Population.					
		1918	1917	1916	1915	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1918	1917	1916	1915	Annual average: 1906 to 1910	Annual average: 1901 to 1905
XIII.—External causes*—Continued.													
164	Accidental or undefined * (total).	65,908	65,644	60,071	51,406	40,702	27,753	80.5	87.2	83.9	76.3	86.0	84.9
165	Poisoning by food*.	842	779	720	639	1,655	1,412	1.0	1.0	1.0	0.9	3.5	4.3
166	Other acute poisonings*.	1,349	1,294	1,285	1,280	1,054	971	1.6	1.7	1.8	1.9		
167	Conflagration*.	1,414	1,157	1,054	971	545	(*)	1.7	1.5	1.5	1.4	1.2	(*)
168	Burns (conflagration excepted).	6,617	6,829	5,726	4,804	3,885	2,715	8.1	9.1	8.0	7.1	8.2	8.3
169	Absorption of deleterious gases (conflagration excepted)*.	3,338	3,266	2,927	2,202	1,766	1,519	4.1	4.5	4.1	3.3	3.7	4.6
170	Accidental drowning.	5,464	5,462	6,185	6,514	4,551	3,362	6.7	7.3	8.6	9.7	9.6	10.3
171	Traumatism by firearms.	2,013	1,730	1,613	1,501	1,012	1,109	2.5	2.3	2.3	2.2	2.1	3.4
172	Traumatism by cutting or piercing instruments*.	186	164	117	89	(*)	(*)	0.2	0.2	0.2	0.1	(*)	(*)
173	Traumatism by fall*.	10,273	11,088	10,775	9,979	9,979	(*)	12.5	14.7	15.0	14.8	(*)	(*)
174	Traumatism in mines and quarries (total).	2,588	2,713	2,226	2,110	2,010	320	3.2	3.6	3.1	3.1	4.2	1.0
175	Traumatism in mines.	2,497	2,623	2,119	2,009	2,010	320	3.1	3.5	3.0	3.0		
176	Traumatism in quarries.	91	90	107	101	101	101	0.1	0.1	0.1	0.1	4.2	1.0
177	Traumatism by machines.	2,360	2,108	1,624	1,257	1,002	285	2.9	2.8	2.3	1.9	2.1	0.9
178	Traumatism by other crushing* (total).	21,031	20,284	17,991	14,978	(*)	(*)	25.7	26.9	25.1	22.2	(*)	(*)
179	Railroad accidents and injuries.	8,491	8,526	8,127	6,652	7,076	4,977	10.4	11.3	11.3	9.9	15.0	15.2
180	Street-car accidents and injuries.	2,326	2,259	1,775	1,555	1,747	1,747	2.8	3.0	2.5	2.3	3.7	
181	Automobile accidents and injuries.	7,424	6,677	5,193	3,978	4,96	848	9.1	8.9	7.3	5.9	1.0	2.6
182	Injuries by other vehicles.	2,198	2,302	2,333	2,348	1,870	1,870	2.7	3.1	3.3	3.5	4.0	
183	Landslide, other crushing*.	592	520	563	445	(*)	(*)	0.7	0.7	0.8	0.7	(*)	(*)
184	Injuries by animals*.	656	653	589	563	(*)	(*)	0.8	0.9	0.8	0.8	(*)	(*)
185	Starvation.	40	38	47	43	36	33	(*)	0.1	0.1	0.1	0.1	0.1
186	Excessive cold.	508	507	371	344	243	191	0.6	0.7	0.5	0.5	0.5	0.6
187	Effects of heat.	1,136	1,963	2,056	407	763	1,188	1.4	2.6	2.9	0.6	1.6	3.6
188	Lightning.	407	359	340	221	154	98	0.5	0.5	0.5	0.3	0.3	0.3
189	Electricity (lightning excepted)*.	754	654	586	515	(*)	(*)	0.9	0.9	0.8	0.8	(*)	(*)
190	Fractures (cause not specified).	724	475	636	391	1,351	2,785	0.9	0.6	0.9	0.6	2.9	8.5
191	Other external violence*.	4,208	4,021	3,203	2,598	8,554	6,527	5.1	5.3	4.5	3.9	18.1	20.0
192	Homicide (total).	5,456	5,754	5,050	4,670	2,771	950	6.7	7.6	7.1	6.9	5.9	2.9
193	By firearms*.	3,727	3,793	3,241	2,885	1,222	1,222	4.6	5.0	4.5	4.3		
194	By cutting or piercing instruments*.	1,669	761	700	663	2,771	950	0.8	1.0	1.0	1.0	5.9	2.9
195	By other means*.	1,060	1,200	1,109	1,122	1,122	1,122	1.3	1.6	1.5	1.7		
196	XIV.—Ill-defined diseases*.	15,625	13,603	10,852	7,681	13,907	15,633	19.1	18.1	15.2	11.4	29.4	47.8
197	Ill-defined organic disease.	854	668	572	427	842	1,311	1.0	0.9	0.8	0.6	1.8	4.0
198	Sudden death.	1,047	1,033	667	486	233	123	1.3	1.4	0.9	0.7	0.5	0.4
199	Not specified or ill-defined* (total).	13,724	11,902	9,613	6,768	12,833	14,199	16.8	15.8	13.4	10.1	27.1	43.4
200	Ill-defined.	5,140	4,455	3,877	2,865	11,224	12,580	6.3	5.9	5.4	4.3	23.7	38.5
201	Not specified or unknown.	8,584	7,447	5,736	3,903	1,609	1,618	10.5	9.9	8.0	5.8	3.4	4.9

¹ Less than one-tenth of 1 per 100,000 population.

² Less than 1.

³ Figures for deaths not available for the entire period.

⁴ Figures for deaths not tabulated separately prior to 1910.

⁵ Exclusive of acute anterior poliomyelitis (infantile paralysis).

⁶ Paresis (unqualified) transferred from List No. 66 to No. 67, beginning with 1911.

⁷ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA (EXCLUSIVE

All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions, but excluding the deaths of soldiers, sailors, and to recent unusual migrations of the population and to the fact that 1918 is far away from the last

STATE.	All causes. ¹	DEATH RATE PER 100,000 POPULATION FROM—														
		Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer and other malignant tumors.	
		1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
1 The registration area (exclusive of Hawaii).	1,765.2	12.4	3.1	0.4	10.0	2.9	16.8	13.7	286.2	3.2	131.4	7.2	9.4	5.1	79.7	
REGISTRATION STATES.																
2 California.....	1,810.9	6.3	1.3	0.1	5.2	1.9	9.8	7.4	310.2	1.9	174.0	9.0	10.8	3.8	105.9	
3 Colorado.....	1,729.4	13.8	—	1.3	4.9	3.6	14.4	8.0	406.7	3.9	204.2	6.3	5.1	4.4	69.1	
4 Connecticut.....	2,117.8	5.6	0.2	—	6.9	2.9	20.9	15.9	435.7	3.7	135.0	13.1	10.0	3.4	97.9	
5 Illinois.....	1,589.1	8.2	1.3	0.2	5.0	2.4	11.0	18.1	240.1	2.9	121.7	5.2	8.9	5.0	82.7	
6 Indiana.....	1,611.4	14.0	1.2	0.8	5.0	4.4	17.6	15.1	194.6	4.2	121.9	6.4	13.5	5.4	89.9	
7 Kansas.....	1,336.7	15.5	1.1	1.4	13.7	3.8	11.7	6.0	217.3	3.3	48.3	1.5	5.0	4.8	68.2	
8 Kentucky.....	1,641.8	26.9	4.5	0.5	14.3	1.9	37.0	13.5	296.8	4.0	175.8	7.8	13.4	4.5	52.8	
9 Louisiana.....	1,708.5	37.6	27.9	1.0	18.6	0.3	18.9	5.1	281.8	2.0	168.3	2.0	9.5	4.6	46.4	
10 Maine.....	1,853.6	7.4	0.3	—	12.7	1.5	7.5	7.8	321.3	3.3	95.5	10.2	12.3	5.2	107.5	
11 Maryland.....	2,320.9	17.2	0.4	—	10.0	1.4	33.5	9.8	320.5	2.1	192.0	7.8	11.6	6.0	86.5	
12 Massachusetts.....	2,015.5	4.0	0.1	(2)	13.3	1.9	18.0	15.4	326.0	3.9	135.3	10.9	9.6	3.7	107.0	
13 Michigan.....	1,701.5	10.6	0.3	0.5	8.0	5.7	15.7	21.9	203.7	4.2	98.6	6.3	8.9	6.1	92.4	
14 Minnesota.....	1,326.4	3.7	(2)	0.4	4.2	6.6	13.2	12.3	243.9	4.5	89.2	7.5	7.5	5.5	82.9	
15 Missouri.....	1,545.9	19.3	8.1	2.4	10.8	2.7	15.2	13.5	203.7	3.6	129.0	4.2	8.4	4.7	72.1	
16 Montana.....	1,847.3	10.9	0.4	1.2	3.7	14.6	13.2	9.3	545.7	4.5	90.9	6.6	6.2	3.7	57.4	
17 New Hampshire.....	2,146.5	4.5	0.4	—	10.3	1.8	22.4	8.3	447.9	2.9	106.0	7.6	10.5	2.7	107.1	
18 New Jersey.....	1,979.9	5.4	0.4	(2)	17.6	1.7	18.4	16.2	271.9	2.4	139.4	8.5	7.4	5.6	80.6	
19 New York.....	1,791.7	5.4	0.3	(2)	12.6	2.9	11.8	16.4	205.7	3.2	141.0	10.8	7.6	5.1	93.1	
20 North Carolina.....	1,714.3	23.0	7.7	0.1	12.5	0.9	28.6	10.2	322.3	2.8	127.0	2.6	8.7	5.7	43.5	
21 Ohio.....	1,751.2	14.4	0.5	0.4	4.6	3.1	12.7	9.8	256.8	3.1	124.3	7.6	12.1	5.2	91.0	
22 Oregon.....	1,089.7	8.2	0.1	—	6.0	1.7	5.4	3.6	176.1	2.0	63.2	4.7	8.0	3.4	72.7	
23 Pennsylvania.....	2,136.3	10.5	0.2	(2)	9.4	2.0	17.3	20.3	446.7	2.6	129.6	7.8	9.7	5.2	76.1	
24 Rhode Island.....	1,946.5	5.3	0.2	0.2	19.6	3.9	24.6	16.0	343.6	4.9	142.8	13.2	13.2	3.8	89.4	
25 South Carolina.....	1,832.0	35.1	31.7	0.1	17.5	0.2	45.4	8.4	359.1	2.4	134.1	1.6	6.3	3.7	34.3	
26 Tennessee.....	1,699.7	30.1	14.0	0.7	17.5	1.9	24.0	11.9	270.6	2.8	185.4	4.6	15.8	6.8	44.0	
27 Utah.....	1,360.5	9.0	—	2.2	7.5	11.0	13.0	15.9	309.1	6.2	39.2	2.0	4.8	8.4	50.5	
28 Vermont.....	1,857.8	8.2	0.3	—	4.4	3.0	12.8	7.1	369.2	4.4	85.2	7.4	7.9	5.2	99.7	
29 Virginia.....	1,847.4	18.0	3.6	0.2	12.4	1.0	32.2	9.7	350.9	2.6	166.9	5.6	10.7	6.8	54.7	
30 Washington.....	1,013.9	5.9	0.1	0.2	3.6	3.3	4.3	5.0	176.2	2.0	67.6	6.3	6.9	3.0	59.9	
31 Wisconsin.....	1,370.1	3.8	—	0.5	6.5	7.9	7.7	10.7	244.7	2.9	81.8	6.1	7.3	6.9	82.3	

¹ Exclusive of stillbirths.

DEATH RATES FROM IMPORTANT CAUSES.

119

OF HAWAII) AND EACH REGISTRATION STATE, FROM IMPORTANT CAUSES OF DEATH: 1918.

marines. Numbers under causes of death correspond to those of the abridged International List. Populations have been estimated by the arithmetical method. Owing to census year, the estimates are probably far too high in some cases and far too low in others.]

		DEATH RATE PER 100,000 POPULATION FROM—																	
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal afflictions.	Congenital deformities and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Un-known or ill-defined diseases.	
(37)	17	18	19	20, 21	22, (23)	(28)	25	26	27	28	29	31	32	33	35	36	(37)	38	
15.7	9.2	80.6	152.1	15.6	271.7	12.3	58.3	11.9	11.4	9.5	96.7	6.4	15.8	77.4	87.2	11.8	221.2	19.1	1
17.2	8.1	90.3	197.2	10.6	227.5	11.9	34.1	12.7	12.4	14.8	99.4	5.6	12.6	51.8	105.3	24.8	224.3	2.6	2
11.8	7.3	51.0	97.6	11.9	277.2	17.6	42.3	18.3	12.8	5.6	68.9	10.8	16.8	61.9	79.1	13.0	176.3	3.3	3
20.5	11.5	110.9	189.0	19.1	357.1	9.6	69.4	12.0	13.1	11.1	103.5	4.3	17.3	103.2	100.2	15.0	212.9	6.9	4
16.8	7.9	59.1	150.3	16.0	228.8	12.7	67.8	12.9	11.4	10.9	95.4	4.9	13.5	64.1	80.0	13.1	202.8	8.0	5
17.3	9.6	90.1	167.3	11.4	208.7	10.0	47.1	12.5	11.8	11.5	103.5	9.4	14.0	70.6	84.7	11.9	223.6	2.3	6
14.2	7.6	77.6	106.1	8.9	160.6	11.1	28.5	14.1	12.7	6.9	75.6	9.0	14.8	68.9	69.5	11.0	222.0	16.1	7
7.4	17.5	51.6	98.1	13.2	195.3	12.5	43.2	7.7	8.6	5.8	87.1	6.9	13.8	80.6	72.2	7.7	215.2	43.3	8
5.9	8.4	43.6	112.5	11.6	218.0	10.5	67.1	11.1	9.8	9.6	93.2	7.6	18.6	59.2	83.8	5.8	254.6	58.8	9
21.4	10.5	121.7	185.8	19.0	242.8	10.5	39.1	14.8	12.9	4.2	105.7	2.7	15.7	77.3	75.7	13.7	265.9	21.6	10
17.0	11.7	116.6	203.3	30.6	413.6	14.9	115.8	9.8	13.5	9.8	163.2	6.2	17.3	101.6	105.0	12.1	244.0	16.3	11
20.5	8.9	104.0	212.8	23.6	355.2	10.2	75.7	11.1	10.3	7.4	87.5	5.3	17.7	88.0	77.0	12.4	230.1	8.7	12
18.8	7.4	101.0	177.8	22.1	208.2	13.8	55.0	15.2	13.3	10.7	80.0	7.5	17.4	98.4	86.5	12.8	263.0	9.6	13
16.8	4.2	56.3	113.2	9.9	137.1	9.1	22.3	16.0	9.4	7.0	70.0	5.0	13.6	72.2	82.0	12.4	179.3	8.9	14
14.3	10.0	65.8	115.3	13.8	256.6	10.6	35.6	12.9	10.4	10.7	110.7	7.3	11.5	57.4	73.2	12.9	201.3	17.8	15
16.0	10.7	44.2	97.9	6.0	266.9	9.0	32.1	26.7	10.9	8.6	66.2	11.1	26.7	85.5	140.4	19.9	187.9	12.3	16
21.7	12.5	140.0	206.3	23.1	290.1	13.7	48.6	11.2	12.5	11.0	116.9	3.6	13.2	93.2	70.1	15.2	305.8	5.2	17
18.3	10.5	97.2	175.5	21.0	440.5	11.8	77.0	9.3	10.5	10.9	123.3	5.5	13.2	80.3	100.6	11.6	183.4	3.3	18
21.4	7.4	88.8	193.9	17.7	345.8	11.3	51.4	10.8	12.1	11.1	114.8	4.7	13.4	72.7	83.5	12.2	200.6	2.0	19
7.3	10.2	61.6	99.0	10.9	170.7	12.1	81.0	8.2	7.9	4.5	82.8	6.3	26.7	81.9	61.2	4.0	247.3	135.0	20
16.9	8.6	107.8	162.9	13.6	243.3	9.8	51.6	12.1	12.1	12.7	89.1	7.6	15.3	78.8	108.6	13.3	230.1	11.5	21
14.7	5.3	62.3	110.6	5.4	102.9	10.8	14.3	12.9	10.5	4.1	52.7	5.6	10.4	44.8	72.6	11.3	178.3	5.2	22
15.0	9.4	84.4	157.4	19.8	403.8	17.1	95.7	9.5	11.7	11.2	103.3	7.0	19.2	93.5	112.8	11.0	208.8	8.3	23
17.1	11.6	107.2	164.4	22.9	291.2	6.3	69.0	8.8	11.3	8.5	102.8	5.2	18.7	89.6	75.1	12.4	234.7	9.3	24
6.8	9.8	49.7	92.5	5.7	201.6	16.0	75.1	6.8	7.5	2.6	89.9	9.2	25.3	133.7	65.6	3.4	308.5	62.5	25
6.8	13.2	38.4	91.2	10.0	202.6	11.1	40.9	11.8	8.9	4.8	71.2	6.7	14.3	50.8	71.1	5.2	235.6	74.8	26
14.1	6.8	41.9	103.6	9.5	174.4	11.2	23.1	20.9	13.2	3.3	56.2	6.8	20.7	87.7	80.9	6.4	167.8	33.1	27
21.3	6.8	131.1	213.8	24.9	191.4	10.7	41.5	17.2	12.8	4.4	109.8	2.7	13.7	79.5	74.8	12.6	272.5	1.6	28
8.5	12.6	82.5	136.4	12.0	184.1	14.2	60.5	7.5	9.3	5.6	103.1	7.3	22.9	89.3	82.0	7.3	259.5	62.8	29
13.4	4.9	48.8	84.4	5.2	117.6	8.1	13.9	10.7	6.7	4.8	47.9	5.1	10.2	48.4	75.6	10.6	143.9	9.6	30
15.7	8.7	75.4	106.7	15.1	164.0	13.1	28.3	12.6	12.2	8.3	59.6	4.5	9.7	74.7	59.0	12.6	213.5	7.6	31

* Less than one-tenth of 1 per 100,000 population.

GENERAL TABLES.

GENERAL TABLES.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS; BY MONTH OF DEATH: 1918.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
SUMMARY.													
The registration area (exclusive of Hawaii).....	1,445,158	104,862	94,632	107,778	108,030	91,599	80,588	82,418	85,010	89,561	289,399	163,609	147,872
Registration states ¹	1,404,116	101,305	91,746	104,897	104,664	88,718	77,881	80,001	82,645	87,288	281,899	159,757	143,520
Cities in registration states ¹	741,187	54,140	48,559	57,337	56,506	45,669	39,237	40,619	41,730	45,871	162,415	76,455	72,649
Rural part of registration states.....	662,929	47,165	43,187	47,560	48,158	43,049	38,644	38,382	40,915	41,412	118,284	83,302	70,871
Registration cities in nonregistration states.....	41,042	3,357	2,886	2,881	3,366	2,881	2,707	2,417	2,365	2,278	7,700	3,852	4,352
All registration cities ¹	782,229	57,497	51,445	60,218	59,872	48,550	41,944	43,036	44,095	48,149	170,115	80,307	77,001
REGISTRATION STATES.													
California.....	56,488	3,737	3,577	3,915	3,807	3,647	3,441	3,104	3,134	3,063	8,686	9,558	6,819
Colorado.....	17,546	979	968	1,125	1,220	1,040	988	924	919	864	2,575	3,361	2,603
Connecticut.....	27,240	1,877	1,723	2,004	1,823	1,484	1,284	1,413	1,434	1,780	7,463	2,547	2,408
Illinois.....	100,388	7,306	6,694	7,851	7,974	6,680	5,241	5,492	5,914	6,162	19,125	10,914	10,743
Indiana.....	45,993	3,722	3,375	3,836	4,061	2,727	2,727	2,773	2,915	2,801	5,328	5,058	5,605
Kansas.....	25,053	2,011	1,792	2,078	1,885	1,688	1,455	1,388	1,636	1,320	3,317	2,794	3,689
Kentucky.....	39,532	2,962	2,821	3,088	2,914	2,325	2,079	2,308	2,521	2,350	6,739	5,585	3,840
Louisiana.....	32,201	2,639	2,111	2,068	2,333	2,338	2,473	2,245	1,952	1,762	6,354	3,605	2,321
Maine.....	14,499	1,057	965	1,141	1,145	962	836	802	817	1,067	2,736	1,236	1,585
Maryland.....	32,134	2,345	2,175	2,381	2,103	1,922	1,614	1,809	2,031	1,823	9,030	2,470	2,331
Massachusetts.....	77,243	5,374	5,180	5,456	5,529	4,427	3,971	4,216	4,205	9,099	17,020	5,553	7,218
Michigan.....	53,320	4,213	3,929	4,233	4,871	3,939	3,217	3,269	3,210	3,240	6,993	5,803	6,388
Minnesota.....	31,109	2,012	1,892	2,194	2,557	2,323	1,809	1,674	1,608	1,790	4,274	5,066	3,880
Missouri.....	53,311	4,158	3,785	4,414	4,141	3,455	3,048	3,198	3,285	2,960	7,027	6,492	7,348
Montana.....	8,935	494	428	593	612	529	433	399	443	1,588	1,958	1,138	
New Hampshire.....	9,581	632	587	668	704	560	497	492	497	1,010	2,524	642	768
New Jersey.....	60,988	4,371	3,888	4,878	4,204	3,410	3,048	3,347	3,584	3,552	17,049	5,041	4,866
New York.....	190,764	14,565	12,956	16,126	14,521	11,946	10,448	10,641	10,886	10,852	44,085	18,320	15,418
North Carolina.....	42,274	3,129	2,823	2,523	2,869	2,939	3,210	2,947	2,758	2,353	8,504	4,220	3,649
Ohio.....	92,356	6,962	6,116	7,057	7,368	5,883	4,939	5,163	5,831	5,761	14,053	11,866	11,357
Oregon.....	9,679	640	589	741	799	664	673	627	531	591	1,242	1,396	1,186
Pennsylvania.....	187,951	12,419	10,821	12,428	12,713	10,209	8,415	9,399	10,477	10,687	48,829	25,135	16,919
Rhode Island.....	12,407	367	774	942	967	698	662	743	725	912	3,045	979	1,093
South Carolina.....	30,761	2,048	1,820	1,882	2,069	2,465	2,277	2,018	1,992	1,882	6,113	3,629	2,371
Tennessee.....	37,134	2,765	2,524	2,682	2,745	2,211	2,291	2,575	2,419	2,230	7,295	3,926	3,471
Utah.....	6,172	421	394	436	449	413	345	295	335	284	924	1,104	772
Vermont.....	6,803	500	426	491	482	458	398	391	377	524	1,697	516	543
Virginia.....	41,272	3,077	2,728	2,980	2,902	2,504	2,490	2,676	2,848	2,570	8,639	3,537	4,321
Washington.....	16,837	994	1,026	1,279	1,259	1,169	1,029	996	900	985	2,239	2,273	2,688
Wisconsin.....	34,092	2,342	2,321	2,517	2,930	2,557	2,058	1,989	1,995	2,054	4,779	4,416	5,034
REGISTRATION CITIES.													
ALABAMA.²													
Registration cities.....	6,697	581	493	440	616	484	465	418	456	388	953	584	819
Birmingham.....	4,346	353	301	300	418	319	268	257	294	249	593	410	584
Mobile.....	1,430	136	74	96	88	88	89	89	91	70	304	111	138
Montgomery.....	921	92	88	66	102	77	68	72	71	69	56	63	97
CALIFORNIA.													
Registration cities.....	33,317	2,188	2,109	2,346	2,249	2,146	1,959	1,811	1,843	1,771	5,557	5,168	4,170
Alameda.....	419	26	26	35	34	20	24	26	22	16	72	58	60
Bakersfield.....	611	22	28	31	36	35	35	22	31	25	148	133	65
Berkeley.....	679	40	50	46	45	38	42	45	51	30	127	85	80
Eureka.....	251	18	12	17	17	13	19	12	14	16	43	52	18
Fresno.....	679	41	29	40	57	47	48	44	39	37	70	111	116
Long Beach.....	671	56	52	47	47	41	52	37	44	33	106	89	67
Los Angeles.....	9,348	627	628	640	594	628	562	537	554	515	1,384	1,515	1,164
Oakland.....	3,212	204	171	266	204	182	173	182	173	181	611	493	372
Pasadena.....	566	50	48	41	42	51	36	37	44	20	60	78	59
Pomona.....	180	11	14	13	17	14	14	10	11	8	17	30	21
Redlands.....	122	10	9	13	5	10	11	6	6	11	16	9	16
Riverside.....	339	21	24	23	29	28	19	25	18	16	41	59	36
Sacramento.....	1,727	109	97	92	114	115	83	58	78	86	259	413	223
San Bernardino.....	499	34	28	37	33	30	28	36	23	28	110	70	42
San Diego.....	1,534	114	129	104	100	98	96	88	106	106	135	162	296
San Francisco.....	9,855	660	617	733	684	611	562	502	496	499	1,974	1,317	1,200
San Jose.....	587	37	35	46	46	56	43	33	32	39	99	58	63
Santa Barbara.....	250	17	11	17	21	21	12	17	14	13	28	38	41
Santa Cruz.....	195	18	10	7	15	15	13	21	17	17	16	24	22
Stockton.....	1,347	54	69	82	89	81	78	67	64	67	195	324	177
Vallejo.....	246	19	22	16	20	12	9	6	6	8	46	50	32

¹ Including District of Columbia.

² Nonregistration state; only those cities with satisfactory registration of deaths are shown.

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Janu- ary.	Febr- uary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
REGISTRATION CITIES—Continued.													
COLORADO.													
Registration cities.....	7,470	415	440	516	583	432	442	424	409	381	997	1,199	1,232
Colorado Springs.....	842	44	46	64	60	46	45	51	59	58	101	127	141
Denver.....	5,199	287	317	378	413	303	302	288	285	255	728	755	888
Pueblo.....	1,072	60	50	49	81	57	69	58	48	42	130	277	151
Trinidad.....	357	24	27	25	29	26	26	27	17	26	38	40	52
CONNECTICUT.													
Registration cities.....	19,962	1,398	1,247	1,479	1,354	1,111	925	1,003	982	1,240	5,610	1,878	1,735
Ansonia.....	318	15	13	23	20	16	12	17	22	24	111	17	28
Bridgeport.....	2,981	207	225	294	219	160	130	161	152	139	664	395	235
Bristol.....	304	22	22	20	12	10	12	17	15	14	122	20	18
Danbury town.....	490	37	27	30	29	21	22	23	40	35	135	43	48
Greenwich town.....	377	19	22	34	16	22	16	28	22	20	105	44	29
Hartford.....	3,117	225	218	239	222	173	149	167	163	237	784	269	271
Manchester town.....	221	20	19	13	14	8	8	16	12	8	65	17	21
Meriden town.....	500	65	57	50	45	38	42	43	38	46	272	52	52
Middletown town.....	756	59	52	58	50	48	35	26	28	52	193	77	78
Naugatuck.....	248	16	10	13	10	9	11	5	10	16	122	14	12
New Britain.....	1,112	76	56	60	50	62	43	51	39	53	425	70	97
New Haven.....	3,343	246	217	236	260	220	169	184	148	178	788	375	322
New London.....	586	34	21	46	42	34	30	31	31	68	140	53	56
Norwalk.....	559	37	38	45	24	46	28	26	30	22	149	64	50
Norwich town.....	765	67	38	62	49	47	45	25	52	98	188	45	49
Orange town.....	248	20	12	19	9	14	12	13	12	18	55	26	35
Stamford town.....	794	66	49	58	53	48	32	38	49	41	192	81	87
Torrington town.....	326	24	16	28	11	18	15	10	18	20	68	47	51
Wallingford town.....	184	12	12	16	20	15	5	15	6	19	47	5	12
Waterbury.....	2,087	114	104	116	145	91	80	97	80	99	841	156	164
Windham town.....	346	17	19	19	24	11	29	10	15	33	141	8	20
DELAWARE. ¹													
Wilmington.....	2,606	134	135	179	165	116	110	123	171	201	981	169	.172
DISTRICT OF COLUMBIA.													
Washington.....	9,090	687	588	770	678	531	505	572	510	512	2,177	607	953
FLORIDA. ¹													
Registration cities.....	4,194	343	292	269	282	294	248	230	234	235	1,175	335	257
Jacksonville.....	2,049	189	158	129	133	150	114	114	113	106	588	141	114
Key West.....	387	32	29	31	42	26	29	22	17	18	76	40	25
Pensacola.....	672	45	34	46	44	56	47	39	36	46	196	41	42
Tampa.....	1,036	77	71	63	63	62	58	55	68	65	315	113	76
GEORGIA. ¹													
Registration cities.....	5,825	571	437	410	535	474	421	372	388	359	786	538	584
Atlanta.....	3,702	383	290	258	347	291	278	249	217	217	462	325	385
Brunswick.....	278	31	22	14	24	18	12	12	20	34	32	27	32
Savannah.....	1,845	157	125	138	164	165	131	111	101	108	292	186	167
ILLINOIS.													
Registration cities.....	63,242	4,463	4,050	5,051	5,126	4,121	3,183	3,326	3,698	3,796	13,766	6,250	6,412
Alton.....	499	28	36	46	42	22	26	30	30	32	56	91	60
Aurora.....	739	50	47	61	63	55	30	37	57	37	119	95	88
Belleville.....	480	31	22	39	31	28	22	21	26	26	58	93	83
Bloomington.....	525	49	50	34	40	33	27	22	36	29	94	66	55
Cairo.....	396	33	28	23	34	25	18	18	21	17	84	50	40
Canton.....	256	11	18	15	20	14	6	12	9	10	58	46	37
Champaign.....	265	21	17	16	17	13	16	11	16	16	60	33	29
Chicago.....	44,069	3,080	2,792	3,638	3,582	2,810	2,193	2,297	2,552	2,680	10,323	3,986	4,136
Chicago Heights.....	398	15	23	33	42	15	15	14	18	17	74	84	48
Cicero.....	412	32	18	37	35	23	16	21	27	35	96	42	30
Danville.....	709	52	36	47	57	54	35	47	55	47	116	93	70
Decatur.....	685	58	49	61	42	38	36	42	33	46	129	79	72
East St. Louis.....	1,216	82	86	87	93	83	70	72	52	53	205	155	178
Elgin.....	685	71	59	59	68	55	46	43	34	27	90	63	70
Evanston.....	491	29	30	26	31	29	29	36	24	42	98	44	73
Freeport.....	366	31	21	22	34	28	22	24	20	20	57	36	51
Galesburg.....	459	40	31	36	37	29	28	27	27	24	80	49	51
Granite.....	273	13	18	15	13	15	9	15	18	16	67	47	27
Jacksonville.....	617	51	55	45	37	54	35	47	55	43	74	73	43
Joliet.....	1,061	69	56	70	75	66	59	47	53	72	312	108	74
Kankakee.....	774	57	52	67	65	62	60	48	54	44	113	83	79

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

DEATHS, BY MONTH OF OCCURRENCE.

125

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—												
		Janu- ary.	Febr- uary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.	
REGISTRATION CITIES—Continued.														
ILLINOIS—continued.														
La Salle.	326	15	11	14	29	22	14	11	18	19	66	58	49	
Lincoln.	403	27	32	30	29	43	17	17	35	21	40	40	72	
Mattoon.	257	26	20	22	22	23	12	12	11	17	46	20	26	
Moline.	614	41	35	41	65	28	28	30	38	43	58	79	128	
Oak Park.	508	42	44	39	42	37	33	22	25	31	77	60	56	
Peoria.	1,389	93	91	102	126	118	75	68	76	76	255	131	178	
Quincy.	857	70	68	65	83	68	41	41	72	43	141	74	91	
Rockford.	1,030	67	56	86	94	66	68	51	60	49	319	77	97	
Rock Island.	548	50	42	53	45	37	22	32	34	25	62	64	82	
Springfield.	1,222	85	70	80	82	90	48	82	77	74	196	177	161	
Streator.	345	19	20	20	23	17	21	11	18	21	66	43	66	
Waukegan.	308	20	17	22	28	21	18	18	17	44	77	16	12	
INDIANA.														
Registration cities.	18,502	1,442	1,311	1,535	1,745	1,274	1,085	1,054	1,116	1,074	2,509	2,127	2,230	
Anderson.	409	41	24	27	28	27	31	25	28	27	37	37	77	
East Chicago.	735	58	46	70	36	28	29	41	39	203	61	52		
Elkhart.	418	33	33	27	40	41	20	19	18	12	54	42	74	
Elwood.	212	11	16	18	16	11	17	1	13	18	15	21	55	
Evansville.	1,444	114	116	129	127	88	79	84	78	84	204	173	168	
Fort Wayne.	1,213	83	90	116	154	97	82	71	83	72	104	90	171	
Gary.	1,098	62	67	88	98	49	108	61	59	50	161	174	121	
Hammond.	777	46	61	63	53	40	42	32	39	40	182	97	77	
Huntington.	197	16	11	23	16	16	14	8	12	14	11	18	38	
Indianapolis.	5,241	451	355	436	523	409	298	323	322	317	705	588	514	
Jeffersonville.	212	22	14	17	16	17	17	6	9	10	28	25	31	
Kokomo.	392	29	34	27	42	26	24	20	31	14	43	59	43	
Lafayette.	512	41	28	47	48	32	20	36	34	50	79	35	62	
Laporte.	279	10	18	19	17	14	13	15	22	22	24	45	60	
Logansport.	408	24	29	32	28	22	26	26	27	26	65	50	53	
Marion.	346	27	27	41	41	30	19	18	23	16	21	32	51	
Michigan City.	314	17	29	33	34	19	17	12	14	22	28	39	50	
Mishawaka.	252	20	15	16	9	14	15	18	19	21	16	56	33	
Muncie.	429	40	30	36	47	33	23	40	31	31	28	31	59	
New Albany.	430	34	37	38	39	22	25	21	27	16	96	35	40	
Peru.	186	15	16	18	12	20	18	10	14	14	14	15	20	
Richmond.	409	34	35	31	39	28	25	24	23	21	51	46	50	
South Bend.	1,085	92	71	69	77	74	50	65	50	57	208	157	115	
Terre Haute.	1,164	96	85	86	119	77	60	70	78	68	109	164	152	
Vincennes.	340	26	19	28	45	32	14	20	19	13	23	37	64	
KANSAS.														
Registration cities.	6,681	520	481	568	511	454	377	370	414	333	1,051	710	892	
Atchison.	217	15	15	13	24	11	13	11	11	8	22	31	43	
Coffeyville.	230	22	19	14	10	19	13	12	14	14	35	24	34	
Fort Scott.	226	1	19	23	23	20	11	13	15	14	30	13	27	
Hutchinson.	395	30	25	28	13	30	24	26	28	16	43	72	60	
Independence.	210	14	16	11	11	17	13	13	10	4	27	37	37	
Kansas City.	2,084	170	155	183	152	131	113	109	124	89	421	175	262	
Lawrence.	200	13	12	22	22	18	5	6	16	12	22	17	35	
Leavenworth.	388	23	26	46	29	35	29	23	28	20	30	40	59	
Parsons.	275	26	21	23	39	15	20	5	13	13	44	29	27	
Pittsburg.	272	21	18	19	20	16	11	14	13	11	37	38	54	
Topeka.	960	77	76	80	81	67	59	60	62	67	155	84	92	
Wichita.	1,224	91	79	106	87	75	66	78	80	65	185	150	162	
KENTUCKY.														
Registration cities.	9,708	802	800	801	803	634	507	565	567	532	1,545	1,068	1,084	
Covington.	1,198	107	103	102	95	72	66	53	63	61	229	112	135	
Frankfort.	283	20	13	27	19	13	17	18	6	25	36	62		
Henderson.	289	25	21	25	23	17	10	29	11	9	40	30	49	
Lexington.	1,231	96	111	105	105	79	71	72	85	80	165	159	103	
Louisville.	5,083	420	425	413	426	332	255	297	309	283	885	492	536	
Newport.	465	44	44	40	41	29	24	12	22	21	52	67	69	
Owensboro.	487	37	33	39	43	38	26	38	26	18	53	84	52	
Paducah.	672	53	50	50	43	48	42	47	33	54	86	88	78	
LOUISIANA.														
Registration cities.	12,359	1,052	827	786	874	874	862	811	720	660	2,806	1,048	1,039	
Alexandria.	402	37	23	22	28	28	32	38	18	15	106	31	24	
Baton Rouge.	447	29	25	32	30	36	34	30	21	30	105	43	32	
Lake Charles.	353	24	20	17	30	28	24	23	31	15	50	32	59	
Monroe.	310	22	20	18	19	20	40	28	24	17	59	24	19	
New Orleans.	9,756	852	657	615	678	682	52	603	557	507	2,309	822	822	
Shreveport.	1,091	88	82	82	89	80	80	89	69	76	177	96	83	

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Janu-	Febr-	March.	April.	May.	June.	July.	August.	Septem-	October.	Novem-	Decem-
REGISTRATION CITIES—Continued.													
MAINE.													
Registration cities.....	3,967	290	274	311	336	247	216	230	232	273	670	347	541
Auburn.....	229	25	15	25	25	14	13	12	17	13	23	21	26
Augusta.....	359	35	31	26	27	17	24	32	28	31	36	34	33
Bangor.....	723	61	59	61	65	54	51	29	38	40	128	71	68
Biddeford.....	347	27	15	25	41	17	19	24	15	34	60	38	32
Lewiston.....	607	44	44	51	41	48	23	40	26	38	128	52	72
Portland.....	1,407	82	90	97	115	88	72	82	84	96	259	97	245
Waterville.....	295	16	20	26	22	9	14	11	26	21	36	34	60
MARYLAND.													
Registration cities.....	17,359	1,306	1,239	1,403	1,207	1,078	873	1,042	1,002	881	5,054	1,145	1,129
Baltimore.....	15,810	1,198	1,160	1,296	1,110	990	799	971	926	799	4,587	1,032	992
Cumberland.....	746	40	32	44	33	44	29	29	32	40	317	50	56
Frederick.....	271	23	14	23	22	15	22	19	15	17	58	17	26
Bagerstown.....	532	45	33	40	42	29	23	23	29	25	142	46	55
MASSACHUSETTS.													
Registration cities.....	61,196	4,234	4,152	4,299	4,833	3,487	3,055	3,276	3,234	7,492	13,702	4,296	5,636
Adams town.....	199	6	11	16	18	18	3	12	11	14	50	27	13
Arlington town.....	233	19	24	23	11	13	18	11	13	45	52	19	35
Attleboro.....	315	23	16	31	13	19	12	8	17	28	96	21	31
Beverly.....	236	20	25	21	32	14	10	22	16	38	76	24	28
Boston.....	17,267	1,304	1,289	1,236	1,178	1,008	865	914	835	2,658	3,375	1,033	1,592
Brockton.....	1,192	63	76	83	80	56	55	50	60	208	273	73	115
Brookline town.....	519	48	40	42	24	27	27	15	36	102	83	28	47
Cambridge.....	2,266	192	193	141	161	122	128	118	110	325	420	139	217
Chelsea.....	852	62	58	65	73	55	30	49	26	128	177	66	63
Chicopee.....	514	28	24	35	43	35	17	35	38	37	117	57	43
Clinton town.....	283	14	15	24	17	26	14	14	14	28	73	18	26
Everett.....	563	34	38	46	39	36	21	28	34	72	119	36	60
Fall River.....	2,858	201	151	204	192	145	117	197	176	261	844	175	195
Fitchburg.....	736	49	48	47	61	41	46	33	39	66	252	48	56
Framingham town.....	391	29	27	24	27	20	15	13	20	38	96	24	58
Gardner town.....	333	28	17	25	23	14	15	15	22	21	101	26	26
Gloucester.....	544	33	33	25	32	24	23	30	17	136	121	29	41
Greenfield town.....	299	17	15	16	17	14	15	10	15	26	113	19	22
Haverhill.....	853	69	46	75	73	57	47	40	37	68	179	59	103
Holyoke.....	1,272	89	66	95	88	65	61	71	64	80	232	184	177
Lawrence.....	2,030	125	146	156	150	130	136	99	114	159	497	160	158
Leominster.....	349	19	24	28	34	16	17	18	15	24	104	20	30
Lowell.....	2,466	153	176	175	203	159	136	138	162	251	587	127	201
Lynn.....	1,811	133	119	126	118	110	87	95	100	222	369	114	208
Malden.....	851	50	50	68	56	53	33	50	42	118	188	54	89
Marlborough.....	277	23	17	18	24	18	11	16	12	25	43	41	29
Medford.....	505	23	45	29	27	28	34	33	29	88	90	33	46
Melrose.....	282	28	21	28	27	18	13	17	15	24	36	19	36
Methuen town.....	214	15	16	10	20	18	9	15	17	18	47	15	16
Milford town.....	325	15	18	16	31	25	18	13	16	58	81	18	16
New Bedford.....	2,895	199	168	174	182	139	153	232	190	226	853	205	174
Newburyport.....	351	23	25	19	28	26	20	21	19	43	77	25	25
Newton.....	750	49	46	71	47	35	48	40	38	92	162	39	33
North Adams.....	419	22	44	30	41	33	25	25	33	28	74	47	17
Northampton.....	536	32	49	29	47	31	28	33	42	59	96	65	75
Peabody.....	351	20	26	32	24	15	14	17	17	42	88	32	24
Pittsfield.....	959	67	45	61	55	57	35	38	50	58	343	53	92
Plymouth town.....	250	8	14	16	18	8	12	15	13	34	43	24	50
Quincy.....	850	49	61	60	54	39	41	23	33	208	183	41	28
Revere.....	304	23	17	14	18	20	21	14	12	44	72	21	28
Salem.....	887	52	71	61	53	42	50	35	59	150	179	60	75
Somerville.....	1,521	106	102	123	116	93	83	92	67	206	297	91	145
Southbridge town.....	208	7	11	11	16	9	14	8	9	12	58	26	27
Springfield.....	2,534	161	206	174	192	135	107	151	132	165	475	208	338
Taunton.....	951	56	48	57	57	55	55	47	63	81	273	86	73
Wakefield town.....	173	16	12	17	12	8	9	12	9	18	30	11	19
Waltham.....	713	51	32	51	39	36	33	28	27	82	230	44	60
Watertown town.....	279	22	15	12	23	16	7	10	10	53	61	21	29
Webster town.....	229	13	19	11	15	16	11	10	9	18	69	25	13
Westfield town.....	460	29	21	24	33	29	21	28	24	35	117	43	56
Weymouth town.....	272	34	23	25	18	16	17	11	13	33	42	24	16
Winthrop town.....	180	13	16	12	15	8	7	12	7	45	18	17	10
Woburn.....	291	22	18	17	27	21	18	15	11	41	45	25	33
Worcester.....	3,758	248	239	270	316	218	193	182	225	343	826	262	316

DEATHS, BY MONTH OF OCCURRENCE.

127

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
MICHIGAN.													
Registration cities	25,455	1,988	1,815	2,027	2,443	1,786	1,459	1,472	1,467	1,461	3,650	2,812	3,075
Adrian	246	17	13	12	31	22	22	11	22	17	24	23	32
Alpena	230	12	20	20	17	14	12	6	14	12	42	38	23
An Arbor	508	46	26	41	46	45	46	30	26	29	95	46	32
Battle Creek	697	65	49	46	55	47	47	40	37	41	131	62	77
Bay City	796	69	51	62	80	69	41	36	44	55	68	132	89
Detroit	12,889	991	926	1,071	1,295	916	695	760	716	697	1,957	1,370	1,495
Escanaba	280	15	20	20	28	21	25	18	9	14	27	33	50
Flint	1,105	66	73	76	95	70	44	47	71	54	264	126	119
Grand Rapids	1,893	158	136	147	193	146	116	115	110	126	165	200	283
Holland	146	13	13	6	15	10	6	11	9	6	9	21	27
Ironwood	215	24	10	9	19	12	12	6	13	12	21	52	25
Ishpeming	158	9	20	6	19	8	12	12	6	8	12	16	30
Jackson	899	84	64	68	67	60	52	34	56	47	226	70	71
Kalamazoo	1,083	83	79	97	97	65	61	84	75	53	129	113	152
Lansing	722	62	42	62	69	41	51	36	33	43	98	82	103
Manistee	141	16	13	18	12	15	5	6	5	14	15	4	18
Marquette	217	14	14	18	20	22	22	11	14	13	20	27	22
Menominee	170	13	8	13	12	8	10	17	12	3	18	25	31
Muskegon	621	47	45	48	58	45	30	36	36	41	71	84	80
Pontiac	601	45	50	44	51	32	40	46	34	46	76	72	65
Port Huron	358	29	22	28	42	30	19	14	26	29	34	52	33
Saginaw	936	69	78	69	71	59	48	56	63	65	93	113	152
Sault Ste. Marie	224	14	17	16	31	5	12	17	16	19	24	42	11
Traverse City	315	29	26	30	20	24	31	23	20	17	25	15	55
MINNESOTA.													
Registration cities	11,575	802	718	863	1,109	900	686	626	558	670	1,519	1,714	1,410
Duluth	1,390	91	89	89	151	107	76	68	72	85	141	259	162
Mankato	276	20	23	17	29	21	18	12	10	19	35	37	35
Minneapolis	5,392	371	361	418	584	437	387	294	254	311	739	599	687
St. Cloud	275	17	15	15	12	21	20	7	9	15	73	49	22
St. Paul	3,602	249	191	287	293	275	204	213	186	206	415	635	448
Stillwater	123	11	8	12	8	9	6	6	3	6	14	31	9
Virginia	216	21	16	14	11	12	10	12	11	7	18	73	11
Wimona	301	22	15	11	21	18	15	14	13	21	84	31	36
MISSISSIPPI. ¹													
Registration cities	3,063	266	200	228	241	251	254	215	205	191	420	299	293
Hattiesburg	374	32	24	31	32	30	26	26	34	24	51	26	38
Jackson	1,057	83	63	78	91	90	76	78	73	66	157	95	107
Meridian	622	54	40	47	43	57	64	46	45	49	100	35	42
Natchez	329	25	24	19	25	19	26	24	15	18	35	63	36
Vicksburg	681	72	49	53	50	55	62	41	38	34	77	80	70
MISSOURI.													
Registration cities	25,374	1,956	1,811	2,143	2,015	1,674	1,447	1,466	1,475	1,276	3,441	2,976	3,694
Hannibal	419	31	33	34	37	35	23	13	26	18	104	41	24
Jefferson City	237	14	21	20	19	18	16	6	19	8	18	37	41
Joplin	810	76	59	47	64	47	38	51	47	36	103	112	130
Kansas City	6,608	502	450	588	488	413	395	394	323	305	1,001	736	1,013
Moberly	252	19	19	23	27	14	16	7	18	14	29	25	41
St. Joseph	1,797	130	162	136	162	110	106	90	108	89	316	177	211
St. Louis	13,727	1,083	1,003	1,172	1,112	925	763	805	860	728	1,525	1,711	2,040
Sedalia	447	29	24	38	31	35	25	29	21	17	75	49	74
Springfield	827	52	29	60	58	64	38	57	38	44	232	60	95
Webb City	250	20	11	25	17	13	27	14	15	17	38	28	25
MONTANA.													
Registration cities	3,212	183	131	210	222	184	141	144	125	161	603	702	406
Anaconda	211	13	7	12	26	8	16	11	13	14	17	41	33
Billings	317	18	11	14	19	27	8	17	14	15	56	77	41
Butte	1,455	70	44	111	99	92	66	66	59	63	315	304	166
Great Falls	603	41	37	37	32	25	34	22	13	33	111	155	63
Helena	288	16	19	14	21	12	11	17	15	22	49	61	31
Missoula	338	25	13	22	25	20	6	11	11	14	55	64	72
NEBRASKA. ¹													
Registration cities	4,104	245	222	257	309	212	222	255	221	220	766	487	688
Lincoln	905	69	54	70	57	52	39	54	39	46	198	107	120
Omaha	3,199	176	168	187	252	160	183	201	182	174	568	380	568

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—												
		January.	Febr.- ruary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.	
REGISTRATION CITIES—Continued.														
NEW HAMPSHIRE.														
Registration cities.....	4,493	300	269	285	325	246	218	220	233	525	1,234	308	330	
Berlin.....	338	10	14	16	16	26	19	8	18	99	87	16	9	
Concord.....	682	58	42	52	63	36	33	34	28	49	144	75	68	
Dover.....	277	13	14	13	16	15	10	13	20	27	95	22	19	
Keene.....	275	19	11	15	15	14	15	17	11	22	88	17	31	
Laconia.....	296	20	15	17	18	14	13	14	14	22	96	20	33	
Manchester.....	1,659	120	110	113	114	102	76	80	89	192	440	114	109	
Nashua.....	632	43	38	39	46	24	36	34	36	75	192	29	40	
Portsmouth.....	334	17	25	20	37	15	16	20	17	39	92	15	21	
NEW JERSEY.														
Registration cities.....	39,142	2,870	2,459	3,089	2,725	2,159	1,929	2,061	2,218	2,181	11,126	3,302	3,023	
Ashbury Park.....	203	12	13	15	15	14	10	9	17	11	49	19	19	
Atlantic City.....	1,210	81	57	74	64	67	63	92	90	68	305	101	143	
Bayonne.....	1,439	96	73	90	105	75	57	54	52	116	553	90	68	
Bloomfield.....	246	13	14	36	17	12	13	12	14	12	63	17	23	
Bridgeton.....	396	25	26	20	28	25	17	27	19	22	141	23	23	
Camden.....	3,062	216	198	195	176	134	142	150	158	161	1,205	166	161	
East Orange.....	471	54	31	41	34	29	21	23	29	27	81	44	57	
Elizabeth.....	1,846	121	130	143	143	103	94	91	108	78	577	153	105	
Garfield.....	251	12	10	11	12	17	13	18	18	12	89	26	13	
Hackensack.....	434	24	23	38	28	24	22	17	24	23	106	50	55	
Harrison.....	225	18	19	23	15	17	13	11	5	9	59	24	12	
Hoboken.....	1,182	117	99	145	99	65	45	54	58	55	274	98	73	
Irvington.....	302	31	26	24	16	16	12	17	13	15	74	30	28	
Jersey City.....	6,081	427	366	558	415	344	314	296	357	350	1,674	538	422	
Kearny.....	438	40	24	38	34	24	24	18	24	22	109	43	38	
Long Branch.....	379	28	26	30	44	24	16	35	35	35	56	19	31	
Millville.....	317	22	14	29	13	22	15	17	14	8	120	22	21	
Montclair.....	301	19	16	21	17	16	20	26	31	19	57	22	37	
Morristown.....	407	21	23	27	25	11	16	14	24	26	137	37	41	
New Brunswick.....	893	44	55	60	51	50	55	62	64	72	256	70	54	
Newark.....	8,132	597	551	687	639	500	392	450	426	414	1,937	819	720	
Orange.....	844	57	44	77	60	50	49	44	40	39	190	102	92	
Passaic.....	1,192	92	80	89	84	79	74	83	75	66	264	105	101	
Paterson.....	2,636	231	169	193	177	156	154	121	185	162	645	262	251	
Perth Amboy.....	1,030	75	52	61	71	41	39	51	43	57	425	68	47	
Phillipsburg.....	342	35	17	18	22	12	15	17	23	23	126	22	18	
Plainfield.....	616	39	45	41	57	25	31	33	39	43	153	56	54	
Trenton.....	2,927	214	162	193	179	139	154	154	179	174	1,041	165	173	
Union.....	265	22	27	21	16	11	9	15	15	16	77	23	13	
West Hoboken.....	493	40	30	39	27	35	26	25	20	28	129	42	52	
West New York.....	350	32	15	32	25	16	18	21	19	12	108	27	25	
West Orange.....	132	15	14	20	17	6	6	4	6	6	41	19	28	
NEW YORK.														
Registration cities.....	145,303	11,278	9,891	12,649	11,121	8,924	7,755	7,847	8,011	7,901	34,721	13,730	11,475	
Albany.....	2,548	191	165	202	202	159	144	152	134	125	673	207	194	
Amsterdam.....	576	38	37	50	22	38	39	26	33	45	144	64	40	
Auburn.....	708	51	46	57	51	41	41	59	29	40	181	57	55	
Batavia.....	325	18	24	29	23	19	21	19	14	14	75	37	32	
Binghamton.....	1,363	98	98	114	92	101	93	79	78	88	308	132	82	
Buffalo.....	10,112	684	619	705	733	632	558	587	679	631	2,640	846	798	
Cohoes.....	497	39	34	41	23	23	22	26	22	25	129	79	34	
Corning.....	294	20	29	23	21	16	8	13	13	17	85	30	19	
Cortland.....	311	28	17	22	25	12	13	28	21	28	83	21	15	
Dunkirk.....	400	33	17	19	29	21	22	18	30	26	60	75	50	
Elmira.....	868	63	71	74	73	69	65	51	46	43	141	83	89	
Fulton.....	311	19	21	20	28	20	13	10	16	16	115	19	14	
Geneva.....	258	10	17	27	24	17	13	15	10	16	61	25	23	
Glens Falls.....	428	23	23	20	22	25	25	19	25	33	161	31	24	
Gloversville.....	526	36	42	40	35	26	25	28	23	35	159	46	31	
Hornell.....	282	21	23	25	19	21	15	13	10	16	58	27	34	
Hudson.....	292	19	17	11	15	14	13	8	21	22	86	38	28	
Ithaca.....	317	29	20	37	25	16	22	21	16	16	60	24	31	
Jamestown.....	572	35	46	53	55	41	25	34	39	28	107	68	41	
Johnstown.....	188	13	17	14	13	9	16	6	12	11	58	11	8	
Kingston.....	691	46	39	45	40	34	30	31	40	37	238	62	49	
Lackawanna.....	494	20	34	29	28	32	35	36	55	19	76	57	73	
Little Falls.....	257	23	19	22	13	14	22	19	21	17	61	13	13	
Lockport.....	373	25	21	24	28	31	27	18	23	16	56	63	41	
Middletown.....	521	41	38	40	45	39	29	42	32	30	70	84	31	
Mount Vernon.....	583	38	47	44	45	30	29	26	20	25	155	66	43	
New Rochelle.....	515	40	35	33	42	32	28	29	24	29	141	41	41	

DEATHS, BY MONTH OF OCCURRENCE.

129

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—												
		Janu- ary.	Feb- ruary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.	
REGISTRATION CITIES—Continued.														
NEW YORK—continued.														
New York.....	96,989	7,951	6,841	9,167	7,536	5,949	5,137	5,112	5,122	5,096	22,328	9,261	7,489	
Bronx Borough.....	10,607	869	692	926	830	624	583	548	537	558	2,630	1,049	761	
Brooklyn Borough.....	34,010	2,792	2,364	3,171	2,643	2,023	1,811	1,713	1,763	1,805	8,010	3,313	2,592	
Manhattan Borough.....	42,859	3,514	3,086	4,183	3,387	2,748	2,276	2,338	2,314	2,264	9,382	3,951	3,416	
Queens Borough.....	7,011	571	478	630	506	419	344	385	366	352	1,653	742	565	
Richmond Borough.....	2,502	205	221	257	170	125	123	128	142	117	653	206	155	
Newburgh.....	694	48	43	46	53	41	36	36	43	42	188	65	53	
Niagara Falls.....	963	48	50	57	74	65	56	37	44	36	225	122	149	
North Tonawanda.....	276	14	12	12	21	17	17	15	23	13	69	35	28	
Ogdensburg.....	690	36	42	48	41	36	29	40	37	43	205	89	44	
Olean.....	364	31	22	25	30	17	16	15	31	26	112	19	20	
Ossining.....	218	14	6	16	11	20	14	12	14	13	74	10	14	
Oswego.....	539	34	23	26	30	30	21	25	31	29	235	32	28	
Peekskill.....	303	23	17	21	21	25	10	14	23	15	77	33	24	
Plattsburg.....	307	16	13	21	18	15	17	16	19	21	66	38	47	
Port Chester.....	346	15	18	27	17	17	6	10	12	16	129	47	32	
Poughkeepsie.....	744	40	33	54	52	36	40	30	27	44	297	51	40	
Rensselaer.....	174	9	16	11	3	12	10	13	17	14	44	11	14	
Rochester.....	4,807	363	334	368	393	300	253	284	282	282	876	504	568	
Rome.....	833	55	62	66	66	57	62	43	49	41	170	84	78	
Saratoga Springs.....	368	29	15	22	26	21	24	29	30	28	97	20	27	
Schenectady.....	1,600	110	90	119	112	94	82	88	80	92	465	128	140	
Syracuse.....	3,278	211	220	234	311	199	174	226	215	190	855	232	211	
Troy.....	2,105	139	131	141	153	120	103	127	106	129	545	222	164	
Utica.....	2,062	155	124	137	164	140	103	100	133	113	572	177	144	
Watertown.....	853	49	29	53	64	60	42	47	50	54	292	52	61	
Watervliet.....	296	26	14	23	30	17	16	14	9	11	87	31	18	
White Plains.....	310	26	13	21	25	20	16	13	25	16	88	23	24	
Yonkers.....	1,574	115	107	114	94	87	78	88	103	81	444	138	125	
NORTH CAROLINA.														
Registration cities.....	5,309	419	363	358	384	371	408	376	346	300	991	465	528	
Asheville.....	752	58	53	42	56	60	60	52	51	37	146	65	72	
Charlotte.....	1,039	86	73	81	82	63	81	71	70	64	150	89	129	
Durham.....	455	28	37	36	44	37	39	39	32	29	68	37	29	
Greensboro.....	359	21	22	29	33	24	31	25	20	24	66	35	29	
Raleigh.....	741	58	42	49	41	53	42	52	43	32	160	103	66	
Wilmington.....	836	72	63	44	55	59	67	56	55	68	184	52	61	
Winston-Salem.....	1,127	96	73	77	73	75	88	81	75	46	217	84	142	
NORTH DAKOTA. ¹														
Fargo.....	412	22	17	22	24	25	29	14	17	17	119	65	41	
OHIO.														
Registration cities.....	51,264	3,810	3,248	3,931	4,172	3,191	2,607	2,781	3,198	2,878	8,227	6,943	6,278	
Akron.....	2,425	150	135	209	199	137	115	145	156	160	298	326	395	
Alliance.....	389	27	23	29	27	30	21	22	34	32	59	45	40	
Ashtabula.....	310	27	13	35	27	19	19	15	22	23	32	46	32	
Bellire.....	328	24	24	22	22	28	12	20	15	14	34	79	34	
Cambridge.....	243	16	15	13	20	14	7	15	10	6	46	40	41	
Canton.....	1,261	106	71	71	107	79	54	69	67	79	190	227	141	
Chillicothe.....	321	25	28	24	24	19	22	13	18	14	74	38	27	
Cincinnati.....	8,591	737	612	728	728	561	466	425	505	468	1,334	938	1,089	
Cleveland.....	13,043	897	753	923	1,062	800	601	733	777	662	2,136	2,039	1,655	
Columbus.....	4,164	332	288	338	334	279	234	249	286	245	559	501	519	
Dayton.....	2,544	201	173	191	195	163	125	139	168	149	577	219	244	
East Liverpool.....	452	28	24	36	34	22	22	14	27	25	49	35	79	
Elyria.....	330	19	17	32	24	18	23	21	16	24	47	51	38	
Findlay.....	275	17	18	27	30	17	19	11	16	21	54	17	28	
Hamilton.....	710	42	44	39	48	47	33	35	38	42	205	76	61	
Ironton.....	341	21	9	33	20	15	16	18	21	18	73	63	34	
Lakewood.....	407	33	29	22	28	24	22	26	23	23	30	76	71	
Lancaster.....	200	21	11	17	22	14	7	10	8	6	59	13	12	
Lima.....	670	66	41	67	71	42	25	43	44	45	70	50	106	
Lorain.....	675	36	37	36	37	35	28	25	45	27	123	150	95	
Mansfield.....	414	32	25	22	27	26	22	21	29	28	122	34	26	
Marietta.....	231	14	13	14	10	15	17	14	16	16	37	39	26	
Marion.....	393	33	29	38	39	20	18	16	30	35	38	22	75	
Massillon.....	261	20	23	20	21	14	21	12	20	12	29	40	29	
Middletown.....	408	21	25	25	30	22	11	25	24	22	98	45	60	
Newark.....	524	52	37	37	46	20	29	21	32	31	128	48	43	
Norwood.....	229	16	15	23	21	10	10	14	8	11	43	31	27	
Piqua.....	271	23	14	23	19	21	15	16	16	9	62	21	32	
Portsmouth.....	653	45	64	69	37	31	40	39	40	33	115	70	75	

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—												
		Janu- ary.	Feb- ruary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.	
REGISTRATION CITIES—Continued.														
OHIO—continued.														
Sandusky.....	361	18	23	28	24	18	15	17	33	14	50	57	64	
Springfield.....	1,014	91	75	83	98	59	47	50	62	84	171	84	112	
Steubenville.....	655	37	41	47	66	33	45	46	37	37	52	118	66	
Tiffin.....	257	23	13	8	27	25	18	12	9	22	35	48	17	
Toledo.....	4,088	321	272	310	364	272	281	229	282	249	585	436	437	
Warren.....	444	28	15	25	34	36	23	23	36	35	31	117	41	
Youngstown.....	2,815	166	157	221	212	151	141	147	190	128	452	572	278	
Zanesville.....	612	45	37	53	38	43	32	31	38	29	100	87	79	
OREGON.														
Registration cities.....	3,972	225	239	311	299	282	276	242	212	254	530	623	479	
Portland.....	3,780	214	224	288	277	268	263	226	200	235	505	598	462	
Salem.....	21?	11	15	23	22	14	13	16	12	19	25	25	17	
PENNSYLVANIA.														
Registration cities.....	99,912	7,029	5,976	6,888	6,889	5,493	4,532	5,098	5,366	5,391	28,549	10,995	7,806	
Allentown.....	1,426	76	93	94	96	83	70	83	102	88	266	201	169	
Altoona.....	1,067	80	71	82	76	82	43	52	65	55	228	112	121	
Beaver Falls.....	361	20	16	21	18	20	21	16	24	24	67	80	34	
Bethlehem.....	324	20	18	25	16	26	15	16	32	19	46	42	49	
Braddock.....	790	46	51	67	66	31	22	33	39	36	217	135	47	
Bradford.....	286	22	21	24	22	21	18	27	26	18	28	31	30	
Butler.....	519	33	31	30	41	28	18	23	24	28	149	50	64	
Carbondale.....	501	19	21	21	32	19	33	24	24	31	131	76	70	
Carlisle.....	279	22	23	20	21	17	20	16	14	11	70	27	18	
Carnegie.....	239	13	18	15	11	11	2	13	6	8	41	87	14	
Chambersburg.....	284	20	14	14	27	15	11	8	9	19	84	34	29	
Chester.....	1,473	94	112	114	86	72	58	70	85	88	547	69	78	
Coatesville.....	302	19	13	26	18	10	13	14	13	19	118	27	12	
Columbia.....	294	29	10	22	18	10	16	14	9	13	99	36	18	
Connellsville.....	268	16	9	14	28	14	12	15	13	17	79	30	21	
Dubois.....	294	14	16	17	19	12	7	10	12	19	91	45	32	
Dunmore.....	471	24	27	41	36	24	17	31	42	27	103	50	49	
Duquesne.....	460	21	10	13	32	28	25	14	24	22	161	79	31	
Easton.....	847	49	70	60	68	40	49	52	61	40	242	43	73	
Erie.....	1,900	117	109	135	147	137	117	94	134	99	215	332	264	
Farrell.....	320	30	17	19	23	16	9	14	22	13	55	64	38	
Greensburg.....	364	25	38	27	24	20	19	15	22	22	59	59	34	
Harrisburg.....	1,693	133	110	125	110	98	82	77	94	91	452	159	132	
Hazleton.....	851	41	45	39	41	28	37	51	39	55	310	79	86	
Homestead.....	442	39	22	39	30	17	21	22	24	12	146	44	26	
Johnstown.....	1,507	102	97	94	146	97	60	81	86	86	178	263	217	
Lancaster.....	1,232	87	69	91	86	62	53	61	79	65	400	83	96	
Lebanon.....	659	47	37	40	36	33	21	31	34	24	171	106	79	
McKees Rocks.....	360	13	10	16	15	14	14	14	20	21	108	53	22	
McKeesport.....	1,174	72	58	69	90	63	56	55	76	59	225	243	108	
Mahanoy City.....	415	17	12	16	20	13	10	19	20	27	203	35	23	
Meadville.....	286	19	23	18	16	21	14	15	23	28	38	37	34	
Monessen.....	482	11	21	29	22	16	19	22	21	20	78	194	29	
Mount Carmel.....	406	18	22	20	17	15	17	15	16	20	159	54	33	
Nanticoke.....	665	21	34	47	38	22	14	39	30	36	147	188	69	
New Castle.....	890	65	56	52	63	47	43	48	63	36	91	179	147	
Norristown.....	1,166	80	69	69	71	69	47	56	60	55	424	89	77	
North Braddock.....	253	14	13	12	26	9	10	13	12	6	95	29	14	
Oil City.....	379	25	19	17	33	22	17	21	19	21	93	57	35	
Old Forge.....	244	20	17	12	29	9	7	3	14	12	55	51	15	
Philadelphia.....	42,479	3,314	2,667	3,143	2,595	2,404	2,011	2,294	2,136	2,384	14,697	2,410	2,444	
Phenixville.....	316	16	21	29	18	10	10	14	12	7	151	17	11	
Pittsburgh.....	15,433	1,080	888	1,010	1,365	878	640	713	810	758	3,312	2,676	1,303	
Pittston.....	493	39	29	37	55	18	21	20	28	20	69	102	55	
Plymouth.....	262	20	13	14	16	8	11	13	23	26	45	51	22	
Pottstown.....	409	21	21	9	19	25	14	16	29	20	169	36	30	
Pottsville.....	789	32	39	40	33	20	23	27	26	35	400	59	55	
Reading.....	2,223	141	120	134	158	117	111	120	158	129	637	190	208	
Scranton.....	3,032	203	192	202	222	154	160	176	138	180	742	427	296	
Shamokin.....	475	21	23	24	26	18	17	17	24	32	225	24	24	
Sharon.....	416	26	20	41	33	15	17	23	20	16	69	79	57	
Shenandoah.....	701	25	32	31	27	33	19	28	38	30	232	164	42	
South Bethlehem.....	394	26	17	34	27	28	32	28	30	22	60	47	43	
Steelton.....	351	18	9	23	20	20	19	9	18	12	165	27	16	
Sunbury.....	331	27	16	16	22	19	16	14	19	14	95	43	30	
Uniontown.....	385	27	38	34	42	26	13	19	30	14	36	64	42	
Warren.....	220	13	14	13	16	20	8	8	16	20	38	29	25	
Washington.....	495	43	30	35	42	28	17	19	32	38	70	94	47	
West Chester.....	427	29	21	28	24	25	25	18	27	32	136	30	32	

DEATHS, BY MONTH OF OCCURRENCE.

131

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Janu- ary.	Febr- uary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
REGISTRATION CITIES—Continued.													
PENNSYLVANIA—continued.													
Wilkes-Barre.....	1,755	106	76	116	127	90	84	90	92	86	311	366	211
Wilkinsburg.....	523	40	37	39	50	37	23	23	21	25	118	77	33
Williamsport.....	829	61	49	56	71	57	37	47	63	67	108	106	107
York.....	941	68	62	74	67	52	57	51	50	52	167	105	136
RHODE ISLAND.													
Registration cities.....	10,235	722	646	797	800	556	537	618	590	737	2,517	794	921
Central Falls.....	445	16	16	32	33	15	37	31	25	32	143	29	36
Cranston (exclusive of).....	419	34	26	37	31	14	23	27	26	29	99	43	30
State institutions.....	474	50	46	28	52	24	32	23	19	33	59	44	64
Cumberland.....	178	11	8	7	9	7	15	10	18	15	45	19	14
East Providence town.....	316	20	19	19	24	15	16	31	19	31	70	19	33
Newport.....	460	46	33	39	28	31	31	20	19	46	78	36	53
Pawtucket.....	1,417	87	74	110	97	75	65	82	86	104	438	86	113
Providence.....	5,210	363	342	430	428	297	249	312	291	354	1,213	436	495
Warwick town.....	249	23	15	15	19	24	16	20	26	13	42	17	19
West Warwick town.....	285	16	21	24	16	19	13	15	15	17	99	18	12
Woonsocket.....	782	56	46	56	63	35	40	47	46	63	231	47	52
SOUTH CAROLINA.													
Registration cities.....	4,623	418	329	323	375	371	320	318	290	298	867	353	356
Charleston.....	1,935	170	122	134	157	160	124	139	137	143	366	134	149
Columbia.....	1,709	151	119	117	123	148	117	113	97	111	363	143	107
Greenville.....	448	37	39	30	50	28	40	27	26	27	80	27	37
Spartanburg.....	531	60	49	42	45	35	39	39	30	17	58	54	63
TENNESSEE.													
Registration cities.....	10,000	781	708	751	813	646	654	669	687	604	2,109	763	815
Chattanooga.....	1,533	133	114	117	115	110	92	79	83	92	330	119	149
Jackson.....	373	21	34	14	31	26	21	25	17	27	98	29	35
Knoxville.....	1,326	107	102	106	115	92	95	111	111	74	209	108	96
Memphis.....	3,515	307	273	292	272	223	237	239	255	229	735	255	298
Nashville.....	3,153	213	185	222	280	195	209	215	221	182	742	252	237
TEXAS. ¹													
Registration cities.....	13,111	1,121	1,032	1,012	1,097	970	901	730	647	623	2,455	1,196	1,327
Beaumont.....	700	52	50	39	59	60	56	39	35	42	117	84	87
Cleburne.....	238	31	24	15	12	14	13	11	12	9	39	26	32
Dallas.....	2,339	161	182	169	176	145	148	137	108	102	440	235	336
El Paso.....	2,498	165	155	170	205	205	173	130	135	120	619	212	209
Galveston.....	839	75	56	73	51	58	52	58	41	52	137	76	110
Houston.....	2,374	206	172	205	196	164	147	135	124	142	473	196	214
San Antonio.....	4,123	431	393	341	393	324	312	220	192	156	630	387	339
UTAH.													
Registration cities.....	2,363	167	145	191	177	157	128	115	128	106	399	376	274
Ogden.....	588	33	33	46	37	39	27	25	29	18	113	115	68
Salt Lake City.....	1,780	134	112	145	140	118	101	90	99	88	286	261	206
VERMONT.													
Registration cities.....	1,131	62	57	60	78	67	59	43	56	92	344	104	109
Barre.....	304	7	7	9	13	10	15	3	10	30	175	12	13
Burlington.....	560	37	30	30	40	35	33	19	37	39	126	60	74
Rutland.....	267	18	20	21	25	22	11	21	9	23	43	32	22
VIRGINIA.													
Registration cities.....	12,114	916	842	886	818	726	788	808	813	709	2,774	856	1,178
Alexandria.....	528	31	28	34	43	29	33	30	30	34	171	37	28
Danville.....	500	39	40	25	35	39	43	39	32	29	63	46	65
Lynchburg.....	786	55	47	50	46	35	55	53	34	38	252	56	65
Newport News.....	817	59	50	58	45	57	46	46	45	47	251	54	59
Norfolk.....	2,713	227	216	209	191	139	142	182	187	162	672	163	228
Petersburg.....	852	62	53	62	51	56	51	60	59	55	205	53	85
Portsmouth.....	854	61	64	76	57	49	71	66	59	49	196	54	52
Richmond.....	3,812	289	269	272	246	245	247	265	280	207	775	293	444
Roanoke.....	871	64	58	80	80	55	62	49	72	48	134	62	107
Staunton.....	381	29	17	20	24	22	33	18	35	40	55	38	50
WASHINGTON.													
Registration cities.....	8,717	518	537	674	643	559	520	493	442	523	1,221	1,187	1,400
Aberdeen.....	187	5	9	28	10	14	16	13	14	14	25	18	21
Bellingham.....	373	23	25	35	28	36	22	23	12	21	50	45	55
Everett.....	317	19	20	18	21	31	19	14	21	15	36	52	51
North Yakima.....	364	16	20	26	26	13	26	15	19	17	45	61	80

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Janu- ary.	Feb- ruary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
REGISTRATION CITIES—Continued.													
WASHINGTON—continued.													
Seattle.....	4,090	245	244	312	313	252	233	245	214	263	627	482	660
Spokane.....	1,528	89	108	113	97	96	92	89	56	83	179	275	251
Tacoma.....	1,577	103	91	123	131	97	97	84	95	92	236	215	213
Walla Walla.....	281	18	20	19	19	20	15	10	11	18	23	39	69
WEST VIRGINIA. ¹													
Wheeling.....	1,030	74	58	64	97	55	57	60	76	44	95	179	171
WISCONSIN.													
Registration cities.....	14,140	899	857	1,036	1,299	988	734	738	788	859	2,149	1,704	2,039
Appleton.....	283	26	13	25	22	22	20	16	14	15	27	40	43
Ashland.....	348	22	16	26	30	28	22	6	14	23	35	89	37
Beloit.....	391	23	25	25	33	25	20	11	23	17	93	51	45
Eau Claire.....	337	19	21	31	45	26	16	27	22	16	23	33	58
Fond du Lac.....	360	30	21	23	44	28	20	30	21	24	51	36	32
Green Bay.....	609	42	44	40	45	42	19	33	49	42	84	82	37
Janesville.....	274	27	15	22	18	19	20	8	9	21	58	19	38
Kenosha.....	629	27	18	37	56	33	22	32	40	46	243	33	42
La Crosse.....	564	46	42	38	38	35	45	29	24	29	71	80	37
Madison.....	591	32	34	42	56	52	19	34	29	29	116	70	78
Manitowoc.....	309	23	17	19	29	21	18	13	21	12	47	60	28
Marinette.....	201	13	13	7	28	12	10	12	9	12	15	23	47
Milwaukee.....	6,550	404	411	501	631	457	366	342	381	423	870	681	1,083
Oshkosh.....	463	38	34	37	38	41	29	28	28	20	49	68	53
Racine.....	822	44	51	58	65	54	54	38	38	59	131	99	131
Sheboygan.....	510	27	22	43	40	28	33	25	21	24	113	76	58
Superior.....	628	36	40	43	66	48	36	39	30	30	68	127	65
Wausau.....	271	20	20	19	15	17	15	15	15	16	55	37	27

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

DEATHS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY. 133

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEASED: 1918.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	Total.	WHITE.								Negro.	Indian, Chinese, Japanese, and other colored.		
			Native.											
			Both parents native.		Both parents foreign born.		One parent foreign born, the other—		Parentage unknown.					
			Native.	Un-known.	Native.	Un-known.	One parent un-known, the other native.	Both parents un-known.	Foreign born.	Nativ-ity un-known.				
SUMMARY.														
The registration area (exclusive of Hawaii).	1,445,158	1,287,425	962,922	544,663	220,103	75,194	10,266	42,975	69,721	301,743	22,760	151,510	6,223	
Registration states ¹ .	1,404,116	1,259,565	941,189	532,648	216,264	73,695	9,980	41,656	66,946	296,426	21,950	138,358	6,198	
Cities in registration states ¹ .	741,187	679,702	466,441	216,067	152,716	45,355	5,986	16,916	29,491	202,586	10,675	58,649	2,836	
Rural part of registration states.	662,929	579,863	474,748	316,581	63,543	28,340	4,084	24,740	37,455	93,840	11,275	79,709	3,357	
Registration cities in nonregistration states.	41,042	27,860	21,733	12,015	3,839	1,499	286	1,319	2,775	5,317	810	13,152	30	
All registration cities ¹ .	782,229	707,562	488,174	228,082	156,555	46,834	6,182	18,235	32,266	207,903	11,485	71,801	2,866	
REGISTRATION STATES.														
California.	56,488	52,770	34,340	14,783	7,573	3,230	643	2,120	5,991	16,838	1,592	844	2,874	
Colorado.	17,546	17,141	12,761	6,783	1,989	980	281	911	1,852	3,650	730	314	91	
Connecticut.	27,240	26,550	17,248	6,772	6,949	1,518	203	684	1,122	8,940	362	676	14	
Illinois.	100,396	95,831	66,916	31,020	19,352	5,774	1,050	3,192	6,523	27,030	1,885	4,493	72	
Indiana.	45,993	43,940	39,133	27,885	3,556	1,726	356	2,474	3,136	4,415	382	2,045		
Kansas.	25,053	23,490	19,732	12,141	1,690	1,178	273	1,556	2,894	3,075	683	1,458	105	
Kentucky.	39,532	32,972	31,215	25,670	1,068	526	118	1,679	2,154	1,158	599	6,553	7	
Louisiana.	32,201	15,822	13,763	9,769	1,323	684	67	756	1,179	1,503	556	16,329	50	
Maine.	14,499	14,443	12,026	8,404	1,337	1,254	47	340	644	2,206	211	32	24	
Maryland.	32,134	24,329	20,580	14,075	2,868	1,233	216	856	1,312	3,260	480	7,794	11	
Massachusetts.	77,248	75,887	50,021	20,200	19,607	5,784	554	1,846	2,030	25,284	562	1,294	87	
Michigan.	53,320	52,103	36,992	18,191	9,030	4,385	655	1,951	2,770	14,155	956	929	288	
Minnesota.	31,109	30,709	19,492	7,985	6,846	2,952	289	545	895	10,784	433	196	204	
Missouri.	55,311	45,455	41,007	26,650	4,286	2,095	464	2,948	4,564	6,007	1,451	4,818	28	
Montana.	8,985	8,736	8,736	2,726	1,240	672	127	326	799	2,357	489	77	172	
New Hampshire.	9,551	9,564	7,115	3,533	1,404	655	72	436	1,015	2,032	417	14	3	
New Jersey.	60,938	57,468	39,372	19,224	13,924	3,548	425	863	1,388	17,410	686	3,487	33	
New York.	190,764	185,340	128,588	56,558	45,956	12,851	897	2,935	4,391	60,482	1,270	5,025	399	
North Carolina.	42,274	24,907	24,317	21,405	84	147	16	1,433	1,232	214	376	17,183	184	
Ohio.	92,356	87,714	69,184	42,450	13,077	4,654	733	3,248	5,022	16,852	1,678	4,616	26	
Oregon.	9,679	9,329	7,044	3,682	790	546	149	634	1,243	1,935	350	43	307	
Pennsylvania.	187,951	179,016	134,182	76,319	36,518	9,989	1,428	3,993	5,335	42,404	2,430	8,846	89	
Rhode Island.	12,407	12,021	8,029	3,257	3,528	899	52	110	183	3,884	108	388	18	
South Carolina.	30,761	11,152	10,804	9,203	109	96	14	618	764	167	181	19,599	10	
Tennessee.	37,134	25,949	24,506	19,452	247	213	59	2,200	2,335	428	1,015	11,173	12	
Utah.	6,172	5,986	4,323	2,439	852	665	47	103	217	1,557	108	29	157	
Vermont.	6,803	5,366	3,363	722	505	53	287	436	1,356	78	3	
Virginia.	41,272	23,425	19,922	378	346	45	1,130	1,604	716	546	16,558	27	716	
Washington.	16,837	15,955	11,289	6,079	1,378	1,173	183	691	1,275	4,222	474	136	716	
Wisconsin.	34,992	34,700	9,366	7,574	3,126	478	726	1,451	11,309	670	134	158		
REGISTRATION CITIES.														
ALABAMA. ²														
Registration cities.	6,697	3,176	2,847	2,048	200	113	18	186	282	267	62	3,521	
Birmingham.	4,346	2,056	1,853	1,364	115	59	9	131	175	160	43	2,290	
Mobile.	1,430	761	670	456	71	51	6	35	51	86	5	669	
Montgomery.	921	359	324	228	14	3	3	20	56	21	14	562	
CALIFORNIA.														
Registration cities.	33,317	31,127	19,886	8,422	4,603	2,037	416	1,277	3,131	10,380	861	588	1,602	
Alameda.	419	407	273	123	69	35	4	16	26	132	2	4	8	
Bakersfield.	611	570	401	160	46	36	13	37	109	150	19	13	28	
Berkeley.	679	665	478	248	90	69	10	21	40	182	5	6	8	
Eureka.	251	245	146	51	17	14	5	15	44	90	9	3	3	
Fresno.	679	591	407	184	66	27	16	43	71	170	14	7	81	
Long Beach.	671	637	517	252	49	42	12	63	99	112	8	24	10	
Los Angeles.	9,343	8,665	5,868	2,721	1,075	485	144	442	1,001	2,531	266	286	397	
Oakland.	3,212	3,051	1,956	864	490	269	29	92	212	1,044	51	67	94	
Pasadena.	566	547	437	228	54	34	13	40	68	105	5	14	5	
Pomona.	180	174	153	103	14	9	7	9	11	19	2	6	
Redlands.	122	116	95	47	16	10	10	17	31	20	1	3	3	
Riverside.	339	312	220	117	32	13	10	17	35	27	8	19	19	
Sacramento.	1,727	1,514	963	327	179	99	18	70	275	493	53	17	196	
San Bernardino.	499	479	320	142	91	16	12	22	37	149	10	8	12	
San Diego.	1,534	1,471	1,041	514	170	99	26	88	144	387	43	22	41	
San Francisco.	9,855	9,278	5,076	1,712	1,980	643	73	210	558	3,938	264	81	496	
San Jose.	587	559	389	181	92	45	4	21	46	167	3	4	24	
Santa Barbara.	250	242	166	102	26	16	6	16	73	3	2	6	6	
Santa Cruz.	195	193	126	66	20	10	3	8	19	65	2	2	
Stockton.	1,347	1,173	690	206	95	49	12	36	292	404	79	15	159	
Vallejo.	246	238	159	74	32	17	5	11	20	64	15	4	4	

¹ Including District of Columbia.

² Nonregistration state; only those cities with satisfactory registration of deaths are shown.

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEASED: 1918—Contd.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chi- nese, Jap- ane- se, and other colored.		
		Native.								Foreign born.	Nativ- ity un- known.				
		Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—	Parentage unknown.		One parent un- known, the other native.	Both parents un- known.						
REGISTRATION CITIES—Contd.															
COLORADO.															
Registration cities.....	7,470	7,214	5,308	2,599	896	412	147	380	874	1,623	283	227	29		
Colorado Springs.....	842	818	676	434	75	41	9	50	67	130	12	21	3		
Denver.....	5,199	5,010	3,617	1,674	580	297	116	269	681	1,193	200	165	24		
Pueblo.....	1,072	1,034	745	313	207	57	21	54	93	233	56	38	2		
Trinidad.....	357	352	270	178	34	17	1	7	33	67	15	3	2		
CONNECTICUT.															
Registration cities.....	19,962	19,391	12,126	4,289	5,431	1,099	154	425	728	7,033	232	559	12		
Ansonia.....	318	306	188	35	131	15	-----	1	6	117	1	12	-----		
Bridgeport.....	2,981	2,909	1,764	575	831	179	23	51	105	1,099	46	69	3		
Bristol.....	304	303	203	66	90	27	3	5	12	99	1	1	-----		
Danbury town.....	490	487	343	172	91	26	2	30	22	136	8	3	-----		
Greenwich town.....	377	370	239	101	96	26	1	1	14	123	8	7	-----		
Hartford.....	3,117	2,977	1,872	707	746	193	31	59	136	1,082	23	136	4		
Manchester town.....	221	221	132	53	62	11	-----	5	1	86	3	-----	-----		
Meriden town.....	800	793	453	152	218	51	6	12	14	337	3	7	-----		
Middletown town.....	756	741	465	168	195	30	10	15	47	261	15	14	1		
Naugatuck.....	248	248	159	45	92	15	1	2	4	89	-----	-----	-----		
New Britain.....	1,112	1,106	658	147	402	61	12	19	17	443	5	6	-----		
New Haven.....	3,343	3,170	1,984	649	397	167	26	92	153	1,142	44	171	2		
New London.....	586	563	356	155	109	29	5	14	44	190	17	22	1		
Norwalk.....	559	536	372	180	116	27	4	17	28	159	5	23	-----		
Norwich town.....	765	739	475	188	199	50	5	15	18	253	11	26	-----		
Orange town.....	243	243	196	84	59	18	2	10	23	43	4	5	-----		
Stamford town.....	794	771	529	222	230	39	2	12	24	232	10	23	-----		
Torrington town.....	326	324	183	59	80	17	2	12	13	139	2	2	-----		
Wallingford town.....	184	184	126	61	43	11	1	6	4	58	-----	-----	-----		
Waterbury.....	2,087	2,058	1,191	385	660	84	8	23	31	848	19	28	1		
Windham town.....	346	342	238	85	84	23	10	24	12	97	7	4	-----		
DELAWARE. ¹															
Wilmington.....	2,606	2,271	1,755	967	452	125	16	67	128	430	86	334	-----		
DISTRICT OF COLUMBIA.															
Washington.....	9,090	5,779	4,808	3,337	504	301	16	65	585	787	184	3,292	19		
FLORIDA. ¹															
Registration cities.....	4,194	2,344	1,788	994	261	165	18	136	214	482	74	1,846	4		
Jacksonville.....	2,049	939	800	508	52	48	8	71	113	110	29	1,107	3		
Key West.....	387	272	167	47	60	44	1	6	9	101	4	114	1		
Pensacola.....	672	387	341	231	16	23	5	29	37	37	9	265	-----		
Tampa.....	1,086	746	480	208	133	50	4	30	55	234	32	340	-----		
GEORGIA. ¹															
Registration cities.....	5,825	2,830	2,578	1,641	53	35	13	155	681	202	50	2,994	1		
Atlanta.....	3,702	2,063	1,921	1,559	51	32	13	147	119	103	39	1,639	-----		
Brunswick.....	278	111	101	82	2	3	8	8	6	8	2	166	1		
Savannah.....	1,845	656	556	-----	-----	-----	-----	-----	556	91	9	1,189	-----		
ILLINOIS.															
Registration cities.....	63,42	59,753	38,339	13,456	15,376	3,897	697	1,436	3,477	20,335	1,079	3,423	66		
Alton.....	499	445	359	187	38	24	15	39	56	64	22	54	-----		
Aurora.....	739	728	512	242	188	42	5	21	34	205	11	10	1		
Belleville.....	480	475	372	202	86	36	8	15	25	100	3	5	-----		
Bloomington.....	525	500	401	226	66	23	8	24	54	94	5	24	1		
Cairo.....	396	245	202	109	12	8	3	42	28	15	28	151	-----		
Canton.....	256	250	213	142	16	11	3	15	26	29	8	6	-----		
Champaign.....	265	228	194	125	20	15	12	22	31	31	3	36	1		
Chicago.....	44,069	41,608	25,003	7,066	12,522	2,918	417	632	1,448	16,156	449	2,402	59		
Chicago Heights.....	398	387	253	70	149	18	1	4	11	134	11	11	-----		
Cicero.....	412	412	252	54	158	33	5	1	158	2	-----	-----	-----		
Danville.....	709	662	575	404	37	26	5	45	58	75	12	47	-----		
Decatur.....	685	660	571	402	43	30	9	38	49	78	11	24	1		
East St. Louis.....	1,216	1,002	794	463	145	40	14	40	92	171	37	214	-----		
Elgin.....	685	678	355	129	85	24	8	15	94	193	130	7	-----		
Evanson.....	491	456	324	146	90	28	7	31	22	129	3	35	-----		
Freeport.....	366	359	280	121	62	26	11	38	22	73	6	7	-----		
Galesburg.....	459	435	331	197	50	21	7	22	34	102	2	24	-----		

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

DEATHS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY. 135

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEASED: 1918—Contd.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Indian, Chinese, Japanese, and other colored.									
		Total.	Native.						Foreign born.	Nativ- ity un- known.	Negro.										
			Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.														
					Native.	Un- known.	One parent un- known, the other native.	Both parents un- known.													
REGISTRATION CITIES—Contd.																					
ILLINOIS—continued.																					
Granite.	273	267	201	119	31	14	6	15	16	57	9	6									
Jacksonville.	617	576	441	233	35	32	2	27	112	74	61	41									
Joliet.	1,061	1,055	685	210	313	89	22	20	31	342	8	26									
Kankakee.	774	762	506	177	90	37	7	22	173	222	34	12									
La Salle.	326	326	205	58	114	19	2	5	7	115	6	—									
Lincoln.	403	389	307	128	65	15	5	20	74	48	34	14									
Mattoon.	257	254	214	106	9	6	1	33	59	29	11	3									
Moline.	614	597	402	123	88	26	9	18	138	181	14	17									
Oak Park.	508	506	361	176	94	47	10	15	19	143	2	2									
Pekoria.	1,389	1,340	1,063	529	174	84	29	77	170	230	47	49									
Quincy.	857	808	604	213	37	17	16	22	299	136	68	49									
Rockford.	1,090	1,074	698	312	219	73	18	34	42	358	18	14									
Rock Island.	548	520	372	89	61	14	6	22	180	128	20	28									
Springfield.	1,222	1,127	855	518	161	51	22	48	55	261	11	94									
Streator.	345	341	246	104	76	27	7	17	15	93	2	4									
Waukegan.	303	301	188	76	62	23	9	7	11	111	2	7									
INDIANA.																					
Registration cities.	18,502	16,943	14,050	8,990	2,244	863	166	755	1,027	2,735	158	1,554									
Anderson.	409	391	367	278	14	13	3	30	29	23	1	17									
East Chicago.	735	709	477	65	343	33	15	7	14	228	4	26									
Elkhart.	418	411	367	253	28	30	4	20	32	40	4	7									
Elwood.	212	212	195	169	1	6	—	12	7	17	—	—									
Evansville.	1,444	1,262	1,094	714	107	97	25	54	97	161	7	182									
Fort Wayne.	1,213	1,181	956	600	158	84	12	43	59	217	8	32									
Gary.	1,098	970	586	178	298	47	7	8	48	341	43	127									
Hammond.	777	764	468	211	151	46	11	14	35	287	9	13									
Huntington.	197	197	180	128	8	7	1	17	19	17	—	—									
Indianapolis.	5,241	4,435	3,902	2,808	409	192	38	216	241	503	30	806									
Jeffersonville.	212	162	147	104	10	9	3	3	15	15	50	—									
Kokomo.	392	376	346	239	21	9	2	34	41	25	5	15									
Lafayette.	512	506	440	295	49	42	2	20	32	62	4	6									
Laporte.	279	277	214	120	46	26	2	5	15	61	2	2									
Logansport.	408	397	349	249	27	23	3	13	34	45	3	11									
Marion.	346	319	308	228	12	9	1	24	34	9	2	27									
Michigan City.	314	310	209	106	66	1	4	7	99	2	4	—									
Mishawaka.	252	252	201	84	39	14	2	29	33	47	4	—									
Muncie.	429	406	387	290	15	6	7	36	38	18	1	23									
New Albany.	430	391	361	257	34	12	6	15	37	28	2	39									
Peru.	186	182	166	124	12	7	—	14	9	16	—	4									
Richmond.	409	377	314	229	45	12	1	10	17	60	3	32									
South Bend.	1,085	1,059	792	394	237	63	4	46	53	261	6	26									
Terre Haute.	1,164	1,066	930	673	91	39	14	57	56	122	14	96									
Vincennes.	340	331	294	206	23	12	2	21	30	33	4	9									
KANSAS.																					
Registration cities.	6,681	5,837	4,909	2,864	506	296	79	423	741	788	140	829									
Atchison.	217	190	159	78	23	8	5	13	32	27	4	27									
Coffeyville.	230	196	178	131	2	6	1	12	26	10	8	34									
Fort Scott.	226	202	177	112	7	5	4	15	34	9	23	1									
Hutchinson.	395	368	332	188	28	16	9	39	52	34	2	27									
Independence.	210	177	168	125	5	9	2	9	18	8	1	33									
Kansas City.	2,084	1,750	1,367	717	219	100	24	114	193	339	44	331									
Lawrence.	200	151	130	89	12	5	2	13	9	20	1	42									
Leavenworth.	388	316	239	106	33	24	6	18	52	62	15	71									
Parsons.	275	230	198	129	11	7	3	14	34	29	3	43									
Pittsburg.	272	263	225	144	10	8	3	25	35	35	9	—									
Topeka.	960	848	718	414	95	54	12	66	77	122	8	111									
Wichita.	1,224	1,146	1,018	631	61	54	8	85	179	86	42	78									
KENTUCKY.																					
Registration cities.	9,708	7,354	6,387	4,200	748	315	71	352	701	798	169	2,352									
Covington.	1,198	1,089	924	589	183	57	15	36	44	152	13	109									
Frankfort.	283	192	177	98	6	2	—	17	54	5	10	91									
Henderson.	289	205	198	148	12	4	1	15	18	5	2	84									
Lexington.	1,231	791	735	550	32	23	1	42	87	37	19	440									
Louisville.	5,083	3,822	3,207	2,006	432	170	40	173	386	502	113	1,259									
Newport.	465	441	358	197	65	40	11	17	28	81	2	24									
Owensboro.	487	398	385	312	7	9	1	29	27	7	6	89									
Paducah.	672	416	403	300	11	10	2	23	57	9	4	266									

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEASED: 1918—Contd.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.		
		Native.						Foreign born.	Nativity unknown.						
		Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—	Parentage unknown.				One parent unknown, the other native.	Both parents unknown.				
REGISTRATION CITIES—Contd.															
LOUISIANA.															
Registration cities.	12,359	7,210	5,927	3,820	1,089	461	39	168	350	1,190	93	5,131	18		
Alexandria.	402	177	155	111	11	4	—	13	16	18	4	225	—		
Baton Rouge.	447	178	161	120	6	4	3	19	9	12	5	268	1		
Lake Charles.	353	180	147	75	7	8	5	22	30	17	16	173	—		
Monroe.	310	158	120	72	9	6	2	10	21	23	15	152	—		
New Orleans.	9,756	6,029	4,916	3,146	1,041	423	26	62	218	1,086	27	3,711	16		
Shreveport.	1,091	488	428	296	15	16	3	42	56	34	26	602	1		
MAINE.															
Registration cities.	3,967	3,949	2,936	1,726	594	325	17	119	155	940	73	13	5		
Auburn.	229	229	197	144	16	14	1	15	7	32	—	—	—		
Augusta.	359	359	286	194	33	22	1	9	27	68	5	—	1		
Bangor.	723	715	535	345	82	53	4	22	29	157	23	6	2		
Biddeford.	347	347	228	103	74	42	—	6	3	117	2	—	—		
Lewiston.	607	605	420	206	115	60	1	21	17	179	6	—	2		
Portland.	1,407	1,400	1,048	621	222	107	7	36	55	321	31	6	1		
Waterville.	295	294	222	113	52	27	3	10	17	66	6	1	—		
MARYLAND.															
Registration cities.	17,359	13,581	10,958	6,766	2,121	822	157	407	685	2,385	238	3,767	11		
Baltimore.	15,810	12,143	9,624	5,722	2,041	775	140	328	618	2,299	220	3,656	11		
Cumberland.	746	706	622	430	61	35	11	45	40	66	18	40	—		
Frederick.	271	237	233	200	10	6	3	9	5	4	—	34	—		
Hagerstown.	532	495	479	414	9	6	3	25	22	16	—	37	—		
MASSACHUSETTS.															
Registration cities.	61,196	60,018	38,632	14,167	16,674	4,643	444	1,301	1,403	20,934	452	1,098	80		
Adams town.	199	199	130	34	59	17	2	4	14	69	—	—	—		
Arlington town.	283	281	197	85	60	33	1	9	9	33	1	2	—		
Attleboro.	315	312	215	103	68	20	—	7	17	92	5	3	—		
Beverly.	326	326	245	150	51	27	1	5	11	81	—	—	—		
Boston.	17,267	16,731	10,368	3,593	4,664	1,255	151	367	335	6,185	178	493	43		
Brockton.	1,192	1,178	825	418	239	114	5	24	25	347	6	14	—		
Brookline town.	519	513	342	173	86	32	3	22	26	146	25	6	—		
Cambridge.	2,266	2,125	1,325	438	621	186	15	33	32	796	4	129	13		
Chelsea.	352	329	495	193	214	33	9	18	28	327	7	21	2		
Chicopee.	514	514	354	74	220	49	2	4	5	159	1	—	—		
Clinton town.	283	283	171	51	86	17	1	7	9	110	2	—	—		
Everett.	563	540	350	151	120	47	3	17	12	188	2	23	—		
Fall River.	2,858	2,853	1,746	348	1,123	200	23	28	24	1,098	9	5	—		
Fitchburg.	786	785	494	187	232	58	5	15	17	287	4	1	—		
Framingham town.	391	389	269	120	94	28	2	14	11	119	1	2	—		
Gardner town.	333	330	221	82	86	30	1	8	14	107	2	2	1		
Gloucester.	544	544	354	155	101	65	2	12	19	182	8	—	—		
Greenfield town.	299	298	230	129	46	22	2	11	20	65	3	1	—		
Haverhill.	853	841	588	300	157	62	8	35	26	244	9	10	2		
Holyoke.	1,272	1,264	766	171	389	114	22	43	27	494	4	8	—		
Lawrence.	2,030	2,022	1,187	202	798	141	13	14	19	811	24	4	4		
Leominster.	349	346	249	114	76	27	1	14	17	95	2	3	—		
Lowell.	2,466	2,464	1,602	440	834	222	13	42	51	843	19	1	1		
Lynn.	1,811	1,784	1,175	557	367	131	12	64	44	603	6	22	5		
Malden.	851	845	559	232	200	70	6	23	28	285	1	6	—		
Marlborough.	277	275	191	74	62	31	—	15	9	82	2	2	—		
Medford.	505	497	368	192	93	52	5	15	11	127	2	8	—		
Melrose.	282	278	212	135	38	34	—	3	2	66	—	4	—		
Methuen town.	214	214	141	43	74	19	2	2	1	72	1	—	—		
Milford town.	325	325	212	65	121	17	—	4	5	113	—	—	—		
New Bedford.	2,895	2,748	1,720	388	1,038	186	27	35	46	1,011	17	142	5		
Newburyport.	351	346	261	154	63	26	2	13	3	84	1	5	—		
Newton.	750	737	508	279	150	65	1	9	4	228	1	13	—		
North Adams.	419	417	286	137	74	40	3	12	20	128	3	2	—		
Northampton.	586	584	393	216	117	40	3	9	8	191	—	2	—		
Peabody.	351	351	208	66	111	22	3	5	1	134	9	—	—		
Pittsfield.	959	950	672	302	208	89	11	26	36	266	12	9	—		
Plymouth town.	250	244	182	97	56	17	1	6	5	62	—	5	1		
Quincy.	850	849	505	176	223	60	2	18	26	334	10	—	—		
Revere.	304	304	198	61	93	28	2	9	5	104	2	—	—		
Salem.	887	882	614	244	254	83	5	17	11	263	5	5	—		
Somerville.	1,521	1,516	994	421	359	132	10	45	27	517	5	5	—		
Southbridge town.	208	207	121	35	59	21	1	1	4	85	1	1	—		
Springfield.	2,534	2,469	1,746	762	613	184	23	64	100	713	10	63	2		
Taunton.	951	946	608	245	261	54	5	21	22	331	7	5	—		

DEATHS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY. 137

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEASED: 1918—Contd.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths	WHITE.										Indian, Chi- nese, Japa- nese, and other colored.		
		Native.												
		Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.		Foreign born.	Nativ- ity un- known.	Negro.			
					Native.	Un- known.	One parent un- known, the other native.	Both parents un- known.						
REGISTRATION CITIES—Contd.														
MASSACHUSETTS—continued.														
Wellesley town.....	173	173	122	75	31	11	2	1	50	1	3			
Waltham.....	713	710	491	217	168	72	6	20	217	2	3			
Watertown town.....	279	279	179	71	83	15	2	4	100	5	11			
Webster town.....	229	229	130	35	72	19	2	2	94	5	3			
Westfield town.....	460	457	284	95	118	29	1	16	162	11	3			
Weymouth town.....	272	272	217	131	45	28	2	5	55	1	11			
Winthrop town.....	180	179	129	70	31	13	1	9	50	5	11			
Woburn.....	291	280	181	63	85	19	3	5	99	6	52	2		
Worcester.....	3,758	3,704	2,302	835	983	237	16	81	150	1,380	22			
MICHIGAN.														
Registration cities.....	25,455	24,751	16,858	7,250	5,162	2,256	334	779	1,077	7,394	499	673	31	
Adrian.....	246	241	195	115	25	16	2	25	12	45	1	3	2	
Alpena.....	230	230	138	51	48	19	9	3	8	87	5	13		
Ann Arbor.....	508	495	368	199	68	47	6	20	28	106	21	21		
Battle Creek.....	697	676	572	354	63	54	8	42	51	86	18	21		
Bay City.....	796	791	515	218	151	67	20	19	40	264	12	5		
Detroit.....	12,889	12,358	8,081	2,791	3,224	1,192	140	308	426	4,010	267	518	13	
Escanaba.....	280	279	156	52	73	22	2	3	4	111	12	1		
Flint.....	1,105	1,090	870	472	161	117	31	38	51	207	13	15		
Grand Rapids.....	1,893	1,877	1,286	616	353	173	19	71	54	587	4	15	1	
Holland.....	146	146	107	46	34	19	1	2	5	39	—	—		
Ironwood.....	215	215	101	13	69	14	1	—	4	112	2	—		
Ishpeming.....	158	158	71	21	38	8	1	2	1	87	—	—		
Jackson.....	899	875	718	446	102	62	12	36	60	144	13	24		
Kalamazoo.....	1,083	1,065	815	452	134	62	12	54	101	209	41	23		
Lansing.....	722	717	601	339	63	62	15	50	67	108	8	5		
Manistee.....	141	141	71	23	32	6	2	4	4	69	1	—		
Marquette.....	217	212	119	55	32	21	3	2	5	81	12	4	1	
Menominee.....	170	169	115	44	40	20	4	4	3	54	—	1		
Muskegon.....	621	619	404	205	97	42	5	21	34	199	16	2		
Pontiac.....	601	583	430	235	85	62	6	21	21	146	7	18		
Port Huron.....	358	358	208	92	54	47	1	10	4	144	6	—		
Saginaw.....	936	930	602	282	135	72	28	29	56	314	14	3		
Sault Ste. Marie.....	224	217	113	27	43	32	4	1	6	90	14	1	6	
Traverse City.....	315	309	202	102	33	20	2	14	31	95	12	2	4	
MINNESOTA.														
Registration cities.....	11,575	11,388	7,334	2,982	2,664	1,059	99	257	273	3,918	136	175	12	
Duluth.....	1,390	1,372	737	285	313	122	11	24	32	547	38	15	3	
Mankato.....	276	276	194	98	62	16	5	9	16	78	4	—		
Minneapolis.....	5,392	5,303	3,496	1,466	1,230	470	47	144	139	1,754	53	82	7	
St. Cloud.....	275	274	209	100	61	34	5	5	4	62	3	1		
St. Paul.....	3,602	3,525	2,253	927	830	346	23	62	65	1,249	23	76	1	
Stillwater.....	123	123	78	30	31	11	1	2	3	43	2	—		
Virginia.....	216	215	111	25	63	19	—	1	3	94	10	—	1	
Wadena.....	301	300	206	63	74	41	7	10	11	91	3	1		
MISSISSIPPI. ¹														
Registration cities.....	3,053	1,181	1,070	721	46	35	4	75	189	48	63	1,878	4	
Hattiesburg.....	374	194	182	151	8	6	1	9	7	7	5	180		
Jackson.....	1,057	376	334	203	11	12	2	27	79	6	36	678	3	
Meridian.....	622	322	313	220	7	6	1	23	56	4	5	300		
Natchez.....	329	87	78	50	9	1	—	5	13	6	3	241	1	
Vicksburg.....	681	202	163	97	11	10	—	11	34	25	14	479		
MISSOURI.														
Registration cities.....	25,374	22,040	16,946	9,100	3,127	1,306	298	1,125	1,992	4,348	746	3,315	19	
Hannibal.....	419	355	313	209	27	11	8	20	38	30	12	64		
Jefferson City.....	237	207	159	89	21	8	4	12	25	26	30	—		
Joplin.....	810	769	700	457	20	25	3	67	128	35	34	40	1	
Kansas City.....	6,608	5,682	4,612	2,644	471	298	77	403	719	767	303	916	10	
Moberly.....	252	213	199	150	7	9	3	11	19	10	4	39		
St. Joseph.....	1,797	1,677	1,307	798	152	68	18	96	177	214	156	120		
St. Louis.....	13,727	11,734	8,394	3,870	2,385	844	179	388	728	3,194	146	1,985	8	
Sedalia.....	447	379	317	205	17	13	3	47	32	34	28	68		
Springfield.....	827	774	711	516	22	26	3	57	87	30	33	53		
Webb City.....	250	250	234	162	5	4	—	24	39	8	8	—		

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEASED: 1918—Contd.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.											
		Native.								Foreign born.	Nativity unknown.													
		Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—	Parentage unknown.		Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.													
REGISTRATION CITIES—Contd.																								
MONTANA.																								
Registration cities.....	3,212	3,138	1,905	763	489	232	46	101	274	1,037	196	49	25											
Anaconda.....	211	199	120	36	42	21	3	9	9	73	6	12	—											
Billings.....	317	308	254	139	44	24	3	21	23	40	14	9	—											
Butte.....	1,455	1,435	738	240	253	99	20	25	101	612	85	13	7											
Great Falls.....	603	594	389	163	84	37	11	16	78	149	56	7	2											
Helena.....	288	277	172	63	32	29	5	13	30	96	9	4	7											
Missoula.....	338	325	232	122	34	22	4	17	33	67	26	4	9											
NEBRASKA. ¹																								
Registration cities.....	4,104	3,876	2,891	1,366	706	277	51	150	341	920	65	224	4											
Lincoln.....	905	893	709	401	198	50	8	43	79	173	11	12	—											
Omaha.....	3,199	2,933	2,182	965	578	227	43	107	262	747	54	212	4											
NEW HAMPSHIRE.																								
Registration cities.....	4,493	4,482	3,079	1,262	935	348	26	160	348	1,234	169	9	2											
Berlin.....	338	338	166	34	83	35	—	2	12	132	40	—	—											
Concord.....	682	680	491	268	61	33	2	45	82	156	33	1	1											
Dover.....	277	277	208	105	50	20	4	8	21	60	9	—	—											
Keene.....	275	275	222	109	26	32	—	14	41	37	16	—	—											
Laconia.....	296	295	211	110	36	23	—	16	26	66	18	1	—											
Manchester.....	1,659	1,657	1,091	315	484	133	10	48	101	547	19	1	1											
Nashua.....	632	630	434	198	159	50	6	13	38	185	11	2	—											
Portsmouth.....	334	330	256	153	36	22	4	14	27	51	25	4	—											
NEW JERSEY.																								
Registration cities.....	39,142	36,811	24,185	10,139	10,138	2,366	303	455	784	12,192	434	2,310	21											
Ashbury Park.....	203	160	124	85	26	4	3	3	3	36	—	42	1											
Atlantic City.....	1,210	962	759	472	138	75	8	35	31	194	9	246	2											
Bayonne.....	1,439	1,431	890	230	541	92	8	5	14	520	21	8	—											
Bloomfield.....	246	233	161	66	63	14	3	2	13	72	—	13	—											
Bridgeton.....	396	360	325	258	26	10	2	21	8	28	7	36	—											
Camden.....	3,062	2,751	2,114	1,247	534	155	20	62	96	570	67	309	2											
East Orange.....	471	433	338	232	54	32	6	9	5	94	1	38	—											
Elizabeth.....	1,846	1,771	1,077	401	520	88	17	15	36	630	14	75	—											
Garfield.....	251	251	148	9	129	10	—	—	102	1	—	—	—											
Hackensack.....	434	393	252	138	71	29	3	7	4	140	1	41	—											
Harrison.....	225	221	133	32	87	11	—	2	1	88	—	4	—											
Hoboken.....	1,182	1,176	674	191	390	67	4	3	19	493	9	6	—											
Irvington.....	302	296	184	95	58	19	—	5	7	110	2	6	—											
Jersey City.....	6,081	5,834	3,734	1,267	1,796	412	67	67	125	2,011	89	239	8											
Kearny.....	438	434	259	100	83	24	—	1	51	168	7	4	—											
Long Branch.....	370	318	234	151	49	19	1	4	10	75	9	61	—											
Milville.....	317	310	283	224	31	14	1	8	5	25	2	7	—											
Montclair.....	301	257	188	114	56	7	—	1	10	65	4	44	—											
Morristown.....	407	383	267	153	60	31	4	8	11	113	3	24	—											
New Brunswick.....	893	846	564	229	255	41	9	12	18	287	15	46	1											
Neverw.....	8,132	7,523	4,830	1,794	2,279	472	53	76	162	2,623	64	604	5											
Orange.....	844	729	507	253	165	61	9	10	9	219	3	115	—											
Passaic.....	1,192	1,176	705	143	487	53	11	10	1	466	5	16	—											
Paterson.....	2,686	2,612	1,482	561	623	214	23	21	40	1,102	28	73	1											
Perth Amboy.....	1,030	1,019	594	138	386	46	12	3	9	397	28	11	—											
Phillipsburg.....	342	341	260	181	48	20	1	8	2	81	1	—	—											
Plainfield.....	616	536	396	213	122	45	3	8	5	134	6	80	—											
Trenton.....	2,927	2,769	1,905	884	691	181	25	46	78	843	21	157	1											
Union.....	265	265	160	53	81	25	1	—	—	101	4	—	—											
West Hoboken.....	493	493	279	90	129	48	3	1	8	206	8	—	—											
West New York.....	350	349	237	78	121	30	6	—	2	106	6	4	—											
West Orange.....	182	179	116	57	39	17	—	2	1	63	—	3	—											
NEW YORK.																								
Registration cities.....	145,303	140,642	87,538	33,746	39,708	9,978	601	1,346	2,159	52,322	782	4,385	276											
Albany.....	2,548	2,495	1,839	901	596	163	20	55	104	627	29	51	2											
Amsterdam.....	576	575	372	164	155	44	2	3	4	200	3	21	1											
Auburn.....	708	636	507	251	169	52	3	14	18	178	1	21	1											
Batavia.....	325	324	236	124	63	25	4	9	11	88	5	1	—											
Binghamton.....	1,363	1,347	1,095	635	233	88	9	47	83	242	10	16	—											
Buffalo.....	10,112	9,987	6,659	2,382	2,947	953	84	154	139	3,267	61	116	9											
Cohoes.....	497	496	315	96	153	48	9	1	8	181	—	1	—											
Corning.....	294	289	244	151	42	16	1	15	19	43	2	5	—											
Cortland.....	311	310	275	175	50	8	—	11	31	32	3	1	—											
Dunkirk.....	400	400	270	94	120	32	2	12	10	129	1	—	—											

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

DEATHS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY. 139

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEASED: 1918—Contd.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	Total.	WHITE.										Indian, Chinese, Japanese, and other colored.
			Native.										
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—	Parentage unknown.		Foreign born.	Nativity unknown.	Negro.		
			Total.	Both parents native.	Both parents foreign born.	Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.	Foreign born.	Nativity unknown.	Negro.	
REGISTRATION CITIES—Contd.													
NEW YORK—continued.													
Elmira.....	868	853	724	443	124	61	11	40	45	125	4	15	-----
Fulton.....	311	310	256	168	49	15	2	7	15	53	1	1	-----
Geneva.....	255	254	193	95	59	16	2	8	13	60	1	4	2
Glens Falls.....	428	426	353	234	70	32	3	11	8	67	1	2	-----
Gloversville.....	520	522	432	269	59	30	12	33	29	89	1	4	-----
Hornell.....	282	281	242	157	33	23	1	19	9	37	2	1	-----
Hudson.....	292	292	211	105	56	19	1	15	15	69	2	10	-----
Ithaca.....	317	309	263	187	31	11	1	14	19	44	2	7	1
Jamestown.....	572	565	351	154	131	33	1	10	22	213	1	6	1
Johnstown.....	188	184	149	93	29	15	-----	6	6	35	-----	4	-----
Kingston.....	691	671	553	364	126	45	4	8	11	110	3	.20	-----
Lackawanna.....	494	482	376	116	188	37	4	29	2	102	4	12	-----
Little Falls.....	257	257	181	83	72	14	3	2	7	73	3	-----	-----
Lockport.....	373	370	253	121	71	33	2	13	13	112	5	3	-----
Middletown.....	521	505	394	252	63	22	4	17	36	108	3	16	-----
Mount Vernon.....	553	545	343	144	143	38	3	3	12	200	2	37	1
New Rochelle.....	515	492	303	116	128	47	2	5	5	159	-----	52	1
New York.....	96,989	92,088	53,446	17,934	28,069	6,164	212	281	786	39,278	364	8,658	243
Bronx Borough.....	10,607	10,478	5,728	1,690	3,234	726	21	13	44	4,736	14	126	3
Brooklyn Borough.....	34,010	33,043	19,876	7,075	10,137	2,382	58	79	165	13,079	88	934	83
Manhattan Borough.....	42,859	40,237	21,860	6,827	12,180	2,272	111	159	531	18,137	240	2,431	191
Queens Borough.....	7,011	6,909	4,512	1,875	1,958	618	13	20	28	2,388	9	101	1
Richmond Borough.....	2,502	2,421	1,470	667	380	136	9	10	18	938	13	66	15
Newburgh.....	694	681	530	340	122	34	2	13	19	138	13	13	-----
Niagara Falls.....	963	942	539	189	254	65	6	9	16	385	18	21	-----
North Tonawanda.....	276	276	161	52	91	13	1	-----	4	109	6	-----	-----
Ogdensburg.....	690	685	488	217	104	93	14	-----	20	40	185	12	4
Olean.....	364	359	291	144	74	25	5	20	23	65	3	5	-----
Ossining.....	218	207	159	67	61	16	-----	7	8	46	2	11	-----
Oswego.....	539	539	402	203	103	54	10	10	22	125	12	-----	-----
Peebles.....	303	294	236	157	51	18	1	5	4	56	2	9	-----
Plattsburg.....	307	306	266	165	24	41	5	12	19	35	1	-----	-----
Port Chester.....	346	342	233	72	130	25	1	4	1	106	3	4	-----
Poughkeepsie.....	744	724	580	335	128	55	4	21	37	138	6	29	-----
Rensselaer.....	174	173	133	78	27	12	2	2	12	39	1	1	-----
Rochester.....	4,807	4,761	3,256	1,309	1,307	400	41	81	118	1,454	51	45	1
Rome.....	833	823	578	256	179	70	14	23	36	219	26	9	1
Saratoga Springs.....	368	355	293	157	63	27	2	23	21	59	3	12	1
Schenectady.....	1,600	1,583	1,149	542	374	121	21	41	50	420	14	17	-----
Syracuse.....	3,278	3,231	2,401	1,195	785	241	23	84	73	793	37	33	9
Troy.....	2,105	2,071	1,493	715	524	145	9	36	64	558	20	33	1
Utica.....	2,062	2,050	1,461	617	554	157	17	51	65	573	11	12	-----
Watertown.....	853	848	651	361	137	87	10	27	29	183	14	3	2
Watervliet.....	298	295	232	110	86	27	1	2	6	62	1	1	-----
White Plains.....	310	290	202	108	64	22	1	3	4	87	1	20	-----
Yonkers.....	1,574	1,532	959	349	437	146	9	10	8	566	7	42	-----
NORTH CAROLINA.													
Registration cities.....	5,309	2,982	2,823	2,257	42	49	8	194	273	82	77	2,326	1
Asheville.....	752	564	511	403	15	15	1	34	43	34	19	188	-----
Charlotte.....	1,039	607	589	473	7	12	4	42	51	11	7	432	-----
Durham.....	455	197	192	164	1	3	-----	14	10	2	3	258	-----
Greensboro.....	359	193	183	160	4	3	-----	7	9	7	3	166	-----
Raleigh.....	741	436	404	271	2	2	2	33	94	6	26	305	-----
Wilmington.....	836	434	411	346	10	10	1	21	23	20	3	401	1
Winston-Salem.....	1,127	551	533	440	3	4	-----	43	43	2	16	576	-----
NORTH DAKOTA. ¹													
Fargo.....	412	411	301	121	98	39	4	15	24	100	10	1	-----
OHIO.													
Registration cities.....	51,264	47,860	34,565	18,352	9,433	2,843	423	1,401	2,113	12,250	1,045	3,384	20
Akron.....	2,425	2,369	1,759	1,015	438	101	10	93	102	570	40	53	3
Alliance.....	389	371	291	170	74	19	3	15	10	77	3	18	-----
Ashtabula.....	310	309	227	126	53	19	2	17	10	78	4	1	-----
Bellaire.....	328	315	242	146	64	17	3	8	4	69	4	13	-----
Cambridge.....	243	234	220	183	9	8	1	11	8	13	1	9	-----
Canton.....	1,261	1,240	862	512	196	60	10	44	40	362	16	21	-----
Chillicothe.....	321	288	280	102	31	10	3	15	9	25	3	32	1
Cincinnati.....	8,591	7,581	5,761	2,922	1,725	586	62	181	285	1,745	76	1,009	-----
Cleveland.....	13,048	12,350	7,000	2,265	3,382	726	115	190	322	4,934	416	684	6
Columbus.....	4,164	3,659	3,030	1,958	379	202	34	146	311	503	126	504	1

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEASED: 1918—Contd.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Indian, Chinese, Japanese, and other colored.									
		Native.																			
		Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.		Foreign born.	Nativity unknown.	Negro.										
					Native.	Un-known.	One parent un-known, the other native.	Both parents un-known.													
REGISTRATION CITIES—Contd.																					
OHIO—continued.																					
Dayton.....	2,544	2,839	1,911	1,197	303	109	32	117	153	396	32	204									
East Liverpool.....	452	433	368	267	36	31	24	10	62	3	19	—									
Elyria.....	330	311	235	117	73	12	1	13	19	72	4	19									
Findlay.....	275	269	253	192	9	11	2	13	26	16	6	—									
Hamilton.....	710	687	585	417	74	34	10	21	29	95	7	23									
Ironton.....	341	316	299	216	15	10	4	27	27	14	3	25									
Lakewood.....	407	407	267	107	108	40	1	9	2	138	2	—									
Lancaster.....	200	199	191	159	11	7	—	9	5	8	—	1									
Lima.....	670	636	579	434	34	34	5	45	27	53	4	34									
Lorain.....	675	662	359	122	171	38	2	9	17	290	13	13									
Mansfield.....	414	411	334	226	55	23	—	8	22	73	4	3									
Marietta.....	231	229	215	144	20	7	2	19	23	13	1	2									
Marion.....	393	386	362	272	28	11	3	24	21	22	2	7									
Massillon.....	261	251	198	107	45	19	5	8	12	49	6	9									
Middletown.....	408	380	343	275	27	6	3	16	16	33	4	28									
Newark.....	524	500	438	297	45	29	4	25	38	57	5	24									
Norwood.....	229	226	185	123	39	14	—	5	4	41	3	—									
Piqua.....	271	250	227	164	18	13	1	18	13	21	2	20									
Portsmouth.....	658	609	566	422	21	23	9	32	59	35	8	49									
Sandusky.....	361	346	240	118	87	25	2	—	8	103	3	15									
Springfield.....	1,014	855	757	581	81	30	7	21	37	90	8	159									
Steubenville.....	655	627	451	225	146	28	7	12	33	152	24	28									
Tiffin.....	257	255	218	141	39	16	3	7	12	36	1	2									
Toledo.....	4,038	3,886	2,826	1,398	741	319	33	92	243	957	103	151									
Warren.....	444	428	300	162	70	24	6	13	25	118	10	16									
Youngstown.....	2,815	2,674	1,685	606	746	152	28	53	100	888	101	139									
Zanesville.....	612	571	523	374	40	30	10	41	28	42	6	41									
OREGON.																					
Registration cities.....	3,972	3,820	2,766	1,339	442	252	75	246	412	926	128	29									
Portland.....	3,760	3,614	2,603	1,251	433	237	71	233	378	893	118	29									
Salem.....	212	206	163	88	9	15	4	13	34	33	10	117									
PENNSYLVANIA.																					
Registration cities.....	99,912	98,052	66,872	34,026	21,202	5,716	849	1,893	3,186	24,789	1,391	6,778									
Allentown.....	1,426	1,421	1,210	851	273	43	4	26	13	203	8	5									
Aldoona.....	1,067	1,029	899	673	126	49	5	26	20	124	6	38									
Beaver Falls.....	361	346	233	111	71	25	5	11	10	106	7	15									
Bethlehem.....	324	322	285	232	16	8	2	12	15	35	2	2									
Braddock.....	790	755	464	156	236	35	7	9	21	273	18	34									
Bradford.....	286	282	210	129	39	20	6	7	9	64	8	4									
Butler.....	519	511	424	278	101	22	3	8	12	86	1	8									
Carbondale.....	501	501	348	144	136	50	3	9	6	152	1	—									
Carlisle.....	279	251	245	212	5	6	—	11	11	6	—	28									
Carnegie.....	239	225	154	67	68	9	4	3	3	68	3	14									
Chambersburg.....	284	267	259	222	13	6	1	10	7	8	—	17									
Chester.....	1,473	1,219	861	436	253	94	10	29	39	275	88	253									
Coatesville.....	302	264	215	122	55	9	4	12	13	45	4	38									
Columbia.....	294	278	245	184	22	13	2	11	11	29	4	16									
Connellsville.....	268	243	185	123	38	15	2	4	3	55	3	25									
Dubois.....	294	294	280	143	52	21	1	9	4	61	3	—									
Dunmore.....	471	470	344	93	140	25	4	8	74	121	1	—									
Duquesne.....	460	440	281	76	166	27	2	4	6	154	5	20									
Easton.....	847	840	698	494	118	45	6	27	8	136	6	7									
Erie.....	1,900	1,872	1,334	557	466	149	18	32	112	507	31	27									
Farell.....	320	298	161	33	111	13	1	1	2	131	6	22									
Greensburg.....	364	352	262	173	56	14	2	9	8	87	3	12									
Harrisburg.....	1,693	1,509	1,344	1,081	123	45	6	50	39	152	13	184									
Hazleton.....	851	851	556	202	240	73	5	9	6	311	5	—									
Homestead.....	442	403	288	79	181	21	1	3	3	114	1	39									
Johnstown.....	1,507	1,428	987	475	383	74	7	27	21	429	12	79									
Johnstown.....	1,232	1,207	1,099	916	75	42	3	30	33	97	11	25									
Lebanon.....	659	645	567	480	41	9	2	17	18	54	24	14									
McKees Rocks.....	360	354	288	68	147	15	1	2	5	114	2	6									
McKeesport.....	1,174	1,140	712	289	316	80	2	12	13	419	9	34									
Mahanoy City.....	415	415	263	99	116	27	11	3	7	142	10	—									
Medaville.....	286	289	228	148	33	6	5	20	16	40	1	17									
Moneses.....	482	467	296	63	200	19	7	5	2	171	15	—									
Mount Carmel.....	408	406	279	126	105	28	5	9	6	126	1	—									
Nanticoke.....	665	664	367	74	226	45	11	6	5	293	4	1									

DEATHS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY. 141

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEASED: 1918—Contd.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Indian, Chinese, Japanese, and other colored.									
		Native.																			
		Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.		Foreign born.	Native unknown.	Negro.										
					Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.													
REGISTRATION CITIES—Contd.																					
PENNSYLVANIA—continued.																					
New Castle.....	890	867	656	340	186	61	8	32	29	196	15	23									
Norristown.....	1,166	1,088	817	496	183	74	7	21	36	253	18	77									
North Braddock.....	233	243	174	79	68	20	4	4	3	68	1	10									
Oil City.....	379	375	297	193	65	20	2	5	12	78	4	1									
Old Forge.....	244	244	144	18	98	25	2	1	1	99	1	1									
Philadelphia.....	42,479	38,377	27,019	12,653	8,775	2,424	419	848	1,900	10,658	700	4,061									
Phoenixville.....	316	310	218	121	86	7	1	3	92	202	1,191	34									
Pittsburgh.....	15,433	14,208	9,593	3,945	3,914	1,052	123	226	333	4,413	202	2									
Pittston.....	493	491	311	106	170	30	2	1	2	173	7	1									
Plymouth.....	262	262	170	55	89	20	3	3	91	1	1	1									
Pottstown.....	409	398	357	302	30	9	1	7	8	38	3	11									
Pottsville.....	789	781	564	357	125	45	9	19	9	201	16	8									
Reading.....	2,223	2,192	1,915	1,469	288	101	8	31	18	269	8	31									
Scranton.....	3,092	3,070	1,955	1,715	923	197	33	35	52	1,096	19	20									
Shamokin.....	475	475	378	239	87	45	3	4	96	1	1	1									
Sharon.....	416	409	257	134	80	16	2	9	16	146	6	7									
Shenandoah.....	701	701	379	91	216	46	13	3	10	310	12	1									
South Bethlehem.....	394	391	271	62	181	13	5	1	10	118	2	3									
Steeltown.....	351	284	173	81	78	7	1	4	2	105	6	67									
Sunbury.....	331	327	316	278	13	2	2	13	8	8	3	4									
Uniontown.....	385	346	280	153	41	13	3	12	8	103	13	39									
Warren.....	220	220	151	77	35	18	2	5	14	61	8	1									
Washington.....	495	456	371	268	55	21	6	17	9	79	6	39									
West Chester.....	427	341	288	220	25	13	14	18	48	5	86	1									
Wilkes-Barre.....	1,755	1,749	1,174	473	483	146	21	31	20	558	17	6									
Wilkinsburg.....	523	502	400	265	59	37	2	21	16	98	4	20									
Williamsport.....	829	800	690	527	69	40	8	19	27	105	5	29									
York.....	941	907	854	705	32	32	5	37	43	41	12	34									
RHODE ISLAND.																					
Registration cities.....	10,235	9,902	6,534	2,513	2,990	776	44	91	120	3,297	71	321									
Central Falls.....	445	441	298	65	184	42	4	3	3	142	1	4									
Cranston (exclusive of).....	419	412	290	149	110	20	2	6	116	6	4	3									
State institutions.....	474	448	213	93	68	19	4	3	26	215	20	26									
Cumberland.....	178	178	118	30	72	16	1	1	1	60	5	19									
East Providence town.....	316	297	217	116	81	13	1	2	75	5	3	4									
Newport.....	460	422	309	171	94	33	1	10	110	3	34	1									
Pawtucket.....	1,417	1,408	891	298	429	137	5	7	15	503	14	6									
Providence.....	5,210	4,988	3,394	1,332	1,552	377	25	62	46	1,573	21	220									
Warwick town.....	249	242	165	88	53	17	2	5	77	103	7	1									
West Warwick town.....	285	285	182	51	109	21	1	6	11	323	1	1									
Woonsocket.....	752	781	457	120	238	81	1	6	11	1	1	1									
SOUTH CAROLINA.																					
Registration cities.....	4,623	2,066	1,901	1,294	69	48	8	142	340	101	64	2,557									
Charleston.....	1,935	706	612	424	61	31	5	27	64	78	16	1,229									
Columbia.....	1,709	860	809	455	8	9	3	80	254	16	35	849									
Greenville.....	448	208	203	186	-----	3	-----	11	3	223	2	240									
Spartanburg.....	531	292	277	229	-----	5	-----	24	19	4	11	239									
TENNESSEE.																					
Registration cities.....	10,000	5,831	5,298	3,748	165	120	43	595	627	301	232	4,161									
Chattanooga.....	1,533	809	755	524	14	19	9	100	89	32	22	723									
Jackson.....	373	200	170	2	2	-----	-----	8	18	4	169	1									
Knoxville.....	1,326	1,014	952	638	8	14	3	176	113	24	33	312									
Memphis.....	3,615	1,871	1,614	1,090	92	45	16	148	223	161	96	1,739									
Nashville.....	3,153	1,933	1,777	1,326	49	40	15	163	184	84	72	1,218									
TEXAS. ¹																					
Registration cities.....	13,111	10,790	7,802	3,745	1,888	641	124	524	880	2,607	381	2,305									
Beaumont.....	700	383	304	205	22	9	1	24	43	51	28	316									
Cleburne.....	238	209	194	151	1	4	1	13	24	9	6	29									
Dallas.....	2,839	1,310	1,589	1,059	99	74	13	136	208	155	66	528									
El Paso.....	2,498	2,438	1,445	410	724	79	9	63	180	914	53	7									
Galveston.....	839	575	397	167	93	57	12	21	47	161	17	263									
Houston.....	2,374	1,605	1,249	631	154	92	47	143	182	234	122	768									
San Antonio.....	4,123	3,770	2,624	1,122	795	326	41	124	216	1,083	63	348									

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEASED: 1918—Contd.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Indian, Chinese, Japanese, and other colored.	
		Total.	Native.					Foreign born.	Nativ- ity un- known.	Negro.			
			Both parents native.	Both parents foreign born.	One parent foreign born, the other—	Parentage unknown.							
REGISTRATION CITIES—Contd.													
UTAH.													
Registration cities.....	2,363	2,294	1,612	842	339	270	27	49	85	622	50	20	49
Ogden.....	583	552	421	223	81	79	7	15	16	120	11	8	23
Salt Lake City.....	1,780	1,742	1,191	619	258	191	20	34	69	512	39	12	26
VERMONT.													
Registration cities.....	1,131	1,130	783	419	147	94	6	58	59	340	7	1	-----
Barre.....	304	304	133	67	44	12	1	3	6	170	1	-----	-----
Burlington.....	560	559	446	230	64	61	4	47	40	109	4	1	-----
Rutland.....	267	267	204	122	39	21	1	8	13	61	2	-----	-----
VIRGINIA.													
Registration cities.....	12,114	6,966	6,347	5,088	226	154	25	298	556	410	209	5,186	12
Alexandria.....	528	356	328	268	11	17	1	15	16	23	5	172	-----
Danville.....	500	316	301	253	-----	1	-----	25	22	6	9	184	-----
Lynchburg.....	758	478	450	390	9	12	1	25	13	13	13	310	-----
Newport News.....	817	369	319	262	14	11	-----	7	25	29	21	447	1
Norfolk.....	2,713	1,425	1,179	985	67	30	3	23	71	149	97	1,279	9
Petersburg.....	862	397	376	322	9	9	-----	11	25	16	5	455	-----
Portsmouth.....	854	428	398	333	12	6	1	16	30	17	13	426	-----
Richmond.....	3,812	2,225	2,056	1,640	88	57	15	113	143	134	35	1,586	1
Roanoke.....	871	635	612	477	12	10	4	55	54	18	5	235	1
Staunton.....	381	339	328	158	4	1	-----	8	157	5	6	42	-----
WASHINGTON.													
Registration cities.....	8,717	8,359	5,716	3,024	1,064	666	97	317	548	2,421	222	99	259
Aberdeen.....	187	187	114	60	25	15	3	3	8	66	7	-----	-----
Bellingham.....	373	368	246	121	45	38	3	20	24	116	6	1	4
Everett.....	317	310	202	117	46	21	2	8	8	101	7	1	6
North Yakima.....	364	335	273	153	31	28	8	12	41	55	7	8	21
Seattle.....	4,090	3,860	2,529	1,265	536	302	45	147	234	1,212	119	51	179
Spokane.....	1,528	1,498	1,112	688	165	140	12	44	63	363	23	17	13
Tacoma.....	1,577	1,526	1,027	489	195	114	22	67	140	452	47	20	31
Walla Walla.....	281	275	213	131	21	13	2	16	30	56	6	1	5
WEST VIRGINIA. ¹													
Wheeling.....	1,030	981	701	412	135	69	38	11	36	261	19	49	-----
WISCONSIN.													
Registration cities.....	14,140	14,032	9,113	3,287	3,588	1,346	183	301	408	4,664	255	88	20
Appleton.....	283	280	176	84	56	24	1	4	7	103	1	1	2
Ashland.....	343	340	204	67	65	31	4	6	31	113	23	2	6
Beloit.....	391	369	281	151	59	24	9	16	22	83	5	22	-----
Eau Claire.....	337	336	213	90	58	33	5	12	15	120	3	1	-----
Fond du Lac.....	360	358	252	108	67	38	13	19	12	104	2	2	-----
Green Bay.....	609	605	444	173	106	68	20	45	32	135	28	1	3
Janesville.....	274	274	205	109	46	20	4	12	14	65	4	-----	-----
Kenosha.....	629	627	396	132	193	51	2	8	10	221	10	2	-----
La Crosse.....	564	562	370	159	107	57	12	15	20	178	14	2	-----
Madison.....	591	582	446	208	135	56	11	16	20	131	5	8	1
Manitowoc.....	309	308	214	93	70	30	11	4	6	88	6	1	-----
Marinette.....	201	199	124	52	43	18	4	4	3	67	8	2	-----
Milwaukee.....	6,550	6,518	4,178	1,307	1,930	654	53	92	142	2,268	72	30	2
Oshkosh.....	463	460	300	129	97	41	7	11	15	154	6	2	1
Racine.....	822	817	512	166	236	78	7	11	14	293	12	5	-----
Sheboygan.....	510	510	305	98	143	42	9	10	8	199	6	-----	-----
Superior.....	628	616	319	98	128	53	7	12	26	247	50	9	3
Wausau.....	271	271	174	73	49	33	4	4	11	95	2	-----	-----

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties,

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
SUMMARY.													
1	The registration area (exclusive of Hawaii) (total).....	1,445,158	193,855	55,059	26,929	17,408	12,892	306,143	38,012	29,693	54,503	81,024	104,578
2	White.....	1,287,425	170,934	47,405	23,272	15,138	11,277	268,076	32,992	25,153	44,946	68,531	92,701
3	Colored.....	157,733	22,871	7,654	3,657	2,270	1,615	38,067	5,020	4,540	9,557	12,493	11,877
4	Registration states ¹ (total).....	1,404,116	188,771	53,369	26,113	16,897	12,536	297,686	36,895	28,825	52,668	78,087	101,121
5	White.....	1,259,565	187,268	46,141	22,658	14,759	11,008	261,834	32,194	24,582	43,887	66,797	90,495
6	Colored.....	144,551	21,503	7,228	3,455	2,138	1,528	35,852	4,701	4,243	8,781	11,290	10,626
7	Cities in registration states ¹ (total).....	741,187	97,745	27,999	13,458	8,698	6,653	154,548	18,653	13,003	24,161	42,046	59,471
8	White.....	679,702	90,154	25,450	12,169	7,964	6,116	141,853	17,174	11,721	21,168	37,281	54,196
9	Colored.....	61,485	7,591	2,549	1,289	729	537	12,698	1,479	1,282	2,983	4,815	5,275
10	Rural part of registration states (total).....	662,929	91,026	25,370	12,655	8,204	5,883	143,138	18,242	15,822	28,507	36,041	41,650
11	White.....	579,863	77,114	20,691	10,489	6,795	4,892	119,981	15,020	12,861	22,719	29,566	36,239
12	Colored.....	83,066	13,912	4,879	2,186	1,409	991	23,157	3,222	2,961	5,788	6,475	5,351
13	Registration cities in nonregistration states (total).....	41,042	5,084	1,690	816	511	356	8,457	1,117	868	1,835	2,987	3,457
14	White.....	27,860	3,716	1,264	614	379	269	6,242	798	571	1,059	1,734	2,206
15	Colored.....	13,182	1,363	426	202	132	87	2,215	319	297	776	1,203	1,251
16	All registration cities ¹ (total).....	782,229	102,829	29,689	14,274	9,204	7,009	163,005	19,770	13,871	25,996	44,983	62,928
17	White.....	707,562	93,870	26,714	12,783	8,343	6,385	148,095	17,972	12,292	22,227	38,965	56,402
18	Colored.....	74,667	8,959	2,975	1,491	861	624	14,910	1,798	1,579	3,769	6,018	6,526
REGISTRATION STATES.													
19	California (total).....	56,488	4,666	1,127	601	465	330	7,189	1,054	881	1,663	2,784	4,174
20	White.....	52,770	4,154	1,006	535	412	300	6,407	980	835	1,536	2,497	3,885
21	Colored.....	3,718	512	121	66	53	30	782	74	46	127	237	289
22	Colorado (total).....	17,546	1,900	450	240	171	134	2,895	399	361	836	1,374	1,851
23	White.....	17,141	1,866	438	233	166	130	2,833	391	357	816	1,344	1,814
24	Colored.....	405	34	12	7	5	4	62	8	4	20	30	37
25	Connecticut (total).....	27,240	3,964	1,011	450	284	228	5,937	626	463	817	1,504	2,318
26	White.....	26,550	3,873	972	434	277	220	5,776	613	455	777	1,448	2,267
27	Colored.....	690	91	39	16	7	8	161	13	8	40	56	51
28	Illinois (total).....	100,396	13,109	3,620	1,916	1,316	952	20,913	2,827	1,926	3,376	5,266	7,833
29	White.....	95,831	12,629	3,434	1,815	1,271	912	20,061	2,697	1,827	3,161	4,910	6,924
30	Colored.....	4,565	480	186	101	45	40	852	130	99	215	356	409
31	Indiana (total).....	45,993	5,603	1,479	754	504	397	8,737	1,193	1,061	1,742	2,210	2,623
32	White.....	43,940	5,391	1,416	723	471	376	8,377	1,142	1,000	1,624	2,066	2,477
33	Colored.....	2,053	212	63	31	33	21	360	51	61	118	144	146
34	Kansas (total).....	25,053	3,111	685	398	222	191	4,607	663	584	1,103	1,370	1,627
35	White.....	23,490	2,938	627	375	205	178	4,323	625	534	1,009	1,256	1,524
36	Colored.....	1,563	173	58	23	17	13	284	38	50	94	114	103
37	Kentucky (total).....	39,532	5,816	1,903	1,042	691	482	9,934	1,384	1,130	2,120	2,401	2,422
38	White.....	32,972	5,057	1,645	912	601	429	8,644	1,203	942	1,715	1,941	2,458
39	Colored.....	6,560	759	258	130	90	53	1,290	181	188	405	460	458
40	Louisiana (total).....	32,201	4,415	1,320	701	455	298	7,189	1,021	938	1,807	2,416	2,515
41	White.....	15,822	2,271	654	357	219	153	3,654	457	384	676	992	1,113
42	Colored.....	16,379	2,144	666	344	236	145	3,535	564	554	1,131	1,424	1,402
43	Maine (total).....	14,499	1,700	357	151	112	70	2,390	297	274	527	666	859
44	White.....	14,443	1,696	353	150	112	70	2,381	296	273	528	658	858
45	Colored.....	56	4	1	1	1	1	9	1	1	4	8	1
46	Maryland (total).....	32,134	4,790	1,439	688	351	283	7,501	822	654	1,341	1,876	2,316
47	White.....	24,329	3,468	976	410	243	187	5,284	556	434	866	1,377	1,830
48	Colored.....	7,805	1,322	463	228	108	96	2,217	266	220	475	499	486
49	Massachusetts (total).....	77,248	10,780	2,983	1,274	845	631	16,513	1,719	1,211	2,149	3,792	5,706
50	White.....	75,867	10,579	2,901	1,241	827	620	16,168	1,696	1,197	2,102	3,700	5,703
51	Colored.....	1,381	201	82	33	18	11	345	23	14	47	92	98
52	Michigan (total).....	53,320	8,105	1,777	856	579	490	11,807	1,389	1,008	1,681	2,425	3,864
53	White.....	52,103	7,971	1,736	831	555	475	11,578	1,352	968	1,598	2,337	3,245
54	Colored.....	1,217	134	41	25	14	15	229	37	40	83	88	119
55	Minnesota (total).....	31,109	3,968	821	473	297	238	5,797	837	786	1,288	1,780	2,315
56	White.....	30,709	3,911	805	464	298	235	5,708	820	771	1,262	1,755	2,291
57	Colored.....	400	57	16	9	4	3	89	17	15	26	25	24
58	Missouri (total).....	53,311	5,937	1,784	956	656	440	9,773	1,500	1,243	2,232	3,053	3,627
59	White.....	48,465	5,499	1,619	851	593	409	8,971	1,357	1,132	1,989	2,695	3,285
60	Colored.....	4,846	438	165	105	63	31	802	143	111	243	358	392
61	Montana (total).....	8,985	1,027	201	125	103	79	1,535	224	184	370	566	976
62	White.....	8,738	990	189	120	100	77	1,476	220	176	362	548	962
63	Colored.....	249	37	12	5	3	2	59	4	8	8	18	14
64	New Hampshire (total).....	9,581	1,094	272	117	94	71	1,648	171	169	311	451	739
65	White.....	9,564	1,093	272	117	94	71	1,647	171	168	311	451	738
66	Colored.....	17	1	—	—	—	—	1	—	1	—	—	1
67	New Jersey (total).....	60,988	8,371	2,681	1,281	761	602	13,896	1,610	1,077	2,029	3,454	4,811
68	White.....	57,468	7,858	2,431	1,189	705	559	12,787	1,505	1,002	1,875	3,201	4,567
69	Colored.....	3,520	518	200	92	56	43	909	105	75	154	253	244

¹ Including District of Columbia.

DEATHS, BY COLOR AND AGE OF DECEASED.

145

OF HAWAII AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEASED : 1918.

[footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910 are omitted.]

DEATHS AT AGE OF—																Deaths at un- known age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
100,589	85,059	66,926	64,957	64,508	66,788	72,361	76,160	77,238	67,178	47,943	25,390	8,925	2,200	733	3,750	
89,969	73,969	58,138	56,816	57,073	61,180	67,240	71,245	72,706	64,043	45,593	24,070	8,114	1,822	299	2,749	
10,620	11,090	8,788	8,141	7,435	5,608	5,621	4,915	4,582	3,135	2,350	1,320	811	378	434	1,001	
97,297	81,985	64,502	62,740	62,405	65,006	71,055	74,535	75,732	66,072	47,253	25,016	8,796	2,147	687	3,606	
87,775	72,094	56,712	55,513	55,811	59,889	65,887	69,949	71,468	63,103	45,032	23,768	8,020	1,790	291	2,674	
9,522	9,891	7,790	7,227	6,594	5,117	5,168	4,586	4,264	2,969	2,221	1,248	776	357	396	932	
57,430	47,781	38,664	37,832	37,843	37,602	38,777	37,499	34,625	28,005	18,678	9,660	3,161	779	173	796	
52,343	42,443	34,252	33,817	34,274	34,981	36,377	35,637	33,197	27,088	18,115	9,383	3,017	698	111	641	
5,082	5,338	4,412	4,015	3,569	2,821	2,400	1,862	1,428	917	563	297	144	81	62	155	
39,887	34,204	25,838	24,908	24,562	27,404	32,278	37,036	41,107	38,087	28,575	15,356	5,635	1,368	514	2,810	
35,427	29,651	22,460	21,696	21,537	24,908	29,510	34,312	38,271	36,015	26,917	14,405	5,003	1,092	180	2,038	
4,440	4,553	3,378	3,212	3,025	2,496	2,768	2,724	2,836	2,052	1,658	951	632	276	334	777	
3,292	3,074	2,424	2,217	2,103	1,782	1,806	1,625	1,508	1,106	690	374	129	53	46	144	
2,194	1,875	1,426	1,308	1,262	1,291	1,353	1,296	1,238	940	561	302	94	32	8	75	
1,098	1,199	998	914	841	491	453	329	268	166	129	72	35	21	38	69	
60,723	50,855	41,088	40,049	39,946	39,384	40,583	39,124	36,181	29,111	19,368	10,034	3,290	832	219	940	
54,542	44,318	35,678	35,120	35,536	36,272	37,730	36,933	34,435	28,028	18,676	9,665	3,111	730	119	716	
6,180	6,537	5,410	4,929	4,410	3,112	2,853	2,191	1,696	1,083	692	369	102	100	224	18	
4,852	4,328	3,448	3,071	3,060	3,169	3,231	3,410	3,401	2,937	2,126	1,209	382	103	35	31	
4,507	4,018	3,177	2,890	2,865	2,978	3,022	3,238	3,277	2,867	2,091	1,187	362	97	27	20	
345	310	271	181	195	191	209	172	124	70	35	22	20	6	8	4	
1,699	1,330	963	830	728	778	738	762	725	561	366	174	64	15	7	90	
1,648	1,278	930	801	715	763	725	755	716	551	363	172	62	15	7	85	
51	52	33	29	13	15	13	7	9	10	3	2	2	5	5	24	
2,173	1,594	1,234	1,304	1,210	1,232	1,344	1,304	1,359	1,202	884	473	181	42	4	35	
2,120	1,546	1,194	1,271	1,169	1,210	1,317	1,281	1,338	1,177	873	463	177	39	4	35	
53	48	40	33	41	22	27	23	21	25	11	10	4	3	1	27	
7,040	6,030	4,851	4,625	4,769	5,088	5,140	5,246	5,186	4,630	3,471	1,834	626	144	37	238	
6,699	5,821	4,325	4,287	4,528	4,870	4,984	5,104	5,062	4,558	3,418	1,813	614	136	28	209	
341	409	326	338	241	218	156	142	124	77	53	21	12	8	9	29	
2,536	2,209	1,765	1,786	1,955	2,255	2,648	3,028	3,301	3,118	2,207	1,074	360	73	19	93	
2,402	2,073	1,639	1,630	1,827	2,150	2,547	2,954	3,232	3,064	2,166	1,056	352	68	12	82	
134	136	126	156	128	105	101	74	69	54	41	18	8	5	7	33	
1,544	1,256	968	866	918	1,001	1,293	1,449	1,772	1,746	1,265	610	195	60	11	55	
1,439	1,170	867	793	833	1,007	1,230	1,374	1,707	1,693	1,218	596	181	56	7	48	
105	86	101	73	85	84	63	75	65	53	47	14	4	4	7	36	
2,215	1,928	1,576	1,478	1,462	1,478	1,691	1,949	2,001	1,740	1,210	594	241	61	37	480	
1,827	1,503	1,184	1,134	1,117	1,190	1,418	1,694	1,740	1,555	1,092	528	202	44	11	324	
388	425	344	345	288	273	255	261	185	118	66	39	17	26	156	39	
2,109	2,036	1,605	1,630	1,340	1,248	1,320	1,270	1,172	951	697	403	210	80	90	154	
1,042	928	797	770	685	730	766	788	769	581	388	222	77	20	12	61	
1,067	1,108	808	860	655	518	554	482	493	370	309	181	133	60	78	93	
849	648	482	506	536	668	878	1,029	1,132	1,110	875	506	168	40	6	53	
846	647	479	505	533	667	876	1,026	1,124	1,107	875	503	168	40	6	52	
3	1	3	1	3	1	2	3	8	3	3	3	1	1	1	45	
1,983	1,827	1,354	1,384	1,483	1,510	1,580	1,641	1,680	1,427	950	478	159	37	14	112	
1,554	1,361	969	984	1,090	1,182	1,299	1,370	1,437	1,255	838	425	124	26	4	64	
434	466	385	400	393	328	281	271	172	112	53	35	11	10	10	48	
5,609	4,588	3,619	3,626	3,556	3,705	4,135	4,348	4,351	3,665	2,666	1,456	567	127	21	29	
5,512	4,466	3,526	3,547	3,481	3,632	4,071	4,297	4,309	3,628	2,652	1,445	562	126	19	50	
97	122	93	79	75	73	64	51	42	37	14	11	5	1	2	1	
3,142	2,498	1,940	2,018	2,157	2,555	2,918	3,236	3,619	3,285	2,295	1,289	425	97	14	158	
3,044	2,399	1,880	1,942	2,099	2,505	2,876	3,208	3,556	3,261	2,272	1,275	419	94	10	155	
98	69	60	76	58	50	42	28	33	24	23	14	6	3	4	54	
2,307	1,774	1,351	1,278	1,344	1,562	1,561	1,526	1,635	1,509	1,240	735	271	78	7	128	
2,275	1,746	1,334	1,252	1,328	1,552	1,541	1,510	1,620	1,502	1,235	733	270	74	6	124	
32	28	17	26	16	10	20	16	15	7	5	2	1	4	1	57	
3,493	2,982	2,489	2,433	2,343	2,540	2,899	3,097	3,244	2,749	1,898	1,052	334	87	26	217	
3,083	2,572	2,187	2,108	2,082	2,304	2,719	2,907	3,104	2,641	1,846	1,012	317	70	11	173	
410	410	352	325	261	236	180	190	140	108	52	40	17	17	15	60	
1,047	872	578	486	406	370	377	308	234	204	125	73	17	5	1	27	
1,026	847	565	474	395	359	365	297	229	200	119	69	16	5	1	26	
21	25	13	12	11	11	12	11	5	4	6	4	1	1	1	63	
607	463	344	386	362	420	523	631	703	632	525	289	110	20	3	74	
605	461	344	385	360	418	522	631	702	632	525	289	110	20	2	72	
2	2	1	1	2	2	1	1	1	1	1	1	1	1	1	2	
4,707	3,545	2,933	2,864	2,875	2,870	3,015	3,024	3,008	2,526	1,707	819	299	53	12	61	
4,446	3,286	2,698	2,665	2,696	2,705	2,893	2,923	2,897	2,461	1,670	789	294	46	9	54	
261	259	235	199	179	165	122	101	111	65	37	30	5	7	3	69	

MORTALITY STATISTICS

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties,

AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—											
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	
REGISTRATION STATES—Continued.													
1 New York (total).....	190,764	23,452	7,072	3,148	2,119	1,535	37,826	4,425	3,347	5,768	9,773	13,690	
2 White.....	185,340	22,716	6,818	3,046	2,048	1,487	36,115	4,319	3,251	5,554	9,337	13,161	
3 Colored.....	5,424	736	254	102	71	48	1,211	106	96	214	436	529	
4 North Carolina (total).....	42,274	7,686	2,894	1,244	727	467	13,018	1,478	1,137	2,259	2,709	2,432	
5 White.....	24,907	4,424	1,662	765	411	255	7,517	811	561	1,056	1,286	1,276	
6 Colored.....	17,367	3,262	1,232	479	316	212	5,501	667	576	1,203	1,423	1,056	
7 Ohio (total).....	92,356	11,727	2,840	1,377	901	668	17,513	2,098	1,692	2,988	4,803	6,377	
8 White.....	87,714	11,174	2,609	1,295	859	648	16,645	1,969	1,584	2,765	4,455	5,988	
9 Colored.....	4,642	553	171	82	42	20	868	129	108	223	343	389	
10 Oregon (total).....	9,679	907	197	100	84	49	1,337	220	194	334	498	639	
11 White.....	9,329	864	183	96	79	46	1,268	212	188	322	476	607	
12 Colored.....	350	43	14	4	5	3	69	8	6	12	22	32	
13 Pennsylvania (total).....	187,951	28,299	8,362	4,134	2,531	1,911	45,237	4,983	3,477	6,542	10,872	15,320	
14 White.....	179,016	27,121	7,942	3,927	2,430	1,815	43,235	4,769	3,282	6,128	10,152	14,511	
15 Colored.....	8,935	1,178	420	207	101	96	2,002	214	195	414	720	809	
16 Rhode Island (total).....	12,407	1,947	542	289	160	108	3,046	315	190	349	594	865	
17 White.....	12,021	1,882	519	277	151	108	2,937	304	182	333	564	841	
18 Colored.....	386	65	23	12	9	—	109	11	8	16	30	24	
19 South Carolina (total).....	30,761	6,031	2,013	938	563	415	9,960	1,216	999	1,916	2,202	1,777	
20 White.....	11,152	1,959	718	297	189	118	3,281	344	261	518	596	593	
21 Colored.....	19,609	4,072	1,295	641	374	297	6,679	872	738	1,398	1,606	1,184	
22 Tennessee (total).....	37,134	4,761	1,793	921	624	468	8,562	1,352	1,165	2,162	2,574	2,331	
23 White.....	25,949	3,618	1,343	697	464	344	6,466	958	765	1,293	1,526	1,451	
24 Colored.....	11,185	1,143	450	224	160	119	2,096	394	400	869	1,048	880	
25 Utah (total).....	6,172	926	186	112	73	51	1,348	239	193	331	406	549	
26 White.....	5,986	905	179	105	71	49	1,309	234	189	325	390	528	
27 Colored.....	186	21	7	7	2	2	39	5	4	6	16	21	
28 Vermont (total).....	6,803	698	139	61	42	42	952	107	127	232	323	402	
29 White.....	6,800	697	139	61	42	42	981	106	127	232	323	402	
30 Colored.....	3	1	—	—	—	—	1	1	—	—	—	—	
31 Virginia (total).....	41,272	6,491	1,877	987	586	402	10,343	1,231	1,064	2,705	2,745	2,745	
32 White.....	24,687	3,743	1,056	581	341	236	5,957	704	569	1,619	1,654	1,654	
33 Colored.....	16,585	2,748	821	406	245	166	4,386	527	495	1,005	1,186	1,091	
34 Washington (total).....	16,837	1,769	327	172	149	113	2,530	435	384	743	1,011	1,312	
35 White.....	15,985	1,637	289	162	123	99	2,310	399	348	632	945	1,248	
36 Colored.....	852	132	38	10	26	14	220	36	36	61	66	64	
37 Wisconsin (total).....	34,992	4,810	987	541	364	326	7,028	872	743	1,281	1,721	2,292	
38 White.....	34,700	4,780	976	537	360	321	6,974	862	728	1,266	1,705	2,266	
39 Colored.....	292	30	11	4	5	5	54	10	15	15	16	26	
REGISTRATION CITIES.													
ALABAMA.¹													
40 Registration cities (total).....	6,697	736	274	126	93	79	1,301	207	156	330	542	584	
41 White.....	3,176	370	151	69	54	58	682	95	69	113	207	261	
42 Colored.....	3,521	366	123	57	39	34	619	112	87	217	335	323	
43 Birmingham (total).....	4,346	1,480	198	87	63	49	877	154	114	223	376	424	
44 White.....	2,056	247	103	43	35	27	460	67	50	78	141	198	
45 Colored.....	2,280	233	95	39	28	22	417	87	64	145	235	226	
46 Mobile (total).....	1,430	152	49	20	16	15	252	30	24	65	97	103	
47 White.....	761	80	36	12	12	8	148	17	14	25	43	50	
48 Colored.....	669	72	13	8	4	7	104	13	10	40	54	53	
49 Montgomery (total).....	921	104	27	19	14	8	172	23	18	42	69	57	
50 White.....	359	43	12	9	7	3	74	11	5	10	23	13	
51 Colored.....	562	61	15	10	7	5	98	12	13	32	46	44	
CALIFORNIA.													
52 Registration cities (total).....	33,317	2,399	571	324	264	202	3,760	599	468	885	1,587	2,537	
53 White.....	31,127	2,144	506	288	236	183	3,357	562	454	814	1,425	2,339	
54 Colored.....	2,190	255	65	36	28	19	403	37	14	71	162	193	
55 Alameda.....	419	30	4	5	5	3	47	13	5	15	7	33	
56 Bakersfield.....	611	65	17	9	6	5	102	16	16	21	46	45	
57 Berkeley.....	679	51	8	8	6	4	77	17	10	17	31	45	
58 Eureka.....	251	16	2	—	—	1	19	9	12	9	10	20	
59 Fresno.....	679	85	20	7	4	6	122	16	13	26	34	55	
60 Long Beach.....	671	36	11	8	6	3	64	12	9	17	32	36	
61 Los Angeles (total).....	9,348	683	150	97	79	63	1,072	182	148	254	536	752	
62 White.....	8,665	597	133	89	72	58	949	171	145	234	477	685	
63 Colored.....	683	86	17	8	7	5	123	11	3	20	59	77	
64 Oakland.....	3,212	274	62	31	31	29	427	57	45	106	118	241	
65 Pasadena.....	566	27	8	1	5	1	42	7	4	11	21	24	
66 Pomona.....	180	13	4	3	4	1	25	5	4	5	3	15	
67 Redlands.....	122	11	4	3	3	—	19	1	1	5	7	9	
68 Riverside (total).....	3,339	25	5	3	3	1	37	7	12	25	19	24	
69 White.....	312	21	4	3	3	1	32	6	10	17	18	24	
70 Colored.....	27	4	1	—	—	—	5	1	2	8	1	—	

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

DEATHS, BY COLOR AND AGE OF DECEDEDENT.

147

OF HAWAII) AND CERTAIN SUBDIVISIONS. BY COLOR AND AGE OF DECEDEDENT : 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910 are omitted.]

DEATHS AT AGE OF—																Deaths at un- known age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
13,190 12,681 509	10,904 10,410 494	9,293 8,901 392	9,433 9,121 312	10,127 9,871 256	10,206 10,006 200	11,003 10,816 187	11,118 10,956 162	10,664 10,533 131	9,302 9,207 95	6,264 6,219 45	3,326 3,300 26	1,140 1,129 11	278 274 4	39 37 2	143 142 6	1
2,181 1,287 894	2,154 1,243 911	1,586 775 676	1,338 750 583	1,339 947 456	1,403 1,104 462	1,680 1,332 576	1,794 1,364 373	1,886 1,115 337	1,488 763 171	1,100 730 117	541 370 171	267 150 117	75 22 53	62 11 51	347 157 190	4
6,341 5,960 381	5,410 4,987 423	4,408 4,070 388	4,191 3,874 317	4,078 3,843 235	4,377 4,202 175	4,931 4,739 172	5,557 5,430 127	5,791 5,641 150	5,246 5,141 105	3,775 3,707 68	1,937 1,900 37	638 610 28	140 129 11	22 19 3	43 36 7	7
644 626 18	593 566 27	493 469 24	490 476 14	496 537 18	551 581 14	601 603 20	625 597 27	605 572 8	584 412 12	417 219 5	223 129 4	66 65 1	13 12 1	43 35 8	10	
14,819 14,033 736	12,195 11,351 844	9,034 8,430 604	8,679 8,091 588	7,908 7,427 481	7,793 7,483 310	8,344 8,066 278	8,550 8,313 237	8,461 8,283 173	7,094 6,970 124	5,069 4,994 75	2,489 2,452 37	822 804 18	180 168 12	23 14 9	60 55 5	13
815 794 21	674 651 23	596 576 20	532 566 16	563 542 21	585 588 17	731 715 23	707 684 12	630 618 7	492 485 3	372 369 5	201 196 2	75 73 5	12 12 2	10 8 18	16	
1,624 505 1,029	1,649 600 1,049	1,269 497 772	1,123 407 716	1,006 436 628	840 520 404	1,030 510 502	1,070 568 480	1,045 456 305	761 482 273	555 482 273	328 282 170	141 158 102	69 39 54	112 39 65	19 20 21	
2,116 1,375 741	1,988 1,248 740	1,577 992 585	1,573 995 578	1,489 917 379	1,410 1,081 419	1,630 1,211 359	1,702 1,446 302	1,748 1,299 225	1,454 982 186	982 796 116	544 428 61	177 116 25	56 31 32	40 324 178	22 23 24	
499 471 28	393 370 23	246 233 13	250 239 11	233 224 9	235 232 3	224 220 4	224 206 1	280 206 1	207 210 1	211 180 1	181 105 1	29 29 1	11 11 1	1 1 27	25 26 27	
401 401	303 303	275 275	259 259	284 284	335 335	384 384	497 497	521 521	578 578	423 422	254 254	81 81	24 24	4 7	28	
401										1						30
2,377 1,438 939	2,259 1,250 1,009	1,718 909 809	1,647 931 716	1,643 826 817	1,625 979 646	1,899 1,217 682	1,942 1,339 603	2,081 1,519 562	1,642 1,275 367	1,200 885 315	599 430 169	271 153 118	66 22 44	62 3 59	83 32 40	31
1,335 1,262 73	1,098 1,030 68	864 820 44	772 748 38	836 798 25	925 900 19	980 961 23	937 914 21	935 914 6	738 732 11	511 500 2	304 302 9	96 20 3	21 1 2	67 58 9	34	
2,315 2,294 21	1,804 1,777 27	1,353 1,344 19	1,359 1,344 15	1,408 1,400 8	1,727 1,713 14	1,848 1,839 9	1,988 1,976 12	2,114 2,106 8	1,991 1,956 5	1,627 1,618 9	944 942 2	346 344 1	69 68 1	7 7 4	155 151 39	
506 227 279	525 224 301	400 162 238	445 168 277	347 128 219	272 154 118	238 142 91	244 155 89	221 150 71	160 116 44	96 64 32	52 34 18	23 15 8	11 2 9	11 1 10	31 41 42	
362 161 201	345 154 191	268 100 155	206 76 130	159 91 68	128 86 42	140 88 52	114 53 31	79 58 21	42 28 14	29 19 10	10 3 3	4 7 4	7 7 19	22 44 45		
84 49 35	111 44 67	80 36 44	109 48 61	81 37 44	82 46 36	58 35 23	67 43 24	61 38 23	54 40 14	35 25 10	14 11 3	8 6 2	5 2 1	9 4 5	46 47 48	
60 17 43	69 26 43	57 18 39	63 20 48	60 15 46	31 17 14	47 21 26	37 24 13	46 29 17	27 18 9	19 11 8	9 4 5	5 2 3	2 3 2	3 1 51	49 50 51	
3,023 2,806 217	2,670 2,483 187	2,145 1,961 184	1,947 1,829 113	1,955 1,816 139	2,037 1,917 120	1,953 1,833 125	2,057 1,968 89	1,975 1,915 60	1,617 1,581 36	1,162 1,147 15	667 660 7	191 188 3	52 51 1	14 11 3	11 10 1	52 53 54
32 59 56 12 50	28 65 27 17 70	19 45 33 14 37	12 33 34 11 40	24 30 40 16 35	27 26 32 13 33	21 29 32 22 32	28 17 20 13 31	30 13 20 11 31	29 13 13 8 13	22 19 10 6 8	23 19 10 6 8	3 1 1 1 1	1 1 1 1 2	55 56 57 58 59		
46 843 755 85 276	25 723 667 61 247	20 600 544 56 174	23 530 495 35 168	38 557 517 36 157	39 595 492 25 183	73 568 569 14 206	64 412 404 8 139	57 304 404 8 139	43 183 296 8 67	27 39 12 2 22	7 12 12 1 9	1 1 1 1 9	1 1 1 1 6	60 61 62 63 64		
32 11 5 25 22 3	30 9 6 21 20 2	25 3 5 13 13 1	34 8 6 10 10 1	31 12 8 19 18 1	45 8 3 19 18 1	27 8 3 19 18 1	51 21 15 19 17 1	58 8 6 17 18 1	44 13 15 18 18 1	47 13 15 18 18 1	24 9 8 10 13 1	9 1 1 1 10 1	65 66 67 68 69 1	65 66 67 68 69 70		

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910). Minor rural subdivisions (counties,

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—													
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.			
REGISTRATION CITIES—Continued.																
CALIFORNIA—continued.																
1	Sacramento	1,727	117	30	18	6	8	179	33	17	41	72	129			
2	San Bernardino	499	66	18	11	7	2	104	5	10	26	37	47			
3	San Diego	1,534	138	28	8	11	11	196	28	26	39	70	94			
4	San Francisco (total)	9,855	567	148	74	72	47	908	149	110	209	416	752			
5	White	9,278	516	135	65	63	40	819	140	105	193	374	703			
6	Colored	577	51	13	9	9	7	89	9	5	16	42	49			
7	San Jose	587	55	20	12	7	4	98	10	5	15	21	27			
8	Santa Barbara	250	23	3	6	1	3	36	3	3	9	14	18			
9	Santa Cruz	195	9	5	1	1	1	16	3	1	2	7	5			
10	Stockton	1,347	89	21	19	9	5	143	21	14	23	75	129			
11	Vallejo	246	19	3	—	2	3	27	5	3	10	11	27			
COLORADO.																
12	Registration cities (total)	7,470	695	144	79	62	60	1,040	144	125	297	594	837			
13	White	7,214	677	134	75	59	58	1,003	138	122	283	570	817			
14	Colored	256	18	10	4	3	2	37	6	3	14	24	20			
15	Colorado Springs	842	50	10	7	2	7	76	11	17	28	95	109			
16	Denver	5,199	418	70	44	40	26	598	90	74	215	399	572			
17	Pueblo	1,072	170	53	22	16	25	286	32	25	36	80	115			
18	Trinidad	357	57	11	6	4	2	80	11	9	18	20	41			
CONNECTICUT.																
19	Registration cities (total)	19,962	2,993	808	361	222	182	4,566	475	326	586	1,153	1,801			
20	White	19,391	2,912	774	350	215	175	4,426	466	320	552	1,106	1,761			
21	Colored	571	81	34	11	7	7	140	9	6	34	47	40			
22	Ansonia	318	72	17	7	3	6	105	7	3	10	23	42			
23	Bridgeport	2,981	492	141	69	38	31	771	69	45	81	171	200			
24	Bristol	304	52	20	6	2	3	83	12	4	7	23	32			
25	Danbury town	490	52	9	4	4	3	72	8	5	14	19	30			
26	Greenwich town	377	42	21	8	3	2	76	7	6	13	19	24			
27	Hartford	3,117	509	115	36	30	25	715	88	38	91	170	264			
28	Manchester town	221	46	8	2	4	—	60	1	6	7	7	12			
29	Meriden town	800	107	27	13	6	9	182	15	7	31	52	70			
30	Middletown town	756	59	21	12	6	2	100	12	9	23	37	42			
31	Naugatuck	248	43	13	7	6	3	72	4	10	10	16	24			
32	New Britain	1,112	225	59	24	20	13	341	31	23	18	63	125			
33	New Haven	3,343	440	152	83	36	27	738	67	62	97	188	289			
34	New London	586	68	11	2	8	4	93	13	6	10	40	53			
35	Norwalk	559	55	19	8	4	6	92	16	8	12	32	48			
36	Norwich town	765	92	22	9	3	2	138	18	13	32	30	37			
37	Orange town	248	39	12	—	2	2	55	3	5	4	10	21			
38	Stamford town	794	131	35	12	10	10	198	19	10	17	49	49			
39	Torrington town	326	53	9	5	2	3	72	10	4	8	22	36			
40	Wallingford town	184	26	5	2	3	2	38	4	5	1	5	16			
41	Waterbury	2,087	343	82	46	27	21	519	63	48	86	160	218			
42	Windham town	346	47	10	6	5	3	71	8	9	14	17	29			
DELAWARE. ¹																
43	Wilmington (total)	2,606	426	120	60	29	21	656	81	58	89	168	232			
44	White	2,271	379	99	52	25	17	572	72	43	71	151	204			
45	Colored	335	47	21	8	4	4	84	9	15	18	17	28			
DISTRICT OF COLUMBIA.																
46	Washington (total)	9,090	911	230	116	68	70	1,395	188	163	301	558	724			
47	White	5,779	509	124	55	37	39	764	122	92	146	347	472			
48	Colored	3,311	402	106	61	31	31	631	66	71	155	211	252			
FLORIDA. ¹																
49	Registration cities (total)	4,194	456	151	83	52	31	773	80	73	175	345	353			
50	White	2,344	270	90	46	33	19	453	43	33	73	166	181			
51	Colored	1,850	186	61	37	19	12	315	37	40	102	179	177			
52	Jacksonville (total)	2,049	183	60	34	23	11	311	38	32	98	186	199			
53	White	939	85	29	14	13	5	146	17	13	34	68	75			
54	Colored	1,110	98	31	20	10	6	165	21	19	64	118	124			
55	Key West (total)	387	67	12	12	5	1	97	6	6	10	19	23			
56	White	272	44	8	7	2	1	62	4	3	5	12	18			
57	Colored	115	23	4	5	3	—	35	2	3	5	7	5			
58	Pensacola (total)	672	76	32	14	12	11	145	23	21	17	45	64			
59	White	387	40	21	5	7	5	78	11	12	9	25	39			
60	Colored	285	36	11	9	5	6	67	12	9	8	20	25			
61	Tampa (total)	1,086	130	47	23	12	8	220	13	14	50	95	72			
62	White	746	101	32	20	11	8	172	11	5	25	61	49			
63	Colored	340	29	15	3	1	—	48	2	9	25	34	23			
GEORGIA. ¹																
64	Registration cities (total)	5,825	673	233	128	66	39	1,139	134	105	260	389	435			
65	White	2,830	319	131	67	34	22	573	69	43	87	136	178			
66	Colored	2,995	354	102	61	32	17	566	65	62	173	253	257			
67	Atlanta (total)	3,702	418	141	84	45	23	711	91	61	159	224	267			
68	White	2,068	232	91	51	25	15	414	50	30	64	92	129			
69	Colored	1,639	186	50	33	20	8	297	41	31	95	132	138			
70	Brunswick (total)	278	25	19	3	5	—	52	3	6	15	16	27			
71	White	111	6	11	2	3	—	22	1	4	6	4	8			
72	Colored	167	19	8	1	2	—	30	2	3	9	12	19			
73	Savannah (total)	1,845	230	73	41	16	16	376	40	38	86	149	141			
74	White	656	81	29	14	6	7	137	18	9	17	40	41			
75	Colored	1,189	149	44	27	10	9	239	22	29	69	109	100			

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

DEATHS, BY COLOR AND AGE OF DECEDENT.

149

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.)

DEATHS AT AGE OF—															Deaths at un- known age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
196	180	134	131	102	90	115	103	61	54	49	31	5	4		1
54	37	24	23	19	25	13	18	11	17	18	9	2		2	
111	115	87	84	84	75	96	99	103	105	67	30	21	3	3	
984	855	739	673	716	682	635	555	557	422	274	149	49	17	3	
926	809	684	637	685	636	603	530	539	414	274	148	48	17	3	
48	46	55	36	51	46	32	25	18	8		1	1		6	
26	20	33	16	42	39	40	43	42	49	39	24	4	2	1	
15	17	13	6	9	10	17	22	14	16	15	11	2		8	
9	7	9	9	9	15	13	20	20	20	19	9	1	1	9	
153	137	100	90	71	84	82	78	54	45	28	11	8		10	
28	25	15	4	15	12	16	10	18	10	6	3		1	11	
739	556	404	398	375	397	321	337	334	277	166	79	28	7	14	
704	524	391	378	365	389	313	333	326	269	165	78	27	7	11	
35	32	13	20	10	8	4	8	8	8	1	1	1		14	
87	69	51	46	39	48	31	33	33	36	18	10	5		15	
522	392	292	294	290	298	249	257	245	194	133	56	6		8	
97	71	50	46	31	37	34	32	36	34	11	8	4	1	17	
33	24	11	12	15	14	7	15	20	13	4	5	4		18	
1,698	1,224	954	1,027	907	927	960	894	871	694	502	258	96	21	20	
1,653	1,182	920	996	868	910	939	876	859	673	494	252	96	20	20	
45	42	34	31	39	17	21	18	12	21	8	6	1		21	
28	13	8	6	14	9	17	9	8	3	5	8			22	
269	193	138	157	158	139	120	122	95	73	52	21	8	2	7	
26	9	8	19	11	15	11	10	12	6	7	6	2		24	
35	19	26	23	22	31	42	39	40	30	21	3	1		25	
35	30	16	27	16	11	17	21	15	22	15	2	5		26	
258	188	178	177	160	138	164	132	130	104	72	32	12	4	27	
11	12	4	7	14	11	15	17	8	11	3	4	2		28	
75	51	31	38	36	38	37	33	30	35	34	17	3	1	29	
54	50	45	53	43	53	57	43	42	35	35	14	7		2	
18	19	13	6	9	9	13	9	3	5	5	1			31	
93	76	55	44	47	39	30	40	30	31	16	7		1	32	
246	164	139	187	153	166	186	175	192	136	91	48	17	1	1	
69	59	29	35	26	27	25	27	28	25	12	7	1		33	
43	33	31	28	27	25	31	28	18	29	31	16	9	2	35	
69	53	41	44	26	36	40	36	35	31	22	14	3		36	
21	6	10	11	15	14	14	13	15	15	8	6	2		37	
62	46	40	43	40	35	31	45	26	37	22	20	3	2	38	
34	19	10	17	9	14	11	12	25	5	10	4	1		2	
10	9	8	5	6	12	11	8	16	13	7	3			39	
213	155	101	83	72	83	78	62	68	38	19	12	6	1	2	
29	21	15	15	10	19	14	15	26	13	7	8	2	1	42	
206	153	114	117	107	119	99	91	91	119	86	54	37	1	13	
183	129	95	99	90	108	91	81	106	80	48	36	5	1	44	
23	24	19	18	17	11	8	10	13	6	6	1		1	45	
723	653	490	473	491	455	479	500	521	499	270	153	38	11	46	
483	386	251	249	270	298	323	353	391	419	244	135	27	6	47	
240	267	239	224	221	157	156	147	130	80	26	18	11	5	48	
379	367	274	237	256	180	172	169	148	90	60	34	10	2	8	
206	184	153	105	133	111	117	116	116	76	41	25	1	1	50	
173	183	121	132	123	69	55	53	37	14	19	9	5	1	51	
209	184	136	131	127	78	87	81	72	39	27	12	2			
101	78	62	43	52	41	55	50	48	31	16	9			52	
108	106	74	88	75	37	32	31	24	8	11	3	2		53	
28	18	25	19	20	18	18	25	16	13	11	10	2		54	
22	11	17	13	16	14	12	17	14	13	8	8	1		55	
6	7	8	6	4	4	6	8	2		3	2	1		56	
54	51	33	30	38	44	25	27	22	11	8	6	5	1	57	
29	31	21	16	17	26	14	19	18	9	6	4	3		58	
25	20	12	14	21	18	11	8	4	2	2	2	1		59	
88	114	80	57	71	40	42	36	38	27	14	6	2		60	
54	64	53	33	48	30	36	30	31	23	11	4	1		61	
34	50	27	24	23	10	6	7	4	3	2	1	1		62	
454	460	407	337	367	289	286	222	211	165	75	44	16	9	64	
193	155	132	132	149	158	174	166	177	131	64	31	8	3	65	
261	266	252	205	218	131	112	56	34	34	11	13	8	2	66	
275	275	260	212	235	189	203	160	161	115	50	29	8	3	67	
139	131	127	97	108	118	126	125	140	95	45	21	7	2	68	
136	144	133	115	127	71	77	35	21	20	5	8	1		69	
28	24	15	11	18	17	13	11	5	7	2	4	2		70	
10	11	2	3	7	3	10	4	4	1	3	1			71	
18	13	13	8	11	14	7	1	4	1	1	1			72	
151	161	132	114	114	83	70	51	45	43	23	11	6	2	73	
44	52	26	32	34	27	42	31	33	33	18	5	4	1	74	
107	109	106	82	80	46	28	20	12	10	4	7	6	1	75	

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910). Minor rural subdivisions (counties,

AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—												
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.		
REGISTRATION CITIES—Continued.														
ILLINOIS.														
1 Registration cities (total).....	63,242	8,716	2,512	1,314	891	630	14,063	1,856	1,081	1,913	3,444	5,034		
2 White.....	59,753	8,337	2,373	1,232	858	596	13,396	1,757	1,010	1,755	3,158	4,722		
3 Colored.....	3,489	379	139	82	33	34	667	99	71	158	286	312		
4 Alton.....	499	58	21	11	7	4	101	12	4	17	29	31		
5 Aurora.....	739	97	23	11	5	6	142	13	16	23	30	39		
6 Belleville.....	480	45	12	10	2	4	73	11	9	25	36	35		
7 Bloomington.....	525	38	12	6	4	5	65	8	4	17	26	27		
8 Cairo (total).....	396	34	11	5	8	1	59	7	9	19	22	29		
9 White.....	245	21	7	3	4	1	36	4	7	9	10	16		
10 Colored.....	151	13	4	2	4	—	23	3	2	10	12	13		
11 Canton.....	256	25	9	3	7	3	47	11	8	10	17	21		
12 Champaign.....	265	25	4	2	1	1	83	4	5	14	22	22		
13 Chicago (total).....	44,069	6,597	1,982	994	680	470	10,723	1,363	728	1,208	2,383	3,575		
14 White.....	41,608	6,350	1,880	931	658	447	10,265	1,290	678	1,104	2,187	3,343		
15 Colored.....	2,461	247	102	63	22	23	457	73	50	104	196	232		
16 Chicago Heights.....	398	78	25	16	9	7	135	14	9	6	18	46		
17 Cicero.....	412	100	30	13	2	11	156	10	6	11	30	39		
18 Danville.....	709	80	17	6	8	8	119	24	16	46	45	46		
19 Decatur.....	635	79	17	7	4	5	112	15	12	26	41	39		
20 East St. Louis (total).....	1,216	199	54	26	16	16	311	29	15	49	88	79		
21 White.....	1,002	167	40	20	16	12	255	22	11	40	59	62		
22 Colored.....	214	32	14	6	—	4	56	7	4	9	29	17		
23 Elgin.....	685	23	5	2	2	1	33	8	6	15	23	45		
24 Evanston.....	491	49	10	9	3	3	74	12	11	18	22	46		
25 Freeport.....	366	42	10	6	—	1	59	9	1	10	23	23		
26 Galesburg.....	459	33	6	5	3	4	51	14	11	21	21	22		
27 Granite.....	273	48	6	9	3	6	72	12	4	13	21	28		
28 Jacksonville.....	617	23	5	7	4	—	39	13	10	12	33	33		
29 Joliet.....	1,061	159	63	32	16	12	282	27	15	37	62	95		
30 Kankakee.....	774	44	12	6	5	3	70	11	7	12	27	40		
31 La Salle.....	326	45	11	9	13	5	88	8	5	13	18	21		
32 Lincoln.....	403	27	6	6	7	6	52	31	41	45	33	26		
33 Mattoon.....	257	36	8	6	2	2	54	4	4	8	9	18		
34 Moline.....	614	72	22	12	13	6	125	19	9	29	45	64		
35 Oak Park.....	508	41	7	4	4	4	60	23	9	9	22	43		
36 Peoria.....	1,389	137	25	16	12	7	197	27	17	48	76	121		
37 Quincy.....	857	61	16	7	8	1	93	12	16	28	39	47		
38 Rockford.....	1,090	149	33	25	16	6	229	31	23	33	60	104		
39 Rock Island.....	548	58	12	6	5	3	84	16	7	19	25	51		
40 Springfield.....	1,222	136	25	26	16	12	215	43	30	45	61	78		
41 Streator.....	345	36	5	3	5	3	52	12	6	15	22	41		
42 Waukegan.....	308	42	8	8	1	4	63	3	8	12	15	40		
INDIANA.														
43 Registration cities (total).....	18,502	2,482	643	299	237	152	3,813	539	396	620	1,039	1,314		
44 White.....	16,943	2,316	594	276	212	139	3,537	498	344	535	921	1,193		
45 Colored.....	1,559	166	49	23	25	13	276	41	52	85	118	121		
46 Anderson.....	409	55	9	5	2	5	76	9	9	14	26	24		
47 East Chicago.....	735	234	66	35	17	9	361	30	14	34	65	65		
48 Elkhart.....	418	48	16	3	1	2	70	13	9	15	20	32		
49 Elwood.....	212	36	3	4	3	3	49	6	4	6	17	18		
50 Evansville.....	1,444	138	48	27	20	7	240	38	27	51	90	104		
51 Fort Wayne.....	1,213	154	21	11	10	10	206	29	33	48	54	71		
52 Gary.....	1,098	227	59	27	20	15	348	49	17	28	82	108		
53 Hammond.....	777	135	31	13	7	4	190	15	15	18	70	71		
54 Huntington.....	197	26	4	4	3	1	38	2	5	6	6	17		
55 Indianapolis (total).....	5,241	575	142	77	64	38	896	162	109	196	301	344		
56 White.....	4,435	490	124	59	51	33	757	140	83	152	232	282		
57 Colored.....	806	85	18	18	13	5	139	22	26	44	69	62		
58 Jeffersonville (total).....	212	21	6	2	1	2	32	7	3	10	12	13		
59 White.....	162	18	5	2	1	2	28	5	2	5	9	10		
60 Colored.....	50	3	1	—	—	—	4	2	1	5	3	3		
61 Kokomo.....	392	54	27	4	2	7	94	6	4	7	18	32		
62 Lafayette.....	512	52	5	4	7	3	71	17	16	22	26	32		
63 Leporte.....	279	32	4	4	2	8	50	5	4	5	15	27		
64 Logansport.....	408	32	13	7	3	3	58	12	10	13	25	39		
65 Marion.....	346	43	13	6	3	1	66	10	10	12	14	20		
66 Michigan City.....	314	44	9	5	4	2	64	8	3	6	12	21		
67 Mishawaka.....	252	46	20	3	6	4	79	6	7	9	11	17		
68 Muncie.....	429	65	16	6	5	2	92	14	12	14	12	21		
69 New Albany.....	430	44	14	6	11	1	76	12	13	11	25	27		
70 Peru.....	186	25	7	3	3	1	39	3	2	4	7	17		
71 Richmond.....	409	45	15	10	3	4	77	.7	12	6	10	16		
72 South Bend.....	1,085	178	44	13	21	6	262	33	20	46	60	77		
73 Terre Haute.....	1,164	133	36	17	15	12	213	33	29	50	71	71		
74 Vincennes.....	340	40	15	3	6	2	66	13	9	6	21	30		

DEATHS, BY COLOR AND AGE OF DECEDED.

151

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEASED: 1918—Continued.

[footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—																Deaths at un-known age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
4,759	4,138	3,260	3,195	3,310	3,336	3,214	3,016	2,890	2,147	1,535	793	273	66	22	97	
4,481	3,807	2,987	2,923	3,123	3,170	3,098	2,913	2,619	2,108	1,514	781	270	61	17	83	
278	331	273	272	187	166	116	108	71	39	21	12	3	5	5	14	
32	32	29	23	21	32	31	32	28	18	13	8	4	—	—	2	
64	31	35	30	37	52	34	48	42	18	17	3	1	1	1	1	
41	35	17	25	26	18	25	25	28	22	19	6	2	1	1	1	
39	36	22	21	16	40	41	31	36	30	16	8	2	—	2	7	
28	39	22	23	23	29	21	17	12	15	10	6	—	1	—	8	
21	20	15	13	15	16	13	11	8	12	7	6	—	1	—	10	
7	19	7	10	8	13	8	6	4	3	3	—	—	—	—	11	
20	12	13	12	10	10	7	15	11	12	11	5	1	1	1	12	
27	9	10	12	14	11	13	14	12	13	15	9	4	—	1	1	
3,279	2,894	2,277	2,280	2,393	2,316	2,256	2,026	1,669	1,191	874	426	143	33	17	15	
3,068	2,646	2,078	2,085	2,245	2,204	2,167	1,964	1,626	1,174	865	419	142	29	15	14	
211	248	199	195	148	112	89	62	43	17	9	7	1	4	2	2	
40	31	21	24	11	7	12	6	9	7	2	—	—	—	—	16	
28	19	21	10	20	13	7	12	11	9	6	1	2	—	1	17	
63	55	38	27	28	45	31	35	31	27	22	7	—	—	4	18	
41	41	27	24	32	37	42	46	50	34	35	17	11	1	2	19	
103	90	79	73	59	46	41	44	51	22	15	10	5	2	2	20	
84	72	69	54	55	43	38	39	48	20	15	9	4	1	1	21	
19	18	10	19	4	3	3	5	3	2	—	—	1	—	4	22	
55	57	44	43	51	47	50	42	48	45	41	11	6	1	1	14	
42	34	24	17	27	23	22	24	28	31	19	13	3	1	1	24	
22	16	20	14	18	17	19	21	19	25	21	17	5	2	2	25	
40	15	18	18	32	24	37	33	21	36	20	16	8	1	1	26	
18	20	13	16	11	13	10	9	3	2	—	—	—	—	—	27	
37	28	40	34	34	42	45	52	46	51	40	16	6	1	1	44	
85	83	50	42	46	48	32	42	38	33	22	15	3	1	1	30	
76	68	62	59	46	67	43	48	54	35	30	10	1	2	2	31	
32	22	18	16	16	13	18	13	9	12	6	1	—	—	—	32	
30	19	18	11	9	16	8	16	18	10	8	10	1	—	—	33	
13	11	10	5	12	14	14	15	14	20	13	7	3	1	1	34	
50	39	26	31	25	18	29	24	27	29	12	9	2	1	1	35	
30	29	31	23	27	32	35	30	43	32	16	9	4	1	1	36	
105	93	68	71	69	84	77	91	76	80	54	24	8	3	2	37	
53	51	40	38	39	44	51	39	84	85	41	24	6	1	1	38	
94	64	38	45	51	33	57	48	42	52	47	19	14	1	5	40	
35	32	34	31	24	42	21	27	24	35	17	14	4	6	6	39	
90	80	62	68	53	66	62	65	75	60	36	17	11	4	1	41	
21	21	16	17	15	18	19	15	17	15	12	8	3	2	2	42	
21	32	17	12	13	12	11	11	12	10	8	5	1	2	—	42	
1,272	1,068	881	842	902	928	1,021	990	981	876	565	275	82	24	7	67	
1,161	956	779	718	799	852	953	939	936	843	544	268	79	21	3	44	
111	112	102	124	103	76	68	51	45	33	21	7	3	4	3	45	
21	24	15	16	15	28	25	24	32	19	19	7	5	—	1	46	
41	40	29	32	17	15	31	27	31	30	16	—	—	2	1	47	
27	16	26	13	17	16	10	9	12	10	6	3	—	1	1	48	
14	5	8	2	16	17	17	9	12	44	21	6	4	—	3	49	
96	100	77	74	70	69	85	82	86	77	44	21	6	4	3	50	
54	67	62	53	68	66	89	81	77	72	54	20	6	1	2	51	
113	93	76	32	27	16	16	15	12	5	8	4	—	49	52	55	
77	72	45	44	37	30	29	15	17	14	9	3	3	2	1	53	
10	8	6	9	6	6	12	13	19	13	9	11	1	1	54	54	
354	287	256	293	315	333	308	302	288	253	139	79	18	6	2	55	
308	239	211	221	258	285	271	276	239	236	130	73	16	5	1	56	
46	48	45	72	57	48	37	26	29	17	9	6	2	1	1	57	
15	11	10	14	15	9	13	10	11	13	7	4	2	2	1	58	
7	6	8	7	11	8	11	10	11	11	7	4	2	2	1	59	
8	5	2	7	4	1	2	—	2	—	—	—	—	1	1	60	
26	21	14	10	21	26	23	21	26	21	9	2	2	2	1	61	
36	33	22	23	30	23	23	26	33	24	24	14	1	1	1	62	
15	16	12	8	8	11	17	12	18	29	19	18	6	2	2	63	
24	16	17	8	16	15	30	35	30	25	23	23	5	2	2	64	
22	17	23	12	13	11	29	19	23	21	12	5	6	6	1	65	
24	17	16	10	17	20	17	21	16	14	10	20	4	2	1	66	
16	14	10	5	14	13	15	9	7	6	6	22	2	2	2	67	
22	13	16	25	22	22	30	31	24	24	17	17	4	4	4	68	
21	17	15	23	20	26	25	31	23	21	24	14	5	3	2	69	
11	8	4	6	11	11	11	14	16	13	13	8	3	2	1	70	
24	21	9	11	17	23	23	25	43	38	27	12	8	1	1	71	
86	68	40	46	48	47	53	57	54	41	25	17	4	3	2	72	
99	61	61	59	56	68	57	74	60	48	29	14	5	5	3	73	
24	23	12	9	15	11	18	24	17	13	13	9	3	2	2	74	

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910). Minor rural subdivisions (counties,

AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—											
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	
REGISTRATION CITIES—Continued.													
KANSAS.													
1 Registration cities (total).....	6,681	770	190	120	60	49	1,189	186	144	303	381	513	
2 White.....	5,837	671	152	105	52	42	1,022	166	123	260	322	453	
3 Colored.....	844	99	38	15	8	7	167	20	21	43	59	60	
4 Atchison (total).....	217	24	2	3	2	1	32	2	3	6	12	11	
5 White.....	190	22	2	3	2	1	30	2	3	5	9	11	
6 Colored.....	27	2					2			1	3		
7 Coffeyville (total).....	230	29	6	6	3	4	48	12	5	7	12	16	
8 White.....	196	24	5	5	2	3	39	10	4	6	10	15	
9 Colored.....	34	5	1	1	1	1	9	2	1	1	2	1	
10 Fort Scott (total).....	226	28	8	4	1	1	42	6	6	10	5	15	
11 White.....	202	26	6	4	1	1	37	6	5	9	5	14	
12 Colored.....	24	2					5			1		1	
13 Hutchinson.....	395	36	11	7	2	1	57	14	7	26	32	34	
14 Independence.....	210	29	8	1	1		39	6	4	10	16	23	
15 Kansas City (total).....	2,084	259	85	52	27	17	440	81	45	100	103	168	
16 White.....	1,750	218	66	41	25	15	365	72	37	88	86	141	
17 Colored.....	334	41	19	11	2	2	75	9	8	12	17	27	
18 Lawrence (total).....	200	14	1		1		16	2	4	13	11	14	
19 White.....	151	13	1		1		14	1	3	7	7	12	
20 Colored.....	49	1					2	1	1	6	4	2	
21 Leavenworth (total).....	388	46	9	5	1	3	64	5	7	12	18	20	
22 White.....	316	32	8	3	2	1	45	4	7	9	12	16	
23 Colored.....	72	14	1	2	1	1	19	1		3	6	4	
24 Parsons.....	275	43	13	7	1	1	65	9	9	9	16	18	
25 Pittsburg.....	272	31	7	4	4	3	49	8	3	7	15	29	
26 Topeka (total).....	960	104	20	19	7	10	160	21	18	44	59	67	
27 White.....	848	98	17	18	5	9	147	19	15	38	51	62	
28 Colored.....	112	6	3	1	2	2	13	2	3	6	8	5	
29 Wichita.....	1,224	127	20	12	10	8	177	20	20	33	59	98	
KENTUCKY.													
30 Registration cities (total).....	9,708	957	298	182	109	71	1,617	235	197	363	571	712	
31 White.....	7,354	727	220	148	80	59	1,234	192	146	270	413	545	
32 Colored.....	2,354	230	78	34	20	12	583	43	51	93	158	167	
33 Covington (total).....	1,198	121	38	20	15	10	204	24	23	45	53	88	
34 White.....	1,089	111	34	19	12	10	186	21	18	40	44	78	
35 Colored ¹	109	10	4	1	3		18	3	5	5	9	10	
36 Frankfort (total).....	288	15	5				20	9	20	24	15	31	
37 White.....	192	10	2				12	9	16	20	9	23	
38 Colored.....	91	5	3				8		4	4	6	8	
39 Henderson (total).....	289	30	22	4	8		64	3	8	9	20	16	
40 White.....	205	18	14	3	7		42	2	5	8	12	13	
41 Colored.....	84	12	8	1	1		22	1	3	1	8	3	
42 Lexington (total).....	1,231	91	30	15	7	5	148	22	19	52	83	75	
43 White.....	791	53	16	11	3	2	85	14	10	33	48	48	
44 Colored.....	440	38	14	4	3	3	63	8	9	19	35	27	
45 Louisville (total).....	5,083	401	134	93	54	43	821	124	96	170	314	375	
46 White.....	3,822	373	105	76	38	34	626	102	73	121	237	286	
47 Colored.....	1,261	118	29	23	16	9	195	22	23	49	77	89	
48 Newport (total).....	465	55	17	8	10	3	93	15	4	8	23	35	
49 White.....	441	50	15	8	10	3	86	14	4	7	24	30	
50 Colored ¹	24	5	2				7	1		1	4	5	
51 Owensboro (total).....	487	70	21	13	5	5	119	21	9	27	24	26	
52 White.....	398	58	18	16	4	5	101	18	7	26	18	20	
53 Paducah (total).....	39	12	3	2	1		18	3	2	1	6	6	
54 White.....	672	84	31	18	10	5	148	17	18	28	34	66	
55 Colored.....	416	54	16	15	6	5	96	12	13	15	21	47	
56 Colored.....	256	30	15	3	4		52	5	5	13	13	19	
LOUISIANA.													
57 Registration cities (total).....	12,359	1,214	327	197	120	72	1,930	249	242	530	864	1,078	
58 White.....	7,210	680	192	104	77	41	1,094	131	115	270	443	577	
59 Colored.....	5,149	534	135	93	43	31	836	118	127	280	421	501	
60 Alexandria (total).....	402	50	12	10	6	3	81	10	13	24	36	28	
61 White.....	177	22	4	5	5	1	37	7	5	12	12	15	
62 Colored.....	225	28	8	5	1	2	44	3	8	12	24	13	
63 Baton Rouge (total).....	447	48	14	13	5	4	84	10	13	23	33	43	
64 White.....	178	18	8	6	1	3	36	4	2	10	14	11	
65 Colored.....	269	30	6	7	4	1	48	6	11	13	19	32	
66 Lake Charles (total).....	353	58	15	10	3	6	92	10	11	16	18	22	
67 White.....	180	18	4	7	2	3	34	2	3	5	8	15	
68 Colored.....	173	40	11	3	1	3	58	6	8	11	10	7	
69 Monroe (total).....	310	31	15	4	3		53	8	13	17	15	25	
70 White.....	158	15	9	2	2		28	6	8	6	7	11	
71 Colored.....	152	16	6	2	1		25	2	5	11	8	14	
72 New Orleans (total).....	9,756	946	251	152	94	51	1,494	184	170	388	661	836	
73 White.....	6,029	567	160	78	61	30	896	93	89	208	371	480	
74 Colored.....	3,727	379	91	74	33	21	598	91	81	180	290	356	
75 Shreveport (total).....	1,091	81	20	8	9	8	126	27	22	62	101	124	
76 White.....	488	40	7	6	6	4	63	17	8	29	31	45	
77 Colored.....	603	41	13	2	3	4	63	10	14	33	70	79	

¹ Colored population less than 10 per cent of the total in 1910.

DEATHS, BY COLOR AND AGE OF DECEDENT.

153

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918—Continued.

(footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.

DEATHS AT AGE OF—																Deaths at un- known age.		
80 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.				
458	381	303	280	301	337	353	379	393	340	246	136	36	12	2	8	1		
399	329	245	234	252	289	316	338	368	322	222	128	30	9	2	8	2		
59	52	58	46	49	48	37	41	25	18	24	8	6	3	2	8	3		
17	7	13	9	7	16	16	16	20	13	11	3	2	—	—	1	4		
15	6	11	7	6	11	14	13	20	13	8	3	2	—	—	1	5		
2	1	2	2	1	5	2	3	—	—	3	—	—	—	—	—	1	6	
13	6	15	8	11	10	10	11	18	13	6	8	—	—	—	—	1	7	
11	3	11	6	10	7	10	10	17	13	6	7	—	—	—	—	1	8	
2	3	4	2	1	3	—	1	1	—	—	1	—	—	—	—	1	9	
8	11	4	12	9	11	18	15	21	15	11	5	—	1	—	—	1	10	
7	8	3	12	6	8	15	14	20	15	11	5	—	1	—	—	1	11	
1	3	1	—	3	3	3	1	—	—	—	—	—	—	—	—	—	12	
22	27	13	12	11	16	15	28	31	26	12	9	2	—	—	—	1	13	
20	15	10	6	5	7	9	9	7	13	8	5	—	—	—	—	1	14	
144	148	101	93	111	97	115	96	79	73	58	22	6	4	—	—	15	15	
117	118	83	71	89	82	103	82	70	66	52	20	4	4	—	—	16	16	
27	30	18	22	22	15	12	14	9	7	6	2	2	2	—	—	17	17	
13	9	9	3	13	8	16	17	14	11	12	9	5	1	—	—	18	18	
9	5	5	3	9	4	14	12	11	8	9	3	2	—	—	—	19	19	
4	1	4	—	4	4	2	5	2	4	—	2	1	—	—	—	20	20	
21	18	25	16	14	20	18	26	33	28	22	17	3	—	—	—	21	21	
15	13	23	12	18	18	16	24	31	24	21	14	3	—	—	—	22	22	
6	5	2	4	6	2	2	2	4	1	1	3	—	—	—	—	23	23	
19	15	10	6	18	15	10	11	12	17	10	5	—	—	—	—	24	24	
23	11	8	9	13	16	11	16	17	18	11	6	2	—	—	—	25	25	
62	47	41	43	36	50	52	68	64	62	32	25	6	3	—	—	26	26	
57	42	30	38	31	43	40	58	60	59	27	23	6	2	—	—	27	27	
5	5	11	5	5	7	12	10	4	3	5	2	1	—	—	—	28	28	
96	67	54	63	53	71	65	66	77	51	53	22	10	2	1	4	29	29	
738	578	536	520	540	530	559	566	519	415	273	131	44	12	7	45	30	30	
546	386	354	360	371	401	442	466	438	361	247	121	31	7	2	21	31	31	
192	192	182	160	169	129	117	100	81	54	26	10	13	5	5	24	32	32	
107	70	56	65	54	61	71	90	62	57	33	29	3	2	—	—	1	33	
103	63	43	55	48	52	68	84	62	56	33	29	3	2	—	—	1	34	
4	7	13	10	6	9	3	6	1	—	—	—	—	—	—	—	35	35	
20	16	12	8	12	17	13	13	12	18	13	2	1	—	—	7	36	36	
12	10	5	3	8	9	8	9	10	10	10	2	1	—	—	6	37	37	
8	6	7	5	4	8	5	4	2	3	—	—	—	—	—	1	38	38	
23	12	14	10	16	16	19	17	18	11	8	2	1	—	—	2	39	39	
17	7	4	13	11	13	15	15	15	11	7	2	1	—	—	2	40	40	
6	5	7	6	3	5	2	3	3	1	—	—	—	—	—	2	41	41	
103	89	84	68	81	72	74	73	71	35	38	16	6	1	—	—	11	42	
68	45	48	46	45	52	48	56	56	40	29	14	3	—	—	3	43	43	
35	44	36	22	36	20	26	17	15	5	9	2	3	1	—	8	44	44	
348	286	292	305	302	301	301	298	273	227	139	66	27	5	3	10	45	45	
253	185	197	209	201	224	239	241	228	189	127	61	17	4	1	3	46	46	
95	101	95	96	101	77	62	57	47	38	12	5	10	2	1	7	47	47	
40	25	26	18	23	17	29	20	25	26	18	6	4	1	1	3	48	48	
39	24	26	18	22	17	27	20	25	26	18	6	4	1	1	2	49	49	
1	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	50	50
36	27	19	8	24	23	27	27	29	15	15	6	1	—	—	4	51	51	
24	21	12	6	18	17	24	24	24	14	14	5	1	—	—	4	52	52	
12	6	7	2	6	3	3	3	1	1	1	1	—	—	—	53	53	53	
61	53	33	38	28	23	25	28	29	16	9	4	1	3	1	9	54	54	
30	31	16	19	16	19	15	17	20	15	9	2	1	—	—	2	55	55	
31	22	17	19	12	4	10	11	9	1	—	2	—	3	1	7	56	56	
1,035	931	801	805	697	865	644	572	446	378	247	134	58	12	10	31	57	57	57
600	488	428	443	413	437	420	409	320	282	174	97	42	6	2	19	58	58	58
435	448	373	362	284	228	224	163	126	96	73	37	16	6	8	12	59	59	59
44	36	26	27	19	9	7	14	8	9	2	2	4	1	1	1	60	60	60
21	17	13	7	6	5	5	8	3	6	2	2	3	1	1	1	61	61	61
23	19	13	20	13	4	2	6	5	6	2	2	3	1	1	1	62	62	62
26	33	28	24	14	20	23	11	22	13	14	8	4	1	—	—	63	63	63
15	10	7	8	4	12	13	8	10	5	5	5	3	1	—	—	64	64	64
11	23	21	16	10	8	10	3	12	8	9	5	3	—	—	1	65	65	65
19	34	20	21	17	11	10	12	9	12	11	5	1	2	—	—	66	66	66
10	19	9	12	11	7	5	8	7	10	10	10	1	2	1	—	67	67	67
9	15	11	9	6	4	5	4	2	2	2	2	3	2	2	—	68	68	68
27	27	32	20	11	15	10	9	10	5	5	6	5	2	1	—	69	69	69
16	14	19	5	3	12	5	3	3	3	3	2	4	1	1	—	70	70	70
11	13	13	15	8	3	5	4	7	2	4	1	1	1	1	—	71	71	71
819	702	621	651	572	565	545	498	362	310	199	103	44	7	18	72	72	72	72
505	383	349	388	359	378	361	365	273	242	151	81	38	2	12	73	73	73	73
314	319	272	263	213	187	184	133	89	68	48	22	6	2	5	6	74	74	74
100	99	74	62	64	45	49	28	35	29	15	11	3	2	1	12	75	75	75
33	45	31	23	30	23	31	15	24	19	9	7	1	1	1	7	76	76	76
67	54	43	39	34	22	18	13	11	10	9	4	3	1	1	5	77	77	77

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910). Minor rural subdivisions (counties,

AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—												
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.		
REGISTRATION CITIES—Continued.														
MAINE.														
1 Registration cities (total).....	3,967	461	98	44	29	27	659	91	78	122	183	261	261	
2 White.....	3,949	460	97	44	29	27	657	91	78	121	179	261	261	
3 Colored.....	18	1	1	—	—	—	2	—	—	—	—	—	—	
4 Auburn.....	229	20	7	2	—	—	29	6	5	5	5	14	14	
5 Augusta.....	359	20	3	—	1	—	24	5	8	7	10	19	19	
6 Bangor.....	723	63	10	8	5	2	88	16	9	18	27	51	51	
7 Biddeford.....	347	82	16	4	1	2	105	7	8	15	21	25	25	
8 Lewiston.....	607	76	17	9	8	9	119	17	19	19	34	42	42	
9 Portland.....	1,407	151	37	19	14	12	233	32	27	43	70	92	92	
10 Waterville.....	295	49	8	2	—	2	61	8	2	15	16	18	18	
MARYLAND.														
11 Registration cities (total).....	17,359	2,451	804	341	181	152	3,929	402	285	607	1,038	1,309	1,309	
12 White.....	13,581	1,940	581	237	137	111	3,006	298	206	423	789	1,047	1,047	
13 Colored.....	3,778	511	223	104	44	41	923	109	79	184	244	262	262	
14 Baltimore (total).....	15,810	2,256	762	315	162	136	3,632	366	261	549	940	1,175	1,175	
15 White.....	12,143	1,755	545	213	119	96	2,729	261	186	373	699	922	922	
16 Colored.....	3,667	500	217	102	44	40	903	105	75	176	241	253	253	
17 Cumberland (total).....	746	91	23	10	5	10	139	10	13	34	54	69	69	
18 White.....	706	86	21	9	5	9	130	10	10	30	51	65	65	
19 Colored.....	40	5	2	1	—	1	9	—	3	4	3	4	4	
20 Frederick (total).....	271	34	6	3	6	2	51	12	8	10	12	16	16	
21 White.....	237	30	3	3	6	2	44	9	5	7	12	12	12	
22 Colored.....	34	4	3	—	—	—	7	3	1	3	—	4	4	
23 Hagerstown (total).....	532	70	13	13	7	4	107	14	5	14	27	49	49	
24 White.....	495	68	12	12	7	4	103	13	5	13	27	48	48	
25 Colored.....	37	2	1	1	—	—	4	1	—	1	—	1	1	
MASSACHUSETTS.														
26 Registration cities (total).....	61,196	9,038	2,607	1,094	709	544	13,992	1,386	955	1,702	3,079	4,751	4,751	
27 White.....	60,018	8,866	2,533	1,061	691	535	13,886	1,368	943	1,662	3,006	4,674	4,674	
28 Colored.....	1,178	172	74	33	18	9	306	18	12	40	78	77	77	
29 Adams town.....	199	39	11	4	2	—	56	5	4	6	12	16	16	
30 Arlington town.....	283	31	6	3	—	4	44	6	5	2	14	22	22	
31 Attleboro.....	315	37	12	5	1	3	58	8	3	7	15	23	23	
32 Beverly.....	326	32	16	2	2	2	54	2	5	9	16	23	23	
33 Boston (total).....	17,267	2,298	738	339	228	151	3,754	410	285	473	868	1,334	1,334	
34 White.....	16,731	2,226	712	324	222	148	3,632	406	280	462	831	1,302	1,302	
35 Colored.....	536	72	26	15	6	3	122	4	5	11	32	32	32	
36 Brockton.....	1,192	143	28	15	10	4	200	26	21	33	79	114	114	
37 Brookline town.....	519	20	1	3	1	3	28	3	7	16	43	40	40	
38 Cambridge.....	2,266	285	114	44	30	19	492	52	31	70	112	157	157	
39 Chelsea.....	852	108	32	14	7	5	166	24	12	18	50	57	57	
40 Chicopee.....	514	150	32	11	9	8	210	14	10	9	31	45	45	
41 Clinton town.....	283	47	2	1	—	2	52	10	4	7	15	22	22	
42 Everett.....	563	75	21	12	7	4	119	11	12	17	26	43	43	
43 Fall River.....	2,858	657	192	53	34	41	977	67	42	79	129	187	187	
44 Fitchburg.....	785	124	27	16	9	11	187	16	13	27	51	62	62	
45 Framingham town.....	391	45	13	3	4	1	66	11	6	12	24	28	28	
46 Gardner town.....	333	47	15	6	4	4	76	7	6	10	15	31	31	
47 Gloucester.....	544	47	15	6	2	4	74	12	7	20	35	47	47	
48 Greenfield town.....	299	48	9	1	4	3	65	9	6	10	15	24	24	
49 Haverhill.....	853	96	26	13	3	4	142	17	9	24	41	63	63	
50 Holyoke.....	1,272	268	50	26	11	13	368	26	22	34	64	113	113	
51 Lawrence.....	2,030	407	169	74	46	17	713	45	25	51	99	138	138	
52 Leominster.....	349	42	14	5	6	2	69	11	3	10	14	33	33	
53 Lowell.....	2,466	524	162	60	27	23	796	58	37	48	105	164	164	
54 Lynn.....	1,811	177	51	31	7	16	282	37	18	24	90	154	154	
55 Malden.....	851	82	27	13	10	13	145	21	23	32	44	63	63	
56 Marlborough.....	277	32	6	3	3	3	47	3	9	15	24	44	44	
57 Medford.....	505	49	14	4	4	1	72	13	7	12	15	43	43	
58 Melrose.....	282	28	8	6	2	1	45	7	6	8	16	19	19	
59 Methuen town.....	214	29	12	6	7	1	55	12	3	5	9	16	16	
60 Milford town.....	325	45	23	10	3	4	85	13	10	9	17	26	26	
61 New Bedford.....	2,895	758	194	60	52	25	1,089	53	40	88	157	206	206	
62 Newburyport.....	351	39	10	1	1	2	53	11	8	14	13	17	17	
63 Newton.....	750	68	18	12	8	6	112	21	18	24	30	58	58	
64 North Adams.....	419	65	10	6	6	4	91	8	8	24	25	22	22	
65 Northampton.....	586	53	10	3	5	2	73	10	10	17	30	35	35	
66 Peabody.....	351	56	20	3	1	5	85	12	6	14	17	27	27	
67 Pittsfield.....	950	98	26	11	15	9	159	11	20	32	64	116	116	
68 Plymouth town.....	250	41	10	2	1	—	54	9	5	9	8	13	13	
69 Quincy.....	850	104	28	14	18	8	172	28	13	29	39	90	90	
70 Revere.....	304	49	18	8	1	6	82	4	9	3	20	24	24	
71 Salem.....	887	131	31	11	9	9	191	18	10	34	36	87	87	
72 Somerville.....	1,521	189	45	30	13	12	289	34	23	43	76	101	101	
73 Southbridge town.....	208	31	13	2	1	2	49	2	4	8	11	14	14	
74 Springfield.....	2,534	402	89	46	28	27	592	57	28	73	124	219	219	
75 Taunton.....	951	133	40	13	4	9	199	13	7	21	49	69	69	
76 Wakefield town.....	173	17	6	1	—	—	25	2	4	5	7	12	12	
77 Waltham.....	713	79	18	12	6	3	118	26	17	28	50	73	73	
78 Watertown town.....	279	32	14	7	5	3	61	6	3	7	14	15	15	
79 Webster town.....	229	41	10	2	3	1	57	3	2	6	12	24	24	
80 Westfield town.....	460	57	13	4	8	4	86	12	12	19	18	47	47	

¹ Colored population less than 10 per cent of the total in 1910.

DEATHS, BY COLOR AND AGE OF DECEDENT.

155

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicate exclusive of municipalities of 10,000 inhabitants or more in 1910 are omitted.]

DEATHS AT AGE OF—																Deaths at un- known age.			
20 to 24 years.	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.			
243	213	178	181	180	191	192	214	214	265	271	250	226	187	105	34	7	3	4	1
240	213	177	180	180	191	191	214	214	263	271	247	226	187	105	34	7	3	4	2
3	1	1	1	1	1	1	2	2	3	3	3	1	1	1	1	1	1	1	3
4	11	6	8	8	7	7	17	17	25	24	20	14	13	6	1	1	1	4	5
18	19	16	27	25	31	31	43	43	33	23	33	24	12	4	2	1	1	1	6
46	.52	39	34	31	31	30	49	49	54	49	39	20	14	6	2	1	1	1	7
16	4	8	10	14	20	18	20	18	17	17	14	14	14	7	2	2	1	1	8
33	33	32	28	27	28	28	39	39	35	32	20	25	16	10	2	2	1	1	9
101	80	67	65	67	78	87	92	90	79	62	29	10	1	1	1	1	1	1	10
25	14	10	9	20	21	18	12	15	12	9	9	9	1	1	1	1	1	1	1
1,190	1,064	843	853	909	924	918	883	886	657	402	208	69	14	6	18	11	11	11	11
926	785	587	600	684	734	773	757	740	605	367	192	62	11	3	11	3	3	11	12
264	279	256	253	245	190	145	126	96	52	35	16	7	3	3	7	3	3	7	13
1,079	936	768	784	844	862	835	733	761	592	353	189	65	14	6	16	14	14	14	14
818	663	519	544	608	676	694	660	673	542	320	176	59	11	3	9	3	3	9	15
261	273	249	240	238	138	141	123	123	88	50	33	13	4	2	1	1	1	7	16
65	81	48	31	29	28	37	42	23	15	18	18	4	2	2	1	1	1	1	17
67	80	46	25	26	28	36	41	21	15	18	18	4	2	2	1	1	1	1	18
1	1	2	6	3	1	1	1	2	—	—	—	—	—	—	—	—	—	—	19
9	10	10	10	14	13	18	23	18	17	13	9	—	—	—	—	—	—	—	20
8	8	10	8	12	11	17	22	22	17	17	12	6	3	3	2	2	2	2	21
1	2	—	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	22
34	37	17	28	22	21	28	35	34	33	18	6	2	2	1	1	1	1	1	23
33	34	12	23	20	19	26	34	31	29	17	6	1	1	1	1	1	1	1	24
1	3	5	5	2	2	2	1	1	2	1	1	1	1	1	1	1	1	1	25
4,574	3,728	2,917	2,905	2,876	2,975	3,208	3,223	3,183	2,553	1,765	957	340	80	15	22	22	22	22	26
4,487	3,633	2,841	2,834	2,811	2,915	3,147	3,174	3,147	2,537	1,755	948	336	79	13	22	22	22	22	27
87	95	76	71	65	60	61	49	36	26	10	9	4	1	1	2	1	1	1	28
11	11	7	4	5	10	10	10	8	8	7	8	1	—	—	—	—	—	—	29
23	21	15	17	12	22	11	18	10	13	14	8	6	—	—	—	—	—	—	30
29	21	12	9	14	23	17	13	18	21	13	7	3	1	—	—	—	—	—	31
16	16	9	16	17	17	18	17	36	14	24	12	4	1	—	—	—	—	—	32
1,342	1,146	932	978	916	931	957	881	812	591	377	185	79	15	4	2	33	33	33	33
1,291	1,102	894	940	881	900	927	859	794	578	372	183	78	14	3	2	34	34	34	34
51	44	38	38	35	31	30	22	18	13	5	2	1	1	1	1	35	35	35	35
105	92	49	54	62	48	73	56	68	57	28	16	7	2	2	2	2	2	2	36
45	27	25	17	29	35	34	39	51	27	31	17	5	—	—	—	—	—	—	37
157	138	111	109	124	115	126	143	126	93	52	49	7	2	—	—	—	—	—	38
57	52	26	48	41	40	34	36	55	68	48	15	4	1	—	—	—	—	—	39
30	18	23	15	19	15	19	19	15	13	9	10	5	—	—	—	—	—	40	
29	11	15	16	22	14	12	15	22	12	12	11	1	—	—	—	—	—	41	
41	23	30	14	32	32	43	30	36	23	13	6	5	1	—	—	—	—	—	42
205	159	121	94	119	115	118	135	129	95	52	22	7	3	—	—	—	—	—	43
77	41	29	31	32	34	44	25	42	30	22	19	2	1	—	—	—	—	—	44
28	21	19	19	12	24	27	20	32	12	17	10	2	1	—	—	—	—	—	45
28	18	20	17	12	19	11	18	20	6	9	7	3	—	—	—	—	—	46	
49	46	33	16	27	16	26	37	31	11	30	16	6	2	2	1	1	1	47	
26	27	11	13	10	10	13	9	19	14	10	4	2	1	—	—	—	—	—	48
61	39	36	36	44	37	57	48	58	56	52	25	8	—	—	—	—	—	49	
88	85	61	53	53	52	58	60	55	47	22	10	5	—	—	—	—	—	50	
147	116	88	92	85	79	76	72	72	64	40	19	5	2	1	1	1	1	51	
11	24	13	9	13	20	29	18	20	23	10	14	5	—	—	—	—	—	52	
130	124	125	109	95	119	132	130	98	92	65	24	6	2	1	—	—	—	53	
136	136	113	91	74	101	113	106	98	100	71	41	10	1	1	1	1	1	54	
74	45	37	37	38	42	52	47	61	42	20	22	5	1	—	—	—	—	55	
16	15	14	7	14	20	27	18	23	6	3	1	—	—	—	—	—	—	56	
38	22	20	21	22	31	32	37	33	25	18	12	4	—	—	—	—	—	57	
15	11	9	8	9	18	17	24	17	28	16	5	2	2	—	—	—	—	—	58
12	8	13	11	12	11	12	11	9	10	8	3	1	—	—	—	—	—	59	
24	16	9	16	7	13	14	24	14	14	7	5	2	2	—	—	—	—	—	60
211	170	105	124	92	111	98	100	87	60	57	33	10	1	1	1	1	1	61	
27	14	8	17	12	21	25	35	24	16	20	5	5	1	1	1	1	1	62	
61	32	38	27	36	34	34	58	45	43	38	32	7	1	1	1	1	1	63	
17	19	10	24	18	29	22	21	30	26	13	7	3	1	1	1	1	1	64	
43	27	31	34	37	41	29	44	44	24	24	16	5	2	2	2	2	2	65	
29	15	14	13	14	15	18	19	17	15	15	12	6	2	1	1	1	1	66	
97	60	38	48	36	41	45	50	43	48	23	21	7	—	—	—	—	—	67	
16	14	9	14	11	7	8	17	18	9	16	8	2	1	1	1	1	1	68	
84	67	29	39	29	40	32	42	41	40	40	12	4	4	4	4	4	4	69	
19	16	15	10	14	12	21	17	14	10	8	8	3	2	2	2	2	2	70	
58	51	30	33	46	47	51	55	42	41	29	22	3	2	2	1	1	1	71	
104	83	52	63	60	68	89	100	107	101	76	34	13	5	5	5	5	5	72	
18	10	9	10	11	7	14	15	12	7	5	1	1	1	1	1				

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910). Minor rural subdivisions (counties,

AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—												
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.		
REGISTRATION CITIES—Continued.														
MASSACHUSETTS—continued.														
1 Weymouth town.	272	25	6	3	1	4	39	6	3	3	11	16		
2 Winthrop town.	180	12	3	1	1	1	18	3	2	4	9	0		
3 Woburn.	291	39	9	6	3	5	62	4	7	17	18	18		
4 Worcester.	3,758	507	120	47	35	30	739	74	54	89	168	308		
MICHIGAN.														
5 Registration cities (total).	25,455	4,368	977	462	310	280	6,397	707	438	752	1,334	1,930		
6 White.	24,751	4,292	954	449	305	274	6,274	691	420	714	1,278	1,849		
7 Colored.	704	76	23	13	5	6	123	16	18	38	56	81		
8 Adrian.	246	26	3	1	1	1	32	4	5	8	4	17		
9 Alpena.	230	36	12	1	5	1	54	4	5	11	6	16		
10 Ann Arbor.	508	58	8	9	2	4	81	13	6	21	31	44		
11 Battle Creek.	697	81	20	12	9	9	131	22	10	21	47	44		
12 Bay City.	796	99	19	19	8	8	153	20	20	17	30	62		
13 Detroit.	12,889	2,713	611	282	189	171	3,966	400	209	358	693	1,081		
14 Escanaba.	280	36	10	2	2	1	51	6	5	15	16	30		
15 Flint.	1,105	188	64	20	20	19	311	45	19	43	75	86		
16 Grand Rapids.	1,893	245	62	22	18	15	362	49	36	59	91	100		
17 Holland.	146	27	1	2	1	2	33	1	4	9	7	9		
18 Ironwood.	215	35	12	8	4	5	64	8	4	7	9	18		
19 Ishpeming.	153	26	2	5	3	3	36	1	1	5	2	16		
20 Jackson.	899	97	24	11	11	5	148	23	23	28	58	86		
21 Kalamazoo.	1,088	136	18	5	5	5	169	20	15	19	49	57		
22 Lansing.	722	93	21	18	6	7	145	17	14	23	31	43		
23 Manistee.	141	12	4	2	2	1	18	1	1	7	8	8		
24 Marquette.	217	35	5	4	2	2	48	7	3	11	12	11		
25 Menominee.	170	28	3	4	1	1	36	4	2	8	11	8		
26 Muskegon.	621	99	16	5	7	4	131	14	11	25	37	40		
27 Pontiac.	601	64	15	9	5	1	94	6	9	10	37	55		
28 Port Huron.	358	43	14	5	3	6	71	11	7	17	15	18		
29 Saginaw.	936	135	21	9	8	10	183	21	20	19	39	58		
30 Sault Ste. Marie.	224	41	5	6	3	1	56	7	7	7	9	13		
31 Traverse City.	315	15	7	1	1	1	24	3	2	4	17	10		
MINNESOTA.														
32 Registration cities (total).	11,575	1,421	319	176	129	106	2,151	293	236	381	677	941		
33 White.	11,388	1,407	313	175	127	105	2,127	293	234	376	667	926		
34 Colored.	187	14	6	1	2	1	24	2	5	5	10	15		
35 Duluth.	1,390	207	30	25	18	17	297	39	28	42	77	117		
36 Mankato.	276	26	5	4	3	3	41	1	5	8	10	22		
37 Minneapolis.	5,392	633	162	73	56	44	968	139	88	188	313	446		
38 St. Cloud.	275	40	16	7	6	1	70	4	10	11	19	29		
39 St. Paul.	3,602	449	94	55	39	31	668	92	89	116	216	290		
40 Stillwater.	123	10	3	2	1	2	18	3	3	9	5	13		
41 Virginia.	216	36	8	4	4	5	57	8	6	11	13	11		
42 Winona.	301	20	3	5	1	3	32	7	10	16	24	13		
MISSISSIPPI. ¹														
43 Registration cities (total).	3,068	231	93	44	32	19	419	63	62	179	234	290		
44 White.	1,181	83	49	28	11	11	182	23	19	52	51	91		
45 Colored.	1,882	148	44	16	21	8	237	40	43	127	183	199		
46 Hattiesburg (total).	374	58	23	12	7	3	103	8	8	35	28	37		
47 White.	194	34	10	8	1	3	56	2	3	14	8	20		
48 Colored.	180	24	13	4	6	6	47	6	5	21	20	17		
49 Jackson (total).	1,057	63	28	15	8	4	118	22	20	61	91	110		
50 White.	376	14	11	10	5	2	42	8	8	15	21	29		
51 Colored.	681	49	17	5	3	2	76	14	12	46	70	81		
52 Meridian (total).	622	46	29	14	6	5	100	23	14	36	41	53		
53 White.	322	24	21	9	2	2	58	12	14	14	18	19		
54 Colored.	300	22	8	5	4	3	42	11	9	22	33	34		
55 Natchez (total).	329	37	6	1	4	3	51	3	8	14	19	21		
56 White.	87	4	2	1	1	2	9	1	2	2	4	7		
57 Colored.	242	33	4	1	3	1	42	3	7	12	17	17		
58 Vicksburg (total).	681	27	7	2	7	4	47	7	12	33	55	69		
59 White.	202	7	5	1	2	2	17	1	2	7	12	19		
60 Colored.	479	20	2	1	5	2	30	6	10	26	43	50		
MISSOURI.														
61 Registration cities (total).	25,374	2,460	716	376	282	179	4,013	624	448	904	1,520	1,904		
62 White.	29,040	2,187	601	295	239	155	3,457	533	387	770	1,271	1,626		
63 Colored.	3,334	293	115	81	43	24	556	91	61	134	249	268		
64 Hannibal (total).	419	39	11	4	7	4	65	8	7	15	26	31		
65 White.	355	33	10	4	7	4	58	8	6	13	23	26		
66 Colored.	64	6	1	1	1	1	7	1	2	3	5	5		
67 Jefferson City (total).	237	18	7	4	3	1	33	6	7	16	22	17		
68 White.	207	17	4	4	3	1	29	5	6	13	20	17		
69 Colored.	30	1	3	1	1	1	4	1	1	3	2	2		
70 Joplin.	810	81	36	13	4	7	141	18	25	39	46	76		
71 Kansas City (total).	6,608	635	157	99	75	37	1,003	168	117	281	500	585		
72 White.	5,682	564	137	82	71	34	888	152	89	251	432	504		
73 Colored.	926	71	20	17	4	3	115	16	28	30	68	81		
74 Moberly.	252	19	7	1	4	1	32	6	9	9	12	18		

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

DEATHS, BY COLOR AND AGE OF DECEDENT.

157

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918—Continued.

[footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—																Deaths at un- known age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
15	15	10	5	17	18	17	26	27	16	16	7	3	2		1	
12	6	9	10	13	6	11	13	23	11	13	6	1			2	
19	10	9	9	14	16	17	20	17	18	10	10	7			3	
272	228	208	218	203	199	209	213	212	181	105	54	19	4		4	
1,764	1,361	1,084	1,059	1,136	1,223	1,269	1,294	1,280	1,122	698	380	131	31	1	5	
1,695	1,294	1,042	1,004	1,100	1,199	1,245	1,282	1,266	1,111	689	375	129	30	1	6	
69	67	42	55	36	24	24	12	14	11	9	5	2	1		7	
12	10	5	5	6	21	15	19	25	18	23	15	2			8	
11	11	13	8	12	12	10	14	17	11	9	1				9	
26	19	29	28	40	30	27	30	32	26	15	5				10	
48	33	22	30	33	50	40	42	35	40	26	9	1			11	
47	50	29	21	43	39	44	56	55	53	29	14	8	2		12	
983	709	552	554	568	529	514	524	419	380	238	122	46	17		13	
19	19	15	19	19	16	14	14	16	10	5	3				14	
92	60	48	36	35	36	36	44	55	46	21	18	2			15	
110	78	75	72	100	91	128	127	133	125	83	49	18	4		16	
14	8	3	6	3	7	4	6	8	11	7	1	5			17	
22	24	12	10	1	10	5	6	6	4	3	2				18	
10	8	10	9	6	5	12	9	13	10	5					19	
62	47	49	29	36	50	62	43	58	42	20	7	1			20	
53	56	45	49	50	77	85	30	88	81	34	32	5	2		21	
43	38	31	36	23	53	41	47	50	34	33	11	4			22	
10	2	7	4	5	11	11	17	10	12	8	1				23	
8	10	10	14	9	10	17	12	17	11	3	1	1			24	
14	5	8	10	6	6	17	8	7	9	5	5				25	
40	44	19	17	21	31	30	37	52	41	22	7	1			26	
49	35	33	27	30	31	38	44	48	30	16	13	4			27	
8	19	21	12	16	21	10	29	31	20	19	8	3	1		28	
66	44	26	28	52	47	69	59	70	65	36	24	7			29	
8	12	18	11	11	15	13	8	10	7	3	1	1			30	
18	20	21	23	18	26	27	23	27	31	9	6	5			31	
920	727	573	540	601	664	625	583	527	488	343	198	71	19	2	32	
911	709	557	522	588	656	612	574	520	486	340	197	70	17	1	33	
18	18	16	18	13	8	13	9	7	2	3	1	2	1		34	
108	98	70	71	79	100	69	56	50	37	22	7				35	
18	15	13	16	16	10	23	15	20	21	11	2				36	
453	297	280	265	265	323	295	270	252	249	176	86	39	14	2	37	
15	20	11	4	3	8	15	15	18	8	9	3	2	1		38	
281	255	165	164	198	192	196	195	154	148	104	60	16	3		39	
3	4	6	2	10	6	6	8	8	6	6	5				40	
26	15	22	6	13	7	3	5	5	1						41	
20	23	6	12	14	18	14	21	20	18	17	11	5			42	
230	240	190	193	173	129	159	121	147	90	65	28	15	8	7	43	
103	68	58	73	68	58	83	72	76	54	31	9	7	5	5	44	
127	172	132	120	107	71	76	49	71	36	34	19	8	8	7	45	
20	24	14	17	14	13	10	14	13	5	6	2	1		2	46	
11	14	9	7	7	8	11	8	4	1						47	
9	10	5	10	7	6	2	3	5	2						48	
94	94	88	71	55	47	48	44	40	13	16	5	3	1	2	49	
44	44	17	22	27	23	25	21	29	22	11	7	3	1		50	
50	77	61	44	32	22	27	15	18	7	9	2	1	2	13	51	
52	41	27	32	39	25	37	27	29	25	11	5	3	1		52	
28	17	12	19	18	12	26	22	20	21	9	2				53	
24	15	13	21	13	11	5	9	4	2	3	1	1			54	
20	16	10	23	19	14	16	13	33	22	13	7	2	3	2	55	
8	4	2	7	5	3	10	4	13	8	3	1	1			56	
12	12	8	16	14	11	6	9	20	14	10	6	1	3	2	57	
44	65	56	50	46	30	48	23	32	20	19	9	6	3		58	
14	16	13	13	11	18	6	13	10	8	2	3				59	
30	49	43	37	33	19	30	17	19	10	11	7	3	3		60	
1,986	1,704	1,509	1,474	1,376	1,390	1,469	1,477	1,293	1,050	674	372	103	26	6	61	
1,688	1,377	1,219	1,227	1,190	1,222	1,344	1,360	1,207	998	647	353	94	20	2	58	
298	327	290	247	186	168	125	117	86	52	27	19	9	6	4	63	
30	28	22	26	10	23	21	28	24	28	14	6	4	2		64	
19	23	18	9	20	18	25	21	26	11	6	4	1			65	
11	5	4	7	1	3	3	3	2	2	3		1			66	
22	13	6	8	3	12	8	13	17	9	7					67	
19	10	4	7	3	10	7	12	15	9	6					68	
3	3	2	1	2	1	1	2	2	1						69	
69	66	59	41	31	30	38	38	40	32	11	8	1	1		70	
574	480	444	380	333	319	327	339	264	215	163	83	21	3	1	71	
470	373	346	289	272	287	303	306	238	206	160	78	18	3	1	72	
104	107	98	81	61	32	24	33	26	9	3	5	3	1	1	73	
14	15	20	12	16	15	18	14	18	13	7	6	2			74	

MORTALITY STATISTICS

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910). Minor rural subdivisions (counties,

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—												
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.		
REGISTRATION CITIES—Continued.															
MISSOURI—continued.															
1 St. Joseph.....		1,797	155	55	21	19	18	268	58	34	71	105	145		
2 St. Louis (total).....		13,727	1,367	407	210	157	104	2,245	317	212	410	711	906		
3 White.....		11,734	1,170	326	150	121	85	1,852	250	185	333	561	760		
4 Colored.....		1,993	197	81	60	36	19	393	87	27	77	150	146		
5 Sedalia (total).....		447	37	13	5	4	3	62	11	7	15	31	29		
6 White.....		379	34	12	5	4	2	57	10	7	8	24	23		
7 Colored.....		68	3	1				1	5	1	7	7	6		
8 Springfield.....		827	79	13	16	8	4	120	25	26	40	52	76		
9 Webb City.....		250	30	10	3	1		44	7	4	8	15	21		
MONTANA.															
10 Registration cities (total).....		3,212	309	59	33	33	30	469	80	45	129	213	379		
11 White.....		3,138	299	57	37	33	30	456	80	44	126	212	373		
12 Colored.....		74	10	2	1			13		1	3	1	6		
13 Anaconda.....		211	22	7	6	2		37	5	5	11	6	18		
14 Billings.....		317	33	10	3	7	6	59	8	8	17	20	47		
15 Butte.....		1,455	117	21	16	14	16	184	39	18	40	95	183		
16 Great Falls.....		603	80	14	6	6	5	111	18	10	31	50	72		
17 Helena.....		288	26	4	4	2	1	37	5	2	9	12	27		
18 Missoula.....		388	31	3	3	2	2	41	5	2	21	30	32		
NEBRASKA. ¹															
19 Registration cities (total).....		4,104	453	116	61	38	41	709	147	88	132	259	380		
20 White.....		3,876	436	108	53	36	36	672	140	85	126	238	358		
21 Colored.....		228	17	10	3	2	5	37	7	3	6	21	22		
22 Lincoln.....		905	91	19	13	3	10	136	36	16	26	64	86		
23 Omaha.....		3,199	362	97	48	35	31	573	111	72	106	195	294		
NEW HAMPSHIRE.															
24 Registration cities (total).....		4,493	631	158	68	64	45	966	85	83	156	211	420		
25 White.....		4,432	630	158	68	64	45	965	85	82	156	211	419		
26 Colored.....		11	1					1		1			1		
27 Berlin.....		338	62	19	5	7	5	98	9	2	19	20	44		
28 Concord.....		682	25	7	2	2	2	33	8	6	16	26	46		
29 Dover.....		277	36	5	2	4		47	8	9	9	13	18		
30 Keene.....		275	19	7	5	2	1	34	2	5	9	12	23		
31 Laconia.....		296	30	8	4	4	3	49	3	11	18	21	30		
32 Manchester.....		1,650	320	86	38	32	23	499	36	34	54	84	146		
33 Nashua.....		632	101	19	10	7	8	145	13	11	20	20	77		
34 Portsmouth.....		384	38	7	2	6	3	56	6	5	11	15	36		
NEW JERSEY.															
35 Registration cities (total).....		39,142	5,785	1,866	895	542	480	9,518	1,044	673	1,277	2,270	3,244		
36 White.....		36,311	5,438	1,743	833	501	401	8,916	975	625	1,182	2,099	3,065		
37 Colored.....		2,331	347	123	62	41	29	602	69	48	95	171	179		
38 Asbury Park (total).....		203	16	5	2	4		27	2	3	9	8	21		
39 White.....		160	11	5	2	2		20	2	1	8	8	18		
40 Colored.....		43	5					7		2	1		3		
41 Atlantic City (total).....		1,210	106	34	9	8	9	166	23	25	25	62	85		
42 White.....		962	76	26	6	3	6	117	18	22	23	48	73		
43 Colored.....		248	30	8	3	5	3	49	5	3	2	14	12		
44 Bayonne.....		1,439	265	104	50	28	23	470	62	34	54	100	154		
45 Bloomfield.....		246	35	14	10	2	2	63	6	4	5	9	12		
46 Bridgeton.....		306	43	13	4	2	2	64	9	3	23	26	26		
47 Camden.....		3,062	475	165	77	63	43	823	101	67	120	185	267		
48 East Orange.....		471	35	13	5	5	3	61	6	6	11	10	33		
49 Elizabeth.....		1,846	317	87	48	21	21	494	59	24	53	109	180		
50 Garfield.....		251	73	22	8	5	2	110	14	7	10	16	20		
51 Hackensack.....		434	51	11	8	4	5	79	7	12	17	23	26		
52 Harrison.....		225	45	21	7	4	3	80	10	5	12	6	14		
53 Hoboken.....		1,182	170	73	29	19	11	302	38	23	26	66	88		
54 Irvington.....		302	34	10	4	1	2	51	8	6	7	19	22		
55 Jersey City.....		6,031	893	284	156	79	65	1,477	187	108	203	347	505		
56 Kearny.....		428	46	15	6	5	5	77	10	8	12	19	33		
57 Long Branch.....		379	29	5	3	7	5	49	10	7	15	23	27		
58 Millville.....		317	30	8	6	2	3	49	5	8	15	31	29		
59 Montclair (total).....		301	44	13	5	4	1	67	5	4	11	12	11		
60 White.....		257	37	12	4	3	1	57	5	4	7	8	8		
61 Colored.....		44	7	1	1	1	1	10			4	5	3		
62 Morristown.....		107	37	11	7	1	2	58	4	7	16	22	22		
63 New Brunswick.....		893	149	30	18	11	9	217	21	13	26	62	83		
64 Newark.....		8,132	1,204	417	201	118	97	2,037	186	118	246	485	653		
65 Orange.....		844	110	32	19	8	9	178	20	15	48	37	59		
66 Passaic.....		1,192	288	98	36	25	13	460	39	15	18	68	100		
67 Paterson.....		2,656	325	90	38	29	20	502	55	46	104	155	216		
68 Perth Amboy.....		1,030	219	65	23	23	21	356	17	17	37	63	103		
69 Phillipsburg.....		342	57	15	6	1	1	80	11	2	11	22	27		
70 Plainfield.....		616	90	30	11	9	7	147	20	9	23	39	47		
71 Trenton.....		2,927	407	123	71	29	27	657	82	50	81	183	279		
72 Union.....		265	36	9	5	3	3	56	6	3	7	13	20		
73 West Hoboken.....		493	65	22	11	9	7	114	11	9	19	29	31		
74 West New York.....		350	70	20	5	10	5	110	12	4	6	18	29		
75 West Orange.....		182	21	7	2	3	4	37	4	6	7	3	10		

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

DEATHS, BY COLOR AND AGE OF DECEDENT.

159

OF HAWAII) AND CERTAIN SUBDIVISIONS; BY COLOR AND AGE OF DECEDENT: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—																Deaths at un- known age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.			
134 1,010	113 877	100 797	96 827	78 844	95 822	103 874	102 864	85 744	57 599	25 370	10 215	2 202	2 54	2 11	8 4	1 2	
847 698	638 695	731 711	731 797	111 695	82 797	695 797	695 563	36 353	17 202	13 13	6 54	4 11	2 2	2 2	4 4	3 4	
163 39	159 31	132 27	113 15	111 19	82 27	49 21	49 22	14 14	7 7	2 2	1 1	1 1	1 2	1 1	29 20	5 6	
22 35 72 25	7 25 56 14	7 14	11 13	11 43	9 44	16 42	9 43	17 31	8 23	6 13	2 2	1 1	1 2	1 1	1 1	8 9	8 9
404 397	328 320	245 238	223 216	162 159	136 131	135 131	90 87	64 49	32 31	15 14	6 5	1 1	1 1	1 1	7 7	10 11	
7	8	7	5	4	3	2	1	1	1	1	1	1	1	1	1	12	
24 42 28 207 65 31 35	16 16 14 171 33 20 32	20 12 11 112 46 10 27	14 12 11 12 12 18	12 15 11 15 18 15	10 52 51 31 25 20 10	7 31 11 11 19 12 8	5 11 14 11 6 12 6	4 19 9 19 9 11 4	3 2 2 3 4 3 4	1 1 1 1 1 1 1	1 1 1 1 1 1 1	1 1 1 1 1 1 1	1 1 1 1 1 1 1	1 1 1 1 1 1 1	13 14 15 16 17 18		
366 355 11	277 250 27	207 181 14	181 167 14	202 188 11	230 219 9	223 214 7	207 200 7	190 183 7	148 146 2	83 82 1	55 55 12	12 12 4	1 1 1	1 1 1	3 2 1	19 20 21	
84 282	52 225	32 175	29 152	45 157	48 182	60 163	50 157	58 132	41 107	20 63	19 36	3 9	3 4	1 1	22 23		
292 290	227 225	180 180	192 192	194 193	191 189	227 226	259 259	250 250	225 225	182 182	92 92	31 31	7 7	1 1	22 24 25 26		
26 42 38 17 22	21 31 31 13 10	5 52 44 8 16	11 14 14 16 16	8 40 40 13 13	13 51 51 19 18	10 63 63 22 13	12 65 65 10 24	8 47 47 19 21	6 40 40 11 16	4 18 18 11 10	4 5 5 5 5	11 2 2 2 2	11 28 29 30				
18 107 39 21	13 70 39 20	13 60 27 15	10 57 28 16	8 70 28 15	13 64 29 14	15 67 40 11	10 90 30 20	15 74 30 18	19 69 26 18	22 45 19 23	5 20 16 8	1 9 1 7	1 1 1 2	31 32 33 34			
3,163 2,977 186	2,310 2,133 177	1,939 1,767 172	1,905 1,764 141	1,928 1,801 127	1,875 1,765 110	1,853 1,780 78	1,783 1,735 48	1,652 1,593 59	1,275 1,243 27	869 845 24	372 361 11	143 141 2	29 27 2	7 5 1	35 36 37		
11 9 2 6 125 103 22	8 2 8 4 73 53 15	12 9 9 5 52 49 15	14 9 8 5 14	11 9 3 2 12	6 16 3 2 19	18 13 1 1 10	14 1 1 1 15	11 9 2 1 19	12 10 1 1 15	8 40 1 1 1	7 1 1 1 1	1 1 1 1 1	1 1 1 1 1	38 39 40 41 42 43			
112 18 22 266 26	74 18 26 191 16	57 8 16 133 16	61 14 13 132 28	54 5 11 97 27	48 45 25 119 30	45 37 28 120 46	37 22 31 101 40	32 32 31 103 43	15 10 20 55 14	5 5 4 5 5	1 1 1 1 4	1 1 1 1 4	1 1 1 1 4	44 45 46 47 48			
168 8 45 16 16 88	102 9 28 35 10 59	90 12 35 23 11 69	91 11 12 12 15 68	77 5 12 19 24 67	78 8 12 19 8 61	95 8 6 33 5 61	69 7 5 15 7 69	78 5 15 33 7 53	43 43 15 11 33 15	42 6 6 11 9 25	6 3 2 6 9 1	8 1 1 1 1 1	1 1 1 1 1	49 50 51 52 53			
15 455 26 21 29	14 366 31 20 11	16 14 22 13 9	14 336 14 13 14	15 309 26 23 13	21 278 12 24 13	27 284 22 29 22	19 284 30 25 19	16 229 54 28 15	18 157 54 28 15	16 130 21 11 12	11 130 6 5 12	3 2 1 1 2	2 4 1 1 1	54 55 56 57 58			
15 10 5 31 33	18 14 4 37 25	8 5 2 10 10	11 9 2 14 15	11 10 2 14 13	16 14 1 17 13	16 15 1 17 14	17 15 1 15 14	15 15 1 15 15	15 15 21 21 18	9 9 2 9 8	8 1 1 2 3	1 1 1 1 1	59 60 61 62 63				
662 84 87 208	479 42 60 167	406 47 48 118	403 38 44 133	461 43 45 145	402 48 49 159	356 45 49 154	340 37 49 147	209 19 26 149	172 18 28 105	81 9 14 77	25 2 2 29	5 1 1 15	1 1 1 2	64 65 66 67			
91 26 53 23	64 15 33 207	67 15 38 143	38 15 23 143	42 15 26 131	30 17 24 140	32 26 34 139	19 15 31 120	10 15 21 101	5 8 13 58	5 8 7 58	3 2 1 25	3 2 1 8	1 2 1 2	68 69 70 71			
21 39	13 30 22	18 20 16	16 22 22	17 33 13	18 19 14	13 28 15	11 29 12	10 20 14	18 22 5	2 2 6	2 2 3	2 2 1	1 1	72 73 74			
9	6	6	7	9	9	9	13	13	13	5	5	4	2	2	75		

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA. (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910). Minor rural subdivisions (counties,

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—													
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.			
REGISTRATION CITIES—Continued.																
NEW YORK.																
1	Registration cities (total).....	145,303	19,203	6,080	2,661	1,751	1,307	31,002	3,637	2,616	4,370	7,753	11,203			
2	White.....	140,642	18,537	5,855	2,573	1,683	1,265	29,918	3,545	2,536	4,190	7,385	10,754			
3	Colored.....	4,661	666	225	88	63	42	1,084	92	80	180	368	449			
4	Albany.....	2,543	247	81	19	21	9	377	45	32	70	121	173			
5	Amsterdam.....	576	576	32	17	11	6	10	126	11	8	11	35	51		
6	Auburn.....	708	84	27	16	3	8	138	13	11	11	36	44			
7	Batavia.....	325	33	6	4	3	4	50	6	9	9	16	22			
8	Binghamton.....	1,363	145	31	16	7	8	207	25	23	27	54	86			
9	Buffalo.....	10,112	1,690	486	189	119	98	2,582	259	182	312	572	798			
10	Cohoes.....	497	68	14	12	4	6	104	10	8	14	27	37			
11	Corning.....	294	44	4	7	1	1	63	6	7	15	24	16			
12	Cortland.....	311	39	8	1	2	1	51	6	3	6	9	19			
13	Dunkirk.....	400	71	26	6	2	1	106	15	6	12	24	28			
14	Elmira.....	868	106	26	7	9	4	152	18	8	23	39	51			
15	Fulton.....	311	51	7	7	1	3	69	6	5	8	17	24			
16	Geneva.....	258	34	3	2	3	1	43	3	4	8	14	18			
17	Glen Falls.....	428	34	8	6	1	1	50	12	7	23	22	29			
18	Gloversville.....	526	55	11	6	3	3	78	21	13	9	17	37			
19	Hornell.....	282	26	4	2	4	4	40	4	5	5	13	11			
20	Hudson.....	292	29	5	2	2	5	43	4	5	12	8	22			
21	Ithaca.....	317	25	8	4	1	6	44	8	8	11	15	15			
22	Jamestown.....	572	66	14	5	6	3	94	9	12	15	36	33			
23	Johnstown.....	188	21	4	1	2	2	28	4	1	9	14			
24	Kingston.....	691	60	23	12	3	1	99	17	15	41	35	59			
25	Lackawanna.....	494	273	38	7	2	2	328	7	9	5	9	28			
26	Little Falls.....	257	38	14	4	3	1	60	6	5	10	16	9			
27	Lockport.....	373	28	5	4	2	4	43	8	7	12	24	22			
28	Middletown.....	521	26	6	5	1	2	40	8	6	5	16	27			
29	Mount Vernon.....	583	61	23	14	7	5	110	11	14	23	27	39			
30	New Rochelle.....	515	66	22	9	7	2	106	15	13	23	21	37			
31	New York (total).....	98,989	12,611	4,287	1,888	1,289	894	20,969	2,548	1,799	2,918	5,393	7,663			
32	Bronx Borough.....	10,607	1,262	380	177	113	97	2,029	291	234	368	889	970			
33	Brooklyn Borough.....	34,010	4,463	1,609	735	491	334	7,632	907	694	1,038	1,887	2,659			
34	Manhattan Borough.....	42,859	5,720	1,941	811	564	366	9,402	1,053	684	1,167	2,361	3,224			
35	Queens Borough.....	7,011	832	273	135	90	71	1,451	236	148	249	341	592			
36	Richmond Borough.....	2,502	284	84	30	31	26	455	61	39	91	165	218			
37	White.....	93,088	12,055	4,104	1,814	1,232	863	20,048	2,471	1,736	2,776	5,079	7,261			
38	Bronx Borough.....	10,478	1,249	375	173	111	96	2,004	290	232	354	881	955			
39	Brooklyn Borough.....	33,043	4,327	1,582	719	474	325	7,407	891	679	1,012	1,753	2,587			
40	Manhattan Borough.....	40,237	5,311	1,818	760	527	346	8,762	998	640	1,075	2,159	2,953			
41	Queens Borough.....	6,909	871	270	132	89	70	1,432	232	146	249	332	584			
42	Richmond Borough.....	2,421	277	79	30	31	26	443	60	39	86	154	202			
43	Colored.....	3,901	576	183	74	57	31	921	77	63	142	314	402			
44	Bronx Borough.....	129	13	5	4	2	1	25	1	2	14	8	15			
45	Brooklyn Borough.....	136	47	16	17	9	9	225	16	15	26	84	92			
46	Manhattan Borough.....	2,622	409	123	51	37	20	640	55	44	92	202	271			
47	Queens Borough.....	102	11	3	3	1	1	19	4	2	5	9	8			
48	Richmond Borough.....	81	7	5	—	—	—	12	1	—	5	11	16			
49	Newburgh.....	694	74	19	9	2	3	107	15	9	22	46	43			
50	Niagara Falls.....	963	170	42	19	11	4	246	25	14	23	60	89			
51	North Tonawanda.....	276	52	9	2	1	2	66	11	1	6	11	28			
52	Ogdensburg.....	690	62	10	7	5	4	88	15	4	29	32	43			
53	Olean.....	364	50	12	7	2	3	74	10	10	19	24	17			
54	Ossining.....	218	17	12	6	4	5	44	8	2	7	10	17			
55	Oswego.....	539	64	20	1	2	8	95	5	9	16	26	51			
56	Peekskill.....	303	28	13	6	5	3	53	11	5	11	20	29			
57	Plattsburgh.....	307	33	4	4	1	3	45	7	6	19	20	35			
58	Port Chester.....	346	46	21	18	4	6	95	12	12	16	11	38			
59	Poughkeepsie.....	744	87	27	12	13	7	125	20	13	26	48	67			
60	Rensselaer.....	174	22	6	4	1	1	34	4	2	7	5	4			
61	Rochester.....	4,807	633	188	86	43	47	997	98	82	130	183	308			
62	Rome.....	833	65	20	9	4	13	111	29	49	73	77				
63	Saratoga Springs.....	363	30	7	—	3	3	43	9	7	14	16	27			
64	Schenectady.....	1,600	231	52	28	25	13	349	37	34	41	84	123			
65	Syracuse.....	3,278	518	144	55	32	22	771	64	47	74	152	236			
66	Troy.....	2,105	211	48	27	12	12	310	32	24	58	87	175			
67	Utica.....	2,032	305	98	45	21	25	494	35	41	54	85	151			
68	Watertown.....	853	99	32	11	8	7	157	20	8	33	50	.57			
69	Watervliet.....	296	39	14	4	4	3	64	11	13	10	6	16			
70	White Plains.....	310	38	15	3	6	1	61	5	7	7	10	25			
71	Yonkers.....	1,574	240	59	32	17	25	373	51	32	51	76	140			

DEATHS, BY COLOR AND AGE OF DECEASED.

161

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEASED: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—																	Deaths at un- known age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.			
10,579 10,123 456	8,694 8,255 439	7,575 7,227 348	7,672 7,398 274	8,191 7,974 217	7,883 7,713 170	8,293 8,138 155	7,676 7,548 128	6,946 6,852 94	5,472 5,411 61	3,315 3,283 32	1,660 1,642 18	557 548 9	133 131 2	23 21 2	53 50 3	1 2 3	
190 42 31 25 80	157 29 22 13 63	146 32 42 9 62	132 25 17 15 84	127 26 43 17 80	164 26 42 18 89	167 28 45 21 98	181 31 43 20 94	138 21 49 17 101	100 10 21 8 55	34 4 8 6 45	13 1 8 2 12	3 1 2 1 2	1 1 2 8 2	4 5 6 7 8			
739 36 18 24 21	556 24 12 16 23	479 23 11 12 15	469 8 8 12 12	531 33 14 14 19	485 33 19 14 24	540 29 19 23 22	476 36 23 29 22	419 25 18 22 22	318 11 18 22 10	183 6 8 16 7	125 51 3 1 3	1 1 1 1 1	2 9 10 11 12	9 10 11 12 13			
62 18 18 35 36	49 15 19 21 42	29 7 7 9 12	45 13 11 12 19	52 9 11 18 24	42 27 12 14 24	58 27 14 23 28	59 21 14 26 47	69 10 21 30 38	62 8 10 25 36	31 5 10 16 11	13 1 1 7 11	1 1 1 1 5	14 15 16 17 18	14 15 16 17 18			
20 36 19 31	13 12 13 30	13 14 16 22	21 11 9 20	16 13 14 23	26 13 18 37	23 11 28 37	19 21 26 52	19 21 30 35	14 13 14 32	13 11 13 12	6 1 5 4	1 1 1 1	19 20 21 22	19 20 21 22			
13 52 25 17	5 44 18 13	5 29 21 14	6 29 8 12	16 35 11 9	13 39 8 12	15 55 6 16	15 38 2 19	20 40 3 16	9 39 3 12	9 14 1 6	5 1 6 3	1 1 5 2	23 24 25 26	23 24 25 26			
25 34 47 32	9 37 31 36	13 24 30 22	16 33 20 32	24 37 28 34	20 29 27 17	23 11 28 25	17 46 31 26	35 62 43 25	33 39 28 24	26 22 10 16	9 8 6 8	3 2 3 1	1 1 29 30	27 28 29 30			
7,081 839 2,351 3,101 189	5,904 616 1,937 2,814 160	5,378 569 1,730 2,553 123	5,427 551 1,855 1,941 140	5,698 601 1,830 1,950 143	5,333 619 1,720 2,422 140	5,506 574 1,950 2,468 143	4,867 531 1,720 2,125 143	4,247 459 1,567 1,797 115	3,160 349 1,194 1,235 74	1,854 192 712 724 74	860 92 317 351 34	273 22 108 114 14	76 8 28 5 2	9 16 32 33 3	31 32 33 34 35		
6,657 828 2,274 2,831 132	5,538 561 1,852 1,661 151	5,073 546 1,796 1,896 121	5,202 593 1,795 1,910 131	5,516 566 1,910 1,685 139	5,240 562 1,910 1,685 106	5,393 530 1,685 1,540 140	4,762 455 1,685 1,797 140	4,184 348 1,179 1,208 111	3,114 190 699 712 114	1,826 190 312 724 74	850 92 105 114 34	265 22 27 34 15	75 8 3 4 2	37 38 39 40 41	37 38 39 40 41		
374 11 77 270 9	366 8 85 256 8	305 285 69 213 7	285 182 59 166 5	182 143 45 94 7	143 113 40 61 6	105 8 35 63 2	63 1 27 35 3	46 1 15 25 2	28 13 5 12 1	10 8 3 3 2	1 1 1 1 1	2 1 44 45 46 47 48	43 1 44 45 46 47 48				
52 96 25 55 28	27 51 24 41 24	36 61 16 40 22	40 39 18 38 24	38 40 10 38 10	35 39 14 46 26	41 9 11 45 18	46 9 12 46 10	42 27 12 43 19	40 38 5 20 9	27 21 5 20 9	19 10 3 14 6	7 2 3 5 1	2 3 51 52 53	49 50 51 52 53			
11 56 18 20 30	8 35 17 22 16	7 11 15 13 12	14 17 10 9 10	12 33 14 11 13	11 27 20 12 10	11 32 17 11 15	12 27 14 25 11	9 38 20 19 14	13 21 12 9 9	7 11 4 7 2	2 1 1 1 1	1 1 54 55 56 57 58	54 55 56 57 58				
69 12 347 66 26	56 4 276 61 17	25 6 213 33 11	25 6 215 31 29	35 7 252 34 13	25 7 276 45 21	45 11 283 43 32	42 10 321 43 33	37 19 283 47 24	47 12 258 26 24	26 9 160 104 14	9 6 93 104 14	2 1 7 3 6	2 3 60 61 62	59 60 61 62 63			
152 211 151 144	119 178 107 95	74 144 151 92	81 163 114 91	85 178 149 102	66 207 157 121	63 188 155 110	85 187 151 103	76 187 119 103	59 153 119 83	46 104 69 68	17 9 25 15	9 1 6 15	4 64 65 66 67	64 65 66 67 68			
84 21 24 105	44 26 22 95	34 3 17 77	51 7 14 94	34 23 12 74	47 17 20 75	34 21 22 72	42 25 18 67	48 12 13 72	46 10 16 57	27 6 12 57	22 1 12 32	7 4 1 8	4 68 69 70 71	68 69 70 71 72			

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910). Minor rural subdivisions (counties,

AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—											
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	
REGISTRATION CITIES—Continued.													
NORTH CAROLINA.													
1 Registration cities (total).....	5,309	736	279	118	71	47	1,251	196	122	311	405	421	
2 White.....	2,982	368	146	73	39	22	648	103	63	136	183	240	
3 Colored.....	2,327	368	133	45	32	25	603	93	59	175	222	181	
4 Asheville (total).....	752	81	25	12	4	4	126	17	17	36	54	81	
5 White.....	564	49	14	12	3	3	81	15	9	21	45	63	
6 Colored.....	188	32	11	-----	1	1	45	2	8	15	9	18	
7 Charlotte (total).....	1,039	147	57	30	18	14	266	50	20	47	78	83	
8 White.....	607	85	36	16	12	4	153	26	11	20	35	47	
9 Colored.....	432	62	21	14	6	10	113	24	9	27	43	36	
10 Durham (total).....	455	85	23	9	2	5	124	19	12	33	26	35	
11 White.....	197	35	15	3	3	3	56	4	7	9	6	15	
12 Colored.....	258	50	8	6	2	2	68	15	5	24	20	20	
13 Greensboro (total).....	359	49	14	4	1	1	70	11	9	18	29	26	
14 White.....	193	25	5	1	1	2	34	6	5	8	7	15	
15 Colored.....	166	24	9	3	-----	-----	36	5	4	10	22	11	
16 Raleigh (total).....	741	63	24	7	10	6	110	15	15	40	56	49	
17 White.....	436	23	11	5	6	2	47	6	8	14	23	26	
18 Colored.....	305	40	13	2	4	4	63	9	7	26	33	23	
19 Wilmington (total).....	836	99	53	25	7	9	198	26	12	41	48	58	
20 White.....	434	54	23	14	3	6	109	15	4	17	24	25	
21 Colored.....	402	45	26	11	4	3	89	11	8	24	24	33	
22 Winston-Salem (total).....	1,127	212	78	31	29	7	357	58	37	96	114	89	
23 White.....	551	97	33	22	14	2	168	31	19	47	43	49	
24 Colored.....	576	115	45	9	15	5	189	27	18	49	71	40	
NORTH DAKOTA. ¹													
25 Fargo (total).....	412	66	5	4	6	-----	81	11	12	12	36	44	
26 White.....	411	66	5	4	6	-----	81	11	12	12	36	44	
27 Colored ²	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
OHIO.													
28 Registration cities (total).....	51,264	6,910	1,646	796	535	388	10,275	1,231	853	1,567	877	4,197	
29 White.....	47,360	6,496	1,511	735	505	374	9,621	1,138	785	1,414	2,608	3,889	
30 Colored.....	3,404	414	135	61	30	14	654	93	68	153	269	308	
31 Akron.....	2,425	474	115	38	33	26	686	67	34	91	197	215	
32 Alliance.....	389	49	13	7	3	3	75	12	6	21	26	39	
33 Ashtabula.....	310	46	13	5	2	2	68	11	9	10	14	22	
34 Bellaire.....	328	54	17	9	5	2	87	13	7	12	14	25	
35 Cambridge.....	243	36	13	6	3	1	59	7	4	8	16	21	
36 Canton.....	1,261	151	37	15	11	10	224	27	24	39	74	108	
37 Chillicothe.....	321	35	4	7	7	4	57	15	11	9	17	18	
38 Cincinnati (total).....	8,591	823	211	112	71	48	1,265	148	125	241	438	674	
39 White.....	7,582	700	174	91	61	42	1,068	123	109	202	370	578	
40 Colored.....	1,009	123	37	21	10	6	197	25	16	39	68	96	
41 Cleveland.....	13,043	2,026	479	245	134	102	2,986	360	203	328	795	1,193	
42 Columbus (total).....	4,164	449	83	48	38	21	639	80	77	125	217	259	
43 White.....	3,559	392	64	37	31	17	541	62	69	97	178	225	
44 Colored.....	505	57	19	11	7	4	98	18	8	28	39	34	
45 Dayton.....	2,544	286	61	32	30	17	426	64	40	71	136	211	
46 East Liverpool.....	452	58	19	6	9	4	96	8	9	23	28	37	
47 Elyria.....	330	48	10	4	1	3	66	7	6	9	13	17	
48 Findlay.....	275	21	4	2	-----	-----	27	5	1	13	17	12	
49 Hamilton.....	710	93	24	15	5	6	143	16	19	40	32	62	
50 Ironton.....	341	53	14	4	4	3	78	14	13	17	28	25	
51 Lakewood.....	407	54	7	6	5	7	79	7	11	14	17	26	
52 Lancaster.....	200	19	5	6	1	1	32	7	7	8	4	17	
53 Lima.....	670	100	28	8	14	6	156	8	18	20	41	50	
54 Lorain.....	675	128	24	7	7	5	171	12	10	15	35	30	
55 Mansfield.....	414	51	16	5	3	2	77	3	4	10	19	39	
56 Marietta.....	231	20	6	4	2	-----	32	6	1	7	16	14	
57 Marion.....	393	60	19	5	6	3	93	15	7	11	21	24	
58 Massillon.....	261	30	1	-----	2	-----	33	5	5	8	17	16	
59 Middletown.....	408	82	21	6	8	1	118	12	8	16	25	36	
60 Newark.....	524	47	16	6	4	3	76	15	12	18	22	38	
61 Norwood.....	229	20	5	2	-----	1	28	10	1	7	16	9	
62 Piqua.....	271	26	4	-----	2	-----	32	4	6	15	7	17	
63 Portsmouth.....	658	100	40	19	10	12	181	23	19	27	39	44	
64 Sandusky.....	361	31	9	4	5	3	52	3	4	11	20	29	
65 Springfield (total).....	1,014	132	32	7	5	7	183	34	19	28	45	58	
66 White.....	855	107	25	6	3	7	148	27	12	21	32	52	
67 Colored.....	159	25	7	1	2	-----	35	7	7	13	41	6	
68 Steubenville.....	655	113	30	24	12	5	184	20	7	21	48	48	
69 Tiffin.....	257	22	3	7	-----	1	33	5	2	10	17	14	
70 Toledo.....	4,038	519	100	49	38	31	737	96	53	121	200	334	
71 Warren.....	444	65	20	5	6	2	98	6	7	16	25	38	
72 Youngstown.....	2,315	523	131	62	46	40	802	76	53	109	163	281	
73 Zanesville.....	612	66	12	9	5	4	96	10	11	18	25	47	
OREGON.													
74 Registration cities (total).....	3,972	373	83	44	43	19	562	93	71	118	215	315	
75 White.....	3,820	360	77	42	41	18	538	92	69	114	206	297	
76 Colored.....	152	13	6	2	2	1	24	1	2	4	9	18	
77 Portland.....	3,760	363	82	42	43	18	548	89	69	112	205	308	
78 Salem.....	212	10	1	2	-----	-----	-----	4	2	6	10	7	

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

DEATHS, BY COLOR AND AGE OF DECEDENT.

163

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—																	Deaths at un- known age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.			
384	408	270	217	230	224	204	199	180	125	89	37	8	6	3	24	1	
226	239	148	126	107	137	133	149	134	95	67	28	3	2	3	15	2	
158	184	122	91	123	87	71	50	46	30	22	9	5	4	3	9	3	
61	83	51	44	36	33	28	17	14	22	16	4	1			11	4	
50	70	39	31	25	21	26	14	10	19	15	4				6	5	
11	13	12	13	11	12	2	3	4	3	1					5	6	
77	88	52	37	41	36	28	44	42	26	16	3				7	7	
45	52	30	23	22	26	16	34	29	21	13	2				8	8	
32	36	22	14	19	10	12	10	13	5	3	1				9	9	
21	31	19	16	19	25	19	18	18	7	3	3				2	10	
6	14	5	7	5	14	11	12	14	5	2	3				1	11	
15	17	14	9	14	11	8	6	4	2						1	12	
29	19	22	17	22	17	18	16	17	8	4	5				1	13	
17	11	10	13	7	13	12	12	10	6	3	3				1	14	
12	8	12	4	15	4	6	4	7	2	1					1	15	
65	52	47	37	47	30	41	38	37	26	20	11				5	16	
40	31	34	19	28	21	30	25	32	21	17	9				5	17	
25	21	13	18	19	9	11	13	5	5	3	2				18		
57	67	39	33	39	46	37	45	34	22	19	7				1	19	
37	33	15	17	10	19	19	35	24	13	11	4				2	20	
20	34	24	16	29	27	18	10	9	8	3					3	21	
74	63	40	33	26	37	33	21	18	14	11	4				22		
31	28	15	16	10	23	19	17	15	10	6	3				23		
43	35	25	17	16	14	14	4	3	4	5	1				24		
42	29	24	11	23	24	11	19	15	7	6	4				25		
42	29	24	11	23	23	11	19	15	7	6	4				26		
				1												27	
4,185	3,465	2,857	2,688	2,559	2,493	2,572	2,628	2,440	2,048	1,351	681	213	61	7	11	28	
3,887	3,121	2,584	2,440	2,378	2,181	2,488	2,558	2,364	1,994	1,319	664	201	53	4	8	29	
298	344	273	248	116	124	70	76	54	52	32	17	12	12	8	3	30	
195	167	114	78	97	78	104	86	73	52	29		3			31		
33	27	24	22	17	11	12	11	18	18	7					32		
27	13	16	15	9	9	15	12	25	16	9					33		
25	21	18	14	18	16	15	7	11	8	11					34		
14	15	10	12	8	9	9	12	13	10	10					35		
104	117	73	71	45	58	57	74	59	51	35	16	3	2		36		
25	12	10	12	11	10	21	25	26	22	13	4	2			37		
680	561	496	498	526	530	540	498	419	273	128	47	13	2		38		
584	467	411	409	434	480	494	522	479	399	263	135	43	10	1	39		
96	75	87	64	46	36	18	17	13	10	3	3	1	1		40		
1,190	935	791	667	619	613	546	562	459	395	241	103	42	11	2	2	41	
304	286	255	241	232	230	282	260	267	168	129	65	5	1	1	42		
258	239	212	201	224	215	263	248	250	164	125	64	20	4		43		
46	47	43	40	28	15	19	12	17	4	4	1	2	1		44		
208	166	144	147	136	137	143	129	120	114	51	12	4	1		45		
36	28	23	22	21	21	24	20	21	12	10	5				2	46	
27	21	23	18	18	18	14	17	15	20	13	6	1	1		47		
13	15	9	15	17	19	23	21	23	22	14	8	1			48		
64	34	29	35	30	27	37	37	38	32	17	13	3	1		49		
14	25	14	13	10	13	12	16	19	11	11	7				50		
25	23	24	21	27	18	27	21	27	21	9	7	2	1		51		
13	11	3	10	9	12	10	12	11	17	9	5	1	2		52		
36	38	31	19	23	34	38	39	45	35	25	8	6			53		
89	69	38	42	22	34	16	16	6	9	8	1	2			54		
31	30	17	18	15	17	19	32	28	34	11	7	3			55		
18	15	11	9	10	16	18	17	10	13	5	4				56		
21	17	12	19	17	18	24	27	23	20	15	1	1			57		
21	21	17	18	13	14	13	20	14	15	5	5				58		
38	34	14	13	18	13	14	14	9	12	5	3				59		
40	41	25	26	34	24	23	33	33	22	32	8	2			60		
20	13	10	8	12	11	21	20	18	14	5	3				61		
15	13	21	11	15	14	17	24	24	19	16	8	2			62		
46	26	28	29	24	30	28	31	37	18	16	9	3			63		
29	15	18	21	21	24	26	17	35	9	8					64		
73	50	46	52	55	63	56	58	67	54	41	24	7	1		65		
58	41	41	44	48	55	47	50	61	48	38	24	7	1		66		
15	9	5	8	7	8	9	8	6	6	3					67		
57	38	47	30	30	17	27	22	19	25	12	7	2			68		
18	10	14	13	10	18	12	17	21	19	14	7	2	1		69		
300	252	217	228	217	208	246	208	199	106	58	20	6	1	1	70		
37	31	23	23	25	18	24	19	22	12	15	4	1			71		
262	230	172	164	105	67	83	71	73	55	27	19	2	1		72		
37	45	36	28	36	32	31	40	40	22	10	7	1			73		
319	262	221	217	224	253	263	254	203	158	126	74	14	3		74		
309	253	204	212	216	243	249	242	201	153	126	73	14	3		75		
10	9	17	5	8	10	14	12	2	5	1					76		
311	247	207	208	212	237	243	239	180	144	115	66	12	2	1	77		
8	15	14	9	12	16	20	15	23	11	8	8	2	1		78		

² Colored population less than 10 per cent of the total in 1910.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties,

AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—												
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.		
REGISTRATION CITIES—Continued.														
PENNSYLVANIA.														
1 Registration cities (total).....	99,912	14,081	4,365	2,193	1,269	1,049	22,957	2,670	1,711	3,371	6,044	8,716		
2 White.....	93,052	13,198	4,041	2,032	1,193	972	21,436	2,503	1,573	3,063	5,487	8,066		
3 Colored.....	6,860	883	324	161	76	77	1,521	167	138	303	557	650		
4 Allentown.....	1,426	282	59	33	16	10	400	39	20	46	76	95		
5 Altoona.....	1,067	172	43	26	14	13	268	36	18	36	53	79		
6 Beaver Falls.....	361	47	23	14	5	4	93	7	3	6	18	38		
7 Bethlehem.....	324	49	17	6	5	5	82	8	4	10	7	23		
8 Braddock.....	790	143	68	19	17	8	255	19	11	17	64	96		
9 Bradford.....	286	30	8	4	3	4	49	6	6	8	11	20		
10 Butler.....	519	83	19	11	7	14	134	14	13	32	39	43		
11 Carbondale.....	501	64	20	7	6	2	99	18	10	15	22	49		
12 Carlisle (total).....	279	19	4	4	3	4	34	9	11	8	17			
13 White.....	251	17	4	1	1	3	26	9	8	7	16			
14 Colored.....	28	2	—	3	2	1	8	—	1	3	1	1		
15 Carnegie.....	239	49	24	9	3	2	87	10	7	5	10	21		
16 Chambersburg.....	284	30	7	2	3	3	45	8	7	24	19			
17 Chester (total).....	1,473	242	78	36	16	16	388	23	22	57	129	133		
18 White.....	1,219	202	63	32	14	12	323	19	18	42	102	112		
19 Colored.....	254	40	15	4	2	4	65	4	4	15	27	21		
20 Coatesville (total).....	302	55	28	8	3	6	100	8	4	8	17	33		
21 White.....	264	51	26	6	3	5	91	7	4	7	13	30		
22 Colored.....	38	4	2	2	—	1	9	1	—	1	4	3		
23 Columbia.....	294	29	13	1	2	2	47	10	4	13	20	19		
24 Connellsville.....	268	33	12	4	3	2	54	7	12	14	21	26		
25 Dubois.....	294	46	4	9	3	2	64	5	8	11	14	29		
26 Dunmore.....	471	146	39	16	5	6	212	14	5	7	13	28		
27 Duquesne.....	460	106	47	9	5	8	175	13	7	21	29	53		
28 Easton.....	847	114	24	14	16	3	171	16	12	22	43	71		
29 Erie.....	1,900	319	92	37	25	14	487	40	32	53	116	136		
30 Farrell.....	320	84	24	8	6	3	125	8	1	9	26	30		
31 Greensburg.....	364	57	9	10	3	7	86	11	11	17	22	28		
32 Harrisburg.....	1,693	150	49	27	16	11	253	29	36	64	114	140		
33 Hazleton.....	851	124	30	14	17	9	194	22	22	25	70	84		
34 Homestead.....	442	118	57	21	10	3	209	15	13	9	29	29		
35 Johnstown.....	1,507	280	86	33	22	20	441	54	25	56	88	113		
36 Lancaster.....	1,232	162	32	12	8	11	225	30	19	35	57	92		
37 Lebanon.....	659	88	15	6	3	5	117	12	14	26	47	58		
38 McKees Rocks.....	360	95	28	16	8	7	154	11	5	7	23	35		
39 McKeesport.....	1,174	189	44	23	14	16	286	32	30	58	80	122		
40 Mahanoy City.....	415	78	23	10	4	6	121	13	6	4	16	48		
41 Meadville.....	286	31	6	3	1	—	41	10	4	9	15	11		
42 Monessen.....	482	118	31	30	19	9	207	22	11	16	29	46		
43 Mount Carmel.....	406	88	13	14	8	9	132	4	6	13	16	42		
44 Nanticoke.....	665	100	22	26	17	7	172	24	6	28	36	81		
45 New Castle.....	890	151	46	30	13	9	249	28	16	41	51	55		
46 Norristown.....	1,166	91	19	19	9	6	144	27	15	39	70	116		
47 North Braddock.....	253	45	16	4	7	5	77	15	8	21	22	19		
48 Oil City.....	379	64	11	5	3	3	86	13	3	16	28	32		
49 Old Forge.....	244	68	19	12	7	1	102	9	4	2	7	15		
50 Philadelphia (total).....	42,479	5,380	1,755	886	517	449	8,987	1,074	710	1,413	2,631	3,778		
51 White.....	38,377	4,827	1,548	781	468	402	8,026	977	628	1,253	2,305	3,388		
52 Colored.....	4,102	553	207	105	49	47	961	97	82	160	326	390		
53 Phoenixville.....	316	51	15	11	6	3	86	4	3	9	22	25		
54 Pittsburgh (total).....	15,433	2,213	770	411	224	188	3,806	474	283	513	941	1,327		
55 White.....	14,208	2,069	723	383	207	171	3,553	438	258	458	848	1,208		
56 Colored.....	1,225	144	47	28	17	17	253	36	25	55	93	119		
57 Pittston.....	493	85	34	13	6	10	148	17	10	16	18	47		
58 Plymouth.....	262	49	15	8	7	5	84	8	5	6	11	21		
59 Pottstown.....	409	42	15	7	4	2	70	18	8	18	32	35		
60 Pottsville.....	789	64	12	13	5	5	99	25	14	28	59	102		
61 Reading.....	2,228	354	100	33	26	16	529	66	28	71	132	166		
62 Scranton.....	3,092	444	127	66	31	24	692	75	47	94	163	260		
63 Shamokin.....	475	76	23	8	3	7	117	23	8	20	22	29		
64 Sharon.....	416	67	14	9	5	4	99	10	7	9	31	50		
65 Shenandoah.....	701	132	35	20	9	8	204	19	4	19	34	77		
66 South Bethlehem.....	394	149	35	15	10	3	212	7	—	6	13	22		
67 Steelton.....	351	66	15	9	8	2	100	10	5	16	27	29		
68 Sunbury.....	331	35	8	4	4	5	56	10	3	14	15	40		
69 Uniontown.....	385	40	10	8	3	6	67	11	8	17	26	34		
70 Warren.....	220	21	2	4	2	2	32	4	1	10	13	16		
71 Washington.....	495	67	25	16	4	3	115	8	7	20	30	28		
72 West Chester (total).....	427	32	11	5	7	6	61	11	12	20	22	38		
73 White.....	341	23	6	4	4	4	41	7	7	13	19	28		
74 Colored.....	86	9	5	1	3	2	20	4	5	7	3	10		
75 Wilkes-Barre.....	1,755	233	62	24	16	14	349	37	45	74	108	132		
76 Wilkinsburg.....	593	43	11	4	4	4	66	19	12	30	61	61		
77 Williamsport.....	829	90	33	9	3	6	141	23	11	30	41	59		
78 York.....	941	114	29	18	10	1	172	18	11	37	51	76		

DEATHS, BY COLOR AND AGE OF DECEASED.

165

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEASED: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—																Deaths at un- known age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
8,198 7,580 618	6,913 6,237 676	5,229 4,753 476	5,053 4,595 458	4,661 4,271 390	4,519 4,284 235	4,609 4,402 207	4,398 4,240 158	4,034 3,911 123	3,152 3,087 85	2,184 2,128 46	1,045 1,020 25	343 331 12	78 70 8	7 7	20 18 2	1 2 3
94	83	52	63	56	64	72	69	70	70	30	13	11	3			4
72	71	54	50	44	44	57	50	50	40	24	18	3				5
35	24	23	24	10	15	9	12	17	8	10	7	1				6
24	12	9	9	10	19	14	25	26	11	15	12	3				7
72	72	38	32	27	18	26	15	9	9	6	3	1				8
5	20	18	16	12	11	12	29	17	30	9	6					9
32	29	27	22	20	22	17	24	23	14	9	2	1				10
42	47	32	22	31	22	24	19	15	16	4	1					11
12	16	9	14	10	14	11	25	22	16	30	1					12
10	16	9	13	10	14	8	23	20	15	29	9					13
2		1				3	2	1	1	1						14
16	20	7	10	5	4	7	9	10	5	4	1					15
25	19	6	14	13	16	10	14	15	14	10	5	1				16
149	115	71	66	63	36	52	44	44	41	19	16	5				17
125	86	61	54	55	26	45	39	37	37	18	16	4				18
24	29	10	12	8	10	7	5	7	4	1						19
31	15	12	5	10	8	8	12	4	9	11	4	2				20
28	11	9	2	7	8	8	11	4	9	10	4	1				21
3	4	3	3	3	1		1			1		1				22
23	19	11	12	16	9	18	18	15	16	5	3	1				23
16	13	15	15	16	7	11	14	10	8	3	3	1				24
26	21	17	17	10	11	8	18	11	8	6	8	2				25
24	16	16	20	16	22	12	23	23	9	7	3	1				26
34	35	28	16	11	15	7	3	4	4	4	1					27
66	60	45	39	31	40	49	42	53	41	25	15	4	2			28
164	148	92	79	79	94	67	82	76	77	47	21	8	2			29
36	24	16	14	8	4	8	6	1	3	1						30
28	29	22	15	14	15	11	16	15	12	7	5					31
152	119	76	83	85	92	89	78	107	72	59	30	13	2			32
89	75	53	51	30	31	27	24	24	16	8	4	2				33
27	30	14	19	13	12	7	6	5	3	2						34
125	115	84	91	58	54	50	40	49	30	16	18	3	2			35
105	88	57	53	46	56	81	78	68	61	51	23	4	2			36
65	52	35	28	34	26	21	31	35	24	24	7	3				37
22	31	14	10	14	8	4	7	4	4	3	4	1				38
103	76	59	72	45	58	42	35	31	26	10	4	1				39
51	30	21	21	15	18	24	9	5	4	2	1	1				40
16	27	12	18	13	14	11	22	26	16	14	11	3				41
46	40	16	12	6	4	9	5	4	4	3	2					42
39	40	17	15	18	18	9	14	5	7	7	3	1				43
59	50	37	39	34	23	22	20	18	9	8	2	1	1			44
57	48	35	44	33	44	34	39	41	36	22	10	6				45
109	70	71	57	59	58	60	60	71	61	53	23	3				46
20	16	17	8	5	11	12	5	3	5	3						47
36	30	13	20	12	16	17	15	18	9	7	1					48
24	16	17	16	7	13	4	1	1	1	1						49
3,338	2,868	2,197	2,169	2,139	2,022	2,215	2,042	1,791	1,422	1,004	480	160	31	4	4	50
2,977	2,464	1,914	1,887	1,898	1,895	2,089	1,951	1,731	1,367	973	465	153	29	4	3	51
361	404	283	282	241	127	126	91	60	55	31	15	7	2		1	52
34	18	21	12	15	14	9	13	3	5	5	4					53
1,310	1,106	926	843	722	693	666	606	519	335	217	90	31	8	1	6	54
1,198	991	830	759	650	646	624	578	501	325	211	89	30	6	1	6	55
112	115	106	84	72	47	42	28	18	10	6	1	2				56
37	35	31	26	23	15	17	16	14	7	10	4	2				57
24	12	8	7	15	20	11	4	14	3	7	1					58
38	29	16	16	13	13	24	22	19	13	19	3	2				59
82	77	45	49	39	41	29	29	31	18	12	8	1	1			60
166	120	92	107	98	108	108	133	112	97	62	23	4				61
285	231	177	224	180	134	125	127	99	89	56	19	11	4			62
50	26	20	26	22	22	24	16	20	17	6	6	1				63
33	34	23	13	22	8	21	15	13	10	10	6	2				64
75	58	53	32	39	22	20	18	12	9	4	2					65
21	20	11	17	13	15	5	7	9	7	5	3	1				66
36	31	20	13	12	17	13	11	4	4	3	3	1				67
28	14	21	15	18	15	20	12	21	13	7	8	1				68
35	29	25	18	21	14	20	12	17	12	7	8	3	1			69
15	14	10	13	9	10	10	12	20	13	8	8	2				70
44	36	14	24	15	26	27	26	26	29	9	7	3	1			71
35	28	19	18	12	28	26	17	31	21	17	6	4	1			72
30	22	17	17	8	22	23	14	25	21	17	5	4	1			73
5	6	2	1	4	6	3	3	6	1	1						74
176	112	119	85	89	97	62	65	66	44	28	7	6	3	1		75
54	38	29	20	28	27	20	19	20	32	15	10	5				76
49	51	42	32	45	40	52	58	64	38	41	10	2				77
62	65	32	43	38	52	47	59	61	38	15	7	1				78

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910). Minor rural subdivisions (counties,

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—													
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.			
REGISTRATION CITIES—Continued.																
RHODE ISLAND.																
1	Registration cities (total).....	10,235	1,626	450	241	134	90	2,541	261	142	288	483	706			
2	White.....	9,902	1,566	431	230	127	90	2,444	254	136	277	459	686			
3	Colored.....	333	60	19	11	7		97	7	11	11	24	20			
4	Central Falls.....	445	105	40	16	12	10	183	20	12	8	17	36			
5	Cranston (exclusive of).....	419	72	20	8	8	2	110	12	7	8	17	23			
6	State institutions.....	474	12	1					13		2	6	12	21		
7	Cumberland.....	178	40	8	4	1			53	3	1	10	15			
8	East Providence town.....	316	55	14	10	4	2	85	4	7	5	10	22			
9	Newport.....	460	54	10	8	3	6	81	17	10	16	28	28			
10	Pawtucket.....	1,417	242	65	32	19	13	371	38	23	60	52	104			
11	Providence.....	5,210	788	238	135	69	47	1,277	137	66	145	266	364			
12	Warwick town.....	249	27	5	3	2		39	4	1	7	13	20			
13	West Warwick town.....	285	57	21	6	6	3	93	9	4	10	12	19			
14	Woonsocket.....	782	174	28	19	10	5	236	17	9	21	46	54			
SOUTH CAROLINA.																
15	Registration cities (total).....	4,823	615	215	125	54	55	1,064	108	98	250	357	372			
16	White.....	2,066	248	93	39	26	21	427	49	33	89	126	149			
17	Colored.....	2,557	367	122	86	28	34	637	59	59	65	161	231	223		
18	Charleston (total).....	1,935	320	90	55	31	28	519	50	39	98	141	152			
19	White.....	706	92	30	12	13	8	155	16	7	23	38	46			
20	Colored.....	1,229	228	60	43	18	15	364	34	32	75	103	106			
21	Columbia (total).....	1,709	163	72	39	10	18	202	32	38	86	137	143			
22	White.....	860	87	33	12	5	6	143	16	20	37	61	68			
23	Colored.....	849	76	39	27	5	12	159	16	18	49	76	75			
24	Greenville (total).....	448	56	18	12	6	6	98	12	11	35	40	37			
25	White.....	208	24	13	5	2	3	47	6	2	15	16	17			
26	Colored.....	240	32	3	7	4	3	51	6	9	20	24	20			
27	Spartanburg (total).....	531	76	35	19	7	8	145	14	10	31	39	40			
28	White.....	292	45	17	10	6	4	82	11	4	14	11	18			
29	Colored.....	239	31	18	9	1	4	63	3	6	17	28	22			
TENNESSEE.																
30	Registration cities (total).....	10,000	973	357	178	127	99	1,734	277	232	560	804	799			
31	White.....	5,831	626	236	113	77	70	1,122	182	125	273	404	415			
32	Colored.....	4,169	347	121	65	50	29	612	95	107	287	400	384			
33	Chattanooga (total).....	1,533	155	47	25	26	22	275	50	38	85	119	152			
34	White.....	809	91	27	12	17	13	160	27	24	30	58	77			
35	Colored.....	724	64	20	13	9	9	115	23	14	55	61	75			
36	Jackson (total).....	373	41	16	4	6	2	69	7	13	22	20	33			
37	White.....	204	20	11	3	1	1	38	5	5	11	13	18			
38	Colored.....	169	21	5	1	5	1	33	2	8	11	7	15			
39	Knoxville (total).....	1,326	174	80	31	14	13	312	38	23	71	95	89			
40	White.....	1,014	144	68	25	8	12	257	32	15	47	70	66			
41	Colored.....	312	30	12	6	6	1	55	6	8	24	25	28			
42	Memphis (total).....	3,615	298	93	43	43	28	505	80	79	207	326	314			
43	White.....	1,871	169	44	26	24	18	281	45	34	83	134	131			
44	Colored.....	1,744	129	49	17	19	10	224	35	45	124	192	183			
45	Nashville (total).....	3,153	305	121	75	38	34	573	102	79	175	244	211			
46	White.....	1,933	202	86	47	27	26	388	73	47	102	129	123			
47	Colored.....	1,220	103	35	28	11	8	185	29	32	73	115	88			
TEXAS.¹																
48	Registration cities (total).....	13,111	1,914	657	287	187	128	3,173	372	296	600	892	1,058			
49	White.....	10,790	1,667	593	268	172	121	2,821	327	251	469	680	820			
50	Colored.....	2,321	247	64	19	15	7	352	45	45	131	212	238			
51	Beaumont (total).....	700	95	24	13	8	4	144	19	23	35	43	59			
52	White.....	388	45	12	6	7	3	73	13	14	23	24				
53	Colored.....	317	50	12	7	1	1	71	6	9	22	20	35			
54	Cleburne (total).....	238	26	21	9	4	1	61	10	12	14	15	16			
55	White.....	209	23	18	9	4	1	55	9	12	12	13	12			
56	Colored ²	29	3	3	3	3		6	1	2	2	2	4			
57	Dallas (total).....	2,339	266	66	32	25	14	403	58	42	110	178	203			
58	White.....	1,810	223	56	30	22	14	345	48	33	81	120	150			
59	Colored.....	529	43	10	2	3		58	10	9	29	58	53			
60	El Paso (total).....	2,498	534	178	57	45	33	847	73	48	102	152	196			
61	White.....	2,438	528	177	57	45	33	840	71	47	100	147	188			
62	Colored ²	60	6	1				7	2	1	2	5	8			
63	Galveston (total).....	839	64	15	10	6	5	100	10	15	35	45	70			
64	White.....	575	41	13	8	4	2	68	6	10	20	29	39			
65	Colored.....	264	23	2	2	2	3	32	4	5	15	16	31			
66	Houston (total).....	2,374	243	77	41	30	14	405	49	42	110	182	217			
67	White.....	1,605	166	49	35	25	14	289	35	29	63	102	139			
68	Colored.....	769	77	28	6	5		116	14	13	47	80	78			
69	San Antonio (total).....	4,123	686	276	125	69	57	1,213	153	114	194	277	297			
70	White.....	3,770	641	268	123	65	54	1,151	145	106	180	246	268			
71	Colored.....	353	45	8	2	4	3	62	8	8	14	31	29			

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

DEATHS, BY COLOR AND AGE OF DECEDEDENT.

167

OF HAWAII AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDEDENT: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910) are omitted.]

DEATHS AT AGE OF—															Deaths at un- known age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
689 671 18	575 554 21	501 481 20	516 501 15	467 447 20	499 486 13	620 605 15	582 561 21	503 492 11	378 368 5	271 268 3	144 140 4	57 56 1	9 9 1	1 1 7	1 2 3	
32 29 23 6 14	15 17 28 7 20	16 14 31 7 13	14 16 36 4 15	10 13 54 4 15	17 26 47 16 24	22 29 46 12 29	12 26 48 12 21	8 24 26 7 10	3 17 26 4 9	4 11 29 4 9	1 1 12 2 12	1 2 3 2 1	4 5 6 7 8	1 2 3 4 5		
23 102 359 22 23 56	16 90 308 15 11 42	14 67 287 13 15 27	17 65 260 10 14 40	23 54 255 18 14 28	20 67 298 14 14 31	42 81 281 13 14 41	29 70 223 18 12 37	31 52 159 11 7 32	16 31 132 8 5 38	12 13 65 3 8 5	7 4 32 2 2 5	1 1 1 1 1	1 2 4 12 13 14	9 10 11 12 13 14		
324 132 192	332 154 178	285 113 172	255 88 167	243 98 145	176 98 78	208 119 89	183 128 55	137 93 39	105 85 20	61 43 18	31 22 9	10 3 7	4 3 1	3 17 9 8 17	15 16 17	
132 47 85 79 132 55 77	114 35 82 85 124 55 69	114 32 89 43 91 43 48	120 31 68 44 93 34 26	105 37 40 35 60 45 41	75 49 35 15 86 45 32	84 47 10 4 82 50 20	62 42 10 4 65 45 13	52 36 4 3 32 18 7	40 18 4 3 32 6 3	22 18 3 6 18 7 3	11 8 1 1 9 6 5	1 1 1 1 2 1 2	3 2 1 1 2 1 8	1 19 20 21 22 23		
29 14 15 31 16 15	27 9 11 11 25 15 10	22 5 11 17 22 9 13	27 9 10 6 25 8 6	16 10 10 4 22 19 7	16 13 13 6 22 15 4	17 5 6 3 9 6 3	11 5 6 3 9 6 3	10 7 3 5 10 6 3	9 5 4 5 10 2 3	5 5 4 5 10 2 3	1 1 1 1 1 1 1	3 3 26 27 28 29	24 25 26 27 28 29			
736 395 341	738 370 368	556 276 280	600 292 308	544 264 280	446 289 157	491 329 162	448 321 127	341 259 82	266 216 50	192 149 43	114 85 29	27 17 10	16 6 7	8 1 30	71 41 31 32	30
126 54 72 25 14 11	117 36 49 22 11 11	85 44 45 22 9 7	89 36 52 16 9 6	88 26 27 13 7 7	53 44 27 16 9 9	71 40 16 19 10 9	56 39 10 17 13 4	49 39 10 12 6 6	38 28 10 6 3 3	18 17 1 6 3 2	12 8 4 5 3 2	1 1 1 1 1 1	33 34 35 36 37 38			
73 55 61 18 301 146 155	88 56 40 27 204 133 113	58 66 37 18 251 109 142	66 71 56 29 153 114 89	71 58 47 15 178 122 49	58 68 53 15 149 109 56	61 41 34 6 105 66 40	61 41 34 7 77 66 39	41 35 35 5 60 40 20	14 11 11 3 1 8 10	2 2 1 1 1 1 8	1 1 1 1 1 1 6	1 1 1 1 1 1 4	1 1 1 1 1 1 39			
211 126 85	188 107 81	189 98 91	180 88 92	185 82 103	146 86 60	168 107 61	156 109 47	109 86 23	98 81 17	68 54 14	46 34 12	14 8 6	3 2 1	4 2 2	45 46 47	
1,020 799 221	947 727 220	752 544 208	654 508 146	579 439 140	498 483 79	533 430 100	491 386 61	421 325 35	325 297 28	218 194 24	107 95 12	41 35 6	22 22 7	13 6 11	49 38 50	48
63 29 34 17 15 2	70 38 32 14 10 4	55 25 30 8 7 1	44 27 17 8 6 1	26 17 9 8 4 2	21 14 12 9 9 1	29 18 6 7 7 7	19 18 6 7 7 7	24 12 2 10 9 1	14 5 3 10 9 1	8 5 3 3 2 1	3 3 1 1 1 1	1 1 1 1 1 1	51 52 53 54 55 56			
209 157 52 194 189 5	204 148 56 179 171 8	173 114 30 117 113 4	125 95 41 110 105 5	116 75 20 92 90 2	107 87 22 74 74 2	98 81 13 95 83 5	78 75 13 68 63 1	67 61 6 47 46 2	43 39 4 37 35 1	13 11 2 19 19 1	6 5 1 6 7 7	3 3 1 3 3 3	3 58 59 60 61 62			
80 50 30 164 107 57	74 49 25 141 108 66	63 35 28 140 81 58	49 38 11 104 66 43	57 37 20 128 76 28	42 35 9 119 87 41	54 43 11 104 98 21	30 25 5 104 93 11	38 34 4 83 73 10	14 12 2 18 11 10	9 8 1 18 8 9	3 3 1 18 8 7	1 1 1 1 1 1	63 64 65 66 67 68			
293 252 41	232 203 29	192 164 28	178 155 23	171 148 14	145 131 14	169 161 8	124 114 10	131 122 9	79 75 4	73 69 4	42 41 1	16 12 4	15 15 2	5 3 1	10 9 71	89 70 71

^a Colored population less than 10 per cent of the total in 1910.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties,

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—											
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	
REGISTRATION CITIES—Continued.														
	UTAH.													
1	Registration cities (total).....	2,363	280	59	38	21	14	412	100	66	114	188	205	
2	White.....	2,294	269	59	37	21	13	399	100	66	113	164	199	
3	Colored.....	69	11	1	1	1	1	13			1	4	6	
4	Ogden.....	583	65	17	10	8	3	103	24	15	35	40	51	
5	Salt Lake City.....	1,780	215	42	28	13	11	309	76	51	79	128	154	
VERMONT.														
6	Registration cities (total).....	1,131	141	37	6	5	9	198	14	25	51	66	85	
7	White.....	1,130	141	37	6	5	9	198	13	25	51	66	85	
8	Colored.....	1							1					
9	Barre.....	304	20	7	—	1	2	30	3	2	13	26	42	
10	Burlington.....	580	95	21	4	3	5	128	7	19	25	32	27	
11	Rutland.....	267	26	9	2	1	2	40	4	4	13	8	16	
VIRGINIA.														
12	Registration cities (total).....	12,114	1,721	458	225	134	89	2,627	285	242	534	871	996	
13	White.....	6,966	901	228	112	63	43	1,347	167	133	257	476	565	
14	Colored.....	5,148	820	230	113	71	46	1,280	118	109	277	395	431	
15	Alexandria (total).....	528	70	15	10	8	5	108	14	9	26	42	47	
16	White.....	356	47	9	7	4	3	70	12	8	30	39		
17	Colored.....	172	23	6	3	4	2	38	2	1	13	12	8	
18	Danville (total).....	500	77	27	15	10	4	133	16	12	19	39	29	
19	White.....	316	52	16	11	6	2	87	12	5	10	24	18	
20	Colored.....	184	25	11	4	4	2	46	4	7	9	15	11	
21	Lynchburg (total).....	736	79	29	18	9	7	137	29	22	38	64	56	
22	White.....	476	54	17	9	5	5	88	22	12	24	37	36	
23	Colored.....	310	25	12	4	6	2	49	7	10	14	27	20	
24	Newport News (total).....	817	137	21	11	12	9	190	21	10	50	75	98	
25	White.....	369	57	10	3	3	3	76	9	4	20	35	41	
26	Colored.....	448	80	11	8	9	6	114	12	6	30	40	57	
27	Norfolk (total).....	2,713	337	97	49	35	23	541	75	57	115	206	247	
28	White.....	1,425	153	42	17	18	10	245	34	24	52	98	134	
29	Colored.....	1,288	179	55	32	17	13	298	41	33	63	108	113	
30	Petersburg (total).....	852	155	40	11	5	8	219	14	18	41	67	65	
31	White.....	397	63	18	6	3	3	90	6	8	13	28	39	
32	Colored.....	455	92	22	5	5	5	129	8	10	28	39	26	
33	Portsmouth (total).....	854	137	45	19	5	7	213	25	16	36	67	79	
34	White.....	428	75	21	11	2	3	112	12	10	13	35	35	
35	Colored.....	426	62	24	8	3	4	101	13	6	23	32	44	
36	Richmond (total).....	3,812	563	134	80	40	22	839	64	66	159	235	283	
37	White.....	2,225	276	59	35	18	12	400	38	41	78	133	154	
38	Colored.....	1,557	287	75	45	22	10	439	26	25	81	102	129	
39	Roanoke (total).....	871	154	45	14	10	4	227	21	20	37	67	75	
40	White.....	635	113	31	10	9	2	165	18	10	23	49	53	
41	Colored.....	236	41	14	4	1	2	62	3	10	14	18	22	
42	Staunton (total).....	381	12	5	3	—	—	20	6	12	13	9	17	
43	White.....	339	6	5	3	—	—	14	4	11	11	7	16	
44	Colored.....	42	6	—	—	—	—	6	2	1	2	2	1	
WASHINGTON.														
45	Registration cities (total).....	8,717	828	144	77	70	54	1,173	281	174	335	525	709	
46	White.....	8,359	787	133	76	63	53	1,112	222	166	316	492	672	
47	Colored.....	358	41	11	1	7	1	61	9	8	19	33	37	
48	Aberdeen.....	187	21	2	2	1	1	27	5	2	8	14	14	
49	Bellingham.....	373	40	4	7	2	2	55	11	4	11	22	30	
50	Everett.....	317	33	6	2	2	3	46	11	10	15	24		
51	North Yakima.....	364	39	12	6	4	4	61	11	8	19	35	27	
52	Seattle.....	4,090	363	60	39	35	31	528	101	87	136	248	342	
53	Spokane.....	1,528	168	25	11	10	8	222	49	34	79	80	105	
54	Tacoma.....	1,577	139	28	8	14	8	197	39	23	55	96	143	
55	Walla Walla.....	281	25	7	2	2	1	37	4	6	17	15	24	
WEST VIRGINIA.¹														
56	Wheeling (total).....	1,030	129	41	23	8	5	206	22	18	58	72	76	
57	White.....	981	126	40	22	8	5	201	18	16	56	69	69	
58	Colored ²	49	3	1	1	—	—	5	4	2	2	3	7	
WISCONSIN.														
59	Registration cities (total).....	14,140	2,197	499	270	167	152	3,285	367	288	464	767	1,058	
60	White.....	14,032	2,185	497	269	164	151	3,266	365	266	460	758	1,050	
61	Colored.....	108	12	2	1	3	1	19	2	2	4	4	8	
62	Appleton.....	283	34	3	3	2	4	46	7	5	13	18		
63	Ashland.....	348	49	5	3	2	3	71	9	17	19	25		
64	Beloit.....	391	39	12	3	4	4	62	8	13	21	35	29	
65	Eau Claire.....	337	29	4	3	4	2	42	7	10	14	30		
66	Fond du Lac.....	360	42	8	4	3	8	65	8	5	6	16	12	
67	Green Bay.....	609	112	20	13	4	6	155	9	10	32	39	48	
68	Janesville.....	274	24	8	4	2	2	40	6	2	4	7	20	
69	Kenosha.....	629	131	36	18	6	13	204	30	8	21	38	42	
70	La Crosse.....	564	58	15	12	2	2	89	57	21	21	29	39	
71	Madison.....	591	65	12	10	2	2	91	12	9	26	41	57	
72	Manitowoc.....	309	49	3	8	1	3	64	4	3	11	19	24	
73	Marinette.....	201	29	9	6	3	1	48	3	8	5	11	14	
74	Milwaukee.....	6,550	1,174	301	142	93	74	1,784	177	112	183	344	485	
75	Oshkosh.....	463	42	6	2	4	3	57	12	11	14	19	28	
76	Racine.....	822	134	23	18	9	16	200	26	11	30	42	71	
77	Sheboygan.....	510	65	16	9	8	3	101	13	8	19	24	41	
78	Superior.....	628	81	12	6	9	3	111	19	18	27	41	57	
79	Wausau.....	271	40	6	1	5	3	55	11	3	8	16	18	

¹ Nonregistration state: only those cities with satisfactory registration of deaths are shown.

DEATHS, BY COLOR AND AGE OF DECEDED.

169

OF HAWAII AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1918—Continued.

[footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates exclusive of municipalities of 10,000 inhabitants or more in 1910 are omitted.]

DEATHS AT AGE OF—																	Deaths at un- known age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.			
212	173	111	112	107	92	93	125	86	75	60	37	11	3	1		1	
198	160	103	109	104	91	92	124	85	75	60	37	11	3	1		2	
14	13	8	3	1	1	1	1										3
59	53	23	29	39	15	16	26	18	14	13	5	3	1			4	
153	120	88	83	68	77	77	99	68	61	47	31	8	3			5	
100	67	51	58	53	45	56	64	66	55	38	26	4	4	2		6	
100	67	51	58	53	45	56	64	66	55	38	26	4	4	2		7	
50	28	18	19	18	12	11	10	4	11	3	4	2	4	2		9	
37	26	21	23	26	9	8	25	33	26	18	15	2	2			10	
13	13	12	16	9	8	19	21	24	18	17	7	2				11	
874	862	660	594	632	548	615	529	484	355	228	113	32	4	3		12	
500	423	311	319	331	331	389	384	401	307	189	97	27				13	
374	439	349	275	301	217	226	145	83	48	39	15	5	4	3		14	
31	36	22	21	30	17	27	31	33	12	10	6	2				15	
22	24	8	9	19	8	17	20	28	10	9	6	2				16	
9	12	14	12	11	9	10	11	5	2	1						17	
30	24	23	18	33	29	24	31	13	14	5	6	1				18	
22	9	11	20	17	14	24	13	10	4	5	1					19	
8	15	14	7	13	12	10	7		4	1						20	
56	59	36	43	42	34	39	42	32	19	19	13	1	2	1		21	
37	33	14	21	14	20	24	27	26	16	14	10	2				22	
19	26	22	22	28	14	15	15	6	3	5	3	1				23	
70	76	45	40	37	22	24	25	11	11	4	2	2				24	
33	31	16	18	19	11	15	19	6	10	2						25	
37	45	29	22	18	11	9	6	5	1							26	
216	227	181	138	147	124	114	103	78	66	41	18	10	2			27	
118	94	87	70	76	71	78	74	64	49	30	14	10				28	
95	133	94	68	71	53	36	29	14	17	11	4	1				29	
58	56	49	35	42	40	54	40	20	15	10	7	1				30	
26	22	23	14	16	24	23	24	16	13	7	4	1				31	
32	34	26	21	26	16	31	16	4	2	3	3	1				32	
58	58	47	43	48	33	40	28	19	22	11	7					33	
27	22	17	25	24	14	15	21	14	16	8	6					34	
31	36	30	18	24	19	25	7	5	6	3	1					35	
276	258	194	182	198	177	223	184	198	149	93	41	12	1			36	
157	138	91	98	103	102	140	122	161	139	83	37	10	2			37	
119	120	103	84	95	75	83	42	37	10	4	4	1				38	
58	44	45	41	30	46	36	39	36	23	16	7	3				39	
40	29	28	24	17	38	32	33	31	22	14	2	1				40	
18	15	17	17	13	8	4	6	5	1	2	6	2				41	
21	24	18	33	25	28	34	26	44	24	19	6	2				42	
18	21	18	29	23	26	31	20	42	22	18	1	1				43	
3	3	4	2	2	3	3	6	2	2	1						44	
773	613	502	442	483	515	538	498	471	315	233	126	36	6	1		45	
728	571	482	429	462	497	530	488	464	313	231	126	35	6	1		46	
45	42	20	13	21	18	10	7	2	2	2	1					47	
13	12	17	5	10	15	13	5	8	6	5	1					1	
27	19	14	15	24	26	25	29	29	13	13	2					49	
36	28	16	17	14	17	12	26	14	4	6	2					50	
27	25	22	14	17	18	15	18	18	14	6	3					51	
377	307	245	212	228	251	243	240	216	155	101	50	17	3	1		52	
132	105	84	88	90	86	103	78	72	56	35	26	1				53	
143	94	92	77	92	88	105	83	98	62	50	22	6	1			54	
18	23	12	13	8	14	22	19	16	5	15	8	2				55	
89	76	56	42	49	41	40	61	34	35	33	13	6				56	
86	70	54	40	46	41	38	57	34	33	31	2					57	
3	6	2	2	3	2	2	4	2	2	2						58	
1,067	823	604	589	597	700	732	741	669	608	412	247	75	21	3	43	59	
1,055	809	595	581	595	697	729	736	666	607	410	246	75	21	3	42	60	
12	9	8	2	3	3	5	15	3	1	2	1				1	61	
19	17	8	17	17	16	15	17	15	9	5	4	2				62	
18	19	15	21	19	19	26	12	13	8	7	5	1				63	
28	31	14	18	18	17	16	17	25	19	8	7	5				64	
25	18	7	15	14	29	21	21	28	17	15	7	3				65	
19	14	15	19	14	27	23	31	22	32	20	9	2				66	
37	32	24	26	25	25	21	20	26	30	27	12	4				67	
18	12	14	12	8	14	23	19	20	22	19	8	2				68	
55	43	37	26	15	15	28	12	21	14	10	6	2				69	
43	27	25	31	24	26	39	50	29	27	22	10	1				70	
57	34	22	26	25	29	30	33	30	32	23	7	1				71	
23	16	12	8	15	20	14	19	14	16	8	1					72	
13	15	9	3	7	5	12	10	11	7	7	2	1				73	
486	364	261	253	291	323	323	328	291	256	149	93	27	4	3		74	
27	24	26	25	23	15	36	39	29	37	20	13	2			1	75	
85	46	26	32	21	38	39	37	39	31	17	14	7	2			76	
46	28	29	17	27	22	28	27	22	18	18	1	1				77	
45	51	45	30	23	38	25	37	20	12	14	7	3	2			78	
26	18	11	11	9	17	13	12	14	8	9	2				2	79	

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—											
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	
THE REGISTRATION AREA (EXCLUSIVE OF HAWAII).														
1 Total.		1,445,158	193,855	55,059	26,929	17,408	12,892	306,143	38,012	29,698	54,503	81,024	104,578	
2 Males.		779,864	109,282	28,832	13,759	8,688	6,496	167,057	19,575	14,745	28,507	36,692	52,416	
3 Females.		665,294	84,573	26,227	13,170	8,720	6,396	139,086	18,437	14,948	25,996	44,332	52,162	
4 White.		1,287,425	170,984	47,405	23,272	15,138	11,277	268,076	32,992	25,153	44,946	68,531	92,701	
5 Males.		698,424	96,873	24,868	11,914	7,605	5,715	146,975	17,215	12,655	23,853	31,094	46,971	
6 Females.		589,001	74,111	22,537	11,358	7,533	5,562	121,101	15,777	12,498	21,093	37,437	43,730	
7 Native.		962,922	169,905	46,984	22,991	14,889	11,044	265,813	31,805	23,572	40,301	53,836	65,615	
8 Males.		506,860	96,303	24,645	11,760	7,470	5,597	145,775	16,597	11,912	21,405	28,505	31,112	
9 Females.		450,062	73,602	22,539	11,231	7,419	5,447	120,038	15,208	11,660	18,896	30,331	34,503	
10 Both parents native.	(M.)	283,233	55,415	13,029	6,472	4,156	3,113	82,185	9,772	7,555	13,764	14,159	17,549	
	(F.)	261,430	42,015	11,576	4,030	2,999	66,796	8,918	7,260	11,925	17,888	18,493		
11 One or both parents foreign.	(M.)	161,099	37,934	11,106	5,036	3,167	2,358	59,601	6,410	3,956	6,603	7,516	10,569	
	(F.)	144,404	29,177	10,297	4,850	3,243	2,358	49,930	4,075	6,024	10,094	12,041		
12 Parentage unknown ¹ .	(M.)	62,528	2,954	510	252	147	126	3,989	415	401	1,038	1,830	2,994	
	(F.)	50,168	2,410	466	205	141	90	3,312	355	325	947	2,349	2,969	
13 Foreign.		301,743	394	248	169	179	176	1,166	983	1,379	4,144	13,669	25,590	
14 Males.		174,853	189	130	96	101	88	604	501	629	2,114	6,911	14,808	
15 Females.		126,890	205	118	73	78	88	562	482	750	2,030	6,758	10,782	
16 Unknown.		22,760	685	173	112	70	57	1,097	204	202	501	1,026	1,496	
17 Males.		16,711	381	93	58	34	30	596	117	114	334	678	1,051	
18 Females.		6,049	304	80	54	36	27	501	87	88	167	348	445	
19 Colored.		157,733	22,871	7,654	3,657	2,270	1,615	38,067	5,020	4,540	9,557	12,493	11,877	
20 Males.		81,440	12,408	3,964	1,845	1,083	781	20,082	2,360	2,090	4,654	5,598	5,445	
21 Females.		76,293	10,462	3,690	1,812	1,187	834	17,985	2,600	2,450	4,903	6,895	6,432	
22 Negro.	(M.)	77,241	11,937	3,815	1,782	1,035	752	19,321	2,269	2,013	4,476	5,368	5,148	
	(F.)	74,269	10,070	3,565	1,755	1,132	799	17,321	2,579	2,374	4,781	6,686	6,214	
23 Indian.	(M.)	1,214	189	76	35	27	14	341	65	63	113	94	75	
	(F.)	1,052	150	73	34	25	17	299	56	69	88	76	69	
24 Chinese.	(M.)	1,578	52	20	4	4	3	83	7	9	30	81	97	
	(F.)	187	38	7	3	6	4	58	6	5	12	16	12	
25 Japanese.	(M.)	1,330	225	53	24	17	12	331	18	5	32	48	109	
	(F.)	775	204	44	20	24	14	306	19	2	22	110	137	
26 Other colored.	(M.)	77	6	—	—	—	—	6	1	—	3	7	16	
	(F.)	10	—	1	—	—	—	1	—	—	—	7	—	
REGISTRATION STATES. ²														
27 Total.		1,404,116	188,771	53,369	26,113	16,897	12,536	297,686	36,895	28,825	52,668	78,087	101,121	
28 Males.		758,344	106,472	27,950	13,361	8,431	6,317	162,581	19,042	14,299	27,640	35,451	50,826	
29 Females.		646,772	82,209	25,419	12,752	8,466	6,210	135,155	17,853	14,526	25,028	42,636	50,295	
30 White.		1,259,565	167,268	46,141	22,658	14,759	11,008	261,834	32,194	24,582	43,887	66,797	90,495	
31 Males.		688,645	94,807	24,205	11,612	7,406	5,580	143,610	16,827	12,358	23,340	30,368	45,943	
32 Females.		575,920	72,461	21,936	11,046	7,353	5,428	118,224	15,367	12,224	20,547	36,429	44,552	
33 Native.		941,189	166,242	45,755	22,407	14,530	10,794	259,728	31,087	23,077	39,452	52,444	63,909	
34 Males.		495,636	94,264	24,000	11,474	7,281	5,467	142,486	16,238	11,650	20,980	22,960	30,345	
35 Females.		445,553	71,978	21,755	10,933	7,249	5,327	117,242	14,849	11,427	18,472	29,484	33,564	
36 Both parents native.	(M.)	277,045	54,304	12,671	6,308	4,040	3,041	80,364	9,538	7,378	13,475	13,821	17,094	
	(F.)	255,603	41,174	11,273	6,018	3,924	2,932	65,321	8,685	7,115	11,648	17,369	18,921	
37 One or both parents foreign.	(M.)	158,322	37,143	10,868	4,928	3,102	2,309	55,350	6,313	3,881	6,502	7,391	10,412	
	(F.)	141,617	28,507	10,041	4,725	3,187	2,312	48,772	5,831	4,003	5,921	9,898	11,819	
38 Parentage unknown ¹ .	(M.)	60,269	2,817	461	238	139	117	3,772	387	391	1,003	1,748	2,889	
	(F.)	48,333	2,297	441	190	138	83	3,149	333	309	1,903	2,217	2,824	
39 Foreign.		296,426	360	220	143	161	158	1,042	908	1,314	3,956	13,368	25,154	
40 Males.		171,906	172	115	83	91	83	544	474	598	2,037	6,760	14,593	
41 Females.		124,518	188	105	60	70	75	498	434	716	1,919	6,608	10,561	
42 Unknown.		21,950	666	166	108	68	56	1,064	199	191	479	985	1,432	
43 Males.		16,101	371	90	55	34	30	580	115	110	323	648	1,005	
44 Females.		5,349	295	76	53	34	26	484	84	81	156	387	427	
45 Colored.		144,551	21,503	7,228	3,455	2,138	1,528	35,852	4,701	4,243	8,781	11,290	10,626	
46 Males.		74,699	11,665	3,745	1,749	1,025	737	18,921	2,215	1,941	4,300	5,083	4,883	
47 Females.		69,852	9,838	3,483	1,706	1,113	791	16,981	2,486	2,302	4,481	6,207	5,743	
48 Negro.	(M.)	70,525	11,195	3,587	1,686	977	708	18,103	2,124	1,864	4,123	4,853	4,587	
	(F.)	67,833	9,447	3,358	1,649	1,058	756	16,268	2,405	2,227	4,360	5,999	5,525	
49 Indian.	(M.)	1,210	188	76	35	27	14	340	65	63	113	94	75	
	(F.)	1,050	150	73	34	25	17	299	56	68	88	75	69	
50 Chinese.	(M.)	1,562	51	19	4	4	3	81	7	9	30	81	97	
	(F.)	185	38	7	3	6	4	58	6	5	11	16	12	
51 Japanese.	(M.)	1,329	225	53	24	17	12	331	18	5	32	48	109	
	(F.)	774	203	44	20	14	14	305	19	2	22	110	137	
52 Other colored.	(M.)	73	6	—	—	—	—	6	1	—	2	7	15	
	(F.)	10	—	1	—	—	—	1	—	—	—	7	—	

¹ Both parents unknown or one parent unknown and one native.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

171

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEASED: 1918.

of soldiers, sailors, and marines.]

DEATHS AT AGE OF—															Deaths at unknown age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
100,589	85,059	66,926	64,957	64,508	66,788	72,861	76,160	77,238	67,178	47,943	25,390	8,925	2,200	733	3,750 1
57,376 43,213	50,602 34,457	39,447 27,479	38,473 26,484	36,959 27,549	38,189 28,619	41,137 31,724	41,838 34,322	40,814 36,424	34,264 32,914	22,966 24,977	11,536 13,854	3,711 5,214	856 1,344	263 470	2,461 1,289
89,969	73,969	58,138	56,816	57,073	61,180	67,240	71,245	72,706	64,043	45,593	24,070	8,114	1,822	299	2,749 4
51,767 38,202	44,536 29,433	34,714 28,424	33,722 28,094	32,988 24,085	35,111 26,069	38,066 29,174	39,200 32,045	38,310 34,396	32,524 31,519	21,783 23,810	10,907 13,163	3,361 4,753	702 1,120	118 181	1,852 897
60,001	46,957	36,719	35,548	34,788	39,537	44,058	45,801	46,099	40,755	29,260	15,063	5,064	1,080	147	1,103 7
32,302 27,699	26,283 20,674	20,379 16,340	19,636 15,912	18,842 15,946	21,787 17,750	24,283 20,848	24,953 21,930	24,169 20,409	20,346 15,493	18,767 20,409	6,736 3,327	2,050 3,014	397 683	48 99	576 527
18,048	14,156	10,043	9,281	8,746	10,650	12,501	14,328	14,304	12,197	8,296	3,976	1,189	218	25	291
15,888	11,757	8,729	7,984	8,083	8,928	10,650	12,273	13,607	13,032	10,051	5,396	1,975	422	53	10
10,650	8,363	7,310	7,055	6,706	6,956	6,733	4,826	3,330	2,321	1,343	521	153	30	5	11
8,856	6,251	5,478	5,716	5,504	5,903	4,694	4,441	3,385	2,571	1,503	683	241	65	69	203
3,604	3,764	3,026	3,270	3,390	4,151	5,049	5,799	6,535	5,828	4,128	2,239	708	149	18	166
2,955	2,636	2,133	2,212	2,359	2,919	3,481	4,134	4,938	4,806	3,939	2,248	798	196	41	12
28,153	25,012	19,668	19,557	20,644	20,254	21,689	24,046	25,275	22,225	15,618	8,638	2,917	713	144	309 13
18,069 10,084	16,586 8,426	12,881 6,787	12,674 6,883	12,793 7,851	12,217 8,037	12,594 9,045	13,244 10,802	13,263 12,012	11,548 10,677	7,613 8,005	3,983 4,655	1,244 1,673	293 420	69 75	215 94
1,815	2,000	1,751	1,711	1,641	1,389	1,542	1,398	1,332	1,063	715	369	133	29	8	1,337 16
1,396 419	1,667 333	1,454 297	1,412 288	1,353 288	1,107 282	1,180 354	1,003 395	878 454	630 433	403 312	188 181	67 66	12 17	1 7	1,061 276
10,620	11,090	8,788	8,141	7,435	5,608	5,621	4,915	4,532	3,135	2,350	1,320	811	378	434	1,001 19
5,609 5,011	6,066 5,024	4,733 4,055	4,751 3,390	3,971 3,464	3,058 2,550	3,071 2,550	2,638 2,277	2,504 2,028	1,740 1,395	1,183 1,167	629 691	350 461	154 224	145 289	609 392
5,197 4,876	5,657 4,924	4,424 3,972	4,543 3,345	3,721 3,421	2,840 2,522	2,824 2,517	2,441 2,241	2,378 1,987	1,656 1,376	1,143 1,141	606 672	340 445	150 217	141 282	585 376
68	59	24	32	35	33	44	41	32	27	24	18	6	3	4	13
41	44	37	28	27	19	26	31	35	35	18	26	15	7	7	23
104	113	116	97	159	164	191	150	91	55	16	5	3	1	6	24
11	11	20	6	7	5	3	6	1	1	1	1	1	1	2	25
230	223	163	76	52	21	11	4	3	2	2	2	2	2	1	1
82	45	26	11	9	2	1	1	1	1	1	1	1	1	1	3
10	14	6	3	4	—	—	1	1	1	1	1	1	1	1	26
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
97,297	81,985	64,502	62,740	62,405	65,006	71,055	74,535	75,732	66,072	47,253	25,016	8,796	2,147	687	3,606 27
55,579 41,718	48,825 33,160	38,085 26,417	37,139 26,610	35,795 26,510	37,187 27,819	40,077 38,978	40,954 33,581	40,031 33,701	33,735 32,337	22,657 24,596	11,378 13,638	3,654 5,142	841 1,306	251 436	2,367 1,239
87,775	72,094	56,712	55,513	55,811	59,889	65,887	69,949	71,468	63,103	45,032	23,768	8,020	1,790	291	2,674 30
50,538 37,237	43,421 28,673	33,886 22,826	32,951 22,562	32,259 23,552	34,375 28,514	37,263 28,624	38,490 31,459	37,673 33,795	32,086 31,017	21,535 23,497	10,784 12,984	3,322 4,698	694 1,096	116 175	1,806 868
58,387	45,602	35,698	34,628	33,954	38,630	43,135	44,921	45,262	40,162	28,917	14,888	5,016	1,072	146	1,074 33
31,421 26,966	25,510 20,092	19,817 15,881	19,121 15,507	18,378 15,576	21,288 17,342	23,755 19,380	24,495 20,426	23,776 21,486	20,088 20,074	13,628 15,289	6,667 8,221	2,028 2,988	395 677	48 98	562 512
17,506	13,707	9,759	9,029	8,528	10,407	12,247	14,114	14,116	12,075	8,235	3,945	1,178	218	25	286
13,462	11,455	8,470	7,764	7,883	8,741	10,452	12,058	12,389	12,856	9,946	5,350	1,958	419	53	288
10,479	8,213	7,199	6,993	6,611	6,891	6,633	4,762	3,285	2,293	1,336	514	152	30	5	77
8,689	6,135	5,371	5,615	5,424	5,798	5,608	4,371	3,807	2,528	1,483	669	240	64	66	37
3,436	3,690	2,559	3,039	3,239	3,990	4,875	5,619	6,375	5,720	4,057	2,208	698	147	18	199
2,815	2,502	2,040	2,128	2,269	2,803	3,320	3,997	4,790	4,690	3,860	2,202	790	194	40	158
27,653	24,576	19,329	19,235	20,277	19,922	21,266	23,681	24,911	21,903	15,416	8,515	2,876	689	137	298 39
17,783 9,870	16,316 8,280	12,669 6,660	12,466 7,669	12,025 7,897	12,361 8,905	13,036 10,645	13,048 11,863	11,384 10,519	7,514 7,602	3,931 4,584	1,229 1,647	287 402	67 70	208 90	
1,735	1,916	1,685	1,650	1,580	1,337	1,486	1,347	1,295	1,038	699	365	128	29	8	1,302 42
1,334 401	1,595 321	1,400 285	1,364 286	1,303 277	1,062 275	1,147 339	959 388	849 446	614 424	393 306	186 179	65 63	12 17	1 7	1,036 266
9,522	9,891	7,790	7,227	6,594	5,117	5,168	4,586	4,264	2,969	2,221	1,248	776	357	396	932 45
5,041	5,404	4,199	4,188	3,586	2,812	2,814	2,484	2,358	1,649	1,122	594	332	147	135	561 46
4,481	4,437	3,591	3,039	3,058	2,305	2,354	2,122	1,906	1,320	1,099	654	444	210	261	371 47
4,631	4,996	3,892	3,983	3,288	2,597	2,569	2,268	2,233	1,566	1,082	572	322	143	131	538 48
4,346	4,388	3,503	2,994	3,015	2,277	2,321	2,036	1,865	1,301	1,073	655	428	203	254	355 49
67	59	24	32	35	33	43	41	32	27	24	17	6	3	4	13
41	44	37	28	27	19	26	31	35	18	26	19	15	7	7	15
104	112	114	96	157	161	190	149	90	54	16	5	3	1	5	50
11	10	20	6	7	7	5	3	6	1	1	1	1	1	1	50
229	223	163	76	52	21	11	4	3	2	1	1	1	1	1	2 51
82	82	45	26	11	9	2	1	2	1	2	1	1	1	1	1 52
10	14	6	1	4	—	—	1	1	1	1	1	1	1	1	1 52
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

² Including District of Columbia.

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
CITIES IN REGISTRATION STATES. ¹													
1 Total.		741,187	97,745	27,999	13,458	8,693	6,653	154,548	18,653	13,003	24,161	42,046	59,471
2 Males.		399,719	55,233	14,630	6,930	4,379	3,351	84,523	9,779	6,480	12,275	18,399	29,640
3 Females.		341,468	42,512	12,369	6,528	4,314	3,302	70,025	8,874	6,523	11,386	23,647	29,831
4 White.		679,702	90,154	25,450	12,169	7,964	6,116	141,853	17,174	11,721	21,168	37,231	54,196
5 Males.		366,951	51,120	13,310	6,273	4,036	3,095	77,834	9,074	5,856	10,814	16,183	27,100
6 Females.		312,751	39,034	12,140	5,896	3,928	3,021	64,019	8,100	5,865	10,354	16,088	27,096
7 Native.		466,441	89,623	25,249	12,031	7,825	5,982	140,710	18,460	10,724	18,143	26,948	35,235
8 Males.		244,569	50,861	13,203	6,203	3,965	3,019	77,251	8,685	5,397	9,288	11,157	16,402
9 Females.		221,872	38,762	12,048	5,828	3,880	2,963	63,459	7,775	5,327	8,880	15,791	18,833
10 Both parents native.	(M.)	112,452	22,968	4,920	2,444	1,654	1,271	33,255	3,970	2,691	4,824	5,640	7,932
11 One or both parents foreign.	(F.)	103,615	17,254	4,425	2,228	1,491	1,249	26,647	3,440	2,570	4,468	7,873	8,921
12 Parentage unknown. ²	(M.)	108,611	26,077	8,041	3,649	2,251	1,690	41,708	4,544	2,560	4,065	4,747	7,028
	(F.)	97,356	19,998	7,397	3,515	2,310	1,682	34,902	4,182	2,630	4,026	7,020	8,377
	(M.)	25,506	1,818	242	110	60	58	2,288	171	148	379	770	1,442
	(F.)	20,901	1,510	224	85	59	32	1,910	153	127	336	1,098	1,555
13 Foreign.		202,588	240	146	91	109	117	703	642	930	2,800	9,748	18,192
14 Males.		114,216	100	78	47	60	66	351	344	422	1,399	4,660	
15 Females.		88,370	140	68	44	49	51	352	298	508	1,401	5,088	10,148
16 Unknown.		10,675	291	55	47	30	17	440	72	67	220	535	769
17 Males.		8,186	159	29	23	11	10	232	45	37	147	346	
18 Females.		2,509	132	26	24	19	7	208	27	30	73	189	550
19 Colored.		61,485	7,591	2,549	1,289	729	537	12,695	1,479	1,282	2,993	4,815	5,275
20 Males.		32,768	4,113	1,320	657	343	256	6,689	705	624	1,461	2,236	2,540
21 Females.		28,717	3,473	1,229	632	338	281	0,006	774	658	1,532	2,579	2,735
22 Negro.	(M.)	30,616	3,958	1,268	642	328	246	6,442	685	611	1,394	2,108	2,350
	(F.)	23,033	3,342	1,195	614	368	272	5,791	757	647	1,499	2,474	2,628
23 Indian.	(M.)	133	16	6	1	4	—	27	4	5	16	16	12
	(F.)	93	17	3	2	—	—	—	22	4	6	8	9
24 Chinese.	(M.)	1,174	37	12	3	3	2	—	57	4	5	27	11
	(F.)	142	31	4	3	5	4	—	47	4	4	27	83
25 Japanese.	(M.)	798	99	34	11	5	4	—	160	12	3	22	37
	(F.)	443	88	27	13	13	5	—	146	9	1	18	77
26 Other colored.	(M.)	97	3	—	—	—	—	—	3	—	2	4	12
	(F.)	6	—	—	—	—	—	—	—	—	5	—	—
RURAL PART OF REGISTRATION STATES. ³													
27 Total.		662,929	91,026	25,370	12,655	8,204	5,883	143,138	18,242	15,822	28,507	36,041	41,650
28 Males.		358,625	51,239	13,320	6,431	4,052	2,966	78,008	9,263	7,819	15,365	17,052	21,186
29 Females.		304,304	39,787	12,050	6,224	4,152	2,917	65,130	8,979	8,003	13,142	18,989	20,464
30 White.		579,863	77,114	20,691	10,489	6,795	4,892	119,981	15,020	12,861	22,719	29,566	36,299
31 Males.		316,694	43,687	10,895	5,339	3,370	2,485	65,776	7,753	6,502	12,528	14,205	18,843
32 Females.		263,169	33,427	9,796	5,150	3,425	2,407	54,205	7,287	6,359	10,193	15,361	17,456
33 Native.		474,748	76,619	20,506	10,376	6,705	4,812	119,018	14,627	12,353	21,304	25,496	28,674
34 Males.		251,057	43,403	10,797	5,271	3,316	2,443	65,235	7,553	6,253	11,712	11,803	13,943
35 Females.		223,681	33,216	9,709	5,105	3,389	2,364	53,783	7,074	6,100	9,592	13,693	14,731
36 Both parents native.	(M.)	164,593	31,338	7,751	3,864	2,386	1,770	47,109	5,568	4,687	8,651	8,181	9,162
	(F.)	151,988	23,920	6,848	3,790	2,433	1,683	38,674	5,245	4,545	7,180	9,696	10,000
37 One or both parents foreign.	(M.)	51,711	11,066	2,827	1,279	851	619	16,642	1,769	1,321	2,437	2,644	3,384
	(F.)	44,261	8,509	2,644	1,210	877	630	13,870	1,649	1,373	1,895	2,878	3,442
38 Parentage unknown. ²	(M.)	34,768	999	219	128	79	59	1,484	216	245	624	978	1,397
	(F.)	27,432	787	217	105	79	51	1,299	180	182	517	1,119	1,289
39 Foreign.		93,840	120	74	52	52	41	339	266	384	1,156	3,620	6,962
40 Males.		57,692	72	37	36	31	17	198	130	176	638	2,100	4,445
41 Females.		36,143	48	37	16	21	24	146	136	208	518	1,520	2,517
42 Unknown.		11,275	375	111	61	38	39	624	127	124	259	450	663
43 Males.		7,935	212	61	32	23	20	348	70	73	176	302	
44 Females.		3,340	163	50	29	15	19	276	57	51	83	148	455
45 Colored.		83,066	12,912	4,879	2,166	1,409	991	23,157	3,222	2,961	5,788	6,475	5,351
46 Males.		41,931	7,552	2,425	1,092	682	481	12,232	1,510	1,317	2,839	2,847	2,343
47 Females.		41,135	6,360	2,254	1,074	727	510	10,925	1,712	1,644	2,949	3,628	3,008
48 Negro.	(M.)	39,909	7,237	2,329	1,044	649	462	11,721	1,439	1,253	2,729	2,745	2,287
	(F.)	39,800	6,105	2,163	1,035	690	484	10,477	1,648	1,580	2,861	3,525	2,897
49 Indian.	(M.)	1,077	172	70	34	23	14	313	61	58	97	78	63
	(F.)	957	133	70	32	25	17	277	52	62	80	66	53
50 Chinese.	(M.)	388	14	7	1	1	1	24	3	4	3	10	14
	(F.)	43	7	3	—	1	—	11	2	1	2	2	4
51 Japanese.	(M.)	531	126	19	13	9	4	171	6	2	10	11	26
	(F.)	331	115	17	7	11	9	159	10	1	6	33	49
52 Other colored.	(M.)	26	3	—	—	—	—	3	1	—	—	3	3
	(F.)	4	—	—	1	—	—	1	—	—	—	2	3

¹ Including District of Columbia and municipalities of 10,000 inhabitants or more in 1910.² Both parents unknown or one parent unknown and one native.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

173

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDEDENT: 1918—Continued.

of soldiers, sailors, and marines.]

DEATHS AT AGE OF—																Deaths at un- known age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
57,430	47,781	38,664	37,832	37,843	37,602	38,777	37,499	34,625	28,005	18,678	9,660	3,161	779	173	796	1
33,114	28,991	23,352	22,709	21,969	21,603	21,692	20,033	17,541	13,392	8,245	3,976	1,127	262	64	543	2
24,316	18,790	18,312	15,123	18,874	18,999	17,085	17,466	17,084	14,613	10,433	5,684	2,024	517	109	253	3
52,348	42,443	34,252	33,817	34,274	34,981	36,377	35,637	33,197	27,088	18,115	9,363	3,017	698	111	641	4
30,217	25,854	20,800	20,268	19,988	20,127	20,401	19,078	16,789	12,919	8,007	3,854	1,078	235	44	451	5
22,181	16,589	13,452	13,549	14,286	14,854	15,976	16,559	16,408	14,169	10,108	5,509	1,989	463	67	190	6
31,881	24,171	19,336	18,938	18,333	19,760	20,358	18,818	16,708	13,674	9,368	4,779	1,504	331	31	226	7
17,281	13,828	11,008	10,718	10,028	10,943	11,156	10,078	8,424	6,298	4,011	1,881	519	97	9	130	8
14,600	10,343	8,328	8,220	8,305	8,817	9,202	8,740	8,284	7,376	5,357	2,898	985	234	22	96	9
8,395	6,477	4,583	4,204	3,878	4,513	4,825	5,112	4,674	3,571	2,370	1,119	316	49	4	50	10
7,183	4,972	3,675	3,318	3,361	3,584	4,066	4,536	4,603	4,452	3,381	1,890	667	152	12	39	11
7,015	5,462	4,950	4,888	4,532	4,577	4,227	2,812	1,666	1,032	523	188	39	13	1	34	11
5,999	4,155	3,654	3,900	3,844	3,909	3,704	2,641	1,953	1,324	701	279	93	23	3	37	12
1,871	1,889	1,475	1,626	1,618	1,853	2,104	2,154	2,084	1,695	1,115	574	164	35	4	46	12
1,418	1,216	999	1,002	1,100	1,324	1,482	1,563	1,723	1,600	1,275	729	225	59	7	20	12
19,482	17,141	13,899	13,959	15,084	14,490	15,266	16,241	15,981	13,036	8,530	4,476	1,482	362	80	112	13
12,151	11,060	8,928	8,773	9,182	8,584	8,637	8,573	8,021	6,401	3,872	1,917	549	137	35	72	14
7,331	6,081	4,971	5,186	5,852	5,906	6,629	7,668	7,960	6,635	4,658	2,559	933	225	45	40	15
985	1,131	1,017	920	907	731	753	578	508	378	217	108	31	5	-----	303	16
785	666	864	777	778	600	608	427	344	220	124	56	10	1	-----	249	17
200	165	153	143	129	131	145	151	164	158	93	52	21	4	-----	54	18
5,082	5,338	4,412	4,015	3,569	2,621	2,400	1,862	1,428	917	563	297	144	81	62	155	19
2,897	3,137	2,552	2,441	1,981	1,476	1,291	955	752	473	238	122	59	27	20	92	20
2,185	2,201	1,860	1,574	1,588	1,145	1,109	907	676	444	325	175	85	54	42	63	21
2,643	2,890	2,341	2,311	1,807	1,343	1,144	866	704	439	229	118	58	27	20	86	22
2,119	2,167	1,826	1,559	1,575	1,139	1,100	903	668	443	324	174	82	54	42	62	22
9	11	2	4	4	5	5	6	1	2	3	3	1	2	1	1	23
5	2	4	6	2	3	5	1	1	1	1	1	1	1	1	1	3
86	102	100	84	136	116	134	84	45	30	6	1	1	1	1	1	24
8	9	15	3	5	5	4	2	2	2	2	2	2	1	1	1	1
152	129	103	41	31	12	6	2	1	1	1	1	1	1	1	1	25
52	23	15	6	6	1	2	1	1	1	1	1	1	1	1	1	26
7	5	6	1	3	1	2	1	1	1	1	1	1	1	1	1	26
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
39,867	34,204	25,838	24,908	24,562	27,404	32,278	37,036	41,107	38,067	28,575	15,356	5,635	1,368	514	2,810	27
22,465	19,834	14,733	14,430	13,826	15,584	18,385	20,921	22,490	20,343	14,412	7,402	2,517	579	187	1,824	28
17,402	14,370	11,105	10,478	10,736	11,820	13,893	16,115	18,617	17,724	14,163	7,954	3,118	789	327	986	29
35,427	29,651	22,460	21,696	21,537	24,908	29,510	34,312	38,271	36,015	26,917	14,405	5,003	1,092	180	2,033	30
20,321	17,567	13,086	12,683	12,271	14,248	16,862	19,412	20,884	19,167	18,528	6,930	2,244	459	72	1,355	31
15,106	12,084	9,374	9,018	9,266	10,660	12,648	14,900	17,387	16,848	13,389	7,475	2,759	633	108	678	32
26,506	21,431	16,362	15,690	15,621	18,870	22,777	26,103	28,554	26,488	19,549	10,109	3,512	741	115	848	33
14,140	11,682	8,809	8,403	8,350	10,345	12,599	14,417	15,352	13,790	9,617	4,786	1,509	298	39	432	34
12,366	9,749	7,553	7,287	7,271	8,525	10,178	11,686	10,202	12,698	9,932	5,323	2,003	443	76	416	35
9,111	7,230	5,176	4,825	4,650	5,894	7,422	9,002	9,442	8,504	5,865	2,826	862	169	21	236	36
8,279	6,483	4,795	4,446	4,522	5,157	6,386	7,522	8,781	8,404	6,565	3,460	1,291	267	41	249	37
3,464	2,751	2,249	2,105	2,079	2,314	2,406	1,950	1,619	1,261	813	326	113	17	4	43	37
2,690	1,980	1,717	1,715	1,590	1,889	1,904	1,730	1,354	1,204	782	390	147	41	2	29	38
1,565	1,701	1,384	1,473	1,621	2,137	2,771	2,465	4,291	4,025	2,939	1,634	534	112	14	153	38
1,397	1,286	1,041	1,126	1,169	1,479	1,888	2,434	3,087	3,090	2,585	1,473	565	135	33	138	38
8,171	7,435	5,420	5,276	5,243	5,432	6,000	7,440	8,930	8,867	6,886	4,039	1,394	327	57	186	39
5,632	5,256	3,741	3,693	3,396	3,441	3,724	4,463	5,027	4,933	3,642	2,014	680	150	32	136	40
2,539	2,179	1,689	1,583	1,847	2,276	2,977	3,903	3,884	3,244	2,025	714	177	25	50	41	42
750	785	668	730	673	606	733	769	787	660	482	257	97	24	8	999	42
549	629	536	587	525	462	539	532	505	394	269	130	55	11	1	737	43
201	156	132	143	144	194	237	282	266	213	127	461	13	13	7	212	44
4,440	4,553	3,378	3,212	3,025	2,496	2,768	2,724	2,836	2,052	1,658	951	632	276	334	777	45
2,144	2,267	1,647	1,747	1,555	1,336	1,522	1,509	1,606	1,176	884	472	273	120	115	469	46
2,296	2,286	1,731	1,465	1,470	1,160	1,245	1,215	1,230	876	774	479	359	156	219	308	47
1,988	2,106	1,551	1,672	1,481	1,254	1,425	1,402	1,529	1,127	853	454	264	116	111	452	48
2,227	2,221	1,682	1,435	1,440	1,188	1,221	1,183	1,197	858	749	461	346	149	212	293	48
53	48	22	28	31	28	37	40	31	25	21	14	6	3	4	11	49
36	42	33	22	25	19	23	30	31	17	25	18	13	7	7	14	49
18	10	14	12	21	45	56	65	45	24	10	4	3	1	1	2	50
3	1	5	3	2	2	1	1	1	1	1	1	1	1	1	1	1
77	94	60	35	21	9	5	2	1	1	1	1	1	1	1	1	1
30	22	11	5	3	1	1	1	1	1	1	1	1	1	1	1	1
3	9	-----	-----	1	-----	-----	1	1	1	1	1	1	1	1	1	1

* The term "rural" embraces the area outside of municipalities of 10,000 inhabitants or more in 1910.

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	REGISTRATION CITIES IN NON-REGISTRATION STATES. ¹												
1	Total.	41,042	5,084	1,690	816	511	356	8,457	1,117	868	1,835	2,937	3,457
2	Males.	21,520	2,810	882	398	257	179	4,526	533	446	867	1,241	1,590
3	Females.	19,522	2,274	808	418	264	177	3,931	584	422	968	1,696	1,867
4	White.	27,860	3,716	1,264	614	379	269	6,242	798	571	1,059	1,734	2,206
5	Males.	14,779	2,066	663	302	199	135	3,365	388	287	513	726	1,028
6	Females.	13,081	1,650	601	312	180	134	2,877	410	274	546	1,008	1,178
7	Native.	21,733	3,663	1,229	584	359	250	6,085	718	495	849	1,392	1,706
8	Males.	11,224	2,039	645	286	189	130	3,289	359	262	425	545	767
9	Females.	10,509	1,624	584	298	170	120	2,796	359	233	424	547	939
10	Both parents native.	(M.) 6,188 (F.) 5,827	1,111 841	358 303	164 158	116 106	72 67	1,821 1,475	234 233	177 145	289 277	338 519	455 572
11	One or both parents foreign.	(M.) 2,777 (F.) 2,847	791 670	238 256	108 125	65 61	49 46	1,251 1,158	97 104	75 72	101 103	125 196	157 222
12	Parentage unknown ² .	(M.) 2,289 (F.) 1,835	137 113	49 25	14 15	8 3	9 7	217 163	28 22	10 16	35 44	82 132	155 145
13	Foreign.	5,317	34	28	26	18	18	124	75	65	188	301	436
14	Males.	2,945	17	15	13	10	5	60	27	31	77	151	215
15	Females.	2,372	17	13	13	8	13	64	48	34	111	150	221
16	Unknown.	810	19	7	4	2	1	33	5	11	22	41	64
17	Males.	610	10	3	3	2	1	16	2	4	11	30	46
18	Females.	200	9	4	1	2	1	17	3	7	11	11	18
19	Colored.	13,182	1,368	426	202	132	87	2,215	319	297	776	1,203	1,251
20	Males.	6,741	744	219	96	58	44	1,161	145	149	354	515	562
21	Females.	6,441	624	207	106	74	43	1,054	174	148	422	688	689
22	Negro.	(M.) 6,716 (F.) 6,436	742 623	218 207	96 106	58 74	44 43	1,158 1,053	145 174	149 147	353 421	515 687	561 689
23	Indian.	(M.) 4 (F.) 2	1					1					
24	Chinese.	(M.) 16 (F.) 2	1	1				2			1		
25	Japanese.	(M.) 1 (F.) 1	1	1				1			1		
26	Other colored.	(M.) 4 (F.) 2									1		1
27	ALL REGISTRATION CITIES. ³												
28	Total.	782,229	102,829	29,689	14,274	9,204	7,009	183,005	19,770	13,871	25,996	44,983	62,928
29	Males.	421,239	58,043	15,512	7,328	4,636	3,530	89,049	10,312	6,926	13,142	19,640	31,230
	Females.	360,990	44,786	14,177	6,946	4,568	3,479	73,956	9,458	6,945	12,854	25,343	31,698
30	White.	707,562	93,870	26,714	12,783	8,343	6,385	148,095	17,972	12,292	22,227	38,965	56,402
31	Males.	381,730	53,186	13,973	6,575	4,235	3,230	81,199	9,462	6,153	11,327	16,889	28,128
32	Females.	328,832	40,684	12,741	6,208	4,108	3,155	66,896	8,510	6,139	10,900	22,076	28,274
33	Native.	488,174	93,286	26,478	12,615	8,184	6,282	146,795	17,178	11,219	18,997	28,340	36,941
34	Males.	255,793	52,900	13,848	6,489	4,154	3,149	80,540	9,044	5,659	9,693	11,702	17,169
35	Females.	232,831	40,386	12,630	6,126	4,030	3,083	66,255	8,134	5,560	9,304	16,638	19,772
36	Both parents native.	(M.) 118,640 (F.) 109,442	24,077 18,095	5,278 4,728	2,608 2,386	1,770 1,597	1,343 1,316	35,076 32,122	4,204 3,673	2,868 2,715	5,113 4,745	5,978 8,192	8,387 9,493
37	One or both parents foreign.	(M.) 108,388 (F.) 100,203	26,898 20,668	8,279 7,653	3,757 3,640	2,316 2,371	1,739 1,728	42,959 36,060	4,641 4,286	2,635 2,702	4,166 4,129	4,872 7,216	7,185 8,599
38	Parentage unknown ² .	(M.) 27,765 (F.) 22,736	1,955 1,623	291 249	124 100	68 62	67 39	2,505 2,073	199 175	156 143	414 430	552 1,230	1,597 1,680
39	Foreign.	207,903	274	174	117	127	135	827	717	995	2,988	10,049	18,628
40	Males.	117,161	117	93	60	70	71	411	371	453	1,476	4,811	10,363
41	Females.	90,742	157	81	57	57	64	416	346	542	1,512	5,238	8,265
42	Unknown.	11,485	310	62	51	32	18	473	77	78	242	576	833
43	Males.	8,776	169	32	26	11	10	248	47	41	158	376	596
44	Females.	2,709	141	30	25	21	8	225	30	37	84	200	237
45	Colored.	74,667	8,959	2,975	1,491	861	624	14,910	1,798	1,579	3,769	6,018	6,526
46	Males.	39,509	4,857	1,539	753	401	300	7,850	850	773	1,815	2,751	3,102
47	Females.	35,158	4,102	1,436	738	460	324	7,060	948	806	1,954	3,267	3,424
48	Negro.	37,332	4,700	1,486	738	386	290	7,600	880	760	1,747	2,623	2,911
49	Indian.	34,469	3,965	1,402	720	442	315	6,844	931	794	1,920	3,161	3,317
50	Chinese.	137	17	6	1	4		28	4	5	16	12	11
51	Japanese.	95	17	3	2			22	4	7	8	10	8
52	Other colored.	1,190	38	13	3	3	2	59	4	5	27	71	88
		144	31	4	3	5	4	47	4	5	27	37	88
		798	99	34	11	8	8	160	12	3	22	37	88
		444	89	27	13	13	5	147	9	1	16	77	88
		51	3					3			3	4	13
		6									5		

¹ A list of these cities will be found on p. 11.² Both parents unknown or one parent unknown and one native.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

175

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

of soldiers, sailors, and marines.]

DEATHS AT AGE OF—															Deaths at unknown age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
3,292	3,074	2,424	2,217	2,103	1,782	1,806	1,625	1,506	1,106	690	374	129	53	46	144 1
1,797 1,495	1,777 1,297	1,362 1,062	1,334 883	1,164 939	982 800	1,060 746	884 741	783 723	529 577	309 381	158 216	57 72	15 38	12 34	94 50
2,194	1,875	1,426	1,303	1,262	1,291	1,353	1,296	1,238	940	561	302	94	32	8	75 4
1,229 965	1,115 760	828 598	771 532	729 553	736 555	803 550	710 586	637 601	428 502	248 313	122 173	39 55	8 24	2 6	46 29
1,614	1,355	1,021	920	834	907	923	880	837	593	343	175	48	8	1	29 7
881 733	773 582	562 459	515 405	464 395	499 408	528 422	458 444	393 335	258 204	139 106	69 106	22 26	2 6	1 1	14 15
542 426	449 332	284 259	252 220	218 200	243 187	254 198	214 215	188 218	122 176	61 105	31 17	11 3	5 4	5 10	
171 167	150 116	111 107	92 101	95 105	100 86	100 70	64 78	45 43	28 20	7 14	1 1	1 1	1 1	1 1	5 11
168 140	174 134	167 93	171 84	151 90	161 116	174 111	180 148	160 116	108 79	71 46	31 8	10 2	2 2	1 1	4 12
500	436	339	322	367	332	373	365	364	322	202	123	41	24	7	11 13
286 214	270 166	212 127	208 114	215 152	192 140	233 140	208 157	215 149	164 158	99 103	52 71	15 26	6 18	2 5	7 14
80	84	66	61	61	52	57	51	37	25	16	4	5	5	5	35 16
62 18	72 12	54 12	48 13	50 11	45 7	42 15	44 7	29 8	16 9	10 6	2 2	2 3	2 3	2 3	25 10
1,098	1,199	998	914	841	491	453	329	268	166	129	72	35	21	38	69 19
568 530	662 537	534 464	563 351	435 408	246 245	257 196	174 155	146 122	91 75	61 68	35 37	18 17	7 14	10 28	48 21
566 530 1	661 536 1	532 464	560 351	433 408	243 245	255 196	173 155	145 122	90 75	61 68	34 37	18 17	7 14	10 28	47 21
1	1	2	1	2	3	1	1	1	1						23
1	1														24
1															25
															26
60,722	50,855	41,088	40,049	39,946	39,384	40,583	39,124	36,131	29,111	19,368	10,034	3,290	832	219	940 27
34,911 25,811	30,768 20,087	24,714 16,374	24,043 16,006	23,133 16,813	22,585 16,799	22,752 17,831	20,917 18,207	18,324 17,807	13,921 15,190	8,554 10,814	4,134 5,900	1,194 2,096	277 555	76 143	637 303
54,542	44,318	35,678	35,120	35,536	36,272	37,730	36,933	34,435	28,028	18,676	9,665	3,111	730	119	716 30
31,446 23,096	26,969 17,349	21,628 14,050	21,039 14,081	20,717 14,819	20,863 15,409	21,204 16,526	19,788 17,145	17,426 17,009	13,357 14,671	8,255 10,421	3,977 5,688	1,117 1,994	243 437	46 73	497 219
33,495	25,526	20,357	19,858	19,167	20,667	21,281	19,698	17,545	14,267	9,711	4,954	1,552	339	32	255 33
18,162 15,333	14,601 10,925	11,570 8,787	11,233 8,625	10,492 8,675	11,442 9,225	11,684 9,597	10,536 9,162	8,817 8,728	6,556 7,711	4,150 5,561	1,950 3,004	541 1,011	99 240	9 23	144 111
8,937 7,609	6,926 5,304	4,887 3,934	4,456 3,538	4,096 3,561	4,756 3,771	5,079 4,264	5,326 4,264	4,862 4,826	3,693 4,628	2,431 3,486	1,150 1,936	327 684	49 155	55 12	
7,186 6,166	5,612 4,271	5,061 3,761	4,980 4,001	4,627 3,924	4,672 4,014	4,327 3,790	2,876 2,711	1,711 2,031	1,060 1,367	530 721	195 293	40 94	13 24	39 30	
2,039 2,063	2,063 1,642	1,797 1,769	2,014 2,014	2,014 1,769	2,273 1,440	2,334 1,543	2,244 1,700	1,871 1,716	1,803 1,716	605 775	174 233	37 61	4 8	50 28	
1,658 1,350	1,092 1,086	1,086 1,190	1,190 1,440	1,190 1,543	1,700 1,700	1,871 1,716	1,871 1,716	1,716 1,716	1,716 1,716	775 775	61 61				
19,882	17,577	14,238	14,281	15,401	14,822	15,639	16,606	16,345	13,358	8,732	4,599	1,523	386	87	123 39
12,437 7,545	11,330 6,247	9,140 5,098	8,981 5,300	9,397 6,004	8,776 6,046	8,870 6,769	8,781 7,825	8,236 8,109	6,565 6,793	3,971 4,761	1,969 2,630	564 959	143 243	37 50	79 44
1,065	1,215	1,083	981	968	783	810	629	545	403	233	112	36	5	5	338 42
847 218	1,038 177	918 165	825 140	645 138	650 160	471 158	373 172	236 167	134 99	58 54	12 24	1 4	1 4	274 64	
6,180	6,537	5,410	4,929	4,410	3,112	2,853	2,191	1,696	1,083	692	369	179	102	100	224 45
3,465 2,715	3,799 2,738	3,086 2,324	3,004 1,925	2,416 1,994	1,722 1,390	1,548 1,305	1,129 1,062	898 798	564 519	299 393	157 212	77 102	34 68	30 70	
3,209 2,649	3,551 2,703	2,873 2,290	2,871 1,910	2,240 1,981	1,588 1,384	1,399 1,296	1,039 1,058	849 790	529 518	290 392	152 211	76 99	34 68	30 70	
10 5	11 2	2 4	4 6	5 2	5 2	7 3	1 1	2 4	1 1	2 1	3 1	4 1	4 1	2 2	2 4
86 8	103 10	102 15	85 3	138 5	119 5	135 4	85 46	46 31	1,696	1,083	692	369	179	102	100
153 52	129 23	103 15	41 6	31 6	12 1	2 2	2 1	2 1	1,696	1,083	692	369	179	102	100
7 1	5 1	6 3	3 1	1 1	2 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including District of Columbia and municipalities of 10,000 inhabitants or more in 1910.

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—													
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.			
REGISTRATION STATES.																
CALIFORNIA.																
1	Total	56,488	4,666	1,127	601	465	330	7,189	1,054	881	1,663	2,734	4,174			
2	Males	34,521	2,663	603	311	240	167	3,984	523	463	887	1,393	2,339			
3	Females	21,967	2,003	524	290	225	163	3,205	531	418	776	1,341	1,835			
4	White	52,770	4,154	1,006	535	412	300	6,407	980	835	1,536	2,497	3,885			
5	Males	32,071	2,384	543	277	215	153	3,572	490	435	810	1,283	2,204			
6	Females	20,699	1,770	463	258	197	147	2,885	490	400	726	1,214	1,681			
7	Native	34,340	4,117	980	509	389	281	6,276	902	711	1,235	2,707	2,475			
8	Males	19,521	2,360	527	259	201	144	3,491	457	371	665	777	1,259			
9	Females	14,819	1,757	453	250	188	137	2,785	445	340	570	930	1,216			
10	Both parents native	{M. F.	8,077 6,706	1,078 799	211 170	111 120	96 84	68 54	1,564 1,227	230 223	206 184	371 304	401 438	539 555		
11	One or both parents foreign	{M. F.	6,325 5,121	1,185 896	302 273	140 123	95 97	73 81	1,795 1,470	214 206	145 139	248 215	270 331	459 470		
12	Parentage unknown ¹	{M. F.	5,119 2,992	97 62	14 10	8 7	10 7	3 2	132 88	13 16	20 17	48 51	106 161	261 191		
13	Foreign		16,838	28	25	19	20	18	110	71	113	286	745	1,317		
14	Males	11,180	19	16	13	12	9	69	30	60	134	474	874			
15	Females	5,658	9	9	6	8	9	41	41	53	152	271	443			
16	Unknown		1,592	9	1	7	3	1	21	7	11	15	45	93		
17	Males	1,370	5	—	5	2	—	—	12	3	4	11	32	71		
18	Females	222	4	1	2	1	—	1	9	4	7	4	13	22		
19	Colored		3,718	512	121	66	58	30	782	74	46	127	237	289		
20	Males	2,450	279	60	34	25	14	412	33	28	77	110	135			
21	Females	1,268	233	61	32	28	16	370	41	18	50	127	154			
22	Negro	{M. F.	457 387	47 31	4 6	5 3	2 3	62 48	7 13	7 5	25 14	26 28	30 38			
23	Indian	{M. F.	205 170	25 18	9 11	5 7	5 2	1 —	45 38	7 11	12 9	14 14	14 12			
24	Chinese	{M. F.	376 120	33 28	9 5	4 2	3 5	3 4	52 44	6 5	6 3	16 8	11 6			
25	Japanese	{M. F.	889 590	174 156	38 38	21 17	12 20	8 9	253 240	13 12	3 1	22 14	25 81	57 99		
26	Other colored	{M. F.	23 1	— —	— —	— —	— —	— —	— —	— —	— —	4 1	— —	5 —		
COLORADO.																
27	Total	17,546	1,900	450	240	171	134	2,895	399	361	836	1,374	1,851			
28	Males	10,230	1,050	238	121	90	74	1,573	199	190	495	704	1,041			
29	Females	7,316	850	212	119	81	60	1,322	200	171	341	670	810			
30	White		17,141	1,866	438	233	166	130	2,833	391	357	816	1,344	1,814		
31	Males	9,972	1,082	231	118	88	72	1,541	196	187	486	683	1,023			
32	Females	7,169	834	207	115	78	58	1,292	195	170	330	661	791			
33	Native		12,761	1,839	426	219	158	118	2,760	363	325	720	1,067	1,356		
34	Males	7,035	1,017	223	108	84	64	1,496	183	174	419	495	713			
35	Females	5,726	822	203	111	74	54	1,264	180	151	301	572	643			
36	Both parents native	{M. F.	3,674 3,114	651 514	139 119	62 73	50 40	42 35	944 781	118 123	119 100	262 185	275 321	379 332		
37	One or both parents foreign	{M. F.	1,748 1,482	306 261	78 81	43 32	33 29	19 19	479 421	61 53	46 45	114 86	135 152	181 178		
38	Parentage unknown ¹	{M. F.	1,613 1,150	60 47	6 3	3 6	1 6	3 6	73 62	4 4	9 6	43 30	85 99	153 133		
39	Foreign		3,650	20	11	11	7	8	57	21	28	69	225	382		
40	Males	2,385	10	7	7	4	3	5	33	11	10	46	151	264		
41	Females	1,265	10	4	4	3	3	3	24	10	18	23	74	118		
42	Unknown		730	7	1	3	1	4	16	7	4	27	52	76		
43	Males	552	5	1	3	—	—	3	12	2	3	21	37	46		
44	Females	178	2	—	—	1	1	4	4	5	1	6	15	30		
45	Colored		405	34	12	7	5	4	62	8	4	20	30	37		
46	Males	258	18	7	3	2	2	32	3	3	9	21	18			
47	Females	147	16	5	4	3	2	30	5	1	11	9	19			
48	Negro	{M. F.	190 124	11	6	3	2	24	3	2	6	18	11			
49	Indian	{M. F.	8 4	9	5	3	2	20	5	1	11	6	14			
50	Chinese	{M. F.	5 2	8	1	—	—	3	—	—	2	—	1			
51	Japanese	{M. F.	55 17	5	1	—	—	1	8	—	1	—	6			
52	Other colored	{M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5		

¹ Both parents unknown or one parent unknown and one native.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

177

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

of soldiers, sailors, and marines.]

DEATHS AT AGE OF—															Deaths at un- known age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
4,852	4,328	3,448	3,071	3,060	3,169	3,231	3,410	3,401	2,937	2,126	1,209	382	103	35	31 1
3,179	3,001	2,334	2,061	2,069	2,088	2,146	2,170	1,993	1,747	1,168	677	208	46	15	25 2
1,673	1,327	1,114	1,010	991	1,081	1,085	1,240	1,403	1,190	953	532	174	57	20	6 3
4,507	4,018	3,177	2,890	2,865	2,978	3,022	3,238	3,277	2,867	2,091	1,187	362	97	27	27 4
2,948	2,772	2,129	1,921	1,915	1,931	1,967	2,018	1,905	1,688	1,143	665	197	43	13	22 5
1,559	1,246	1,048	969	950	1,047	1,055	1,220	1,372	1,179	948	522	165	54	14	5 6
2,623	2,337	1,914	1,696	1,615	1,786	1,755	1,798	1,805	1,560	1,218	667	195	44	13	8 7
1,563	1,486	1,178	1,031	976	1,100	1,076	1,068	1,021	889	634	357	94	20	4	4 8
1,060	851	736	665	639	686	679	730	784	671	584	310	101	24	9	4 9
628	593	429	327	338	411	407	462	419	339	237	131	36	7	2	10
487	365	282	228	256	282	274	333	402	333	308	162	49	9	4	1 11
525	482	406	341	324	308	289	181	147	102	61	40	6	1	1	2 12
357	298	273	262	223	208	205	141	124	80	67	31	12	2	1	2 13
410	411	343	363	314	381	400	425	455	448	336	186	52	12	1	2 14
216	188	176	175	160	196	200	256	258	258	209	117	40	13	5	1 15
1,740	1,491	1,094	1,046	1,088	1,070	1,131	1,310	1,382	1,254	850	504	164	53	14	5 16
1,265	1,107	799	751	790	720	769	844	811	756	493	296	101	23	9	5 17
475	384	295	295	298	350	362	466	571	498	357	208	63	30	5	1 18
144	190	169	148	162	122	136	130	90	53	23	16	3	-----	-----	14 19
120	179	152	139	149	111	122	106	73	43	16	12	2	-----	-----	13 20
24	11	17	9	13	11	14	24	17	10	7	4	1	-----	-----	1 21
345	310	271	181	195	191	209	172	124	70	35	22	20	6	8	4 22
231	229	205	140	154	157	179	152	93	59	25	12	11	3	2	3 23
114	81	66	41	41	34	30	20	31	11	10	10	9	6	1	1 24
37	48	40	26	33	22	20	29	16	15	4	3	5	1	1	1 25
39	34	28	23	25	25	18	12	14	6	6	6	1	3	1	1 26
14	16	4	4	6	10	11	8	4	5	7	5	3	1	2	1 27
6	7	8	6	2	5	5	5	11	4	4	4	8	2	3	1 28
36	32	38	49	81	106	138	112	72	38	14	3	1	-----	-----	24 29
6	6	9	2	5	5	5	2	6	1	1	1	-----	-----	1	1 30
141	126	120	60	34	19	10	3	1	1	-----	-----	-----	-----	1	1 31
63	34	21	10	9	2	1	-----	-----	-----	-----	-----	-----	-----	1	1 32
3	7	3	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	26
1,899	1,830	963	830	728	778	738	762	725	561	366	174	64	15	7	90 27
1,057	858	604	530	440	477	468	470	416	315	189	85	39	7	4	69 28
642	472	359	300	288	301	270	292	309	246	177	89	25	8	3	21 29
1,648	1,278	930	801	715	763	725	755	716	551	363	172	62	15	7	85 30
1,021	822	579	508	433	465	460	464	410	308	187	85	38	7	4	65 31
627	456	351	293	282	298	265	291	306	243	176	87	24	8	3	20 32
1,156	797	602	497	427	461	486	485	446	370	251	113	37	13	5	24 33
667	488	356	287	236	266	286	287	251	203	130	51	24	6	3	14 34
489	309	246	210	191	195	200	198	195	167	121	62	13	7	2	10 35
329	227	170	123	99	108	116	113	116	88	50	22	10	-----	1	5 36
263	161	129	95	82	102	100	84	86	77	60	22	3	3	1	4 37
175	116	79	65	43	63	60	46	29	22	18	5	4	3	-----	4 38
129	70	58	54	46	42	34	30	23	19	7	10	2	-----	3 39	
163	145	107	99	94	95	110	128	106	93	62	24	10	3	2	5 40
97	78	59	61	63	51	66	84	86	71	54	30	8	4	1	3 41
409	410	277	247	235	256	199	240	235	161	103	52	22	2	2	18 42
299	279	180	169	155	162	137	154	135	89	52	30	12	1	1	15 43
110	131	97	78	80	94	62	86	100	72	51	22	10	1	1	3 44
83	71	51	57	53	46	40	30	35	20	9	7	3	-----	-----	43 45
55	55	43	8	52	37	37	23	24	16	5	4	2	-----	-----	36 46
28	16	8	5	11	9	3	7	11	4	4	3	1	-----	-----	7 47
51	52	33	29	13	15	13	7	9	10	3	2	2	-----	-----	5 48
36	36	25	22	7	12	8	6	6	7	2	-----	1	-----	4 49	
15	16	8	7	6	3	5	1	3	3	1	2	1	-----	1	47 50
21	21	16	18	6	7	11	5	6	6	2	1	1	-----	1	48 51
13	14	8	6	3	5	1	3	3	1	2	1	1	-----	1	49 52
15	2	7	4	1	-----	-----	1	1	1	-----	-----	-----	-----	-----	50 53

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—											
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	
REGISTRATION STATES—Continued.													
CONNECTICUT.													
1 Total.....	27,240	3,964	1,011	450	284	228	5,937	626	463	817	1,504	2,318	
2 Males.....	14,825	2,191	529	220	135	96	3,171	328	210	453	683	1,285	
3 Females.....	12,415	1,773	482	230	149	132	2,766	298	253	347	821	1,033	
4 White.....	26,550	3,873	972	434	277	220	5,776	613	455	777	1,448	2,287	
5 Males.....	14,451	2,150	507	211	130	94	3,092	327	207	430	653	1,253	
6 Females.....	12,099	1,723	465	223	147	126	2,684	286	248	347	795	1,014	
7 Native.....	17,248	3,857	965	428	273	210	5,733	576	415	626	829	1,105	
8 Males.....	9,079	2,144	504	208	128	90	3,074	304	194	346	373	565	
9 Females.....	8,169	1,713	461	220	145	120	2,659	272	221	280	456	540	
10 Both parents native.....	(M.) 3,550 (F.) 3,222	639 512	107 83	43 39	30 36	24 32	843 702	86 78	69 79	135 101	146 163	225 201	
11 One or both parents foreign.....	(M.) 4,557 (F.) 4,113	1,457 1,159	394 374	160 180	94 108	65 88	2,170 1,909	211 189	123 138	201 173	195 270	306 300	
12 Parentage unknown ¹	(M.) 972 (F.) 834	48 42	3 4	5 1	4 1	1 1	61 48	7 5	2 4	10 6	32 23	39 39	
13 Foreign.....	8,940	14	6	5	3	10	38	32	36	144	603	1,147	
14 Males.....	5,128	6	3	2	1	4	16	19	11	77	274	677	
15 Females.....	3,812	8	3	3	2	6	22	13	25	67	329	470	
16 Unknown.....	362	2	1	1	1	-----	5	5	4	7	16	15	
17 Males.....	244	-----	1	1	1	-----	2	4	2	7	6	11	
18 Females.....	118	2	1	-----	-----	-----	3	1	2	-----	10	4	
19 Colored.....	690	91	39	16	7	8	161	13	8	40	56	51	
20 Males.....	374	41	22	9	5	2	79	1	3	23	30	32	
21 Females.....	316	50	17	7	2	6	82	12	5	17	26	19	
22 Negro.....	(M.) 362 (F.) 314	39 49	22 17	9 7	5 2	2 6	77 81	1 12	3 5	23 17	29 26	31 19	
23 Indian.....	(M.) 1 (F.) 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
24 Chinese.....	(M.) 12 (F.) 1	2 1	-----	-----	-----	-----	2 1	-----	-----	-----	1	1	
25 Japanese.....	(M.) 1 (F.) 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
26 Other colored.....	(M.) 1 (F.) 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
ILLINOIS.													
27 Total.....	100,396	13,109	3,620	1,916	1,316	952	20,913	2,827	1,926	3,376	5,266	7,333	
28 Males.....	54,542	7,510	1,917	1,012	640	490	11,569	1,524	989	1,739	2,344	3,537	
29 Females.....	45,854	5,599	1,703	904	676	462	9,344	1,303	937	1,637	2,922	3,796	
30 White.....	95,831	12,629	3,434	1,815	1,271	912	20,061	2,697	1,827	3,161	4,910	6,924	
31 Males.....	52,034	7,234	1,806	965	618	476	11,099	1,461	939	1,635	2,171	3,344	
32 Females.....	43,797	5,395	1,628	850	653	438	8,962	1,236	888	1,526	2,739	3,580	
33 Native.....	66,916	12,544	3,411	1,794	1,256	897	19,902	2,606	1,711	2,851	3,884	4,846	
34 Males.....	35,379	7,185	1,795	956	611	489	11,016	1,418	885	1,478	1,657	2,223	
35 Females.....	31,537	5,359	1,616	838	645	428	8,886	1,188	820	1,373	2,177	2,628	
36 Both parents native.....	(M.) 16,265 (F.) 14,755	3,680 2,683	768 664	436 396	289 280	218 204	5,391 4,227	738 596	494 468	870 761	844 1,033	1,012 1,146	
37 One or both parents foreign.....	(M.) 13,737 (F.) 12,439	3,245 2,465	984 911	499 424	308 352	233 217	5,269 4,369	643 562	353 328	517 530	960 957	961 1,200	
38 Parentage unknown ¹	(M.) 5,377 (F.) 4,343	260 211	43 41	21 18	14 13	18 7	356 290	37 30	38 30	91 82	133 187	250 277	
39 Foreign.....	27,030	20	12	9	10	11	62	79	102	204	1,020	1,992	
40 Males.....	15,377	16	8	5	5	6	40	38	46	130	484	1,071	
41 Females.....	11,653	4	4	4	5	5	22	41	56	134	536	921	
42 Unknown.....	1,885	65	11	12	5	4	97	12	14	46	56	86	
43 Males.....	1,278	33	3	4	2	1	43	5	8	27	30	50	
44 Females.....	607	32	8	8	3	3	54	7	6	19	26	36	
45 Colored.....	4,565	480	186	101	45	40	852	130	99	215	356	409	
46 Males.....	2,508	276	111	47	22	14	470	63	50	104	173	193	
47 Females.....	2,057	204	75	54	23	26	382	67	49	111	183	216	
48 Negro.....	(M.) 2,443 (F.) 2,050	271 203	110 75	47 54	21 23	14 26	463 381	61 67	50 49	111	181	182	
49 Indian.....	(M.) 5 (F.) 5	5	1	-----	1	-----	-----	6	1	-----	-----	8	
50 Chinese.....	(M.) 7 (F.) 7	5	1	-----	1	-----	-----	1	1	-----	2	1	
51 Japanese.....	(M.) 5 (F.) 5	5	1	-----	1	-----	-----	1	1	-----	-----	3	
52 Other colored.....	(M.) 2 (F.) 2	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	

¹ Both parents unknown or one parent unknown and one native.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

179

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDED: 1918—Continued.

of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OR

{This table excludes the deaths

AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—												
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.		
REGISTRATION STATES—Continued.														
INDIANA.														
1 Total.....	45,993	5,603	1,479	754	504	397	8,737	1,193	1,061	1,742	2,210	2,623		
2 Males.....	24,120	3,178	766	398	265	199	4,806	630	522	912	941	1,235		
3 Females.....	21,873	2,425	713	356	239	198	3,931	563	539	830	1,269	1,388		
4 White.....	43,940	5,391	1,416	723	471	376	8,377	1,142	1,000	1,624	2,066	2,477		
5 Males.....	22,984	3,071	734	379	243	189	4,616	600	493	849	864	1,159		
6 Females.....	20,956	2,320	682	344	228	187	3,761	542	507	775	1,202	1,318		
7 Native.....	39,133	5,382	1,412	722	470	373	8,359	1,132	978	1,586	1,907	2,190		
8 Males.....	20,088	3,065	732	378	243	189	4,607	593	482	830	770	959		
9 Females.....	19,045	2,317	680	344	227	184	3,752	539	496	756	1,137	1,281		
10 Both parents native.....	(M.) 14,222	2,535	602	306	199	161	3,803	512	426	727	629	774		
	(F.) 13,663	1,917	562	293	175	154	3,101	466	447	649	923	989		
11 One or both parents foreign.....	(M.) 2,911	475	125	66	41	23	730	75	43	79	90	126		
	(F.) 2,727	369	107	45	50	27	598	67	42	69	144	143		
12 Parentage unknown ¹	(M.) 2,955	55	5	6	3	5	74	6	13	24	51	59		
	(F.) 2,655	31	11	6	2	3	53	6	7	38	70	99		
13 Foreign.....	4,415	3	1	1	5	9	19	35	147	272		
14 Males.....	2,617	2	2	6	10	17	84	188		
15 Females.....	1,798	1	1	1	3	3	9	18	63	84		
16 Unknown.....	392	6	3	1	1	2	13	1	3	3	12	15		
17 Males.....	279	4	2	1	7	1	1	2	10	12		
18 Females.....	113	2	1	1	2	6	2	1	2	1	3		
19 Colored.....	2,053	212	63	31	33	21	360	51	61	118	144	146		
20 Males.....	1,136	107	32	19	22	10	190	30	29	63	77	76		
21 Females.....	917	105	31	12	11	11	170	21	32	55	67	70		
22 Negro.....	(M.) 1,130	107	31	19	22	10	189	30	29	63	76	74		
	(F.) 915	105	31	12	11	11	170	21	32	55	67	70		
23 Indian.....	(M.)		
24 Chinese.....	(M.) 6	1	1	1	2		
25 Japanese.....	(M.) 2		
26 Other colored.....	(M.)		
KANSAS.														
27 Total.....	25,053	3,111	685	398	222	191	4,607	663	584	1,103	1,370	1,627		
28 Males.....	13,697	1,749	374	208	116	86	2,533	341	319	640	665	783		
29 Females.....	11,356	1,362	311	190	106	105	2,074	322	265	463	705	844		
30 White.....	23,490	2,938	627	375	205	178	4,323	625	534	1,009	1,256	1,524		
31 Males.....	12,868	1,652	344	194	108	82	2,380	322	292	588	614	732		
32 Females.....	10,622	1,286	283	181	97	96	1,943	303	242	421	642	792		
33 Native.....	19,732	2,902	606	369	194	176	4,247	593	507	941	1,100	1,326		
34 Males.....	10,600	1,634	332	190	101	81	2,338	308	280	553	523	622		
35 Females.....	9,132	1,268	274	179	93	95	1,909	285	227	338	577	704		
36 Both parents native.....	(M.) 6,506	1,303	262	157	85	70	1,882	260	228	406	375	400		
	(F.) 5,635	979	218	135	82	78	1,492	234	153	275	386	440		
37 One or both parents foreign.....	(M.) 1,607	250	49	23	15	10	347	32	45	97	86	135		
	(F.) 1,534	214	44	36	11	14	319	35	33	73	109	155		
38 Parentage unknown ¹	(M.) 2,487	78	21	10	1	1	109	16	12	50	62	87		
	(F.) 1,963	75	12	8	3	3	98	16	11	40	82	109		
39 Foreign.....	3,075	11	11	4	9	2	37	23	21	46	109	146		
40 Males.....	1,778	6	3	5	1	1	21	9	10	20	60	75		
41 Females.....	1,297	5	5	4	4	1	16	14	11	26	49	71		
42 Unknown.....	683	25	10	2	2	39	9	6	22	47	52		
43 Males.....	490	12	6	1	2	21	5	2	15	31	35		
44 Females.....	193	13	4	1	18	4	4	7	16	17		
45 Colored.....	1,563	173	58	23	17	13	284	38	50	94	114	103		
46 Males.....	829	97	30	14	8	4	153	19	27	52	51	51		
47 Females.....	734	76	28	9	9	9	131	19	23	42	63	52		
48 Negro.....	(M.) 764	91	29	13	6	4	143	17	22	35	43	48		
	(F.) 694	68	28	8	8	9	121	18	21	37	59	52		
49 Indian.....	(M.) 61	5	1	1	2	9	2	5	17	7	3		
	(F.) 38	8	1	1	1	1	10	1	2	5	17	3		
50 Chinese.....	(M.)		
51 Japanese.....	(M.) 2	1		
52 Other colored.....	(M.) 2	2	1	1	1		

¹ Both parents unknown or one parent unknown and one native.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

181

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEASED: 1918—Continued.

of soldiers, sailors, and marines.]

DEATHS AT AGE OF—															Deaths at unknown age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
2,536	2,209	1,765	1,786	1,955	2,255	2,648	3,028	3,301	3,118	2,207	1,074	360	73	19	93 1
1,270	1,174	956	990	1,010	1,230	1,473	1,675	1,795	1,607	1,098	519	156	34	7	80 2
1,266	1,035	803	796	945	1,025	1,175	1,353	1,506	1,511	1,109	555	204	39	12	13 3
2,402	2,073	1,639	1,630	1,827	2,150	2,547	2,954	3,232	3,064	2,166	1,056	352	68	12	82 4
1,185	1,100	881	898	940	1,176	1,419	1,636	1,750	1,572	1,075	509	152	32	5	73 5
1,217	973	758	732	887	974	1,128	1,318	1,432	1,492	1,091	547	200	36	7	9 6
2,084	1,776	1,398	1,416	1,577	1,906	2,225	2,531	2,713	2,480	1,728	802	262	49	8	26 7
976	894	711	746	765	1,020	1,201	1,404	1,443	1,285	869	378	107	22	3	23 8
1,108	882	687	670	812	886	1,024	1,127	1,270	1,195	859	424	155	27	5	3 9
786	629	456	449	464	581	728	807	864	801	502	220	54	8	1	1 10
818	642	483	430	513	526	611	696	783	725	521	231	90	14	3	2 11
124	150	150	164	167	218	211	200	158	121	66	25	9	2	1	2 12
152	126	122	146	165	198	216	155	148	118	70	29	18	1	1	1 13
66	115	105	133	134	221	262	397	421	363	301	133	44	12	1	20 14
138	114	82	94	134	162	197	276	389	352	268	164	47	12	2	1 15
295	286	218	199	231	216	291	402	488	546	413	234	83	19	4	3 16
193	199	155	140	159	134	193	216	287	267	194	116	42	10	2	3 17
102	87	63	50	72	82	98	186	201	279	219	118	41	9	2	2 18
23	11	23	15	19	28	31	21	31	38	25	20	7	-----	-----	53 19
16	7	15	12	16	22	25	16	20	20	12	15	3	4	-----	47 20
7	4	8	3	3	6	5	5	11	13	5	5	4	4	-----	6 21
134	136	126	156	128	105	101	74	69	54	41	18	8	5	7	11 22
85	74	75	92	70	54	54	39	45	35	23	10	4	2	2	7 23
49	62	51	64	58	51	47	35	24	19	18	8	4	3	5	4 24
85	74	75	92	70	54	54	38	44	35	23	10	4	2	2	7 25
49	62	50	64	58	50	47	35	24	19	18	8	4	3	5	4 26
1,544	1,256	968	866	918	1,091	1,293	1,449	1,772	1,746	1,265	610	195	60	11	55 27
834	677	515	452	518	586	750	811	1,054	993	736	325	92	5	42	28 28
710	579	453	414	400	505	543	638	718	753	529	285	103	34	6	13 29
1,439	1,170	867	793	833	1,007	1,230	1,374	1,707	1,693	1,218	596	181	56	7	48 30
779	628	460	414	468	542	715	777	1,018	953	713	316	87	25	3	37 31
660	542	407	379	365	465	515	597	689	735	505	280	94	31	4	11 32
1,217	974	716	640	651	818	966	1,056	1,279	1,222	899	404	125	38	3	10 33
640	496	370	317	347	440	555	581	750	670	520	210	57	15	2	6 34
577	478	346	323	304	378	411	475	529	552	379	194	68	23	1	4 35
303	277	217	182	172	210	274	293	341	264	220	92	16	6	-----	3 36
353	268	200	176	158	184	206	247	258	276	173	91	21	11	2	1 37
134	105	71	55	79	79	75	65	52	46	12	10	2	-----	1	1 38
135	108	71	66	55	68	64	53	62	36	18	10	2	2	-----	1 39
113	114	82	80	96	151	202	213	344	354	254	106	31	7	2	1 40
89	102	75	81	91	126	141	166	218	214	170	85	37	10	1	1 41
160	149	105	117	152	161	211	278	383	428	291	180	54	18	4	2 42
97	96	62	69	96	81	115	166	234	258	169	99	28	10	1	2 43
63	53	43	48	56	80	96	112	149	170	122	81	26	8	3	1 44
62	47	40	36	30	28	53	40	45	43	28	12	2	-----	-----	36 45
42	36	28	28	25	21	45	30	34	30	24	7	2	-----	-----	29 46
20	11	18	8	5	7	8	10	11	13	4	5	-----	-----	7	44
105	86	101	73	85	84	63	75	65	53	47	14	14	4	4	7 45
55	49	55	38	50	44	35	34	36	35	23	9	5	1	2	5 46
50	37	46	35	35	40	28	41	29	18	24	5	9	3	2	2 47
47	45	55	37	49	44	33	34	36	33	22	9	5	1	2	4 48
48	35	44	35	34	39	28	38	27	18	22	5	8	3	2	1 49
6	4	1	1	1	2	2	2	2	1	2	1	-----	-----	1	1 50
2	2	2	2	1	1	1	1	1	1	1	1	-----	-----	1	1 51
1	1	1	1	1	1	1	1	1	1	1	1	-----	-----	1	1 52

MORTALITY STATISTICS.

TABLE 4.--DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—											
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	
REGISTRATION STATES—Continued.													
KENTUCKY.													
1 Total.....	39,532	5,816	1,903	1,042	691	482	9,934	1,384	1,130	2,120	2,401	2,422	
2 Males.....	20,331	3,268	982	520	328	250	5,348	681	562	1,077	1,024	1,089	
3 Females.....	19,201	2,548	921	522	368	232	4,586	703	568	1,043	1,377	1,333	
4 White.....	32,972	5,057	1,645	912	601	429	8,644	1,203	942	1,715	1,911	1,964	
5 Males.....	16,964	2,837	846	450	287	223	4,643	593	477	875	822	872	
6 Females.....	16,008	2,220	799	462	314	206	4,001	610	465	840	1,119	1,092	
7 Native.....	31,215	5,022	1,634	904	594	424	8,578	1,192	932	1,692	1,896	1,908	
8 Males.....	15,998	2,814	840	445	234	221	4,604	587	474	862	795	839	
9 Females.....	15,217	2,208	794	459	310	203	3,974	605	458	830	1,101	1,069	
10 Both parents native.....	(M.) 13,018 (F.) 12,652	2,706 2,123	815 708	429 446	273 294	211 190	4,436 3,821	550 581	431 444	783 761	702 968	698 908	
11 One or both parents foreign.....	(M.) 929 (F.) 783	39 30	6 6	3 6	4 8	3 3	55 58	14 12	13 12	20 12	21 37	53 52	
12 Parentage unknown ¹	(M.) 2,051 (F.) 1,782	67 55	19 20	13 7	7 8	7 10	113 100	23 12	30 10	59 57	72 96	88 109	
13 Foreign.....		1,158	1					1	3	1	2	15	
14 Males.....	605	1						1				9	
15 Females.....	553							3	1	2		6	
16 Unknown.....	599	34	11	8	7	5	65	8	9	21	30	29	
17 Males.....	361	22	6	5	3	2	38	6	3	13	18	18	
18 Females.....	238	12	5	3	4	3	27	2	6	8	12	11	
19 Colored.....	6,560	759	258	130	90	53	1,290	181	188	405	460	458	
20 Males.....	3,367	431	136	70	41	27	705	88	85	202	202	217	
21 Females.....	3,193	328	122	60	49	26	585	98	103	203	258	241	
22 Negro.....	(M.) 3,361 (F.) 3,192	431 328	136 122	70 60	41 49	27 26	705 585	88 93	85 103	202 203	258 241	214 241	
23 Indian.....	(M.) 3 (F.) 1											3	
24 Chinese.....	(M.) 3 (F.) 1												
25 Japanese.....	(M.) 3 (F.) 1												
26 Other colored.....	(M.) 3 (F.) 1												
LOUISIANA.													
27 Total.....	32,201	4,415	1,320	701	455	298	7,189	1,021	938	1,807	2,416	2,515	
28 Males.....	16,991	2,408	696	368	213	154	3,839	505	450	912	1,093	1,201	
29 Females.....	15,210	2,007	624	333	242	144	3,350	516	488	895	1,323	1,314	
30 White.....	15,822	2,271	654	357	219	153	3,654	457	384	676	992	1,113	
31 Males.....	8,836	1,265	360	188	102	77	1,992	233	203	373	504	584	
32 Females.....	6,983	1,006	294	169	117	76	1,662	224	181	303	488	529	
33 Native.....	13,763	2,227	640	347	213	148	3,575	438	369	638	919	998	
34 Males.....	7,618	1,242	352	183	99	75	1,951	223	196	352	456	513	
35 Females.....	6,145	985	288	164	114	73	1,624	215	173	286	468	485	
36 Both parents native.....	(M.) 5,351 (F.) 4,418	1,108 860	306 257	162 153	87 96	69 64	1,732 1,430	183 186	167 141	289 224	370 365	336 371	
37 One or both parents foreign.....	(M.) 1,158 (F.) 901	86 76	28 16	11 7	7 13	3 9	135 121	21 16	12 23	37 45	57 60	67 57	
38 Parentage unknown ¹	(M.) 1,109 (F.) 826	48 49	18 15	10 4	5 5	3 3	84 73	19 13	17 9	26 32	48 53	57 57	
39 Foreign.....		1,503	3	2	2	2		9	5	4	23	48	
40 Males.....	886	2	2	1	1	2		5	2	1	13	33	
41 Females.....	617	1						4	3	3	10	30	
42 Unknown.....	556	41	12	8	4	5	70	14	11	15	25	28	
43 Males.....	332	21	6	4	3	2	36	8	6	8	15	14	
44 Females.....	224	20	6	4	1	3	34	6	5	7	10	14	
45 Colored.....	16,379	2,144	666	344	236	145	3,535	564	554	1,131	1,424	1,402	
46 Males.....	8,155	1,143	336	180	111	77	1,847	272	247	539	589	617	
47 Females.....	8,224	1,001	330	164	125	68	1,688	292	307	592	835	785	
48 Negro.....	(M.) 8,116 (F.) 8,213	1,141 1,001	335 330	178 164	111 125	76 68	1,841 1,688	272 306	247 306	536 590	584 834	610 784	
49 Indian.....	(M.) 18 (F.) 9	2		2		1	5			2	3	2	
50 Chinese.....	(M.) 18 (F.) 2			1			1			1	2	3	
51 Japanese.....	(M.) 1 (F.) 2						1			1		1	
52 Other colored.....	(M.) 2 (F.) 1											1	

¹ Both parents unknown or one parent unknown and one native.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

183

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

(This table excludes the deaths

AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—											
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	
REGISTRATION STATES—Continued.													
MAINE.													
1 Total.....	14,499	1,700	357	151	112	70	2,390	287	274	527	666	859	
2 Males.....	7,508	957	183	68	55	41	1,304	159	124	288	325	434	
3 Females.....	6,991	743	174	83	57	29	1,086	138	150	239	341	425	
4 White.....	14,443	1,696	353	150	112	70	2,381	296	273	523	658	858	
5 Males.....	7,471	956	182	67	55	41	1,301	158	123	286	321	433	
6 Females.....	6,972	740	171	83	57	29	1,080	138	150	237	337	425	
7 Native.....	12,026	1,687	347	148	108	66	2,356	286	254	461	539	668	
8 Males.....	6,177	953	179	66	54	38	1,290	154	113	252	257	336	
9 Females.....	5,849	734	168	82	54	28	1,066	132	141	209	282	332	
10 Both parents native.....	(M.) 4,250 (F.) 4,154	567 436	103 106	46 49	25 31	22 16	763 638	88 78	71 80	165 145	162 172	223 222	
11 One or both parents foreign.....	(M.) 1,370 (F.) 1,268	369 285	75 59	18 33	27 21	16 12	505 410	63 51	40 59	78 58	81 100	95 99	
12 Parentage unknown ¹	(M.) 557 (F.) 427	17 13	1 3	2 2	2 2	2 2	22 18	3 3	2 2	9 6	14 10	18 11	
13 Foreign.....	2,206	6	4	—	4	2	16	9	15	58	105	179	
14 Males.....	1,147	2	2	—	1	1	6	3	7	31	55	88	
15 Females.....	1,059	4	2	—	3	1	10	6	8	27	50	91	
16 Unknown.....	211	3	2	2	—	2	9	1	4	4	14	11	
17 Males.....	147	1	1	1	—	2	5	1	3	3	9	9	
18 Females.....	64	2	1	1	—	—	4	—	1	1	5	2	
19 Colored.....	56	4	4	1	—	—	9	1	1	4	8	1	
20 Males.....	37	1	1	1	—	—	3	1	1	2	4	1	
21 Females.....	19	3	3	—	—	—	6	—	—	2	4	—	
22 Negro.....	(M.) 23 (F.) 9	—	—	—	—	—	3	—	1	1	2	1	
23 Indian.....	(M.) 13 (F.) 10	1	1	1	—	—	3	—	1	1	2	—	
24 Chinese.....	(M.) 1 (F.) —	—	—	—	—	—	—	—	—	—	—	—	
25 Japanese.....	(M.) — (F.) —	—	—	—	—	—	—	—	—	—	—	—	
26 Other colored.....	(M.) — (F.) —	—	—	—	—	—	—	—	—	—	—	—	
MARYLAND.													
27 Total.....	32,134	4,790	1,430	638	351	283	7,501	822	654	1,341	1,876	2,316	
28 Males.....	16,944	2,539	755	308	176	137	3,965	414	312	708	864	1,152	
29 Females.....	15,190	2,201	684	330	175	146	3,536	408	342	633	1,012	1,164	
30 White.....	24,329	3,468	976	410	243	187	5,284	556	434	866	1,377	1,830	
31 Males.....	13,016	1,903	519	201	129	93	2,845	305	200	492	633	918	
32 Females.....	11,313	1,565	457	209	114	94	2,429	251	234	374	744	912	
33 Native.....	20,580	3,447	969	406	240	185	5,247	547	422	812	1,198	1,557	
34 Males.....	10,803	1,890	516	201	127	92	2,826	302	193	448	526	751	
35 Females.....	9,777	1,557	453	205	113	93	2,421	245	229	364	672	806	
36 Both parents native.....	(M.) 7,343 (F.) 6,732	1,516 1,208	387 328	163 160	99 86	71 71	2,236 1,883	235 184	148 166	237 286	385 471	504 564	
37 One or both parents foreign.....	(M.) 2,264 (F.) 2,073	320 304	119 106	37 41	23 25	21 21	525 497	60 51	37 52	86 65	97 158	167 180	
38 Parentage unknown ¹	(M.) 1,196 (F.) 972	54 45	10 19	1 4	2 2	1 1	65 71	7 10	8 11	25 13	44 43	80 62	
39 Foreign.....	3,269	—	—	1	1	1	3	6	10	43	151	235	
40 Males.....	1,862	—	—	—	1	1	2	2	5	33	85	142	
41 Females.....	1,407	—	—	1	—	—	1	4	5	10	66	93	
42 Unknown.....	480	21	7	3	2	1	34	3	2	11	28	38	
43 Males.....	351	13	3	—	1	—	17	1	2	11	22	25	
44 Females.....	129	8	4	—	1	—	17	2	—	6	6	13	
45 Colored.....	7,805	1,322	463	228	108	96	2,217	266	220	475	499	486	
46 Males.....	3,928	686	236	107	47	44	1,120	109	112	216	231	234	
47 Females.....	3,877	636	227	121	61	52	1,097	157	108	259	268	232	
48 Negro.....	(M.) 3,917 (F.) 3,877	656 636	236 227	107 121	47 61	44 52	1,120 1,097	109 157	112 108	216 259	229 268	234 232	
49 Indian.....	(M.) — (F.) —	—	—	—	—	—	—	—	—	—	—	—	
50 Chinese.....	(M.) 10 (F.) —	—	—	—	—	—	—	—	—	—	—	—	
51 Japanese.....	(M.) 1 (F.) —	—	—	—	—	—	—	—	—	—	—	—	
52 Other colored.....	(M.) — (F.) —	—	—	—	—	—	—	—	—	—	—	—	

¹ Both parents unknown or one parent unknown and one native.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

185

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	
REGISTRATION STATES—Continued.												
MASSACHUSETTS.												
1 Total.....	77,248	10,780	2,983	1,274	845	631	16,513	1,719	1,211	2,149	3,792	5,796
2 Males.....	40,117	6,122	1,568	624	448	329	9,091	913	579	1,083	1,643	2,777
3 Females.....	37,131	4,658	1,415	650	397	302	7,422	806	622	1,066	2,149	3,019
4 White.....	75,867	10,579	2,901	1,241	827	620	16,168	1,696	1,197	2,102	3,700	5,703
5 Males.....	39,343	6,001	1,527	608	441	326	8,903	899	576	1,058	1,592	2,726
6 Females.....	36,524	4,578	1,374	633	386	294	7,265	797	621	1,044	2,108	2,977
7 Native.....	50,021	10,541	2,887	1,227	814	596	16,065	1,614	1,078	1,731	2,469	3,268
8 Males.....	25,836	5,977	1,517	601	436	318	8,849	862	517	886	1,051	1,503
9 Females.....	24,185	4,564	1,370	626	378	278	7,216	752	561	845	1,418	1,765
10 Both parents native.....	{M F 10,304 9,896 1,313	1,809 277 156	324 88 77	148 88 77	131 88 77	97 250 178	2,509 250 307	215 191 373	180 252 532	252 474 532	474 632	532
11 One or both parents foreign.....	{M F 13,568 12,377 3,068	1,171 1,058	437 458	299 286	218 201	6,071 5,071	597 531	331 364	559 582	628 902	628 1,066	903
12 Parentage unknown 1.....	{M F 1,964 1,912	222 183	22 35	16 12	6 4	3 3	289 234	15 6	8 17	20 11	55 42	68 67
13 Foreign.....	25,284	14	13	13	13	21	74	79	115	363	1,190	2,400
14 Males.....	13,108	7	10	7	5	6	35	36	58	170	509	1,197
15 Females.....	12,176	7	3	6	8	15	39	43	57	193	681	1,203
16 Unknown.....	562	24	1	1	-----	3	29	3	4	8	41	35
17 Males 2.....	399	17	-----	-----	2	19	1	1	2	32	26	26
18 Females.....	163	7	1	1	-----	1	10	2	3	6	9	9
19 Colored.....	1,381	201	82	33	18	11	345	23	14	47	92	93
20 Males.....	774	121	41	16	7	3	188	14	3	25	51	51
21 Females.....	607	80	41	17	11	8	157	9	11	22	41	42
22 Negro.....	{M F 706 588 79	119 40 40	41 17	16 11	7 8	3	186	14	3	23	47	50
23 Indian.....	{M F 5	-----	1	-----	-----	-----	1	-----	-----	-----	1	-----
24 Chinese.....	{M F 61 10	2 1	-----	-----	-----	-----	2	-----	-----	2	3	1
25 Japanese.....	{M F 1	-----	-----	-----	-----	-----	1	-----	-----	2	3	2
26 Other colored.....	{M F 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
MICHIGAN.												
27 Total.....	53,320	8,105	1,777	856	579	490	11,807	1,389	1,008	1,681	2,425	3,364
28 Males.....	29,007	4,539	969	430	287	261	6,486	754	486	925	1,123	1,714
29 Females.....	24,313	3,566	808	426	292	229	5,321	635	522	756	1,302	1,650
30 White.....	52,103	7,971	1,736	831	565	475	11,578	1,352	968	1,598	2,337	3,245
31 Males.....	28,291	4,472	943	416	278	251	6,360	731	471	875	1,069	1,653
32 Females.....	23,812	3,499	793	415	287	224	5,218	621	497	723	1,268	1,592
33 Native.....	36,992	7,917	1,710	825	552	461	11,465	1,276	897	1,437	1,833	2,319
34 Males.....	19,389	4,437	929	414	269	244	6,293	685	436	785	794	1,100
35 Females.....	17,603	3,480	781	411	283	217	5,172	591	461	652	1,039	1,219
36 Both parents native.....	{M F 9,505 8,686 1,360	2,313 347 203	467 136	222 136	137 94	130 2,640	3,269 3,269	385 320	250 266	423 349	371 507	494 510
37 One or both parents foreign.....	{M F 7,350 1,995 1,537	1,995 451 189	451 189	299 182	132 111	111 2,878	2,878 2,878	289 175	175 329	374 466	374 506	506
38 Parentage unknown 1.....	{M F 2,534 2,187	129 83	11 16	3 5	3 3	3 9	114 146	2,416 116	264 11	190 11	268 33	466 49
39 Foreign.....	14,155	15	20	4	12	14	65	66	65	144	479	872
40 Males.....	8,186	12	10	1	8	7	38	43	32	78	258	509
41 Females.....	5,969	3	10	3	4	7	27	23	33	66	221	363
42 Unknown.....	956	39	6	2	1	-----	48	10	6	17	25	54
43 Males.....	716	23	4	1	1	-----	29	3	3	12	44	44
44 Females.....	240	16	2	1	-----	19	7	3	5	8	8	10
45 Colored.....	1,217	134	41	25	14	15	229	37	40	83	88	119
46 Males.....	716	67	26	14	9	10	126	23	15	50	54	61
47 Females.....	501	67	15	11	5	5	103	14	25	33	34	58
48 Negro.....	{M F 560 369	49 53	18 11	9 6	6 2	6 2	88 74	12 5	7 14	35 16	45 26	49 46
49 Indian.....	{M F 146 130	18 14	8 4	5 5	3 3	4 3	38 29	11 9	8 11	15 17	9 7	10 12
50 Chinese.....	{M F 7 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2
51 Japanese.....	{M F 1 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
52 Other colored.....	{M F 2 2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

1 Both parents unknown or one parent unknown and one native.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

187

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEASED: 1918—Continued.

of soldiers, sailors, and marines.]

DEATHS AT AGE OF—															Deaths at un- known age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
5,609	4,588	3,619	3,626	3,556	3,705	4,135	4,348	4,351	3,665	2,666	1,456	567	127	21	29	1
3,130	2,635	2,068	2,052	1,903	2,022	2,216	2,222	2,122	1,679	1,150	570	194	39	7	22	2
2,479	1,953	1,551	1,574	1,653	1,683	1,919	2,126	2,229	1,986	1,516	886	373	88	14	7	3
5,512	4,466	3,526	3,547	3,481	3,632	4,071	4,297	4,309	3,628	2,652	1,445	562	126	19	28	4
3,073	2,561	2,009	2,007	1,857	1,989	2,181	2,202	2,098	1,664	1,143	566	193	39	6	21	5
2,439	1,905	1,517	1,540	1,624	1,663	1,890	2,095	2,211	1,984	1,509	879	369	87	13	7	6
2,895	2,204	1,723	1,675	1,614	1,840	2,203	2,253	2,251	2,058	1,652	941	392	85	7	3	7
1,569	1,247	966	882	825	1,002	1,194	1,227	1,125	917	702	356	131	24	-----	1	8
1,326	1,267	757	793	789	1,009	1,009	1,026	1,126	1,141	950	585	261	61	7	2	9
598	481	340	335	304	440	619	752	764	639	516	265	90	16	-----	1	10
524	375	288	306	328	389	468	604	762	804	712	438	198	49	6	1	11
893	668	558	472	439	437	431	272	150	94	48	15	6	1	-----	1	11
710	526	423	414	394	345	408	257	165	117	65	26	10	1	-----	1	12
83	98	68	75	82	125	144	203	211	184	138	76	35	7	-----	1	12
92	56	66	73	67	104	133	165	199	220	173	121	53	11	1	1	1
2,579	2,226	1,764	1,828	1,820	1,746	1,824	1,996	2,023	1,548	984	501	166	40	12	6	13
1,474	1,284	1,018	1,090	995	928	952	944	950	738	434	210	61	15	6	4	14
1,105	942	746	738	825	818	872	1,052	1,073	810	550	291	105	25	6	2	15
38	36	39	44	47	46	44	48	35	22	16	3	4	1	-----	19	16
30	30	25	35	37	39	35	31	23	9	7	-----	1	-----	-----	16	17
8	6	14	9	10	7	9	17	12	13	9	3	3	1	-----	3	18
97	122	93	79	75	73	64	51	42	37	14	11	5	1	2	1	19
57	74	59	45	46	53	35	20	24	15	7	4	1	-----	1	1	20
40	48	34	34	29	20	29	31	18	22	7	7	1	1	-----	1	21
51	63	45	38	38	47	32	18	23	15	7	3	1	1	1	1	22
38	47	33	32	29	20	29	30	18	22	1	1	1	1	1	1	23
5	1	1	2	-----	1	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	24
2	11	13	7	5	3	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	25
1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	26
3,142	2,498	1,940	2,018	2,157	2,555	2,918	3,236	3,619	3,285	2,295	1,289	425	97	14	158	27
1,730	1,390	1,106	1,155	1,197	1,482	1,677	1,852	2,002	1,783	1,146	636	206	44	7	106	28
1,412	1,108	834	863	960	1,073	1,241	1,384	1,617	1,502	1,149	653	219	53	7	52	29
3,044	2,389	1,880	1,942	2,089	2,505	2,876	3,208	3,586	3,261	2,272	1,275	419	94	10	155	30
1,665	1,333	1,069	1,109	1,161	1,451	1,648	1,835	1,983	1,767	1,131	627	201	43	4	105	31
1,379	1,066	811	833	938	1,054	1,228	1,373	1,603	1,494	1,141	648	218	51	6	50	32
2,065	1,465	1,121	1,131	1,144	1,475	1,634	1,790	2,004	1,721	1,219	669	227	42	4	54	33
1,048	714	573	595	581	813	907	1,012	1,088	904	584	321	108	20	1	27	34
1,017	751	548	536	563	662	727	778	916	817	635	348	119	22	3	27	35
469	310	247	239	253	368	399	501	549	447	299	158	48	11	1	14	36
470	339	250	218	256	287	353	406	468	407	343	205	66	9	1	16	36
467	300	255	243	225	272	302	249	190	161	78	37	10	-----	10	9	37
426	322	226	239	213	237	220	178	182	138	87	34	12	1	1	3	38
112	104	71	113	103	173	206	262	349	296	207	126	50	9	12	1	2
121	90	72	79	94	138	164	194	266	272	205	109	41	12	1	1	38
913	869	702	757	802	959	1,172	1,333	1,511	1,485	1,003	586	183	49	4	46	39
566	566	451	469	529	576	685	753	845	833	519	292	88	22	3	31	40
347	303	251	288	363	383	487	580	666	652	484	294	95	27	1	15	41
66	65	57	54	63	71	70	85	71	55	50	20	9	3	2	55	42
51	53	45	45	51	62	56	70	50	30	28	14	5	1	2	47	43
15	12	12	9	12	9	14	15	21	25	22	6	4	2	2	8	44
98	99	60	76	58	50	42	28	33	24	23	14	6	3	4	3	45
65	57	37	46	36	31	29	17	19	16	15	9	5	1	2	3	46
33	42	23	30	22	19	13	11	14	8	8	5	1	2	1	2	47
53	53	31	45	29	26	23	15	14	11	12	5	3	1	2	1	48
32	33	21	24	16	14	11	7	11	7	7	3	1	-----	1	1	49
12	2	4	1	5	5	2	4	3	1	1	2	1	2	1	1	49
1	8	2	6	6	5	2	4	3	1	1	2	1	1	1	1	50
-----	2	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	51
-----	1	-----	1	-----	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	52

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths .

AREA, SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF												
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.		
REGISTRATION STATES—Continued.															
MINNESOTA.															
1	Total.....	31,109	3,968	821	473	297	238	5,797	837	786	1,288	1,780	2,315		
2	Males.....	17,222	2,256	400	275	168	131	3,230	435	386	695	819	1,154		
3	Females.....	13,887	1,712	421	198	129	107	2,567	402	390	503	961	1,161		
4	White.....	30,709	3,911	805	464	293	235	5,708	820	771	1,262	1,755	2,291		
5	Males.....	17,005	2,224	395	271	165	129	3,184	423	389	684	806	1,143		
6	Females.....	13,704	1,587	410	193	128	108	2,524	397	382	578	949	1,147		
7	Native.....	19,492	3,893	796	455	290	232	5,666	788	737	1,183	1,511	1,759		
8	Males.....	10,320	2,217	391	265	162	128	3,163	405	374	639	673	795		
9	Females.....	9,172	1,676	405	190	128	104	2,503	383	363	524	538	964		
10	Both parents native.....	(M) 4,307 (F) 3,678	1,325 993	201 198	142 106	77 63	50 54	1,804 1,414	187 179	162 141	237 236	206 224			
11	One or both parents foreign.....	(M) 5,226 (F) 4,841	840 622	181 201	119 81	82 65	66 50	1,288 1,019	210 198	207 217	390 329	446 564	527 628		
12	Parentage unknown ¹	(M) 787 (F) 653	622 61	52 6	9 3	4 3	3 3	71 70	8 6	5 5	12 9	21 38	38 52		
13	Foreign.....	10,784	7	7	7	2	2	25	23	26	88	232	513		
14	Males.....	6,340	4	3	4	2	1	14	13	11	33	125	333		
15	Females.....	4,444	3	4	3	1	1	11	10	15	50	107	180		
16	Unknown.....	433	11	2	2	1	1	17	9	8	11	12	19		
17	Males.....	345	3	1	2	1	1	7	5	4	7	8	16		
18	Females.....	88	8	1	1	1	1	10	4	4	4	4	3		
19	Colored.....	400	57	16	9	4	3	89	17	15	26	25	24		
20	Males.....	217	32	5	4	3	2	46	12	7	11	13	10		
21	Females.....	183	25	11	5	1	1	43	5	8	15	12	14		
22	Negro.....	(M) 113 (F) 83	18	3	1	2	1	20	1	1	2	7	3		
23	Indian.....	(M) 97 (F) 100	19	2	3	1	1	6	6	4	11		
24	Chinese.....	(M) 6 (F)	23	8	3	1	1	26	11	6	9	6	3		
25	Japanese.....	(M) 1 (F)	37	5	8	9	8	3		
26	Other colored.....	(M) (F)	1		
MISSOURI.															
27	Total.....	53,311	5,937	1,784	956	656	440	9,773	1,500	1,243	2,232	3,053	3,827		
28	Males.....	28,983	3,259	939	530	331	224	5,283	764	642	1,195	1,361	1,757		
29	Females.....	24,328	2,678	845	426	325	216	4,490	736	601	1,037	1,692	1,870		
30	White.....	48,465	5,499	1,619	851	593	409	8,971	1,357	1,132	1,989	2,695	3,235		
31	Males.....	28,398	3,022	849	466	302	204	4,843	692	587	1,036	1,213	1,569		
32	Females.....	22,067	2,477	770	385	291	205	4,128	665	545	903	1,482	1,666		
33	Native.....	41,007	5,480	1,613	848	586	406	8,933	1,330	1,099	1,886	2,485	2,896		
34	Males.....	21,892	3,014	847	464	297	202	4,824	676	573	1,026	1,086	1,372		
35	Females.....	19,115	2,456	766	384	289	204	4,109	654	526	860	1,399	1,524		
36	Both parents native.....	(M) 14,108 (F) 12,542	2,548 2,058	728 641	409 335	257 236	177 178	4,119 3,448	580 561	435 448	844 674	797 1,019	909 1,007		
37	One or both parents foreign.....	(M) 3,716 (F) 3,129	307 252	89 90	40 35	30 39	18 20	484 436	66 71	55 46	104 108	162 201	254 282		
38	Parentage unknown ¹	(M) 4,068 (F) 3,444	159 156	30 35	15 14	10 14	7 6	221 225	30 22	33 32	78 78	127 179	209 235		
39	Foreign.....	6,007	2	3	2	5	1	13	20	24	62	135	253		
40	Males.....	3,471	1	1	2	3	1	8	12	10	31	75	140		
41	Females.....	2,536	1	2	1	2	1	5	8	14	31	60	118		
42	Unknown.....	1,451	17	3	1	2	2	25	7	9	41	75	81		
43	Males.....	1,085	7	1	2	1	1	11	4	4	29	52	57		
44	Females.....	416	10	2	1	1	1	14	3	5	12	23	24		
45	Colored.....	4,846	438	165	105	63	31	802	143	111	249	358	392		
46	Males.....	2,585	237	90	64	29	20	440	72	55	109	148	188		
47	Females.....	2,261	201	75	41	34	11	362	71	56	134	210	204		
48	Negro.....	(M) 2,565 (F) 2,253	234 199	90 74	64 41	29 34	20 11	437 359	72 71	55 58	108 134	147 1	187 204		
49	Indian.....	(M) 3 (F) 2	1	1	1	1	1		
50	Chinese.....	(M) 9 (F) 9	1	1	1	1	1	1		
51	Japanese.....	(M) 1 (F) 1	1	1	1	1	1		
52	Other colored.....	(M) 7 (F) 5	2	1	1	1	1	4		

¹ Both parents unknown or one parent unknown and one native.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

189

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths of

AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—											
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	
REGISTRATION STATES—Continued.													
MONTANA.													
1	Total.....	8,985	1,027	201	125	103	79	1,535	224	184	370	566	976
2	Males.....	5,787	617	114	67	49	32	879	127	96	217	291	594
3	Females.....	3,198	410	87	58	54	47	666	97	88	153	275	382
4	White.....	8,736	990	189	120	100	77	1,476	220	176	362	548	962
5	Males.....	5,633	593	108	65	46	31	843	126	92	212	231	555
6	Females.....	3,103	397	81	55	54	46	633	94	84	150	267	377
7	Native.....	5,890	987	187	118	99	72	1,463	208	160	320	429	656
8	Males.....	3,498	591	107	64	45	30	837	118	83	189	201	363
9	Females.....	2,392	396	80	54	54	42	626	90	77	131	228	303
10	Both parents native.....	(M.) 1,564 (F.) 1,162	359 237	58 52	42 35	21 38	19 26	499	58	43	109	84	136
11	One or both parents foreign.....	(M.) 1,200 (F.) 839	213 144	45 27	20 17	24 13	10 15	312	53	36	68	33	142
12	Parentage unknown ¹	(M.) 734 (F.) 391	19 15	4 1	2 2	1 3	1 1	216	40	33	52	96	111
13	Foreign.....	2,357	2	1	-----	1	3	7	10	15	34	95	257
14	Males.....	1,713	2	-----	-----	1	-----	3	7	8	16	65	192
15	Females.....	644	-----	1	-----	-----	3	4	3	7	18	30	65
16	Unknown.....	489	1	1	2	-----	2	6	2	1	8	24	49
17	Males.....	422	-----	1	1	-----	1	3	1	1	7	15	40
18	Females.....	67	1	-----	1	-----	1	3	1	1	1	9	9
19	Colored.....	249	37	12	5	3	2	59	4	8	8	18	14
20	Males.....	154	24	6	2	3	1	36	1	4	5	10	9
21	Females.....	95	13	6	3	-----	1	23	3	4	3	8	5
22	Negro.....	(M.) 48 (F.) 29	5 1	1	-----	-----	-----	6	-----	1	1	2	4
23	Indian.....	(M.) 61 (F.) 61	16 10	4 5	2	3	1	28	1	2	4	8	4
24	Chinese.....	(M.) 25 (F.) 1	-----	1	-----	-----	1	3	3	2	1	1	3
25	Japanese.....	(M.) 18 (F.) 4	3 2	-----	-----	-----	2	3	1	-----	-----	-----	-----
26	Other colored.....	(M.) 2 (F.) -----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
NEW HAMPSHIRE.													
27	Total.....	9,531	1,094	272	117	94	71	1,648	171	169	311	451	739
28	Males.....	4,983	632	142	58	46	35	913	88	93	171	217	357
29	Females.....	4,598	462	130	59	48	36	735	83	76	140	234	382
30	White.....	9,564	1,093	272	117	94	71	1,647	171	168	311	451	738
31	Males.....	4,974	632	142	58	46	35	913	88	92	171	217	357
32	Females.....	4,590	461	130	59	48	36	784	83	76	140	234	381
33	Native.....	7,115	1,073	264	111	88	68	1,604	160	144	253	327	491
34	Males.....	3,666	621	137	57	42	33	890	85	81	143	155	227
35	Females.....	3,449	452	127	54	46	35	714	75	63	110	172	264
36	Both parents native.....	(M.) 1,807 (F.) 1,726	236 181	42 46	21 21	15 12	6 11	320	39	36	69	70	104
37	One or both parents foreign.....	(M.) 1,098 (F.) 1,033	345 245	88 75	35 33	27 32	26 21	271	27	28	46	82	94
38	Parentage unknown ¹	(M.) 761 (F.) 690	40 26	7 6	1 2	1 3	1 3	521	42	41	58	61	125
39	Foreign.....	2,032	3	5	5	4	2	19	7	15	48	103	210
40	Males.....	1,082	3	4	1	3	1	12	2	5	21	51	106
41	Females.....	970	-----	1	4	1	1	7	5	10	27	52	104
42	Unknown.....	417	17	3	1	2	1	24	4	9	10	21	37
43	Males.....	246	8	1	-----	1	1	11	1	6	7	11	24
44	Females.....	171	9	2	1	1	-----	13	3	3	3	10	13
45	Colored.....	17	1	-----	-----	-----	1	-----	1	-----	-----	-----	1
46	Males.....	9	-----	-----	-----	-----	1	-----	1	-----	-----	-----	1
47	Females.....	8	1	-----	-----	-----	1	-----	-----	-----	-----	-----	1
48	Negro.....	(M.) 6 (F.) 8	-----	1	-----	-----	1	-----	-----	-----	-----	-----	1
49	Indian.....	(M.) 1 (F.) 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
50	Chinese.....	(M.) 2 (F.) 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
51	Japanese.....	(M.) 1 (F.) 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
52	Other colored.....	(M.) 1 (F.) 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

¹ Both parents unknown or one parent unknown and one native.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

191

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1918—Continued.

of soldiers, sailors, and marines.]

DEATHS AT AGE OF—															Deaths at un- known age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,047	872	578	486	406	370	377	308	234	204	125	73	17	5	1	27	1
714 333	638 234	422 156	346 140	293 113	285 105	274 103	225 83	136 98	125 79	73 52	41 32	9 8	1 4	1 1	21 6	2
1,026	847	565	474	395	359	365	297	229	200	119	69	16	5	—	26	4
704 322	620 227	414 151	338 136	285 110	257 102	286 99	216 81	131 98	123 77	69 50	40 29	9 7	1 4	—	21 5	5
615	482	273	241	194	187	190	147	135	106	58	34	5	2	—	5	7
373 242	320 142	176 97	151 90	131 63	129 58	130 60	108 39	82 53	58 48	33 25	22 12	1 4	1 1	—	2 3	8
160 98 128 91 85 53	123 62 109 48 88 32	62 36 56 36 58 25	53 33 42 33 41 24	50 24 35 19 39 20	41 20 35 18 57 23	38 19 35 13 57 17	33 12 18 9 7 17	34 28 14 9 35 20	17 26 5 2 6 16	16 14 2 1 1 8	6 7 1 1 1 7	— — — — — 3	— — — — — 3	2 3 11 12	10	
349	310	241	190	159	143	140	126	87	84	59	33	9	3	—	6	13
232 67	233 77	194 47	147 43	117 42	100 43	102 38	85 41	43 44	58 28	34 25	18 15	6 3	— 3	—	5 1	14 15
62	75	51	43	42	29	35	24	7	10	2	2	2	2	—	15	16
49 13	67 8	44 7	40 3	37 1	28 1	34 1	23 1	6 1	9 1	2 —	2 2	2 —	2 —	—	14 1	17 18
21	25	13	12	11	11	12	11	5	4	6	4	1	—	1	1	19
10 11	18 7	8 5	8 4	8 3	8 3	8 4	9 2	5 —	2 2	4 2	1 3	1 1	— —	1 1	— —	20 21
2 5	2 6	5 3	5 2	5 1	5 1	4 1	5 1	2 1	1 1	1 1	1 1	1 1	— —	— —	— —	22
5 5	3 1	1 1	1 1	3 2	2 3	1 3	2 1	2 1	2 2	2 1	1 1	1 1	— —	1 1	— —	23
2 1	9 1	2 1	— —	1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	24
1	1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	25
607	463	344	386	362	420	523	631	703	632	525	289	110	20	3	74	27
311 296	253 210	178 166	199 187	186 176	221 199	291 232	364 267	378 325	299 333	227 298	133 156	44 66	5 15	— 3	55 19	28 29
605	461	344	385	360	418	522	631	702	632	525	289	110	20	2	72	30
310 295	253 208	178 166	198 187	185 175	220 198	290 232	364 267	377 325	299 333	227 298	133 156	44 66	5 15	— 2	53 19	31 32
368	287	213	237	201	279	365	438	496	474	422	225	95	18	1	17	33
170 198	148 139	105 108	123 114	102 99	160 119	200 165	248 190	273 223	226 248	172 250	104 121	37 58	5 13	— 1	12 5	34 35
79 91 66 72 25 35 21 204	79 75 47 43 22 15	56 58 21 35 28 31	67 57 26 21 16 30	46 63 16 23 28 31	89 66 107 23 18 31	118 103 134 23 11 8	151 134 147 16 9 3	164 147 147 15 9 7	127 125 147 15 6 3	105 105 147 91 7 6	62 75 36 64 40 40	21 36 8 1 16 19	3 1 — 1 2 4	— — — — — 1	2 37 8 5 38 5	
118 86	93 63	64 51	63 61	71 72	51 71	73 55	98 69	89 85	64 69	45 40	25 29	6 7	— 1	— 1	5 5	40 41
33	18	16	24	16	17	29	26	32	25	18	10	2	1	—	45	42
22 11	12 6	9 7	12 4	9 8	17 12	18 8	18 17	15 16	9 16	10 8	4 6	1 1	— 1	— 1	36 9	43 44
2	2	— —	1	2	2	1	— —	1	— —	— —	— —	— —	— —	1	2	45
1 1	2	— —	1	1	1	1	— —	1	— —	— —	— —	— —	— —	1	2	46 47
1 1	2	— —	1	1	1	1	— —	1	— —	— —	— —	— —	— —	1	1	48 49
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	50 51 52

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—												
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.		
REGISTRATION STATES—Continued.														
NEW JERSEY.														
1	Total.....	60,988	8,371	2,681	1,281	761	602	13,896	1,610	1,077	2,029	3,454	4,811	
2	Males.....	32,776	4,730	1,345	648	375	299	7,397	837	520	1,045	1,480	2,454	
3	Females.....	28,213	3,641	1,336	633	386	303	6,299	773	557	984	1,974	2,357	
4	White.....	57,408	7,853	2,481	1,189	705	559	12,787	1,505	1,002	1,875	3,201	4,567	
5	Males.....	30,928	4,460	1,241	600	344	273	6,923	791	484	974	1,358	2,333	
6	Females.....	26,540	3,393	1,240	589	361	281	5,864	714	518	901	1,843	2,234	
7	Native.....	39,372	7,815	2,457	1,182	695	551	12,700	1,452	911	1,577	2,229	2,777	
8	Males.....	20,608	4,441	1,226	594	339	271	6,871	763	446	809	922	1,360	
9	Females.....	18,769	3,374	1,231	588	356	280	5,829	689	465	768	1,307	1,417	
10	Both parents native.....	{ M F 9,935 9,289 1,344	1,700 390 186	374 411 223	176 223 111	112 177 102	92 177 102	2,454 3,621 2,133	291 262 212	201 361 623	403 708 700	487 703 700		
11	One or both parents foreign.....	{ M F 9,428 8,469 1,972	2,672 1,972 69	842 833 10	411 397 7	223 245 4	173 177 6	4,321 3,624 13	459 414 96	286 379 27	392 616 638	577 638 638		
12	Parentage unknown ¹	{ M F 1,240 1,011 58	1,240 1,011 8	69 58 5	10 8 5	4 1 1	13 13 13	9 8 8	27 20 20	48 68 68	80 79 79	80 79 79		
13	Foreign.....	17,410	15	18	2	7	4	46	45	83	284	935	1,737	
14	Males.....	9,835	9	11	2	4	4	30	22	34	160	412	942	
15	Females.....	7,575	6	7	3	3	16	23	49	49	124	523	795	
16	Unknown.....	686	23	6	5	3	4	41	8	8	14	37	53	
17	Males.....	490	10	4	1	1	3	22	6	4	5	24	31	
18	Females.....	196	13	2	1	2	1	19	2	4	9	13	22	
19	Colored.....	3,520	518	200	92	56	43	909	105	75	154	253	244	
20	Males.....	1,848	270	104	48	31	21	474	46	36	71	122	121	
21	Females.....	1,672	248	96	44	25	22	435	59	39	83	131	123	
22	Negro.....	{ M F 1,818 1,669 247	270 96	101 44	31 25	21 22	471 434	46 59	36 39	70 83	121 131	118 123		
23	Indian.....	{ M F 1 26	26	3	—	—	—	—	—	—	—	—	—	
24	Chinese.....	{ M F 3 2	26 3	1	—	—	—	3 1	—	—	1 1	—	3	
25	Japanese.....	{ M F 2 1	2	—	—	—	—	—	—	—	—	—	—	
26	Other colored.....	{ M F 1 —	—	—	—	—	—	—	—	—	—	—	—	
NEW YORK.														
27	Total.....	190,764	23,452	7,072	3,148	2,119	1,535	37,326	4,425	3,347	5,768	9,773	13,690	
28	Males.....	101,513	13,361	3,721	1,636	1,064	741	20,523	2,299	1,621	3,042	4,356	6,805	
29	Females.....	89,251	10,091	3,351	1,512	1,055	794	18,303	2,128	1,726	2,726	5,417	6,885	
30	White.....	185,340	22,716	6,818	3,048	2,048	1,487	36,115	4,319	3,251	5,554	9,337	13,161	
31	Males.....	98,521	12,951	3,593	1,590	1,024	721	19,879	2,249	1,577	2,933	4,124	6,513	
32	Females.....	86,819	9,785	3,225	1,456	1,024	766	16,236	2,070	1,674	2,621	5,213	6,648	
33	Native.....	123,588	22,615	6,788	3,022	2,021	1,459	35,905	4,153	2,929	4,654	6,393	7,897	
34	Males.....	64,929	12,904	3,579	1,578	1,010	700	19,771	2,162	1,427	2,452	2,812	3,734	
35	Females.....	58,659	9,711	3,209	1,444	1,011	759	16,134	1,991	1,502	2,202	3,581	4,163	
36	Both parents native.....	{ M F 29,506 26,992 3,958	5,427 427 965	1,063 328 272	507 590 653	345 272 440	249 272 11,765	7,591 5,950 1,295	838 737 791	618 625 1,209	1,196 1,058 1,353	1,353 1,654 1,818		
37	One or both parents foreign.....	{ M F 31,363 28,341 5,491	7,151 2,214 2,214	2,471 1,004 674	1,050 653 485	653 440 9,888	440 862 1,242	11,765 1,295 1,242	838 862 882	618 1,209 1,07	1,196 1,353 1,833	1,353 1,818 2,108		
38	Parentage unknown ¹	{ M F 4,000 3,326 262	21 12 30	45 13 13	21 9 9	12 11 2	11 11 316	415 415 12	29 18 15	47 47 37	106 106 94	147 147 116		
39	Foreign.....	60,482	53	27	22	25	27	154	156	311	881	2,893	5,199	
40	Males.....	32,635	23	11	11	13	20	78	80	139	465	1,276	2,728	
41	Females.....	27,847	30	16	11	12	7	76	76	172	416	1,617	2,471	
42	Unknown.....	1,270	48	3	2	2	1	56	10	11	19	51	65	
43	Males.....	957	24	3	1	1	1	30	7	11	16	36	51	
44	Females.....	313	24	—	1	—	—	26	3	—	3	15	14	
45	Colored.....	5,424	736	254	102	71	48	1,211	106	96	214	436	529	
46	Males.....	2,992	410	128	46	40	20	644	50	44	109	232	292	
47	Females.....	2,432	326	126	56	31	28	567	56	52	105	204	237	
48	Negro.....	{ M F 2,669 2,358	396 316	120 121	45 55	39 27	18 27	618 546	46 53	41 48	94 101	207 199	242 227	
49	Indian.....	{ M F 78 68	8 10	7 5	1 1	1 3	2 1	19 20	4 2	3 3	8 9	8 9	7 9	
50	Chinese.....	{ M F 179 17	3 1	3 1	1 —	— —	— —	4	2 2	3 3	4 5	4 9	9 25	
51	Japanese.....	{ M F 57 7	2 1	— —	— —	1 —	— —	2	1 1	1 1	7 1	7 1	17 1	
52	Other colored.....	{ M F 9 —	1 —	— —	— —	— —	— —	1	1 1	1 1	1 1	1 1	1 1	

¹ Both parents unknown or one parent unknown and one native.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

193

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEASED: 1918—Continued.

of soldiers, sailors, and marines.]

DEATHS AT AGE OF—																Deaths at unknown age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
4,707	3,545	2,933	2,864	2,875	2,870	3,015	3,024	3,008	2,526	1,707	819	299	53	12	54	1
2,731 1,976	2,164 1,381	1,811 1,122	1,748 1,118	1,684 1,191	1,695 1,175	1,693 1,322	1,560 1,464	1,483 1,525	1,223 1,293	745 962	319 500	108 191	20 33	6 6	50 4	2 3
4,446	3,286	2,698	2,665	2,696	2,705	2,893	2,923	2,897	2,461	1,670	789	294	46	9	53	4
2,579 1,867	2,014 1,272	1,681 1,017	1,625 1,040	1,594 1,102	1,604 1,265	1,628 1,425	1,498 1,465	1,432 1,284	1,197 938	732 485	304 188	106 30	16 3	6 4	49 4	5 6
2,462	1,651	1,375	1,352	1,439	1,463	1,595	1,600	1,600	1,468	1,006	493	184	31	4	3	7
1,345 1,117	951 700	813 562	750 602	810 629	853 610	894 701	820 780	790 810	703 765	427 579	195 298	68 116	10 21	2 2	1 2	8 9
723	482	382	320	386	444	514	537	557	513	327	150	52	7	1	1	10
603	379	259	282	304	303	393	533	576	576	441	234	99	15	—	—	—
542	392	364	367	338	317	288	194	114	86	43	11	7	1	—	—	11
456	274	256	276	269	255	236	164	144	109	73	19	9	3	1	1	12
480	77	67	63	86	92	92	89	119	104	57	34	9	2	1	—	12
58	47	47	44	56	52	72	83	90	80	65	45	8	3	1	—	12
1,923	1,564	1,271	1,263	1,204	1,202	1,255	1,286	1,275	965	649	293	107	15	5	3	13
1,191 732	999 565	828 443	832 431	744 460	722 480	651 553	630 635	630 645	480 485	299 350	107 186	38 69	6 9	4 1	2 1	14 15
61	71	52	50	53	40	48	37	22	28	15	3	3	—	—	47	16
43 18	64 7	40 12	43 7	40 13	29 11	32 11	27 10	12 10	14 14	6 9	2 1	3 —	—	—	46 1	17 18
261	259	235	199	179	165	122	101	111	65	37	30	5	7	3	1	19
152 109	150 109	130 105	121 78	90 89	91 74	65 57	62 39	51 60	31 34	13 24	15 15	2 3	4 3	—	1 2	20 21
149 109	147 108	129 104	119 78	83 89	90 74	64 57	60 39	49 60	31 34	13 24	15 15	2 3	4 3	—	1 2	22
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
3	1 1 2	1 1	2	5	1	1	2	2	—	—	—	—	—	—	—	24
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
13,190	10,904	9,293	9,433	10,127	10,206	11,003	11,118	10,664	9,302	6,264	3,326	1,140	278	39	148	27
7,471 5,719	6,463 4,441	5,499 3,794	5,489 3,944	5,746 4,381	5,652 4,554	5,934 5,069	5,781 5,337	5,348 5,316	4,524 4,778	2,881 3,383	1,426 1,900	431 709	101 177	12 27	109 39	28 29
12,681	10,410	8,901	9,121	9,871	10,006	10,816	10,956	10,533	9,207	6,219	3,300	1,129	274	37	142	30
7,169 5,512	6,162 4,248	5,266 3,635	5,286 3,835	5,599 4,272	5,548 4,458	5,828 4,988	5,702 5,254	5,279 5,254	4,483 4,724	2,864 3,355	1,416 1,884	430 699	100 174	11 26	103 39	31 32
7,187	5,512	4,688	4,866	5,131	5,492	5,983	5,879	5,525	5,064	3,639	1,847	638	153	16	37	33
3,938 3,249	3,123 2,389	2,688 2,000	2,745 2,121	2,782 2,349	2,978 2,514	3,185 2,798	3,081 2,798	2,802 2,798	2,453 2,723	1,676 1,963	792 1,055	245 393	56 97	6 10	21 16	34 35
1,934 1,620 1,854 1,498 150 131	1,493 1,128 1,449 1,105 181 156	1,102 841 1,433 1,047 153 112	1,041 830 1,534 1,177 209 142	1,065 940 1,508 1,267 209 114	1,239 974 1,489 1,349 250 191	1,436 1,280 1,427 1,287 322 261	1,727 1,528 970 790 322 310	1,709 1,647 970 715 384 361	1,593 1,744 449 505 425 361	1,111 1,392 236 254 411 317	528 746 87 116 177 193	173 276 5 42 55 75	38 71 5 15 13 6	4 3 6 1 2 4	8 9 3 3 2 4	36 37 38
5,400	4,793	4,120	4,132	4,625	4,428	4,750	5,002	4,933	4,088	2,538	1,424	486	115	21	33	39
3,155 2,245	2,947 1,846	2,499 1,621	2,442 1,690	2,723 1,902	2,505 1,923	2,575 2,175	2,571 2,431	2,430 2,503	1,999 2,089	1,167 1,371	613 811	182 304	41 74	5 16	15 18	40 41
94	105	93	123	115	86	83	75	75	55	42	29	5	6	—	72	42
76 18	92 13	79 14	99 24	94 21	65 15	68 25	50 28	47 31	31 24	21 21	11 18	3 2	3 3	3 2	67 54	43 44
509	494	392	312	256	200	187	162	131	95	45	26	11	4	2	6	45
302 207	301 193	233 159	203 109	147 109	104 96	106 81	79 83	69 62	41 54	17 28	10 16	1 10	1 3	1 1	6 47	46
257 203	264 189	206 154	184 107	128 105	90 96	85 79	71 61	65 53	38 27	16 15	9 10	1 3	1 1	1 1	6 48	49
4 4	4 3	2 4	1 4	3 4	— —	6 2	2 4	1 2	2 1	1 1	1 1	1 1	1 1	1 1	1 1	50
25	22	20	18	16	13	15	4	2	1	—	—	—	—	—	—	51
15	10	4	—	1	—	—	2	—	—	—	—	—	—	—	—	52
1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	52

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—												
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 ye. rs.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.		
REGISTRATION STATES—Continued.															
NORTH CAROLINA															
1	Total.....	42,274	7,686	2,894	1,244	727	467	13,018	1,478	1,137	2,259	2,709	2,432		
2	Males.....	20,800	4,262	1,504	639	344	244	6,993	700	550	1,111	1,089	1,010		
3	Females.....	21,474	3,424	1,390	605	383	223	6,025	778	587	1,148	1,620	1,422		
4	White.....	24,907	4,424	1,662	765	411	255	7,517	811	561	1,056	1,286	1,376		
5	Males.....	12,457	2,496	891	396	185	127	4,095	408	286	553	494	582		
6	Females.....	12,450	1,928	771	369	226	128	3,422	403	275	503	792	794		
7	Native.....	24,317	4,400	1,647	760	410	250	7,467	803	554	1,042	1,262	1,337		
8	Males.....	12,119	2,483	879	393	184	124	4,063	403	281	545	480	562		
9	Females.....	12,198	1,917	768	387	226	126	3,404	400	273	497	782	775		
10	Both parents native.....	(M.) 10,684 (F.) 10,721	2,400 1,856	855 744	384 353	177 210	119 122	3,935 3,285	391 389	269 261	511 465	432 701	496 694		
11	One or both parents foreign.....	(M.) 126 (F.) 121	11 7	3 3	1 4	2 2	2 1	19 18	1 10	5 11	6 12	3 8	3 7		
12	Parentage unknown ¹	(M.) 1,309 (F.) 1,356	72 54	21 21	8 10	5 14	3 4	109 103	11 11	12 8	29 27	42 74	63 77		
13	Foreign.....	214	2	1	3	1	2	12	13		
14	Males.....	144	2	1	2	1	1	8	8		
15	Females.....	70	1	1	1	1	1	4	5		
16	Unknown.....	376	24	13	5	1	4	47	8	6	12	12	26		
17	Males.....	194	13	10	3	1	3	30	5	5	7	6	12		
18	Females.....	182	11	3	2	1	17	3	1	5	6	14		
19	Colored.....	17,367	3,262	1,232	479	316	212	5,501	667	576	1,203	1,423	1,056		
20	Males.....	8,343	1,766	613	243	159	117	2,898	292	264	558	595	428		
21	Females.....	9,024	1,496	619	236	157	95	2,603	375	312	645	828	628		
22	Negro.....	(M.) 8,253 (F.) 8,930	1,741 1,481	595 600	288 231	157 155	117 94	2,848 2,561	289 369	262 309	554 640	593 821	426 623		
23	Indian.....	(M.) 89 (F.) 25	25 18	5 5	2 2	50 42	3 6	2 3	4 5	2 7	2 5		
24	Chinese.....	(M.) 94 (F.) 1	15 1	19 1	5 2	2 1		
25	Japanese.....	(M.) 704 (F.) 704		
26	Other colored.....	(M.) 94 (F.) 1		
OHIO.															
27	Total.....	92,356	11,727	2,840	1,377	901	668	17,513	2,098	1,692	2,988	4,803	6,377		
28	Males.....	50,711	6,702	1,482	676	444	345	9,649	1,115	875	1,619	2,250	3,303		
29	Females.....	41,645	5,025	1,358	701	457	323	7,864	983	817	1,369	2,553	3,074		
30	White.....	87,714	11,174	2,669	1,295	859	648	16,645	1,989	1,584	2,765	4,455	5,988		
31	Males.....	48,025	6,394	1,397	643	423	335	9,192	1,056	817	1,497	2,069	3,093		
32	Females.....	39,689	4,780	1,272	652	436	313	7,453	913	787	1,268	2,386	2,895		
33	Native.....	69,184	11,128	2,657	1,286	850	640	16,561	1,910	1,515	2,544	3,593	4,478		
34	Males.....	36,598	6,368	1,393	629	416	331	9,147	1,023	787	1,386	1,577	2,147		
35	Females.....	32,586	4,760	1,264	647	434	309	7,414	887	728	1,158	2,016	2,331		
36	Both parents native.....	(M.) 22,094 (F.) 20,356	4,129 3,021	893 739	390 413	280 286	204 196	5,896 4,655	704 579	589 550	1,043 881	1,120 1,438	1,393 1,545		
37	One or both parents foreign.....	(M.) 9,800 (F.) 8,664	2,092 1,637	486 507	240 232	132 142	124 110	3,074 2,628	307 292	277 164	228 228	332 443	579 603		
38	Parentage unknown ¹	(M.) 4,704 (F.) 3,566	147 102	14 18	9 2	4 6	3 3	177 131	12 14	28 49	66 140	116 183	175 183		
39	Foreign.....	16,852	18	4	3	8	8	41	54	58	202	801	1,425		
40	Males.....	10,089	12	1	2	6	4	25	31	24	97	451	880		
41	Females.....	6,763	6	3	1	2	4	16	23	34	105	350	545		
42	Unknown.....	1,678	28	8	6	1	43	5	11	19	61	85		
43	Males.....	1,338	14	3	2	1	20	2	6	14	41	66		
44	Females.....	340	14	5	4	23	3	5	5	5	20	19		
45	Colored.....	4,642	553	171	82	42	20	868	129	108	223	348	389		
46	Males.....	2,988	308	85	33	21	10	457	59	58	122	181	210		
47	Females.....	1,956	245	86	49	21	10	411	70	50	101	167	179		
48	Negro.....	(M.) 2,664 (F.) 1,952	308 245	84 86	33 49	21 21	10	454 411	59 70	58 50	121 101	177 165	208 179		
49	Indian.....	(M.) 1 (F.) 1		
50	Chinese.....	(M.) 20 (F.) 8	2	1	3	1	4	2		
51	Japanese.....	(M.) 1 (F.) 1	1	1		
52	Other colored.....	(M.) 1 (F.) 1	1	1		

¹ Both parents unknown or one parent unknown and one native.

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—											
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.		
REGISTRATION STATES—Continued.													
OREGON.													
1	Total.....	9,679	907	197	100	84	49	1,337	220	194	334	498	639
2	Males.....	5,721	504	103	51	43	25	726	131	119	187	251	330
3	Females.....	3,958	403	94	49	41	24	611	89	75	147	247	309
4	White.....	9,329	864	183	96	79	46	1,268	212	188	322	476	607
5	Males.....	5,491	483	96	51	40	22	692	128	116	184	240	316
6	Females.....	3,838	381	87	45	39	24	576	84	72	138	236	291
7	Native.....	7,044	862	183	95	76	46	1,262	206	180	298	416	458
8	Males.....	3,955	481	96	51	39	22	689	123	112	170	200	222
9	Females.....	3,089	381	87	44	37	24	573	83	68	128	216	236
10	Both parents native.....	(M.) 2,052 (F.) 1,630	338 261	70 61	36 33	24 22	14 18	482 395	79 52	74 42	120 84	124 115	110 128
11	One or both parents foreign.....	(M.) 812 (F.) 673	108 97	24 19	14 10	10 5	5	161 146	40 24	29 24	37 31	55 60	68 59
12	Parentage unknown ¹	(M.) 1,091 (F.) 786	35 23	2 7	1 1	5 3	3	46 32	4 7	9 2	13 13	21 41	49 49
13	Foreign.....	1,935	1	1	2	4	6	8	18	46	131
14	Males.....	1,254	1	1	2	5	4	9	31	31
15	Females.....	681	1	1	2	1	4	9	15	50
16	Unknown.....	350	1	1	2	6	14	18
17	Males.....	282	1	1	5	9	13
18	Females.....	68	1	1	1	5	5
19	Colored.....	350	43	14	4	5	3	69	8	6	12	22	32
20	Males.....	230	21	7	3	3	34	3	3	3	11	14
21	Females.....	120	22	7	4	2	35	5	3	9	11	18
22	Negro.....	(M.) 21 (F.) 22	1 4	1	1	2	2	2	
23	Indian.....	(M.) 63 (F.) 52	8 6	3 4	2	2	2	13 14	3 2	2 2	5 4	1 1	
24	Chinese.....	(M.) 82 (F.) 11	1 2	1 1	1	1	2	2 4	1 1	1 1	1 1	2 2	
25	Japanese.....	(M.) 63 (F.) 34	11 10	3 1	1	1	3	17 12	1 1	1 2	4 6	8 9	
26	Other colored.....	(M.) 1 (F.) 1	1	
PENNSYLVANIA.													
27	Total.....	187,951	28,299	8,362	4,134	2,531	1,911	45,237	4,983	3,477	6,542	10,872	15,320
28	Males.....	104,581	16,116	4,379	2,104	1,257	972	24,828	2,552	1,717	3,388	5,218	8,358
29	Females.....	83,370	12,183	3,983	2,030	1,274	939	20,409	2,431	1,760	3,154	5,654	6,962
30	White.....	179,016	27,121	7,942	3,927	2,430	1,815	43,235	4,760	3,282	6,128	10,152	14,511
31	Males.....	99,437	15,483	4,164	1,993	1,215	926	23,781	2,447	1,625	3,159	4,822	7,904
32	Females.....	79,579	11,638	3,778	1,934	1,215	889	19,454	2,322	1,657	2,969	5,330	6,607
33	Native.....	134,182	27,014	7,902	3,897	2,407	1,795	43,015	4,642	3,105	5,444	7,479	9,366
34	Males.....	70,639	15,419	4,112	1,974	1,201	914	23,650	2,382	1,541	2,800	3,337	4,605
35	Females.....	68,543	11,595	3,700	1,923	1,206	881	19,365	2,260	1,564	2,644	4,142	4,761
36	Both parents native.....	(M.) 39,833 (F.) 36,486	7,706 5,676	1,834 1,003	882 834	540 533	400 414	11,362 9,060	1,231 1,147	871 903	1,766 1,666	2,102 2,526	2,871 2,880
37	One or both parents foreign.....	(M.) 25,892 (F.) 22,543	7,414 5,617	2,248 2,116	1,061 1,000	647 662	501 457	11,871 9,912	1,114 1,064	636 636	949 895	1,086 1,395	1,434 1,595
38	Parentage unknown ¹	(M.) 5,414 (F.) 4,514	299 302	60 41	31 29	14 11	13 10	417 393	37 49	34 25	85 83	169 221	300 288
39	Foreign.....	42,404	34	20	16	17	14	101	105	156	624	2,539	4,936
40	Males.....	26,910	19	11	10	11	7	58	51	72	324	1,394	3,146
41	Females.....	15,494	15	9	6	6	7	43	51	84	300	1,145	1,790
42	Unknown.....	2,430	73	20	14	6	6	119	22	21	60	134	209
43	Males.....	1,888	45	11	9	5	3	73	11	12	35	91	153
44	Females.....	542	28	9	5	3	1	46	11	9	25	43	56
45	Colored.....	8,935	1,178	420	207	101	96	2,002	214	195	414	720	809
46	Males.....	5,144	633	215	111	42	46	1,047	105	92	229	396	454
47	Females.....	3,791	545	205	96	59	50	955	109	103	185	324	355
48	Negro.....	5,064	633	215	111	42	46	1,047	105	92	226	389	443
49	Indian.....	(M.) 4 (F.) 2	1	1	1	7	2
50	Chinese.....	(M.) 66 (F.) 6	1	1	3	1	1
51	Japanese.....	(M.) 4 (F.) 1	4	1	7	1	1
52	Other colored.....	(M.) 6 (F.) 6	2	2	2

¹ Both parents unknown or one parent unknown and one native.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

197

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEASED: 1918—Continued.

of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—												
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.		
REGISTRATION STATES—Continued.															
RHODE ISLAND.															
1	Total.....	12,407	1,947	542	289	160	108	3,046	315	190	349	594	865		
2	Males.....	6,473	1,100	292	148	79	50	1,669	178	94	172	230	413		
3	Females.....	5,934	847	250	141	81	58	1,377	137	96	177	364	452		
4	White.....	12,021	1,882	519	277	151	108	2,937	304	182	333	564	841		
5	Males.....	6,271	1,073	281	142	75	50	1,621	175	90	162	215	397		
6	Females.....	5,750	809	238	135	76	58	1,316	129	92	171	349	444		
7	Native.....	8,029	1,805	498	274	148	107	2,832	283	161	268	362	501		
8	Males.....	4,194	1,084	277	142	73	49	1,605	165	78	188	145	219		
9	Females.....	3,835	741	221	132	75	58	1,227	118	83	130	217	282		
10	Both parents native.....	(M.) 1,650 (F.) 1,607	298 213	63 44	23 27	22 21	14 19	420 324	46 34	26 21	48 40	44 71	82 114		
11	One or both parents foreign.....	(M.) 2,364 (F.) 2,115	723 501	211 176	117 104	50 54	35 39	1,136 874	114 84	51 61	88 85	97 143	129 165		
12	Parentage unknown ¹	(M.) 180 (F.) 113	43 27	3 1	2 1	1 1	— —	49 29	5 1	1 2	4 3	8 8	8 8		
13	Foreign.....	3,884	67	17	3	2	1	90	21	21	62	201	335		
14	Males.....	2,009	2	1	—	1	1	5	10	12	22	69	176		
15	Females.....	1,875	65	16	—	3	1	85	11	9	40	132	159		
16	Unknown.....	108	10	4	—	—	1	—	15	—	—	3	1		
17	Males.....	68	7	3	—	—	1	—	11	—	—	2	1		
18	Females.....	40	3	1	—	—	—	4	—	—	—	1	3		
19	Colored.....	386	65	23	12	9	—	109	11	8	16	30	24		
20	Males.....	202	27	11	6	4	—	48	3	4	10	15	16		
21	Females.....	184	38	12	6	5	—	61	8	4	6	15	8		
22	Negro.....	(M.) 192 (F.) 176	27 36	11 11	6 6	3 5	—	47 58	3 8	4 4	10 6	15 15	16 8		
23	Indian.....	(M.) 2 (F.) 3	—	1	—	—	1	—	1	—	—	—	—		
24	Chinese.....	(M.) 8 (F.) 5	—	1	1	—	—	2	—	—	—	—	—		
25	Japanese.....	(M.) 5 (F.) 5	—	—	—	—	—	—	—	—	—	—	—		
26	Other colored.....	(M.) 5 (F.) 5	—	—	—	—	—	—	—	—	—	—	—		
SOUTH CAROLINA.															
27	Total.....	30,761	6,031	2,013	938	563	415	9,960	1,216	999	1,916	2,202	1,777		
28	Males.....	15,212	3,346	1,062	443	281	205	5,337	598	492	953	877	717		
29	Females.....	15,549	2,655	951	495	282	210	4,623	618	507	963	1,325	1,060		
30	White.....	11,152	1,959	718	297	189	118	3,281	344	261	518	596	593		
31	Males.....	5,630	1,114	371	131	98	69	1,783	162	134	279	219	243		
32	Females.....	5,522	845	347	166	91	49	1,498	182	127	239	377	350		
33	Native.....	10,804	1,948	714	296	187	118	3,263	337	255	514	583	566		
34	Males.....	5,424	1,106	368	130	98	69	1,771	156	131	276	210	229		
35	Females.....	5,380	842	346	166	89	49	1,492	181	124	238	373	337		
36	Both parents native.....	(M.) 4,622 (F.) 4,531	1,063 810	353 335	125 161	94 88	65 49	1,700 1,443	148 170	123 118	250 217	183 320	187 288		
37	One or both parents foreign.....	(M.) 100 (F.) 119	8 12	3 3	1 1	— —	— —	13 16	2 2	1 1	6 6	1 6	4 6		
38	Parentage unknown ¹	(M.) 702 (F.) 680	35 20	12 8	4 4	3 1	— —	58 33	6 9	7 6	20 20	26 47	38 43		
39	Foreign.....	167	—	—	—	—	—	—	—	1	2	7	10		
40	Males.....	100	—	—	—	—	—	—	—	—	2	7	7		
41	Females.....	67	—	—	—	—	—	—	—	1	—	—	3		
42	Unknown.....	181	11	4	1	2	—	18	7	5	2	6	17		
43	Males.....	106	8	3	1	—	—	12	6	3	1	2	7		
44	Females.....	75	3	1	—	2	—	6	1	2	1	4	10		
45	Colored.....	19,609	4,072	1,295	641	374	297	6,679	872	738	1,398	1,606	1,184		
46	Males.....	9,582	2,232	691	312	183	136	3,554	436	358	674	658	474		
47	Females.....	10,027	1,840	604	329	191	161	3,125	436	380	724	948	710		
48	Negro.....	(M.) 9,577 (F.) 10,022	2,230 1,839	691 604	312 329	183 191	136 161	3,552 3,124	435 435	358 380	673 723	658 947	473 710		
49	Indian.....	(M.) 4 (F.) 5	—	—	—	—	—	1	1	—	1	—	1		
50	Chinese.....	(M.) 4 (F.) 5	—	—	—	—	—	1	1	—	1	—	1		
51	Japanese.....	(M.) 4 (F.) 5	—	—	—	—	—	1	—	—	—	—	—		
52	Other colored*.....	(M.) 1 (F.) 1	—	—	—	—	—	1	—	—	—	—	—		

¹ Both parents unknown or one parent unknown and one native.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

199

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEASED: 1918—Continued.

of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—												
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.		
REGISTRATION STATES—Continued.														
TENNESSEE.														
1 Total.....	37,134	4,761	1,793	921	624	463	8,562	1,352	1,165	2,162	2,574	2,331		
2 Males.....	18,861	2,649	919	451	316	231	4,566	662	568	1,075	1,103	1,011		
3 Females.....	18,273	2,112	874	470	308	232	3,996	680	597	1,087	1,471	1,320		
4 White.....	25,949	3,618	1,343	697	464	344	6,466	958	765	1,283	1,526	1,451		
5 Males.....	13,293	2,015	701	346	234	188	3,479	492	406	652	617	656		
6 Females.....	12,656	1,603	642	351	230	161	2,987	466	359	641	909	795		
7 Native.....	24,506	3,583	1,330	686	456	341	6,396	942	756	1,266	1,470	1,366		
8 Males.....	12,360	1,996	696	341	233	182	3,448	478	400	630	593	603		
9 Females.....	12,146	1,587	634	345	223	159	2,948	464	356	636	887	763		
10 Both parents native.....	(M.) 9,716 (F.) 9,736	1,862 1,453	662 601	323 327	219 213	171 147	3,237 2,741	443 442	375 384	570 557	510 748	502 634		
11 One or both parents foreign.....	(M.) 278 (F.) 241	15 20	10 3	-----	3 1	-----	28 25	2 4	3 3	8 6	7 17	8 17		
12 Parentage unknown ¹	(M.) 2,366 (F.) 2,169	119 114	24 30	18 18	11 9	11 11	183 182	33 18	22 19	52 73	66 122	93 112		
13 Foreign.....	428	-----	1	3	1	-----	5	2	1	3	11	21		
14 Males.....	258	-----	-----	2	1	-----	2	2	1	3	9	11		
15 Females.....	170	-----	1	1	1	-----	3	-----	-----	2	2	10		
16 Unknown.....	1,015	35	12	8	7	3	65	14	8	24	45	64		
17 Males.....	675	19	5	3	1	1	29	12	5	19	25	42		
18 Females.....	340	16	7	5	6	2	36	2	3	5	20	22		
19 Colored.....	11,185	1,143	450	224	160	119	2,096	394	400	869	1,048	880		
20 Males.....	5,568	634	218	105	82	48	1,087	170	162	423	486	355		
21 Females.....	5,617	509	232	119	78	71	1,009	224	238	446	562	525		
22 Negro.....	(M.) 5,560 (F.) 5,613	634 509	218 232	105 119	82 78	48 71	1,087 1,009	170 224	182 238	422 446	485 562	352 524		
23 Indian.....	(M.) 6 (F.) 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	3		
24 Chinese.....	(M.) 2 (F.) 2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1		
25 Japanese.....	(M.) 1 (F.) 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
26 Other colored.....	(M.) 1 (F.) 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
UTAH.														
27 Total.....	6,172	926	186	112	73	51	1,348	239	193	331	406	549		
28 Males.....	3,489	501	90	61	40	29	721	138	118	193	213	298		
29 Females.....	2,683	425	96	51	33	22	627	101	75	138	193	251		
30 White.....	5,986	905	179	105	71	49	1,309	234	189	325	390	528		
31 Males.....	3,352	457	84	57	38	28	694	135	117	189	204	285		
32 Females.....	2,634	418	95	48	33	21	615	99	72	136	186	243		
33 Native.....	4,323	897	176	104	70	49	1,296	222	176	310	332	427		
34 Males.....	2,368	482	83	56	38	28	687	127	113	179	163	214		
35 Females.....	1,960	415	93	48	32	21	609	95	63	131	169	213		
36 Both parents native.....	(M.) 1,311 (F.) 1,128	377 320	59 72	41 37	29 24	22 12	528 465	90 67	81 46	109 94	88 93	96 100		
37 One or both parents foreign.....	(M.) 852 (F.) 712	104 92	24 19	15 11	8 7	6 9	157 138	34 28	31 17	66 36	60 73	100 97		
38 Parentage unknown ¹	(M.) 200 (F.) 120	1 3	2 2	1 1	1 1	2 6	138 6	1 3	1 1	4 6	15 3	18 16		
39 Foreign.....	1,557	8	3	1	1	1	13	12	12	13	48	90		
40 Males.....	897	5	1	1	-----	-----	7	8	4	9	32	62		
41 Females.....	660	3	2	-----	1	-----	6	4	8	4	16	28		
42 Unknown.....	106	-----	-----	-----	-----	-----	-----	1	2	10	11	-----		
43 Males.....	92	-----	-----	-----	-----	-----	-----	-----	1	1	9	9		
44 Females.....	14	-----	-----	-----	-----	-----	-----	-----	1	1	1	2		
45 Colored.....	186	21	7	7	2	2	39	5	4	6	16	21		
46 Males.....	137	14	6	4	2	1	27	3	1	4	9	13		
47 Females.....	49	7	1	3	1	1	12	2	3	2	7	8		
48 Negro.....	(M.) 20 (F.) 9	2	1	-----	-----	-----	1	-----	-----	4	4	4		
49 Indian.....	(M.) 50 (F.) 22	7	3	2	2	-----	2	3	1	2	5	1		
50 Chinese.....	(M.) 8 (F.) 1	2	1	3	2	-----	14	2	3	4	1	2		
51 Japanese.....	(M.) 58 (F.) 18	6	4	2	1	1	11	-----	-----	4	4	2		
52 Other colored.....	(M.) 1 (F.) 1	-----	-----	-----	-----	-----	5	-----	-----	4	4	5		

¹ Both parents unknown or one parent unknown and one native.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

201

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEASED: 1918—Continued.

of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—											
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	
REGISTRATION STATES—Continued.													
VERMONT.													
1 Total.....	6,803	698	139	61	42	42	982	107	127	232	323	402	
2 Males.....	3,655	400	76	30	20	18	544	54	69	121	155	224	
3 Females.....	3,148	298	63	31	22	24	438	53	58	111	168	178	
4 White.....	6,800	697	139	61	42	42	981	106	127	232	323	402	
5 Males.....	3,655	400	76	30	20	18	544	54	69	121	155	224	
6 Females.....	3,145	297	63	31	22	24	437	52	58	111	168	178	
7 Native.....	5,316	690	138	57	40	42	967	99	116	212	260	282	
8 Males.....	2,803	397	75	27	19	18	536	49	64	108	116	144	
9 Females.....	2,503	298	63	30	21	24	431	50	52	104	144	138	
10 Both parents native.....	(M) F	1,761 1,602	253 189	51 35	15 17	10 13	339	30	50	75	73	101	
11 One or both parents foreign.....	(M) F	673 607	123 89	22 26	10 13	8 5	171	30 18	32 14	73 30	95 40	78 35	
12 Parentage unknown ¹	(M) F	369 354	21 15	2 2	1 1	1 1	143	17	19	25	43	52	
13 Foreign.....		1,356	3	4	2	9	5	9	18	63	
14 Males.....		800	1	3	1	5	4	3	12	39	
15 Females.....		556	2	1	1	4	1	6	6	39	
16 Unknown.....		78	4	1	5	2	2	2	4	
17 Males.....		52	2	1	3	1	2	1	3	
18 Females.....		26	2	2	1	1	1	1	
19 Colored.....		3	1	1	1	
20 Males.....		
21 Females.....		3	1	1	1	
22 Negro.....	(M) F	3	1	1	1	
23 Indian.....	(M) F	1	1	
24 Chinese.....	(M) F	
25 Japanese.....	(M) F	
26 Other colored.....	(M) F	
VIRGINIA.													
27 Total.....	41,272	6,491	1,877	987	586	402	10,343	1,231	1,064	2,070	2,705	2,745	
28 Males.....	20,967	3,545	942	500	262	203	5,452	599	475	1,064	1,220	1,262	
29 Females.....	20,305	2,946	935	487	324	199	4,891	632	539	1,006	1,485	1,483	
30 White.....	24,687	3,743	1,056	581	341	236	5,957	704	569	1,065	1,519	1,654	
31 Males.....	12,804	2,069	507	284	167	121	3,148	330	272	577	726	806	
32 Females.....	11,883	1,674	549	297	174	115	2,809	334	297	488	793	848	
33 Native.....	23,425	3,687	1,041	575	334	234	5,871	694	559	1,035	1,437	1,537	
34 Males.....	11,955	2,036	498	280	162	119	3,095	345	265	558	666	717	
35 Females.....	11,470	1,651	543	295	172	115	2,776	349	294	477	771	820	
36 Both parents native.....	(M) F	9,978 9,944	1,904 1,542	461 513	264 282	151 163	114 106	2,894 2,606	332 327	248 267	522 435	572 686	602 715
37 One or both parents foreign.....	(M) F	394 375	52 62	21 14	8 6	6 3	2 6	89 91	5 9	7 11	8 14	17 15	23 29
38 Parentage unknown ¹	(M) F	1,583 1,151	80 47	16 16	8 7	5 6	3 3	112 79	8 13	10 16	28 23	77 70	92 76
39 Foreign.....		716	2	1	1	1	5	2	12	45	64
40 Males.....		475	2	1	1	1	5	1	9	30	44
41 Females.....		241	1	1	3	15	20	
42 Unknown.....		546	54	14	5	7	1	81	10	8	18	37	53
43 Males.....		374	31	8	3	5	1	48	5	6	10	30	45
44 Females.....		172	23	6	2	2	33	5	2	8	7	8
45 Colored.....		16,585	2,748	821	406	245	166	4,386	527	495	1,005	1,186	1,091
46 Males.....		8,163	1,476	435	216	95	82	2,304	249	203	487	494	456
47 Females.....		8,422	1,272	386	190	150	84	2,082	278	292	518	692	635
48 Negro.....	(M) F	8,143	1,476	435	216	95	82	2,304	249	202	486	493	453
49 Indian.....	(M) F	6	2,081	278	292	518	691	635
50 Chinese.....	(M) F	7	1	1	1	1	
51 Japanese.....	(M) F	12	1	
52 Other colored.....	(M) F	1	1	

¹ Both parents unknown or one parent unknown and one native.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

203

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEASED: 1918—Continued.

of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

[This table excludes the deaths

AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—									
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
REGISTRATION STATES—Continued.											
WASHINGTON.											
1 Total.....	16,837	1,769	327	172	149	113	2,530	435	384	743	1,011
2 Males.....	9,978	1,028	183	97	85	53	1,446	243	199	409	506
3 Females.....	6,859	741	144	75	64	60	1,084	192	135	334	505
4 White.....	15,985	1,637	289	162	123	99	2,310	399	348	682	945
5 Males.....	9,475	958	161	90	75	49	1,333	222	182	371	469
6 Females.....	6,510	679	128	72	48	50	977	177	166	311	476
7 Native.....	11,289	1,629	284	157	119	94	2,283	379	325	620	791
8 Males.....	6,250	954	158	85	72	45	1,314	208	172	333	375
9 Females.....	5,039	675	126	72	47	49	969	171	153	287	416
10 Both parents native.....	{M. F.	3,345 2,784	641 458	93 82	47 47	31 25	855 639	129 113	109 92	192 177	186 225
11 One or both parents foreign.....	{M. F.	1,744 1,500	288 200	62 44	35 23	29 18	428 309	73 53	53 44	117 140	137 178
12 Parentage unknown ¹	{M. F.	1,161 805	25 17	3 2	3 2	24 21	31 6	6 10	24 13	49 40	84 62
13 Foreign.....		4,222	7	4	5	3	4	23	20	22	50
14 Males.....	2,813	3	3	5	3	3	17	14	9	28	80
15 Females.....	1,409	4	1	—	—	1	6	6	13	22	53
16 Unknown.....		474	1	1	—	1	1	4	—	1	12
17 Males.....	412	1	—	—	—	1	2	—	1	10	14
18 Females.....	62	—	1	—	—	1	2	—	2	7	9
19 Colored.....		852	132	38	10	26	14	220	36	36	61
20 Males.....	503	70	22	7	10	4	113	21	17	38	37
21 Females.....	349	62	16	3	16	10	107	15	19	23	29
22 Negro.....	{M. F.	78 58	5 5	—	—	—	5	2	3	5	4
23 Indian.....	{M. F.	204 186	41 32	13 11	6 1	5 1	69 60	15 8	12 18	24 16	17 11
24 Chinese.....	{M. F.	44 6	1 1	—	—	—	2	—	1	—	1
25 Japanese.....	{M. F.	165 99	22 24	8 5	1 2	5 3	37	4	1	5	18
26 Other colored.....	{M. F.	12	1	—	—	—	1	—	—	1	2
WISCONSIN.											
27 Total.....		34,992	4,810	987	541	364	326	7,028	872	743	1,281
28 Males.....		19,203	2,742	545	297	198	161	3,943	455	381	714
29 Females.....		15,789	2,068	442	244	166	165	3,085	417	362	567
30 White.....		34,700	4,780	976	537	360	321	6,974	862	728	1,266
31 Males.....		19,043	2,722	538	29	196	159	3,910	451	374	708
32 Females.....		15,657	2,058	438	242	164	162	3,064	411	354	558
33 Native.....		22,721	4,749	971	533	357	317	6,927	840	705	1,181
34 Males.....		12,163	2,700	534	295	195	159	3,883	438	362	661
35 Females.....		10,558	2,049	437	238	162	158	3,044	402	343	520
36 Both parents native.....	{M. F.	5,066 4,300	1,624 216	269 132	175 94	109 86	79 86	2,256 1,744	242 194	201 175	289 220
37 One or both parents foreign.....	{M. F.	5,813 5,365	959 748	245 207	117 105	82 63	80 71	1,483 1,194	188 201	150 157	330 272
38 Parentage unknown ¹	{M. F.	1,284 893	117 85	20 14	3 1	4 5	1 1	144 106	8 7	11 11	42 28
39 Foreign.....		11,309	3	1	—	—	2	6	15	19	71
40 Males.....		6,395	2	1	—	—	2	3	8	10	38
41 Females.....		4,914	1	—	—	—	2	3	7	9	33
42 Unknown.....		670	28	4	4	3	2	41	7	4	14
43 Males.....		485	20	3	—	1	—	24	5	2	9
44 Females.....		185	8	1	4	2	2	17	2	2	5
45 Colored.....		292	30	11	4	4	5	54	10	15	15
46 Males.....		160	20	7	2	2	2	33	4	7	6
47 Females.....		132	10	4	2	3	2	21	6	8	8
48 Negro.....	{M. F.	78 56	8 4	—	1	1	—	12 7	—	2	4
49 Indian.....	{M. F.	81 74	12 6	7 3	2 1	—	—	21 14	1 5	4 6	4 3
50 Chinese.....	{M. F.	1 1	—	—	—	—	—	—	—	—	—
51 Japanese.....	{M. F.	1 1	—	—	—	—	—	—	—	—	1
52 Other colored.....	{M. F.	—	—	—	—	—	—	—	—	—	—

¹ Both parents unknown or one parent unknown and one native.

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

205

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEASED: 1918—Continued.

of soldiers, sailors, and marines.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

(This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

AREA AND COLOR.	All causes.	DEATHS FROM—												
		Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
SUMMARY.														
1 The registration area (exclusive of Hawaii) (total).....	1,445,158	10,167	2,534	338	8,223	2,335	18,728	11,183	234,290	2,579	107,602	5,874	7,728	4,144
2 White.....	1,287,425	8,132	1,288	278	7,550	2,310	11,087	10,770	211,590	2,477	88,278	5,345	6,389	3,683
3 Colored.....	157,733	2,035	1,246	60	673	25	2,641	413	22,700	102	19,324	529	1,339	481
4 Registration states ¹ (total).....	1,404,116	9,684	2,332	304	7,968	2,302	18,464	10,987	228,120	2,498	104,256	5,751	7,499	4,053
5 White.....	1,259,565	7,818	1,216	263	7,333	2,278	10,907	10,608	206,837	2,406	86,280	5,253	6,262	3,625
6 Colored.....	144,551	1,866	1,116	41	635	24	2,557	381	21,283	92	17,996	498	1,237	428
7 Cities in registration states ¹ (total).....	741,187	3,279	325	92	3,846	1,184	5,708	6,632	109,583	1,275	53,695	3,922	3,953	1,885
8 White.....	679,702	2,824	170	71	3,657	1,170	4,946	6,492	103,456	1,222	45,911	3,588	3,299	1,729
9 Colored.....	61,485	455	155	21	189	14	762	150	6,127	53	7,784	336	654	156
10 Rural part of registration states (total).....	662,929	6,405	2,007	212	4,122	1,118	7,756	4,355	118,587	1,223	50,561	1,829	3,546	2,168
11 White.....	579,883	4,994	1,046	192	3,676	1,108	5,961	4,124	103,381	1,184	40,349	1,667	2,963	1,896
12 Colored.....	83,066	1,411	961	20	448	10	1,795	231	15,156	39	10,212	162	583	272
13 Registration cities in nonregistration states (total).....	41,042	483	202	34	255	33	264	196	6,170	81	3,346	123	229	91
14 White.....	27,860	314	72	15	217	32	180	164	4,753	71	2,018	92	127	58
15 Colored.....	13,182	169	130	19	38	1	84	32	1,417	10	1,328	31	102	33
16 All registration cities ¹ (total).....	782,229	3,762	527	126	4,101	1,217	5,972	6,828	115,753	1,356	57,041	4,045	4,182	1,976
17 White.....	707,562	3,138	242	86	3,874	1,202	5,126	6,846	108,209	1,293	47,929	3,678	3,426	1,787
18 Colored.....	74,667	624	285	40	227	15	846	7,544	63	367	756	367	756	189
REGISTRATION STATES.														
19 California (total).....	56,488	196	41	3	163	59	307	281	9,675	58	5,429	281	336	120
20 White.....	52,770	166	37	2	153	56	278	219	8,991	54	4,879	231	298	115
21 Colored.....	8,718	30	4	1	10	3	29	12	684	4	4,550	50	38	5
22 Colorado (total).....	17,546	140	13	50	37	146	81	4,126	40	2,072	64	52	45
23 White.....	17,141	138	13	47	37	142	81	4,050	40	1,989	63	51	43
24 Colored.....	405	2	3	4	4	78	83	1	1	1	2	2
25 Connecticut (total).....	27,240	72	3	89	37	269	204	5,604	47	1,737	168	128	44
26 White.....	26,550	69	3	87	35	257	201	5,517	46	1,652	163	118	42
27 Colored.....	890	3	2	2	2	12	3	87	1	85	5	10	2
28 Illinois (total).....	100,396	519	81	15	317	149	696	1,142	15,189	183	7,691	328	560	313
29 White.....	95,831	438	73	10	317	149	648	1,121	14,721	176	6,934	294	490	302
30 Colored.....	4,565	31	8	5	48	21	448	7	757	34	70	11	11
31 Indiana (total).....	45,993	400	33	22	144	125	503	431	5,553	121	3,479	184	385	155
32 White.....	43,940	389	29	19	140	124	479	425	5,430	121	3,165	173	352	146
33 Colored.....	2,053	11	4	3	4	1	24	6	123	314	11	33	9
34 Kansas (total).....	25,053	291	21	26	256	71	220	112	4,073	61	905	29	93	90
35 White.....	23,490	265	17	26	252	71	204	108	3,864	61	744	25	82	87
36 Colored.....	1,563	26	4	4	16	6	209	161	4	11	3	3
37 Kentucky (total).....	39,632	649	109	12	344	46	891	325	7,149	97	4,234	188	322	109
38 White.....	32,972	538	82	11	329	45	751	311	6,388	90	3,218	162	253	89
39 Colored.....	6,500	111	27	1	15	1	140	14	761	7	1,016	26	69	20
40 Louisiana (total).....	32,201	709	526	18	350	5	358	97	5,312	37	3,078	37	179	87
41 White.....	31,822	580	240	7	231	5	159	63	2,508	36	1,070	28	65	44
42 Colored.....	16,379	329	286	11	119	197	34	2,806	1	2,008	9	114	43
43 Maine (total).....	14,499	58	2	99	12	59	61	2,513	26	747	80	96	41
44 White.....	14,443	58	2	99	12	59	61	2,499	26	743	78	96	40
45 Colored.....	56	14	4	2	1	1
46 Maryland (total).....	32,134	238	6	138	20	464	135	4,437	29	2,659	108	180	83
47 White.....	24,329	184	5	107	18	263	123	3,531	25	1,745	87	83	57
48 Colored.....	7,805	84	1	31	2	201	12	908	4	914	21	77	26
49 Massachusetts (total).....	77,248	153	5	1	508	73	690	590	12,494	150	5,184	417	369	142
50 White.....	75,887	147	5	1	497	73	678	586	12,320	148	4,995	399	355	140
51 Colored.....	1,381	6	11	14	4	174	4	189	18	14	2	2
52 Michigan (total).....	53,320	332	8	16	252	178	492	685	6,382	133	3,089	198	280	192
53 White.....	52,103	328	7	15	248	178	478	683	6,225	132	2,915	190	271	187
54 Colored.....	1,217	4	1	1	4	14	187	1	174	8	8	9	5
55 Minnesota (total).....	31,109	87	1	10	99	154	310	288	5,720	106	2,093	176	175	129
56 White.....	30,709	86	1	10	99	154	298	286	5,673	104	2,008	171	171	129
57 Colored.....	400	1	17	2	47	2	85	5	4	4	4
58 Missouri (total).....	53,311	664	278	83	374	94	523	465	7,025	125	4,447	144	289	163
59 White.....	48,465	599	259	80	352	93	469	448	6,702	122	3,647	127	230	157
60 Colored.....	4,846	65	19	3	22	1	54	17	323	3	800	17	59	6
61 Montana (total).....	8,985	53	2	6	18	71	64	45	2,654	22	442	32	30	18
62 White.....	8,736	48	2	6	18	71	64	45	2,583	20	414	31	29	16
63 Colored.....	249	5	71	2	28	2	26	1	1	2
64 New Hampshire (total).....	9,581	20	2	46	8	100	37	1,999	13	473	34	47	12
65 White.....	9,564	20	2	46	8	100	37	1,996	13	470	34	47	12
66 Colored.....	17	3	3	3	3	3	3	3

¹ Including District of Columbia.

DEATHS FROM PRINCIPAL CAUSES.

207

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918

[footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

AREA AND COLOR.	All causes.	DEATHS FROM—													
		Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	
		1	2	3	4	5	6	7	8	9	(12)	13	14	15	
REGISTRATION STATES—Continued.															
1 New Jersey (total).....	60,988	167	11	1	542	52	567	498	8,377	74	4,295	263	228	171	
2 White.....	57,468	152	11	1	520	52	475	491	8,021	73	3,936	251	200	159	
3 Colored.....	3,520	15			22		92	7	356	1	359	12	28	12	
4 New York (total).....	190,764	579	35	2	1,339	311	1,257	1,751	21,903	342	15,007	1,150	807	545	
5 White.....	185,340	565	34	2	1,314	308	1,207	1,721	21,403	336	14,186	1,098	755	527	
6 Colored.....	5,424	14	1		25	3	50	30	500	6	821	52	52	18	
7 North Carolina (total).....	42,274	568	189	3	308	23	705	251	7,948	68	3,133	65	214	141	
8 White.....	24,807	305	75	2	255	20	355	202	4,794	58	1,470	45	100	78	
9 Colored.....	17,367	263	114	1	53	3	350	49	3,154	10	1,663	20	114	63	
10 Ohio (total).....	92,356	760	24	22	244	165	672	515	13,542	162	6,557	403	639	274	
11 White.....	87,714	709	18	19	229	163	620	508	13,033	157	5,864	373	584	266	
12 Colored.....	4,642	51	6	3	15	2	52	7	449	5	693	30	55	8	
13 Oregon (total).....	9,679	73	1		53	15	48	32	1,584	18	561	42	71	30	
14 White.....	9,329	70	1		53	15	47	31	1,488	16	507	32	66	29	
15 Colored.....	350	3						1	1	76	2	54	10	5	1
16 Pennsylvania (total).....	187,951	928	18	2	831	174	1,521	1,784	39,301	229	11,401	690	853	454	
17 White.....	179,016	878	15	1	815	172	1,416	1,763	38,182	223	10,301	648	774	438	
18 Colored.....	8,935	50	3	1	16	2	105	21	1,139	6	1,100	42	79	16	
19 Rhode Island (total).....	12,407	34	1	1	125	25	157	102	2,190	31	910	84	84	24	
20 White.....	12,021	34	1	1	124	25	150	101	2,146	30	842	79	77	24	
21 Colored.....	386				1		7	1	44	1	68	5	7		
22 South Carolina (total).....	30,761	583	528	2	290	4	754	139	5,964	40	2,228	27	105	61	
23 White.....	11,152	204	95		115	4	204	91	2,045	31	2,488	10	26	19	
24 Colored.....	19,609	379	431	2	175		550	48	3,919	9	1,742	17	79	42	
25 Tennessee (total).....	37,134	699	325	16	407	44	557	277	6,281	66	4,303	107	367	157	
26 White.....	25,949	499	170	11	369	44	404	247	4,702	62	2,518	77	213	102	
27 Colored.....	11,185	200	155	5	38		153	30	1,579	4	1,785	30	154	55	
28 Utah (total).....	6,172	41		10	34	50	59	72	1,402	28	178	9	22	38	
29 White.....	5,986	41		10	34	50	52	72	1,342	28	163	9	20	36	
30 Colored.....	186						7		60		15		2	2	
31 Vermont (total).....	6,803	30	1		16	11	47	26	1,352	16	312	27	29	19	
32 White.....	6,800	30	1		16	11	47	26	1,351	16	312	27	29	19	
33 Colored.....	3								1						
34 Virginia (total).....	41,272	402	81	4	277	23	719	216	7,839	59	3,728	126	239	151	
35 White.....	24,687	246	29	1	225	21	338	168	5,282	50	1,765	81	114	82	
36 Colored.....	16,585	156	52	3	52	2	381	48	2,557	9	1,963	45	125	69	
37 Washington (total).....	16,837	98	2	4	60	55	71	83	2,926	34	1,123	104	114	50	
38 White.....	15,985	95	2	4	54	53	63	81	2,748	33	979	92	106	49	
39 Colored.....	852	3			6	2	8	2	178	1	144	12	8	1	
40 Wisconsin (total).....	34,992	97		12	165	201	197	272	6,250	74	2,088	157	186	175	
41 White.....	34,700	96		11	163	201	194	272	6,190	74	2,040	157	184	175	
42 Colored.....	292	1		1	2		3		60		48		2		
REGISTRATION CITIES.															
ALABAMA, ¹															
43 Registration cities (total).....	6,697	94	31	3	39	3	57	21	866	12	491	16	47	11	
44 White.....	3,176	35	6	2	30	3	34	16	522	8	132	6	8	5	
45 Colored.....	3,521	59	25	1	9		23	5	344	4	359	10	39	6	
46 Birmingham (total).....	4,346	62	21	2	28	3	52	9	617	11	310	13	39	8	
47 White.....	2,056	23	4	1	20	3	31	7	370	7	79	5	7	4	
48 Colored.....	2,290	39	17	1	8		21	2	247	4	231	8	32	4	
49 Mobile (total).....	1,430	13	9		7		3	5	201	1	125	1	5	2	
50 White.....	761	8	2		6		2	5	122	1	40	1	1		
51 Colored.....	689	5	7		1		1		79		85		5	1	
52 Montgomery (total).....	921	19	1	1	4		2	7	48		56	2	3	1	
53 White.....	359	4	1	1	4		1	4	30		13	1	2		
54 Colored.....	562	15	1				1	3	18		43	2	2	1	
CALIFORNIA.															
55 Registration cities (total).....	33,317	99	12	1	69	29	142	164	5,537	39	3,044	184	195	70	
56 White.....	31,127	81	12	1	66	28	130	155	5,167	36	2,693	142	169	70	
57 Colored.....	2,190	18			3	1	12	9	370	3	351	42	26		
58 Alameda.....	419	1			1		2	8	79		18	2	3		
59 Bakersfield.....	611	1	1		2		8	1	170		57	3	1		
60 Berkeley.....	679	1			1		5	4	100		32	6	4	3	
61 Eureka.....	251	1			1		3	3	54		12	2	2		
62 Fresno.....	679	3	1		2		1	3	153	1	49	1	4	4	

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

DEATHS FROM PRINCIPAL CAUSES.

209

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEASED AND CAUSE OF DEATH: 1918—Continued.

(footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

DEATHS FROM—																				
Cancer and other malignant tumors.	Diabetes.	Menin-	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Herpetic intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital deformities and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
2,483 2,411 72	563 551 12	324 295 29	2,995 2,867 128	5,407 5,104 303	647 604 43	13,569 12,645 924	362 342 20	2,373 2,261 112	288 268 20	323 304 19	337 321 16	3,812 3,557 255	169 158 11	406 389 17	2,475 2,334 141	3,099 2,956 143	353 349 9	5,649 5,317 332	103 98 10.	1 2 3
9,908 9,773 135	2,280 2,253 27	787 758 34	9,459 9,317 142	20,648 20,196 452	1,882 1,830 52	36,822 35,460 1,362	1,206 1,177 29	5,470 5,334 136	1,148 1,130 18	1,283 1,268 18	1,180 1,160 20	12,225 11,884 341	499 486 13	1,432 1,397 35	7,745 7,544 201	8,895 8,653 242	1,295 1,271 24	21,354 20,791 563	218 212 6	4 5 6
1,072 783 289	179 138 41	252 187 65	1,520 1,044 476	2,442 2,332 921	270 232 140	4,210 3,232 1,878	298 161 137	1,997 1,246 751	201 149 52	196 126 70	111 77 34	2,043 1,258 785	156 80 76	659 410 249	2,019 1,427 592	1,508 880 628	99 86 13	6,098 3,630 2,468	3,328 1,483 1,345	7 8 9
4,797 4,664 133	891 872 19	453 441 12	5,683 5,492 191	8,590 8,165 425	716 682 34	12,831 11,964 867	518 494 24	2,722 2,614 108	637 609 28	637 645 29	670 645 25	4,698 4,440 258	400 386 14	806 777 29	4,158 4,025 133	5,729 5,367 362	699 687 12	12,134 11,613 521	608 566 42	10 11 12
646 639 7	131 129 2	47 46 1	553 545 8	96 961 21	48 45 3	914 864 50	96 95 1	127 119 8	115 112 3	93 92 1	36 35 1	468 460 8	50 48 2	92 88 4	398 389 9	645 616 29	100 96 4	1,584 1,554 30	46 41 5	13 14 15
6,697 6,520 177	1,322 1,298 31	881 800 208	7,425 7,217 208	13,851 13,287 1,635	1,745 33,183 2,343	35,526 1,427 77	1,504 8,184 284	8,418 802 49	834 976 39	1,025 950 34	989 585 57	9,087 8,598 57	619 585 57	1,685 1,628 297	8,222 7,925 529	9,926 9,397 941	966 941 25	18,367 17,458 909	726 699 27	16 17 18
570 559 11	109 109 2	74 72 23	683 660 36	1,048 1,012 4	146 142 60	1,856 1,796 3	40 37 15	440 425 2	56 54 2	72 71 1	54 51 3	655 643 12	33 29 4	119 116 3	571 552 19	479 467 12	79 79 37	1,496 1,459 5	59 54 21	19 20 21
570 329 241	113 78 35	162 95 67	825 405 420	1,536 476 870	95 47 48	3,348 1,261 2,087	266 47 192	1,248 487 761	113 56 57	125 59 66	43 22 21	1,493 680 813	152 39 113	420 166 254	2,221 797 1,424	1,090 431 659	56 42 14	5,124 1,852 3,272	1,038 236 802	22 23 24
1,021 822 199	158 134 24	307 248 59	892 689 203	2,118 1,422 696	233 161 72	4,704 3,137 1,567	257 153 99	950 740 210	275 201 74	207 145 62	111 76 35	1,652 1,094 558	155 100 55	332 260 72	1,180 980 200	1,650 1,062 588	120 114 6	5,469 3,845 1,624	1,737 1,143 594	25 26 27
229 224 5	64 64 2	31 29 5	190 185 5	470 465 34	43 43 3	791 757 1	51 51 1	105 102 3	95 94 1	60 60 1	15 15 1	255 252 3	31 30 1	94 94 3	398 395 14	367 353 3	29 26 15	761 746 6	150 144 30	28 29 30
365 365	78 78	25 25	480 480	783 782	91 91	701 701	39 39	152 152	63 63	47 47	16 16	402 402	10 10	50 50	291 290	274 274	46 46	998 998	6 6	31 32 33
1,223 903 320	190 151 39	281 213 68	1,842 1,123 719	3,047 1,818 1,229	267 133 134	4,112 2,191 1,921	317 161 156	1,351 769 582	167 107 60	207 129 78	126 77 49	2,415 1,431 984	163 90 73	512 329 183	1,994 1,330 664	1,831 1,109 722	163 146 17	5,797 3,388 2,409	1,403 687 716	34 35 36
994 979 15	222 217 5	82 76 6	811 799 12	1,402 1,375 27	86 83 3	1,953 1,831 122	135 127 8	230 210 20	177 172 5	111 78 1	79 78 9	795 786 5	84 79 4	169 165 35	804 769 35	1,255 1,197 58	176 167 9	2,389 2,305 84	159 104 55	37 38 39
2,102 2,091 11	400 398 2	221 220 1	1,925 1,915 10	2,725 2,709 16	386 385 1	4,189 4,135 54	335 332 3	724 721 3	322 319 3	312 311 1	212 212 7	1,521 1,514 1	114 114 7	249 248 1	1,907 1,900 7	1,506 1,489 21	321 321 17	5,454 5,422 32	193 187 6	40 41 42
188 141 47	37 28 9	45 17 28	252 131 121	436 188 250	24 8 16	1,084 452 632	49 22 27	228 125 103	86 56 30	59 31 28	32 14 18	432 193 239	33 15 18	82 57 25	302 175 127	445 195 250	21 17 4	1,104 485 619	67 21 46	43 44 45
100 79 21	21 14 7	29 13 16	146 69 77	273 114 8	14 6 500	836 336 19	34 15 60	138 78 25	60 44 10	28 18 11	21 10 95	189 94 15	25 10 15	53 35 18	200 124 76	322 141 181	16 12 4	639 275 364	18 8 10	46 47 48
58 45 13	9 9 ...	2 2 22	62 59 66	125 52 64	6 2 4	147 85 62	3 2 1	51 29 22	9 6 3	18 9 9	6 4 2	148 65 83	6 3 3	14 11 3	61 35 26	64 31 33	2 2 128	252 124 5	49 50 51	
30 17 13	7 5 2	14 2 12	44 22 22	38 13 25	4 4 4	101 31 70	12 5 7	39 18 21	8 6 2	13 5 9	5 4 5	95 34 61	2 2 1	15 11 4	41 15 25	59 33 36	3 3 127	213 86 31	52 53 54	
2,288 2,193 75	339 325 14	152 138 14	1,693 1,643 50	3,716 3,572 144	202 184 356	4,400 4,044 20	211 191 65	486 421 17	287 270 16	253 237 21	313 292 115	1,977 1,862 115	115 102 13	229 205 24	880 809 71	1,714 1,622 92	453 432 32	4,013 3,810 26	55 56 57	
31 17 57 22 34	7 3 6 3 6	2 3 1 4 4	32 28 99 15 16	71 26 7 18 15	2 1 7 3 1	41 4 4 2 1	5 4 4 1 5	15 25 6 4 28	2 4 6 4 17	6 3 6 2 9	19 31 53 18 26	18 5 3 2 6	2 18 18 18 32	2 5 3 7 48	2 2 6 1 7	39 65 60 34 93	58 59 60 61 62			

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

AREA AND COLOR.	All causes.	DEATHS FROM—														
		Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.		
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)		
REGISTRATION CITIES—Continued.																
CALIFORNIA—continued.																
1 Long Beach.....	671	1				1	2	4		82	1	19	1	3	3	
2 Los Angeles (total).....	9,348	21	3		15	5	30	55	1,546	7	1,083	48	53	23		
3 White.....	8,665	15	3		15	5	27	53	1,415	7	960	34	47	23		
4 Colored.....	683	6					3	2	131		123	14	6			
5 Oakland.....	3,212	11	1		3	2	27	11	387	2	199	20	15	6		
6 Pasadena.....	566				2	1	2	3		49		67	2	3	2	
7 Pomona.....	180				1					24		16	2	2		
8 Redlands.....	122				1					10		22	1	2		
9 Riverside (total).....	339	5		1			1	2		39	1	50	7	2	1	
10 White.....	312	5		1				1		30		47	6	2	1	
11 Colored.....	27						1	1	9	1	3	1				
12 Sacramento.....	1,727	11	2		4	1	1	10	408	3	154	9	20	1		
13 San Bernardino.....	499	2			6		1	3	88	1	92	5	3	1		
14 San Diego.....	1,534	6			8	2	3	9	204	1	154	7	6	6		
15 San Francisco (total).....	9,855	21	3		10	11	35	40	1,767	16	831	55	57	15		
16 White.....	8,278	19	3		9	10	32	37	1,692	16	734	45	51	15		
17 Colored.....	577	2			1	1	3	3	75		97	10	6			
18 San Jose.....	587	1					4	3		85		32	4	3	1	
19 Santa Barbara.....	250	3			2		1	2		27	1	21	1	1		
20 Santa Cruz.....	195						3			11		17	2			
21 Stockton.....	1,347	10	1		8	3	12	6		228	5	111	8	10	3	
22 Vallejo.....	246				1	1	2	1		56		8		1		
COLORADO.																
23 Registration cities (total).....	7,470	41		3	11	10	38	39	1,310	17	1,151	44	29	18		
24 White.....	7,214	40		9	10	37	39	1,280	17	1,086	43	28	16	2		
25 Colored.....	256	1		2		1	1	30		65	1					
26 Colorado Springs.....	842	2			1	1	1		5	134	1	257	8	4		
27 Denver.....	5,193	23			2	7	29	28	788	10	775	33	19	10		
28 Pueblo.....	1,072	8		2	6	2	6	6	313	6	79	3	4	7		
29 Trinidad.....	357	8			2		3		75		40		2	1		
CONNECTICUT.																
30 Registration cities (total).....	19,982	52	3		67	28	205	159	4,318	35	1,174	149	89	35		
31 White.....	19,391	49	3		65	26	195	158	4,245	34	1,103	145	80	33		
32 Colored.....	571	3			2	2	10	1	73	1	71	9	9	2		
33 Ansonia.....	318				1		3		83		14	1	2	1		
34 Bridgeport.....	2,981	6	1		16	3	40	35	475	4	188	33	6	2		
35 Bristol.....	304				1		9	3	78		20	1	2			
36 Danbury town.....	490	2			5		3	2	78		27	2	2			
37 Greenwich town.....	377	1			3	1	1	2	92		27	2		1		
38 Hartford.....	3,117	14			10	2	24	17	640	13	147	26	22	5		
39 Manchester town.....	221				1		5		47		14		2			
40 Meriden town.....	800	1			4	3	12	7	221	1	111	8	2	3		
41 Middletown town.....	756	1			3	1	3	5	139		57	1	2			
42 Naugatuck.....	248						3	3	77	1	9	1	1			
43 New Britain.....	1,112	2	1		2	4	20	13	355		56	4	2	4		
44 New Haven.....	3,343	7			9	3	41	27	694	5	191	30	18	6		
45 New London.....	586				1		3	4	98	1	23	4	1	1		
46 Norwalk.....	559	7			2	6	4	4	102		25	3	4	1		
47 Norwich town.....	765	1			1		7		157	2	92	1	6	3		
48 Orange town.....	248	1				3			39	1	11	1				
49 Stamford town.....	794	2			8		5	9	148		32	2	6	2		
50 Torrington town.....	326	1					3		78		14	3	1			
51 Wallingford town.....	184	1			2		2		43		14	1				
52 Waterbury.....	2,087	3	1			2	24	14	587	7	94	24	8	5		
53 Windham town.....	346	2			1		2	2	87		8	2	1			
DELAWARE. ¹																
54 Wilmington (total).....	2,606	37			16	2	8	19	387	6	136	13	9	2		
55 White.....	2,271	38			15	2	6	19	343	6	113	11	7	2		
56 Colored.....	335	4			1		2		44		23	2	2			
DISTRICT OF COLUMBIA.																
57 Washington (total).....	9,090	44			30	10	43	40	1,396	9	673	29	40	20		
58 White.....	5,779	21			25	10	15	36	1,074	7	303	18	23	16		
59 Colored.....	3,311	23			5		28	4	322	2	370	11	17	4		

¹ No registration state; only those cities with satisfactory registration of deaths are shown.

DEATHS FROM PRINCIPAL CAUSES.

211

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDED AND CAUSE OF DEATH: 1918—Continued.

[footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

		DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Menin-gitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bron-chitis.	Pneu-monia (all forms).	Other respiratory dis-eases.	Diar-heat and enter-itis (under 2 years).	Ap-pen-dicitis and typh-litis.	Her-nia, intesti-nal ob-struc-tion.	Cirrho-sis of the liver.	Acute nephritis and Bright's disease.	Puer-peral septic-emia.	Other puer-peral affec-tions.	Con-genital debili-ty and mal-for-mations.	Viol-ent deaths (suicide except-ed).	Suicide.	All other defined diseases.	Un-known or ill-defined dis-eases.		
16	(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(87)	38		
63	8	5	61	112	2	48	5	10	4	8	3	55	2	10	18	36	3	99	2	1	
676	92	52	456	951	43	1,046	45	176	78	91	68	617	48	76	207	457	122	1,148	10	2	
649	88	48	440	914	40	967	37	148	71	83	62	582	42	66	136	430	113	1,086	9	3	
27	4	4	16	37	3	79	8	28	7	8	6	35	6	10	21	27	9	62	1	4	
194	35	14	173	460	19	664	22	46	30	15	33	187	12	24	101	168	46	314	1	5	
55	9	—	60	81	2	42	1	13	4	5	6	51	2	4	7	11	5	77	—	6	
20	—	14	16	—	16	—	4	4	2	1	2	11	—	4	4	16	—	25	—	7	
6	1	2	5	16	1	7	1	3	—	—	2	5	1	—	2	7	1	1	25	—	
19	7	4	21	33	2	37	1	8	—	2	1	14	—	1	8	25	3	44	—	9	
19	7	4	20	33	2	35	1	7	—	1	1	14	—	1	8	23	3	40	—	10	
—	—	—	1	—	—	2	—	1	—	1	—	—	—	—	—	2	—	—	—	11	
108	14	4	58	131	9	264	5	26	10	9	14	88	10	13	60	101	15	169	—	12	
27	4	3	11	26	1	62	4	24	3	7	2	15	3	4	21	21	1	58	—	13	
98	15	9	89	194	7	162	5	18	16	8	15	85	7	11	69	23	226	—	2		
704	111	33	463	1,177	80	1,325	84	71	89	66	128	573	12	53	211	526	194	1,088	6	15	
681	104	30	449	1,132	73	1,229	78	67	85	64	113	535	11	51	192	503	188	1,019	6	16	
23	7	3	14	45	7	98	6	4	2	10	38	1	2	19	23	6	69	—	17		
57	6	5	50	69	8	51	4	15	—	9	3	48	3	3	15	36	3	68	1	18	
13	3	—	18	37	—	25	1	4	5	—	9	9	2	12	10	10	2	49	—	19	
12	3	1	15	53	1	10	2	2	1	2	2	13	—	3	8	2	2	32	—	20	
50	3	8	41	67	13	305	5	12	8	6	6	54	3	8	27	53	18	250	2	21	
10	3	2	12	35	—	46	2	1	4	5	—	5	1	7	17	1	—	25	—	22	
373	56	33	230	477	47	1,342	86	137	91	60	32	343	43	51	227	263	66	792	10	23	
365	56	32	226	463	42	1,298	83	134	88	59	32	323	40	51	221	251	63	770	9	24	
8	—	1	4	14	5	44	3	3	1	—	20	3	6	—	12	3	22	—	1	25	
43	8	4	22	54	2	92	8	3	9	7	3	28	2	7	20	20	3	90	—	3	
292	43	19	169	367	32	1,025	73	56	59	44	22	255	34	31	156	167	52	575	3	27	
30	3	10	30	42	13	184	5	60	10	5	29	31	7	37	47	29	8	96	3	28	
8	2	—	9	14	—	41	—	18	13	4	2	29	3	6	14	31	3	31	—	29	
892	183	118	919	1,447	162	3,547	85	674	123	139	100	938	45	163	995	971	145	1,939	63	30	
878	178	113	895	1,398	155	3,440	81	661	119	138	98	903	42	161	969	942	144	1,881	59	31	
14	5	24	24	49	7	107	4	13	4	1	2	35	3	2	26	29	29	53	4	32	
15	1	5	8	15	5	72	—	22	19	25	2	11	—	1	17	7	3	19	10	33	
122	24	19	119	206	18	652	16	117	19	25	10	142	8	33	169	181	26	246	20	34	
13	—	3	19	17	2	50	1	8	—	2	8	—	4	4	18	6	3	33	2	35	
35	7	4	44	54	3	71	—	13	1	6	2	25	2	3	17	23	7	52	—	36	
20	10	—	20	35	2	51	1	15	2	4	1	10	—	3	9	27	1	36	—	37	
153	30	14	141	227	17	515	17	116	30	23	15	154	13	18	194	154	29	330	7	38	
15	4	1	11	23	3	27	1	11	1	3	7	7	—	2	15	5	—	23	—	39	
38	5	1	49	53	6	97	2	21	4	4	4	23	1	32	32	29	5	57	—	40	
26	1	3	40	70	6	154	4	12	2	2	2	38	2	1	11	25	4	141	—	41	
4	1	2	7	17	—	60	1	8	—	7	8	15	—	8	17	5	—	16	—	42	
39	9	8	31	53	13	174	3	61	3	7	8	26	5	8	59	43	7	92	—	43	
165	35	28	155	301	31	514	21	81	23	31	2	178	4	25	150	179	24	336	8	44	
32	8	5	35	48	4	114	2	16	2	4	2	50	1	5	22	35	5	60	—	45	
37	10	—	37	38	12	120	2	11	2	3	2	24	2	3	18	26	3	51	—	46	
39	3	2	29	57	9	109	1	22	16	5	3	36	1	10	42	43	6	59	3	47	
15	2	1	19	26	4	35	—	16	4	3	14	1	2	17	11	2	23	1	48		
32	6	3	55	61	7	145	2	22	5	2	4	47	—	11	42	28	5	101	2	49	
15	3	—	17	17	2	81	1	18	—	3	4	13	—	3	11	14	2	23	1	50	
8	2	—	19	24	1	16	5	69	17	7	7	91	5	25	115	107	11	165	8	52	
61	19	18	54	85	13	403	8	2	10	1	2	17	1	5	11	14	2	40	1	53	
8	3	1	10	20	4	87	2	10	1	2	2	17	1	5	11	14	2	41	—	53	
84	10	17	120	180	13	722	21	123	13	6	6	118	9	10	130	156	12	213	8	54	
76	8	15	108	158	10	615	13	110	13	5	6	103	9	10	122	140	11	178	6	55	
8	2	2	14	22	3	107	8	13	—	1	—	15	—	8	—	16	1	35	2	56	
410	69	42	547	942	73	1,534	70	219	47	71	30	672	25	49	351	368	68	1,163	6	57	
304	56	29	369	643	38	839	44	111	33	41	30	400	14	33	231	231	58	722	2	53	
106	13	13	178	299	35	695	26	108	14	30	4	272	11	16	113	137	10	441	4	59	

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

AREA AND COLOR.	All causes.	DEATHS FROM—														
		Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.		
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)		
REGISTRATION CITIES—Continued.																
FLORIDA. ¹																
1 Registration cities (total).....	4,194	60	22	12	1	29	14	824	2	330	9	6	9	9	
2 White.....	2,344	43	9	8	1	18	10	501	2	148	9	2	4	5	
3 Colored.....	1,850	17	13	4	11	4	323	182	4	5	
4 Jacksonville (total).....	2,049	23	8	3	11	7	381	2	160	2	3	5	5	
5 White.....	939	17	4	3	7	6	190	2	45	2	1	1	4	
6 Colored.....	1,110	6	4	4	1	191	115	3	4	
7 Key West (total).....	387	2	1	6	26	47	2	1	1	
8 White.....	272	1	1	2	23	27	2	1	1	
9 Colored.....	115	1	4	3	20	
10 Pensacola (total).....	672	25	5	8	1	4	4	151	27	2	2	
11 White.....	387	20	1	4	1	3	2	98	13	1	1	
12 Colored.....	285	5	4	4	1	2	53	14	1	1	
13 Tampa (total).....	1,086	12	7	8	3	266	96	5	3	1	1	
14 White.....	746	6	3	6	2	190	63	5	2	1	1	
15 Colored.....	340	6	4	2	1	76	33	1	1	
GEORGIA. ¹																
16 Registration cities (total).....	5,825	55	42	1	19	8	49	24	535	10	424	16	41	9	9	
17 White.....	2,830	26	11	12	8	24	16	313	8	151	9	19	3	6	
18 Colored.....	2,995	29	31	1	7	25	8	222	2	273	7	22	6	6	
19 Atlanta (total).....	3,702	29	5	1	16	8	31	12	338	7	214	11	31	6	6	
20 White.....	2,063	19	2	12	8	17	9	214	6	107	5	18	2	4	
21 Colored.....	1,639	10	3	1	4	14	3	124	1	107	6	13	4	4	
22 Brunswick (total).....	278	7	5	2	3	1	19	2	32	
23 White.....	111	4	2	2	2	1	12	1	4	
24 Colored.....	167	3	3	2	1	1	7	1	28	
25 Savannah (total).....	1,845	19	32	1	15	11	178	1	178	5	10	3	3	
26 White.....	656	3	7	5	7	87	1	40	4	1	1	2	
27 Colored.....	1,189	16	25	1	10	4	91	138	1	9	2	2	
ILLINOIS.																
28 Registration cities (total).....	63,242	191	20	6	134	82	296	883	8,839	97	4,665	256	365	162	162	
29 White.....	59,753	174	17	1	134	82	263	865	8,497	92	4,135	225	308	156	156	
30 Colored.....	3,489	17	3	5	33	18	342	5	530	31	57	6	6	
31 Alton.....	499	4	1	1	7	8	36	42	2	5	3	3	
32 Aurora.....	739	3	4	5	2	125	2	51	1	3	1	1	
33 Belleville.....	480	5	1	3	6	118	1	24	1	2	2	2	
34 Bloomington.....	525	2	1	5	83	2	33	1	4	5	5	5	
35 Cairo (total).....	396	4	6	2	76	1	50	2	10	2	2	
36 White.....	245	2	4	1	54	21	4	1	1	1	
37 Colored.....	151	2	2	1	22	1	29	2	6	1	1	
38 Canton.....	256	5	3	3	74	1	10	3	3	3	3	3	
39 Champaign.....	265	1	2	57	1	11	1	3	
40 Chicago (total).....	44,069	40	4	4	61	57	180	705	5,491	51	3,347	217	256	113	113	
41 White.....	41,608	38	4	4	61	57	158	687	5,278	47	2,981	191	213	112	112	
42 Colored.....	2,461	2	4	22	18	213	4	366	26	43	1	1	
43 Chicago Heights.....	398	1	1	3	14	106	10	2	2	1	1	
44 Cicero.....	412	2	7	7	36	38	1	1	1	
45 Danville.....	709	9	1	2	7	4	147	1	39	1	5	1	1	
46 Decatur.....	685	3	1	4	7	103	1	40	2	2	2	2	
47 East St. Louis (total).....	1,216	14	3	1	3	1	13	12	267	2	104	2	3	2	2	
48 White.....	1,002	9	2	1	3	1	10	12	242	2	89	2	3	2	2	
49 Colored.....	214	5	1	3	25	35	
50 Elgin.....	685	1	1	5	1	70	3	41	2	4	3	3	3	
51 Evanston.....	491	1	1	4	2	93	5	16	2	2	2	2	2	
52 Freeport.....	366	2	1	2	1	52	1	20	1	3	3	3	3	
53 Galesburg.....	459	8	1	3	4	65	3	25	4	4	4	4	
54 Granite.....	273	3	1	5	5	69	11	1	1	1	1	
55 Jacksonville.....	617	8	1	4	1	47	1	71	6	2	2	2	2	
56 Joliet.....	1,061	7	7	1	10	15	236	42	6	3	3	4	4	
57 Kankakee.....	774	3	2	1	1	73	2	107	5	5	5	5	
58 La Salle.....	326	4	5	1	3	68	6	1	1	1	1	1	
59 Lincoln.....	403	5	4	70	1	113	3	3	3	3	
60 Mattoon.....	257	3	3	4	4	34	2	19	1	1	1	1	1	
61 Moline.....	614	24	7	6	3	7	134	1	26	1	5	5	5	5	
62 Oak Park.....	508	1	4	12	47	1	16	3	3	2	2	2	
63 Peoria.....	1,389	10	1	5	1	6	7	232	6	70	4	7	4	4	4	
64 Quincy.....	887	4	4	2	1	5	126	4	61	2	6	5	5	5	
65 Rockford.....	1,090	2	2	2	1	13	159	62	2	5	5	5	5	
66 Rock Island.....	548	5	1	7	4	8	84	2	43	1	3	2	2	2	
67 Springfield.....	1,222	12	12	1	4	9	240	1	82	1	11	2	2	2	
68 Streator.....	345	1	6	6	6	101	1	17	2	2	2	2	2	
69 Waukegan.....	308	7	7	2	1	50	18	2	1	1	1	1	

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

DEATHS FROM PRINCIPAL CAUSES.

213

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEASED AND CAUSE OF DEATH: 1918—Continued.

(footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

DEATHS FROM—																				
Cancer and other malignant tumors.	Dia-betes.	Menin-gitis.	Cere-bral hemor-rhage and softening.	Organic dis-eases of the heart.	Bron-chitis.	Pneu-monia (all forms).	Other respiratory dis-eases.	Diar-aea and enter-itis (under 2 years).	Ap-pen-dicitis and typh-litis.	Hera-nia, intestinal ob-struc-tion.	Cirrho-sis of the liver.	Acute nephri-tis and Bright's disease.	Puer-al septic-emia.	Other puer-al affec-tions.	Con-geni-tality and mal-for-mations.	Viol-ent deaths (suicide except-ed).	Su-i-cide.	All other defined diseases.	Un-known or ill-defined dis-eases.	
16	(37)	17	18	19	20, 21	22, (23)	(28)	25	26	27	28	29	31	32	33	35	36	(37)	38	
138 102 36	22 19 3	18 9 9	128 62 66	244 136 108	30 12 18	546 289 257	31 17 14	175 118 57	31 27 4	28 15 13	31 17 14	279 156 123	15 7 8	46 32 44	137 93 14	212 91 121	32 31 1	631 323 308	102 33 69	1 3
54 39 15 19 14 5	12 3 6 1 1 1	9 3 51 14 11 3	71 20 70 17 12 5	142 72 10 2 2 7	11 1 10 2 2 1	314 116 21 41 28 7	14 6 8 3 2 1	53 16 2 1 1 7	18 16 6 1 1 8	11 5 6 1 1 1	13 6 7 1 1 8	141 68 73 33 30 1	8 3 5 1 2 1	24 16 35 19 13 6	62 35 27 12 13 6	108 45 63 4 6 6	19 18 1 4 4 1	306 135 171 92 59 33	54 5 6 3 7 9	
23 15 8	2 2 2	1 1 5	11 6 12	30 18 12	11 4 7	74 48 26	8 4 4	33 39 14	6 4 2	8 4 3	5 2 3	42 20 22	2 1 1	9 7 2	18 12 6	26 14 12	1 1 1	125 58 67	10 11 12	
42 34 8	7 5 2	5 25 7	32 34 21	55 91 1	6 46 15	117 91 26	6 5 1	61 46 3	6 6 3	9 9 3	12 9 3	55 33 20	4 3 1	4 6 2	38 33 5	66 26 40	8 8 8	108 71 37	35 12 15	
194 148 46	39 32 7	61 33 28	271 129 142	432 188 244	37 10 27	898 360 538	56 31 25	166 76 90	53 33 20	61 37 24	22 9 13	451 239 212	31 15 16	60 34 26	221 135 86	304 144 160	20 17 3	1,043 489 554	172 71 101	16 17 18
137 107 30	28 24 4	43 95 18	182 133 151	284 265 323	15 5 10	588 28 11	29 18 37	87 28 10	38 28 13	41 7 7	14 7 7	313 192 121	29 15 14	41 26 15	140 91 49	196 102 94	12 11 1	645 365 280	131 57 74	19 20 21
7 5 2	1 1 1	1 9 10	19 3 5	8 1 31	1 1 1	50 19 31	2 1 1	12 5 1	1 1 1	1 1 1	1 6 12	18 6 12	1 1 1	6 21 1	1 8 13	1 1 1	44 18 26	13 23 9	22 23 24	
50 36 14	10 7 3	17 8 9	70 25 45	140 52 88	21 5 16	260 76 184	25 12 13	67 21 46	14 4 10	20 9 11	7 2 5	120 41 79	2 8 10	18 39 36	75 34 53	87 34 248	7 5 2	354 106 248	28 25 18	
3,354 3,258 96	690 670 20	302 283 19	2,058 1,967 91	5,996 5,684 362	708 664 44	10,595 9,899 696	500 477 23	3,432 3,343 25	612 587 439	471 439 450	461 3,837 32	3,837 3,626 211	204 208 21	528 506 22	2,416 2,320 96	3,081 2,891 190	578 563 15	7,317 6,946 371	106 98 8	28 29 30
26 46 16 22	4 8 3 5	3 27 25 25	21 45 30 46	28 5 5 4	3 6 70 57	59 138 5 13	8 8 5 3	13 21 14 3	6 7 2 10	2 3 8 3	4 7 8 2	32 43 40 31	2 3 3 1	3 8 2 6	23 29 22 21	26 30 20 21	3 100 52 97	31 32 33 13		
11 8 3 6 7	3 3 1 2 6	1 12 10 9 10	23 19 3 27 2	5 1 1 2 2	5 1 1 2 2	44 1 1 27 2	1 1 1 1 2	10 10 10 5 2	10 10 1 1 4	10 10 1 1 2	5 3 2 1 3	19 13 13 7 11	3 2 2 3 4	20 21 15 15 15	1 1 1 4 25	4 18 36 5 39	35 36 37 38 1			
2,421 2,349 72 10 13	494 475 19 4 5	197 182 15 4 3	1,290 1,235 55 7 9	4,423 4,137 508 31 40	539 7,426 529 4 83	7,955 2,996 12 81 3	319 374 12 38 3	2,996 374 358 28 38	374 288 329 323 28	288 329 323 2657 178	2,835 142 127 15 24	142 352 336 1,574 16	1,633 2,051 1,941 110 59	446 4,442 436 245 27	17 40 42 43 1	40 41 42 43 1				
37 40 31 29 2	8 11 6 6 1	5 30 46 38 8	31 56 58 53 8	46 56 58 53 7	9 73 173 128 35	59 9 7 7 41	6 9 7 7 3	20 13 44 36 8	22 5 11 12 1	12 5 4 3 2	12 5 4 3 2	36 67 33 28 2	7 5 4 4 2	27 45 38 52 10	65 45 44 82 10	5 80 108 127 104	45 46 47 48 49			
40 36 25 26	10 9 5 4	2 2 30 27	35 17 26 53	82 52 1 53	4 87 30 49	41 4 5 3	9 3 5 5	7 4 2 2	13 4 3 1	4 2 2 32	4 2 1 1	39 28 31 21	2 2 1 1	10 13 13 15	24 67 68 25	12 51 1 52	50 51 47 53			
10 29 43 34	1 6 8 2	4 2 7 1	9 35 36 19	7 52 63 129	1 2 18 3	33 82 212 85	4 5 4 7	5 9 16 9	4 5 13 4	1 5 9 1	1 2 1 21	10 41 45 5	2 2 3 1	22 22 27 14	22 24 52 8	3 161 115 226	34 55 56 1			
8 15 12 26	2 5 4 4	5 9 11 33	11 13 22 31	18 2 20 6	6 46 46 89	64 46 46 6	3 1 3 6	12 7 8 5	1 2 1 6	3 2 1 7	4 1 1 19	14 9 16 4	1 1 1 5	23 33 38 35	3 1 1 2	41 66 55 74	2 58 60 61			
38 89 53 55	12 16 12 11	4 8 48 15	28 42 108 41	61 149 85 79	5 5 19 7	76 20 10 225	2 3 7 6	3 7 15 8	6 6 10 8	3 3 12 7	3 77 46 53	4 3 1 1	6 1 1 11	25 33 52 37	6 7 4 2	33 63 44	2 63 66			
33 64 19 13	3 4 1 3	4 27 9 3	27 52 30 10	52 5 5 1	6 7 2 1	74 6 5 71	6 7 2 2	11 11 5 3	3 2 13 1	3 3 13 1	3 7 12 1	7 61 51 14	6 4 2 4	21 78 10 16	7 178 111 44	2 67 68 69	62 64 65 69			

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

AREA AND COLOR.	All causes.	DEATHS FROM—															
		Typhoid fever.	Malaria.	Small-pox.	Mes-sles.	Scarlet fever.	Whoop-ing cough.	Diph-theria and croup.	Influenza.	Erysipelas.	Tuber-culosis of the lungs.	Tuber-culous meningitis.	Other forms of tu-bercu-losis.	Rheu-matism.			
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)			
REGISTRATION CITIES—Continued.																	
INDIANA.																	
1 Registration cities (total).....	18,502	152	13	9	44	40	189	243	2,134	47	1,290	71	155	54			
2 White.....	16,943	145	10	6	40	39	152	238	2,053	47	1,061	62	131	47			
3 Colored.....	1,559	7	3	3	4	1	17	5	81	229	9	24	7			
4 Anderson.....	409	6	1	4	4	1	34	3	8	1			
5 East Chicago.....	735	12	4	10	9	115	1	37	2	3	2			
6 Elkhart.....	418	5	1	5	3	57	12	1	2			
7 Elwood.....	212	1	1	1	1	1	59	9	2	1			
8 Evansville.....	1,444	13	6	2	15	12	173	5	105	7	14	5			
9 Fort Wayne.....	1,213	11	1	2	1	6	10	83	10	88	2	7	5			
10 Gary.....	1,098	5	10	40	200	1	44	2	3	3			
11 Hammond.....	777	16	7	11	114	29	1	5	3			
12 Huntington.....	197	2	4	1	2	1	19	5	1	1	1			
13 Indianapolis (total).....	5,241	20	2	4	10	22	46	90	373	10	449	24	54	15			
14 White.....	4,435	20	1	3	7	21	39	87	342	10	322	17	41	14			
15 Colored.....	806	1	1	3	1	7	3	31	127	7	13	1			
16 Jeffersonville (total).....	212	2	1	2	38	26	1	2	1			
17 White.....	162	1	1	2	29	14	1	1	1			
18 Colored.....	50	1	9	12	1			
19 Kokomo.....	392	8	1	6	4	3	34	35	2	1			
20 Lafayette.....	512	9	1	3	4	6	54	1	28	3	5	2			
21 Laporte.....	279	1	1	3	5	52	1	19	1	3			
22 Logansport.....	408	5	1	1	3	5	1	83	1	17	1	2	1			
23 Marion.....	346	6	7	9	27	20	2	6	2				
24 Michigan City.....	314	1	1	6	1	25	30	3			
25 Mishawaka.....	252	1	2	4	2	53	2	12	5	2			
26 Muncie.....	429	2	4	8	26	2	21	2	5	2			
27 New Albany.....	430	5	2	2	1	78	1	45	3	3	2			
28 Peru.....	186	2	1	3	2	1	19	12	2	1	1			
29 Richmond.....	409	1	1	1	4	4	51	1	21	2	5	1			
30 South Bend.....	1,085	12	2	5	9	183	5	75	4	6	2			
31 Terre Haute.....	1,164	8	1	3	1	11	12	160	2	92	2	9	7			
32 Vincennes.....	340	2	1	5	2	31	3	30	2	2	7	1			
KANSAS.																	
33 Registration cities (total).....	6,681	82	5	6	71	26	44	38	1,122	17	298	11	32	20			
34 White.....	5,837	66	3	6	69	26	37	33	1,022	17	211	10	28	17			
35 Colored.....	844	16	2	2	7	5	100	87	1	6	3			
36 Atchison (total).....	217	1	1	1	2	3	24	15	2			
37 White.....	190	1	1	1	1	3	24	11	1			
38 Colored.....	27	1	4	10	1			
39 Coffeyville (total).....	230	6	1	1	2	1	5	2	29	10	1			
40 White.....	196	5	1	1	2	1	4	2	27	7	1			
41 Colored.....	34	1	1	2	3	1			
42 Fort Scott (total).....	226	5	9	5	16	3	4	1	1	1			
43 White.....	202	4	8	4	4	14	3	4	1	1	1			
44 Colored.....	24	1	1	1	2	2	1			
45 Hutchinson.....	395	4	3	3	1	90	2	15	1	1	1			
46 Independence.....	210	7	1	3	1	1	46	13	1	1			
47 Kansas City (total).....	2,084	22	4	33	10	9	17	382	3	121	5	9	6			
48 White.....	1,750	17	4	33	10	9	14	345	3	83	5	8	4			
49 Colored.....	334	5	3	37	38	1	1	2			
50 Lawrence (total).....	200	4	1	35	9	1			
51 White.....	151	4	1	26	5	1			
52 Colored.....	49	9	4	1	2			
53 Leavenworth (total).....	388	1	3	2	4	4	59	3	10	1	1	1			
54 White.....	316	1	2	2	4	4	44	3	8	1	1	1			
55 Colored.....	72	1	1	1	15	2	1	1			
56 Parsons.....	275	3	1	4	1	6	2	38	1	18	2	2	3			
57 Pittsburg.....	272	1	4	1	3	2	65	1	6	3	3	3			
58 Topeka (total).....	960	9	1	4	6	4	9	134	2	28	3	4	3			
59 White.....	848	7	4	6	4	7	126	2	17	2	2	3			
60 Colored.....	112	2	1	2	2	8	11	1	2	2			
61 Wichita.....	1,224	21	8	1	7	204	2	49	9	9	3				

DEATHS FROM PRINCIPAL CAUSES.

215

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEASED AND CAUSE OF DEATH: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

DEATHS FROM—																				
Cancer and other malignant tumors.	Diabetes.	Menigitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhilitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal afflictions.	Congenital deformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
936 886 50	184 168 16	93 87 6	836 781 55	1,649 1,465 184	149 130 19	3,096, 2,750 346	131 124 7	651 600 51	235 217 18	152 146 6	132 125 7	1,057 964 93	130 118 12	167 159 8	824 776 48	1,140 1,057 83	139 137 2	2,362 2,204 158	18 18 1	1 1 3
19 9 19 7 68	1 2 3 2 7	2 2 1 12 8	21 9 23 15 58	49 31 39 15 148	21 201 69 15 256	56 5 8 4 9	3 5 1 1 9	11 98 8 7 23	8 1 6 2 27	1 1 1 1 17	4 3 3 2 15	32 11 37 8 102	3 1 3 3 11	17 8 11 18 46	16 38 20 6 76	4 3 1 1 8	64 47 63 28 176	1 4 6 1 8		
99 17 22 16	31 4 5 2	5 4 12 18	80 25 35 32	88 14 250 186	88 143 250 186	9 6 65 4	9 6 18 3 5	30 22 18 7 1	14 7 6 3 2	6 6 3 8 1	72 32 24 8 1	14 7 4 4 2	8 14 8 2 2	64 69 170 31 11	80 170 101 11 11	146 73 101 22 12	3 9 10 11 12			
278 248 30 4 4	65 56 25 9 3	29 209 35 4 1	241 439 38 32 14	550 38 804 7 30	45 38 804 171 35	975 44 123 26 1	48 44 123 26 1	149 65 72 10 5	72 62 29 10 2	30 35 35 1 1	305 252 22 53 1	27 22 28 5 4	32 210 155 55 5	242 208 42 34 2	746 691 42 55 20	1 14 15 16 17	13 10 15 16 18			
29 33 17 28 26	2 9 5 7 4	1 36 36 20 14	26 44 18 18 14	27 6 53 1 41	1 29 1 40 3	66 6 53 1 3	1 2 1 6 3	21 9 13 7 2	2 4 6 1 7	1 1 1 2 1	28 16 21 47 20	1 6 1 1 1	5 9 4 6 3	18 26 12 14 11	19 31 33 58 66	48 84 39 58 23	19 20 21 22 23			
20 11 25 19 12	2 2 2 4 1	2 7 26 19 12	16 18 38 43 21	27 18 7 43 19	1 23 56 43 19	60 1 10 5 5	1 8 4 4 5	3 3 5 3 1	2 2 5 3 1	2 2 1 3 1	24 22 31 28 1	1 3 4 6 1	3 3 30 15 10	21 12 21 18 9	34 37 53 38 28	24 25 26 27 28				
22 56 67 13	6 11 9 1	3 2 55 13	30 42 55 32	52 9 98 73	4 175 153 1	53 8 8 1	1 8 8 8	10 41 15 7	1 9 15 9	3 9 12 1	30 41 69 24	4 6 8 6	2 12 8 6	17 58 89 11	1 8 11 4	63 52 113 33	2 30 31 32			
345 325 20	54 50 4	41 39 2	332 302 30	471 393 78	50 43 7	965 820 145	60 50 10	151 131 20	98 92 6	69 63 6	26 24 2	413 339 74	50 40 10	60 52 8	280 251 29	329 284 45	44 43 1	1,040 927 113	31 34 35	
13 12 1 10 10	3 2 1 3 3	1 11 11 18 15	11 14 3 16 1	17 20 3 23 7	1 20 2 16 2	1 4 2 3 7	1 3 3 1 1	5 4 2 2 1	2 1 2 2 2	1 1 1 1 1	18 17 8 7 1	2 1 1 1 1	1 1 9 6 3	8 7 1 17 1	2 3 1 34 28	2 37 1 33 40	2 36 1 39 40			
12 12	7 7	17 14	11 7	32 1	1 30	32 3	4 4	4 4	3 3	3 3	18 15 5 4 3	5 4 2 2 1	2 2 2 2 1	10 9 17 14 1	1 1 1 3 1	34 32 44 43 2	42 43 44 43 45			
29 7	3 2	1 2	30 3	18 5	3 1	46 23	4 2	12 11	5 7	4 2	2 2	24 5	4 2	5 4	16 12 11 11	1 1 1 1	57 40 1 1	45 46		
87 78 9 17 14 3	11 10 1 1 1 1	18 17 1 13 1 1	85 73 32 29 21 8	129 97 59 18 14 6	24 21 5 1 4 7	356 297 5 1 47 3	19 14 9 1 2 3	56 28 9 2 2 2	23 21 8 2 2 2	3 3 3 3 3 1	129 101 28 38 38 5	18 12 6 4 4 1	17 60 7 4 4 1	67 125 23 10 9 1	18 102 7 10 9 1	268 223 45 28 23 5	1 47 1 49 3 50 1 51 2 52			
15 15 2 9 12 55 54 1 79	5 3 2 1 1 8 8 3 9 1 1	2 2 4 11 16 11 3 16 4	34 30 45 21 12 16 3 16 54	41 34 45 47 1 33 7 10 74	5 2 4 1 1 3 3 1	55 45 8 8 17 15 17	4 4 8 8 2 2	11 9 15 16 16	3 3 3 3 4	2 2 3 1 4	25 19 6 6 70	3 3 1 1 4	2 1 1 1 6	23 8 16 15 53	8 50 10 40 60	53 54 55 56 57				
55 54 1 79	8 8 1 9	3 3 3 4	42 39 3 54	96 80 16 74	4 4 3 7	138 119 19 172	11 8 3 15	22 22 9 36	11 9 15 16	15 15 7 4	7 1 1 4	62 47 6 70	6 6 10 4	10 10 43 53	30 40 30 53	7 6 6 6	175 153 17 229	8 59 60 61		

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

AREA AND COLOR.	All causes.	DEATHS FROM—														
		Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.		
		1	3	4	5	6	7	8	9	12)	13	14	15	(37)		
REGISTRATION CITIES—Continued.																
KENTUCKY.																
1 Registration cities (total).....	9,708	78	13		41	4	117	44	1,237	24	966	65	68	18		
2 White.....	7,354	53	5		36	3	82	42	1,089	20	651	54	43	15		
3 Colored.....	2,354	25	8		5	1	35	2	148	4	315	11	25	3		
4 Covington (total).....	1,198	8	1		2	1	21	5	197	1	127	12	6	2		
5 White.....	1,089	6			1	1	18	5	192	1	114	11	4	2		
6 Colored ¹	109	2	1		1		3		5		13	1	2			
7 Frankfort (total).....	283	1			1			1	67		42		3			
8 White.....	192				1			1	61		23		3			
9 Colored.....	91	1							6		19					
10 Henderson (total).....	289	4			1		11	1	48	1	29		3	1		
11 White.....	205	1					4	1	45	1	21		2	1		
12 Colored.....	84	3			1		7		3		8		1			
13 Lexington (total).....	1,231	14			2	2	20	1	100	2	145	6	11	2		
14 White.....	791	9			1	1	13	1	81	2	76	4	5			
15 Colored.....	440	5			1	1	7		19		69	2	6	1		
16 Louisville (total).....	5,083	36	2		17	1	40	29	552	18	445	34	30	9		
17 White.....	3,822	24	1		16	1	25	27	473	14	238	27	21	7		
18 Colored.....	1,261	12	1		1		15	2	79	4	157	7	9	2		
19 Newport (total).....	465	4			1		12	3	72		55	6	1	3		
20 White.....	441	4			1		11	3	71		52	6	1	3		
21 Colored ¹	24						1		1		3					
22 Owensboro (total).....	487	7	2		13		10	4	109		51	3	2			
23 White.....	398	6	2		13		8	4	91		41	3	1			
24 Colored.....	89	1					2		18		10		1			
25 Paducah (total).....	672	4	8		4		3		92	2	72	4	12	1		
26 White.....	416	3	2		3		3		75		36	3	6			
27 Colored.....	256	1	6		1				17		36	1	6			
LOUISIANA.																
28 Registration cities (total).....	12,359	109	53	7	32	1	90	29	1,601	13	1,322	25	99	39		
29 White.....	7,210	64	21	2	22	1	59	23	1,048	12	636	20	34	23		
30 Colored.....	5,149	45	32	5	10		31	6	553	1	686	5	65	16		
31 Alexandria (total).....	402	1	6				4	3	76		25	1	1	1		
32 White.....	177		3				2	3	39		5					
33 Colored.....	225	1	3				2		37		20	1	1	1		
34 Baton Rouge (total).....	447	9	9		2		13	1	106	2	57					
35 White.....	178	3	2		2		4		42	2	14			1		
36 Colored.....	269	6	7				9	1	64		43			2		
37 Lake Charles (total).....	353	2	1	6	3		2	2	57		29		3			
38 White.....	180	1	1	2	1		2	1	42		6					
39 Colored.....	173	1		4	2		2	1	15		23		3			
40 Monroe (total).....	310	7	7		1	1	1		63	1	29		2			
41 White.....	158	4		2	1	1		3	44	1	7			2		
42 Colored.....	152	3	7		2				19		22					
43 New Orleans (total).....	9,756	76	17		22		70	18	1,158	10	1,088	24	82	30		
44 White.....	6,029	50	9		16		52	15	797	9	583	20	31	20		
45 Colored.....	3,727	26	8		6		18	3	361	1	505	4	51	10		
46 Shreveport (total).....	1,091	14	13	1	4		1	2	141		94		13	3		
47 White.....	488	6	6		2		1	1	84		21		3			
48 Colored.....	603	8	7	1	2			1	57		73		10	3		
MAINE.																
49 Registration cities (total).....	3,967	18			18	18	25	12	622	9	202	28	35	12		
50 White.....	3,949	18			18	18	25	12	620	9	200	28	35	12		
51 Colored.....	18								2		2					
52 Auburn.....	229						1	2	21	1	7	2	3			
53 Augusta.....	359							2	20	2	20		2			
54 Bangor.....	723	8						2	96	2	42	5	6	1		
55 Biddeford.....	347							4	55		22	3	5	4		
56 Lewiston.....	607	4			2		7	1	105		27	1	7			
57 Portland.....	1,407	4			6		13	5	263	4	66	14	10	6		
58 Waterville.....	295	2			3			2	62		18	3	2			
MARYLAND.																
59 Registration cities (total).....	17,359	83	1		77	9	247	74	2,020	18	1,402	75	81	48		
60 White.....	13,581	57	1		62	7	156	73	1,712	15	903	58	44	29		
61 Colored.....	3,778	26			15	2	91	1	308	3	499	17	37	19		
62 Baltimore (total).....	15,810	73	1		76	9	237	66	1,739	16	1,331	70	77	45		
63 White.....	12,143	49	1		61	7	147	65	1,444	13	840	54	41	27		
64 Colored.....	3,667	24			15	2	90	1	295	3	491	16	36	18		
65 Cumberland (total).....	746	8					3	5	164	1	24	2	3	1		
66 White.....	706	6					3	5	158	1	22	2	3	1		
67 Colored ¹	40	2						6		2						

¹ Colored population less than 10 per cent of the total in 1910.

DEATHS FROM PRINCIPAL CAUSES.

217

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEASED AND CAUSE OF DEATH: 1918—Continued.

(footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetcs.	Menigitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarhea and enteritis (under 2 years).	Appendicitis and typhilitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal afflictions.	Congenital deformities and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.
16	(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
391	63	62	437	842	122	1,473	94	197	68	79	59	737	40	56	316	472	67	1,401	57
346	52	49	356	583	71	1,011	67	147	59	60	50	552	42	48	268	339	68	1,074	38
45	11	13	259	51	462	27	50	9	19	9	185	6	14	48	133	4	327	19	3
53	9	11	78	109	5	166	7	24	13	10	7	79	5	4	43	58	5	125	4
51	9	10	77	97	5	133	7	22	12	9	6	70	5	4	42	51	5	116	5
2	1	1	1	12	3	33	2	1	1	1	1	9	1	1	1	7	1	9	1
3	1	1	8	26	3	26	4	8	1	2	2	21	3	3	16	1	1	37	4
3	1	1	6	14	18	18	2	5	1	1	10	1	1	2	11	1	1	23	3
1	1	2	12	3	8	2	3	—	—	—	11	—	2	1	5	1	14	1	9
13	1	11	37	3	16	1	1	9	1	1	1	20	1	4	9	15	1	42	10
12	1	10	22	1	11	5	1	8	1	1	1	11	1	4	7	8	1	29	11
1	1	15	2	2	5	1	1	1	10	1	1	9	4	6	30	55	6	272	13
46	14	9	70	92	5	172	7	17	10	12	1	88	4	6	18	6	6	200	14
38	10	7	48	49	3	96	3	10	5	4	1	56	2	2	18	31	6	72	14
8	4	2	22	43	2	76	4	7	5	8	32	2	4	12	24	—	2	15	
217	30	34	217	474	76	876	64	92	33	45	38	441	20	19	156	256	50	723	9
193	24	28	174	322	47	816	67	67	30	35	32	324	17	14	137	181	47	549	17
24	6	6	43	152	29	260	18	25	3	10	6	107	3	19	15	75	3	174	18
23	3	—	20	42	6	62	3	12	—	1	4	29	4	8	18	17	1	50	19
23	3	—	20	40	6	57	3	9	—	1	4	28	7	17	15	2	4	46	20
17	5	2	17	26	8	39	2	16	1	2	5	25	3	3	24	24	2	63	22
14	4	1	13	23	5	22	2	12	1	2	5	19	2	2	23	20	1	36	22
3	1	1	4	3	3	17	4	—	—	—	6	6	1	1	33	31	1	7	24
19	1	1	4	16	36	116	6	19	9	6	3	34	3	3	24	23	1	89	19
12	1	2	8	16	4	58	4	14	9	6	1	24	3	3	9	24	8	55	26
7	7	2	8	20	12	58	2	5	1	1	2	10	—	—	9	9	8	34	10
463	73	61	442	1,111	93	1,884	61	378	138	102	110	1,008	66	85	349	618	62	1,801	34
333	62	42	307	609	55	1,101	32	219	87	63	69	574	37	54	197	362	54	977	29
130	11	19	135	502	38	783	29	159	51	39	41	434	29	31	152	256	8	824	23
7	—	13	5	27	6	40	4	22	6	2	—	28	4	6	14	30	2	61	7
2	—	12	5	5	2	16	4	10	5	2	—	5	2	4	17	2	2	27	32
5	—	1	22	4	24	35	2	12	1	3	4	23	2	2	10	13	2	34	33
14	2	15	34	2	2	35	2	15	5	2	3	8	2	3	9	12	1	59	24
9	2	9	10	—	—	15	1	10	1	1	1	21	2	5	3	1	1	35	36
5	6	24	2	20	1	—	—	—	—	—	—	—	—	—	—	—	—	—	36
8	—	13	20	2	35	7	24	2	1	4	21	1	3	3	22	2	67	13	
6	—	8	9	—	15	2	12	2	1	3	14	1	2	2	8	2	36	38	
2	—	5	11	2	20	5	12	2	1	1	1	1	1	1	14	1	31	9	
9	2	8	21	1	31	1	5	5	5	5	1	12	5	13	41	1	35	40	
4	1	4	11	1	14	1	17	1	3	2	1	7	2	3	8	22	1	41	
5	1	4	10	—	17	1	3	2	1	1	1	5	5	19	—	—	3	42	
389	61	45	379	932	76	1,647	40	289	81	78	101	856	46	59	284	420	49	1,326	3
295	55	27	269	548	52	994	22	181	53	48	66	504	26	38	163	270	44	764	24
94	6	18	110	384	24	653	17	108	23	30	35	352	20	21	121	150	5	562	14
36	8	3	22	77	6	96	7	23	41	16	3	62	11	7	5	26	9	253	7
17	4	3	12	26	6	47	2	9	17	9	7	36	4	5	16	36	2	111	47
19	4	10	51	6	49	5	14	24	7	3	26	4	4	10	57	2	142	48	
235	53	25	219	337	33	624	27	76	59	39	11	239	9	32	142	155	22	616	33
235	53	24	219	336	33	618	6	—	—	—	—	237	2	1	141	153	2	616	50
26	6	1	24	22	3	23	1	4	2	3	1	19	—	9	8	1	37	1	
15	3	17	47	4	81	6	7	18	6	1	40	1	2	11	12	2	89	53	
37	6	7	41	75	3	106	3	12	6	4	1	40	2	3	26	25	6	129	54
13	12	5	17	23	1	58	3	17	16	9	3	39	2	3	20	13	3	40	55
40	6	6	34	8	92	6	17	16	4	5	88	4	5	33	62	8	93	56	
91	15	3	32	115	13	219	8	22	13	14	5	19	4	3	8	33	3	13	57
13	5	3	11	21	1	45	3	9	4	1	—	19	—	8	15	3	3	1	58
701	132	96	867	1,587	229	3,584	79	834	100	128	71	1,239	51	107	750	858	105	1,677	29
629	119	82	687	1,196	160	2,785	59	651	81	107	61	970	33	95	634	673	97	1,320	60
72	13	14	180	391	69	799	20	183	19	21	10	269	18	12	116	185	8	557	46
638	119	88	809	1,460	216	3,310	70	795	80	105	65	1,146	46	89	680	755	97	1,492	20
566	107	74	633	1,078	149	2,531	50	614	62	85	55	886	48	89	568	578	91	1,145	63
72	12	14	176	382	67	779	20	181	18	20	10	260	18	11	112	177	6	337	64
30	4	3	19	39	4	165	5	16	13	13	4	37	3	8	34	58	6	73	65
30	3	3	17	38	3	153	5	16	12	13	4	34	3	8	32	55	4	71	66
1	1	2	1	1	1	12	—	—	—	—	—	3	3	2	3	2	2	—	67

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

AREA AND COLOR.	All causes.	DEATHS FROM—															
		Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.			
		1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)		
REGISTRATION CITIES—Continued.																	
MARYLAND—continued.																	
1 Frederick (total).....	271	1						4		29		9	3	1			
2 White.....	237	1						4		26		7	2				
3 Colored.....	34									3		2	1	1			
4 Hagerstown (total).....	532	1				1		3	3	88	1	38				2	
5 White.....	495	1				1		2	3	84	1	34				1	
6 Colored ¹	37							1		4		4				1	
MASSACHUSETTS.																	
7 Registration cities (total).....	61,196	132	4		421	57	575	534	10,047	120	3,924	364	285	116			
8 White.....	60,018	126	4		410	57	562	530	9,902	116	3,790	347	272	114			
9 Colored.....	1,178	6			11		13	4	145	4	134	17	13	2			
10 Adams town.....	199	1				1		3		43		13	1				
11 Arlington town.....	283							1		54		20	3	3		1	
12 Attleboro.....	315	1				1		10	1	56	1	10	1	5			
13 Beverly.....	326	6			7			4		51	2	10	1	1		1	
14 Boston (total).....	17,267	19			116	24	180	214	2,536	42	1,209	115	73	16			
15 White.....	16,731	19			112	24	176	211	2,473	39	1,144	112	65	15			
16 Colored.....	536				4		4	3	63	3	65	8	8	1			
17 Brookton.....	1,192	6			1	1	6	2	303	1	56	3	4	1			
18 Brookline town.....	519						2	2	99	1	32						
19 Cambridge.....	2,266	4			29		32	12	299	6	223	12	12	7			
20 Chelsea.....	852	1			10	1	9	3	133		44	2	3	1			
21 Chicopee.....	514				1		2	10	71		51	9	3				
22 Clinton town.....	283	1			1		1		60		23		1				
23 Everett.....	563	1					3	2	61		35	1	3	1			
24 Fall River.....	2,858	18			7		29	27	564	3	228	15	9	2			
25 Fitchburg.....	786	1			13	1	10	5	145		45	3	2				
26 Framingham town.....	391				1		2		108		9						
27 Gardner town.....	333				1	1	5	1	36		15	4	1				
28 Gloucester.....	544	1			5		1	1	128		20	2	2	1			
29 Greenfield town.....	299				1		6	1	81		3		2				
30 Haverhill.....	853	3			7	2	5	9	49	1	39	3	3				
31 Holyoke.....	1,272	1			2	1	15	6	170	2	71	5	3	1			
32 Lawrence.....	2,030	10			74		22	18	325	8	145	17	10	8	2		
33 Leominster.....	349	1					7	3	41	1	24		3				
34 Lowell.....	2,466	2			16	4	20	18	288	4	160	29	12	12			
35 Lynn.....	1,811	1			6	2	22	8	394	2	104	6	9	4			
36 Malden.....	851	1			1	3	6	23	158	3	36	5	6	2			
37 Marlborough.....	277	5			4			1	39	1	13	3	2				
38 Medford.....	505						10	6	77	2	27	2	3				
39 Melrose.....	282	1	1				2	2	26		8	1	2				
40 Methuen town.....	214	2					3		30	1	12	2	3				
41 Milford town.....	325						4	1	77	2	15	1	3				
42 New Bedford.....	2,895	11			25	3	30	20	583	1	221	27	15	4			
43 Newburyport.....	351	1			2			5	51	1	17	3	3	2			
44 Newton.....	750	1			1	1	3	8	164	1	34	6	6	3			
45 North Adams.....	419	2					1	3	50		22		3	2			
46 Northampton.....	586	3					2	5	90	5	67	4	2	1			
47 Peabody.....	351				2		4	5	71	2	13	3	1	2			
48 Pittsfield.....	959				1	2	2	2	219	2	51	7	4	3			
49 Plymouth town.....	250						1	3	37	1	9	1	5				
50 Quincy.....	850	2					6	6	250	1	33	5	4	2			
51 Revere.....	304	4					5	3	46		12		1				
52 Salem.....	887	3			8	1	1	5	144	2	53	1	4				
53 Somerville.....	1,521	2			10		16	23	268	4	77	4	3	10			
54 Southbridge town.....	208	1			4			1	29		16		1				
55 Springfield.....	2,534	4	1		13	3	32	31	373	3	128	16	12	12			
56 Taunton.....	951		1			2	14	1	155	1	93	5	3				
57 Wakefield town.....	173						2	2	28	1	20	2	1				
58 Waltham.....	713	2			5	1	13	2	225	5	32	9	3				
59 Watertown town.....	279				3		1	1	61		12	1	1				
60 Webster town.....	229	2	1		2		3	1	37		17		1				
61 Westfield town.....	460				1	1	2	7	106		62		4				
62 Weymouth town.....	272	1					3	2	30	1	8	1	1				
63 Winthrop town.....	180						1	1	17		3						
64 Woburn.....	291				2	5	5	1	49	1	18	2	2				
65 Worcester.....	3,758	6			7	2	6	21	457	5	206	21	27	5			

¹ Colored population less than 10 per cent of the total in 1910.

DEATHS FROM PRINCIPAL CAUSES.

219

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEASED AND CAUSE OF DEATH: 1918—Continued.

(footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Menigitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal afflictions.	Congenital and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
13	3	2	11	31	5	32	3	5	7	7	2	20	1	3	7	19	53	1	2
13	3	2	10	28	5	26	3	4	7	6	2	18	1	2	6	18	43	10	3
20	6	3	28	57	4	77	1	18	17	3	3	36	1	7	29	26	2	69	4
20	6	3	27	52	3	75	2	17	17	3	32	1	7	23	22	2	61	8	5
1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	4	1	8	6
3,176	577	295	2,899	6,157	728	11,306	302	2,470	395	339	223	2,599	183	574	2,785	2,383	368	6,584	7
3,180	572	290	2,865	6,024	722	11,082	301	2,433	390	337	220	2,532	177	564	2,783	2,383	364	6,464	8
46	5	5	34	133	6	244	1	37	5	2	3	67	6	10	47	45	120	265	9
9	—	—	8	24	1	30	2	15	1	1	1	8	—	2	16	5	1	13	10
17	3	14	31	1	47	—	—	5	2	1	1	16	—	5	13	13	2	31	11
13	3	1	20	32	4	64	1	4	—	1	1	19	3	5	12	11	3	32	12
23	2	24	53	5	42	3	2	5	2	3	13	—	4	19	11	1	30	1	13
956	144	120	674	1,983	124	3,582	69	475	133	109	62	642	56	176	754	803	114	1,720	14
934	144	117	656	1,895	124	3,471	69	484	131	107	61	617	53	170	737	776	113	1,656	15
22	3	18	68	—	111	—	—	11	2	2	1	25	3	6	17	27	1	64	16
70	16	6	56	89	4	179	7	14	8	4	4	55	3	11	62	51	10	155	3
49	5	2	37	74	5	75	3	5	1	—	1	32	1	6	11	70	5	1	18
140	26	7	107	235	46	427	19	60	18	7	9	93	9	22	84	84	9	228	19
44	8	2	55	97	11	175	9	10	4	2	2	37	5	6	36	42	5	85	20
11	4	3	14	30	14	87	4	61	—	1	—	22	—	3	39	14	7	50	21
24	3	1	14	23	2	35	2	8	—	1	1	28	2	10	31	15	41	2	22
32	6	4	25	61	6	131	—	11	4	5	1	28	2	6	72	1	23	—	23
105	19	10	91	256	62	396	15	308	19	14	9	149	7	13	144	70	6	231	24
34	5	3	32	78	8	184	4	26	6	4	2	26	3	7	30	23	5	77	25
19	4	1	20	35	3	49	8	5	6	2	2	26	1	5	22	20	2	41	26
15	4	1	18	19	5	83	2	19	—	3	—	28	4	5	21	15	1	31	27
31	13	1	19	56	6	111	—	10	4	5	2	23	1	5	18	21	2	50	3
12	4	5	9	15	3	55	1	11	1	1	1	11	—	1	24	15	2	26	29
42	10	3	62	102	8	204	—	16	9	4	5	41	4	9	36	38	6	121	30
45	13	5	53	107	9	275	9	100	15	13	13	73	1	18	87	50	7	102	31
79	12	10	92	103	19	357	20	159	15	14	8	88	12	27	70	68	11	189	40
16	7	1	11	43	1	76	1	6	—	4	3	19	1	2	15	9	3	47	33
110	18	13	126	166	78	483	14	182	11	6	15	94	4	21	139	108	7	305	34
99	18	4	103	164	22	248	13	33	13	17	8	101	9	19	59	76	19	213	35
56	9	5	43	112	9	136	4	18	10	3	1	39	1	12	30	25	9	80	36
12	4	2	26	25	5	38	1	6	3	1	2	9	1	4	12	19	2	39	37
42	11	—	45	48	8	78	1	4	2	1	—	26	5	5	20	16	3	68	38
21	5	—	20	35	1	62	—	4	—	1	—	12	1	1	10	11	4	51	39
11	2	1	20	36	6	—	—	6	5	2	—	12	—	9	11	1	23	2	40
16	6	3	24	22	1	72	3	4	3	2	—	13	1	4	24	14	7	41	41
97	24	8	94	151	56	464	15	407	5	10	12	66	10	24	98	84	14	266	60
29	6	2	14	47	6	52	1	10	2	1	1	23	—	4	6	14	2	45	1
62	7	1	51	75	1	89	5	9	1	5	—	29	4	10	32	27	5	108	44
26	6	1	20	35	11	59	9	21	3	3	—	21	1	3	21	28	2	64	45
31	5	1	47	44	6	55	2	11	3	3	—	40	—	2	26	13	4	101	46
15	3	4	16	31	9	48	—	13	1	2	1	10	1	2	16	21	3	52	47
52	6	6	49	82	5	172	12	13	9	8	8	46	7	10	39	30	6	106	48
12	3	1	8	39	2	48	3	3	1	1	1	11	—	4	12	5	1	38	49
42	2	3	30	84	4	138	4	15	8	8	1	30	—	7	33	48	7	66	50
11	4	—	20	37	4	62	—	11	—	1	6	16	2	4	12	9	3	20	51
46	10	6	50	127	18	137	2	23	5	6	2	27	2	6	54	32	8	104	59
85	14	5	103	200	14	210	5	29	6	8	6	76	3	15	87	38	13	186	53
13	4	—	16	13	—	64	4	17	13	3	1	9	—	6	15	164	81	256	54
128	19	10	126	204	28	533	9	87	17	13	3	194	6	15	164	81	8	256	2
33	6	3	48	105	19	152	—	46	1	6	5	27	3	3	28	28	4	157	56
5	1	1	23	22	1	17	—	1	—	1	6	—	3	8	8	1	24	3	57
33	4	5	34	66	4	84	2	8	4	—	2	21	3	4	34	17	4	87	58
17	5	1	10	34	6	58	1	8	—	1	1	4	—	1	8	9	3	32	59
10	—	—	16	23	2	45	1	9	—	1	2	6	—	2	15	7	1	60	60
15	3	1	30	22	6	86	—	17	—	3	—	22	2	3	19	18	1	28	61
23	4	—	27	32	3	52	—	2	—	2	—	14	—	3	12	11	2	37	62
15	10	1	17	31	—	33	—	—	—	3	—	11	1	—	9	7	2	17	63
22	5	1	23	29	1	25	1	4	2	1	—	18	1	3	12	15	2	48	1
203	42	20	177	506	45	808	15	132	28	25	10	110	9	38	184	154	22	467	65

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

AREA AND COLOR.	All causes.	DEATHS FROM—														
		Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.		
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)		
REGISTRATION CITIES—Continued.																
MICHIGAN.																
1 Registration cities (total).....	25,455	153	2	9	152	100	220	434	3,109	61	1,601	132	139	79		
2 White.....	24,751	151	1	8	150	100	213	433	3,045	60	1,512	127	134	78		
3 Colored.....	704	2	1	1	2		7	1	64	1	89	5	5	1		
4 Adrian.....	246	2			1					26	1	11	1	3		
5 Alpena.....	230	1				1				39		7			1	
6 Ann Arbor.....	508	5			2		2		1	52	2	18	3	7		
7 Battle Creek.....	697	1	1		5	2	9	19		108		19	3	6	1	
8 Bay City.....	796	8					8	9	112	1	42	2	9	7		
9 Detroit.....	12,889	72	1	6	129	46	155	273	1,385	23	969	84	55	37		
10 Escanaba.....	280	5					1	1	43	2	14	2	2	1		
11 Flint.....	1,105	13		1		8	5	21	272	2	35	4	5	3		
12 Grand Rapids.....	1,893	10			1	2	9	32	173	8	115	12	12	7		
13 Holland.....	146									20		16	1	1	1	
14 Ironwood.....	215					1	3			62	1	8	1	2	1	
15 Ishpeming.....	158	1				1		3		22		5	2	1		
16 Jackson.....	899	2				24	1	8	142	6	43	6	9	3		
17 Kalamazoo.....	1,088	2			1	1	8	6	102	8	68		6	1		
18 Lansing.....	722	5			1	3	3	21	106	7	17	2	4	1		
19 Manistee.....	141	2				5				1	14			1		
20 Marquette.....	217	4								27		7	2	1	1	
21 Menominee.....	170					1		2		32		14				
22 Muskegon.....	621	3		2	2	1	5	4	84	1	35		5	3		
23 Pontiac.....	601	8				1	2			83	1	45	1	2		
24 Port Huron.....	358	2			2	1	2	9	44	1	13		1	2		
25 Saginaw.....	986	10		4	1	5	5	15	110		44	3	5	3		
26 Sault Ste. Marie.....	224	1		1		4	4	4	31		9					
27 Traverse City.....	315	1			1					27	3	33	3	4	2	
MINNESOTA.																
28 Registration cities (total).....	11,575	47		4	34	80	136	164	1,913	38	835	77	66	39		
29 White.....	11,388	46	4	34	80	134	163	1,891	38	22	805	76	64	39		
30 Colored.....	187	1				2	1				30	1	2			
31 Duluth.....	1,390	4			2	2	8	11	211	6	87	16	12	5		
32 Mankato.....	276	1				1	1	1	41		10					
33 Minneapolis.....	5,392	31		4	26	33	79	88	776	16	426	31	21	14		
34 St. Cloud.....	275	2		1	1	9	1	87			10	1	2			
35 St. Paul.....	3,602	8			4	42	37	58	644	15	267	25	26	15		
36 Stillwater.....	123					1	1	1	30		6	1				
37 Virginia.....	216	1		1	2	1	1	1	61		8	2	2	1		
38 Winona.....	301							4	63	1	21		1	2		
MISSISSIPPI. ¹																
39 Registration cities (total).....	3,063	42	53	3	16	1	26	17	309	7	210	8	18	8		
40 White.....	1,181	15	15	2	9		11	7	151	5	52	2	3	2		
41 Colored.....	1,882	27	33	1	7	1	15	10	158	2	153	6	15	6		
42 Hattiesburg (total).....	374	3	7	1	4		9	2	39	3	23	1	1	1		
43 White.....	194	1	2		3		4	2	17	2	4		1	1		
44 Colored.....	180	2	5	1	1		5		22	1	19					
45 Jackson (total).....	1,057	14	11		6		10	14	93	1	68	1	11	3		
46 White.....	376	7	7		2		3	5	46	1	12					
47 Colored.....	681	7	4		4		7	9	47		56	1	10	3		
48 Meridian (total).....	622	9	14	2	6	1	5		69	1	45		2	2		
49 White.....	322	3	2	2	4		4		39	1	19					
50 Colored.....	300	6	12		2	1	1		30		26		2	1		
51 Natchez (total).....	329	4	2				2		34		24	3	2			
52 White.....	87								12		6		1			
53 Colored.....	242	4	2				2		22		18	3	1			
54 Vicksburg (total).....	681	12	19				1		74	2	50	3	2	2		
55 White.....	202	4	4						37	1	11	2				
56 Colored.....	479	8	15					1	37	1	39	1	2	2		
MISSOURI.																
57 Registration cities (total).....	25,374	193	25	23	143	38	242	236	2,911	52	1,865	64	138	63		
58 White.....	22,040	167	16	21	128	37	198	222	2,744	49	1,404	54	95	58		
59 Colored.....	3,334	26	9	2	15	1	44	14	167	3	461	10	43	5		
60 Hannibal (total).....	419	6			3	1	2	5	67	1	38	1	2	3		
61 White.....	355	6			3	1	2	5	62	1	29	1	1	3		
62 Colored.....	64								5		9		1			
63 Jefferson City (total).....	237	3			2		1	1	25	1	27					
64 White.....	207	3			2		1	1	23	1	20			1		
65 Colored.....	30								2		7					

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

DEATHS FROM PRINCIPAL CAUSES.

221

HAWAII AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918—Continued.

(footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

DEATHS FROM—																				
Con- cer and other malign- ant tumors.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respiratory dis- eases.	Diar- hea and enter- itis (under 2 years).	Ap- pendi- citis and typhi- litis.	Her- nia, intesti- nal ob- struction.	Cirrho- sis of the liver.	Acute nephri- tis and Bright's disease.	Puer- peral affec- tions.	Other puer- peral affec- tions.	Con- genital debi- lity and mal- forma- tions.	Viol- ent deaths (su- icide except- ed).	Sui- cide.	All other defined diseases.	Un- known or ill- defined diseases.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
1,272 1,258 14	248 246 2	132 129 3	1,135 1,115 20	2,259 2,192 67	304 296 8	3,736 3,548 188	204 191 13	976 961 15	305 296 9	212 207 5	147 142 5	1,087 1,063 24	139 135 4	295 288 7	1,637 1,618 19	1,321 1,285 36	164 160 4	3,634 3,553 81	57 56 1	1 2 3
21 14 63 49	3 5 8 9	23 7 26 44	24 19 35 84	2 11 2 3	23 35 32 3	3 6 6 9	9 6 8 9	6 4 6 16	2 2 5 3	5 3 2 5	5 11 44 34	12 11 44 34	1 1 1 9	10 9 30 48	8 14 19 37	1 1 1 101	45 37 113 101	3 4 5 7		
52 553 10 10 34 113	5 107 3 5 8 18	2 39 437 23	77 982 127	20 2,377 44	97 92 658 13	15 125 107 206	19 12 43 12	11 11 12 21	7 5 4 24	11 74 455 9	22 4 74 129	4 7 152 11	37 49 947 92	2 119 79 79	2 1,499 1,499 1,499	3 8 9 10 11 12				
10 8 13 45 49	4 3 2 1 4 46	39 77 20 23 62	23 154 13 206	12 12 66 66	13 13 21 21	1 5 43 24	1 1 1 1	1 1 1 9	1 1 1 2	1 1 1 11	1 1 1 22	2 1 13 92	2 2 15 77	1 119 1,499 1,499 299	3 8 9 10 11 12					
10 8 13 45 49	4 3 2 1 4 46	4 7 13 20 116	13 13 11 115	7 14 14 115	12 14 14 9	2 2 16 26	3 2 15 13	3 14 14 13	1 2 7 2	1 1 1 2	1 1 1 72	2 1 1 3	2 1 1 10	2 2 12 60	2 25 19 15 14 266	1 13 14 15 16 17				
51 5 21 11 21	7 4 2 1 8	2 47 9 22 13	78 10 22 23 23	88 8 20 1 1	6 8 8 5 16	17 1 3 5 4	10 1 3 2 7	10 1 1 2 8	1 1 1 3 2	3 13 9 9 8	38 3 2 2 1	7 1 1 1 1	40 38 3 18 11	4 106 31 27 20	3 18 19 20 21 22					
23 14 71 6 15	3 5 1 2 4	43 46 61 117 27	46 4 7 9 17	65 10 11 30 18	10 16 11 5 2	16 6 5 5 3	6 4 4 5 4	1 1 1 4 4	1 1 1 3 4	1 1 1 5 4	18 4 4 5 12	5 5 5 5 4	29 24 20 13 9	4 161 61 140 106	3 23 1 24 25 26					
717 708 9	135 134 1	41 41 440	446 46 6	1,034 1,019 15	64 64 1,304 32	1,336 75 3	78 185 182 3	170 170 187 3	102 99 66 3	66 66 66 3	638 619 51 19	52 51 105 1	105 105 622 5	622 634 118 6	118 1,585 1,564 21	14 28 13 30				
58 26 354 12	10 3 60 19	7 52 25 13	84 43 629 483	10 1 34 24	188 1 34 25	10 1 64 6	29 1 74 6	26 1 51 3	12 5 32 1	10 1 32 1	65 12 339 5	9 2 14 4	17 11 46 3	94 15 284 14	126 15 276 11	17 200 59 792	2 31 32 33 34			
238 7 5 17	49 4 3 2	10 10 13 22	132 10 359 43	22 2 385 27	26 2 51 2	77 1 51 1	51 2 2 3	27 2 2 2	17 1 2 3	202 3 9 9	22 27 1 1	183 166 18 10	32 32 13 10	435 1 35 36 37	1 35 36 37 38					
110 51 59	15 13 2	8 5 3	92 51 41	226 69 157	8 3 5	230 113 10	17 7 34	65 31 28	56 22 14	40 14 9	240 95 145	17 8 7	15 9 8	90 42 48	184 77 107	8 765 263 502	94 39 40 41			
16 10 6 36 18	3 2 3 7 1	3 10 9 18 13	12 13 9 52 14	22 13 23 32 1	2 1 3 2 1	4 7 1 11 6	20 1 1 1 13	1 1 1 4 13	1 1 1 2 2	1 1 1 1 1	20 11 90 53 38	1 1 1 1 1	5 15 7 23 1	32 18 56 349 349	59 43 27 345 345	8 42 5 43 3 44 3 45 4 46 3 47 2 48 1 49 1 50 1 51 1 52 1 53				
25 11 14 16 11	2 2 2 2 1	19 12 16 28 17	32 16 16 27 16	3 1 2 2 1	58 27 29 32 9	5 1 4 1 1	20 1 9 1 9	14 5 9 4 1	7 2 2 1 1	4 5 18 25 3	43 5 25 2 2	21 15 15 15 13	41 22 19 13 9	3 146 74 72 61 1 16 45 3 53	18 48 4 49 14 50 3 51 1 52 3 53					
17 7 10	1 1 1	17 7 10	93 15 78	1 1 1	65 25 40	5 2 3	4 2 2	13 1 12	11 2 9	3 1 2	45 18 27	3 1 2	9 2 7	42 16 26	150 34 116	33 54 7 55 26 56				
1,274 1,182 92	244 223 16	135 119 16	970 903 67	2,012 1,693 319	231 199 32	4,915 4,112 803	194 171 23	541 494 47	287 266 21	189 180 19	251 226 25	2,120 1,820 1,300	102 93 9	152 135 17	806 733 73	1,335 1,136 199	243 230 13	3,328 2,890 438	42 57 5 58 59	
10 10	4 4	1 1	16 15	47 40	2 2	53 38	2 2	5 5	4 4	2 2	8 6	28 20	3 3	4 4	13 10	19 16	5 5	55 49 6	9 60 61	
11 11	5 4	1 1	8 6	8 4	2 1	56 56	2 2	2 1	1 1	1 1	1 1	19 18	2 1	2 2	10 10	13 12	1 1	30 27 3 1	63 62 64 65	

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

AREA AND COLOR.	All causes.	DEATHS FROM—													Other forms of tuberculosis.	Rheumatism.		
		Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	(37)					
		1	3	4	5	6	7	8	9	(12)	13	14	15					
REGISTRATION CITIES—Continued.																		
MISSOURI—continued.																		
1 Joplin.	810	29	1	3	2	2	12	61	98	1	95	2	3	5				
2 Kansas City (total).	6,608	47	7	17	57	11	40	61	855	18	458	14	31	13				
3 White.	5,682	39	4	15	54	11	37	59	827	17	310	13	17	13				
4 Colored.	926	8	3	2	3		3	2	28	1	148	1	14	3				
5 Moberly.	252	6				1	5	1	36		24							
6 St. Joseph.	1,797	7		1	44	1	8	33	222	3	97	2	12	3				
7 St. Louis (total).	13,727	60	15		25	21	170	123	1,342	26	976	42	76	33				
8 White.	11,734	49	9		13	21	130	116	1,230	24	731	33	52	29				
9 Colored.	1,993	11	6		12		40	12	112	2	245	9	24	4				
10 Sedalia (total).	447	9	1	1	6			1	68		27	1	6					
11 White.	379	3	1	1	6			1	64		21	1	5					
12 Colored.	68	6							4		6		1					
13 Springfield.	827	15	1		3	1	3	3	174	2	67	1	3	2				
14 Webb City.	250	11		1	1		1	3	24		56	1	3	2				
MONTANA.																		
15 Registration cities (total).	3,212	6	2	3	2	34	6	17	947	7	153	10	13	7				
16 White.	3,138	6	2	3	2	34	6	17	941	7	149	10	13	5				
17 Colored.	74								6		4			2				
18 Anaconda.	211			1	1	8			26		7	1	1	1				
19 Billings.	317	1		1	1				107		10							
20 Butte.	1,455	4	2			20	3	10	477	4	93	5	4	6				
21 Great Falls.	603	1		1		5	3	7	168	2	18	3	2					
22 Helena.	288								65	1	7		2					
23 Missoula.	338					1			104		18	1	1					
NEBRASKA. ¹																		
24 Registration cities (total).	4,104	13	1	1	12	11	18	60	802	12	196	12	31	14				
25 White.	3,876	12	1	1	12	11	17	56	776	12	151	9	27	14				
26 Colored.	228	1					1	4	26		45	3	4					
27 Lincoln.	905	2		1	1		1	4	9									
28 Omaha.	3,199	11				11	3	14	51	633	2	21	1	5	6	8		
NEW HAMPSHIRE.																		
29 Registration cities (total).	4,493	14	1		23	6	53	20	1,008	5	193	22	25	4				
30 White.	4,482	14	1		23	6	53	20	1,005	5	192	22	25	4				
31 Colored.	11								3		1							
32 Berlin.	338					8		4		110		8	6	2				
33 Concord.	682	1				1		3	4	152	2	28	4	1				
34 Dover.	277	1					6		35		7		4					
35 Keene.	275	1				2		1	59		9							
36 Laconia.	296	3					4		75		9		2					
37 Manchester.	1,659	4	1		12	1	25	13	350	2	86	11	13	1				
38 Nashua.	632				1	2	11		163	1	31	3	1					
39 Portsmouth.	334	3			1	1		2	64		15	1	1					
NEW JERSEY.																		
40 Registration cities (total).	39,142	113	5	1	384	33	341	292	5,130	53	2,360	195	158	108				
41 White.	36,811	103	5	1	366	33	289	288	4,932	52	2,168	184	136	102				
42 Colored.	2,331	10			18		52	4	198	1	192	11	22	6				
43 Asbury Park (total).	203			1				2		25		8		1	1			
44 White.	160			1				2		19		6		1	1			
45 Colored.	43									6		2						
46 Atlantic City (total).	1,210	2	2		2			10	1	238		46						
47 White.	962	2	2		2			3	1	204		29	1	6	2			
48 Colored.	248							7		34		17	1					
49 Bayonne.	1,439				39		11	20	254	4	76	10	2	6				
50 Bloomfield.	246				7		9	5	31		15	1	1					
51 Bridgeton.	396	10			2		6	5	73	1	23	2						
52 Camden.	3,062	11			21		37	20	572	1	151	8	11	7				
53 East Orange.	471	1				1	6		39	1	26	5	3					
54 Elizabeth.	1,846	5	1	1	21	1	16	13	142	2	97	15	8	8				
55 Garfield.	251				8		4	1	40		14							
56 Hackensack.	434	2			1		3	2	70	1	7	2						
57 Harrison.	225				3		3	6	29		9							
58 Hoboken.	1,182	6			14	2	8	21	65	2	95	11	4	5				
59 Irvington.	302				4	1	1		36	2	17	1	1	1				
60 Jersey City.	6,081	16			40	10	58	61	642	9	399	22	31	16				
61 Kearny.	438				10		2	2	38	1	24	1	2	2				
62 Long Branch.	379	7					4		18		10		2					
63 Millville.	317	1			1	1	4		93		16		2					

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

DEATHS FROM PRINCIPAL CAUSES.

223

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918—Continued.

[footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Menitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhilitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal afflictions.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or undefined diseases.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
31	3	3	26	43		187	3	25	8	4	45	4	5	31	45	3	80	4	
303	59	50	215	493	38	1,345	70	124	71	53	454	32	51	218	425	65	856	12	
277	54	44	201	336	30	1,140	58	114	64	49	41	371	27	44	203	346	61	745	11
26	5	6	14	107	8	205	12	10	7	4	4	5	7	15	11	111	1	1	
20	9	3	11	21		25		2	3	2	21		1	11	12	4	22	3	
70	17	3	102	97	12	295	10	31	66	16	12	12	13	56	90	21	319		
763	131	69	532	1,221	169	2,721	99	319	115	106	168	1,324	43	65	408	652	136	1,769	3
704	122	59	490	1,036	147	2,235	91	290	102	95	151	1,143	39	55	357	552	129	1,497	3
59	9	10	42	185	22	486	8	29	13	11	17	181	4	10	51	100	7	272	
21	5	1	12	15	1	96	5	11	4	1	4	58	2	4	14	25	1	44	3
18	5	1	11	13	1	77	5	9	4	1	3	49	2	4	12	21	1	36	3
3			1	2		19		2			1	9			2	4	8	2	12
43	10	2	34	53	2	104	3	11	14	10	3	39	5	7	34	36	7	133	2
2	1	3	14	14		33		11	1	2	1	10	1	11	11	18	1	20	5
97	27	32	56	169	10	563	16	51	68	16	17	113	28	37	130	218	34	307	15
95	27	32	55	164	10	546	15	50	66	16	15	103	28	37	127	214	32	297	16
2			1	5		17	1	1	2	2	2	10			3	4	2	10	2
2	1	3	5	9	1	61		7		2		12	2	6	7	17	4	24	4
5	4	6	2	14		49	2	5	15	2	1	9	5	4	19	17	6	29	18
30	11	12	22	64	6	263	9	20	21	6	8	42	9	13	46	104	11	126	4
21	5	6	9	26	1	111	1	15	17	6		22	5	8	31	39	9	56	5
17	5	1	11	32	1	38	1	2	7	1	4	17	4	4	15	19	2	31	3
22	1	4	7	24	1	41	3	2	8	1	4	11	3	2	12	22	4	41	23
255	41	20	148	263	18	674	23	79	89	50	22	191	20	33	167	206	34	580	8
245	38	20	142	255	14	625	23	76	89	49	21	182	9	1	161	190	33	555	7
10	3		6	8	4	49		3		1	1			1	6	16	1	25	1
64	14	6	41	60	4	136	4	10	21	9	6	60	9	13	47	39	8	129	27
191	27	14	107	203	14	538	19	69	68	41	16	131	11	20	120	167	26	451	28
192	36	30	240	376	55	702	25	142	33	32	22	197	9	29	229	147	32	581	10
192	36	30	239	376	55	698	25	142	33	32	22	196	9	29	229	147	32	580	10
9	1	5	4	17	1	69	1	8	6	1	3	6	5	15	12	3	35	32	
40	8	2	64	104	1	55	1	1	3	3	3	31	2	1	20	10	1	128	1
19	6	1	13	22	1	59		4	2	3	1	18	1	1	16	10	1	39	3
16		1	16	22	1	42	1	2	5	2	2	27	1	3	10	9	2	40	1
17	4	5	14	25	4	41	1	4	2	2	1	14	5	10	10	3	41	36	
58	11	6	82	130	39	262	16	79	6	13	6	66	3	10	118	40	10	183	2
24	4	7	24	31	5	101	2	36	7	4	6	23	2	3	33	27	1	77	38
9	2	3	23	25	3	73	3	8	2	4	2	12	1	15	19	2	1	38	39
1,573	380	233	1,633	3,301	430	9,589	244	1,632	235	242	230	2,416	131	300	1,720	2,009	206	3,410	55
1,531	370	200	1,549	3,110	392	8,923	229	1,561	217	224	220	2,243	121	288	1,626	1,898	199	3,192	50
42	10	24	84	191	38	666	15	71	18	18	10	173	10	12	94	111	7	218	42
10	1		15	34	5	30		4	2	1	19			6	10	1	26	1	
9	1		15	26	1	23		4	2	1	15			4	7	1	21		
1			8	4	7									2	3		5	1	
50	17	1	69	129	7	190	7	33	10	10	10	110	3	7	27	70	12	135	2
41	17	1	108	127	5	127	4	28	8	7	8	90	3	7	22	62	11	104	2
9			14	21	2	63	3	5	2	3	2	20			5	8	1	31	
33	8	6	34	93	17	425	8	75	6	2	2	74	3	7	61	73	4	86	49
7	1	16	31	1	1	38	1	19	7	2	1	15	6	4	6	8	4	29	50
16	4	27	44	1	66	1	1	7	2	1	23	2	3	13	16	47	1	61	
87	11	16	86	220	17	845	15	156	5	21	12	181	18	21	133	168	9	201	1
41	5	43	68	5	87	2	2	1	2	2	55	3	3	19	7	3	44	52	
81	16	7	84	130	15	596	9	87	12	16	16	67	8	12	97	110	9	143	1
3	3	5	5	11	2	78	1	27	1	5	3	11	2	2	18	9	1	55	1
16	7	3	18	43	3	105	2	5	3	6	3	20	2	2	27	31	2	47	1
4	1	5	5	24	6	64	2	10	1	1	1	12	1	1	10	13	1	16	1
57	23	11	47	105	7	348	6	57	7	3	6	56	4	4	48	58	6	94	2
20	5	1	16	37	1	48		6	1	2	8	31	1	1	17	13	2	29	59
241	73	51	224	543	79	1,570	36	264	46	34	41	401	13	60	250	333	25	485	8
24	6	2	26	44	7	99	1	10	1	3	3	30	1	5	13	31	2	61	6
13	7	4	22	44	3	65	4	9	6	9	4	55	2	2	10	31	5	45	6
12	4	1	21	32	1	36	1	5	1	2	3	14	1	2	11	5	4	44	63

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

AREA AND COLOR.	All causes.	DEATHS FROM—														
		Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.		
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)		
REGISTRATION CITIES—Continued.																
NEW JERSEY—continued.																
1 Montclair (total).....	301				1		3	1	31		22	1	2	2		
2 White.....	257				1		2	1	25		13	1	1	1		
3 Colored.....	44						1		6		9		1	1		
4 Morristown.....	407	3			1	1		1	73	1	9					
5 New Brunswick.....	893	7			5	4	8	3	155		69	5	1	1		
6 Newark.....	8,132	18			118	7	52	47	750	16	545	54	45	17		
7 Orange.....	844				8		3	1	72		41	8	3	7		
8 Passaic.....	1,192	1			16	2	14	19	146	2	84	6	5	2		
9 Paterson.....	2,686	6			21	1	19	22	476	2	193	8	4	10		
10 Perth Amboy.....	1,030	1			20		6	5	244	1	46	5	3	1		
11 Phillipsburg.....	342	2			2		5		83	1	14		2	1		
12 Plainfield.....	616	1				1	13	8	63	2	26	6	2			
13 Trenton.....	2,927	12	1		6	1	17	18	446	1	177	13	6	9		
14 Union.....	265				2		1	1	35		26	1		3		
15 West Hoboken.....	493	1			1		6	6	63	2	31	3	2	3		
16 West New York.....	350				9		7	3	63	1	26	1	1	1		
17 West Orange.....	182				1		3		25		18	1		1		
NEW YORK.																
18 Registration cities (total).....	145,303	415	22	1	1,117	255	988	1,555	15,669	283	11,833	1,032	604	394		
19 White.....	140,642	402	22	1	1,099	253	944	1,526	15,289	279	11,135	984	564	380		
20 Colored.....	4,661	13			18	2	44	29	380	4	698	48	40	14		
21 Albany.....	2,548	12			3	1	16	8	371	4	206	14	10	7		
22 Amsterdam.....	576				1	1	6	2	120		35	3	4	2		
23 Auburn.....	708	6			2		4		131		32	2	4	2		
24 Batavia.....	325	4			1				78		12		1			
25 Binghamton.....	1,363	2			6	2	3	11	221	5	86	5	9	4		
26 Buffalo.....	10,112	38			42	17	57	114	1,273	15	752	55	38	30		
27 Cohoes.....	497						3	1	61	1	36	1		2		
28 Corning.....	294	5					4	4	65		6					
29 Cortland.....	311	3			2		4		43		11	2	3	1		
30 Dunkirk.....	400	1			1		5	3	96		16		3	1		
31 Elmira.....	868	8			2	6	4	5	90	1	41		3	4		
32 Fulton.....	311	3					4	1	55		10	1	1	1		
33 Geneva.....	258	4			2	1	2		41		11	2		2		
34 Glens Falls.....	428	2			1				2		13	2		2		
35 Gloversville.....	526						1	10	88		22		1	2		
36 Hornell.....	282				2		1	1	63		5	3	5			
37 Hudson.....	292	3			2		1		81		10	3	3			
38 Ithaca.....	317	2			4		2		35		8	1	2			
39 Jamestown.....	572	1			1	1	10	1	81		34	5	2	1		
40 Johnstown.....	188				1				31		7		1	1		
41 Kingston.....	691	12			2		9	6	121		58		3	2		
42 Lackawanna.....	494				9		18	9	47	3	11	5		1		
43 Little Falls.....	257	4					2	2	29	2	9	5	1			
44 Lockport.....	373	5							68		9	3	2			
45 Middletown.....	521	3			2		2		76	1	38	1	2	3		
46 Mount Vernon.....	583	2			5	1	1	2	132		16	1	3	1		
47 New Rochelle.....	515	2			8		3	4	98		18	6	4	2		
48 New York (total).....	96,989	195	18	1	844	189	665	1,213	8,258	212	8,951	777	388	263		
49 Bronx Borough.....	10,607	17	1		62	13	70	133	945	36	1,022	99	38	23		
50 Brooklyn Borough.....	34,010	78	10		346	61	173	382	2,948	56	2,714	223	127	98		
51 Manhattan Borough.....	42,359	87	4	1	375	96	314	555	3,437	108	4,325	394	191	99		
52 Queens Borough.....	7,011	8	2		49	18	91	94	720	10	589	48	28	35	8	
53 Richmond Borough.....	2,502	5	1		12	1	17	19	208	2	301	13	9	8		
54 White.....	93,088	189	18	1	831	187	628	1,184	7,986	208	8,352	735	362	252		
55 Bronx Borough.....	10,478	17	1		62	13	68	132	931	36	1,004	98	38	22		
56 Brooklyn Borough.....	33,043	75	10		339	61	167	380	2,872	55	2,597	215	119	98		
57 Manhattan Borough.....	40,237	84	4	1	369	94	287	559	3,275	105	3,885	363	174	90		
58 Queens Borough.....	6,909	8	2		49	18	91	94	715	10	577	46	23	34	8	
59 Richmond Borough.....	2,421	5	1		12	1	15	19	193	2	289	13	8	2		
60 Colored.....	3,901	6			13	2	37	29	272	4	599	42	26	11		
61 Bronx Borough.....	129						2	1	14		18	1		1		
62 Brooklyn Borough.....	967	3			7		6	2	76	1	117	8	8			
63 Manhattan Borough.....	2,622	3			6	2	27	26	162	3	440	31	17	9		
64 Queens Borough.....	102								5		12	2		1		
65 Richmond Borough.....	81						2		15		12		1			
66 Newburgh.....	694	4			2		4		68	2	58	5	1	3		
67 Niagara Falls.....	983	2			5	1	2	9	256	1	34	7	4			
68 North Tonawanda.....	276	4					1		64		10	1				
69 Ogdensburg.....	690	6							117	2	27	3	3	2		
70 Olean.....	364	1					1		33		12	2	2	2		

DEATHS FROM PRINCIPAL CAUSES.

225

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEASED AND CAUSE OF DEATH: 1918—Continued.

[footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

DEATHS FROM—																				
Cancer and other malignant tumors.	Diabetes.	Menigitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhilitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal afflictions.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.	
16	(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
11	3	—	24	41	4	51	1	27	—	—	2	26	—	—	7	9	2	30	—	1
11	3	—	21	37	3	45	1	24	—	—	2	22	—	—	5	8	2	28	—	2
26	4	2	27	24	1	6	3	—	—	6	4	14	1	8	2	1	—	2	3	
32	6	3	35	67	2	162	6	52	2	8	1	37	5	6	47	67	5	81	6	
346	91	53	325	742	170	1,993	67	341	70	49	50	515	26	62	354	418	51	736	4	
43	8	7	34	64	6	271	6	7	7	5	6	49	4	11	45	34	3	91	7	
38	5	14	27	71	15	291	8	103	9	7	8	53	5	10	71	48	5	104	3	
135	25	12	118	217	21	439	16	39	19	25	19	206	9	20	100	151	24	274	5	
22	6	6	22	39	12	263	6	61	7	3	3	29	4	6	62	71	1	68	7	
12	2	1	23	22	1	60	3	14	—	1	1	24	3	14	7	2	37	5	11	
33	4	10	27	34	2	187	4	17	3	5	1	45	4	27	24	1	63	12		
101	14	13	132	225	10	794	21	95	10	22	9	172	15	39	132	142	16	255	3	
15	2	—	22	25	1	65	1	11	2	1	3	15	—	2	11	5	2	13	14	
17	8	2	35	52	3	105	3	18	—	—	5	33	2	22	12	2	56	15		
19	7	2	15	23	5	73	1	16	—	—	1	14	—	32	9	2	18	1		
8	3	—	9	23	—	43	1	2	—	—	2	10	—	11	2	1	18	—	17	
7,419	1,763	630	5,966	14,724	1,432	31,084	900	4,562	989	1,022	914	9,353	416	1,138	6,142	6,729	990	91	18	
7,302	1,730	600	5,855	14,333	1,383	29,840	877	4,439	971	1,004	897	9,065	403	1,110	5,961	6,526	968	14,871	88	19
117	23	30	111	391	49	1,244	23	123	18	18	17	288	13	23	181	203	22	469	3	20
153	36	25	143	264	15	374	11	34	25	19	199	6	17	80	104	19	346	1	21	
19	4	2	30	54	3	68	5	23	4	1	35	1	30	32	73	3	73	2	22	
36	7	2	52	95	6	78	4	12	6	8	28	1	5	36	33	12	94	—	23	
25	4	2	23	29	3	46	3	8	5	4	9	1	4	15	13	2	30	1	24	
63	15	6	84	176	16	162	11	31	6	12	83	4	12	48	59	8	201	6	25	
492	112	29	438	783	92	1,857	51	645	88	84	72	673	25	82	455	467	46	1,187	3	26
17	4	2	24	42	2	139	5	18	2	4	29	2	3	19	26	1	55	27		
16	2	2	16	20	4	47	2	1	5	—	20	—	6	18	24	2	24	1	28	
12	4	1	29	25	2	54	8	3	2	3	19	1	2	16	14	5	42	29		
16	3	2	11	40	4	48	1	21	1	2	18	—	5	23	19	1	56	2	30	
46	11	5	62	105	7	115	5	25	10	3	5	90	4	9	38	41	3	120	31	
11	3	1	20	38	1	56	1	7	2	3	16	2	6	15	16	2	34	1	32	
12	4	15	34	1	41	2	1	3	3	—	12	1	2	12	14	3	34	1	33	
30	3	—	32	36	3	80	1	8	7	5	18	2	1	10	12	2	52	1	34	
28	4	10	46	52	5	74	4	9	4	5	38	1	5	29	14	6	67	—	35	
19	—	16	38	5	22	2	2	2	2	5	18	3	4	12	12	2	39	1	36	
16	2	1	20	3	33	1	1	4	4	3	21	—	4	12	15	1	31	37		
23	5	2	28	19	2	49	3	4	4	4	27	1	3	13	13	4	55	4	38	
46	12	2	30	68	6	64	5	9	6	8	47	2	7	20	30	4	68	2	39	
13	3	3	15	16	4	23	4	4	4	1	8	1	—	8	6	5	31	40		
28	2	1	36	77	3	113	7	12	19	5	33	—	1	23	33	2	78	1	41	
6	5	4	3	9	8	78	2	78	3	3	12	—	3	43	36	2	94	42		
10	6	2	12	25	—	37	1	14	—	4	15	3	3	15	18	4	31	1	43	
9	11	—	28	55	5	48	1	7	4	3	3	12	1	6	14	23	2	61	44	
31	3	1	44	46	9	69	—	9	5	5	45	3	2	8	19	1	94	45		
30	7	4	31	60	1	72	9	9	5	4	59	2	5	28	19	7	59	46		
23	4	1	20	67	6	85	4	5	1	—	37	—	2	23	29	5	55	47		
4,985	1,221	410	3,411	10,073	970	22,982	604	2,749	595	642	607	6,325	272	739	4,046	4,542	718	9,080	44	
606	160	29	369	1,049	57	2,558	53	185	79	88	63	738	39	74	473	395	71	1,058	49	
1,687	410	139	1,183	4,070	388	8,504	228	1,031	196	210	212	2,076	90	262	1,426	1,600	212	2,854	16	
2,239	543	209	1,422	4,071	465	9,664	278	1,295	254	279	260	2,787	121	323	1,723	2,119	374	4,399	18	
2,341	85	20	331	661	48	1,637	33	176	53	53	55	514	15	67	309	305	47	571	3	
112	23	13	106	222	12	619	12	62	13	12	17	210	7	13	115	123	14	198	3	
4,889	1,201	386	3,321	9,749	925	21,887	586	2,641	580	629	597	6,092	259	713	3,895	4,374	697	8,693	41	
603	160	28	365	1,037	57	2,523	52	182	79	88	63	728	39	73	471	391	69	1,044	45	
1,665	405	137	1,161	3,960	374	8,221	225	1,004	189	206	211	2,011	90	259	1,389	1,552	205	2,776	15	
2,170	531	190	1,384	3,887	485	8,983	265	1,222	246	271	252	2,640	110	302	1,615	2,016	363	4,118	17	
339	83	18	326	646	47	1,613	33	173	53	52	54	506	14	66	308	298	46	565	2	
112	22	13	105	219	12	597	11	60	13	12	17	207	6	13	112	117	14	190	3	
96	20	24	90	324	45	1,095	18	108	15	13	10	233	13	26	151	168	21	387	3	
3	—	1	4	12	—	35	1	3	27	7	4	1	65	—	3	27	48	2	61	
22	5	2	22	110	14	283	3	27	7	8	8	147	11	21	108	103	11	281	62	
69	12	19	58	184	30	731	13	73	8	1	1	8	1	1	1	1	1	1	63	
2	2	2	5	15	1	24	—	3	2	—	1	8	1	3	1	1	1	1	64	
—	1	—	1	3	—	22	1	2	—	—	—	3	1	3	1	—	8	—	65	
37	3	4	51	67	9	121	7	24	8	6	2	74	2	6	21	29	5	60	66	
34	4	7	24	66	4	161	12	65	4	7	2	34	3	12	55	51	7	87	67	
7	—	1	10	20	4	45	—	24	2	3	2	12	1	6	6	13	17	27	68	
31	5	1	39	78	2	136	3	9	5	2	2	37	3	16	24	22	2	123	2	
18	5	2	23	26	5	98	1	9	11	2	2	1	16	6	24	22	2	42	70	

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

AREA AND COLOR.	All causes.	DEATHS FROM—													
		Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Continued.															
NEW YORK—continued.															
1 Ossining.....	218	2			3	1	2	2	49		3			1	
2 Oswego.....	539	3				1	1	2	185	1	11		1		
3 Peekskill.....	303		1		11		1	2	65	1	21	1	3		
4 Plattsburg.....	307	4			1			3	70		13	2	5	1	
5 Port Chester.....	346				14	1		1	99	1	8	5	2		
6 Poughkeepsie.....	744	3			6	1		7	175	2	30	4	3	2	
7 Rensselaer.....	174				1		5	2	10		8	1			
8 Rochester.....	4,807	5			28	9	56	39	618	3	272	26	22	18	
9 Rome.....	833	4				2	2	4	150		167	2	4	3	
10 Saratoga Springs.....	368	4					4		45		19		2	3	
11 Schenectady.....	1,600	4			2	1	14	9	327	4	66	10	9	4	
12 Syracuse.....	3,278	12	1		54	4	27	24	387	7	153	16	16	8	
13 Troy.....	2,105	18			1	4	11	7	239	6	155	13	10	4	
14 Utica.....	2,062	8			20	1	11	12	266	3	103	16	13	5	
15 Watertown.....	853	7	1		14		3	5	197	1	36	3	6		
16 Watervliet.....	298	4					3		47		28		1	3	
17 White Plains.....	310	1				2	2		53		16	4	1		
18 Yonkers.....	1,574	2	1		13	8	15	16	218	5	120	15	4	1	
NORTH CAROLINA.															
19 Registration cities (total).....	5,309	79	10		41	4	56	16	911	6	532	13	42	11	
20 White.....	2,982	36	4		34	3	29	10	670	5	283	8	13	7	
21 Colored.....	2,327	43	6		7	1	27	6	241	1	249	5	29	4	
22 Asheville (total).....	752	7	1		1		4		114		203	2	4	2	
23 White.....	564	7	1		1		3		98		171	1		1	
24 Colored.....	188						1		16		32	1	4	1	
25 Charlotte (total).....	1,039	25	3		12	2	16	2	177	1	54		4	2	
26 White.....	607	12			12	2	11	1	118	1	17		2	2	
27 Colored.....	432	13	3				5	1	59		37		2		
28 Durham (total).....	455	14	3		6	1	2	1	60	1	52	1	3	2	
29 White.....	197	4	1		6	1	2	1	37		15	1	1	1	
30 Colored.....	268	10	2						23	1	37		2	1	
31 Greensboro (total).....	359	4	1		1		6	2	53	1	29	1	3	2	
32 White.....	193	3	1		1		2	1	32	1	8	1	2	2	
33 Colored.....	166	1					4	1	21		21		1		
34 Raleigh (total).....	741				5	1	9	2	139	1	44		7		
35 White.....	436				5		3	1	104	1	22		4		
36 Colored.....	305					1	6	1	35		22		3		
37 Wilmington (total).....	836	11	1		3		11		141		45	2	3	2	
38 White.....	434	6	1				4		102		18	2	2	1	
39 Colored.....	402	5			3		7		39		27		1	1	
40 Winston-Salem (total).....	1,127	18	1		13		8	9	227	2	105	7	18	1	
41 White.....	551	4			9		4	6	179	2	32	3	2		
42 Colored.....	576	14	1		4		4	3	48		73	4	16	1	
NORTH DAKOTA. ¹															
43 Fargo (total).....	412	5					2	2	119	1	18	2	4		
44 White.....	411	5					2	2	119	1	18	2	4		
45 Colored ²	1														
OHIO.															
46 Registration cities (total).....	51,264	347	14	8	105	65	340	320	7,822	69	3,810	279	360	127	
47 White.....	47,860	312	10	5	91	64	298	313	7,531	65	3,317	254	317	123	
48 Colored.....	3,404	35	4	3	14	1	42	7	291	4	498	25	43	4	
49 Akron.....	2,425	33	1	1	5	5	26	30	415	2	113	8	8	6	
50 Alliance.....	359	7			1	1	4		67		19		5	2	
51 Ashtabula.....	310	5							39		19	2	1	2	
52 Bellaire.....	328	3				4	1	3	90		15	1	1		
53 Cambridge.....	243	1			2		4	3	52	1	7		3		
54 Canton.....	1,261	7			1	1	2	7	201		54	6	4	3	
55 Chillicothe.....	321	5			2	2		4	51		27	6	1		
56 Cincinnati (total).....	8,591	19	6	1	18	3	63	44	1,233	12	863	53	46	22	
57 White.....	7,582	16	4		15	3	49	42	1,163	10	659	41	37	20	
58 Colored.....	1,009	3	2	1	3		14	2	70	2	174	12	9	2	
59 Cleveland.....	13,043	41	2		16	11	54	107	1,926	12	1,050	73	76	30	
60 Columbus (total).....	4,164	20		1	7	2	39	7	422	8	315	21	62	7	
61 White.....	3,659	17			5	2	30	7	393	6	251	18	55	7	
62 Colored.....	505	3		1	2		9		29	2	64	3	7		
63 Dayton.....	2,544	12	1		2	4	9	12	347	3	188	16	19	5	

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

DEATHS FROM PRINCIPAL CAUSES.

227

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEASED AND CAUSE OF DEATH: 1918—Continued.

(footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Menin- gitis.	Cere- bral hemor- rhage and softening.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respiratory dis- eases.	Diar- hea and enter- itis (under 2 years).	Ap- pendi- citis and typh- litis.	Her- nia, intestinal ob- struction.	Cirrho- sis of the liver.	Acute nephritis and Bright's disease.	Puer- peral septicemia.	Other puer- peral affections.	Con- genital debility and mal- formations.	Viol- ent deaths (suicide excepted).	Suicide.	All other defined diseases.	Un- known or ill- defined diseases.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
13	3	12	21	1	32	2	3	3	1	1	1	14	1	2	4	20	27	1	
18	6	39	67	4	53	3	21	3	3	1	1	30	1	9	22	18	38	2	
16	5	4	13	27	6	28	3	5	3	2	2	18	2	2	12	17	34	3	
13	4	1	12	37	3	32	8	4	3	3	1	11	1	4	15	18	37	2	
20	3	1	13	23	1	68	2	2	3	2	2	15	2	5	16	11	23	5	
41	9	2	36	57	9	150	1	11	4	7	3	34	1	2	29	21	88	6	
9	1	5	12	20	5	38	2	2	1	2	2	9	1	2	8	1	24	7	
307	62	18	264	499	66	811	26	154	42	44	50	308	11	31	216	166	609	8	
29	7	2	33	75	8	72	5	20	4	3	4	67	10	21	53	2	80	9	
20	7	1	20	32	1	44	4	10	7	3	5	39	1	3	10	23	56	10	
68	15	8	87	116	11	275	14	73	13	11	6	87	4	14	93	61	182	11	
167	56	14	161	376	23	633	14	157	28	30	17	171	14	21	150	151	382	12	
106	28	9	126	203	27	483	20	48	12	10	19	155	7	14	71	82	211	13	
92	24	14	105	273	32	353	12	64	14	14	8	112	9	18	92	109	246	14	
54	2	4	48	81	1	98	5	29	4	8	3	29	6	4	35	54	4	111	
13	1	6	18	33	1	75	4	4	3	1	1	19	1	3	10	9	16	16	
16	2	25	31	49	5	49	5	7	3	1	1	14	2	2	16	15	33	17	
75	14	6	78	122	18	305	7	56	13	10	15	102	8	15	81	74	139	18	
128	26	35	187	328	51	661	35	278	40	37	17	349	22	60	201	241	798	20	
88	24	19	112	166	12	275	22	128	26	21	11	187	11	30	124	141	433	21	
40	2	16	75	162	39	386	13	14	16	6	162	11	30	100	1	363	45	21	
25	4	4	33	24	16	73	6	17	6	1	2	47	7	6	22	31	76	9	
19	4	1	24	22	2	36	5	15	5	1	2	24	4	4	17	26	53	23	
6	3	9	2	14	14	37	1	2	1	1	2	23	2	5	5	18	13	3	
31	5	7	32	64	16	159	7	43	8	5	2	47	5	7	41	47	193	25	
24	5	5	27	40	5	75	7	26	8	4	1	24	2	5	24	22	6	26	
7	2	5	24	11	84	17	17	1	1	1	1	23	3	2	17	25	80	27	
8	4	6	14	34	9	41	1	37	2	3	3	27	5	18	1	12	74	28	
33	4	5	10	20	1	13	1	13	1	1	1	14	1	1	11	6	19	29	
5	1	4	14	14	7	28	1	24	2	2	2	13	1	4	15	29	55	30	
9	3	2	5	27	1	42	2	12	2	1	1	32	1	4	3	1	55	31	
7	3	1	14	1	20	22	2	6	2	1	1	14	2	2	8	19	32	3	
2	2	1	5	13	13	22	2	6	2	1	1	18	7	10	1	23	23	33	
11	6	3	43	53	5	82	7	16	10	13	3	52	4	6	20	42	152	34	
6	5	2	29	21	2	36	5	6	4	7	2	38	1	2	11	20	95	35	
1	1	14	32	3	46	22	10	6	6	1	1	14	3	2	11	22	57	36	
27	1	5	35	76	6	93	6	50	6	9	3	91	2	1	11	28	125	37	
14	1	3	14	31	1	34	1	29	6	6	1	46	1	1	7	23	57	38	
13	1	2	21	45	5	59	5	21	3	3	2	45	1	1	4	8	68	39	
17	3	8	22	50	5	171	6	103	6	5	3	53	4	19	57	40	121	40	
15	2	5	18	32	1	61	4	33	3	2	3	27	2	2	33	25	59	41	
2	1	6	17	4	110	2	70	3	3	3	26	2	2	12	24	15	62	42	
20	3	1	16	20	3	41	5	7	7	11	4	14	2	2	3	30	10	5	
20	3	1	16	20	3	41	5	7	7	11	4	14	2	2	3	30	10	44	
2,562	449	270	2,538	4,192	406	8,099	267	1,707	461	412	370	2,549	264	456	2,393	3,297	6,221	308	46
2,472	439	261	2,406	3,897	375	7,397	252	1,623	438	392	352	2,354	252	431	2,298	3,034	5,842	278	47
90	10	9	132	31	702	15	23	84	20	18	195	12	25	95	10	379	30	48	
59	15	21	83	182	16	448	16	111	26	5	69	28	32	170	173	17	268	7	49
22	2	2	18	29	1	50	3	17	6	4	1	2	7	21	45	1	44	50	
21	4	1	16	30	1	30	1	14	6	2	2	9	4	4	21	32	5	51	
13	3	4	9	26	3	43	1	16	5	3	2	12	2	6	15	27	24	2	52
9	3	2	18	17	32	1	5	3	3	9	4	4	4	14	12	4	30	53	
65	8	7	76	123	4	246	6	31	13	9	7	27	9	6	73	119	12	134	
13	4	5	12	28	28	33	2	6	5	2	2	27	1	1	14	16	43	54	
533	93	35	458	831	77	1,163	52	173	62	77	78	672	41	50	298	416	71	1,023	
505	89	33	427	746	66	964	43	151	59	74	72	593	39	45	273	346	69	894	
28	4	2	31	85	11	199	9	22	3	3	6	79	2	5	25	70	2	129	
601	96	61	444	872	140	2,556	68	597	93	80	92	639	57	103	602	855	81	1,410	
231	41	12	305	265	20	541	24	67	51	39	34	150	18	40	201	268	30	590	
222	41	12	275	302	14	434	23	57	47	34	32	141	17	40	188	215	29	741	
9	30	30	63	6	107	1	10	4	5	2	9	1	1	13	53	1	70	62	
152	31	15	128	273	15	420	11	50	22	23	14	158	16	28	115	157	22	272	

² Colored population less than 10 per cent of the total in 1910.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

AREA AND COLOR.	All causes.	DEATHS FROM—														
		Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.		
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)		
REGISTRATION CITIES—Continued.																
OHIO—continued.																
1	East Liverpool.....	452	17			5		2		94	1	37	1	6	2	
2	Elyria.....	330	2				4	6	54		15	1	3	1		
3	Findlay.....	275	1					1		28		23			1	
4	Hamilton.....	710	4			2		8	4	119	1	35	8	8	3	
5	Ironton.....	341	18			3		5	2	50		17		1		
6	Lakewood.....	407	1				1			72		29	2	3	1	
7	Lancaster.....	200	2			1	2		2	27	1	22	1	2		
8	Lima.....	670	4			1	2	8	9	66	1	47	6	10	3	
9	Lorain.....	675				1		7	4	205	2	18	1	1	5	
10	Mansfield.....	414				1		9	1	72		19		1		
11	Marietta.....	231	3	1		4		1	3	29		13	2	2		
12	Marion.....	393	10	1		1		10	1	57	1	27	2		1	
13	Massillon.....	261	2					1	1	34	1	8		5		
14	Middletown.....	408	3	1	1	3	1	1	6	97	1	25	4		1	
15	Newark.....	524	2		1	1		1		64		38	9	4	5	
16	Norwood.....	229					1	1		37		21	3		2	
17	Piqua.....	271	2				1	2		29		12	1	1		
18	Portsmouth.....	658	9		2	6	5	10	4	111	2	55	11	4		
19	Sandusky.....	361	3	1				1		70		19	1	4	1	
20	Springfield (total).....	1,014	8			7	2	13	4	136	1	65	5	13	3	
21	White.....	855	5			4	2	10	4	124	1	49	4	9	3	
22	Colored.....	159	3			3		3		12		16	1	4		
23	Steubenville.....	655	6			2	1	2	7	156	1	33	3	2	2	
24	Tiffin.....	257	3					12	1	23		25		4	1	
25	Toledo.....	4,038	26		1	5	16	15	28	475	13	370	14	24	10	
26	Warren.....	444	9					4	3	106		13	2	7	1	
27	Youngstown.....	2,815	49			8		16	15	663	4	110	15	25	3	
28	Zanesville.....	612	10			1		4		105	1	44		1	4	
OREGON.																
29	Registration cities (total).....	3,972	15	1		25	4	18	24	681	4	217	26	31	15	
30	White.....	3,820	14	1		25	4	18	24	656	4	191	17	26	14	
31	Colored.....	152	1							25		26	9	5	1	
32	Portland.....	3,760	15			25	4	17	23	667	4	204	23	30	14	
33	Salem.....	212		1				1	1	14		13	3	1	1	
PENNSYLVANIA.																
34	Registration cities (total).....	99,912	415	9		438	88	765	938	18,589	116	6,053	441	467	208	
35	White.....	93,052	381	6		426	86	679	920	17,771	111	5,252	409	405	197	
36	Colored.....	6,860	34	3		12	2	86	18	818	5	801	32	62	11	
37	Allentown.....	1,426	12			13	1	4	14	230	6	88	9	8	2	
38	Altoona.....	1,067	9			6	1	4	28	181	3	29	8	9	3	
39	Beaver Falls.....	361	3					8	9	81		20	2	3		
40	Bethlehem.....	324	3			2		3	5	39		14	3	1	2	
41	Braddock.....	790	10			2		7	8	200	1	16	1	2	1	
42	Bradford.....	286				1		1			37	1	10	2		
43	Butler.....	519	6			3		4	9	132	2	22	2	3	3	
44	Carbondale.....	501	1			1		2	5	151		10	2	3		
45	Carlisle (total).....	279	1					1	9	55		12		1	1	
46	White.....	251	1					1	9	48		10		1		
47	Colored.....	28								7		2		1		
48	Carnegie.....	239	2			1		2			31		11	1		
49	Chambersburg.....	284	1			1		4			74		12	2	1	
50	Chester (total).....	1,473	8			4		15	7	373		86	7	8	3	
51	White.....	1,219	7			4		10	7	329		72	7	6	3	
52	Colored.....	254	1					5		44		14		2		
53	Coatesville (total).....	302	5			1		6	1	52		10	4			
54	White.....	264	4			1		6	1	43		9	3			
55	Colored.....	38	1								9	1	1			
56	Columbia.....	294	3					3		95		18	1	5	1	
57	Connellsville.....	268				1		3	3	59		10		1		
58	Dubois.....	294	6			1			2	104		8	1	2	2	
59	Dunmore.....	471				6		5	8	91		14		31		
60	Duquesne.....	460	2			13	1		2	157		15	4	1		
61	Easton.....	847	3			2		4	6	131	1	33	4	2	2	
62	Erie.....	1,900	9			22	2	20	29	395	5	126	3	13	4	
63	Farrell.....	320	4			1		4	2	88		19	2	1		
64	Greensburg.....	364	4					4	1	49	1	11	1	1		
65	Harrisburg.....	1,693	11			1	1	1	8	392	2	70	1	9	1	
66	Hazleton.....	851	1			6		2	10	194		19	1	3	2	
67	Homestead.....	442	5			25		6	2	109		18	1	3		

DEATHS FROM PRINCIPAL CAUSES.

229

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEASED AND CAUSE OF DEATH: 1910—Continued.

(footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Dia-betes.	Menin-gitis.	Cere-bral hemor-rage and softening.	Organic dis-eases of the heart.	Bron-chitis.	Pneu-monia (all forms).	Other respi-ratory dis-eases.	Diar-rhea and enter-itis (under 2 years).	Ap-pen-dicitis and typh-litis.	Her-nia, intestinal ob-struction.	Cirrho-sis of the liver.	Acute nephritis and Bright's disease.	Puer-peral septic-emia.	Other puer-peral affec-tions.	Con-genital and mal-for-mations.	Viol-ent deaths (suicide except-ed).	Su-i-cide.	All other defined diseases.	Un-known or ill-defined dis-eases.
16	(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
14	2	8	20	30	1	60	4	25	4	3	7	14	2	9	15	23	1	41	4
11	6	6	13	38	1	35	3	7	3	3	1	18	6	5	23	28	2	37	4
19	5	2	19	41	1	36	1	6	3	6	3	16	1	1	1	8	4	40	3
30	6	4	35	54	6	153	2	18	6	3	12	30	1	2	36	44	10	66	2
12	1	1	14	26	8	61	5	12	2	2	4	10	1	5	24	17	1	41	5
35	4	4	20	36	4	60	1	18	1	3	4	15	1	1	16	27	1	52	6
16	3	4	15	11	1	28	2	2	10	14	5	42	5	4	45	5	3	36	7
34	10	1	33	48	1	107	3	34	3	4	28	2	10	6	44	54	1	91	22
23	5	7	13	18	1	100	1	16	2	1	24	10	6	18	21	5	59	10	
28	2	1	36	45	3	58	2	16	2	1	24	1	6	18	21	5	43	10	
15	2	4	17	17	1	34	4	12	5	2	6	8	2	5	5	10	1	35	11
16	2	1	25	34	2	45	3	12	4	3	2	20	1	4	20	36	1	52	12
14	2	1	19	28	2	33	1	8	8	2	4	13	2	3	10	28	1	30	13
17	7	1	11	19	1	74	1	18	3	3	1	16	2	4	23	19	1	43	14
28	6	2	40	43	4	100	4	10	7	8	3	29	1	7	18	24	5	58	15
13	2	3	13	25	4	27	4	4	2	1	2	20	1	1	11	8	3	29	16
19	2	3	19	29	2	38	4	28	5	3	1	22	6	3	11	15	1	41	17
33	5	2	21	45	1	104	4	28	5	1	4	14	1	2	30	33	3	69	18
20	4	3	31	39	13	34	5	5	1	4	1	14	1	2	15	26	3	45	19
56	8	8	115	90	7	111	1	26	6	9	10	64	3	9	51	47	9	124	30
54	7	6	99	75	6	78	1	24	5	9	10	51	2	8	45	40	1	110	21
2	1	2	16	15	1	33	2	2	1	1	18	1	1	6	7	1	14	2	22
21	2	6	21	26	8	90	4	32	4	3	6	18	1	5	34	71	4	78	6
15	4	4	21	37	5	28	3	3	3	2	2	6	1	7	13	2	39	24	
199	31	19	256	419	29	450	15	117	50	35	37	184	32	38	211	237	46	634	25
25	3	3	28	21	5	40	1	.21	3	3	2	21	2	2	21	43	2	53	26
87	23	19	67	134	16	561	18	168	27	15	19	66	15	36	127	255	14	217	23
38	3	5	49	63	5	70	6	10	6	3	3	36	4	8	22	35	6	67	28
318	66	19	185	394	25	472	39	50	52	47	12	185	25	31	163	224	35	566	3
314	65	18	182	390	24	443	38	48	50	46	11	179	24	31	161	214	34	552	2
4	1	1	3	4	1	29	1	2	2	1	1	6	1	1	2	10	1	1	31
298	66	17	176	361	24	453	37	49	47	42	12	175	24	29	159	217	35	511	2
20	2	9	33	19	1	19	2	1	5	5	5	10	1	4	4	7	1	65	33
3,780	704	452	3,274	7,618	1,038	22,011	796	4,251	609	671	533	5,448	367	841	4,055	5,139	497	9,152	34
3,648	687	427	3,128	7,130	944	20,075	734	4,039	582	628	501	5,046	337	795	3,832	4,771	479	8,485	35
132	17	25	146	488	94	1,936	62	212	43	32	32	402	30	46	223	368	18	667	36
64	15	6	95	101	5	205	10	98	12	14	5	86	6	15	95	74	6	124	37
51	11	4	36	89	3	208	15	34	7	15	7	67	6	14	63	44	2	107	33
11	2	3	18	19	3	62	1	17	2	2	2	14	3	1	16	22	3	36	39
12	2	2	19	31	3	66	3	12	1	1	6	27	1	5	26	15	3	30	40
14	1	1	12	43	11	194	9	77	5	4	6	15	8	5	27	59	5	45	1
21	6	2	23	31	1	29	5	2	2	2	2	22	1	2	18	25	2	39	42
22	4	1	11	33	1	74	8	19	7	5	6	23	1	5	34	47	1	47	44
21	6	1	21	28	2	86	4	11	2	6	3	24	1	1	21	36	1	36	45
17	1	1	22	28	4	34	6	6	3	3	1	25	1	1	5	10	3	32	1
17	1	1	20	27	4	27	5	5	2	3	1	22	1	1	5	10	4	46	47
2	3	5	7	3	106	14	1	1	1	1	1	10	1	1	22	4	1	11	48
12	7	11	24	2	38	4	3	4	3	4	2	16	2	1	9	34	1	34	49
39	8	7	42	87	13	304	11	54	7	11	5	52	7	17	57	83	6	110	50
36	7	7	39	66	10	227	7	54	7	9	3	44	5	15	9	18	1	89	31
3	1	3	21	3	77	4	11	2	2	2	2	8	2	2	16	10	1	21	52
4	2	7	39	5	95	2	17	1	1	1	1	9	2	2	15	9	1	17	53
3	1	4	34	5	84	2	15	2	1	1	1	8	2	2	15	9	1	17	54
1	1	3	5	11	1	11	7	4	3	1	1	1	1	1	1	1	1	18	55
9	2	1	10	11	1	51	1	9	4	3	1	8	2	7	10	10	1	30	57
6	1	1	12	11	1	51	1	7	4	3	1	8	1	2	9	41	1	1	57
12	3	1	13	15	1	20	8	5	1	2	2	11	1	2	16	26	1	30	58
13	3	3	12	36	22	68	3	61	1	2	1	14	1	2	5	19	1	42	59
3	2	2	6	14	1	120	1	34	1	1	1	14	7	5	22	17	2	28	60
44	13	3	25	70	5	151	8	39	14	9	3	68	2	11	12	29	6	93	2
79	11	6	78	131	15	259	8	80	17	9	13	112	9	14	119	136	15	160	62
5	4	4	8	2	63	1	38	1	1	2	2	3	1	1	11	22	1	29	63
10	3	3	19	4	68	5	6	7	14	24	14	12	6	8	20	57	4	39	64
68	20	8	86	128	7	268	14	32	24	14	8	4	31	8	13	60	10	190	265
26	7	2	54	20	187	8	51	2	1	1	2	2	13	6	17	35	6	53	66
7	2	1	12	10	9	84	2	51	1	1	1	2	2	1	6	24	19	2	57

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

AREA AND COLOR.	All causes.	DEATHS FROM—														
		Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.		
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)		
REGISTRATION CITIES—Continued.																
PENNSYLVANIA—continued.																
1 Johnstown.....	1,507	8				12	2	5	21	338	3	66	15	11	2	
2 Lancaster.....	1,232	8					15	6	293	1	54	3	3	2		
3 Lebanon.....	659	3				1	1	5	189	2	24	1	1	2		
4 McKees Rocks.....	360	1			5		6	2	136		20			2		
5 McKeesport.....	1,174	13			3	2	1	7	228		42	7	6	1		
6 Mahanoy City.....	415					1		2	4	119		6	3	1		
7 Meadville.....	286	1					1		46		13			1		
8 Monessen.....	482					9	1	1	22	207		16	3	1	1	
9 Mount Carmel.....	408					1	1	2	8	170	5	18			1	
10 Nanticoke.....	665					5	1	5	4	192		26	3	1	2	
11 New Castle.....	890	6	1			6	1	6	4	212	1	29	2	1	3	
12 Norristown.....	1,166	6				1		2	1	214	3	83	1	17	1	
13 North Braddock.....	253	1					4			52		10			1	
14 Oil City.....	379	3	1					2		92		15		2	2	
15 Old Forge.....	244					3	1	2	6	67		9	2			
16 Philadelphia (total).....	42,479	85	6			136	48	351	381	7,024	32	3,392	204	167	90	
17 White.....	35,377	73	3			133	46	302	366	6,590	29	2,809	182	132	86	
18 Colored.....	4,102	12	3			3	2	49	15	424	3	533	22	35	4	
19 Phoenixville.....	316	3							3	108	1	12				
20 Pittsburgh (total).....	15,433	60	1			102	11	142	126	1,948	28	798	80	65	29	
21 White.....	14,208	52	1			98	11	120	124	1,847	27	700	77	55	29	
22 Colored.....	1,225	8				4		22	2	101	1	98	3	10		
23 Pittston.....	493	1				2	1		6	89	1	16		3	3	
24 Plymouth.....	262	2						1	9	69		7		2	3	
25 Pottstown.....	409	4						1	7	66		17	2	2	2	
26 Pottsville.....	789	4				2		2	4	326		28	4	2	2	
27 Reading.....	2,223	12				5	1	18	24	414	2	120	9	13	6	
28 Scranton.....	3,092	9				2	7	26	29	707	5	122	8	16	3	
29 Shamokin.....	475	9						21		127		20		1		
30 Sharon.....	416	3				1		2	2	106	2	32	1	3		
31 Shenandoah.....	701	1				2		1	14	175		20	3	1	1	
32 South Bethlehem.....	394					4		8	5	40		36	1	3	2	
33 Steelton.....	351								5	108		21				
34 Sunbury.....	331	4						3	2	63		15	2	3		
35 Uniontown.....	385	9				2			1	64	1	17	2	2	1	
36 Warren.....	220						3	3	48		7			1		
37 Washington.....	495	6				6		12	2	77	2	35	3	1	2	
38 West Chester (total).....	427	15				1	3	1	1	113		21	5	6		
39 White.....	341	11				1		1	1	89		12	3	4		
40 Colored.....	86	4						3		24		9	2	2		
41 Wilkes-Barre.....	1,755	4				12	3	8	18	490	2	76	8	9	4	
42 Williamsburg.....	523	5					4	4	83		20	2	2	2		
43 Williamsport.....	829	9					3	4	123	3	32	2	3	4	3	
44 York.....	941	11				3		11	7	166		57	4	4	3	
RHODE ISLAND.																
45 Registration cities (total).....	10,235	30		1	105	25	115	90	1,794	29	659	76	77	23		
46 White.....	9,902	30		1	104	25	108	89	1,760	28	606	72	71	23		
47 Colored.....	333			1		7	1	1	34	1	53	4	6			
48 Central Falls.....	445					16	2	3	2	106		23	2		1	
49 Cranston (exclusive of).....	419					2		6	1	66		14	3	7	2	
50 State institutions.....	474					1				15	2	58	8	3		
51 Cumberland.....	178						1	4		38		5	3	1		
52 East Providence town.....	316	2				3		4	3	53	1	20	5	1		
53 Newport.....	460	2				1	1	7	13	86	1	21	3	2		
54 Pawtucket.....	1,417	5				17	1	5	4	294	3	56	2	8	7	
55 Providence.....	5,210	12		1	55	17	68	58	916	19	339	48	44	8	8	
56 Warwick town.....	249	1			1	3	1	1	35		62		2			
57 West Warwick town.....	285	4					3	2	41	2	17	1	1	2		
58 Woonsocket.....	782	4				9		14	6	144	1	44	9	3		
SOUTH CAROLINA.																
59 Registration cities (total).....	4,623	67	23			30		18	589	13	336	7	23	8		
60 White.....	2,086	26	2			15		22	15	325	9	93	4	6	4	
61 Colored.....	2,557	41	21			15		46	3	264	4	243	3	17	4	
62 Charleston (total).....	1,935	35	19			12		30	10	187	2	137	1	8	1	
63 White.....	706	13				5		10	8	80	2	27	1	7		
64 Colored.....	1,229	22	19			7		20	2	107		110	1	7	1	
65 Columbia (total).....	1,709	13	3			9		18	3	256	11	121	6	10	4	
66 White.....	860	8	1			5		6	3	149	7	44	4	3	2	
67 Colored.....	849	5	2			4		12		107	4	77	2	7	2	

DEATHS FROM PRINCIPAL CAUSES.

231

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1918—Continued.

footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

		DEATHS FROM—																		
Cancer and other malignant tumors.	Dia-betes.	Menin-gitis.	Cere-bral hemor-rhage and solten-ing.	Organic dis-eases of the heart.	Bron-chitis.	Pneu-monia (all forms).	Other respi-ratory dis-eases.	Diar-aea and enter-itis (under 2 years).	Ap-pen-dicitis and typh-litis.	Her-nia, intesti-nal ob-struc-tion.	Cirrho-sis of the liver.	Acute nephri-tis and Bright's disease.	Puer-peral septic-emia.	Other puer-peral affec-tions.	Con-genital de-bility and mal-for-mations.	Vio-lent deaths (su-i-cide except-ed).	Su-i-cide.	All other defined diseases.	Un-known or ill-defined diseases.	
16	(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
41	9	3	43	67	9	260	16	79	22	14	11	63	14	14	81	139	7	129	3	1
71	11	7	70	126	7	160	6	54	12	11	5	77	1	7	43	42	5	131	1	2
15	7	2	30	29	4	130	8	20	3	4	4	27	4	9	29	34	2	68	1	3
6	1	1	2	12	3	61	2	34	—	2	2	—	—	4	23	13	2	16	4	5
51	4	7	32	44	14	298	12	53	10	13	4	51	10	12	48	94	4	102	1	5
3	2	5	4	19	4	101	11	25	—	2	2	14	2	2	21	16	—	44	2	6
16	3	—	16	29	1	32	1	9	2	5	1	20	1	2	22	11	1	52	1	7
6	1	1	6	10	7	61	4	33	—	—	—	7	—	3	32	19	—	31	—	8
10	2	3	9	16	2	44	2	26	—	3	6	—	5	5	19	20	2	31	—	9
7	3	5	11	29	6	127	10	31	7	—	2	23	4	5	38	63	1	54	—	10
35	8	2	38	54	4	140	6	33	12	7	4	31	11	5	46	53	5	113	11	11
30	4	—	61	103	11	217	5	18	6	8	6	42	4	13	28	46	5	229	1	12
2	1	2	10	11	2	56	1	13	—	1	1	6	—	3	13	18	1	14	—	13
16	4	2	20	27	1	59	1	9	8	6	2	10	3	6	32	25	2	28	3	14
5	1	2	2	5	9	45	3	26	—	1	1	5	3	3	14	16	1	11	1	15
1,793	327	185	1,292	3,999	461	9,238	223	1,575	183	281	227	2,915	127	293	1,548	1,752	230	3,783	31	16
1,702	317	164	1,205	3,688	397	8,217	280	1,441	254	213	273	2,642	105	244	1,408	1,563	221	3,349	27	17
91	10	21	87	311	64	1,021	43	134	14	27	14	273	22	29	140	189	9	434	4	18
14	3	1	3	21	2	46	3	13	—	1	2	20	—	4	16	13	2	25	—	19
494	69	78	432	869	205	5,150	110	691	99	85	95	597	56	104	589	897	73	1,335	17	20
479	65	77	406	797	187	4,631	103	658	92	81	85	546	52	97	554	816	70	1,256	15	21
15	4	1	26	72	18	519	7	33	7	4	8	51	4	7	35	81	3	2	22	2
7	1	3	16	12	7	135	4	31	2	3	4	25	3	5	19	47	1	44	2	23
7	—	4	13	8	—	28	4	25	—	—	1	12	2	3	9	9	1	43	—	24
16	2	—	23	30	4	119	2	6	—	4	10	1	5	5	19	29	2	40	—	25
22	6	3	16	47	4	106	6	17	8	8	3	50	3	7	16	39	5	48	1	26
84	33	7	117	182	21	398	17	120	11	24	15	111	10	24	106	72	15	230	2	27
111	22	19	105	211	40	637	36	156	18	17	15	137	10	28	117	196	14	266	3	28
13	4	3	14	32	3	109	6	23	—	1	3	16	1	2	23	7	1	35	1	29
15	3	3	10	18	4	72	5	19	—	5	1	9	4	6	15	31	3	33	8	30
14	1	7	11	9	2	207	12	41	—	2	7	33	1	8	42	29	2	52	3	31
11	3	1	11	11	3	68	3	60	—	1	—	15	—	2	41	20	2	35	3	32
9	1	2	12	14	1	77	1	17	—	1	—	15	3	3	15	26	2	20	1	33
14	3	3	14	28	4	56	4	11	—	1	—	24	1	3	14	24	—	35	—	34
16	3	3	15	24	1	63	—	10	2	3	—	13	4	6	16	63	6	38	—	35
19	1	11	27	34	14	1	3	2	2	3	2	11	1	2	11	14	—	36	—	36
18	4	1	13	32	8	101	5	21	7	3	2	18	—	2	18	26	1	69	5	37
35	3	3	20	35	1	38	2	7	8	4	1	22	4	5	6	11	1	57	—	38
30	3	3	19	29	1	33	7	7	4	4	1	18	2	3	4	10	1	46	—	39
5	—	—	1	6	—	5	2	—	1	—	4	4	2	2	2	1	—	11	—	40
55	9	11	50	120	15	273	27	61	26	14	13	88	8	16	61	99	7	161	7	41
29	4	3	18	32	6	137	3	7	3	7	5	23	7	10	21	43	1	42	—	42
51	10	12	39	85	11	125	9	49	7	7	3	41	1	10	30	36	3	115	2	43
47	9	2	56	84	8	122	3	37	9	11	—	61	4	18	28	36	7	131	2	44
472	92	68	538	884	115	1,589	36	348	51	67	46	536	31	102	494	415	60	1,215	52	45
461	92	66	519	853	113	1,537	33	334	49	66	43	525	27	99	476	404	60	1,181	47	46
11	—	2	19	31	2	52	3	14	2	1	3	11	4	4	18	11	34	5	47	47
9	4	3	14	34	15	78	2	31	1	—	3	19	1	7	35	5	—	27	2	48
19	4	—	30	46	11	86	2	13	1	—	2	19	2	1	19	9	3	49	1	49
26	2	—	48	62	1	32	3	3	—	—	2	7	—	2	5	1	192	1	50	
10	—	3	6	19	2	21	1	15	—	1	—	11	—	1	10	9	3	17	—	51
16	3	2	25	32	—	42	2	17	—	2	3	19	1	4	15	18	2	19	—	52
31	9	3	44	48	5	47	5	2	3	3	7	24	2	4	22	26	2	48	—	53
53	13	4	67	119	19	248	5	56	9	17	7	98	4	11	80	63	2	128	2	54
247	45	48	258	445	36	817	20	148	21	37	18	271	18	59	240	234	35	580	38	55
8	1	—	12	16	4	17	8	—	—	3	19	19	2	6	13	10	2	30	1	56
14	4	5	13	15	4	63	1	13	6	7	8	39	1	7	18	40	27	28	—	57
34	7	3	21	48	18	138	—	42	6	7	8	39	1	7	40	27	1	97	4	58
91	27	48	181	319	17	552	21	200	31	31	11	334	22	54	265	220	11	985	21	59
62	21	31	84	140	7	244	14	70	21	16	5	150	6	25	29	110	10	403	3	60
29	6	17	97	179	10	308	7	130	10	15	5	184	16	25	25	155	102	1,181	34	61
41	8	22	74	142	10	241	9	97	12	12	6	159	10	20	165	81	4	370	10	62
24	7	13	23	52	2	98	5	19	7	5	3	61	9	9	50	34	4	135	—	63
17	1	9	46	90	8	143	4	78	5	5	3	98	8	11	115	47	3	235	10	64
23	7	13	74	119	4	192	3	76	9	7	5	112	7	15	49	94	3	440	3	65
19	6	10	39	58	2	94	3	33	7	2	3	53	3	6	31	62	3	191	—	66
4	1	3	35	61	2	98	—	43	2	5										

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

AREA AND COLOR.	All causes.	DEATHS FROM—															
		Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.			
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)			
REGISTRATION CITIES—Continued.																	
SOUTH CAROLINA—continued.																	
1	Greenville (total).....	448	9			2		4	2	80		33		1	1		
2	White.....	208	2			1		2	2	49		7					
3	Colored.....	240	7			1		4		31		26		1	1		
4	Spartanburg (total).....	531	10	1		7		16	5	66		45		4	2		
5	White.....	292	3	1		4		6	2	47		15		2	2		
6	Colored.....	239	7			3		10	1	19		30		2			
TENNESSEE.																	
7	Registration cities (total).....	10,000	99	72	1	51	9	68	35	1,398	14	937	26	111	33		
8	White.....	5,831	69	19		42	9	48	30	971	13	365	16	47	12		
9	Colored.....	4,169	30	53	1	9		20	5	427	1	572	10	64	21		
10	Chattanooga (total).....	1,533	7	6		7	1	15	5	252		134		11	2		
11	White.....	809	4	1		5	1	10	5	155		48		5	1		
12	Colored.....	724	3	5		2		5		97		86		3	1		
13	Jackson (total).....	373	10	3		1		2				56		37			
14	White.....	204	5	2				1		41		18		4	1		
15	Colored.....	169	5	1		1		1		15		19		4			
16	Knoxville (total).....	1,326	13	1	1	3	2	19	9	179	3	122		17	2		
17	White.....	1,014	11	1		3	2	12	9	143	3	80		14	2		
18	Colored.....	312	2		1			7		36		42		3			
19	Memphis (total).....	3,615	24	55		19	3	21	13	424	9	406		34	15		
20	White.....	1,871	15	11		17	3	17	10	279	9	123		5	2		
21	Colored.....	1,744	9	44		2		4	3	145		283		21	13		
22	Nashville (total).....	3,153	45	7		21	3	11	8	487	2	238		45	13		
23	White.....	1,933	34	4		17	3	8	6	353	1	96		15	6		
24	Colored.....	1,220	11	3		4		3	2	134	1	142		30	7		
TEXAS. ¹																	
25	Registration cities (total).....	13,111	153	53	26	136	4	68	39	2,151	30	1,505		64	37		
26	White.....	10,790	126	30	10	126	4	62	38	1,860	28	1,221		49	27		
27	Colored.....	2,321	27	23	16	10		6	1	291	2	284		3	15	10	
28	Beaumont (total).....	700	15	8	21	10		3	4	139		61		2	3		
29	White.....	383	7	3	5	5		1	3	89		17		2	2		
30	Colored.....	317	8	5	16	5		2	1	50		44		1			
31	Cleburne (total).....	258	5	1		14			1	64		13		1	1		
32	White.....	209	4	1		13			1	59		5		1	1		
33	Colored ²	29	1			1				5		8					
34	Dallas (total).....	2,339	17	9		12	1	16	8	375	2	171	12	13	9		
35	White.....	1,810	15	5		11	1	14	8	309	2	109	10	8	5		
36	Colored.....	529	2	4		1		2		66		62	2	5	4		
37	El Paso (total).....	2,498	27		3	14	1	33	7	507	9	433	16	14	5		
38	White.....	2,438	26	3	14	1		33	7	500	9	425	15	12	5		
39	Colored ²	60	1					33	7	7		8	1	2			
40	Galveston (total).....	839	6			2	1	3		118	1	76	2	5	1		
41	White.....	575	3			2	1	1		98	1	39	2	4	1		
42	Colored.....	264	3					2		20		37		1			
43	Houston (total).....	2,374	12	19	2	15		5	9	377	8	209	4	8	3		
44	White.....	1,605	8	6	2	12		5	9	272	6	124	4	3	3		
45	Colored.....	769	4	13		3		5	9	105	2	85		5	5		
46	San Antonio (total).....	4,123	71	16		69	1	8	10	571	10	542	9	21	10		
47	White.....	3,770	63	15		69	1	8	10	533	10	502	9	19	10		
48	Colored.....	393	8	1						38		40		2			
UTAH.																	
49	Registration cities (total).....	2,363	15		3	10	20	19	28	504	5	72	6	9	15		
50	White.....	2,294	15		3	10	20	19	28	489	5	68	6	9	13		
51	Colored.....	69								15		4			2		
52	Orgden.....	583	6		1	3	2	3	2	161		18		3	6		
53	Salt Lake City.....	1,780	9		2	7	18	16	26	353	5	54	5	6	9		
VERMONT.																	
54	Registration cities (total).....	1,131	3			6	1	12	2	347	4	62	7	4	4		
55	White.....	1,130	3			6	1	12	2	346	4	62	7	4	4		
56	Colored.....	1								1							
57	Barre.....	304				5		1		155	1	27	2	4	2		
58	Burlington.....	560	2			1		4	2	149	3	20	4	1	1		
59	Rutland.....	267	1			1		7		43		15	1				

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

DEATHS FROM PRINCIPAL CAUSES.

233

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEASED AND CAUSE OF DEATH: 1918—Continued.

[footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Dia-betes.	Menin-gitis.	Cere-bral hemor-rhage and softening.	Organic dis-eases of the heart.	Bron-chitis.	Pneu-monia (all forms).	Other respiratory dis-eases.	Diar-rea and enter-itis (under 2 years).	Ap-pen-dicitis and typh-litis.	Her-nia, intestinal ob-struction.	Cirrho-sis of the liver.	Acute nephritis and Bright's disease.	Puer-peral septicemia.	Other puer-peral affec-tions.	Con-genital de-bility and mal-formations.	Viol-ent deaths (suicide except-ed).	Sul-side.	All other defined diseases.	Un-known or ill-defined dis-eases.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
6 21 4 17 4	6 6 3 5 1	8 4 4 5 1	19 12 14 10 4	28 30 1 16 14	2 1 3 1 37	55 64 27 27 37	7 4 3 2 4	12 15 11 11 4	2 5 8 6 2	6 1 4 8 1	28 13 35 21 14	4 1 3 5 1	9 10 15 5 14	19 6 8 5 11	15 7 3 21 16	2 1 1 2 —	35 48 3 50 50	3 3 3 3 6	
319 226 93	33 30 3	82 58 24	281 187 94	685 368 317	73 41 32	1,573 853 720	82 37 45	249 171 78	149 100 49	91 55 36	41 23 18	664 375 289	46 23 23	70 49 21	282 191 91	588 333 255	47 43 4	1,536 918 618	255 109 146
41 29 12 10 7 3	3 3 9 1 1 —	29 20 17 21 10 9	62 45 50 18 1 9	86 36 10 1 1 —	16 6 10 4 1 —	245 106 139 1 29 31	13 5 8 11 5 2	25 18 7 4 3 1	26 19 7 2 3 1	16 10 6 2 1 1	5 4 1 1 1 1	86 45 41 20 16 14	9 5 4 2 1 1	52 5 32 2 11 7	73 5 42 20 31 12	5 117 106 49 29 20	65 10 11 12 13 15		
43 36 7 136 92 44	6 6 1 8 8 8	15 14 10 70 50 20	42 32 19 202 103 99	81 62 2 25 15 10	6 4 34 549 278 271	146 112 11 53 30 15	15 4 11 30 15 29	53 45 8 30 30 30	21 18 3 60 30 30	9 6 3 44 25 19	2 1 1 14 11 3	110 75 35 272 147 125	6 6 2 25 8 12	11 34 8 25 42 34	81 5 132 52 21 127	234 16 17 586 109 286	23 16 17 19 20 21		
89 62 27	15 12 3	22 16 6	86 50 36	298 158 140	25 328 10	573 328 245	21 12 9	78 50 28	38 30 8	20 13 7	20 13 13	166 92 74	9 3 6	23 20 3	101 76 25	175 107 68	16 16 154	444 290 19	
450 402 48	65 57 8	63 55 56	352 296 439	576 439 137	149 135 14	1,729 1,371 358	88 777 67	844 113 5	118 96 29	125 108 28	108 80 153	594 441 21	77 56 21	107 93 14	564 497 67	525 404 121	113 107 6	1,934 1,555 379	221 128 93
18 15 3 1 1	2 2 2 2 2	1 1 9 5 5	11 10 1 4 2	19 10 1 44 9	1 30 45 47 44	75 16 9 10 9	3 2 1 10 3	25 16 9 1 1	7 7 1 1 1	9 8 1 7 1	5 4 1 7 1	43 23 20 7 7	6 2 4 1 1	32 17 5 1 1	52 34 18 6 6	7 5 2 31 26	84 48 36 31 11	27 29 30 31 32	
107 93 14 54 52 2	12 9 3 11 10 1	19 14 5 3 3 1	99 79 20 54 54 1	105 79 26 84 83 10	15 12 3 54 54 10	411 303 108 297 287 1	17 14 3 12 12 1	45 42 3 7 7 1	45 43 2 16 13 3	33 25 8 16 13 13	21 10 11 13 12 1	104 73 31 66 59 7	18 12 12 114 114 112	20 18 2 56 55 2	118 105 13 56 55 2	123 92 31 13 12 1	30 29 1 277 266 11	351 1 35 91 8 38	1 34 35 37 38 39
55 40 15 91 79 12	5 5 1 16 13 3	1 1 5 7 5 2	24 48 34 70 47 23	82 48 54 125 76 49	6 5 1 15 7 8	99 73 1 257 169 88	16 7 9 19 12 7	19 13 6 80 51 29	2 2 4 34 26 8	8 4 1 27 19 8	4 3 1 151 107 44	71 54 17 151 126 7	4 4 4 26 26 11	9 17 13 57 46 11	30 20 10 133 46 46	12 11 1 22 1 121	147 41 42 8 22 77	40 41 42 37 32 44	
124 122 2	17 16 1	32 31 1	89 83 6	157 141 16	58 56 2	543 465 78	18 17 1	399 381 18	33 33 4	24 20 20	38 32 6	152 118 34	21 17 4	29 26 3	206 193 13	125 110 13	679 619 60	13 13 48	
118 113 5	30 30 5	17 15 2	76 74 2	173 171 2	13 13 14	284 270 1	22 22 1	57 57 1	24 24 7	7 7 1	125 124 1	13 13 1	32 32 3	124 121 7	123 116 7	9 7 2	310 303 2	71 69 51	
29 89	6 24	6 11	20 56	47 126	2 11	75 209	5 17	7 22	11 46	4 20	3 4	23 102	3 10	8 24	29 95	31 92	2 7	74 236	2 69
43 43	9 9	3 3	47 47	90 90	10 10	90 90	5 25	11 11	11 11	6 6	3 3	66 66	1 1	5 77	56 56	6 6	125 125	1 1	
8 10	1 3	2 1	12 18	14 49	2 2	30 37	4 3	17 6	2 6	2 3	2 1	5 33	1 1	2 1	9 55	4 31	1 21	15 73	1 37
																		57 58 55 56	

² Colored population less than 10 per cent of the total in 1910.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of soldiers, sailors, and marines. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the municipalities of 10,000 inhabitants or more in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000

AREA AND COLOR.	All causes.	DEATHS FROM—															
		Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.			
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)			
REGISTRATION CITIES—Continued.																	
VIRGINIA.																	
Registration cities (total).....	12,114	79	15		48	4	166	26	2,031	22	900	49	61	37			
White.....	6,966	50	5		31	4	62	21	1,426	18	427	36	28	20			
Colored.....	5,148	29	10		17		104	5	605	4	473	13	33	17			
Alexandria (total).....	528	13			1		6		100		34	2	1	3			
White.....	356	11			1		5		84		25	2	1				
Colored.....	172	2					1		16		9			3			
Danville (total).....	500	5					4		1		89	2	44	2			
White.....	316	2					4		60		2		28	2			
Colored.....	184	3							1		29		16	1			
Lynchburg (total).....	736	5	1		1		14	1	141	1	54	3	3	1			
White.....	478	5	1		1		8	1	96	1	28	2	3	1			
Colored.....	310						6		45		26	1					
Newport News (total).....	817	7	2		8		7	2	179	1	52	1	2	3			
White.....	369	2	1		4		3	2	101	1	16	1					
Colored.....	448	5	1		4		4		78		36		2	2			
Norfolk (total).....	2,713	13	4		12	2	59	4	438	1	188	13	16	7			
White.....	1,425	7			9	2	12	4	320	1	68	7	5	3			
Colored.....	1,288	6	4		3		47		118		120	6	11	4			
Petersburg (total).....	852	8	1		7		14		150		67	1	4	4			
White.....	397	4	1		1		4		76		32	1	2	1			
Colored.....	455	4			6		10		74		35			3			
Portsmouth (total).....	854	6	5		5	1	23	2	156	1	68	2	7	1			
White.....	428	3			5	1	4	2	95		30	2	2				
Colored.....	426	3	5				19		61	1	38		5	1			
Richmond (total).....	3,812	12	2		8		22	13	608	9	298	23	16	12			
White.....	2,225	7	2		5		8	9	454	6	139	17	10	9			
Colored.....	1,587	5			3		14	4	154	3	159	6	6	3			
Roanoke (total).....	871	5			6	1	15	1	143	3	62	2	8	5			
White.....	625	4			5	1	13	1	120	3	36	2	3	4			
Colored.....	236	1			1		2		23		26		5	1			
Staunton (total).....	381	5					2	2	27	4	33		1	1			
White.....	339	5					1	2	20	4	25			1			
Colored.....	42						1		7		8						
WASHINGTON.																	
Registration cities (total).....	8,717	48		1	27	24	22	45	1,542	18	404	67	64	28			
White.....	8,359	46		1	26	24	20	44	1,473	17	362	56	61	28			
Colored.....	358	2		1		2	2	1	69	1	42	11	3				
Aberdeen.....	187	4			3		1		21		10		2				
Bellingham.....	373				1		1		71		21	1					
Everett.....	317	1			1		1		64	1	13	2	2	1			
North Yakima.....	364	1			1		2	2	104		23	2	3				
Seattle.....	4,090	12			15	16	8	24	732	8	200	39	35	12			
Spokane.....	1,528	14			2	3	4	5	282	4	64	8	7	5			
Tacoma.....	1,577	8			5	5	5	10	208	5	59	15	9	5			
Walla Walla.....	281	8		1			1		60		14	2	1	2			
WEST VIRGINIA.¹																	
Wheeling (total).....	1,030	24			5	3	7		177	1	36	4	9	1			
White.....	981	19			5	3	6		168	1	32	4	8	1			
Colored.....	49	5					1		9		4						
WISCONSIN.																	
Registration cities (total).....	14,140	60		5	90	98	82	113	2,505	31	762	92	88	70			
White.....	14,032	59	4	4	89	98	81	113	2,482	31	748	92	88	70			
Colored.....	108	1		1		1		1	23		14						
Appleton.....	283	2					3		1		44		1			3	
Ashland.....	343	6			2	1			3		83		2	3		2	
Beloit.....	391				6	1	2	6	115	2	12		3			2	
Eau Claire.....	337	2					1	4	37	2	44	1	2			1	
Fond du Lac.....	360	1			2	4	1		42	3	12	2	4			1	
Green Bay.....	609	2			7	2	5	2	132	2	20		2			1	
Janesville.....	274			2		1	1	1	52		17		1			2	
Kenosha.....	629	1			1	6	4	18	161	1	19	2	1			1	
La Crosse.....	564	1			3		3	5	89		29	3	4	4		4	
Madison.....	591					1	8	2	126	1	26	2	8	2		2	
Manitowoc.....	309						3	1	60		10	1	2			1	
Marinette.....	201						3	2	34	1	18	3	2			2	
Milwaukee.....	6,550	28		2	57	49	50	51	938	7	388	43	42	37			
Oshkosh.....	463	1		1		1	1	5	43	1	31	3	2	2		1	
Racine.....	822	5			5	3	2	4	214		48	9	4	2		2	
Sheboygan.....	510	5			2	13		3	3		130	19	7	6		2	
Superior.....	628	6				2	4	5	5		125	11	26	1		4	
Wausau.....	271						3	3	80		9	4				5	

¹ Nonregistration state; only those cities with satisfactory registration of deaths are shown.

DEATHS FROM PRINCIPAL CAUSES.

235

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEASED AND CAUSE OF DEATH: 1918—Continued.

(footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910. The term "cities" indicates inhabitants or more in 1910) are omitted. Numbers under causes of death correspond to those of the abridged International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Menitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diphtheria and enteritis (under 2 years).	Aperientis and typhitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital deformities and malformations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.	Unknown or ill-defined diseases.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
346	65	89	634	920	94	1,725	116	420	87	85	57	800	48	143	572	622	57	1,693	93
258	54	62	360	523	40	789	56	199	62	47	32	484	24	94	353	348	50	981	22
88	11	27	274	407	54	936	60	221	25	38	25	316	24	49	219	274	7	712	71
14	5	2	11	26	1	105	4	21	4	3	1	54	3	8	15	25	58	8	4
9	3	2	6	20	1	57	17	4	4	3	1	36	1	9	15	35	35	1	5
5	2	5	6	48	4	48	4	4	10	3	2	25	2	1	6	10	23	7	6
16	..	3	17	31	4	46	3	17	10	3	2	14	2	10	27	12	1	111	9
13	..	3	10	18	2	23	1	6	9	1	1	11	1	6	19	9	76	2	8
3	..	7	13	2	23	2	11	1	1	1	1	4	8	3	3	35	1	35	3
24	1	1	48	62	5	142	3	25	4	8	3	35	4	9	26	36	109	11	10
15	1	1	29	32	4	86	18	18	4	5	15	15	4	5	17	25	65	65	11
9	..	19	30	1	56	3	7	3	3	20	4	4	9	11	44	9	12
17	6	19	25	58	7	130	9	33	5	4	3	39	5	43	9	59	3	76	3
13	6	9	10	16	1	48	1	15	2	2	2	14	3	3	27	24	3	35	14
4	..	10	15	42	6	82	8	18	5	2	1	25	2	16	16	35	41	3	15
81	13	27	156	244	23	420	29	92	12	30	13	142	8	36	101	178	14	324	4
61	12	19	76	125	6	176	15	36	6	12	10	37	4	19	60	98	12	156	17
20	1	8	80	119	17	253	14	56	6	13	3	55	4	17	41	85	2	168	2
16	4	7	51	61	2	102	7	63	2	6	3	80	4	8	6	41	42	92	1
11	2	4	22	24	47	41	4	22	2	3	1	34	3	2	19	17	1	52	20
5	2	3	29	37	2	55	3	41	3	46	1	2	19	17	1	21	1
18	5	10	44	47	11	115	11	31	2	6	2	39	..	7	6	42	52	118	12
11	2	8	26	22	4	55	6	21	4	4	1	20	..	6	7	35	22	45	23
7	3	2	18	25	7	60	5	21	2	2	1	19	..	1	1	30	1	73	24
131	25	14	234	299	34	497	39	86	34	18	23	296	15	37	222	150	18	580	37
100	22	12	146	187	17	177	21	42	25	10	11	199	6	21	124	85	16	330	8
31	3	2	88	112	17	320	18	44	9	8	12	97	9	16	98	65	2	250	29
20	4	6	29	52	7	93	8	51	12	6	6	67	5	15	53	58	5	115	8
17	3	4	20	32	5	60	6	32	10	5	5	44	5	12	39	41	5	93	29
9	2	9	20	33	2	66	3	19	2	1	1	23	1	3	14	17	2	22	30
8	2	19	50	66	1	60	2	1	2	1	1	28	1	21	1	10	9	110	31
1	..	15	47	60	6	6	1	1	2	1	1	1	1	1	106	32
622	121	42	404	728	43	1,160	69	110	125	74	37	481	48	80	398	526	88	1,230	41
613	117	40	397	712	42	1,099	62	100	120	71	36	477	45	79	383	490	82	1,199	37
9	4	2	7	16	1	61	7	10	5	3	1	4	3	15	36	6	6	31	36
16	1	3	11	24	2	13	1	6	5	3	3	5	1	2	11	25	2	23	37
35	3	22	35	21	3	31	1	2	10	5	2	27	4	3	24	12	3	66	1
28	5	11	21	31	5	30	1	10	6	5	2	18	3	4	13	25	2	45	1
11	3	8	31	5	4	30	1	10	6	5	1	18	1	5	20	14	..	50	40
288	52	23	210	369	18	509	32	41	43	32	18	282	20	31	173	253	47	577	21
117	28	5	53	102	7	226	12	24	34	16	7	37	7	13	81	70	12	226	41
101	27	10	75	124	7	309	14	21	19	10	8	84	12	15	62	116	11	199	43
26	2	1	14	22	..	20	1	6	5	3	2	10	..	7	14	11	3	44	1
53	6	9	31	66	6	206	15	31	16	16	7	46	4	6	39	76	6	117	45
51	6	9	31	61	5	194	13	31	16	16	7	43	4	6	39	75	1	113	46
2	12	3	4	47
837	148	97	599	874	194	2,110	134	396	184	147	79	596	50	102	802	621	119	2,013	42
830	148	97	595	869	194	2,093	133	395	182	147	79	592	4	102	798	612	9	2,000	49
7	4	5	17	1	1	50
21	4	3	23	26	2	20	4	4	8	3	2	18	3	2	19	11	3	41	51
15	1	3	16	29	3	43	4	4	10	3	1	11	2	7	21	13	3	35	52
21	5	19	15	31	2	51	3	3	8	1	1	11	..	2	19	13	3	56	53
18	6	3	19	40	3	23	2	9	9	7	2	18	8	4	18	15	3	61	54
34	2	1	22	34	4	35	3	8	9	5	2	18	1	1	21	17	5	65	55
37	3	3	24	29	1	58	6	21	23	4	1	28	6	4	44	18	2	109	56
20	3	1	15	26	3	27	4	4	..	3	..	17	..	2	8	16	3	46	57
16	4	18	31	31	3	128	3	7	41	8	3	18	3	7	35	23	3	61	58
48	6	4	31	43	3	79	2	6	12	6	6	23	2	26	25	33	3	93	49
52	8	3	15	39	1	83	7	6	13	14	1	22	2	5	31	26	3	88	1
15	4	1	28	21	7	36	4	7	6	1	1	12	1	4	18	19	1	42	3
12	4	1	10	11	23	23	3	3	1	1	1	6	1	1	17	1	31	1	62
370	74	55	221	364	130	1,167	66	240	57	59	47	294	19	37	373	201	7	919	7
45	3	4	38	54	7	50	4	2	6	9	2	15	1	3	26	16	7	80	1
40	7	6	30	42	7	99	2	23	2	9	1	39	3	7	55	34	3	114	3
29	4	2	27	23	2	64	6	11	5	5	2	23	3	2	21	16	6	61	66
28	10	6	27	32	2	89	6	9	5	5	1	30	2	10	34	44	7	82	67
16	16	15	2	35	2	2	9	1	4	16	10	..	29	68

* Colored population less than 10 per cent of the total in 1910.

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918.

[This table excludes the deaths of soldiers, sailors, and marines. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1910, smaller places being included in the "rural districts."]

Detailed Int. List No.	Cause of Death.	Registration area (exclusive of Hawaii).	REGISTRATION STATES.			Registration cities in non- registra- tion states. ²	All regis- tration cities. ¹	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total. ¹	Cities. ¹	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes.....	1,445,158	1,404,116	741,187	662,929	41,042	782,229	33,317	23,171	7,470	10,076	19,962	7,278
	I.—General diseases.....	521,903	506,717	253,488	253,229	15,186	268,674	12,910	8,991	8,288	4,680	7,669	2,654
1	Typhoid fever.....	10,167	9,684	3,279	6,405	483	3,762	99	97	41	99	52	20
2	Typhus fever.....	3	3	1	2		1						
3	Relapsing fever.....												
4	Malaria.....	2,534	2,332	325	2,007	202	527	12	29			3	
5	Smallpox.....	338	304	92	212	34	126	1	2	3	10		
6	Measles.....	8,223	7,968	3,846	4,122	255	4,101	69	94	11	39	67	22
7	Scarlet fever.....	2,335	2,302	1,184	1,118	33	1,217	29	30	10	27	28	9
8	Whooping cough.....	13,728	13,464	5,708	7,756	284	5,972	142	165	38	108	205	64
9	Diphtheria and croup.....	11,183	10,987	6,632	4,355	196	6,828	164	67	39	42	159	45
10	Influenza.....	234,290	228,120	109,583	118,537	6,170	115,753	5,537	4,138	1,310	2,816	4,318	1,286
11	Miliary fever.....												
12	Asiatic cholera.....												
13	Cholera nostras.....	289	291	64	227	8	72	1	4				
14	Dysentery.....	4,720	4,445	970	3,475	275	1,245	33	66	6	21	25	14
15	Plague.....												
16	Yellow fever.....												
17	Leprosy.....	24	23	11	12	1	12	3	2				
18	Erysipelas.....	2,579	2,493	1,275	1,223	81	1,356	39	19	17	23	35	12
19	Other epidemic diseases.....	558	535	173	362	23	196	10	12	2	3	7	1
20	Purulent infection and septicemia.....	1,446	1,389	621	768	57	678	32	24	6	8	16	4
21	Glanders.....	4	4	3	1		3	1	1				
22	Anthrax.....	34	32	17	15	2	19	2	1				
23	Rabies.....	63	59	35	24	4	39						
24	Tetanus.....	1,276	1,176	552	624	100	652	17	27	3	1	15	4
25	Mycoses.....	46	44	22	22	2	24	1	2	1	1		
26	Pellagra.....	3,741	3,126	930	2,196	615	1,545	16	6	2			
27	Beriberi.....	11	11	10	1		10	4	1				
	Tuberculosis (total).....	121,204	117,506	61,570	55,936	3,698	65,288	3,423	2,623	1,224	984	1,412	621
28	Tuberculosis of the lungs.....	103,966	100,718	51,564	49,154	3,243	54,812	2,973	2,330	1,133	909	1,180	544
29	Acute miliary tuberculosis.....	3,636	3,538	2,131	1,407	98	2,299	66	55	18	12	44	19
30	Tuberculous meningitis.....	5,874	5,751	3,922	1,829	123	4,045	184	97	44	20	149	19
31	Abdominal tuberculosis.....	4,034	3,900	2,004	1,896	134	2,188	87	83	17	8	53	19
32	Pott's disease.....	1,010	984	569	415	26	595	23	18	2	2	8	5
33	White swellings.....	570	554	309	245	16	325	17	3	1	4	2	2
34	Tuberculosis of other organs.....	1,445	1,409	720	689	36	756	57	26	7	6	21	9
35	Disseminated tuberculosis.....	669	652	351	301	17	368	11	11	2	3	5	4
36	Rickets.....	564	552	332	220	12	344	5	1	2		8	3
37	Syphilis.....	7,522	7,044	4,650	2,394	478	5,128	244	104	31	38	64	14
38	Gonococcus infection.....	500	448	342	106	52	894	14	5	3			
	Cancer and other malignant tumors (total).....	65,282	63,790	35,724	28,066	1,492	37,216	2,268	1,037	373	328	892	367
39	Of the buccal cavity.....	2,344	2,289	1,310	979	55	1,365	74	39	10	12	41	15
40	Of the stomach, liver.....	24,788	24,279	13,006	11,273	487	13,493	799	453	138	157	293	117
41	Of the peritoneum, intestines, rectum.....	8,630	8,464	5,183	3,281	166	5,349	344	130	43	26	143	63
42	Of the female genital organs.....	9,892	9,555	5,619	3,936	337	5,956	339	114	59	40	139	50
43	Of the breast.....	6,040	5,981	3,380	2,571	109	3,469	212	77	38	24	95	64
44	Of the skin.....	2,224	2,178	836	1,342	46	882	47	29	12	10	15	13
45	Of other organs or of organs not specified.....	11,386	11,094	6,410	4,684	292	6,702	453	195	75	59	166	45
46	Other tumors (tumors of the female genital organs excepted).....	276	269	120	149	7	127	5	4	2	2	1	7
47	Acute articular rheumatism.....	3,111	3,044	1,492	1,552	67	1,559	53	28	16	23	25	
48	Chronic rheumatism and gout.....	1,033	1,009	393	616	24	417	17	22	2	4	10	
49	Scurvy.....	91	89	48	41	2	50	1	1				
50	Diabetes.....	12,880	12,642	7,076	5,566	238	7,314	339	196	56	64	183	81
51	Exophthalmic goiter.....	1,416	1,381	801	530	35	836	31	12	11	8	6	5
52	Addison's disease.....	206	201	160	141	5	165	8	9	5	2	4	1
53	Leukemia.....	1,416	1,383	823	580	33	856	54	18	8	8	17	7
54	Anemia, chlorosis.....	4,520	4,420	2,316	2,104	100	2,416	142	61	32	21	45	24
55	Other general diseases.....	1,639	1,557	800	757	82	882	21	6	4	6	16	10
56	Alcoholism (acute or chronic).....	2,193	2,145	1,306	839	48	1,354	64	75	7	6	48	20
57	Chronic lead poisoning.....	123	122	71	51	1	72					1	1
58	Other chronic occupation poisonings.....	29	29	15	14		15	1	2			1	1
59	Other chronic poisonings.....	196	189	116	73	7	123	8	2	1	1		
	II.—Diseases of the nervous system and of the organs of special sense.....	107,184	104,648	48,035	56,613	2,536	50,571	2,454	1,928	388	528	1,325	692
60	Encephalitis.....	687	650	290	360	37	327	16	7	5	2	5	
61	Meningitis (total).....	7,500	7,258	3,775	3,483	242	4,017	152	100	33	41	118	30
	Simple meningitis.....	3,180	3,098	1,474	1,624	82	1,556	59	46	22	18	52	14
	Cerebral meningitis (undefined).....	1,963	1,897	833	1,084	66	899	32	30	9	13	31	11
	Cerebrospinal fever.....	2,357	2,263	1,468	795	94	1,562	61	24	2	10	35	5
62	Locomotor ataxia.....	1,857	1,822	968	854	35	1,003	65	36	10	11	21	12
63	Other diseases of the spinal cord (total).....	4,998	4,892	2,330	2,582	106	2,436	129	76	29	22	59	23
	Acute anterior poliomyelitis.....	954	939	374	585	15	389	9	11	3	6	7	3
	Other diseases of the spinal cord ³	4,044	3,953	1,956	1,997	91	2,047	120	65	26	16	52	19
64	Cerebral hemorrhage, apoplexy.....	64,361	63,466	30,509	32,987	1,395	31,904	1,673	1,098	226	284	915	495
65	Softening of the brain.....	1,115	1,100	360	740	15	375	20	26	4	3	4	13
66	Paralysis without specified cause.....	2,180	2,057	1,950	5,007	223	2,173	80	101	22	31	23	
67	General paralysis of the insane.....	3,855	5,795	2,501	8,295	59	2,560	105	275	23	69	43	34
68	Other forms of mental alienation.....	1,969	1,842	644	1,198	127	771	27	51	5	8	25	5
69	Epilepsy.....	3,581	3,504	1,117	2,387	77	1,194	49	69	11	34	28	28
70	Convulsions (nonpuerperal).....	157	148	43	105	9	52		1		1		
71	Convulsions of infants.....	2,080	2,619	1,048	1,571	61	1,109	18	22	3	5	30	9
72	Chorea.....	113	112	41	71	1	42	1	6	1	2		
73	Neuralgia and neuritis.....	373	365	121	244	8	129	2	3			6	2
74	Other diseases of the nervous system.....	2,774	2,691	1,440	1,251	83	1,528	77	43	7	12	26	15
75	Diseases of the eyes and their annexa.....	92	87	51	36	5	56	2	3			1	2
76	Diseases of the ears.....	1,392	1,339	847	492	53	900	38	11	9	3	20	

¹ Including District of Columbia.

² A list of these cities will be found on p. 11.

³ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, URBAN AND RURAL.

237

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed Int. List No.	Cause of Death.	Registration area (exclusive of Hawaii).	REGISTRATION STATES.			Regis- tration cities in non- registra- tion states. ²	All regis- tration cities. ¹	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total. ¹	Cities. ¹	Rural districts.			Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	III.—Diseases of the circulatory system.	161,217	158,027	85,673	72,354	3,190	88,863	4,696	3,173	634	709	1,969	947
77	Pericarditis.	913	891	384	507	22	406	20	21	6	3	9	2
78	Acute endocarditis.	6,656	6,498	4,560	1,938	158	4,718	182	81	20	37	83	32
79	Organic diseases of the heart.	124,514	122,071	65,822	56,249	2,443	68,265	3,716	2,434	477	513	1,447	727
80	Angina pectoris.	6,037	5,924	2,877	3,047	113	2,990	177	126	41	29	123	52
81	Diseases of the arteries, atherosclerosis, aneurism, etc.	19,013	18,673	9,796	8,877	340	10,136	476	420	64	101	245	105
82	Embolism and thrombosis.	2,754	2,676	1,497	1,179	78	1,575	93	74	21	17	42	25
83	Diseases of the veins, (varices, hemorrhoids, phlebitis, etc.).	469	460	297	163	9	306	12	9	1	2	11	—
84	Diseases of the lymphatic system (lymphangiitis, etc.).	475	464	314	150	11	325	15	4	3	3	7	1
85	Hemorrhage; other diseases of the circulatory system.	386	370	126	244	16	142	5	4	1	4	1	3
	IV.—Diseases of the respiratory system.	245,216	238,443	148,791	89,652	6,773	155,564	4,813	2,985	1,475	1,637	3,794	1,169
86	Diseases of the nasal fossae.	343	339	31	308	4	35	1	1	—	—	1	—
87	Diseases of the larynx.	778	758	322	436	20	342	11	11	7	9	11	2
88	Diseases of the thyroid body.	558	531	319	212	27	346	14	4	1	—	4	1
89	Acute bronchitis.	7,615	7,446	4,595	2,351	189	4,764	99	63	23	35	107	59
90	Chronic bronchitis.	5,145	5,026	2,606	2,420	119	2,725	103	65	24	39	55	25
91	Bronchopneumonia.	54,697	53,408	34,333	19,025	1,289	35,672	1,060	633	287	332	796	255
92	Pneumonia (total).	187,703	182,812	102,218	60,594	4,891	107,109	3,340	2,065	1,055	1,138	2,751	792
	Lobar pneumonia.	144,721	140,559	93,360	47,199	4,162	97,522	3,168	1,773	1,011	1,011	2,607	734
	Pneumonia (undefined).	22,982	22,253	8,858	13,395	729	9,587	172	292	44	127	144	58
93	Pleurisy.	3,179	3,090	2,008	1,082	89	2,097	80	33	18	15	39	15
94	Pulmonary congestion, pulmonary apoplexy.	1,480	1,430	664	766	50	714	37	35	8	10	17	8
95	Gangrene of the lung.	287	280	147	133	7	154	13	8	3	2	3	5
96	Asthma.	2,108	2,043	959	1,084	65	1,024	41	41	36	20	10	6
97	Pulmonary emphysema.	173	167	81	86	6	87	3	3	—	2	—	1
98	Other diseases of the respiratory system (tuberculosis excepted).	1,150	1,113	458	655	37	495	11	23	13	34	1	—
	V.—Diseases of the digestive system.	111,005	106,639	58,076	48,563	4,366	62,442	2,178	1,518	488	722	1,360	463
99	Diseases of the mouth and annexa.	740	724	292	432	16	308	20	12	—	2	6	1
100	Diseases of the pharynx.	2,013	1,955	1,014	941	58	1,072	62	31	9	21	14	11
101	Diseases of the esophagus.	100	95	43	52	5	48	2	—	2	—	—	—
102	Ulcer of the stomach.	3,136	3,046	1,894	1,152	90	1,984	146	63	16	27	48	10
103	Other diseases of the stomach (cancer excepted).	8,200	7,931	2,885	5,046	269	3,154	132	128	32	59	71	47
104	Diarrhea and enteritis (under 2 years).	47,753	46,035	25,857	20,178	1,718	27,575	486	577	137	292	674	219
105	Diarrhea and enteritis (2 years and over).	11,329	10,687	4,629	6,058	1,642	5,271	190	178	39	57	79	49
106	Ankylostomiasis.	28	25	1	24	3	3	4	—	—	—	—	—
107	Intestinal parasites.	207	205	33	172	2	35	4	—	—	—	—	—
108	Appendicitis and typhlitis.	9,733	9,260	6,197	3,063	473	6,670	287	110	91	95	123	31
109	Hernia, intestinal obstruction (total).	9,318	8,929	5,419	3,510	389	5,808	253	135	60	70	139	29
	Hernia.	3,376	3,271	2,202	1,069	105	2,307	91	39	22	18	48	10
	Intestinal obstruction.	5,942	5,658	3,217	2,441	284	3,501	162	96	38	52	91	19
110	Other diseases of the intestines.	1,832	1,748	920	828	84	1,004	52	36	6	17	8	5
111	Acute yellow atrophy of the liver.	303	298	137	161	5	142	11	3	1	1	4	1
112	Hydatid tumor of the liver.	31	31	21	10	—	21	3	—	—	—	100	43
113	Cirrhosis of the liver.	7,794	7,548	4,428	3,120	246	4,674	313	148	32	25	33	3
114	Biliary calculi.	2,458	2,403	1,445	958	55	1,500	56	19	21	13	33	3
115	Other diseases of the liver.	3,539	3,348	1,741	1,607	191	1,932	95	48	24	19	29	6
116	Diseases of the spleen.	182	178	68	110	4	72	5	2	2	1	2	1
117	Simple peritonitis (nonpuerperal).	1,858	1,765	772	993	93	865	33	22	13	22	19	4
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	451	428	280	148	23	303	28	6	3	1	8	3
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	91,083	88,134	49,812	38,322	2,949	52,761	2,340	1,303	431	431	1,083	425
119	Acute nephritis.	5,953	5,659	3,142	2,517	294	3,436	140	78	37	40	72	22
120	Bright's disease.	73,239	71,168	39,974	31,194	2,071	42,045	1,837	1,047	306	316	866	371
121	Chyluria.	1	1	—	—	—	—	—	—	—	—	—	—
122	Other diseases of the kidneys and annexa.	1,885	1,814	993	821	71	1,064	56	24	11	11	24	1
123	Calculus of the urinary passages.	472	451	282	169	21	303	19	7	4	2	8	1
124	Diseases of the bladder.	1,357	1,311	500	811	46	546	25	35	3	13	13	11
125	Diseases of the urethra, urinary abscess, etc.	303	273	220	53	30	250	7	1	3	1	4	—
126	Diseases of the prostate.	3,355	3,300	1,768	1,537	85	1,848	121	61	27	23	42	9
127	Nonvenereal diseases of the male genital organs.	87	84	48	36	3	51	4	—	—	—	1	—
128	Uterine hemorrhage (nonpuerperal).	61	58	27	31	3	30	3	2	—	—	1	—
129	Uterine tumor (noncancerous).	1,467	1,374	990	834	93	1,083	41	16	14	7	22	6
130	Other diseases of the uterus.	804	732	476	256	72	548	22	9	6	7	2	1
131	Cysts and other tumors of the ovary.	611	583	382	201	28	410	15	9	5	3	9	1
132	Salpingitis and other diseases of the female genital organs.	1,423	1,292	991	301	131	1,122	48	14	15	8	19	2
133	Nonpuerperal diseases of the breast (cancer excepted).	35	34	24	10	1	25	2	—	—	—	—	—
	VII.—The puerperal state.	18,177	17,607	8,908	8,699	570	9,478	344	225	94	186	208	69
134	Accidents of pregnancy.	4,250	4,144	2,052	2,092	106	2,158	72	47	15	51	52	25
135	Puerperal hemorrhage.	1,249	1,214	591	623	35	626	32	28	6	12	17	6
136	Other accidents of labor.	3,271	3,191	1,453	1,708	80	1,563	49	38	18	36	42	14
137	Puerperal septicemia.	5,250	5,042	2,775	2,267	208	2,983	115	60	43	67	45	10
138	Puerperal albuminuria and convulsions.	3,651	3,516	1,755	1,761	135	1,890	64	45	10	14	43	9
139	Puerperal phlegmnia alba dolens, embolus, sudden death.	410	404	198	206	6	204	10	6	2	5	7	5
140	Following childbirth (not otherwise defined).	83	83	44	39	—	44	1	1	—	1	—	1
141	Puerperal diseases of the breast.	13	13	10	3	—	10	1	—	—	—	1	—

¹ Including District of Columbia.

² A list of these cities will be found on p. 11.

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed Int. List No.	CAUSE OF DEATH.	Registration area (exclusive of Hawaii).	REGISTRATION STATES.			Registration cities in non- registra- tion states. ²	All regis- tration cities.	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total. ¹	Cities. ¹	Rural districts.			Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	VIII.—Diseases of the skin and of the cellular tissue	3,416	3,307	1,634	1,673	109	1,743	65	44	19	9	44	18
142	Gangrene.....	1,658	1,612	615	997	46	661	29	26	14	5	11	12
143	Furuncle.....	444	431	278	153	13	291	5	3	1	-----	8	-----
144	Acute abscess.....	629	602	373	229	27	400	14	8	2	3	15	2
145	Other diseases of the skin and annexa.....	685	662	368	294	23	391	17	7	2	1	10	.4
	IX.—Diseases of the bones and of the organs of locomotion	2,041	1,958	1,275	683	83	1,358	73	27	8	12	33	4
146	Diseases of the bones (tuberculosis excepted).....	1,742	1,668	1,121	547	74	1,195	65	22	7	12	25	2
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	228	219	127	92	7	134	7	3	1	-----	7	1
148	Amputations.....	2	1	-----	1	1	1	-----	1	2	-----	1	1
149	Other diseases of the organs of locomotion.....	71	70	27	43	1	28	1	2	-----	-----	1	1
	X.—Malformations	12,841	12,616	6,683	5,983	225	6,908	204	158	65	92	182	74
150	Congenital malformations (stillbirths not included) (total).....	12,841	12,616	6,683	5,983	225	6,908	204	158	65	92	182	74
	Hydrocephalus.....	1,169	1,146	612	534	23	635	23	17	4	7	12	1
	Congenital malformations of the heart.....	7,823	7,699	4,128	3,571	124	4,252	134	105	36	62	104	48
	Other congenital malformations.....	3,849	3,771	1,943	1,828	78	2,021	47	36	25	23	66	25
	XI.—Early infancy	62,190	60,519	31,501	29,018	1,671	33,172	867	703	203	372	1,052	321
151	Congenital debility, icterus, and sclerema (total).....	50,533	49,078	24,744	24,334	1,455	26,199	676	578	162	309	813	258
	Premature birth.....	38,535	37,408	19,232	18,176	1,127	20,359	563	451	128	228	630	178
	Congenital debility, "atrophy," "marasmus," etc.....	11,998	11,670	5,512	6,158	328	5,840	113	127	34	81	183	80
152	Other causes peculiar to early infancy (total).....	11,456	11,261	6,683	4,578	195	6,878	187	121	40	63	232	60
	Injuries at birth.....	6,149	6,046	3,701	2,345	103	3,804	97	73	12	22	142	41
153	Other causes peculiar to early infancy ³	5,307	5,215	2,982	2,233	92	3,074	90	48	28	41	90	19
	Lack of care.....	201	180	74	106	21	95	4	4	1	-----	7	3
	XII.—Old age	12,251	11,916	3,175	8,741	335	3,510	175	175	58	69	64	50
154	Senility.....	12,251	11,916	3,175	8,741	335	3,510	175	175	58	69	64	50
	XIII.—External causes	81,009	78,644	42,048	36,596	2,365	44,413	2,172	1,886	329	606	1,116	366
	Suicide (total).....	9,645	9,398	5,231	4,167	247	5,478	458	316	66	66	145	48
155	By poison.....	1,474	1,411	836	575	63	899	73	28	13	10	29	7
156	By asphyxia.....	1,278	1,262	1,124	138	16	1,140	61	47	8	1	30	1
157	By hanging or strangulation.....	1,644	1,624	696	928	20	716	55	12	6	7	23	10
158	By drowning.....	649	642	287	355	7	294	18	18	2	1	8	10
159	By firearms.....	3,850	3,241	1,560	1,681	109	1,669	188	161	29	41	31	14
160	By cutting or piercing instruments.....	780	758	425	333	22	447	40	35	4	3	18	5
161	By jumping from high places.....	281	276	238	38	5	243	20	3	1	4	4	1
162	By crushing.....	84	81	30	51	3	33	2	3	1	1	2	-----
163	Other suicides.....	105	103	35	68	2	37	1	9	2	2	-----	-----
	Accidental or undefined (total).....	65,908	64,178	33,747	30,481	1,730	35,477	1,548	1,436	225	509	931	307
164	Poisoning by food.....	842	792	259	503	50	339	26	33	1	5	6	3
165	Other acute poisonings.....	1,349	1,297	625	672	52	677	30	35	7	15	9	2
166	Conflagration.....	1,414	1,394	527	867	20	547	24	40	1	6	13	6
167	Burns (conflagration excepted).....	6,617	6,398	3,633	2,765	210	3,852	86	54	14	17	116	19
168	Absorption of deleterious gases (conflagration excepted).....	3,338	3,267	2,492	775	71	2,563	102	24	9	16	93	8
169	Accidental drowning.....	5,464	5,366	2,134	3,232	98	2,232	107	196	11	49	62	63
170	Traumatism by firearms.....	2,013	1,925	621	1,304	88	709	35	72	11	29	9	7
171	Traumatism by cutting or piercing instruments.....	186	179	91	88	7	98	3	1	1	5	1	1
172	Traumatism by fall.....	10,273	10,080	5,968	4,112	193	6,161	297	154	37	59	158	57
173	Traumatism in mines and quarries (total).....	2,588	2,539	622	1,917	49	671	2	41	9	98	1	1
	Traumatism in mines.....	2,497	2,450	590	1,860	47	637	2	37	9	98	-----	-----
	Traumatism in quarries.....	91	89	32	57	2	34	4	4	1	1	1	1
174	Traumatism by machines.....	2,360	2,277	1,429	848	83	1,512	68	35	7	15	47	7
175	Traumatism by other crushing (total).....	21,031	20,456	11,721	8,735	575	12,296	663	552	97	131	322	94
	Railroad accidents and injuries.....	8,491	8,275	3,798	4,477	216	4,014	163	189	20	45	80	45
	Street-car accidents and injuries.....	2,326	2,247	1,746	501	79	1,825	117	29	6	2	45	11
	Automobile accidents and injuries.....	7,424	7,211	4,903	2,308	213	5,116	296	237	63	56	160	23
	Injuries by other vehicles.....	2,198	2,155	1,039	1,116	43	1,082	61	84	8	28	32	13
	Landslide, other crushing.....	592	568	235	333	24	259	26	13	5	2	-----	-----
176	Injuries by animals.....	656	645	193	452	11	204	12	24	2	12	4	3
	Starvation.....	40	37	14	23	3	17	1	1	1	1	12	3
177	Excessive cold.....	508	498	202	296	10	212	6	28	1	4	7	5
178	Effects of heat.....	1,136	1,112	643	469	24	667	7	28	1	12	3	6
179	Lightning.....	407	402	31	371	5	36	2	1	1	1	11	4
180	Electricity (lightning excepted).....	754	732	364	368	22	386	13	32	6	17	12	4
181	Fractures (cause not specified).....	724	700	328	372	24	352	11	9	1	1	11	2
182	Other external violence.....	4,208	4,082	1,820	2,262	126	1,946	61	96	8	21	41	16
	Homicide (total).....	5,456	5,068	3,070	1,998	388	3,458	166	134	38	31	40	11
183	By firearms.....	3,727	3,443	2,006	1,437	284	2,290	116	99	30	26	22	7
184	By cutting or piercing instruments.....	689	603	403	200	66	469	13	14	4	3	9	2
	By other means.....	1,060	1,022	661	361	38	699	37	21	4	2	9	2
	XIV.—Ill-defined diseases	15,625	14,941	2,088	12,853	684	2,772	26	55	10	23	63	26
187	Ill-defined organic disease.....	854	834	41	793	20	61	3	3	3	3	2	1
188	Sudden death.....	1,047	1,023	168	855	24	192	1	3	1	3	10	3
189	Not specified or ill-defined (total).....	13,724	13,084	1,879	11,205	640	2,519	23	51	7	20	51	22
	Ill-defined.....	5,140	4,834	985	3,849	306	1,291	16	38	7	13	36	12
	Not specified or unknown.....	8,584	8,250	894	7,356	334	1,228	7	13	7	15	15	10

¹ Including District of Columbia.

² A list of these cities will be found on p. 11.

³ Exclusive of injuries at birth.

CAUSES OF DEATH, URBAN AND RURAL.

239

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed Int. List No.	Cause of Death.	District of Columbia.			Illinois.		Indiana.		Kansas.		Kentucky.					
		Total.	White.	Col- ored.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.			Rural districts.		
											Total.	White.	Col- ored.	Total.	White.	Col- ored.
	All causes.	9,090	5,779	3,311	63,242	37,154	18,502	27,491	6,681	18,372	9,708	7,354	2,354	29,824	25,618	4,206
1	I.—General diseases.	2,966	1,992	974	21,144	14,208	5,947	9,658	2,354	6,048	3,391	2,681	710	13,532	11,704	1,828
2	Typhoid fever.	44	21	23	191	328	152	248	82	209	78	53	25	571	455	88
3	Typhus fever.															
4	Relapsing fever.															
5	Malaria.															
6	Smallpox.															
7	Measles.	30	25	5	134	183	44	100	71	185	41	36	5	303	293	10
8	Scarlet fever.	10	10		82	67	40	85	26	45	4	3	1	42	42	
9	Whooping cough.	43	15	28	295	400	169	334	44	176	117	82	35	774	669	105
10	Diphtheria and croup.	40	36	4	883	259	243	188	38	74	44	42	2	281	269	12
11	Influenza.	1,396	1,074	322	8,839	6,330	2,134	3,419	1,122	2,951	1,237	1,089	148	5,912	5,299	613
12	Miliary fever.															
13	Asiatic cholera.															
14	Cholera nostras.	1	1		3	5	2	10			9	1	1	24	23	1
15	Dysentery.	6	2	4	78	130	39	95	26	79	36	27	9	287	263	24
16	Plague.															
17	Yellow fever.															
18	Leprosy.															
19	Erysipelas.	9	7	2	97	86	47	74	17	44	24	20	4	73	70	3
20	Other epidemic diseases.	1	1		12	15	5	30	3	25	2	2		13	13	
21	Purulent infection and septicemia.	9	8	1	55	71	24	33	17	39	23	17	6	37	32	5
22	Glanders.															
23	Anthrax.															
24	Rabies.															
25	Tetanus.	9	5	4	41	44	23	36	13	26	12	8	4	24	22	2
26	Mycoses.	1	1		3	2	1	2								
27	Pellagra.	9	5	4	8	18	3	9	8	14	27	25	2	120	110	10
	Beriberi.															
28	Tuberculosis (total).	742	344	398	5,286	3,293	1,516	2,532	341	686	1,099	748	351	3,645	2,885	760
29	Tuberculosis of the lungs.	641	293	348	4,466	2,951	1,231	2,126	280	593	938	640	298	3,195	2,518	677
30	Acute military tuberculosis.	32	10	22	199	75	59	63	18	14	23	11	17	73	49	24
31	Tuberculous meningitis.	29	18	11	256	72	71	113	11	18	65	54	11	123	108	15
32	Abdominal tuberculosis.	20	11	9	180	91	91	139	17	29	43	23	20	152	126	26
33	Potts' disease.	6	4	2	62	33	17	27	3	7	3	2	1	20	17	3
34	White swellings.	8	4	4	33	16	7	17		5	8	7	1	10	7	3
35	Tuberculosis of other organs.	6	4	2	66	41	18	30	10	10	11	8	3	34	28	6
	Disseminated tuberculosis.				24	14	22	17	2	10	3	3		38	32	
36	Rickets.	3		3	21	13	5	4	7	3	4	3	1	11	7	4
37	Syphilis.	56	16	40	292	143	131	146	40	48	77	37	40	81	41	40
38	Gonococcus infection.	5	3	2	14	3	11	6	1	4	5	3	2	4	1	3
39	Cancer and other malignant tumors (total).	410	304	106	3,354	1,868	936	1,631	345	934	391	346	45	881	796	85
40	Of the buccal cavity.	13	7	6	136	58	26	49	11	58	16	22	7	22	22	
41	Of the stomach, liver.	146	111	35	1,296	787	336	706	117	404	153	137	16	289	261	28
42	Of the peritoneum, intestines, rectum.	39	32	7	411	214	124	185	49	111	52	50	2	76	72	4
43	Of the female genital organs.	71	39	32	494	191	178	201	59	97	73	66	7	166	136	30
44	Of the breast.	49	37	12	271	135	83	139	31	80	29	24	5	89	80	9
45	Of the skin.	11	9	2	65	79	39	108	15	50	12	10	2	69	69	14
46	Of other organs or of organs not specified.	81	69	12	681	404	130	243	63	154	56	50	6	170	156	
47	Other tumors (tumors of the female genital organs excepted).				13	15	4	6	2	7	2	2	4	4	4	
48	Acute articular rheumatism.	14	12	2	138	113	40	74	19	50	15	12	3	67	55	12
49	Chronic rheumatism and gout.	6	4	2	24	38	14	27	1	20	3	3		24	19	5
50	Scurvy.				3	1	1	2	2	1	1	1	3	2	2	
51	Diabetes.	69	56	13	690	373	184	310	54	212	63	52	11	115	97	18
52	Exophthalmic goiter.	7	5	2	96	37	29	50	7	13	8	7	1	12	11	1
53	Addison's disease.	1	1		12	6	3	12	1	5	31	6	6	17	17	
54	Leukemia.	4	3	1	85	50	21	18	5	31	6	6	1	41	38	3
55	Anemia, chlorosis.	26	22	4	211	153	63	89	40	78	26	25	1	32	28	4
56	Other general diseases.	11	8	3	67	47	19	31	6	26	7	6	1	32	28	
57	Alcoholism (acute or chronic).	4	4		75	41	20	15	4	10	22	17	5	16	15	1
58	Chronic lead poisoning.				7	5	1	2	1	1	1	1		1	1	
59	Other chronic poisonings.								4	1	2	1	1	4	4	
	II.—Diseases of the nervous system and of the organs of special sense.	748	502	246	3,649	3,319	1,334	2,803	565	1,866	781	623	158	2,016	1,714	302
60	Encephalitis.	5	4	1	24	20	12	16	11	19	5	4	1	31	28	3
61	Menigitis (total).	42	29	13	302	193	93	131	41	101	62	360	326	34		
	Simple menigitis.	15	10	5	157	117	38	94	14	28	32	27	5	165	149	
	Cerebrospinal meningitis (undefined).	6	4	2	44	58	24	51	8	36	16	10	6	111	103	8
	Cerebrospinal fever.	21	15	6	101	23	31	19	37	14	12	2	84	74		
62	Locomotor ataxia.	10	8	2	109	72	28	48	13	22	9	7	2	21	21	
63	Other diseases of the spinal cord (total).	19	16	3	210	203	58	139	30	94	27	17	10	120	107	
	Acute anterior poliomyelitis.	9	8	1	45	70	7	16	2	9	8	5	3	45	41	
	Other diseases of the spinal cord.	10	8	2	165	133	51	123	28	85	19	12	7	75	66	9
64	Cerebral hemorrhage, apoplexy.	537	363	174	2,036	1,629	819	1,689	315	1,060	429	348	81	765	634	131
65	Softening of the brain.	10	6	4	22	49	17	47	17	62	8	8		40	38	2
66	Paralysis without specified cause.	10	7	3	177	397	90	264	53	178	63	42	21	302	251	51
67	General paralysis of the insane.	56	34	22	281	334	73	189	21	90	69	54	15	96	75	
68	Other forms of mental alienation.	9	7	2	72	63	13	47	9	49	25	20	5	52	41	11
69	Epilepsy.	13	8	5	110	124	36	91	7	60	44	39	5	91	77	14
70	Convulsions (nonpuerperal).				2	3	2	1		4	1	1		7	6	
71	Convulsions of infants.	5	2	3	56	73	19	18	13	34	13	9	4	57	44	13
72	Chorea.	1	1	1	4	5	1	4	1	7	1	1	1	1	1	
73	Neuralgia and neuritis.				7	13	6	14	3	6	1	1		10	10	
74	Other diseases of the nervous system.	24	17	7	156	94	38	49	24	56	11	11	1	38	31	7
75	Diseases of the eyes and their annexa.	1	1	1	7	2	1	1	1	1	1	1		10	10	
76	Diseases of the ears.	6	1	5	74	41	27	25	6	23	13	12	1	25	24	1

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed Int. List No.	Cause of Death.	District of Columbia.			Illinois.		Indiana.		Kansas.		Kentucky.		
		Total	White.	Colored.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	White.	Colored.
											Total	White.	Colored.
	III.—Diseases of the circulatory system.	1,297	869	428	7,598	4,330	2,189	4,013	674	2,044	1,156	840	316
77	Pericarditis.	7	5	2	42	26	16	19	1	16	9	3	6
78	Acute endocarditis.	146	61	85	416	125	83	82	55	55	75	50	25
79	Organic diseases of the heart.	942	643	299	5,996	3,499	1,649	3,125	471	1,518	842	533	259
80	Angina pectoris.	32	27	5	209	89	84	188	20	84	24	17	7
81	Diseases of the arteries, atherosclerosis, aneurism, etc.	137	107	30	720	482	309	540	92	283	173	160	13
82	Embolism and thrombosis.	24	19	5	142	62	32	42	25	60	18	15	3
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	6	4	2	36	13	3	8	3	9	4	3	1
84	Diseases of the lymphatic system (lymphangitis, etc.).	1	1	—	28	13	6	4	2	4	4	3	1
85	Hemorrhage; other diseases of the circulatory system.	2	2	—	9	21	7	5	5	15	7	6	1
	IV.—Diseases of the respiratory system.	1,677	921	756	11,803	4,461	3,376	3,191	1,075	2,309	1,689	1,149	540
86	Diseases of the nasal fossae.	6	6	—	3	4	1	1	2	4	7	6	1
87	Diseases of the larynx.	5	4	1	25	26	16	15	3	10	5	5	1
88	Diseases of the thyroid body.	38	10	28	457	124	95	65	19	36	44	23	21
89	Acute bronchitis.	35	28	7	251	177	54	110	31	80	78	48	30
90	Chronic bronchitis.	24	12	12	193	51	25	34	16	48	25	17	8
91	Bronchopneumonia.	451	219	232	2,766	732	818	714	238	476	373	267	106
92	Pneumonia (total).	1,083	620	483	7,329	3,128	2,278	2,148	727	1,569	1,100	744	356
	Lobar pneumonia.	958	538	420	6,612	1,556	2,110	1,831	557	1,063	863	582	281
	Pneumonia (undefined).	125	82	43	1,217	572	168	170	170	506	237	162	75
93	Pleurisy.	24	12	12	193	51	25	34	16	48	25	17	8
94	Pulmonary congestion, pulmonary apoplexy.	14	12	2	60	65	13	25	12	24	14	14	32
95	Gangrene of the lung.	3	2	1	19	10	8	2	2	3	2	2	1
96	Asthma.	8	3	5	92	79	36	88	11	33	23	11	12
97	Pulmonary emphysema.	1	—	1	5	4	2	7	2	1	4	2	2
98	Other diseases of the respiratory system (tuberculosis excepted).	9	5	4	51	40	13	20	9	19	14	10	4
	V.—Diseases of the digestive system.	579	388	241	6,516	2,678	1,693	2,101	549	1,492	674	510	164
99	Diseases of the mouth and annexa.	4	1	3	12	19	8	15	1	9	7	6	1
100	Diseases of the pharynx.	12	5	7	93	62	37	45	5	30	15	14	1
101	Diseases of the esophagus.	1	1	—	5	5	—	—	2	1	—	2	2
102	Ulcer of the stomach.	14	9	5	185	68	39	60	12	47	23	15	8
103	Other diseases of the stomach (cancer excepted).	42	21	21	181	270	114	242	64	168	59	32	27
104	Diarrhea and enteritis (under 2 years).	219	111	108	3,432	852	651	693	151	383	197	147	50
105	Diarrhea and enteritis (2 years and over).	74	45	20	502	283	142	264	51	168	65	48	17
106	Ankylostomiasis.	1	—	—	—	—	—	—	—	—	2	2	—
107	Intestinal parasites.	1	1	3	—	—	—	4	—	3	—	15	15
108	Appendicitis and typhlitis.	47	33	14	612	203	235	122	98	167	68	59	9
109	Hernia, intestinal obstruction (total).	71	41	30	471	248	152	184	69	169	79	60	19
	Hernia.	26	14	13	197	71	52	51	18	46	36	28	8
	Intestinal obstruction.	45	27	18	274	177	100	133	51	123	43	32	11
110	Other diseases of the intestines.	14	7	7	97	73	26	40	9	38	18	14	4
111	Acute yellow atrophy of the liver.	—	—	—	6	20	4	10	2	6	3	2	1
112	Hydatid tumor of the liver.	1	1	—	1	1	—	2	—	—	—	9	—
113	Cirrhosis of the liver.	30	26	4	461	229	132	196	26	104	59	50	9
114	Biliary calculi.	10	9	1	146	90	46	72	23	47	11	10	1
115	Other diseases of the liver.	25	18	7	192	139	72	102	22	91	38	30	8
116	Diseases of the spleen.	—	—	—	4	4	1	1	1	6	2	2	3
117	Simple peritonitis (nonpuerperal).	10	6	4	86	99	25	44	11	46	26	19	7
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	4	3	1	27	13	9	5	2	9	4	2	3
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	767	458	309	4,462	2,501	1,279	2,133	499	1,209	822	615	207
119	Acute nephritis.	71	30	41	254	119	84	130	36	73	69	40	29
120	Bright's disease.	601	370	231	3,583	2,089	973	1,767	377	930	668	512	156
121	Chyluria.	—	—	—	—	—	—	—	—	—	—	1,275	1,054
122	Other diseases of the kidneys and annexa.	20	17	3	91	47	19	39	11	42	8	6	2
123	Calculi of the urinary passages.	5	4	1	28	10	12	12	3	5	2	1	3
124	Diseases of the bladder.	10	8	2	47	49	17	40	5	27	5	3	6
125	Diseases of the urethra, urinary abscess, etc.	3	1	2	17	2	4	2	5	1	9	3	3
126	Diseases of the prostate.	21	13	8	150	122	58	81	22	72	21	20	1
127	Nonvenereal diseases of the male genital organs.	2	1	1	4	—	1	2	1	1	—	2	2
128	Uterine hemorrhage (nonpuerperal).	—	—	—	3	4	2	2	—	—	2	2	—
129	Uterine tumor (noncancerous).	14	6	8	98	25	26	17	12	18	13	6	7
130	Other diseases of the uterus.	5	3	2	45	21	23	14	8	13	6	8	9
131	Cysts and other tumors of the ovary.	2	1	1	31	11	10	12	3	12	8	8	11
132	Salpingitis and other diseases of the female genital organs.	13	4	9	110	21	47	14	16	13	8	6	7
133	Nonpuerperal diseases of the breast (cancer excepted).	—	—	—	1	1	3	1	—	2	—	11	7
	VII.—The puerperal state.	74	47	27	732	428	297	372	110	337	96	76	20
134	Accidents of pregnancy.	14	10	4	205	118	67	88	21	76	18	15	3
135	Puerperal hemorrhage.	1	—	—	41	28	12	11	4	24	—	24	1
136	Other accidents of labor.	7	5	2	140	92	42	58	18	45	11	9	2
137	Puerperal septicemia.	25	14	11	204	104	130	138	50	119	40	34	6
138	Puerperal albuminuria and convulsions.	25	16	9	128	80	39	67	17	65	24	17	7
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	1	1	—	11	5	7	8	—	—	70	63	7
140	Following childbirth (not otherwise defined).	1	1	—	3	1	—	2	1	—	1	3	3
141	Puerperal diseases of the breast.	—	—	—	—	—	—	—	—	—	1	1	1

CAUSES OF DEATH, URBAN AND RURAL.

241

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed Int. List No.	CAUSE OF DEATH.	DISTRICT OF COLUMBIA.			ILLINOIS.		INDIANA.		KANSAS.		KENTUCKY.					
		Total.	White.	Col- ored.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.			Rural districts.		
											Total.	White.	Col- ored.	Total.	White.	Col- ored.
	VIII.—Diseases of the skin and of the cellular tissue.....	23	11	12	115	101	28	80	14	63	21	14	7	60	52	8
142	Gangrene.....	13	3	10	49	59	9	51	7	45	8	5	3	30	25	5
143	Furuncle.....	5	4	1	22	6	6	6	2	8	2	2	1	6	5	1
144	Acute abscess.....	4	4	1	17	12	7	11	3	6	4	3	1	12	10	2
145	Other diseases of the skin and annexa.....	1	—	1	27	24	6	12	2	4	7	4	3	12	12	—
	IX.—Diseases of the bones and of the organs of locomotion.....	13	9	4	94	44	38	36	13	21	13	12	1	19	19	—
146	Diseases of the bones (tuberculosis excepted).....	7	5	2	78	37	32	32	10	17	12	11	1	18	18	—
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	6	4	2	11	5	5	3	1	4	1	1	—	—	—	—
148	Amputations.....	—	—	—	5	2	1	1	—	—	—	—	—	1	1	—
149	Other diseases of the organs of locomotion.....	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
	X.—Malformations.....	38	31	7	639	352	189	337	50	234	43	37	6	189	181	8
150	Congenital malformations (stillbirths not included) (total).....	38	31	7	639	352	189	337	50	234	43	37	6	189	181	8
	Hydrocephalus.....	3	2	1	65	28	10	18	2	20	2	1	1	10	9	1
	Congenital malformations of the heart.....	22	17	5	383	222	133	230	36	143	26	21	5	99	97	2
	Other congenital malformations.....	13	12	1	191	102	46	89	12	71	15	15	—	80	75	5
	XI.—Early infancy.....	382	251	131	2,480	1,574	782	1,080	276	936	316	265	51	1,598	1,440	158
151	Congenital debility, icterus, and sclerema (total).....	313	207	106	1,777	1,284	635	854	230	777	273	231	42	1,436	1,289	137
	Premature birth.....	254	164	90	1,439	918	541	720	150	552	191	163	28	1,165	1,059	108
	Congenital debility, "atrophy," "marasmus," etc.....	59	43	16	383	366	94	134	80	225	82	68	14	271	240	31
152	Other causes peculiar to early infancy (total).....	68	44	24	691	286	146	225	46	157	43	34	9	157	137	20
	Injuries at birth.....	30	22	8	420	165	67	110	21	81	13	12	1	76	67	9
153	Other causes peculiar to early infancy ¹	38	22	16	271	121	79	115	25	76	30	22	8	81	70	11
	Lack of care.....	1	—	1	12	4	1	1	—	—	2	—	—	5	4	1
	XII.—Old age.....	84	59	25	245	529	53	159	98	407	110	92	18	439	385	54
154	Senility.....	84	59	25	245	529	53	159	98	407	110	92	18	439	385	54
	XIII.—External causes.....	436	289	147	3,659	2,227	1,279	1,479	373	1,136	539	402	137	1,385	1,164	221
155	Suicide (total).....	68	53	10	578	252	139	202	44	162	67	63	4	119	109	10
	By poison.....	12	11	1	74	39	55	46	9	36	11	11	—	18	16	2
156	By asphyxia.....	12	10	2	187	4	7	4	2	1	1	1	—	—	—	—
157	By hanging or strangulation.....	7	6	1	62	55	10	49	6	32	14	13	1	25	24	1
158	By drowning.....	6	6	—	33	18	5	14	2	10	6	6	—	7	6	1
159	By firearms.....	23	19	4	152	101	46	70	18	67	27	26	1	54	49	5
160	By cutting or piercing instruments.....	5	3	2	38	15	10	15	5	9	4	3	1	9	8	1
161	By jumping from high places.....	3	3	—	20	5	2	—	1	—	3	2	1	4	4	—
162	By crushing.....	—	—	—	6	7	3	1	—	2	—	—	—	2	2	—
163	Other suicides.....	—	—	—	6	8	1	3	1	5	1	1	—	—	2	2
	Accidental or undefined (total).....	312	211	101	2,767	1,870	1,061	1,238	282	920	386	296	90	1,114	957	157
164	Poisoning by food.....	2	2	—	12	28	12	35	4	19	5	5	—	21	18	3
165	Other acute poisonings.....	9	7	2	46	32	20	34	8	38	9	6	3	19	19	—
166	Conflagration.....	1	1	—	16	12	7	10	9	5	7	7	—	32	13	19
167	Burns (conflagration excepted).....	37	21	16	253	144	97	102	20	55	32	20	12	169	150	19
168	Absorption of deleterious gases (conflagration excepted).....	36	31	5	302	47	54	22	12	22	11	8	3	32	25	7
169	Accidental drowning.....	20	8	12	130	207	48	95	16	71	32	25	7	64	53	11
170	Traumatism by firearms.....	3	2	1	65	77	19	42	13	52	24	13	11	90	73	17
171	Traumatism by cutting or piercing instruments.....	1	1	—	7	4	—	3	3	3	2	1	—	3	3	—
172	Traumatism by fall.....	55	42	13	378	158	146	265	46	140	53	49	4	147	134	13
173	Traumatism in mines and quarries (total).....	1	1	—	35	212	32	86	4	35	1	1	—	92	82	10
	Traumatism in mines.....	1	1	—	34	212	32	83	3	34	1	1	—	92	82	10
174	Traumatism in quarries.....	—	—	—	1	—	3	1	1	—	—	—	—	—	—	—
	Traumatism by machines.....	10	6	4	96	30	64	18	10	33	10	6	4	15	15	—
175	Traumatism by other crushing (total).....	106	72	34	1,049	554	452	382	94	287	126	109	17	226	196	30
	Railroad accidents and injuries.....	6	6	—	382	392	243	187	40	114	46	40	6	150	132	18
	Street-car accidents and injuries.....	28	17	11	181	28	63	38	16	7	11	9	2	2	—	—
	Automobile accidents and injuries.....	54	35	19	386	78	99	78	30	99	50	43	7	42	35	7
	Injuries by other vehicles.....	14	12	2	86	41	35	67	7	61	14	14	—	28	25	3
	Landslide, other crushing.....	4	2	2	14	15	12	12	1	6	5	3	2	4	2	2
176	Injuries by animals.....	—	—	—	20	28	10	30	2	25	2	2	—	14	12	2
177	Starvation.....	—	—	—	1	1	—	—	—	—	1	1	—	1	1	—
178	Excessive cold.....	3	1	2	11	10	5	8	4	11	6	4	2	17	9	8
179	Effects of heat.....	8	2	6	29	22	12	18	8	20	12	9	3	12	10	2
180	Lightning.....	1	1	—	3	15	—	12	—	17	—	—	—	18	14	4
181	Electricity (lightning excepted).....	1	1	—	30	20	24	18	8	9	5	4	1	7	6	1
182	Fractures (cause not specified).....	2	2	—	79	119	3	1	5	8	14	11	3	32	32	—
183	Other external violence.....	16	10	6	205	152	56	57	16	70	33	21	12	103	92	11
184	Homicide (total).....	56	20	36	314	105	79	39	47	54	86	43	43	152	98	54
	By firearms.....	37	13	24	181	66	49	27	34	40	67	33	34	120	76	44
	By cutting or piercing instruments.....	8	3	5	35	9	11	2	4	1	12	7	5	13	8	5
	By other means.....	11	4	7	98	30	19	10	9	13	7	3	4	19	14	5
	XIV.—Ill-defined diseases.....	6	2	4	108	402	18	49	31	270	57	38	19	985	865	120
187	Ill-defined organic disease.....	—	—	—	4	28	—	1	—	19	3	1	2	59	51	8
188	Sudden death.....	—	—	—	3	—	1	—	15	—	1	1	—	56	51	5
189	Not specified or ill-defined (total).....	5	2	3	62	271	6	47	30	236	53	36	17	870	763	107
	Ill-defined.....	1	—	1	40	100	12	27	17	141	31	20	11	686	579	87

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed Int. List. No.	Cause of Death.	LOUISIANA.						MAINE.			MARYLAND.					
		Cities.			Rural districts.			Cities.	Rural dis- tricts.	Cities.			Rural districts.			
		Total.	White.	Col- ored.	Total.	White.	Col- ored.			Total.	White.	Col- ored.	Total.	White.	Col- ored.	
	All causes.....	12,359	7,210	5,149	19,842	8,612	11,230	3,967	10,532	17,359	13,581	3,778	14,775	10,748	4,027	
	I.—General diseases.....	4,468	2,575	1,893	8,679	3,466	5,213	1,370	3,685	5,300	4,089	1,211	5,172	3,748	1,424	
1	Typhoid fever.....	109	64	45	600	316	284	48	18	40	57	26	155	97	58	
2	Typhus fever.....	1	1	
3	Relapsing fever.....	5	4	1	
4	Malaria.....	58	21	32	473	219	254	2	1	1	5	4	1	
5	Smallpox.....	7	2	5	211	5	6	
6	Measles.....	32	22	10	318	209	109	18	81	77	62	15	61	45	16	
7	Scarlet fever.....	1	1	1	4	4	4	12	9	7	2	11	11	
8	Whooping cough.....	90	59	31	266	100	166	25	34	247	156	91	217	107	110	
9	Diphtheria and croup.....	29	23	6	68	40	28	12	49	74	73	1	61	50	11	
10	Influenza.....	1,801	1,048	553	3,711	1,458	2,253	622	1,891	2,020	1,712	308	2,417	1,819	598	
11	Miliary fever.....	
12	Asiatic cholera.....	
13	Cholera nostras.....	1	1	1	8	3	5	2	2	2	2	4	4	3	1	
14	Dysentery.....	56	34	22	250	136	114	5	24	20	16	4	27	19	8	
15	Plague.....	
16	Yellow fever.....	2	2	1	9	8	1	
17	Leprosy.....	2	2	1	24	24	1	9	17	18	15	3	11	10	1	
18	Erysipelas.....	13	12	1	20	11	9	1	2	5	3	2	1	1	
19	Other epidemic diseases.....	1	1	1	20	11	9	1	2	5	3	2	1	1	
20	Purulent infection and septicemia.....	16	10	6	73	40	33	6	8	15	15	7	7	
21	Glanders.....	
22	Anthrax.....	2	1	1	4	4	4	1	1	1	1	1	1	1	1	
23	Rabies.....	3	1	2	2	2	2	
24	Tetanus.....	40	14	26	67	27	40	2	1	16	10	6	17	11	6	
25	Mycoses.....	
26	Pellagra.....	100	23	77	163	37	126	10	6	5	3	2	13	11	2	
27	Beriberi.....	
28	Tuberculosis (total).....	1,446	690	756	1,848	473	1,375	265	668	1,558	1,005	553	1,369	910	459	
29	Tuberculosis of the lungs.....	1,260	611	649	1,681	417	1,264	193	528	1,325	868	457	1,228	825	403	
30	Acute miliary tuberculosis.....	62	25	37	75	17	58	9	17	77	35	42	29	17	12	
31	Tuberculous meningitis.....	25	20	5	12	8	4	28	52	75	58	17	33	29	4	
32	Abdominal tuberculosis.....	33	13	20	50	19	31	17	36	34	21	13	40	22	18	
33	Pott's disease.....	7	4	3	4	3	1	3	2	11	7	4	7	4	3	
34	White swellings.....	10	5	5	8	1	7	2	1	9	3	6	6	5	1	
35	Tuberculosis of other organs.....	14	6	8	13	5	8	6	17	14	7	7	10	5	5	
36	Disseminated tuberculosis.....	35	6	29	5	3	2	7	5	13	6	7	16	3	13	
37	Rickets.....	10	4	6	9	3	6	1	4	6	2	4	18	8	10	
38	Syphilis.....	198	68	130	166	17	149	39	18	119	52	67	55	15	40	
39	Gonococcus infection.....	16	5	11	7	1	6	25	9	16	2	1	1	
40	Cancer and other malignant tumors (total).....	463	333	130	411	234	177	235	606	701	620	72	496	432	64	
41	Of the buccal cavity.....	32	24	8	16	14	2	7	28	28	24	4	18	16	2	
42	Of the stomach, liver.....	134	98	36	112	71	41	81	208	265	241	24	209	179	30	
43	Of the peritoneum, intestines, rectum.....	45	37	8	23	16	7	46	99	97	87	10	55	48	7	
44	Of the female genital organs.....	108	60	48	117	45	72	41	99	114	101	13	60	48	12	
45	Of the breast.....	35	22	13	34	12	22	20	61	72	61	11	42	38	4	
46	Of the skin.....	12	12	24	20	4	4	2	22	13	13	23	21	2	2	
47	Of other organs or of organs not specified.....	97	80	17	85	56	29	36	89	112	102	10	89	82	7	
48	Other tumors (tumors of the female genital organs excepted).....	2	2	1	7	7	1	3	2	1	1	1	1	
49	Acute articular rheumatism.....	31	17	14	42	16	26	10	18	39	20	19	22	16	6	
50	Chronic rheumatism and gout.....	8	6	2	6	5	1	2	11	9	9	9	13	12	1	
51	Scurvy.....	1	1	1	1	1	1	1	3	1	1	1	4	2	2	
52	Diabetes.....	73	62	11	38	29	9	53	114	132	119	13	104	87	17	
53	Exophthalmic goiter.....	8	6	2	3	1	2	4	3	17	17	9	6	6	3	
54	Addison's disease.....	16	10	6	3	3	1	1	2	3	3	1	1	1	1	
55	Leukemia.....	19	17	2	19	13	6	16	36	39	38	1	20	20	
56	Anemia, chlorosis.....	5	4	1	28	15	13	1	8	11	8	3	17	13	4	
57	Other general diseases.....	5	4	1	20	12	8	6	11	26	25	1	25	21	4	
58	Alcoholism (acute or chronic).....	10	8	2	20	12	8	6	6	4	4	1	25	21	4	
59	Chronic lead poisoning.....	5	4	1	1	2	1	1	1	1	1	
60	Other chronic occupation poisonings.....	1	1	1	2	1	1	1	1	1	1	1	
61	II.—Diseases of the nervous system and of the organs of special sense.....	712	496	216	890	453	437	371	1,022	1,195	954	241	1,313	1,016	297	
62	Encephalitis.....	3	2	1	25	15	10	1	5	4	3	1	8	4	4	
63	Meningitis (total).....	61	42	19	97	64	33	25	57	96	82	14	66	50	16	
64	Simple meningitis.....	5	5	49	30	19	14	36	11	10	1	40	30	10	10	
65	Cerebrospinal meningitis (undefined).....	12	6	6	33	23	10	8	11	9	9	14	11	3	3	
66	Cerebrospinal fever.....	44	31	13	15	11	4	3	10	76	63	13	12	9	3	
67	Locomotor ataxia.....	20	17	3	7	5	2	7	18	15	11	4	19	17	2	
68	Other diseases of the spinal cord (total).....	40	29	11	26	20	6	18	33	48	41	7	42	35	7	
69	Acute anterior poliomyelitis.....	2	2	11	10	1	2	5	7	7	11	8	8	3	3	
70	Other diseases of the spinal cord.....	38	27	11	15	10	5	16	33	41	34	7	31	27	4	
71	Other diseases of the spinal cord.....	431	298	133	369	186	183	217	721	861	681	180	732	578	154	
72	Cerebral hemorrhage, apoplexy.....	11	9	2	11	7	4	2	12	6	6	6	15	14	1	
73	Softening of the brain.....	40	22	18	129	58	71	21	55	42	32	10	185	146	39	
74	Paralysis without specified cause.....	37	26	11	37	19	18	33	19	37	23	14	73	58	15	
75	General paralysis of the insane.....	16	14	2	33	10	23	10	15	4	4	11	7	7	4	
76	Other forms of mental alienation.....	11	7	4	60	28	32	20	22	10	9	1	60	42	18	
77	Epilepsy.....	10	4	6	47	12	35	3	18	19	15	4	56	33	23	
78	Convulsions (nonpuerperal).....	1	1	1	9	4	5	2	2	1	7	3	3	4	4	
79	Convulsions of infants.....	10	4	6	47	12	35	3	18	19	15	4	56	33	23	
80	Chorea.....	2	2	1	2	2	2	2	2	1	2	1	2	1	1	
81	Neuralgia and neuritis.....	2	2	1	5	3	2	2	2	1	6	6	5	5	1	
82	Other diseases of the nervous system.....	19	16	3	24	15	9	3	26	37	33	4	16	12	4	
83	Diseases of the eyes and their annexa.....	2	2	2	1	9	7	2	4	6	6	6	5	5	1	
84	Diseases of the ears.....	6	5	1	9	7	2	4	6	10	8	2	16	11	5	

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, URBAN AND RURAL.

243

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed Int. List No.	Cause of Death.	LOUISIANA.						MAINE.		MARYLAND.					
		CITIES.			Rural districts.			Cities.	Rural districts.	CITIES.			Rural districts.		
		Total.	White.	Col- ored.	Total.	White.	Col- ored.			Total.	White.	Col- ored.	Total.	White.	Col- ored.
	III.—Diseases of the circulatory system.	1,483	818	665	1,195	492	703	475	1,507	1,960	1,508	452	1,488	1,145	343
77	Pericarditis.	3	2	1	20	5	15	1	5	13	9	4	12	9	3
78	Acute endocarditis.	87	35	52	45	12	33	25	19	50	37	13	32	27	5
79	Organic diseases of the heart.	1,111	609	502	1,010	411	599	337	1,116	1,587	1,196	391	1,228	922	306
80	Angina pectoris.	48	39	9	30	24	6	22	97	83	64	19	71	64	7
81	Diseases of the arteries, atherosoma, aneurism, etc.	203	109	94	68	27	41	72	235	188	167	21	118	99	19
82	Embolism and thrombosis.	19	17	2	13	8	5	12	24	22	20	2	22	20	2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	6	3	3	2	2	—	4	2	11	11	—	—	—	—
84	Diseases of the lymphatic system (lymphangitis, etc.).	4	3	1	1	1	—	1	1	4	2	2	2	1	1
85	Hemorrhage; other diseases of the circulatory system.	2	1	1	6	2	4	1	8	2	2	2	3	3	—
	IV.—Diseases of the respiratory system.	2,038	1,188	850	2,485	1,149	1,336	684	1,446	3,892	3,004	888	2,464	1,748	716
86	Diseases of the nasal fossae.	—	—	—	23	3	20	3	1	1	1	—	11	6	5
87	Diseases of the larynx.	3	1	2	8	6	2	2	5	3	3	—	15	12	3
88	Diseases of the thyroid body.	1	—	1	3	2	1	1	1	1	1	—	1	—	1
89	Acute bronchitis.	54	28	26	81	33	48	19	71	158	103	55	126	65	61
90	Chronic bronchitis.	39	27	12	44	24	20	14	45	71	57	14	69	50	19
91	Bronchopneumonia.	291	168	123	374	218	156	152	255	1,009	753	256	598	429	169
92	Pneumonia (total).	1,593	933	660	1,850	822	1,028	472	1,020	2,575	2,032	543	1,544	1,108	436
	Lobar pneumonia.	1,079	639	440	646	306	340	333	676	2,548	2,010	538	1,354	988	366
	Pneumonia (undefined).	514	294	220	1,204	516	688	89	344	27	22	5	190	120	70
93	Pleurisy.	30	14	16	21	6	15	7	6	40	27	13	36	28	8
94	Pulmonary congestion, pulmonary apoplexy.	6	5	1	16	9	7	10	16	5	4	1	28	20	8
95	Gangrene of the lung.	2	2	—	2	2	—	1	2	1	1	2	—	2	—
96	Asthma.	14	10	4	29	9	20	2	14	23	20	3	19	17	2
97	Pulmonary emphysema.	—	—	—	3	3	—	1	—	1	1	1	—	1	—
98	Other diseases of the respiratory system (tuberculosis excepted).	5	—	5	31	12	19	4	8	4	3	1	14	10	4
	V.—Diseases of the digestive system.	1,082	639	443	1,815	971	844	288	614	1,447	1,143	304	1,282	893	389
99	Diseases of the mouth and annexa.	3	1	2	19	7	12	1	7	4	2	2	8	5	3
100	Diseases of the pharynx.	7	5	2	31	6	25	6	8	12	10	2	18	13	5
101	Diseases of the esophagus.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
102	Ulcer of the stomach.	28	15	13	11	4	7	5	14	28	21	7	19	15	4
103	Other diseases of the stomach (cancer excepted).	38	19	19	231	106	125	20	77	36	27	9	113	79	34
104	Diarrhea and enteritis (under 2 years).	378	219	159	886	509	377	76	230	834	651	183	769	522	247
105	Diarrhea and enteritis (2 years and over).	150	77	73	254	141	113	33	64	143	104	39	128	93	35
106	Ankylostomiasis.	—	—	—	3	3	—	—	—	—	—	—	—	—	—
107	Intestinal parasites.	2	—	2	41	11	30	1	2	—	2	—	2	2	—
108	Appendicitis and typhlitis.	138	87	51	72	41	31	59	57	100	81	19	35	22	13
109	Hernia, intestinal obstruction (total).	102	63	39	82	41	41	39	62	128	107	21	59	41	18
	Hernia.	30	16	14	18	5	13	17	13	53	44	9	19	12	7
	Intestinal obstruction.	72	47	25	64	36	28	22	49	75	63	12	40	29	11
110	Other diseases of the intestines.	23	13	10	22	12	10	9	15	18	15	3	7	6	1
111	Acute yellow atrophy of the liver.	1	—	1	5	2	3	1	4	3	1	1	1	1	—
112	Hydatid tumor of the liver.	1	1	—	—	—	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver.	110	69	41	71	38	33	11	22	71	61	10	64	52	12
114	Biliary calculi.	21	17	4	19	13	6	13	10	28	27	1	9	—	—
115	Other diseases of the liver.	57	44	13	43	21	22	9	28	27	24	3	20	15	5
116	Diseases of the spleen.	—	—	—	1	1	—	—	—	—	1	1	1	1	—
117	Simple peritonitis (nonpuerperal).	20	7	13	23	14	9	2	10	10	6	4	27	16	11
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	3	2	1	1	1	—	3	2	2	2	—	2	1	1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	1,205	670	535	874	403	471	297	666	1,349	1,058	291	1,084	779	305
119	Acute nephritis.	114	59	55	88	35	53	19	37	87	51	36	125	68	57
120	Bright's disease.	894	515	379	661	313	348	220	551	1,152	919	233	896	663	233
121	Chyluria.	2	2	—	4	1	3	3	5	6	6	3	3	3	2
122	Other diseases of the kidneys and annexa.	24	19	5	35	20	15	7	9	21	17	4	8	6	2
123	Calculi of the urinary passages.	2	—	—	4	1	3	3	5	6	—	—	—	—	—
124	Diseases of the bladder.	14	12	2	36	18	18	9	15	5	—	17	10	7	—
125	Diseases of the urethra, urinary abscess, etc.	18	3	15	3	1	2	1	3	2	1	—	24	14	10
126	Diseases of the prostate.	41	29	12	22	10	12	9	28	35	31	4	15	13	2
127	Nonvenereal diseases of the male genital organs.	1	—	1	—	—	—	—	1	—	—	—	—	—	—
128	Uterine hemorrhage (nonpuerperal).	1	—	1	1	—	—	1	—	2	2	—	—	—	—
129	Uterine tumor (noncancerous).	23	4	19	6	1	5	10	11	20	11	9	7	5	2
130	Other diseases of the uterus.	14	5	9	12	3	9	1	8	6	2	4	4	4	—
131	Cysts and other tumors of the ovary.	9	5	4	2	1	1	3	2	5	4	1	3	3	—
132	Salpingitis and other diseases of the female genital organs.	50	17	33	4	—	—	4	8	5	4	1	6	4	2
133	Nonpuerperal diseases of the breast (cancer excepted).	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	VII.—The puerperal state.	151	91	60	343	151	192	41	103	158	128	30	167	112	55
134	Accidents of pregnancy.	17	9	8	55	27	28	8	18	38	36	2	58	46	12
135	Puerperal hemorrhage.	10	8	2	32	16	16	3	5	12	10	2	13	7	6
136	Other accidents of labor.	18	13	5	82	40	42	7	32	18	17	1	24	14	10
137	Puerperal septicemia.	66	37	29	78	25	53	9	12	51	33	18	35	23	12
138	Puerperal albuminuria and convulsions.	38	22	16	90	40	50	11	28	37	31	6	32	18	14
139	Puerperal phlegmata alba dolens, embolus, sudden death.	2	2	—	5	2	3	1	7	1	1	—	3	2	1
140	Following childbirth (not otherwise defined).	—	—	—	1	1	—	2	1	1	1	—	1	1	—
141	Puerperal diseases of the breast.	—	—	—	—	—	—	—	—	—	—	1	1	1	—

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed Int. List No.	Cause of Death.	Louisiana.						Maine.		Maryland.					
		Cities.			Rural districts.			Cities.	Rural districts.	Cities.			Rural districts.		
		Total.	White.	Col- ored.	Total.	White.	Col- ored.			Total.	White.	Col- ored.	Total.	White.	Col- ored.
	VIII.—Diseases of the skin and of the cellular tissue.....	32	17	15	42	18	24	9	36	36	31	5	39	27	12
142	Gangrene.....	18	6	12	24	8	16	4	27	9	5	4	20	9	11
143	Furuncle.....	4	4	—	7	5	2	2	8	8	4	—	4	4	—
144	Acute abscess.....	5	2	3	5	2	3	1	3	10	9	1	5	4	1
145	Other diseases of the skin and annexa.....	5	5	—	6	3	3	2	4	9	9	—	10	10	—
	IX.—Diseases of the bones and of the organs of locomotion.....	22	15	7	9	7	2	5	8	28	23	5	12	11	1
146	Diseases of the bones (tuberculosis excepted).....	20	14	6	8	6	2	4	8	26	22	4	7	7	—
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	1	1	—	1	1	—	1	—	2	1	1	4	3	1
148	Amputations.....	1	—	1	—	—	—	—	—	—	—	—	1	1	—
149	Other diseases of the organs of locomotion.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	X.—Malformations.....	93	43	50	97	63	34	20	76	178	143	35	128	100	28
150	Congenital malformations (stillbirths not included) (total).....	93	43	50	97	63	34	20	76	178	143	35	128	100	28
	Hydrocephalus.....	7	3	4	9	3	6	2	5	12	11	1	12	8	4
	Congenital malformations of the heart.....	74	31	43	49	42	17	17	47	130	98	32	85	68	17
	Other congenital malformations.....	12	9	3	39	18	21	1	24	36	34	2	31	24	7
	XI.—Early infancy.....	309	192	117	759	433	326	154	459	719	613	106	633	437	196
151	Congenital debility, icterus, and sclerema (total).....	256	154	102	669	385	284	122	387	572	491	81	529	359	170
	Premature birth.....	207	123	84	441	266	175	80	256	442	386	56	333	233	100
	Congenital debility, "atrophy," "marasmus," etc.....	49	31	18	228	119	109	42	131	130	105	25	196	126	70
152	Other causes peculiar to early infancy (total).....	51	38	13	79	47	32	32	72	146	121	25	100	77	23
	Injuries at birth.....	21	18	3	43	29	14	21	34	63	58	5	48	39	9
153	Other causes peculiar to early infancy ¹	30	20	10	36	18	18	11	38	83	63	20	52	38	14
	Lack of care.....	2	—	2	11	1	10	—	—	1	1	—	4	1	—
	XII.—Old age.....	50	39	11	570	194	376	43	252	105	92	13	138	103	35
154	Senility.....	50	39	11	570	194	376	43	252	105	92	13	138	103	35
	XIII.—External causes.....	680	416	264	1,010	473	537	177	522	963	770	193	659	530	129
155	Suicide (total).....	62	54	8	48	41	7	22	85	105	97	8	63	59	4
	By poison.....	14	12	2	4	4	—	3	7	21	20	1	3	3	—
156	By asphyxia.....	2	2	—	—	—	—	2	1	26	25	1	9	9	—
157	By hanging or strangulation.....	4	4	—	3	2	1	5	23	12	12	—	11	11	—
158	By drowning.....	2	1	1	5	2	3	—	10	2	2	4	4	4	—
159	By firearms.....	32	28	4	28	25	3	8	31	33	28	5	24	23	1
160	By cutting or piercing instruments.....	6	6	—	1	1	—	3	10	4	4	4	8	6	2
161	By jumping from high places.....	1	1	—	1	1	—	1	1	4	4	4	1	1	—
162	By crushing.....	1	—	1	1	1	—	1	—	—	—	—	—	—	—
163	Other suicides.....	—	—	—	5	—	—	1	3	2	1	3	2	1	1
	Accidental or undefined (total).....	495	308	187	746	372	374	152	430	791	645	146	570	458	112
164	Poisoning by food.....	13	7	6	20	11	9	5	5	8	5	3	14	10	4
165	Other acute poisonings.....	8	8	—	30	8	22	5	4	9	7	2	9	3	6
166	Conflagration.....	2	2	—	15	6	9	2	20	55	3	2	7	3	4
167	Burns (conflagration excepted).....	64	34	30	95	41	54	11	36	90	74	16	45	29	16
168	Absorption of deleterious gases (conflagration excepted).....	6	5	1	23	7	16	7	8	38	32	6	19	12	7
169	Accidental drowning.....	44	25	19	95	46	49	17	33	62	45	17	76	63	13
170	Traumatism by firearms.....	25	11	14	87	44	43	3	13	14	10	4	13	11	2
171	Traumatism by cutting or piercing instruments.....	2	1	1	3	1	2	2	3	3	1	2	1	1	—
172	Traumatism by fall.....	96	73	23	54	30	24	28	73	150	139	11	76	65	11
173	Traumatism in mines and quarries (total).....	—	—	—	—	—	—	—	—	3	6	5	1	16	16
	Traumatism in mines.....	—	—	—	—	—	—	—	—	1	3	3	—	16	16
174	Traumatism in quarries.....	—	—	—	—	—	—	—	—	2	2	1	—	8	1
175	Traumatism by machines.....	24	13	11	35	21	14	8	23	36	22	14	9	8	1
	Traumatism by other crushing (total).....	153	97	56	125	75	50	45	89	260	228	32	184	160	24
	Railroad accidents and injuries.....	55	29	26	65	32	33	19	44	62	56	6	100	85	15
	Street-car accidents and injuries.....	24	16	8	2	1	1	3	1	52	42	10	14	12	2
	Automobile accidents and injuries.....	47	35	12	29	21	8	17	24	117	102	15	44	39	5
	Injuries by other vehicles.....	15	10	5	15	12	3	4	14	26	25	1	22	21	1
	Landslide, other crushing.....	12	7	5	14	9	5	2	6	3	3	4	3	3	1
176	Injuries by animals.....	3	2	1	6	4	2	2	6	3	2	1	4	2	2
177	Starvation.....	—	—	—	5	—	—	—	—	—	—	—	—	6	3
178	Excessive cold.....	2	2	—	12	4	8	—	4	16	3	13	9	6	3
179	Effects of heat.....	3	1	2	7	1	6	1	2	57	41	16	18	11	7
180	Lightning.....	—	—	—	25	12	13	7	—	—	—	—	5	4	1
181	Electricity (lightning excepted).....	2	2	—	1	1	—	1	—	6	6	4	4	4	1
182	Fractures (cause not specified).....	5	4	1	14	9	5	3	10	4	3	1	18	17	1
183	Other external violence.....	43	23	20	94	52	42	12	36	24	19	5	43	33	10
	Homicide (total).....	123	54	69	216	60	156	3	7	67	28	39	26	13	13
182	By firearms.....	94	37	57	159	43	116	1	5	37	15	22	18	7	11
183	By cutting or piercing instruments.....	14	6	8	26	7	19	—	—	15	2	13	13	—	—
184	By other means.....	15	11	4	31	10	21	2	2	15	11	4	8	6	2
	XIV.—Ill-defined diseases.....	34	11	23	1,074	339	735	33	136	29	25	4	196	99	97
187	Ill-defined organic disease.....	3	—	3	104	22	82	7	—	—	—	—	6	3	3
188	Sudden death.....	6	1	5	99	36	63	7	16	5	2	1	6	3	3
189	Not specified or ill-defined (total).....	25	10	15	871	281	590	26	113	26	23	3	184	93	91
	Ill-defined.....	12	6	6	380	148	232	17	37	12	9	3	79	47	32
	Not specified or unknown.....	13	4	9	491	133	358	9	76	14	—	—	105	46	59

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, URBAN AND RURAL.

245

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed Int. List No.	Cause of Death.	Massachusetts.		Michigan.		Minnesota.		Missouri.		Montana.		New Hampshire.		New Jersey.	
		Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	All causes.....	61,196	16,052	25,455	27,865	11,575	19,534	25,374	27,937	3,212	5,773	4,493	5,088	39,142	21,846
	I.—General diseases.....	21,366	5,589	8,329	8,660	4,617	7,813	8,162	10,842	1,399	2,603	1,669	1,853	11,652	7,423
1	Typhoid fever.....	132	21	153	179	47	40	193	471	6	47	14	6	113	54
2	Typhus fever.....	1													
3	Relapsing fever.....	4	1	2	6	4	6	25	253	2		1	1	5	6
4	Malaria.....	4	1	9	7	4	6	23	60	3	3			1	
5	Smallpox.....														
6	Measles.....	421	87	152	100	34	65	143	231	2	16	23	384	158	
7	Scarlet fever.....	57	16	100	78	30	74	38	56	34	37	6	2	33	19
8	Whooping cough.....	575	115	220	272	136	174	242	281	6	58	53	47	341	226
9	Diphtheria and croup.....	534	56	494	251	164	124	236	229	17	28	20	17	292	206
10	Influenza.....	10,047	2,447	3,109	3,273	1,913	3,807	2,911	4,114	947	1,707	1,008	991	5,130	3,247
11	Miliary fever.....														
12	Asiatic cholera.....	5	5	3	7	4	5	1	4	2	9	4	1	2	3
13	Cholera nostras.....	50	24	30	63	8	38	30	220	2	9	11	25	32	
14	Dysentery.....														
15	Plague.....														
16	Yellow fever.....														
17	Leprosy.....														
18	Erysipelas.....	120	30	61	72	38	68	52	78	7	15	5	8	53	21
19	Other epidemic diseases.....	18	5	5	17	8	11	5	23	1	1	1	4	5	
20	Purulent infection and septicemia.....	41	16	27	23	17	25	19	29	4	9	4	3	25	7
21	Glanders.....	5													1
22	Anthrax.....														
23	Rabies.....														
24	Tetanus.....	31	5	14	21	7	25	22	32	1	1	2	4	33	11
25	Mycoses.....	1	1	1	1	2	1	2	1			1			
26	Pellagra.....	15	6	7	2	2	2	11	45			2			
27	Beriberi.....														
	Tuberculosis (total).....	4,573	1,397	1,872	1,695	978	1,466	2,067	2,813	176	328	240	314	2,713	2,073
28	Tuberculosis of the lungs.....	3,786	1,234	1,542	1,450	807	1,222	1,796	2,518	148	284	187	275	2,238	1,880
29	Acute miliary tuberculosis.....	138	26	59	38	28	36	69	64	5	6	5	122	55	
30	Tuberculous meningitis.....	364	53	132	66	77	99	64	80	10	22	22	12	195	68
31	Abdominal tuberculosis.....	142	39	65	75	25	43	81	83	9	5	11	9	82	28
32	Pott's disease.....	38	13	19	14	17	19	29	21	2	3	3	5	31	11
33	White swellings.....	19	12	13	9	5	8	8	3	1	1	2	1	9	12
34	Tuberculosis of other organs.....	60	12	31	31	14	29	18	34	1	5	7	2	24	13
35	Disseminated tuberculosis.....	26	8	11	12	5	10	2	10		3	2	5	12	6
36	Rickets.....	31	5	19	14	1	12	5	8		1			19	3
37	Syphilis.....	228	61	190	93	86	42	315	116	18	24	11	3	148	51
38	Gonococcus infection.....	6	2	15	4	13	1	14	2	1			1	10	
39	Cancer and other malignant tumors (total).....	3,176	924	1,272	1,624	717	1,228	1,274	1,214	97	182	192	286	1,573	910
40	Of the buccal cavity.....	119	30	43	61	26	42	56	48	2	6	5	14	45	31
41	Of the stomach, liver.....	1,026	311	486	684	301	602	412	529	35	68	57	84	641	358
42	Of the peritoneum, intestines, rectum.....	612	187	173	219	91	127	178	122	12	21	43	54	238	116
43	Of the female genital organs.....	446	141	201	196	90	89	222	144	22	24	33	44	234	144
44	Of the breast.....	352	78	121	116	67	81	104	98	8	21	16	23	133	93
45	Of the skin.....	80	34	37	68	15	36	46	91	4	9	3	11	31	34
46	Of other organs or of organs not specified.....	541	143	211	280	127	251	256	182	14	33	35	56	251	134
47	Other tumors (tumors of the female genital organs excepted).....	7	1	15	8	3	2	4	5		2	4	7	4	
48	Acute articular rheumatism.....	87	14	61	81	35	64	52	68	7	8	1	6	89	44
49	Chronic rheumatism and gout.....	29	12	18	32	4	26	11	32		3	3	2	19	19
50	Scurvy.....	3		1	8		1	1			1		6		
51	Diabetes.....	577	210	248	342	135	258	244	250	27	51	36	61	380	183
52	Exophthalmic goiter.....	29	7	36	32	34	56	25	30		6	1	1	27	5
53	Addison's disease.....	16	2	4	11	5	5	4	2		2		5	3	4
54	Leukemia.....	54	8	27	38	18	37	36	32	1	6	1	4	42	12
55	Anemia, chlorosis.....	241	59	134	226	76	109	81	83	6	17	24	32	79	53
56	Other general diseases.....	89	14	30	40	10	20	18	38	2	6	7	12	40	21
57	Alcoholism (acute or chronic).....	157	31	54	33	36	19	47	21	30	30	6	8	40	36
58	Chronic lead poisoning.....	2	5	3	3			1	1	1				4	5
59	Other chronic occupation poisonings.....	4	1		2	2	1	5	4	1	2	2		5	1
	II.—Diseases of the nervous system and of the organs of special sense.....	4,119	1,596	1,916	3,080	713	1,493	1,724	2,232	120	307	390	524	2,376	2,049
60	Encephalitis.....	18	2	12	18	2	11	7	14	5	1	3	3	12	3
61	Menigitis (total).....	295	47	132	100	41	58	135	209	32	20	30	26	233	91
	Simple menigitis.....	92	19	49	36	15	21	38	94	10	5	20	14	79	37
	Cerebrospinal menigitis (undefined).....	75	20	41	38	6	19	12	51	10	11	4	7	68	32
	Cerebral spinal fever.....	128	8	42	26	20	18	85	64	12	4	6	5	86	22
62	Locomotor ataxia.....	80	29	36	54	18	24	51	31	1	3	7	8	35	32
63	Other diseases of the spinal cord (total).....	181	59	87	170	54	86	96	144	5	16	19	21	105	71
	Acute anterior poliomyelitis.....	30	8	15	37	6	26	11	20	2	5	3	5	9	7
	Other diseases of the spinal cord ¹	151	51	72	133	48	60	85	124	3	11	16	16	96	64
64	Cerebral hemorrhage, apoplexy.....	2,871	1,071	1,117	1,997	444	866	952	1,276	55	158	237	381	1,625	1,340
65	Softening of the brain.....	28	17	18	34	2	9	18	23	1	1	3	4	8	22
66	Paralysis without specified cause.....	105	41	91	243	23	65	90	211	8	13	15	22	91	100
67	General paralysis of the insane.....	187	115	142	115	9	89	219	75	2	36	28	10	59	157
68	Other forms of mental alienation.....	18	15	36	38	10	43	12	29	2	29	10	1	27	62
69	Epilepsy.....	60	130	54	116	8	80	60	89	11	18	16	31	101	
70	Convulsions (nonpuerperal).....	3	1	3	3	1	3	3	1	1	7	8	11	2	1
71	Convulsions of infants.....	81	21	57	84	30	67	12	34	1	7	8	11	47	29
72	Chorea.....			1	3	1	3	3	1		1	1	2		
73	Neuralgia and neuritis.....	6	3	7	17	3	8	4	11	1	1	2	2	3	1
74	Other diseases of the nervous system.....	117	32	84	57	36	57	34	46	3	9	6	12	63	31
75	Diseases of the eyes and their annexa.....	6	6	5	2			1	3	3	3	2	2	2	
76	Diseases of the ears.....	63	13	37	24	31	23	31	33	3	2	4	3	33	8

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

CAUSES OF DEATH, URBAN AND RURAL.

247

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed Int. List No.	Cause of Death	Massachusetts		Michigan		Minnesota		Missouri		Montana		New Hampshire		New Jersey	
		Cities	Rural districts	Cities	Rural districts	Cities	Rural districts	Cities	Rural districts	Cities	Rural districts	Cities	Rural districts	Cities	Rural districts
	VIII.—Diseases of the skin and of the cellular tissue.....	145	36	78	105	31	55	56	55	5	1	5	17	99	36
142	Gangrene.....	39	17	30	68	9	31	17	36	3	-----	4	15	36	19
143	Furuncle.....	27	4	11	6	8	6	15	6	-----	-----	1	2	16	6
144	Acute abscess.....	35	8	15	9	10	8	13	6	2	-----	1	2	34	3
145	Other diseases of the skin and annexa.....	44	7	22	22	4	10	11	7	1	-----	-----	-----	13	8
	IX.—Diseases of the bones and of the organs of locomotion.....	118	13	50	37	25	30	32	33	7	7	6	5	51	17
146	Diseases of the bones (tuberculosis excepted)	100	11	43	25	19	28	28	28	7	6	6	4	49	13
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	16	2	7	6	5	-----	4	3	1	-----	-----	1	-----	4
148	Amputations.....	2	-----	-----	6	1	2	-----	2	-----	-----	-----	1	-----	2
149	Other diseases of the organs of locomotion.....	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	X.—Malformations.....	632	149	363	344	124	217	187	236	27	59	37	38	353	169
150	Congenital malformations (stillbirths not included), (total).....	632	149	363	344	124	217	187	236	27	59	27	38	353	169
	Hydrocephalus.....	64	15	31	38	14	18	22	19	4	6	5	3	28	16
	Congenital malformations of the heart.....	309	83	207	201	65	112	103	147	16	35	17	22	223	106
	Other congenital malformations.....	169	51	125	105	45	87	62	70	7	18	15	13	102	47
	XI.—Early infancy.....	2,789	553	1,575	1,346	607	1,046	795	1,122	133	285	230	171	1,712	707
151	Congenital debility, icterus, and sclerema (total).....	2,153	439	1,274	1,102	498	855	619	939	103	227	192	149	1,367	586
	Premature birth.....	1,680	332	1,045	829	425	655	533	762	76	177	146	87	1,043	409
	Congenital debility, "atrophy," "marasmus," etc.	473	107	229	273	73	200	86	177	27	50	46	62	324	177
152	Other causes peculiar to early infancy (total).....	632	112	299	241	108	190	175	180	30	56	37	20	337	118
	Injuries at birth.....	368	64	156	124	58	102	84	93	18	34	15	6	185	64
	Other causes peculiar to early infancy	269	48	143	117	50	88	91	87	12	22	22	14	152	54
153	Lack of care.....	4	2	2	3	1	1	1	3	2	1	1	2	8	3
	XII.—Old age.....	144	78	192	466	57	262	42	224	8	66	46	101	104	148
154	Senility.....	144	78	192	466	57	262	42	224	8	66	46	101	104	148
	XIII.—External causes.....	2,751	674	1,485	1,628	752	1,463	1,578	1,392	252	528	179	202	2,215	1,242
	Suicide (total).....	368	106	164	238	118	173	243	201	34	63	32	36	206	152
155	By poison.....	48	10	28	45	18	22	76	41	13	8	2	2	23	11
156	By asphyxia.....	121	8	24	2	17	-----	13	-----	1	9	-----	-----	30	27
157	By hanging or strangulation.....	42	22	36	67	26	50	24	36	2	7	3	10	25	38
158	By drowning.....	38	20	9	22	7	12	15	10	1	9	5	6	8	12
159	By firearms.....	68	24	45	80	40	68	76	101	13	35	7	14	45	48
160	By cutting or piercing instruments.....	34	16	14	15	9	15	29	6	4	3	5	4	15	10
161	By jumping from high places.....	14	1	5	2	2	8	1	-----	1	-----	1	9	9	3
162	By crushing.....	2	5	-----	-----	1	2	1	3	1	-----	-----	1	1	2
163	Other suicides.....	1	-----	3	5	1	2	1	3	1	-----	-----	-----	-----	2
164	Accidental and undefined (total).....	2,312	552	1,240	1,364	599	1,257	1,060	1,126	194	431	145	164	1,912	1,042
	Poisoning by food.....	14	9	24	25	4	10	19	26	3	10	3	3	16	14
165	Other acute poisonings.....	34	11	30	28	10	20	29	27	5	2	3	5	25	5
166	Conflagration.....	26	11	24	41	51	291	20	18	5	7	3	3	36	14
167	Burns (conflagration excepted).....	271	28	127	107	44	63	97	94	8	19	14	14	266	81
168	Absorption of deleterious gases (conflagration excepted).....	280	19	71	34	42	21	28	25	8	6	9	5	196	51
169	Accidental drowning.....	154	110	69	179	34	142	23	93	1	61	12	26	127	165
170	Traumatism by firearms.....	21	9	24	48	13	45	29	61	3	26	2	6	9	18
171	Traumatism by cutting or piercing instruments.....	10	1	2	3	1	6	3	7	1	-----	4	2	1	12
172	Traumatism by fall.....	488	82	196	215	120	114	203	203	16	37	37	28	321	126
173	Traumatism in mines and quarries (total).....	3	-----	31	79	2	64	21	38	43	45	1	1	1	11
	Traumatism in mines.....	-----	-----	31	79	2	63	19	35	43	45	1	1	1	1
	Traumatism in quarries.....	3	-----	-----	-----	1	2	3	-----	1	-----	1	1	1	1
174	Traumatism by machines.....	109	11	55	41	34	39	50	32	5	7	9	10	51	14
175	Traumatism by other crushing (total).....	714	197	426	326	186	272	414	287	68	142	34	42	681	364
	Railroad accidents and injuries.....	157	65	126	125	57	112	132	152	28	67	14	24	272	175
	Street-car accidents and injuries.....	88	17	95	50	17	4	61	7	3	2	2	2	81	28
	Automobile accidents and injuries.....	383	93	175	80	86	97	181	58	26	38	10	11	261	127
	Injuries by other vehicles.....	77	19	26	60	21	52	34	57	8	31	7	7	58	26
	Landslide, other crushing.....	9	3	4	11	5	7	6	13	3	4	1	1	9	8
176	Injuries by animals.....	8	4	3	23	6	26	12	37	3	17	2	3	7	5
177	Starvation.....	-----	-----	2	1	1	2	-----	1	-----	6	-----	-----	13	11
178	Excessive cold.....	8	8	6	22	2	12	5	13	1	-----	2	2	52	37
179	Effects of heat.....	18	4	21	21	5	41	21	-----	2	-----	1	1	1	3
180	Lightning.....	2	4	1	14	10	-----	36	4	13	-----	2	4	15	11
181	Electricity (lightning excepted).....	18	13	20	18	5	16	3	6	1	2	1	1	16	1
182	Fractures (cause not specified).....	12	4	29	26	-----	5	4	1	1	1	1	1	108	108
183	Other external violence.....	122	27	79	113	44	99	58	87	13	31	12	9	75	108
184	Homicide (total).....	71	16	81	26	35	33	275	65	24	34	2	2	97	48
	By firearms.....	39	8	52	15	28	19	196	47	14	25	2	1	51	28
185	By cutting or piercing instruments.....	11	1	8	2	1	4	27	6	5	3	1	1	14	4
186	By other means.....	21	7	21	9	6	10	52	12	5	6	-----	1	32	16
	XIV.—III-defined diseases.....	274	58	57	243	14	195	42	572	16	44	10	13	55	48
187	III-defined organic disease.....	2	1	5	17	5	1	12	-----	-----	-----	2	2	-----	-----
188	Sudden death.....	36	9	3	16	4	16	1	27	2	-----	3	3	48	47
189	Not specified or ill-defined (total).....	236	48	49	210	10	174	40	533	16	42	10	8	39	38
	Ill-defined.....	182	40	35	94	4	58	13	102	8	19	10	7	39	38
	Not specified or unknown.....	54	8	14	116	6	116	27	431	8	23	1	1	9	9

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed Int. List No.	Cause of Death.	New York.			North Carolina.						Ohio.		Oregon.		Pennsylvania.	
		Cities.	Rural dis- tricts.	Cities.			Rural districts.			Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	
				Total	White.	Col- ored.	Total	White.	Col- ored.							
	All causes.....	145,303	45,461	5,300	2,982	2,327	36,965	21,925	15,040	51,264	41,092	3,972	5,707	99,912	88,039	
1	L.—General diseases.....	46,065	14,650	2,155	1,346	809	14,518	8,295	6,223	17,909	13,839	1,532	1,958	34,383	34,450	
2	Typhoid fever.....	415	164	79	36	43	489	269	220	347	413	15	58	415	513	
3	Typhus fever.....															
4	Relapsing fever.....															
5	Malaria.....	22	13	10	4	6	179	71	108	14	10	1	1	9	9	
6	Smallpox.....	1	1	3	2	1	2	1	1	8	14			2		
7	Measles.....	1,117	222	41	34	7	267	221	46	105	139	25	28	438	393	
8	Scarlet fever.....	255	56	4	3	1	19	17	2	65	100	4	11	88	86	
9	Whooping cough.....	988	269	56	29	27	649	326	323	340	332	18	30	765	756	
10	Diphtheria and croup.....	1,555	196	18	10	6	235	192	43	320	195	24	8	938	846	
11	Influenza.....	15,669	6,234	911	670	241	7,037	4,124	2,913	7,822	5,720	681	883	18,589	20,712	
12	Miliary fever.....															
13	Asiatic cholera.....	8	19	2	2		24	21	3	1	11			16	38	
14	Cholera nostras.....	71	72	43	14	29	513	293	220	47	122	2	20	84	148	
15	Dysentery.....															
16	Plague.....															
17	Yellow fever.....	2												3		
18	Leprosy.....	283	59	6	5	1	62	53	9	69	93	4	14	116	113	
19	Erysipelas.....	28	14	2	2		29	25	4	11	24	2	6	31	28	
20	Other epidemic diseases.....															
21	Purulent infection and septicemia.....	75	38	6	3	3	50	32	18	40	35	8	9	53	64	
22	Glanders.....	1														
23	Anthrax.....	4												1	2	
24	Rabies.....													4	4	
25	Tetanus.....	47	30	20	6	14	52	22	30	39	32	3	3	76	55	
26	Mycoses.....	4												2		
27	Pellagra.....	18	3	143	71	72	553	289	264	3	4	1	1	4	3	
	Beriberi.....	2														
28	Tuberculosis (total).....	13,469	3,495	587	304	283	2,825	1,311	1,514	4,449	3,150	274	400	6,961	5,983	
29	Tuberculosis of the lungs.....	11,333	3,059	517	279	238	2,512	1,157	1,355	3,690	2,670	211	355	5,769	5,175	
30	Acute military tuberculosis.....	450	115	13	4	11	89	30	59	120	77	6	9	284	173	
31	Tuberculous meningitis.....	1,032	118	13	8	5	52	37	15	279	124	26	16	441	249	
32	Abdominal tuberculosis.....	271	101	34	10	24	97	47	50	170	144	15	22	247	211	
33	Pott's disease.....	115	31	2	1	1	14	7	7	50	41	3	4	66	43	
34	White swellings.....	59	14	1	1		14	8	6	24	25	2	3	38	33	
35	Tuberculosis of other organs.....	116	38	4	1	3	40	22	18	69	46	9	7	71	66	
36	Disseminated tuberculosis.....	43	19	1		1	7	3	4	47	23	2	4	45	33	
37	Rickets.....	62	10				10	3	7	20	9	2	1	48	45	
38	Syphilis.....	1,014	124	40	17	23	131	28	103	431	161	14	16	419	236	
	Gonococcus infection.....	58	6	1		14	6	8	63	6		2	34	12		
39	Cancer and other malignant tumors (total).....	7,419	2,489	128	88	40	944	695	249	2,562	2,235	318	328	3,780	2,917	
40	Of the buccal cavity.....	237	95	5	4	1	31	26	5	100	82	14	5	171	92	
41	Of the stomach, liver.....	2,723	919	31	23	8	294	243	51	970	903	125	165	1,408	1,293	
42	Of the peritoneum, intestines, rectum.....	1,200	342	6	6		56	42	14	337	264	44	40	452	323	
43	Of the female genital organs.....	1,004	342	44	23	21	212	124	88	454	311	38	31	638	400	
44	Of the breast.....	713	270	14	8	6	120	78	42	204	232	28	15	368	267	
45	Of the skin.....	139	114	2	1	1	63	58	5	66	124	6	16	83	124	
46	Of other organs or of organs not specified.....	1,403	407	26	23	3	168	124	44	431	319	63	56	630	413	
47	Other tumors (tumors of the female genital organs excepted).....	18	6	3	3		7	4	3	3	7	4	19	11		
48	Acute articular rheumatism.....	301	90	8	5	3	100	48	52	97	102	11	11	163	185	
49	Chronic rheumatism and gout.....	93	61	3	2	1	30	23	7	30	45	4	4	45	61	
50	Scurvy.....	11	1			5		5	1	1	1			8	5	
	Diabetes.....	1,763	517	26	24	2	153	114	39	449	442	66	65	704	618	
51	Exophthalmic goiter.....	151	63	2	1	1	12	8	4	109	79	7	9	66	49	
52	Addison's disease.....	45	6				2	2		12	16	2	2	17	15	
53	Leukemia.....	206	50				16	13	3	51	40	10	6	64	51	
54	Anemia, chlorosis.....	373	232	8	6	2	30	25	5	178	177	21	29	217	207	
55	Other general diseases.....	195	37	6	4	2	60	46	14	46	46	10	7	72	76	
56	Alcoholism (acute or chronic).....	245	59	3	1	2	9	6	3	149	70	4	3	128	190	
57	Chronic lead poisoning.....	19	2							9	3	1		6	6	
58	Other chronic occupation poisonings.....	8					5	3	2	8	4	2		1		
59	Other chronic poisonings.....	50	12	1	1									1	8	
	II.—Diseases of the nervous system and of the organs of special sense.....	8,840	5,041	350	210	140	2,593	1,743	850	3,787	4,553	286	645	5,275	6,666	
60	Encephalitis.....	38	8	5	5		25	16	9	23	17	4	6	36	35	
61	Meningitis (total).....	630	157	35	19	16	217	168	49	270	183	19	28	452	379	
	Simple meningitis.....	245	82	12	7	5	108	88	22	104	80	7	18	215	184	
	Cerebrospinal meningitis (undefined).....	167	57	11	3	8	76	59	17	52	60	5	7	62	71	
	Cerebrospinal fever.....	218	18	12	9	3	33	23	10	114	43	7	3	175	124	
62	Locomotor ataxia.....	151	83	1		1	17	12	5	96	87	5	5	95	129	
63	Other diseases of the spinal cord (total).....	432	201	16	7	9	71	53	18	142	212	17	23	265	295	
	Acute anterior poliomyelitis.....	63	19	3	1	2	18	10	8	25	40	1	1	43	60	
	Other diseases of the spinal cord.....	369	182	13	6	7	53	43	10	117	172	16	22	222	235	
64	Cerebral hemorrhage, apoplexy.....	5,924	3,421	181	106	75	1,301	906	395	2,511	3,072	182	358	3,231	4,084	
65	Softening of the brain.....	42	72	6	6		32	26	6	27	73	3	10	43	67	
66	Paralysis without specified cause.....	230	212	46	24	22	467	305	162	69	204	17	79	229	344	
67	General paralysis of the insane.....	424	440	11	9	2	43	29	14	252	185	7	45	238	399	
68	Other forms of mental alienation.....	109	84	14	13	1	65	41	24	62	134	3	20	64	92	
69	Epilepsy.....	216	181	9	8	1	145	65	80	75	154	4	22	184	267	
70	Convulsions (nonpuerperal).....	3	2	3	1	2	8	4	4	5	6	6	17	10	11	
71	Convulsions of infants.....	126	60	12	2	10	95	42	53	105	58	6	17	215	324	
72	Chorea.....	9	3				3	3		5	12	1	1	3	3	
73	Neuralgia and neuritis.....	17	13				10	5	5	9	30	1	4	21	24	
74	Other diseases of the nervous system.....	287	82	7	7		72	51	21	69	85	13	17	140	138	
75	Diseases of the eyes and their annexa.....	11				1	3	1	2	2	4	1	1	3	5	
76	Diseases of the ears.....	191	22	4	3	1	19	16	3	65	37	3	10	96	70	

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, URBAN AND RURAL.

249

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed Int. List No.	Cause of Death.	New York.			North Carolina.						Ohio.			Oregon.		Pennsylvania.	
		Cities.	Rural dis- tricts.		Cities.			Rural districts.			Cities.	Rural dis- tricts.		Cities.	Rural dis- tricts.		Pennsylvania.
			Total.	White.	Col- ored.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Total.	White.	Col- ored.			
*	III.—Diseases of the circulatory system.	18,548	7,824	408	221	187	2,408	1,560	848	5,583	5,673	526	786	9,676	7,970		
77	Pericarditis.	44	36	2	1	1	18	7	11	26	42	2	4	36	45		
78	Acute endocarditis.	1,027	151	20	10	10	45	32	13	261	107	30	15	634	283		
79	Organic diseases of the heart.	14,724	5,924	328	166	162	2,114	1,355	759	4,192	4,398	394	558	7,618	6,233		
80	Angina pectoris.	571	339	23	20	3	67	58	9	199	285	28	52	273	362		
81	Diseases of the arteries, arteroma, aneurism, etc.	1,738	1,180	23	17	6	120	80	40	763	751	49	105	886	866		
82	Embolism and thrombosis.	306	154	6	3	3	19	11	8	89	60	17	13	144	128		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	53	12				10	6	4	27	15	2	4	29	13		
84	Diseases of the lymphatic system (lymphangitis, etc.).	67	20	3	2	1	6	5	1	20	3	2	2	38	27		
85	Hemorrhage; other diseases of the circulatory system.	18	8	3	2	1	9	6	3	6	12	2	3	18	13		
	IV.—Diseases of the respiratory system.	33,416	6,494	747	309	438	4,031	2,314	1,717	8,772	5,293	536	522	23,845	14,930		
86	Diseases of the nasal fossae.	7		2			50	13	37	2	3	1	2	3	10		
87	Diseases of the larynx.	45	31	4	2	2	41	34	7	15	22	2	4	55	85		
88	Diseases of the thyroid body.	50	9	4	4		10	9	1	22	17	5	1	31	35		
89	Acute bronchitis.	980	213	33	9	24	139	60	79	239	139	14	9	713	473		
90	Chronic bronchitis.	452	237	18	3	15	80	58	22	167	171	11	14	325	234		
91	Bronchopneumonia.	8,253	1,479	166	75	91	876	526	350	1,812	1,324	91	125	5,933	3,792		
92	Pneumonia (total).	22,831	4,259	495	200	295	2,673	1,531	1,142	6,287	3,408	381	317	16,078	9,723		
	Lobar pneumonia.	21,456	3,713	430	165	265	1,991	1,198	793	6,209	3,204	358	254	13,789	8,074		
93	Pneumonia (undefined).	1,375	546	65	35	30	682	333	349	78	204	25	63	2,289	1,649		
94	Pleurisy.	487	109	9	6	3	43	28	15	89	50	12	15	257	139		
95	Pulmonary congestion, pulmonary apoplexy.	83	59	7	5	2	20	14	6	29	37	7	8	142	100		
96	Gangrene of the lung.	22	14	1	1					7	10	1	2	23	16		
97	Asthma.	115	43	4	1	3	51	22	29	74	70	6	19	161	156		
98	Pulmonary emphysema.	16	9				1	1		3	4	1	1	11	15		
	Other diseases of the respiratory system (tuberculosis excepted).	75	27	4	3	1	47	18	29	26	38	4	5	83	122		
	V.—Diseases of the digestive system.	9,916	2,776	548	281	287	3,421	2,288	1,133	4,142	2,963	281	351	8,125	7,284		
99	Diseases of the mouth and annexa.	59	17	2			41	18	23	17	16	3		39	23		
100	Diseases of the pharynx.	161	64	7	3	4	41	29	12	77	58	13	5	99	100		
101	Diseases of the esophagus.	7	9	2	1	1	16	14	2	2		1	1	3			
102	Ulcer of the stomach.	356	100	12	7	5	48	34	14	151	90	13	14	177	73		
103	Other diseases of the stomach (cancer excepted).	326	268	37	13	24	328	216	112	250	342	14	33	494	651		
104	Diarrhea and enteritis (under 2 years).	4,582	908	278	128	150	1,719	1,118	601	1,707	1,015	50	77	4,251	4,167		
105	Diarrhea and enteritis (2 years and over).	665	428	61	36	25	570	406	164	265	362	22	40	644	745		
106	Ankylostomiasis.	1					6	6									
107	Intestinal parasites.	2	3				28	11	17	2	1	2		7	8		
108	Appendicitis and typhilitis.	980	159	40	26	14	161	123	38	461	176	52	63	609	225		
109	Hernia, intestinal obstruction (total).	1,022	261	37	21	16	159	105	54	412	225	47	46	671	354		
	Hernia.	482	104	9	5	4	37	18	19	167	75	24	9	243	105		
	Intestinal obstruction.	540	157	28	16	12	122	87	35	245	150	23	37	428	249		
110	Other diseases of the intestines.	154	52	7	3	4	38	18	20	65	60	12	10	80	81		
111	Acute yellow atrophy of the liver.	24	3	3	2	1	3	1	2	5	9	1	1	21	25		
112	Hydatid tumor of the liver.	5	1											3	2		
113	Cirrhosis of the liver.	914	266	17	11	6	94	66	28	370	300	12	24	533	458		
114	Biliary calculi.	243	51	7	5	2	25	18	7	135	88	20	12	141	80		
115	Other diseases of the liver.	259	92	16	10	6	71	55	16	127	124	20	17	191	158		
116	Diseases of the spleen.	14	4				1	1		3	45	1	9	9	4		
117	Simple peritonitis (nonpuerperal).	99	77	20	13	7	68	45	23	69	37	5	7	108	103		
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	54	13	2	2		4	4		18	20	2	1	47	26		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	10,460	3,245	402	207	195	1,924	1,177	747	3,018	2,470	236	347	6,155	4,074		
119	Acute nephritis.	461	189	40	15	25	172	98	74	183	116	7	15	478	327		
120	Bright's disease.	8,592	2,703	309	172	137	1,522	973	549	2,366	2,033	178	268	4,970	3,312		
121	Chyluria.																
122	Other diseases of the kidneys and annexa.	176	60	12	7	5	63	34	29	59	45	1	7	91	62		
123	Calculi of the urinary passages.	63	12	1	1		13	9	4	22	15	4	2	21	15		
124	Diseases of the bladder.	86	73	5	2	3	27	16	11	27	53	3	4	63	79		
125	Diseases of the urethra, urinary abscess, etc.	34	3	3	3		6	3	3	12	2			29	5		
126	Diseases of the prostate.	302	149	9	6	3	43	22	21	129	139	18	29	159	150		
127	Nonvenereal diseases of the male genital organs.	7					3	1	1	1	1	1		6	3		
128	Uterine hemorrhage (nonpuerperal).	2	1				4	1	3	1	1			4	4		
129	Uterine tumor (noncancerous).	176	32	4	4		22	4	18	87	24	8	9	106	33		
130	Other diseases of the uterus.	71	9	3	6	21	7	14	29	12	5	4	56	20			
131	Cysts and other tumors of the ovary.	55	18	3	3	8	6	2	42	11	2	2	1	54	25		
132	Salpingitis and other diseases of the female genital organs.	130	15	7	1	6	20	4	16	57	16	9	8	115	38		
133	Nonpuerperal diseases of the breast (cancer excepted).	5	1							1				3	1		
	VII.—The puerperal state.	1,554	377	82	41	41	733	449	284	720	486	56	86	1,208	1,096		
134	Accidents of pregnancy.	366	100	11	9	2	163	117	46	173	133	9	15	307	330		
135	Puerperal hemorrhage.	137	28	5	3	2	45	33	12	49	47	4	5	81	72		
136	Other accidents of labor.	270	86	9	6	3	159	99	60	118	80	5	13	194	235		
137	Puerperal septicemia.	416	83	22	11	11	134	69	65	264	136	25	25	367	252		
138	Puerperal albuminuria and convulsions.	313	65	34	12	22	228	127	101	112	75	11	24	232	180		
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	37	13	1	1	2	2	2		13	13	2	2	20	22		
140	Following childbirth (not otherwise defined).	10	2				2	2		2	2			7	4		
141	Puerperal diseases of the breast.	5												1			

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed List No.	Cause of Death.	New York.		North Carolina.						Ohio.		Oregon.		Pennsylvania.	
		Cities.	Rural dis- tricts.	Cities.			Rural districts.			Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
				Total.	White.	Col- ored.	Total.	White.	Col- ored.						
	VIII.—Diseases of the skin and of the cellular tissue.	289	127	15	6	9	76	49	27	106	125	10	17	225	237
142	Gangrene.	82	74	11	4	7	31	17	14	33	86	3	8	103	148
143	Furuncle.	51	7	1	1	—	10	8	2	15	10	5	2	33	25
144	Acute abscess.	82	22	2	1	1	19	13	6	19	10	5	5	52	32
145	Other diseases of the skin and annexa.	74	24	1	—	1	16	11	5	39	19	—	2	37	32
	IX.—Diseases of the bones and of the organs of locomotion.	281	41	8	6	2	47	38	9	92	50	6	10	130	87
146	Diseases of the bones (tuberculosis excepted).	266	30	7	5	2	33	30	8	80	37	5	10	115	71
147	Diseases of the joints (tuberculosis and rheumatism excepted).	12	8	1	1	—	5	4	1	12	9	1	—	12	12
148	Amputations.	—	—	—	—	—	4	4	—	—	4	—	—	3	4
149	Other diseases of the organs of locomotion.	3	3	—	—	—	—	—	—	—	—	—	—	—	—
	X.—Malformations.	1,157	386	26	24	2	247	196	51	557	450	34	60	951	1,012
150	Congenital malformations (stillbirths not included) (total).	1,157	386	26	24	2	247	196	51	557	450	34	60	951	1,012
	Hydrocephalus.	136	44	1	1	—	34	22	12	42	37	2	5	73	76
	Congenital malformations of the heart.	657	239	11	10	1	88	80	8	351	282	22	39	654	693
	Other congenital malformations.	364	103	14	13	1	125	94	31	164	131	10	16	224	243
	XI.—Early infancy.	6,614	1,503	199	115	84	1,785	1,242	543	2,299	1,644	166	217	3,848	3,827
151	Congenital debility, icterus, and sclerema (total).	4,985	1,217	175	100	75	1,571	1,107	464	1,836	1,315	129	175	3,104	3,155
	Premature birth.	3,784	937	127	78	49	1,145	846	290	1,507	972	101	134	2,355	2,339
	Congenital debility, "atrophy," "marasmus," etc.	1,201	280	48	22	26	426	261	165	329	343	28	41	749	816
152	Other causes peculiar to early infancy (total).	1,623	283	24	15	9	203	131	72	461	321	37	41	730	657
	Injuries at birth.	919	186	9	6	3	84	62	22	289	164	19	23	410	320
153	Other causes peculiar to early infancy.	704	97	15	9	6	119	69	50	172	157	18	18	320	337
	Lack of care.	6	3	—	—	—	—	11	4	7	2	8	1	14	15
	XII.—Old age.	353	399	32	25	7	584	316	268	297	492	41	179	306	573
154	Senility.	353	399	32	25	7	584	316	268	297	492	41	179	306	573
	XIII.—External causes.	7,719	2,471	257	156	101	1,350	810	540	3,674	2,754	259	486	5,636	5,256
155	Suicide (total).	990	305	16	15	1	83	71	12	377	322	35	65	497	469
	By poison.	92	35	1	1	—	5	5	—	85	53	9	10	51	52
156	By asphyxia.	354	12	1	1	—	1	1	4	2	4	1	118	13	13
157	By hanging or strangulation.	133	107	2	2	—	16	14	2	63	66	3	8	73	130
158	By drowning.	56	32	—	—	—	9	7	2	20	38	4	10	19	27
159	By firearms.	157	93	9	8	1	42	35	7	170	131	9	28	181	189
160	By cutting or piercing instruments.	72	20	1	1	—	8	7	1	28	21	6	8	35	39
161	By jumping from high places.	115	2	—	—	—	—	—	—	6	—	—	15	6	6
162	By crushing.	9	2	—	—	—	—	—	—	1	10	—	—	5	7
163	Other suicides.	2	2	2	2	—	2	2	—	—	—	—	—	—	—
	Accidental or undefined (total).	6,369	2,122	203	130	73	1,118	675	443	2,926	2,331	212	402	4,818	4,552
164	Poisoning by food.	27	31	4	3	1	39	27	12	24	29	3	5	21	32
165	Other acute poisonings.	98	42	7	5	2	50	25	25	61	53	9	4	86	83
166	Conflagration.	109	49	5	—	—	29	9	20	48	55	1	14	53	73
167	Burns (conflagration excepted).	712	148	21	14	7	256	140	116	285	160	13	17	657	396
168	Absorption of deleterious gases (conflagration excepted).	720	57	1	—	1	38	20	18	94	58	7	9	239	105
169	Accidental drowning.	582	297	9	5	4	95	64	31	187	168	19	65	194	318
170	Traumatism by firearms.	45	54	25	11	14	73	44	29	58	56	5	26	54	85
171	Traumatism by cutting or piercing instruments.	15	6	1	—	—	5	3	2	516	410	31	5	865	600
172	Traumatism by fall.	1,254	394	22	18	4	93	74	19	516	410	50	31	865	600
173	Traumatism in mines and quarries (total).	4	8	—	—	—	3	3	—	20	146	2	2	385	764
	Traumatism in mines.	2	7	—	—	—	3	3	—	19	141	1	1	378	743
174	Traumatism in quarries.	2	1	—	—	—	—	—	—	1	5	12	21	12	21
	Traumatism by machines.	288	42	11	7	4	33	20	13	142	69	8	7	191	150
175	Traumatism by other crushing (total).	2,025	736	64	51	13	218	140	78	1,170	799	59	132	1,566	1,379
	Railroad accidents and injuries.	413	350	33	24	9	102	61	41	437	457	12	55	676	881
	Street-car accidents and injuries.	352	47	3	3	—	5	3	2	142	74	7	1	218	87
	Automobile accidents and injuries.	997	243	21	19	2	58	44	14	482	168	32	34	558	295
	Injuries by other vehicles.	230	65	7	5	2	41	23	18	78	81	6	19	103	95
	Landslide, other crushing.	33	31	—	—	—	12	9	3	31	19	2	23	11	21
176	Injuries by animals.	29	22	—	—	—	16	10	6	10	32	3	6	24	33
177	Starvation.	4	2	—	—	—	—	—	1	—	1	—	3	3	3
178	Excessive cold.	38	23	2	2	—	13	1	12	19	21	—	22	32	32
179	Effects of heat.	89	20	3	2	1	19	8	11	76	57	—	1	149	98
180	Lightning.	3	14	—	—	—	23	16	7	4	21	2	7	33	33
181	Electricity (lightning excepted).	42	20	3	3	—	10	8	2	53	25	1	6	50	63
182	Fractures (cause not specified).	74	38	4	2	2	6	3	3	15	28	5	15	9	2
183	Other external violence.	261	121	21	9	12	98	60	38	135	137	28	59	288	295
	Homicide (total).	360	44	38	11	27	149	64	85	371	101	12	19	321	235
184	By firearms.	191	24	29	7	22	121	55	66	247	55	9	13	203	147
	By cutting or piercing instruments.	60	4	5	2	3	12	1	11	57	19	1	2	48	41
	By other means.	109	16	4	2	2	16	8	8	67	27	2	4	70	47
	XIV.—Ill-defined diseases.	91	127	80	35	45	3,248	1,448	1,800	308	300	3	43	149	577
187	III-defined organic disease.	3	4	1	—	1	154	79	75	2	10	—	1	4	26
188	Sudden death.	3	12	13	7	6	265	153	107	13	32	3	3	2	36
189	Not specified or ill-defined (total).	85	111	66	28	38	2,829	1,211	1,618	293	258	3	39	143	515
	III-defined.	64	74	17	8	9	458	275	183	71	95	2	25	95	205
	Not specified or unknown.	21	37	49	20	29	2,371	936	1,435	222	163	1	14	48	310

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, URBAN AND RURAL.

251

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed Int. List No.	Cause of Death.	RHODE ISLAND.		SOUTH CAROLINA.						TENNESSEE.								
		Cities.		Rural dis- tricts.			Cities.			Rural districts.			Cities. *			Rural districts.		
		Cities.	Rural dis- tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Total.	White.	Col- ored.
	All causes.....	10,235	2,172	4,623	2,066	2,557	26,138	9,036	17,052	10,000	5,831	4,169	27,134	20,118	7,016			
	I.—General diseases.....	3,767	888	1,713	752	961	11,569	3,653	7,916	3,654	2,157	1,497	12,743	9,291	3,452			
1	Typhoid fever.....	30	4	67	26	41	516	178	338	99	69	30	600	430	170			
2	Typhus fever.....																	
3	Relapsing fever.....																	
4	Malaria.....																	
5	Smallpox.....	1	1	23	2	21	508	98	410	72	19	55	258	151	102	1	15	11
6	Measles.....	105	20	30	15	15	280	100	180	51	42	35	856	327	29	25	9	35
7	Scarlet fever.....	25						4	4	9	9	9	35	35				
8	Whooping cough.....	115	42	68	22	46	686	182	504	68	48	20	489	356	133			
9	Diphtheria and croup.....	90	12	18	15	3	121	76	45	35	30	5	242	217	25			
10	Influenza.....	1,794	396	589	325	264	5,375	1,720	3,655	1,398	971	427	4,883	3,731	1,152			
11	Miliary fever.....																	
12	Asiatic cholera.....																	
13	Cholera nostras.....																	
14	Dysentery.....	16	9	34	18	16	634	235	399	71	46	25	252	210	42			
15	Plague.....																	
16	Yellow fever.....																	
17	Leprosy.....																	
18	Erysipelas.....	29	2	13	9	4	27	22	5	14	13	1	52	49	3			
19	Other epidemic diseases.....							15	7	8	5	4	28	26	2			
20	Purulent infection and septicemia.....	11	1	10	8	2	36	20	16	14	6	8	35	32	3			
21	Glanders.....																	
22	Anthrax.....																	
23	Rabies.....																	
24	Tetanus.....	6	1	18	4	14	27	7	20	10	5	5	30	19	11			
25	Mycoses.....																	
26	Pellagra.....	7		273	97	176	468	179	289	144	77	67	532	345	187			
27	Beriberi.....																	
28	Tuberculosis (total).....	812	266	366	103	263	1,994	419	1,575	1,074	428	646	3,703	2,380	1,323			
29	Tuberculosis of the lungs.....	632	249	308	93	213	1,840	388	1,452	877	354	523	3,287	2,123	1,164			
30	Acute miliary tuberculosis.....	27	2	30		30	52	5	47	60	11	49	79	30	49			
31	Tuberculous meningitis.....	76	8	7	4	3	20	6	14	26	16	10	81	61	20			
32	Abdominal tuberculosis.....	43	4	11	4	7	46	13	33	75	29	46	136	88	48			
33	Fott's disease.....	9		1		1	7	1	6	9	7	2	21	18	3			
34	White swellings.....	6		3		3	4	1	3	9	2	7	16	7	9			
35	Tuberculosis of other organs.....	7	1	6	1	5	21	4	17	11	3	8	73	45	28			
36	Disseminated tuberculosis.....	12	2	2	1	1	4	1	3	7	6	1	10	8	2			
37	Rickets.....	5	4	1		1	8	2	6	5	5	5	7	4	3			
38	Syphilis.....	53	4	61	7	54	148	8	140	91	32	59	123	44	79			
	Gonococcus infection.....	1					10	1	9	10	6	4	5	3	2			
39	Cancer and other malignant tumors (total).....	472	98	91	62	29	479	267	212	319	226	93	702	596	106			
40	Of the buccal cavity.....	19	6	5	4	1	15	13	2	11	9	2	24	22	2			
41	Of the stomach, liver.....	151	28	23	15	8	144	83	61	83	14	6	209	182	27			
42	Of the peritoneum, intestines, rectum.....	92	10	4	3	1	33	24	9	23	17	6	56	51	5			
43	Of the female genital organs.....	83	15	20	11	9	140	57	83	91	52	39	135	111	44			
44	Of the breast.....	42	15	11	7	4	62	29	33	40	22	18	92	75	17			
45	Of the skin.....	15	2	7	7		29	25	4	16	13	3	49	48	1			
46	Of other organs or of organs not specified.....	70	22	21	15	6	56	36	20	55	44	11	117	107	10			
47	Other tumors (tumors of the female genital organs excepted).....	2		2	1	1	6	1	5	2	1	1	8	7	1			
48	Acute articular rheumatism.....	21	1	8	4	4	38	10	28	29	11	18	90	68	22			
49	Chronic rheumatism and gout.....	2					15	5	10	4	1	3	34	22	12			
50	Scurvy.....	92	17	27	21	6	86	57	29	33	30	3	125	104	21			
51	Exophthalmic goiter.....	8					2		2	10	8	2	9	9				
52	Addison's disease.....	3											4	4				
53	Leukemia.....	8	1	2	1	1	3	1	2	9	9	9	14	12	2			
54	Anemia, chlorosis.....	25	6	2			31	15	16	24	21	3	46	41	5			
55	Other general diseases.....	8	1	7	7		49	31	18	31	25	6	40	34	6			
56	Alcoholism (acute or chronic).....	23	2	1	1	2	5	3	2	14	13	1	6	3	3			
57	Chronic lead poisoning.....	1		2	2													
58	Other chronic occupation poisonings.....	2					6	4	2	6	6	7	5	5	2			
59	Other chronic poisonings.....																	
	II.—Diseases of the nervous system and of the organs of special sense.....	818	190	362	171	191	1,432	641	791	582	369	213	1,647	1,281	366			
60	Encephalitis.....	2		1	1		8	3	5	8	5	3	29	22	7			
61	Meningitis (total).....	68	6	48	31	17	114	64	50	82	58	24	225	190	35			
62	Simple meningitis.....	29	2	6	4	2	33	21	12	19	19	9	92	79	13			
63	Cerebrospinal meningitis (undefined).....	13	3	8	8	8	44	28	16	34	24	10	85	73	12			
64	Cerebrospinal fever.....	26	1	34	19	15	37	15	22	29	15	14	48	38	10			
65	Locomotor ataxia.....	14	2	5	2	3	2	2	2	10	7	3	17	17	3			
66	Other diseases of the spinal cord (total).....	39	10	10	5	5	35	18	17	41	19	22	88	63	25			
67	Acute anterior poliomyelitis.....	4	2	2	1	1	16	8	8	4	3	1	29	22	7			
68	Other diseases of the spinal cord.....	35	9	8	4	4	19	10	9	37	16	21	59	41	18			
69	Cerebral hemorrhage, apoplexy.....	537	142	179	82	97	635	316	319	269	178	91	584	478	106			
70	Softening of the brain.....	1	3	2	2	7	9	5	4	12	9	3	27	24	3			
71	Paralysis without specified cause.....	23	7	43	16	27	393	163	230	71	42	29	332	249	83			
72	General paralysis of the insane.....	49	3	29	8	21	16	6	10	16	10	6	50	36	14			
73	Other forms of mental alienation.....	17		6	3	3	13	3	10	17	9	8	40	27	13			
74	Epilepsy.....	29	3	22	15	7	45	12	33	8	6	2	104	73	31			
75	Convulsions (nonpuerperal).....	1	1	1	1	1	13	4	9	12	9	2	3	2	1			
76	Convulsions of infants.....	18	8	5	1	4	116	24	92	16	5	11	48	23	25			
77	Chorea.....	1		1	1	3	3	3	3		3	3	3	3	3			
78	Neuralgia and neuritis.....	2	2	6	3	3	4	3	1	2	1</							

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed Int. List No.	Cause of Death.	Rhode Island.		South Carolina.						Tennessee.					
		Cities.	Rural dis- tricts.	Cities.			Rural districts.			Cities.			Rural districts.		
				Total.	White.	Col- ored.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Total.	White.	Col- ored.
	III.—Diseases of the circulatory system.	1,178	232	515	240	275	1,499	601	888	881	493	388	1,747	1,306	441
77	Pericarditis.	1	1				26	5	21	8	3	5	31	22	9
78	Acute endocarditis.	61	9	25	15	10	88	31	57	60	23	37	26	20	6
79	Organic diseases of the heart.	884	164	319	140	179	1,217	526	691	635	368	317	1,433	1,054	379
80	Angina pectoris.	38	15	8	8		48	37	11	34	30	4	65	59	6
81	Diseases of the arteries, atheroma, aneurism, etc.	166	38	155	74	81	88	48	40	69	54	15	152	122	30
82	Embolism and thrombosis.	20	2	4		4	10	5	5	19	12	7	13	11	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	2								1			1	4	2
84	Diseases of the lymphatic system (lymphangitis, etc.).	5	1	1		1	4	3	1	2	1	1	2	1	1
85	Hemorrhage; other diseases of the circulatory system.	1	2	3	3		18	6	12	3	2	1	21	15	6
	IV.—Diseases of the respiratory system.	1,740	302	500	285	325	3,119	1,117	2,002	1,728	931	797	3,466	2,525	941
86	Diseases of the nasal fossae.						121	15	106	3	2	1	8	6	2
87	Diseases of the larynx.		1	2	1	1	9	5	4	7	3	4	7	6	1
88	Diseases of the thyroid body.	1		2	1	1	5	2	3	4	3	1	10	9	1
89	Acute bronchitis.	78	21	11	3	8	47	25	22	29	16	13	62	44	18
90	Chronic bronchitis.	37	10	6	4	2	31	15	16	44	25	19	98	76	22
91	Bronchopneumonia.	330	70	94	51	43	298	184	134	344	197	147	660	510	150
92	Pneumonia (total).	1,259	197	458	193	265	2,498	853	1,645	1,229	656	573	2,471	1,774	697
	Lobar pneumonia.	1,048	123	387	165	222	1,276	529	747	1,007	519	488	1,399	955	444
	Pneumonia (undefined).	211	74	71	28	43	1,222	324	898	222	137	85	1,072	819	253
93	Pleurisy.	15		8	7	1	33	15	18	26	7	19	41	27	
94	Pulmonary congestion, pulmonary apoplexy.	6	1	4	2	2	15	11	4	7	7		17	14	3
95	Gangrene of the lung.	1		2	1	1							8	.5	3
96	Asthma.	11		3	2	1	29	6	23	20	10	10	50	32	18
97	Pulmonary emphysema.						1	1					3		
98	Other diseases of the respiratory system (tuberculosis excepted).	2	2				32	5	27	15	5	10	31	19	12
	V.—Diseases of the digestive system.	724	174	413	164	248	2,112	784	1,828	887	560	327	1,913	1,537	376
99	Diseases of the mouth and annexa.	2	1	2		2	67	7	60	7	7		29	24	5
100	Diseases of the pharynx.	12	6	5	2	3	34	10	24	16	12	4	38	31	7
101	Diseases of the esophagus.	1					2	1	1	3	3		1	1	
102	Ulcer of the stomach.	28	4	11	5	6	15	8	7	24	16	8	42	29	13
103	Other diseases of the stomach (cancer excepted).	35	22	29	11	18	386	104	282	113	41	72	256	204	52
104	Diarrhea and enteritis (under 2 years).	348	92	200	70	130	1,048	417	631	249	171	78	701	569	132
105	Diarrhea and enteritis (2 years and over).	65	19	61	11	50	217	87	130	93	64	29	301	251	50
106	Ankylostomiasis.						5	4	1				2	2	
107	Intestinal parasites.	1		1		1	25	2	23	1			1	13	5
108	Appendicitis and typhilitis.	51	5	31	21	10	82	35	47	149	100	49	126	101	25
109	Hernia, intestinal obstruction (total).	67	5	31	16	15	94	43	51	91	55	36	116	90	26
	Hernia.	31	2	9	5	4	21	6	15	23	13	10	31	24	7
	Intestinal obstruction.	36	3	22	11	11	73	37	36	68	42	26	85	66	19
110	Other diseases of the intestines.	17	2	6	4	2	19	7	12	19	11	8	22	14	8
111	Acute yellow atrophy of the liver.	3		1		1	7	4	3	5	4	1	9	7	2
112	Hydatid tumor of the liver.														
113	Cirrhosis of the liver.	46	8	11	6	5	32	16	16	41	28	18	70	53	17
114	Biliary calculi.	20	1	8	8		8	4	4	17	14	3	46	42	4
115	Other diseases of the liver.	18	2	8	6	2	44	24	20	37	30	7	95	81	14
116	Diseases of the spleen.		1							1	1		3	2	1
117	Simple peritonitis (nonpuerperal).	8	6	7	4	3	26	10	16	20	8	12	41	27	14
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	2					1	1		1		1	2	1	1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	614	131	382	170	212	1,343	573	770	827	468	359	1,140	831	309
119	Acute nephritis.	35	8	33	7	26	125	47	78	92	34	58	78	46	32
120	Bright's disease.	501	111	301	143	158	1,034	483	551	572	341	231	910	673	237
121	Chyluria.														
122	Other diseases of the kidneys and annexa.	11	3	9	4	5	86	22	64	18	13	5	33	30	3
123	Calculi of the urinary passages.	2	1				6	2	4	5	5		6	6	
124	Diseases of the bladder.	3	2	3		3		3	17	7	3	4	26	21	5
125	Diseases of the urethra, urinary abscess, etc.	1		1		1		1	1	15	6	9	3	3	2
126	Diseases of the prostate.	27	3	18	8	8	22	6	16	29	25	4	33	25	8
127	Nonvenereal diseases of the male genital organs.	1	1				1	1	1	1	1	1	2	1	1
128	Uterine hemorrhage (nonpuerperal).		1	1		1		1							
129	Uterine tumor (noncancerous).	5	1	9	3	6	15	4	11	31	12	19	19	7	12
130	Other diseases of the uterus.	7		4	2	2	17	3	14	19	11	8	16	13	3
131	Cysts and other tumors of the ovary.	5		1	1		7	1	6	4	2	2		2	2
132	Salpingitis and other diseases of the female genital organs.	15		3	1	2	8	2	6	34	16	18	12	8	4
133	Nonpuerperal diseases of the breast (cancer excepted).	1		1	1										
	VII.—The puerperal state.	133	19	76	35	41	496	170	326	116	72	44	371	288	83
134	Accidents of pregnancy.	40	7	7	6	1	66	27	39	18	11	7	102	80	22
135	Puerperal hemorrhage.	13	4	2	2		29	10	19	4	3	1	27	23	4
136	Other accidents of labor.	17	3	11	6	5	125	43	82	16	12	4	71	55	16
137	Puerperal septicemia.	31	2	22	6	18	130	33	97	46	23	23	109	77	32
138	Puerperal albuminuria and convulsions.	31	2	34	15	19	138	54	84	31	22	9	56	48	8
139	Puerperal phlegmasia alba dolens, embolus, sudden death.		1				8	3	5	1	1		5	4	1
140	Following childbirth (not otherwise defined).	1											5	4	1
141	Puerperal diseases of the breast.												1	1	

CAUSES OF DEATH, URBAN AND RURAL.

253

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed Int. List No.	CAUSE OF DEATH.	RHODE ISLAND.		SOUTH CAROLINA.						TENNESSEE.					
		Cities.	Rural districts.	CITIES.			RURAL DISTRICTS.			CITIES.			RURAL DISTRICTS.		
				Total.	White.	Col- ored.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Total.	White.	Col- ored.
	VIII.—Diseases of the skin and of the cellular tissue.....	23	1	17	5	12	46	16	30	25	8	17	61	38	23
142	Gangrene.....	7	1	11	1	10	20	8	12	16	5	11	33	17	16
143	Furuncle.....	7	1	1	1	1	7	4	3	1	1	1	8	7	1
144	Acute abscess.....	2	2	2	2	2	11	3	8	4	2	2	8	4	4
145	Other diseases of the skin and annexa.....	7	3	3	3	3	8	1	7	4	4	4	12	10	2
	IX.—Diseases of the bones and of the organs of locomotion.....	11	1	11	9	2	7	4	3	28	21	7	36	26	10
146	Diseases of the bones (tuberculosis excepted).....	11	1	10	9	1	5	3	2	22	16	6	27	19	8
147	Diseases of the joints (tuberculosis and rheumatism excepted).....			1		1	2	1	1	5	4	1	5	3	2
148	Amputations.....									1	1		4	4	
149	Other diseases of the organs of locomotion.....														
	X.—Malformations.....	96	10	24	18	6	111	58	53	42	32	10	125	113	12
150	Congenital malformations (stillbirths not included) (total).....	96	10	24	18	6	111	58	53	42	32	10	125	113	12
	Hydrocephalus.....	10	1	26	6	20	4	2	2	14	9	5			
	Congenital malformations of the heart.....	57	6	17	11	6	37	29	8	20	15	5	62	58	4
	Other congenital malformations.....	29	4	7	7	2	48	23	25	18	15	3	49	46	3
	XI.—Early infancy.....	525	89	260	100	160	1,986	688	1,298	280	187	93	880	771	109
151	Congenital debility, icterus, and sclerema (total).....	398	67	241	92	149	1,845	629	1,216	240	159	81	773	676	97
	Premature birth.....	241	35	121	73	48	423	500	923	157	112	45	571	505	66
	Congenital debility, "atrophy," marasmus, etc.....	157	32	120	19	101	422	129	293	83	47	36	202	171	31
152	Other causes peculiar to early infancy (total).....	126	20	19	8	11	137	58	79	40	28	12	105	93	12
	Injuries at birth.....	81	13	10	6	4	41	15	26	21	15	6	53	47	6
153	Other causes peculiar to early infancy.....	45	7	9	2	7	96	43	53	19	13	6	52	46	6
	Lack of care.....	1	2				4	1	3				2	2	
	XII.—Old age.....	79	45	9	6	3	486	143	343	60	48	12	388	277	111
154	Senility.....	79	45	9	6	3	486	143	343	60	48	12	388	277	111
	XIII.—External causes.....	475	83	231	128	103	915	345	570	635	378	259	1,135	800	335
155	Suicide (total).....	69	19	11	10	1	45	32	13	47	43	4	73	71	2
	By poison.....	9	1				10	8	2	15	14	1	11	11	
156	By asphyxia.....	19	1	1	1	1									
157	By hanging or strangulation.....	6	2	2	2	2									
158	By drowning.....	4	2				5	3	2	3	2	1	7	6	1
159	By firearms.....	17	11	7	6	1	22	14	8	22	20	2	30	30	
160	By cutting or piercing instruments.....	4	3	1	1	1	5	4	1	2	2		10	9	1
161	By jumping from high places.....	1													
162	By crushing.....														
163	Other suicides.....						1	1	2	2	2	2	2	2	
	Accidental or undefined (total).....	401	64	130	105	75	741	283	458	453	279	174	937	656	281
164	Poisoning by food.....	3	1	1	1	1	18	8	10	10	4	6	20	12	8
165	Other acute poisonings.....	6	2	6	2	4	28	6	20	14	9	5	27	21	6
166	Conflagration.....	7	1	19	19	9	30	20	4	1	3	19	10	9	
167	Burns (conflagration excepted).....	49	5	23	9	14	228	72	156	65	28	37	128	85	43
168	Absorption of deleterious gases (conflagration excepted).....	41	3	2	2	2	22	9	13	6	4	2	23	15	8
169	Accidental drowning.....	23	18	6	3	3	59	25	34	4	4	4	57	40	17
170	Traumatism by firearms.....	4	1	17	8	9	72	24	48	32	18	14	74	49	25
171	Traumatism by cutting or piercing instruments.....														
172	Traumatism by fall.....	2	9	20	12	8	62	33	29	1	2	1	6	5	1
173	Traumatism in mines and quarries (total).....									5	3	2	25	19	6
	Traumatism in mines.....									5	3	2	22	17	5
174	Traumatism in quarries.....									5	3	2	3	2	1
	Traumatism by machines.....	19	2	7	4	3	31	11	20	13	11	2	23	16	7
175	Traumatism by other crushing (total).....	115	16	62	38	24	112	55	57	171	111	60	242	150	92
	Railroad accidents and injuries.....	22	3	25	21	4	52	25	27	91	56	35	159	88	71
	Street-car accidents and injuries.....	24	2	1	1	3	30	15	12	21	16	5	1		
	Automobile accidents and injuries.....	62	6	26	13	13	22	10	12	29	17	36	38	28	8
	Injuries by other vehicles.....	5	4	8	4	4	5	2	3	11	9	2	33	28	10
	Landslide, other crushing.....	2	1	2	2	2	5	2	3	2	1	1	8	6	2
176	Injuries by animals.....						9	3	6	5	3	2	20	19	1
177	Starvation.....						1	1	1	10	9	6	1		
178	Excessive cold.....	5	5				8	2	6	10	8	6	3		
179	Effects of heat.....	3	2	2	2	2	3	1	2	4	3	1	17	13	4
180	Lightning.....	1					11	4	7				5	4	1
181	Electricity (lightning excepted).....	11		1	1	4	4			1	1	2	16	15	1
182	Fractures (cause not specified).....	1								11	9	2	18	15	7
183	Other external violence.....	31	3	14	6	8	54	26	28	36	24	12	84	57	27
	Homicide (total).....	14	40	13	27	129	30	99	135	54	81	125	73	52	
184	By firearms.....	8	29	8	21	114	25	39	104	43	61	95	59	36	
	By cutting or piercing instruments.....	3	6	2	4	7	2	5	21	6	15	12	7	5	
185	By other means.....	3	5	3	2	8	3	5	10	5	5	18	7	11	
	XIV.—Ill-defined diseases.....	52	7	21	3	18	1,017	233	784	255	109	146	1,482	1,034	448
186	Ill-defined organic disease.....	1					182	29	133	3		3	76	53	23
187	Sudden death.....	13	1				35	15	20	26	12	14	84	59	25
188	Not specified or ill-defined (total).....	38	6	21	3	18	820	189	631	226	97	129	1,322	922	400
189	Ill-defined.....	23	5	19	2	17	617	129	488	47	32	15	360	283	77
	Not specified or unknown.....	15	1	2	1	1	203	60	143	179	65	114	962	639	323

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed Int. List No.	CAUSE OF DEATH.	UTAH.		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
						Total.	White.	Col- ored.	Total.	White.	Col- ored.				
	All causes.....	2,363	3,800	1,131	5,672	12,114	6,966	5,148	29,153	17,721	11,437	8,717	8,120	14,140	20,852
I.—General diseases.....		904	1,447	520	1,912	4,346	2,756	1,590	12,319	7,518	4,801	3,266	3,022	5,293	7,524
1. Typhoid fever.....	15	26	3	27	79	50	29	323	196	127	48	50	60	37	
2. Typhus fever.....								1	1						
3. Relapsing fever.....															
4. Malaria.....															
5. Smallpox.....	3	7			1	15	5	10	4	24	42	1	3	5	7
6. Measles.....	10	24	6	10	48	31	17	229	194	35	27	33	90	75	
7. Scarlet fever.....	20	30	1	10	4	4		19	17	2	24	31	98	103	
8. Whooping cough.....	19	40	12	35	166	62	104	553	276	277	22	49	82	115	
9. Diphtheria and croup.....	28	44	2	24	28	21	5	190	147	43	45	38	113	159	
10. Influenza.....	504	893	347	1,005	2,031	1,426	605	5,808	3,856	1,952	1,542	1,334	2,505	3,745	
11. Military fever.....															
12. Asiatic cholera.....															
13. Cholera nostras.....															
14. Dysentery.....	3	1	2	7	99	80	19	272	170	102	9	6	14	27	
15. Plague.....															
16. Yellow fever.....															
17. Leprosy.....															
18. Erysipelas.....	5	23	4	12	22	18	4	37	32	5	18	16	31	43	
19. Other epidemic diseases.....	1	3	2	2	2	2	2	13	9	4	1	7		8	
20. Purulent infection and septicemia.....	4	5	1	5	17	12	5	40	27	13	13	6	13	28	
21. Glanders.....															
22. Anthrax.....															
23. Rabies.....	1					2	1	1	2	1	1	1	1	2	
24. Tetanus.....	2	2	1		21	5	16	27	18	9	1	1	10	18	
25. Mycoses.....								4	3	1			1	2	
26. Pellagra.....						104	76	28	223	103	120				
27. Beriberi.....											4				
Tuberculosis (total).....	87	122	73	295	1,010	491	519	3,083	1,469	1,614	535	806	942	1,489	
Tuberculosis of the lungs.....	66	105	62	242	847	412	435	2,747	1,314	1,433	386	691	739	1,294	
Acute miliary tuberculosis.....	6	1	8	53	53	15	38	31	24	57	18	28	33	32	
Tuberculous meningitis.....	6	3	7	20	49	36	13	77	45	32	67	37	92	65	
Abdominal tuberculosis.....	3	7	1	17	38	14	24	108	53	55	34	55	50	50	
Pott's disease.....	2	4	1	3	4	4		17	9	8	9	5	14	14	
White swellings.....	3	1	1	1	3	1	2	7	5	2	4	2	2	9	
Tuberculosis of other organs.....	1		1	2	12	6	6	38	16	22	16	15	12	20	
Disseminated tuberculosis.....		1		2	4	3	1	8	3	5	1	6	5	5	
Rickets.....					24	6	18	7	2	5	2	2	16	8	
Syphilis.....	9	17	5	12	121	48	73	144	44	100	58	29	47	46	
Gonococcus infection.....	3	1			5	3	2	4	2	2	7	2	3	4	
Cancer and other malignant tumors (total).....	118	111	43	322	346	258	88	877	645	232	622	372	837	1,265	
Of the buccal cavity.....	4	3	8	14	11	11	3	29	23	6	24	16	17	45	
Of the stomach, liver.....	48	53	12	114	91	72	19	301	230	71	224	160	403	612	
Of the peritoneum, intestines, rectum.....	12	15	7	47	40	35	5	66	54	12	88	43	113	158	
Of the female genital organs.....	21	11	7	61	90	51	39	180	99	81	109	38	97	123	
Of the breast.....	20	5	5	26	53	41	12	95	67	28	64	29	82	88	
Of the skin.....	2	3	2	12	10	9	1	47	42	5	11	17	16	32	
Of other organs or of organs not specified.....	15	20	7	64	48	39	9	159	130	29	107	69	129	207	
Other tumors (tumors of the female genital organs excepted).....	1	2			1	1		10	7	3	1	1		4	
Acute articular rheumatism.....	14	17	2	11	30	15	15	83	42	46	25	13	51	75	
Chronic rheumatism and gout.....	1	6	2	4	7	5	2	26	20	6	3	9	19	30	
Scurvy.....					2		2			2			1	1	
Diabetes.....	30	34	9	69	65	54	11	125	97	28	121	101	148	252	
Exophthalmic goiter.....	6	4			5	11	9	2	26	21	5	26	12	29	21
Addison's disease.....					4	3	3		5	4	1	2	4	6	11
Leukemia.....	3	8	1	2	10	10	10		27	21	6	20	3	24	34
Anemia, chlorosis.....	13	9	4	30	32	27	5	37	29	8	46	24	75	125	
Other general diseases.....	4	9	1	1	27	24	3	29	23	6	12	12	17	28	
Alcoholism (acute or chronic).....	2	1	1	10	11	9	2	8	8		24	6	45	53	
Chronic lead poisoning.....	1		1					1		1	1	1	2	1	
Other chronic occupation poisonings.....			1		2	1		1	1		2		2		
Other chronic poisonings.....															
II.—Diseases of the nervous system and of the organs of special sense.....	132	186	72	591	1,016	590	426	2,359	1,471	888	608	791	1,027	2,281	
Encephalitis.....	2	1			4	7	4	3	27	13	14	4	3	10	12
Meningitis (total).....	17	14	3	22	89	62	27	192	151	41	42	40	97	124	
Simple meningitis.....	10	6			17	20	16	4	80	59	21	19	64	70	
Cerebrospinal meningitis (undefined).....	4	3	1	1	29	16	13	70	60	10	10	11	22	30	
Cerebral spinal fever.....	3	5	2	4	40	30	10	42	32	10	11	10	11	24	
Locomotor ataxia.....	1	1	2	14	18	11	7	14	10	4	19	14	16	22	
Other diseases of the spinal cord (total).....	10	8	5	28	26	15	11	93	69	24	30	28	83	121	
Acute anterior poliomyelitis.....	2		1	4	2	2	2	27	20	7	1	6	47	50	
Other diseases of the spinal cord.....	10	6	5	27	22	13	9	66	49	17	29	22	36	71	
Cerebral hemorrhage, apoplexy.....	76	114	47	428	617	352	265	1,173	738	435	402	403	593	1,311	
Softening of the brain.....					5	17	8	9	35	25	10	2	4	6	15
Paralysis without specified cause.....	3	11	5	18	100	54	46	405	233	172	35	50	35	118	
General paralysis of the insane.....	7	2	2	24	23	19	4	72	43	29	11	97	10	121	
Other forms of mental alienation.....	2	3	1	13	9	4	5	35	20	15	4	61	6	87	
Epilepsy.....	3	14	1	12	20	10	10	109	64	45	13	46	13	103	
Convulsions (nonpuerperal).....					1		1	1	12	4	8	1	2	3	3
Convulsions of infants.....	3	3	5	27	7	20	11	111	42	69	6	19	16	47	115
Chorea.....	1		1		1		1		1		1	1	1	1	3
Neuralgia and neuritis.....			3	3	1		1	1	15	10	5	2	3	4	12
Other diseases of the nervous system.....	6	6	1	12	49	34	15	51	38	13	19	16	47	79	
Diseases of the eyes and their annexa.....	1	1			2	1	1	1	1	1	1	1	1	2	2
Diseases of the ears.....	7	3	1	3	9	9	9	13	11	2	17	5	20	13	

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, URBAN AND RURAL.

255

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1918—Continued.

[See note at head of this table, p. 236.]

Detailed Int. List No.	CAUSE OF DEATH.	UTAH.		VERMONT.		VIRGINIA						WASHINGTON.		WISCONSIN.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
						Total.	White.	Col- ored.	Total.	White.	Col- ored.				
	VIII.—Diseases of the skin and of the cellular tissue.	7	7	2	19	28	11	17	60	36	24	21	29	41	71
142	Gangrene.		4	1	13	15	3	12	29	17	12	9	16	15	49
143	Furuncle.	1		1		4	4		6	5	1	7	5	9	3
144	Acute abscess.	4	2		1	3	2	1	6	3	3	4	2	5	8
145	Other diseases of the skin and annexa.	2	1		5	6	2	4	19	11	8	1	6	12	11
	IX.—Diseases of the bones and of the organs of locomotion.	8	9	2	7	22	12	10	22	14	8	23	7	24	25
146	Diseases of the bones (tuberculosis excepted).	7	8	1	4	18	11	7	17	10	7	23	5	18	16
147	Diseases of the joints (tuberculosis and rheumatism excepted).	1	1	1	2	1			4	4			2	5	5
148	Amputations.					1	3	1	2	1				1	4
149	Other diseases of the organs of locomotion.														
	X.—Malformations.	34	52	10	41	81	67	14	194	155	39	107	97	140	199
150	Congenital malformations (stillbirths not included) (total).	34	52	10	41	81	67	14	194	155	39	107	97	140	199
	Hydrocephalus.	6	5	1	4	6	4	2	21	14	7	5	5	16	21
	Congenital malformations of the heart.	17	36	5	25	53	45	8	95	78	17	78	68	61	105
	Other congenital malformations.	11	11	4	12	22	18	4	78	63	15	24	24	63	73
	XI.—Early infancy.	112	273	71	206	576	343	233	1,442	968	474	361	384	809	1,117
151	Congenital debility, icterus, and sclerema (total).	90	222	67	173	491	286	205	1,228	822	406	291	309	662	906
	Premature birth.	80	198	45	132	358	229	129	824	614	210	241	249	542	724
	Congenital debility, "atrophy," "marasmus," etc.	10	24	22	41	133	57	76	404	208	196	50	60	120	182
152	Other causes peculiar to early infancy (total).	22	51	4	33	82	56	26	208	143	65	70	75	145	207
	Injuries at birth.	11	20	3	14	49	37	12	108	87	21	39	45	55	94
153	Other causes peculiar to early infancy ¹ .	11	31	1	19	33	19	14	100	56	44	31	30	90	113
	Lack of care.					3	1	2	6	3	3			2	4
	XII.—Old age.	16	84	12	97	62	42	20	544	291	253	66	151	164	586
154	Senility.	16	84	12	97	62	42	20	544	291	253	66	151	164	586
	XIII.—External causes.	132	264	62	258	679	398	281	1,315	857	458	614	817	740	1,087
155	Suicide (total).	9	20	6	40	57	50	7	106	96	10	88	88	119	202
	By poison.	1	3		3	11	11		16	16		21	11	19	28
156	By asphyxia.			2		3	3		2	2			14	1	
157	By hanging or strangulation.	3		14	1	1	1		15	13	2	11	16	37	81
158	By drowning.			1	5				10	8	2	8	8	5	14
159	By firearms.	6	11	1	14	36	29	7	54	49	5	33	39	31	56
160	By cutting or piercing instruments.	2	3	2	4	4	4		8	7	1	10	10	11	15
161	By jumping from high places.					1	1					1	2	2	3
162	By crushing.					1	1		1	1				1	1
163	Other suicides.											2			3
	Accidental or undefined (total).	118	241	55	212	510	316	194	1,069	696	373	497	703	593	863
164	Poisoning by food.	3	5		4	4	3	1	16	11	5	10	11	2	13
165	Other acute poisonings.	7	9	2	7	18	10	8	25	18	7	10	12	5	16
166	Conflagration.	4		5	6	6	3	3	32	9	23	7	10	11	18
167	Burns (conflagration excepted).	13	11	4	12	45	27	18	180	101	79	38	34	61	50
168	Absorption of deleterious gases (conflagration excepted).		7	3	7	26	16	10	25	15	10	21	10	28	29
169	Accidental drowning.	5	17	2	33	39	18	21	97	66	31	31	105	64	128
170	Traumatism by firearms.	3	15	3	5	26	11	15	77	42	35	10	31	17	40
171	Traumatism by cutting or piercing instruments.	1	1			1	1					1	1	2	3
172	Traumatism by fall.	9	26	8	55	75	60	15	140	109	31	97	60	87	111
173	Traumatism in mines and quarries (total).	6	43	5	6	2	2		60	44	16	34	32		5
	Traumatism in mines.	6	43			1	1		57	44	13	3	3		5
174	Traumatism in quarries.	7		5	6	1	1		3						
	Traumatism by machines.	7	7	1	8	27	15	12	26	14	12	43	36	29	40
175	Traumatism by other crushing (total).	41	63	20	38	155	110	45	227	167	60	166	261	217	258
	Railroad accidents and injuries.	12	13	16	15	63	47	16	127	101	26	27	95	69	117
	Street-car accidents and injuries.	6	4		1	22	15	7	10	9	1	23	9	34	15
	Automobile accidents and injuries.	21	25	1	12	48	35	13	50	39	11	82	69	86	68
	Injuries by other vehicles.	2	17	3	8	15	11	4	33	14	19	16	30	22	38
	Landslide, other crushing.			4		2	7	5	7	4	3	18	58	6	20
176	Injuries by animals.	4	3	1	5	2	2		14	11	3	5	6	9	21
177	Starvation.								1						
178	Excessive cold.	3		4	9		9		13	1	12		2	2	7
179	Effects of heat.	1		1	35	16	19		27	12	15		1	3	12
180	Lightning.	8		3					22	18	4		3		13
181	Electricity (lightning excepted).	4	7		5	3	2		9	7	2	6	6	10	13
185	Fractures (cause not specified).	1							5	4	1	3	1	3	10
186	Other external violence.	13	12	1	14	35	20	15	69	44	25	46	78	43	76
	Homicide (total).	5	3	1	6	112	32	80	140	65	75	29	26	28	22
182	By firearms.	3	2		2	95	27	68	117	53	64	22	21	16	16
183	By cutting or piercing instruments.		1	1	7	1	6	8	5	3	2	1	1	2	2
184	By other means.	2			3	10	4	6	15	7	8	5	4	11	4
	XIV.—Ill-defined diseases.	71	79	1	5	93	22	71	1,310	665	645	41	118	42	151
187	Ill-defined organic disease.			2		1	1		77	38	39		4	1	9
188	Sudden death.	2	5		4		2	2	84	50	34	5	5	7	19
189	Not specified or ill-defined (total).	69	72	1	5	88	19	69	1,149	577	572	36	109	34	123
	Ill-defined.	66	53		1	59	14	45	401	217	184	28	22	25	20
	Not specified or unknown.	3	19		4	29	5	24	748	360	388	22	81	25	103

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	All causes.....	1,445,158	193,855	55,059	26,929	17,408	12,892	306,143	88,012	29,693	54,503	81,024
	Males.....	779,864	109,282	28,832	13,759	8,688	6,496	167,057	19,575	14,745	28,507	36,692
	Females.....	665,294	84,573	26,227	13,170	8,720	6,396	139,036	18,437	14,948	25,996	44,332
I.—General diseases.....		521,903	31,234	22,325	13,155	9,180	6,943	82,837	19,940	14,884	29,806	44,917
	Males.....	271,654	16,818	11,298	6,472	4,506	3,440	42,534	9,634	6,482	14,777	20,212
	Females.....	250,249	14,416	11,027	6,688	4,874	3,503	40,303	10,306	8,402	15,029	24,705
1	Typhoid fever.....	(M.) 5,704 (F.) 4,463	48 36	55 41	48 50	70 73	73 55	294 255	412 446	479 608	872 775	732 606
2	Typhus fever.....	(M.) (F.)	3						1			
3	Relapsing fever.....	(M.) (F.)										
4	Malaria.....	(M.) 1,242 (F.) 1,292	147 133	79 73	72 52	37 51	27 34	362 343	113 112	57 80	84 88	48 102
5	Smallpox.....	(M.) 220 (F.) 118	31 31	5 2	2 4	4 4	4 3	46 36	11 8	11 3	5 7	9 6
6	Measles.....	(M.) 4,226 (F.) 3,997	1,077 876	1,246 1,081	512 469	274 256	158 159	3,267 2,841	336 365	108 165	156 165	86 81
7	Scarlet fever.....	(M.) 1,210 (F.) 1,125	59 45	124 103	137 108	133 110	120 115	578 491	318 303	136 117	62 69	49 66
8	Whooping cough.....	(M.) 6,192 (F.) 7,536	3,148 3,414	1,517 1,913	576 881	334 458	193 285	5,768 6,951	312 455	48 64	18 9	8 9
9	Diphtheria and croup.....	(M.) 5,863 (F.) 5,320	510 350	841 690	874 703	749 651	608 552	3,582 2,946	1,530 1,482	360 435	130 117	54 90
10	Influenza.....	(M.) 125,118 (F.) 108,472	7,080 5,794	5,465 5,483	3,296 3,492	2,176 2,430	1,700 1,774	19,687 18,928	4,630 5,358	3,498 4,407	8,996 7,453	11,115 13,830
11	Miliary fever.....	(M.) (F.)	4									
12	Asiatic cholera.....	(M.) (F.)										
13	Cholera nostras.....	(M.) 156 (F.) 143	31 23	11 9	7 6	5 3	4 1	58 42	11 7	2 4	4 3	1 1
14	Dysentery.....	(M.) 2,406 (F.) 2,314	585 447	429 371	165 146	73 78	53 42	1,305 1,084	116 96	33 29	28 24	32 32
15	Plague.....	(M.) (F.)										
16	Yellow fever.....	(M.) (F.)										
17	Leprosy.....	(M.) 15 (F.) 9										1 1
18	Erysipelas.....	(M.) 1,413 (F.) 1,166	390 381	30 37	9 9	4 8	4 4	437 439	15 12	14 17	26 21	22 25
19	Other epidemic diseases.....	(M.) 314 (F.) 244	90 50	43 31	30 15	13 12	12 14	188 122	36 31	15 16	17 12	12 12
20	Purulent infection and septicemia.....	(M.) 829 (F.) 617	116 60	15 11	9 10	10 11	7 4	157 96	35 31	28 18	43 39	30 56
21	Glanders.....	(M.) (F.)	4									1
22	Anthrax.....	(M.) 31 (F.) 3							1		3	2
23	Rabies.....	(M.) 41 (F.) 22		1		1	2	6 3	9 7	15 3	4 2	1 2
24	Tetanus.....	(M.) 883 (F.) 393	212 139	6 7	5 5	12 5	12 8	247 164	137 61	103 27	60 8	35 13
25	Mycoses.....	(M.) 32 (F.) 14	1 1	1 1				2		2		2
26	Pellagra.....	(M.) 1,000 (F.) 2,741	7 15	7 11	4 8	9 3	4 5	31 42	27 31	16 35	21 111	20 218
27	Beriberi.....	(M.) 7 (F.) 4	1 3					1				1
	Tuberculosis (total).....	(M.) 67,507 (F.) 53,637	1,375 1,126	1,047 920	562 545	451 378	341 316	3,776 3,285	1,062 1,066	1,023 1,849	3,643 5,524	7,211 8,587
28	Tuberculosis of the lungs.....	(M.) 58,521 (F.) 45,445	455 359	341 270	159 132	127 121	87 109	1,169 991	413 486	617 1,388	3,032 4,831	6,523 7,745
29	Acute miliary tuberculosis.....	(M.) 1,928 (F.) 1,708	76 57	45 47	31 31	21 22	9 19	182 176	53 41	55 102	191 298	235 344
30	Tuberculous meningitis.....	(M.) 3,108 (F.) 2,768	623 530	523 503	288 305	210 177	166 145	1,810 1,660	388 355	148 177	144 134	120 113
31	Abdominal tuberculosis.....	(M.) 1,863 (F.) 2,171	120 85	77 59	41 38	45 26	37 23	320 231	103 94	72 87	127 161	147 236
32	Pott's disease.....	(M.) 604 (F.) 406	10 8	13 6	14 10	22 11	17 10	76 45	40 43	41 33	51 36	53 27
33	White swellings.....	(M.) 386 (F.) 184	9 8	7 2	6 5	6 7	9 3	37 25	26 15	36 19	25 15	41 17
34	Tuberculosis of other organs.....	(M.) 823 (F.) 622	45 40	22 20	10 17	17 11	11 5	98 93	31 24	43 32	50 30	68 55
35	Disseminated tuberculosis.....	(M.) 334 (F.) 335	37 39	19 13	13 7	3 3	5 2	77 64	8 8	11 13	23 24	24 50
36	Rickets.....	(M.) 318 (F.) 246	161 119	85 66	35 26	13 8	1 2	295 221	10 4	3 3	2 2	
37	Syphilis.....	(M.) 1,945 (F.) 2,577	1,110 894	72 80	37 24	22 24	15 10	1,256 1,032	27 27	30 23	61 66	147 153
38	Gonococcus infection.....	(M.) 115 (F.) 385	21 26	1		2		21 29	3 3	2 2	3 3	7 76

CAUSES OF DEATH, BY SEX AND AGE.

259

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEASED: 1918

soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
I.—General diseases—Continued.												
39	Cancer and other malignant tumors (total).	{ M. 26,663 F. 38,619	32 27	38 21	40 39	35 37	27 33	172 157	71 69	72 52	107 109	160 205
40	Of the buccal cavity.	{ M. 1,896 F. 448	2 2	4 1	1 2	1 2	1 1	10 6	7 4	5 4	6 3	3 3
41	Of the stomach, liver.	{ M. 12,661 F. 12,105	5 6	5 4	5 5	7 8	2 1	24 24	8 8	5 7	10 11	26 36
42	Of the peritoneum, intestines, rectum.	{ M. 3,532 F. 5,098	3 6	1 1	2 2	2 4	1 4	8 17	11 6	7 2	16 13	29 28
43	Of the female genital organs.	{ M. 9,892 F. 107	1 1	—	4	—	2	7	5	5	20	72
44	Of the breast.	{ M. 5,933 F. 1,367	1 1	2	1	—	—	1	2	2	1	9
45	Of the skin.	{ M. 857 F. 7,100	—	—	2	1	1	4	1	2	2	4
46	Of other organs or of organs not specified.	{ M. 4,286 F. 109	11 11	15 8	27 2	31 4	25 2	124 98	44 47	52 34	74 57	93 55
47	Other tumors (tumors of the female genital organs excepted).	{ M. 167 F. 1,505	3 9	5 10	—	1	—	11 9	2 2	4 4	3 6	2 6
48	Acute articular rheumatism.	{ M. 1,608 F. 400	15 —	9 —	8 9	16 11	25 29	68 73	177 151	185 177	123 123	78 96
49	Chronic rheumatism and gout.	{ M. 633 F. 44	—	—	—	—	—	—	3 33	2 2	1 1	8 1
50	Scurvy.	{ M. 47 F. 44	29 23	3 4	2 2	1 1	—	33 30	2 1	1 1	1 3	1 3
51	Diabetes.	{ M. 6,038 F. 6,842	13 8	19 10	19 18	21 18	17 17	89 71	106 110	161 176	205 174	198 188
52	Exophthalmic goiter.	{ M. 1,248 F. 168	1 1	—	—	—	—	2 1	3 1	7 13	15 58	97 97
53	Addison's disease.	{ M. 151 F. 155	1 1	—	—	1	—	3 3	1 1	3 2	4 3	4 4
54	Leukemia.	{ M. 853 F. 563	26 10	23 8	16 6	8 10	13 12	86 46	44 15	45 16	34 18	42 29
55	Anemia, chlorosis.	{ M. 2,038 F. 2,482	88 58	34 28	12 15	5 12	8 6	142 119	24 21	15 29	27 42	26 65
56	Other general diseases.	{ M. 880 F. 759	416 307	89 59	27 43	20 19	9 21	561 449	50 36	22 26	22 18	13 25
57	Alcoholism (acute or chronic).	{ M. 1,990 F. 203	—	—	—	—	—	—	—	2 2	3 4	21 4
58	Chronic lead poisoning.	{ M. 117 F. 6	—	—	—	—	—	—	1	—	—	2 2
59	Other chronic occupation poisonings.	{ M. 28 F. 3	—	—	—	—	—	—	—	—	3	4
	Other chronic poisonings.	{ M. 118 F. 78	—	—	—	—	—	—	—	—	3	14
	II.—Diseases of the nervous system and of the organs of special sense.	107,184	4,846	1,710	1,033	682	505	8,776	1,733	1,321	1,439	1,514
	Males.	56,452	2,794	935	578	353	266	4,926	936	723	888	843
	Females.	50,732	2,052	775	455	329	239	3,850	797	598	551	671
60	Encephalitis.	{ M. 389 F. 298	62 46	25 22	21 13	8 9	5 4	121 94	28 24	22 15	25 17	12 19
61	Meningitis (total).	{ M. 4,346 F. 3,154	927 705	477 351	310 255	186 179	161 124	2,061 1,014	444 402	288 246	364 163	253 157
	Simple meningitis.	{ M. 1,799 F. 1,381	448 365	214 180	144 127	84 75	61 47	951 774	155 145	104 72	95 54	80 52
	Cerebrospinal meningitis (undefined).	{ M. 1,162 F. 801	215 170	136 108	84 60	46 50	45 24	526 412	129 107	82 64	122 37	70 41
	Cerebrospinal fever.	{ M. 1,385 F. 972	264 170	127 83	82 68	56 54	55 53	584 428	160 150	102 110	147 72	103 64
62	Locomotor ataxia.	{ M. 1,390 F. 467	1 —	—	—	—	—	1	2	1	3	7
63	Other diseases of the spinal cord (total).	{ M. 2,681 F. 2,317	103 66	80 84	73 67	49 42	24 37	329 296	115 102	70 66	78 40	56 46
	Acute anterior poliomyelitis.	{ M. 518 F. 436	69 48	72 60	64 29	40 33	18 24	263 242	90 75	43 42	37 15	37 11
	Other diseases of the spinal cord.	{ M. 2,163 F. 1,881	34 18	8 12	9 7	9 13	6 4	66 54	25 27	27 24	1 2	41 35
64	Cerebral hemorrhage, apoplexy.	{ M. 32,181 F. 32,680	107 81	33 36	27 15	8 5	7 11	182 148	45 40	39 34	63 69	97 122
65	Softening of the brain.	{ M. 598 F. 517	—	—	—	—	—	—	—	1 1	1 1	1 1
66	Paralysis without specified cause.	{ M. 3,396 F. 3,784	25 21	9 4	10 4	4 4	4 4	52 37	14 12	18 12	15 17	18 29
67	General paralysis of the insane.	{ M. 4,320 F. 1,535	—	—	—	—	—	—	—	—	11 3	29 15
68	Other forms of mental alienation.	{ M. 905 F. 1,064	—	—	—	—	—	—	—	—	25 3	57 23
69	Epilepsy.	{ M. 2,133 F. 1,448	72 59	20 16	14 4	13 19	17 14	136 112	72 57	134 83	192 116	220 128
70	Convulsions (nonpuerperal).	{ M. 73 F. 84	—	—	—	—	—	—	—	27 24	10 6	5 12
71	Convulsions of infants.	{ M. 1,543 F. 1,187	1,242 869	187 173	62 49	38 31	14 15	1,543 1,137	—	—	—	9
72	Chorea.	{ M. 72 F. 41	2 1	1 1	1 1	—	—	—	4	1	7 1	12 2
73	Neuralgia and neuritis.	{ M. 152 F. 221	—	—	2 1	1 1	—	—	4	1	1 1	2 1

1 Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY SEX AND AGE.

261

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEASED: 1918—Continued.
soldiers, sailors, and marines.]

DEATHS AT AGE OF—																Deaths at un-known age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
255	406	738	1,210	1,841	2,785	3,422	3,888	3,903	3,405	2,318	1,284	500	104	27	6	39	
461	936	1,723	2,848	3,908	4,417	4,856	4,871	4,725	3,986	2,797	1,591	636	184	27	7	53	
9	18	33	84	127	187	233	306	270	229	180	105	57	9	6	2	2	
7	9	16	27	26	40	43	43	52	53	48	41	17	5	1	4	39	
53	133	311	559	987	1,458	1,794	2,023	1,961	1,647	1,037	454	134	22	2	21	40	
76	136	288	549	893	1,200	1,503	1,763	1,907	1,686	1,125	600	223	40	7	1	17	
59	76	137	194	241	369	438	517	516	446	267	184	47	14	2	4	41	
68	116	191	316	424	506	645	670	690	607	449	246	75	18	4	7	7	
181	388	726	1,080	1,444	1,389	1,309	1,106	883	618	374	193	57	18	3	14	42	
5	3	7	8	9	8	12	6	16	16	14	8	2	1	1	1	39	
44	153	319	569	739	789	790	725	574	475	360	221	106	31	4	3	43	
10	5	21	25	53	85	107	134	164	201	216	188	112	29	12	3	44	
9	8	13	41	53	70	96	108	137	134	90	44	6	1	2	2	45	
114	166	224	340	439	679	842	986	866	604	365	148	30	3	2	2	45	
76	121	167	294	358	452	513	494	523	434	304	156	68	28	2	3	2	
4	10	4	8	12	14	17	16	18	9	11	11	5	3	2	2	46	
6	60	76	74	73	88	81	103	75	51	59	36	14	5	3	2	47	
84	68	51	61	82	84	79	87	88	91	85	55	30	9	2	2	48	
12	19	13	21	18	21	42	39	50	64	47	34	12	1	1	1	48	
5	12	16	24	36	34	55	66	96	106	74	56	26	15	1	1	49	
1	1	1	2	2	2	1	1	1	1	1	1	1	1	1	1	49	
232	292	236	302	412	516	649	719	783	573	359	168	64	13	6	6	50	
183	184	224	263	396	584	860	1,008	942	744	449	189	66	11	4	6	50	
13	14	17	18	11	23	15	15	6	4	2	3	2	1	1	3	51	
80	123	135	141	151	140	124	70	62	37	8	2	2	2	2	3	52	
11	11	19	18	20	13	8	18	11	6	3	2	2	2	2	2	52	
9	12	20	14	13	21	23	15	6	8	3	1	1	1	1	1	53	
56	52	61	48	84	72	69	50	32	13	7	2	1	1	1	1	53	
31	52	61	39	45	53	53	37	25	22	15	3	2	1	1	1	54	
28	49	79	133	158	215	237	248	266	170	91	45	16	4	3	1	54	
76	97	154	156	218	272	285	313	258	178	127	45	20	3	1	1	55	
16	13	17	21	7	11	23	26	21	15	20	11	4	1	1	1	55	
20	13	19	25	18	9	17	11	19	15	17	7	10	3	1	1	55	
83	198	318	298	302	255	189	127	82	46	35	10	7	1	1	16	56	
23	23	37	32	32	27	10	6	5	1	1	2	1	1	1	1	56	
5	6	15	11	12	21	14	14	6	6	4	1	1	1	1	1	57	
3	3	2	1	5	2	1	1	1	1	1	1	1	1	1	1	58	
23	11	10	13	11	5	7	2	6	8	5	5	2	1	1	1	59	
9	7	6	6	7	3	3	6	9	5	5	2	1	1	1	1	59	
1,757	2,411	3,221	4,000	5,206	6,976	8,376	10,384	11,755	13,149	11,615	8,047	3,864	1,126	220	54	240	
1,024	1,497	1,961	2,288	2,854	3,627	4,530	5,728	6,199	6,676	5,684	3,703	1,654	464	91	13	143	
733	914	1,260	1,712	2,352	3,349	3,846	4,656	5,556	6,473	5,931	4,344	2,210	662	129	41	97	
30	27	23	17	24	10	14	11	8	5	9	1	2	1	1	1	60	
14	19	14	15	15	15	7	4	5	5	2	1	1	3	1	1	61	
169	151	152	124	89	84	46	41	33	17	12	6	5	1	1	1	61	
98	67	83	68	60	56	43	32	18	16	13	8	4	1	1	1	61	
53	56	64	54	49	38	20	25	25	12	10	3	4	1	1	1	61	
36	36	35	36	32	32	19	13	14	10	9	6	4	1	1	1	61	
60	41	26	35	12	22	13	9	5	5	2	2	1	1	1	1	61	
31	19	21	13	14	9	12	10	2	3	2	1	1	1	1	1	61	
56	54	62	25	28	13	7	3	2	3	2	1	1	1	1	1	61	
31	12	27	19	14	15	12	9	2	3	2	1	1	1	1	1	61	
12	39	72	83	137	202	220	206	184	121	61	26	9	1	1	3	62	
10	10	21	41	55	43	74	63	63	40	30	10	2	2	1	1	62	
68	87	74	88	115	153	201	256	326	301	205	99	48	9	1	1	63	
56	39	55	93	110	167	201	214	231	259	178	110	35	14	2	1	1	63
11	15	8	4	6	5	3	4	2	5	2	4	1	1	1	1	1	63
7	3	5	7	4	5	5	2	2	2	1	1	1	1	1	1	1	63
57	72	66	84	109	148	198	252	324	296	203	95	48	9	1	1	63	
49	33	52	88	103	163	196	209	229	257	177	110	35	14	2	1	1	63
174	321	496	823	1,405	2,159	3,099	4,206	4,627	5,150	4,489	2,966	1,328	372	71	9	60	
147	273	513	865	1,451	2,341	2,886	3,587	4,442	5,109	4,741	1,737	517	111	24	52	64	
4	3	4	6	9	15	42	67	89	109	113	77	38	13	1	2	65	
3	4	4	6	16	24	33	33	56	87	116	71	39	18	3	2	66	
20	39	54	68	120	148	236	365	490	601	527	378	152	51	13	1	66	
33	36	64	97	121	219	209	326	430	636	607	500	287	80	9	7	66	
125	394	642	687	606	512	375	286	223	168	184	73	29	7	1	1	67	
47	126	158	175	161	171	121	129	93	118	94	65	40	7	2	1	67	
66	77	98	76	89	74	79	75	58	53	33	18	9	1	1	16	68	
85	88	100	103	118	104	97	80	62	56	48	23	16	4	2	1	68	
240	216	179	162	127	103	90	75	64	46	30	22	7	2	1	16	69	
143	119	128	115	100	61	66	56	56	42	27	22	8	1	1	1	70	
3	4	5	7	4	4	1	2	2	2	1	1	1	1	1	1	71	
																72	
1	4	6	10	5	11	12	19	32	26	22	16	18	7	6	2	1	73
7	11	5	15	11	12	19	32	26	22	17	16	18	7	6	2	1	73

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	
II.—Diseases of the nervous system and of the organs of special sense—Continued.													
74	Other diseases of the nervous system.....	(M. 1,451 F. 1,323)	112 87	33 33	28 19	24 17	16 13	213 169	78 67	65 61	46 46	54 57	
75	Diseases of the eyes and their annexa.....	(M. 50 F. 42)	7 4	2 2	2 4	2 2	2 2	15 14	6 3	1 1	3 2	3 2	
76	Diseases of the ears.....	(M. 803 F. 589)	135 111	68 51	31 28	21 21	15 15	270 221	99 63	65 61	53 23	29 22	
III.—Diseases of the circulatory system.....													
	Males.....	84,457	750	173	115	78	82	1,198	655	819	1,006	1,145	
	Females.....	76,760	566	140	87	97	89	979	679	1,079	1,181	1,611	
77	Pericarditis.....	(M. 513 F. 400)	8 7	4 6	6 2	2 7	1 7	21 24	13 17	13 13	28 11	15 10	
78	Acute endocarditis.....	(M. 3,433 F. 3,223)	175	28	23	11	17	254	108	109	121	139	
79	Organic diseases of the heart.....	(M. 68,952 F. 60,562)	349	98	62	51	58	618	228	120	148	170	
80	Angina pectoris.....	(M. 3,819 F. 2,218)	281	79	52	60	57	529	496	665	820	944	
81	Diseases of the arteries, atherosclerosis, aneurism, etc.....	(M. 10,699 F. 8,314)	4	1	1	1	1	4	1	2	8	12	
82	Embolism and thrombosis.....	(M. 1,387 F. 1,417)	29	4	4	3	5	45	14	10	14	15	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	(M. 213 F. 256)	5	1	1	1	1	6	2	2	1	1	
84	Diseases of the lymphatic system (lymphangitis, etc.).....	(M. 284 F. 191)	155	33	14	10	1	213	15	8	5	4	
85	Hemorrhage; other diseases of the circulatory system.....	(M. 207 F. 179)	23	3	5	4	1	141	10	7	4	3	
IV.—Diseases of the respiratory system.....													
	Males.....	245,216	31,242	14,888	6,737	3,720	2,598	59,185	6,626	5,087	10,983	18,128	
	Females.....	136,795 108,421	17,561 13,681	7,884 7,004	3,404 3,333	1,805 1,915	1,271 1,327	31,925 27,260	3,359 3,267	2,287 2,750	6,070 4,913	8,662 9,461	
86	Diseases of the nasal fossae.....	(M. 190 F. 153)	98	19	6	2	4	129	11	4	7	7	
87	Diseases of the larynx.....	(M. 448 F. 330)	81	15	5	1	1	103	2	4	4	3	
88	Diseases of the thyroid body.....	(M. 88 F. 470)	91	67	36	33	23	250	50	14	5	5	
89	Acute bronchitis.....	(M. 3,814 F. 3,801)	2,072	503	184	70	44	2,873	77	17	21	15	
90	Chronic bronchitis.....	(M. 2,422 F. 2,723)	111	16	10	8	7	2,608	60	22	21	24	
91	Bronchopneumonia.....	(M. 28,773 F. 25,924)	9,274	3,872	1,495	698	430	15,769	885	362	542	790	
92	Pneumonia (total).....	(M. 96,197 F. 71,506)	5,713	3,235	1,583	927	721	12,179	955	448	539	949	
	Lobar pneumonia.....	(M. 83,567 F. 61,154)	3,964	2,525	1,214	727	565	10,314	2,198	1,804	5,327	7,616	
	Pneumonia (undefined).....	(M. 12,630 F. 10,352)	1,749	2,068	1,201	728	600	7,560	1,781	1,500	4,657	6,776	
93	Pleurisy.....	(M. 1,939 F. 1,240)	93	125	57	52	30	3,134	417	304	3,643	7,398	
94	Pulmonary congestion, pulmonary apoplexy.....	(M. 702 F. 778)	98	15	9	7	4	133	4	9	12	12	
95	Gangrene of the lung.....	(M. 207 F. 80)	83	20	8	6	3	120	13	5	7	18	
96	Asthma.....	(M. 1,126 F. 982)	17	11	10	3	3	11	4	1	7	6	
97	Pulmonary emphysema.....	(M. 109 F. 64)	4	1	2	1	1	7	2	2	1	2	
98	Other diseases of the respiratory system (tuberculosis excepted).....	(M. 780 F. 370)	31	6	9	3	55	7	7	26	33		
	V.—Diseases of the digestive system.....	111,005	41,688	12,012	3,349	1,628	1,003	59,680	2,696	1,891	2,031	2,131	
	Males.....	59,863	23,397	6,429	1,795	871	548	33,040	1,416	1,025	1,031	976	
	Females.....	51,142	18,201	5,583	1,554	757	455	26,640	1,280	866	1,000	1,155	
99	Diseases of the mouth and antra.....	(M. 375 F. 365)	153	17	4	5	7	186	14	7	4	7	
100	Diseases of the pharynx.....	(M. 1,049 F. 964)	94	50	49	64	49	306	189	5	4	11	
101	Diseases of the esophagus.....	(M. 55 F. 45)	3	2	1	1	1	233	147	95	63	62	
102	Ulcer of the stomach.....	(M. 2,035 F. 1,101)	12	4	3	3	1	20	10	4	10	24	
103	Other diseases of the stomach (cancer excepted).....	(M. 4,223 F. 3,977)	1,591	233	125	64	35	2,048	93	32	30	42	
104	Diarrhea and enteritis (under 2 years).....	(M. 26,330 F. 21,423)	20,485	5,845	-----	-----	-----	26,330	-----	-----	-----	45	
105	Diarrhea and enteritis (2 years and over).....	(M. 5,618 F. 5,711)	16,322	5,101	1,415	588	306	21,423	2,259	412	100	67	
106	Ankylostomiasis.....	(M. 12 F. 16)	1	1	1	1	1	1,533	95	35	48	62	

CAUSES OF DEATH, BY SEX AND AGE.

263

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918—Continued.

soldiers, sailors, and marines.]

DEATHS AT AGE OF—																			Deaths at unknown age.	Detailed Int'l. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.					
79	97	108	104	91	122	91	88	56	66	47	19	16	6	2	2	3	4	74		
60	92	87	85	108	107	64	71	63	64	47	39	21	9	2	2	3	4			
2	1	1	2	1	2	2	3	2	2	3	4	1	1	1	1	1	1	75		
31	35	40	34	29	35	20	29	17	7	1	3	2	1	1	1	1	1	76		
24	21	19	25	21	20	18	20	10	6	7	4	6	2	2	2	2	2			
3,460	4,197	5,252	6,456	8,077	9,961	12,336	16,160	18,815	21,231	19,622	14,391	7,511	2,422	566	127	281				
1,427	1,955	2,599	3,311	4,387	5,542	7,098	9,124	10,589	11,439	10,216	7,041	3,513	1,011	210	56	166				
2,083	2,242	2,653	3,145	3,740	4,419	5,238	7,036	8,226	9,792	9,406	7,350	3,998	1,411	356	71	115				
14	27	15	22	21	44	55	52	49	43	40	21	12	4	2	2	2	2	77		
17	18	20	15	13	21	37	32	32	41	30	36	10	6	3	3	3	3	78		
155	196	271	326	386	488	505	107	87	79	51	30	11	3	4	4	4	4			
232	254	241	278	314	327	382	76	63	68	59	43	21	13	1	1	1	1			
1,175	1,579	1,997	2,578	3,323	4,196	5,392	7,309	8,406	8,795	7,580	4,923	2,278	611	107	36	126				
1,683	1,818	2,186	2,598	3,089	3,592	4,198	5,968	6,762	7,877	7,297	5,345	2,717	871	195	43	96	79			
24	47	102	151	244	300	488	567	593	600	386	195	75	10	4	4	6	6			
25	54	62	67	91	134	216	288	372	349	264	166	70	15	7	3	3	80			
23	52	139	160	244	257	487	897	1,252	1,703	2,017	1,751	1,087	371	90	20	24	24			
19	24	33	85	106	209	287	517	810	1,262	1,563	1,622	1,100	475	143	28	9	81			
24	38	46	51	86	117	130	141	156	174	117	100	42	10	3	4	4	82			
39	46	69	69	87	101	92	122	152	160	164	113	69	24	6	6	6	82			
5	9	12	14	17	24	22	23	29	25	9	8	3	2	1	1	1	1	83		
11	15	27	17	23	25	27	16	19	17	18	11	4	5	1	1	1	1			
5	3	1	2	4	3	8	4	4	2	4	3	2	5	2	2	2	2	84		
2	3	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	85		
5	10	14	8	14	12	18	24	13	18	12	12	12	5	5	2	2	2			
26,150	24,418	17,723	11,423	9,716	8,099	7,532	7,680	7,744	7,765	6,894	5,209	2,868	1,066	250	72	653				
13,916	15,013	11,546	7,587	6,487	5,126	4,633	4,482	4,164	3,865	3,213	2,257	1,194	415	97	21	476				
12,234	9,405	6,177	3,836	3,229	2,973	2,399	3,198	3,580	3,900	3,681	2,952	1,074	651	153	51	177				
2	3	1	1	4	1	1	3	4	5	3	3	1	1	1	1	1	86			
1	6	3	3	3	4	2	1	1	3	1	3	4	2	1	1	1	87			
4	8	8	11	8	10	10	6	19	14	12	6	6	1	1	1	1	88			
7	7	5	6	14	9	6	3	9	3	5	4	3	1	1	1	1				
5	6	5	4	10	9	6	6	3	3	2	3	3	2	1	1	1				
48	41	42	37	58	48	41	22	18	15	19	5	3	1	1	1	1	88			
13	21	35	39	27	34	58	61	71	98	108	119	79	37	10	1	1	89			
45	31	22	26	29	24	39	58	81	118	159	201	137	74	4	5	5	90			
29	33	53	64	89	111	159	167	222	318	370	317	193	67	16	16	16	101			
45	41	37	50	67	87	100	175	257	387	436	425	249	132	44	6	6	156			
1,255	1,402	1,161	785	700	565	613	647	698	787	770	528	314	113	26	5	56	91			
1,294	1,005	696	451	423	405	473	617	747	917	966	822	479	186	40	13	26				
12,406	13,328	10,009	6,402	5,293	4,022	3,428	3,231	2,785	2,335	1,667	1,070	501	150	32	9	405	92			
10,687	8,124	5,212	3,106	2,459	2,242	2,076	2,118	2,204	2,176	1,804	1,245	632	220	49	23	136				
11,271	12,205	9,058	5,793	4,733	3,615	3,055	2,840	2,413	1,968	1,327	821	369	106	26	9	249				
9,674	7,342	4,669	2,779	2,165	1,968	1,785	1,843	1,786	1,786	1,443	926	443	149	37	15	101				
1,135	1,123	951	609	580	407	373	391	372	367	340	249	132	44	6	6	156				
983	732	543	327	294	274	291	275	328	390	361	319	189	71	12	8	8	35			
120	116	138	118	146	125	123	105	105	67	43	28	7	5	1	1	2	93			
80	62	77	74	62	48	60	64	69	51	52	31	18	7	7	7	1	1			
13	15	18	16	21	17	19	39	45	56	78	95	53	31	11	4	1	94			
11	18	16	14	21	18	22	23	58	65	90	120	86	40	13	3	1	95			
16	12	21	15	20	21	17	13	11	7	10	2	2	2	2	2	2	95			
9	8	8	4	7	3	3	3	4	4	4	1	1	1	1	1	1	96			
15	28	47	56	95	110	123	122	121	127	104	68	25	9	1	5	5	96			
26	34	40	48	64	70	65	89	101	123	112	78	35	10	2	4	4	97			
4	1	2	6	7	5	5	16	12	16	15	3	4	4	1	1	1	97			
3	40	48	70	71	93	69	69	33	29	29	15	9	8	2	1	2	98			
28	28	19	16	17	18	10	23	29	29	27	10	8	2	1	1	2	98			
2,450	2,749	3,203	3,248	3,706	3,853	4,070	4,172	4,058	3,789	3,279	2,268	1,084	386	103	29	129				
1,165	1,381	1,747	1,767	2,110	2,162	2,294	2,312	2,163	1,921	1,586	1,023	486	137	33	8	80				
1,285	1,368	1,456	1,481	1,596	1,691	1,776	1,880	1,885	1,868	1,693	1,245	598	249	70	21	49				
15	6	19	13	19	18	17	13	13	7	4	4	1	1	1	1	1	99			
13	16	14	11	18	10	14	19	16	22	19	13	12	5	3	2	2	100			
59	51	38	33	29	31	30	27	22	19	13	9	14	5	1	1	1	101			
59	50	37	39	26	25	27	17	17	13	9	14	5	1	1	1	1	102			
102	134	185	213	220	201	237	192	147	124	92	48	24	3	1	1	1	102			
59	67	95	92	101	98	109	84	91	83	59	25	11	6	1	1	1	103			
49	72	102	111	140	147	167	201	205	238	223	174	98	34	7	3	7	103			
80	92	110	107	129	123	143	184	221	262	264	133	74	24	5	8	8	106			
106	144	169	154	209	185	205	230	265	264	229	146	41	12	1	26	15	105			
115	127	131	138	185	181	154	2													

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
V.—Diseases of the digestive system—Continued.												
107	Intestinal parasites.....	{M. 112 F. 95	12	25	18	14	12	81	19	1	1
108	Appendicitis and typhlitis.....	{M. 5,444 F. 4,289	32	36	43	64	60	235	453	593	608	474
109	Hernia, intestinal obstruction (total).....	{M. 4,813 F. 4,505	759	145	77	64	43	1,088	114	64	97	106
	Herna.....	{M. 1,864 F. 1,512	159	28	6	4	3	200	9	6	18	26
	Intestinal obstruction.....	{M. 2,949 F. 2,993	600	117	71	60	40	888	105	58	79	80
110	Other diseases of the intestines.....	{M. 929 F. 903	84	21	17	11	7	140	28	21	60	119
			55	15	16	7	4	97	21	17	18	20
111	Acute yellow atrophy of the liver.....	{M. 144 F. 159	5	1	2	1	1	10	4	3	4	5
112	Hydatid tumor of the liver.....	{M. 18 F. 13	1	2	1	1	1	1	1	19
113	Cirrhosis of the liver.....	{M. 5,261 F. 2,533	9	7	2	3	2	23	13	12	10	26
114	Biliary calculi.....	{M. 690 F. 1,768	2	2	1	9
	2	2	4	27
115	Other diseases of the liver.....	{M. 1,574 F. 1,965	63	14	13	16	9	115	33	16	33	46
116	Diseases of the spleen.....	{M. 120 F. 62	9	5	4	5	2	80	26	14	30	56
117	Simple peritonitis (nonpuerperal).....	{M. 832 F. 1,026	82	25	18	17	13	25	6	5	7	5
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	{M. 229 F. 222	55	21	15	14	11	156	60	60	62	46
			3	1	1	1	1	116	63	44	82	102
			2	2	3	4	10	8
VI.—Nonvenereal diseases of the genito-urinary system and annexa.												
		91,083	784	359	282	194	172	1,791	616	567	978	1,545
	Males.....	50,002	460	173	160	110	84	987	328	279	418	502
	Females.....	41,081	324	186	122	84	88	804	288	288	560	1,033
119	Acute nephritis.....	{M. 3,192 F. 2,761	231	86	99	52	45	513	160	93	118	115
120	Bright's disease.....	{M. 40,576 F. 32,663	95	65	54	52	35	382	119	87	117	141
121	Chyluria.....	{M. 1 F. 1	5	2	5	4	5
122	Other diseases of the kidneys and annexa.....	{M. 1,042 F. 843	87	19	6	5	1	118	11	9	11	24
123	Calculi of the urinary passages.....	{M. 329 F. 143	3	138	16	7	15	45
124	Diseases of the bladder.....	{M. 1,097 F. 260	11	3	1	3	2	15	2	1	1	2
125	Diseases of the urethra, urinary abscess, etc.....	{M. 289 F. 14	7	2	1	1	1	12	3	2	2	2
126	Diseases of the prostate.....	{M. 3,385 F. 87	1	1	3	1	1	1	6
127	Nonvenereal diseases of the male genital organs.....	{M. 61 F. 1	27	2	1	1	30	1	2	5	1
128	Uterine hemorrhage (nonpuerperal).....	{M. 1,467 F. 804	1	1	1	1	8	7
129	Uterine tumor (noncancerous).....	{M. 1,467 F. 804	1	1	1	4	4	16
130	Other diseases of the uterus.....	{M. 1,467 F. 804	1	1	1	4	27	60
131	Cysts and other tumors of the ovary.....	{M. 611 F. 611	1	2	2	20	28
132	Salpingitis and other diseases of the female genital organs.....	{M. 1,423 F. 5	5	4	2	2	3	57	215	1
133	Nonpuerperal diseases of the breast (cancer excepted).....	{M. 30 F. 10	10	2	10	29	1,596	4,264	1
VII.—The puerperal state.												
		18,177	29	1,596	4,264	1
134	Accidents of pregnancy.....	{M. 4,250 F. 1,249	4	292	1,088	1
135	Puerperal hemorrhage.....	{M. 3,271 F. 5,250	5	32	185	2
136	Other accidents of labor.....	{M. 3,271 F. 5,250	8	242	767	1
137	Puerperal septicemia.....	{M. 3,271 F. 5,250	8	485	1,296	1
138	Puerperal albuminuria and convulsions.....	{M. 3,651 F. 410	11	512	877	1
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	{M. 410 F. 83	1	17	79	1
140	Following childbirth (not otherwise defined).....	{M. 13 F. 13	1	5	16	6
141	Puerperal diseases of the breast.....	{M. 13 F. 13	1	1	1	6
VIII.—Diseases of the skin and of the cellular tissue.												
		3,416	585	56	32	27	14	714	45	29	49	67
	Males.....	1,906	342	31	18	15	7	413	22	20	28	33
	Females.....	1,450	243	25	14	12	7	301	23	9	21	34
142	Gangrene.....	{M. 919 F. 739	18	8	6	9	4	45	5	3	1	7
143	Furuncle.....	{M. 310 F. 134	55	4	3	6	2	29	14	3	5	2
144	Acute abscess.....	{M. 385 F. 244	86	11	7	5	2	62	2	3	8	12
145	Other diseases of the skin and annexa.....	{M. 352 F. 333	183	6	4	1	1	31	1	3	3	7
		126	12	3	2	1	1	195	4	1	3	8

CAUSES OF DEATH, BY SEX AND AGE.

265

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES; BY SEX AND AGE OF DECEDENT: 1918—Continued.
soldiers, sailors, and marines.]

DEATHS AT AGE OF—																	Deaths at un- known age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.			
1	2	3	1	2	2	1	1	1	2	2	1	2	2	2	2	2	107	
1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	8	
453	440	478	391	355	303	199	165	127	89	43	19	7	2	2	2	3		
404	385	301	255	210	189	160	113	63	62	40	19	9	1	1	1	11		
131	139	196	190	241	279	336	388	384	388	321	217	90	25	4	4	6		
165	196	216	245	276	319	314	350	383	390	329	192	52	34	9	2	5		
37	41	77	76	102	155	172	183	198	198	177	116	49	13	4	2	6		
21	30	59	86	104	170	151	197	196	182	139	58	31	16	2	2	5		
94	98	119	114	139	124	164	205	186	190	144	101	41	12	7	2	6		
144	166	157	159	172	149	163	153	187	208	100	134	51	18	7	2	4		
41	59	44	50	70	66	48	59	55	72	58	40	26	7	5	2	2		
65	50	66	61	49	62	65	40	56	64	57	48	29	5	2	2	110		
7	6	17	5	6	6	15	14	11	9	10	8	1	1	1	1	3		
18	18	4	7	9	7	9	7	8	9	10	8	3	2	2	2	111		
2	3	3	3	1	1	1	2	1	1	2	1	1	1	1	1	112		
55	142	266	402	544	652	728	718	674	469	314	150	48	11	1	1	9		
41	83	140	168	208	228	302	288	303	258	223	184	57	2	1	1	113		
18	21	31	51	66	77	85	95	84	66	47	19	14	1	1	1	1		
50	72	113	135	167	205	242	213	196	145	112	63	17	4	4	1	114		
63	78	99	96	135	131	147	134	119	112	95	78	27	8	1	1	8		
73	92	117	119	150	174	179	213	188	167	135	87	41	16	4	1	3		
8	6	5	4	9	2	7	10	8	5	8	2	1	1	1	1	115		
3	3	3	4	3	1	3	6	2	7	1	4	1	1	1	1	116		
48	56	52	26	39	36	41	39	31	35	24	15	4	2	1	1	117		
111	93	82	73	50	33	32	39	23	28	29	18	4	1	1	1	118		
3	21	39	21	24	20	24	22	10	12	8	5	3	3	3	3	118		
21	20	20	23	15	33	19	15	13	8	5	3	3	3	3	3	118		
2,305	2,896	3,965	4,681	5,764	6,735	7,890	9,258	10,508	11,022	9,946	6,251	3,045	930	186	53	151		
821	1,107	1,661	2,060	2,856	3,611	4,564	5,526	6,297	6,692	6,102	3,752	1,716	520	94	18	91		
1,484	1,789	2,304	2,621	2,908	3,124	3,326	3,732	4,211	4,330	3,844	2,499	1,329	410	92	35	60		
152	177	225	189	225	209	220	176	169	167	141	82	39	11	3	1	7		
174	184	182	195	193	161	175	136	152	136	88	77	42	10	4	6	119		
594	850	1,325	1,738	2,423	3,171	4,028	4,816	5,309	5,490	4,834	2,904	1,299	386	73	15	78		
740	918	1,362	1,639	2,135	2,597	2,928	3,393	3,852	4,009	3,574	2,315	1,239	377	85	35	44		
32	34	53	46	76	57	78	81	99	99	103	61	42	7	1	1	121		
42	56	45	65	58	50	46	68	55	46	50	23	6	8	1	1	122		
14	16	13	20	32	25	27	37	34	33	36	20	7	2	1	1	123		
4	17	12	14	11	18	14	10	14	13	7	3	3	3	3	3	123		
6	5	9	20	25	41	35	74	129	173	221	172	107	47	11	1	1		
6	2	8	10	6	7	9	11	25	27	55	39	22	10	1	1	124		
12	15	24	29	28	33	34	32	26	18	16	4	1	1	1	1	125		
7	6	11	16	41	69	136	306	526	708	749	506	219	66	6	2	3		
4	4	1	2	6	4	6	4	5	4	2	3	1	1	1	1	126		
4	6	9	8	6	4	1	3	3	3	3	1	1	1	1	1	128		
62	146	224	330	272	152	60	47	47	42	32	20	7	2	2	2	3		
92	125	123	114	92	54	35	29	16	13	9	7	3	1	1	1	130		
59	72	68	68	42	39	29	38	44	22	13	8	1	1	1	1	131		
298	260	264	173	74	38	19	9	4	3	3	3	2	2	2	2	132		
3	2	2	3	1	1	1	1	1	1	1	1	1	1	1	1	133		
4,679	3,695	2,701	1,022	146	9	1	1	1	1	1	1	1	1	1	1	35		
1,305	888	532	157	22	2	1	1	1	1	1	1	1	1	1	1	10		
240	300	316	153	21	1	1	1	1	1	1	1	1	1	1	1	2		
906	667	469	177	28	3	1	1	1	1	1	1	1	1	1	1	7		
1,268	1,056	785	285	42	3	1	1	1	1	1	1	1	1	1	1	11		
825	670	509	214	27	1	1	1	1	1	1	1	1	1	1	1	5		
105	94	75	34	5	1	1	1	1	1	1	1	1	1	1	1	138		
28	19	13	2	1	1	1	1	1	1	1	1	1	1	1	1	139		
2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	140		
64	66	76	114	122	156	158	190	216	316	330	331	242	93	16	15	7		
33	39	48	68	81	95	101	117	132	180	196	173	126	44	5	7	5		
31	27	28	46	41	61	57	73	84	136	134	158	116	49	11	8	2		
8	11	12	22	26	33	30	52	82	126	147	147	111	39	5	7	1		
7	6	5	18	14	26	23	43	54	107	107	129	87	43	9	7	1		
8	10	15	18	16	29	30	25	19	21	15	10	4	2	1	1	142		
4	9	5	7	12	15	11	7	8	3	3	1	1	2	1	1	143		
12	13	15	25	29	17	27	25	21	21	10	6	4	1	1	1	144		
10	9	12	8	8	12	10	8	10	8	10	6	4	1	1	1	144		
5	5	6	3	10	16	14	15	10	12	24	10	7	2	1	3	145		
10	8	6	13	7	8	13	15	12	18	14	22	23	5	1	1	145		

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of

Detailed List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	IX.—Diseases of the bones and of the organs of locomotion	2,041	169	81	49	36	46	381	205	185	130	96
	Males.....	1,248	110	45	31	14	25	225	122	108	87	58
	Females.....	793	59	36	18	22	21	156	83	77	43	38
146	Diseases of the bones (tuberculosis excepted).....{M F	1,080 652	96 52	43 35	29 17	14 20	24 21	206 145	116 79	102 70	78 39	57 36
147	Diseases of the joints (tuberculosis and rheumatism excepted).....{M F	119 107	9 5	2 1	2	—	1	14 6	4 3	6 6	6 1	1 1
148	Amputations.....{M F	2 2	—	—	—	—	—	—	—	—	—	—
149	Other diseases of the organs of locomotion.....{M F	37 34	5 2	—	—	1 2	—	5 5	2 1	—	2 4	1 1
	X.—Malformations.....	12,841	11,887	353	144	84	38	12,506	154	71	60	23
	Males.....	7,321	6,784	197	92	47	18	7,138	87	35	34	14
	Females.....	5,520	5,103	156	52	37	20	5,368	67	36	26	9
150	Congenital malformations (stillbirths not included).....{M (total) F	7,321 5,520	6,784 5,103	197 156	92 52	47 37	18 20	7,138 5,368	87 67	35 36	34 26	14 9
	Hydrocephalus.....{M F	617 552	432 423	74 49	42 21	12 13	7 6	567 512	30 19	5 8	9 6	1 3
	Congenital malformations of the heart.....{M F	4,605 3,218	4,376 3,024	73 65	32 17	25 15	4 4	4,510 3,131	40 34	26 28	16 16	7 3
	Other congenital malformations.....{M F	2,099 1,730	1,976 1,656	50 42	18 14	10 9	7 4	2,061 1,725	17 14	4 2	9 4	6 3
	XI.—Early infancy.....	62,190	62,190	—	—	—	—	62,190	—	—	—	—
	Males.....	35,850	35,850	—	—	—	—	35,850	—	—	—	—
	Females.....	26,340	26,340	—	—	—	—	26,340	—	—	—	—
151	Congenital debility, icterus, and sclerema (total).....{M F	28,894 21,639	28,894 21,639	—	—	—	—	28,894 21,639	—	—	—	—
	Premature birth.....{M F	21,977 16,558	21,977 16,558	—	—	—	—	21,977 16,558	—	—	—	—
	Congenital debility, "atrophy," "marasmus," etc.....{M F	6,917 5,081	6,917 5,081	—	—	—	—	6,917 5,081	—	—	—	—
152	Other causes peculiar to early infancy (total).....{M F	6,829 4,627	6,829 4,627	—	—	—	—	6,829 4,627	—	—	—	—
	Injuries at birth.....{M F	3,797 2,352	3,797 2,352	—	—	—	—	3,797 2,352	—	—	—	—
	Other causes peculiar to early infancy 1.....{M F	3,032 2,275	3,032 2,275	—	—	—	—	3,032 2,275	—	—	—	—
153	Lack of care.....{M F	127 74	127 74	—	—	—	—	127 74	—	—	—	—
	XII.—Old age.....	12,251	—	—	—	—	—	—	—	—	—	—
	Males.....	5,232	—	—	—	—	—	—	—	—	—	—
	Females.....	7,019	—	—	—	—	—	—	—	—	—	—
154	Senility.....{M F	5,232 7,019	—	—	—	—	—	—	—	—	—	—
	XIII.—External causes.....	81,009	2,065	1,813	1,602	1,477	1,286	8,243	4,374	3,569	4,984	5,287
	Males.....	60,479	1,136	1,049	919	783	699	4,586	2,879	2,854	4,040	4,126
	Females.....	20,530	929	764	683	694	587	3,657	1,495	715	944	1,141
	Suicide (total).....{M F	7,111 2,554	—	—	—	—	—	—	19	150	865	273
155	By poison.....{M F	763 711	—	—	—	—	—	1	18	157	52	125
156	By asphyxia.....{M F	764 514	—	—	—	—	—	—	3	23	30	40
157	By hanging or strangulation.....{M F	1,288 356	—	—	—	—	—	1	3	19	20	37
158	By drowning.....{M F	382 267	—	—	—	—	—	—	1	4	13	18
159	By firearms.....{M F	2,964 386	—	—	—	—	—	—	7	86	204	60
160	By cutting or piercing instruments.....{M F	670 110	—	—	—	—	—	—	6	33	1	11
161	By jumping from high places.....{M F	155 126	—	—	—	—	—	—	—	2	4	7
162	By crushing.....{M F	67 17	—	—	—	—	—	—	—	1	1	2
163	Other suicides.....{M F	58 47	—	—	—	—	—	—	—	2	4	1

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY SEX AND AGE.

267

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDEDENT: 1918—Continued.
soldiers, sailors, and marines.]

DEATHS AT AGE OF—																	Deaths at un-known age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.			
101	93	109	106	80	100	109	80	66	78	69	33	15	2	3		
65	61	77	64	55	66	64	44	36	44	41	21	7	1	2		
36	32	32	42	25	34	45	36	30	34	28	12	8	1	1		
61	55	67	55	47	57	50	36	28	30	25	13	5	2			
29	29	29	29	20	28	34	22	20	19	12	8	3	1			
4	4	8	6	8	8	9	6	8	7	13	5	1	1	1		
7	3	3	10*	4	5	9	10	8	13	11	3	4	1	1		
.....	2	2	3	1	1	4	2	2	7	3	1	1	1	148		
.....	3	3	1	1	2	4	2	2	2	5	1	1	1	149		
15	3	4	3	1	1		
7	1	1	2	1	1		
8	2	3	1		
7	1	1	2	1	1	150	
8	2	3	1	2	1		
1	1	1	2	1		
2	1	1	1	1		
4	1	2	1		
5	1	2	1		
2	1	1	1	1		
1	1	1	1	1		
.....	151	
.....	152	
.....	153	
.....	1	4	18	60	177	380	1,234	2,065	3,172	2,720	1,575	521	278	46		
.....	1	4	9	27	96	171	578	895	1,405	1,126	622	189	100	14		
.....	1	4	9	33	81	209	656	1,170	1,767	1,594	953	332	178	32		
5,810	6,102	6,501	5,623	5,380	4,637	4,104	3,677	3,202	2,720	2,331	1,973	1,224	467	120	22	619	
4,721	5,204	5,552	4,706	4,548	3,795	3,318	2,841	2,348	1,723	1,249	778	481	150	42	8	530		
1,089	958	949	917	832	842	786	836	854	997	1,082	1,195	743	317	78	14	89		
592	748	856	755	750	662	638	556	417	264	176	77	36	6	1	43		
313	280	252	273	231	199	169	150	83	66	37	19	4	2	3	4		
72	89	87	92	88	71	52	51	37	20	12	7	3	1	3			
112	76	70	62	46	40	27	28	19	16	4	4	2	1	1			
54	80	79	77	95	89	81	64	49	21	23	9	2	1	1			
54	48	46	66	47	60	40	40	17	19	11	2	2	1	1			
85	104	115	121	135	118	142	127	100	79	55	18	10	1	1	1	156		
29	25	31	50	51	42	28	30	19	14	11	5	2	2	2	2	157		
25	35	46	48	44	35	31	28	24	14	13	3	3	2	2	2	158		
27	38	26	16	28	25	24	18	10	12	4	3	2	1	1	1			
288	327	370	307	289	264	234	222	164	98	51	27	11	1	14	159		
61	55	48	47	26	12	21	10	3	1	2	1	3	160		
43	76	105	78	77	66	75	51	31	24	14	10	5	1			
9	13	11	9	14	12	14	9	8	1	1	2	3	1			
16	26	34	19	16	4	7	5	3	3	7	3	3	2	2	2			
13	17	12	15	12	4	10	9	2	3	4	2	1	1	2	1	161		
7	7	15	7	6	9	5	3	3	2	2	2	1	1	2	2	162		
1	4	3	3	1	1	1	1	1	1	1	1	1	1	1	1	2		
2	4	5	6	5	7	3	2	6	5	3	1	2	163		

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[This table excludes the deaths of

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 1 years.	20 to 24 years.	
XIII.—External causes—Continued.													
	Accidental or undefined (total).....	(M.) 48,992 (F.) 16,916	1,064 860	1,039 755	911 680	779 684	688 576	4,431 3,555	2,841 1,476	2,772 666	3,608 670	3,234 677	
164	Poisoning by food.....	(M.) 435 (F.) 407	52 44	39 32	29 25	17 21	18 11	155 133	31 27	25 20	22 16	14 15	
165	Other acute poisonings.....	(M.) 795 (F.) 554	66 30	145 92	72 64	53 26	32 17	368 229	42 19	42 15	18 14	19 23	
166	Conflagration.....	(M.) 840 (F.) 574	31 26	21 22	40 27	34 25	24 27	150 127	71 80	41 37	24 28	21 21	
167	Burns (conflagration excepted).....	(M.) 2,909 (F.) 3,708	117 122	401 287	414 334	310 400	158 324	1,400 1,467	217 502	64 124	90 133	113 134	
168	Absorption of deleterious gases (conflagration excepted).....	(M.) 2,333 (F.) 1,005	357 289	20 20	8 9	15 4	6 5	406 327	31 21	41 18	72 26	111 61	
169	Accidental drowning.....	(M.) 4,721 (F.) 743	25 11	120 80	86 43	44 31	67 11	342 176	510 64	608 91	746 115	419 72	
170	Traumatism by firearms.....	(M.) 1,701 (F.) 312	3 5	11 8	12 13	16 25	24 9	66 60	155 60	397 48	379 40	168 23	
171	Traumatism by cutting or piercing instruments.....	(M.) 145 (F.) 41	3 3	1 2	2 1	4 2	2 1	12 9	6 4	9 1	10 3	7 3	
172	Traumatism by fall.....	(M.) 5,894 (F.) 4,379	91 58	98 84	68 53	64 27	69 30	388 252	200 92	190 33	179 39	172 23	
173	Traumatism in mines and quarries (total).....	(M.) 2,584 (F.) 4	1					1	2	12	208	281	
	Traumatism in mines.....	(M.) 2,493 (F.) 4							1	11	1	200	
	Traumatism in quarries.....	(M.) 91 (F.)		1				1	1	1	8	6	
174	Traumatism by machines.....	(M.) 2,265 (F.) 95	2 3	3 3	6 1	5 1	16 8	39 4	82 6	260 12	194 8		
175	Traumatism by other crushing (total).....	(M.) 17,670 (F.) 3,361	43 31	59 52	113 57	169 94	235 115	619 349	1,279 439	1,010 209	1,191 203	1,305 217	
	Railroad accidents and injuries.....	(M.) 7,668 (F.) 823	12 4	15 8	14 6	9 6	18 13	68 37	171 45	258 65	562 60	720 62	
	Street-car accidents and injuries.....	(M.) 1,836 (F.) 490	2 11	24 17	25 19	22 17	84 60	82 47	51 9	93 28	103 23		
	Automobile accidents and injuries.....	(M.) 5,703 (F.) 1,721	19 17	20 23	52 24	95 57	158 70	344 191	839 304	546 133	375 99	304 113	
	Injuries by other vehicles.....	(M.) 1,898 (F.) 300	9 8	11 14	21 9	38 12	34 12	113 55	175 42	144 19	132 14	114 12	
	Landslide, other crushing.....	(M.) 665 (F.) 27	1 2	2 1	2 1	2 3	3 6	10 1	12 3	29 2	64 2	64 2	
176	Injuries by animals.....	(M.) 590 (F.) 66	2 3	5 5	15 3	13 3	13 5	48 19	50 7	56 8	36 2	21 1	
177	Starvation.....	(M.) 25 (F.) 15	4 4	1				5					
178	Excessive cold.....	(M.) 395 (F.) 113	6 7	2				4	1		8	7	
179	Effects of heat.....	(M.) 745 (F.) 391	118 99	14 14	2 3	2 3	2 1	138 120	8 2	7 3	15 2	12 3	
180	Lightning.....	(M.) 338 (F.) 69	1					2	3	20	32	38	
181	Electricity (lightning excepted).....	(M.) 746 (F.) 8						1	1	11	5	9	
182	Fractures (cause not specified).....	(M.) 369 (F.) 355	3 2	2	1		1	7 3	9 2	16 2	46 2	82 1	
183	Other external violence.....	(M.) 3,492 (F.) 716	140 126	101 52	48 45	32 22	30 15	351 260	154 47	127 43	220 23	221 29	
	Homicide (total).....	(M.) 4,376 (F.) 1,080	72 69	10 9	8 3	4 10	11 11	105 102	38 18	63 31	282 117	527 191	
182	By firearms.....	(M.) 3,126 (F.) 601	3 5	1 2	4 2	3 2	2 5	6 5	17 18	47 4	213 12	416 8	
183	By cutting or piercing instruments.....	(M.) 510 (F.) 159	2 7	1 1	1 1	1 3	2 3	9 6	8 6	17 12	75 36	130 67	
184	By other means.....	(M.) 740 (F.) 320	67 57	8 6	4 2	9 6	3 6	82 80	21 5	13 9	33 24	44 46	
	XIV.—Ill-defined diseases.....		15,625	5,849	1,149	344	205	116	7,663	289	212	260	321
	Males.....		8,545	3,280	618	175	106	56	4,235	137	113	128	121
	Females.....		7,080	2,569	531	160	99	60	3,423	152	99	132	200
187	Ill-defined organic disease.....	(M.) 423 (F.) 431	7 5	9 4	5 2	4 2	2 5	27 18	7 4	5 3	5 3	7 8	
188	Sudden death.....	(M.) 599 (F.) 448	138 105	16 10	4 3	4 2	1 1	168 120	3 10	7 4	7 4	6 4	
189	Not specified or ill-defined (total).....	(M.) 7,523 (F.) 6,201	3,135 2,459	593 519	166 162	98 95	53 55	4,045 3,290	127 138	103 89	116 112	108 178	
	Ill-defined.....	(M.) 2,847 (F.) 2,293	615 508	368 318	91 71	47 33	22 20	1,143 950	60 52	39 31	39 46	36 64	
	Not specified or unknown.....	(M.) 4,676 (F.) 3,908	2,520 1,851	225 201	75 91	51 62	31 35	2,902 2,340	67 86	64 58	77 66	72 114	

CAUSES OF DEATH, BY SEX AND AGE.

269

HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918.

soldiers, sailors, and marines.]

DEATHS AT AGE OF—																			Deaths at un-known age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.					
3,473	3,791	4,030	3,481	3,472	2,923	2,533	2,211	1,864	1,437	1,084	699	443	144	41	8	442	75			
603	540	534	576	556	614	607	673	763	923	1,042	1,176	738	314	74	14		2			
12	13	13	20	22	24	15	21	24	12	5	3	2						164		
24	16	28	27	16	16	10	19	21	4	5	6	2						2		
30	58	41	44	37	34	22	30	13	12	3	4	1						1		
42	31	32	28	17	20	18	9	6	3	6	2	1						1		
34	49	54	49	38	41	39	44	27	27	34	14	7	5					71		
27	17	23	24	14	25	23	17	23	17	14	14	5	5					30		
133	124	122	127	91	74	82	70	59	51	34	26	19	4	1				5		
100	115	101	111	77	99	79	96	110	116	101	91	35	10	5				9		
139	174	173	177	211	166	175	135	106	87	59	44	19	2	1				167		
45	36	39	42	49	51	34	50	56	53	42	37	11	5	1				1		
332	302	280	290	238	211	142	93	70	45	25	14	6	1					51		
38	39	33	23	19	18	16	13	8	6	3	3	1						5		
109	105	75	55	61	39	34	20	20	5	8	2							3		
22	13	15	5	9	4	6	4	1										1		
1	6	11	13	14	11	10	15	7	5	5	2							1		
274	316	389	408	409	380	370	381	383	358	384	331	249	94	28	2			11		
48	51	64	56	90	112	136	213	311	485	655	829	576	242	58	5			9		
343	404	409	281	260	157	110	60	31	11	3	2							9		
1	1	1	4	1														173		
333	391	399	275	245	148	104	58	29	10	3	2							9		
1	10	13	10	6	15	9	6	2	2	1										
248	249	254	210	191	167	128	106	65	34	12	3	2						5		
11	8	7	4	7	5	4	5	4		1	1							174		
1,370	1,477	1,630	1,357	1,358	1,198	1,002	873	752	539	313	137	66	18	4				172		
192	170	182	189	203	198	214	163	129	128	58	56	13	7	1				11		
748	821	849	700	625	578	437	346	285	180	104	40	25	6	2				143		
51	57	66	72	66	48	44	36	28	35	26	14	2	1					8		
118	130	180	159	172	124	118	115	117	86	56	23	13	3	2				7		
28	33	28	28	24	29	35	34	22	26	17	6	7						1		
344	342	419	327	373	328	291	293	204	176	104	46	20	8					10		
95	73	71	78	91	99	115	81	65	57	38	30	2	4					2		
105	118	112	108	130	132	114	98	127	90	44	27	8	2	1				6		
17	5	15	10	21	20	18	12	14	9	6	6	2	2	1						
55	66	70	53	58	36	42	21	19	7	5	1							6		
1	2	2	1	1	2	2			1	1										
16	30	27	31	44	32	42	44	46	33	22	9	2	1					176		
1	1	2	3	5	2	3	2	2	2	1	1							2		
10	14	18	32	29	30	37	49	36	47	27	19	9	3					2		
1	4	2	4	3	7	8	8	8	15	9	13	7	2	1				5		
19	45	41	58	67	49	49	54	45	45	40	24	20	6	2	1			179		
8	10	12	10	17	14	16	23	30	25	30	33	20						1		
38	26	33	20	30	14	15	15	4	8	3	1							180		
8	5	7	4	4	3	2	2											1		
110	117	117	44	49	32	19	10	2	2									4		
2	1	1																181		
16	15	26	25	32	20	26	18	30	19	25	34	21	8	2				4		
1	2	1	10	1	16	13	13	20	22	59	68	56	6	2				1		
239	267	316	242	239	243	213	172	142	92	59	30	20	3	1				91		
34	22	34	32	23	19	26	25	28	19	21	19	7	2					3		
656	665	666	470	326	210	147	74	67	22	9	2	2						45		
173	113	68	45	29	10	13	8	8	3	1	1	1						10		
506	514	480	337	223	140	90	47	36	13	3	1							31		
102	84	64	42	28	18	6	8	3	2	1								4		
86	85	87	58	27	21	15	15	5	1	2								3		
33	21	18	9	8	5	1	3											2		
64	66	99	75	76	49	42	25	26	8	4	1	1						11		
33	31	31	17	9	6	3	2	5	4	2								4		
324	326	415	406	498	462	523	654	752	744	628	464	301	112	49	23	199				
131	158	235	218	307	258	323	331	435	426	333	244	146	53	25	8			130		
193	168	180	188	191	204	200	273	317	318	295	220	155	59	24	15			69		
3	9	12	16	22	35	29	32	45	54	46	24	28	5	7	2			3		
8	16	17	29	26	21	29	39	53	40	41	29	24	4	4				3		
11	13	22	16	31	31	44	59	53	50	29	29	18	6	1				2		
9	8	14	12	18	16	24	27	40	40	34	25	17	4	4				3		
117	136	201	186	254	192	250	290	337	322	258	191	100	42	18	5			125		
176	144	149	147	147	167	147	207	224	238	220	166	114	51	20	14			63		
42	60	76	90	117	98	143	174	220	178	134	94	38	23	11	1			31		
64	55	74	71	64	95	83	121	131	122	114	72	41	17	8	4			14		
75	76	125	96	137	94	107	116	117	144	124	97	62	19	7	4			94		
112	89	75	76	83	72	64	86	93	116	106	94	73	34	12	10			49		

MORTALITY STATISTICS.

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of

Detailed List No.	Cause of Death.	All deaths.	Deaths at age of—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	All causes.....	1,287,425	170,984	47,405	23,272	15,138	11,277	268,076	32,992	25,153	44,946	68,531
	Males.....	698,424	96,873	24,868	11,914	7,605	5,715	146,975	17,215	12,655	23,853	31,094
	Females.....	589,001	74,111	22,537	11,358	7,533	5,562	121,101	15,777	12,498	21,093	37,437
	I.—General diseases.....	460,190	26,248	19,347	11,426	7,946	6,038	71,005	17,009	12,125	24,095	37,817
	Males.....	241,735	14,187	9,791	5,643	3,926	3,006	36,553	8,295	5,351	12,110	17,191
	Females.....	218,405	12,061	9,556	5,783	4,020	3,032	34,452	8,711	6,774	11,985	20,626
1	Typhoid fever.....	(M) 4,664 (F) 3,468	38 21	39 32	41 35	52 55	64 44	234 187	214 328	355 457	666 591	600 451
2	Typhus fever.....	(M) 3 (F)								1		
3	Relapsing fever.....	(M) (F)										
4	Malaria.....	(M) 655 (F) 633	65 63	30 38	40 18	21 26	8 11	104 156	53 43	29 39	35 40	29 33
5	Smallpox.....	(M) 177 (F) 101	30 30	4 1	1 3	3 3	1 1	41 34	10 8	9 2	5 6	6 6
6	Measles.....	(M) 3,885 (F) 3,665	981 794	1,155 1,011	479 439	251 232	148 148	3,014 2,624	305 335	100 136	130 97	74 69
7	Scarlet fever.....	(M) 1,197 (F) 1,113	58 45	124 102	133 107	135 109	119 115	569 478	316 300	134 115	62 66	49 65
8	Whooping cough.....	(M) 4,983 (F) 6,104	2,612 2,319	1,222 1,580	444 697	257 349	143 209	4,678 5,654	222 351	33 43	16 8	6 6
9	Diphtheria and croup.....	(M) 5,635 (F) 5,135	449 303	811 667	849 690	732 639	592 536	3,433 2,835	1,480 1,441	346 420	124 114	52 89
10	Influenza.....	(M) 11,557 (F) 97,033	6,076 4,956	4,846 4,783	2,845 3,029	1,890 2,102	1,466 1,547	17,123 16,417	4,009 4,526	2,980 3,733	7,760 6,431	10,042 12,405
11	Miliary fever.....	(M) (F)										
12	Asiatic cholera.....	(M) (F)										
13	Cholera nostras.....	(M) 144 (F) 124	26 17	11 8	7 6	5 3	4 1	53 35	9 6	2 3	3 3	1 1
14	Dysentery.....	(M) 1,807 (F) 1,720	289 293	288 259	130 113	61 59	49 32	917 756	94 72	24 20	21 10	22 19
15	Plague.....	(M) (F)										
16	Yellow fever.....	(M) (F)										
17	Leprosy.....	(M) 10 (F) 9									1	1
18	Frysipelas.....	(M) 1,360 (F) 1,117	382 368	29 36	9 9	3 3	3 3	426 424	15 12	13 16	25 20	17 23
19	Other epidemic diseases.....	(M) 284 (F) 222	83 44	37 28	26 15	12 12	9 13	167 112	35 27	14 14	16 11	10 10
20	Purulent infection and septicemia.....	(M) 733 (F) 541	104 58	12 8	9 9	8 10	6 4	139 89	31 27	27 16	34 29	25 48
21	Glanders.....	(M) 3 (F)										
22	Anthrax.....	(M) 28 (F) 3							1		2	2
23	Rabies.....	(M) 33 (F) 19				1	5	3	8 6	10 2	1 2	1 1
24	Tetanus.....	(M) 702 (F) 286	119 86	5 6	5 5	12 5	11 8	152 110	122 52	89 18	49 3	26 9
25	Mycoses.....	(M) 30 (F) 14	1 1	1	1			2		2		2
26	Pellagra.....	(M) 627 (F) 1,302	2 9	2 2	3 3	7 1	3 1	17 16	16 9	4 8	6 22	10 64
27	Beriberi.....	(M) 1 (F)										
	Tuberculosis (total).....	(M) 56,836 (F) 43,176	1,205 972	867 777	455 455	349 286	268 242	3,144 2,732	779 771	674 1,239	2,622 3,969	5,612 6,552
28	Tuberculosis of the lungs.....	(M) 49,240 (F) 36,361	361 274	231 183	113 89	74 76	53 64	837 686	228 287	354 888	2,182 3,442	5,088 5,924
29	Acute miliary tuberculosis.....	(M) 1,475 (F) 1,202	68 46	39 37	25 25	15 10	5 11	152 129	37 25	35 57	164 202	164 243
30	Tuberculous meningitis.....	(M) 2,800 (F) 2,545	582 500	483 477	255 285	189 155	148 132	1,657 1,549	351 320	129 162	122 122	106 101
31	Abdominal tuberculosis.....	(M) 1,494 (F) 1,760	110 79	66 53	34 27	35 21	24 20	269 200	80 69	46 55	70 124	106 170
32	Pott's disease.....	(M) 535 (F) 367	8 7	9 4	12 7	21 11	15 7	65 36	33 38	35 31	47 28	45 23
33	White swellings.....	(M) 318 (F) 157	9 7	6 4	5 4	5 6	3 3	9 7	34 20	23 12	19 15	31 12
34	Tuberculosis of other organs.....	(M) 694 (F) 513	40 30	18 14	13 13	6 6	8 6	7 4	79 67	19 15	35 22	39 44
35	Disseminated tuberculosis.....	(M) 280 (F) 266	27 29	15 9	5 5	2 1	2 1	2 1	51 45	8 5	17 9	18 17
36	Rickets.....	(M) 235 (F) 177	133 91	55 42	20 14	7 4	1 2	216 153	7 4	2 3	2 1	
37	Syphilis.....	(M) 3,638 (F) 1,743	860 654	41 45	28 15	15 15	9 4	953 733	17 15	19 14	34 28	66 74
38	Gonococcus infection.....	(M) 79 (F) 274	17 21	1 1		2		24		2	21	5

MORTALITY STATISTICS.

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of

Detailed List No.	Cause of Death.	All deaths.	Deaths at age of—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
I.—General diseases—Continued.												
39	Cancer and other malignant tumors (total).....	(M.) 25,780 (F.) 36,379	30 27	38 20	39 38	33 30	24 1	164 148	65 63	68 48	98 100	145 169
40	Of the buccal cavity.....	(M.) 1,835 (F.) 417	1 2	4 1	1 2	1 1	1 1	8 6	6 2	5 2	5 2	5 2
41	Of the stomach, liver.....	(M.) 12,208 (F.) 11,637	4 6	5 3	5 5	7 7	1 1	22 22	7 8	5 7	9 10	23 32
42	Of the peritoneum, intestines, rectum.....	(M.) 3,445 (F.) 4,950	3 6	2 1	2 2	2 4	1 4	8 17	11 6	7 2	14 12	26 25
43	Of the female genital organs.....	(F.) 8,873	1		4		1	6	4	5	19	53
44	Of the breast.....	(F.) 5,568 (M.) 1,351	1	2	1	2	1	1	6 4	2	4	4
45	Of the skin.....	(F.) 833 (M.) 6,842	1	2	1	1	1	4 1	1	2	2	3
46	Of other organs or of organs not specified.....	(M.) 4,101 (F.) 6,842	11	15	25	19	22	92 42	40 30	50 30	63 52	88 51
47	Other tumors (tumors of the female genital organs excepted).....	(M.) 103 (F.) 143	7 3	2 4		1	1	10 8	2	3	3 2	2 5
48	Acute articular rheumatism.....	(M.) 1,317 (F.) 1,401	6 11	9 8	8 7	15 11	24 28	62 65	167 145	179 170	111 109	63 77
49	Chronic rheumatism and gout.....	(M.) 365 (F.) 600							3	2	1	7
50	Scurvy.....	(M.) 37 (F.) 31	28 18	2			1	29 19	1		1	1
51	Diabetes.....	(M.) 5,810 (F.) 6,597	12 8	18 10	19 18	20 18	17 14	86 68	104 107	158 171	191 170	188 178
52	Exophthalmic goiter.....	(M.) 161 (F.) 1,193	1	1				2		3	7	15
53	Addison's disease.....	(M.) 150 (F.) 151	1	1	1		1	3	1	12	57	92
54	Leukemia.....	(M.) 822 (F.) 549	25 9	22 8	16 6	8 10	13 12	84 45	41 15	44 15	32 17	40 29
55	Anemia, chlorosis.....	(M.) 1,995 (F.) 2,419	70 55	34 25	10 14	5 11	8 4	127 109	23 19	14 24	25 38	25 58
56	Other general diseases.....	(M.) 801 (F.) 698	379 285	85 55	27 39	19 15	9 20	519 414	46 32	19 26	17 21	12 21
57	Alcoholism (acute or chronic).....	(M.) 1,897 (F.) 185								2	3	15
58	Chronic lead poisoning.....	(M.) 114 (F.) 6		1				1				2
59	Other chronic occupation poisonings.....	(M.) 23 (F.) 3								3		4
	Other chronic poisonings.....	(M.) 104 (F.) 71								2		13
												5
II.—Diseases of the nervous system and of the organs of special sense												
		98,074	4,267	1,525	934	623	447	7,806	1,580	1,164	1,229	1,262
	Males.....	51,957	2,478	840	529	321	236	4,404	863	636	754	711
	Females.....	46,117	1,789	695	405	302	211	3,402	717	528	475	551
60	Encephalitis.....	(M.) 348 (F.) 254	57 38	22 19	20 11	8 4	4 4	111 80	26 20	18 12	23 13	11 13
61	Meningitis (total).....	(M.) 3,942 (F.) 2,859	868 651	445 326	288 236	172 169	145 110	1,918 1,492	408 355	254 211	305 210	210 144
	Simple meningitis.....	(M.) 1,667 (F.) 1,269	415 343	201 146	133 115	79 70	56 40	889 714	145 135	93 65	85 47	75 47
	Cerebrospinal meningitis (undefined).....	(M.) 1,043 (F.) 724	203 155	127 102	77 55	41 50	36 22	484 384	117 94	89 54	104 32	53 35
	Cerebrospinal fever.....	(M.) 1,232 (F.) 866	250 153	117 78	73 66	52 49	53 48	545 394	146 126	92 92	116 65	82 58
62	Locomotor ataxia.....	(M.) 1,324 (F.) 434	1					1	1		2	5
63	Other diseases of the spinal cord (total).....	(M.) 2,523 (F.) 2,147	93 61	73 72	68 60	46 40	19 34	299 267	107 99	86 59	75 38	48 41
	Acute anterior poliomyelitis.....	(M.) 484 (F.) 402	61 43	67 63	61 53	38 27	14 31	241 217	85 74	41 40	37 19	14 11
	Other diseases of the spinal cord 1.....	(M.) 2,039 (F.) 1,745	32 18	6 9	7 7	8 13	5 3	58 50	22 25	22 19	38 19	34 30
64	Cerebral hemorrhage, apoplexy.....	(M.) 30,133 (F.) 30,140	98 71	29 35	25 13	7 4	6 8	165 131	42 36	31 28	48 57	77 89
65	Softening of the brain.....	(M.) 568 (F.) 483								1	1	1
66	Paralysis without specified cause.....	(M.) 2,829 (F.) 3,112	20 16	8 4	9 3	3 4	4 3	44 30	13 9	13 11	11 12	11 20
67	General paralysis of the insane.....	(M.) 3,961 (F.) 1,383								1	1	22
68	Other forms of mental alienation.....	(M.) 769 (F.) 934								2	18	47
69	Epilepsy.....	(M.) 1,859 (F.) 1,289	53 40	17 13	9 4	9 16	15 14	103 87	64 49	112 74	159 101	190 108
70	Convulsions (nonpuerperal).....	(M.) 56 (F.) 57								21 20	7 5	3 6
71	Convulsions of infants.....	(M.) 1,287 (F.) 929	1,045 713	148 146	51 36	31 24	12 10	1,287 929				
72	Chorea.....	(M.) 37 (F.) 66	2	1	1			4		4	7	3
73	Neuralgia and neuritis.....	(M.) 142 (F.) 208						4		1	1	2

Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY SEX AND AGE.

273

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918—Con.
soldiers, sailors, and marines.]

DEATHS AT AGE OF—																	Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.			
242	374	670	1,134	1,744	2,664	3,321	3,776	3,819	3,342	2,277	1,219	489	104	26	5	34	37	
389	822	1,511	2,551	3,605	4,121	4,618	4,675	4,546	3,860	2,749	1,551	613	177	23	3	37	2	
9	17	34	83	123	178	223	298	263	224	179	105	54	9	6	2		39	
7	7	14	23	24	35	440	41	49	47	39	16	5	1				2	
56	121	278	520	904	1,390	1,787	1,966	1,915	1,614	1,016	450	130	22	4	2	17	40	
64	122	261	505	836	1,132	1,450	1,707	1,855	1,654	1,111	584	216	39	7	1	14	4	
55	72	131	181	232	361	431	503	509	441	265	132	46	14	2		4	41	
60	111	179	290	410	487	629	658	680	597	444	246	71	18	4				
142	326	604	920	1,283	1,251	1,208	1,029	821	575	363	182	55	16	2		9	42	
5	3	6	7	9	7	8	12	4	15	13	8	2				7	43	
36	139	290	523	692	747	743	691	544	447	351	216	103	27	2	1			
9	3	20	25	57	85	106	132	162	199	213	168	112	29	12		3		
8	8	15	11	18	36	52	68	93	108	134	134	87	44	6		1	44	
108	158	201	318	419	643	816	865	966	849	591	356	145	30	2	1			
72	109	148	279	342	433	496	481	504	424	299	150	65	28	1	1	2	45	
4	9	4	3	8	9	9	8	6	8	7	5	2						
6	2	6	9	5	10	12	16	16	16	9	11	5	3			1	46	
51	50	65	60	69	74	73	84	65	47	50	29	12	4	1		1		
67	52	68	53	64	71	72	80	72	75	78	49	26	7			1	47	
12	17	12	20	15	18	40	37	42	51	44	31	11	1					
5	12	15	23	32	30	49	65	93	105	72	51	25	13			1	48	
1		1		2		2		2										
225	279	225	285	388	490	624	697	718	564	352	161	59	11		5	5	49	
184	170	212	242	378	548	828	970	727	444	185	64	11	3				50	
11	13	15	17	11	22	15	15	6	4	2	3						51	
77	120	130	132	143	133	116	69	59	37	8	2							
11	11	19	18	20	13	8	18	11	6	3	2						52	
9	12	19	14	13	20	22	15	6	8	3								
52	52	57	54	46	82	68	50	32	12	6	2						53	
29	50	60	37	44	53	53	36	24	21	15	3							
35	46	75	132	154	210	286	248	265	170	91	45	16	4	3		1	54	
75	92	142	153	214	271	283	312	258	178	124	44	20	2	1			55	
14	11	14	19	5	8	19	25	19	15	19	11	3			1			
18	12	16	23	17	8	12	11	18	15	17	6	10	3	1				
78	190	299	288	284	245	182	120	80	46	34	9	7					15	
20	20	35	27	30	27	10	6	5	1	2							56	
5	6	14	15	10	12	21	13	6	6	4							57	
2	3			1	5	2		2	1								58	
23	10	8	9	10	3	5	2	6	8	5	2						59	
7	7	6	5	7	6	2	3	6	8	5								
1,506	2,077	2,749	3,427	4,549	6,083	7,636	9,567	11,013	12,455	11,132	7,735	3,692	1,042	188	20	162		
908	1,313	1,724	2,009	2,524	3,216	4,173	5,325	5,886	6,329	5,458	3,557	1,570	423	76	6	92		
598	764	1,025	1,418	2,025	2,867	3,463	4,242	5,127	6,126	5,674	4,178	2,122	619	112	14			
27	20	21	17	18	9	13	11	6	5	9	1	2					60	
12	18	11	12	14	15	6	4	4	2	1	3							
155	138	136	108	82	77	42	35	32	15	12	6	5	1			43	61	
79	62	73	62	55	53	43	32	16	14	12	7	5	1					
51	54	62	47	44	33	17	20	24	10	10	3	4	1					
27	34	31	33	30	31	19	13	13	9	9	6	4	1					
53	37	25	31	12	21	13	9	5	5	2	2							
20	18	18	12	14	8	12	10	1	1	1								
51	47	49	30	26	23	12	6	3	1	1								
26	10	24	17	11	14	12	9	2	2	1								
11	35	68	83	126	192	216	196	175	117	59	24	9		1		3	62	
8	6	17	37	49	42	73	59	59	38	30	10	2	2	2	1	1		
65	79	66	83	99	145	190	245	315	232	197	95	48	8	1		2	63	
50	34	48	87	96	143	190	204	217	245	172	108	34	11	2				
11	14	48	5	5	3	4	4	1	5	2	4							
6	5	2	7	3	4	5	2	1	1	1	1							
54	65	53	79	94	140	187	241	314	287	195	91	48	8	1				
44	29	46	82	89	140	186	199	215	244	171	108	34	11	2				
145	254	409	699	1,229	1,912	2,862	3,945	4,431	4,931	4,349	2,874	1,269	348	61	4	48		
113	211	376	671	1,236	2,004	2,599	3,296	4,138	4,883	4,551	3,366	1,688	491	93	10	38		
4	3	4	6	9	12	41	64	86	103	109	73	36	12	1	2			
2	2	4	4	11	20	31	30	52	84	111	70	38	18	2	1		65	
12	25	39	32	87	98	184	311	419	524	476	342	133	39	9		7		
23	24	37	69	78	150	152	251	351	562	534	453	254	70	7	1	9	66	
106	362	597	637	556	460	345	261	214	154	128	66	26	5	1		10	67	
33	111	145	156	143	153	111	116	87	105	94	60	40	6			6		
57	67	75	62	80	66	70	63	54	48	28	18	9	1			1	68	
64	70	90	90	110	96	91	73	57	52	43	19	15	3	1		1		
215	195	155	138	112	91	87	67	63	41	25	22	7	2			11	69	
127	104	118	108	95	54	61	54	51	40	26	20	8	1	1		4	1	
2	2	3	3	3	1	1	2	2	2	1	1					70		
																	71	
																	72	
																	73	
3	2	3	3	2	4	4	3	2	4	3	1	1	1	1	1	1		
4	6	9	4	5	16	14	17	18	15	15	17	7	8	3	2	1		
6	9	4	5	10	11	19	31	22	22	15	17	7	6	3	2	1		

MORTALITY STATISTICS.

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.											
74	Other diseases of the nervous system.....	(M.) 1,363 (F.) 1,232	105 34 29	32 16 16	28 16 12	22 12 12	15 2 2	202 157 15	77 64 5	62 53 1	41 41 2	53 52 2
75	Diseases of the eyes and their annexa.....	(M.) 43 (F.) 36	7 4	2 1	2 4	2 2	2 2	13 13	3 3	1 1	1 1	29
76	Diseases of the ears.....	(M.) 773 (F.) 554	131 108	64 47	29 20	21 19	14 14	259 208	94 59	63 59	51 22	29 20
	III.—Diseases of the circulatory system.....	147,695	1,240	281	175	164	161	2,021	1,244	1,771	1,991	2,354
	Males.....	77,427	711	151	104	73	79	1,118	610	761	927	978
	Females.....	70,258	529	130	71	91	82	903	634	1,010	1,064	1,376
77	Pericarditis.....	(M.) 430 (F.) 333	8 6	3 5	6 2	2 2	1 6	20 21	13 15	13 11	24 9	6 9
78	Acute endocarditis.....	(M.) 3,064 (F.) 2,845	171 127	24 29	21 19	10 26	17 17	243 218	104 114	101 137	111 154	121 158
79	Organic diseases of the heart.....	(M.) 58,239 (F.) 55,174	330 260	86 72	55 40	48 56	55 52	574 480	458 476	621 840	760 866	812 1,138
80	Angina pectoris.....	(M.) 3,703 (F.) 2,112	1 1	1 1	1 1	1 1	1 1	3 2	1 3	7 2	6 6	10 17
81	Diseases of the arteries, atheroma, aneurism, etc.....	(M.) 10,070 (F.) 7,872	4 1	1 1	1 1	1 1	1 1	4 4	4 2	3 1	4 9	9 9
82	Embolism and thrombosis.....	(M.) 1,287 (F.) 1,349	29 13	4 4	3 2	8 1	5 2	44 22	14 12	8 9	10 19	13 30
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	(M.) 200 (F.) 233	4 2	1 1	1 1	1 1	1 1	5 3	2 1	2 2	1 1	10
84	Diseases of the lymphatic system (lymphangitis, etc.).....	(M.) 265 (F.) 182	145 106	31 16	14 4	10 5	1 4	201 135	14 9	8 7	5 4	4 2
85	Hemorrhage; other diseases of the circulatory system.....	(M.) 179 (F.) 158	19 13	1 3	4 2	1 1	1 1	24 18	5 4	4 4	5 4	3 3
	IV.—Diseases of the respiratory system.....	218,369	27,334	12,941	5,821	3,261	2,261	51,618	5,718	4,319	9,273	15,637
	Males.....	121,579	15,407	6,872	2,930	1,588	1,106	27,903	2,912	1,963	5,181	7,353
	Females.....	96,790	11,927	6,069	2,891	1,673	1,155	23,715	2,806	2,356	4,142	8,284
86	Diseases of the nasal fossae.....	(M.) 86 (F.) 54	39 24	5 6	1 2	1 1	2 1	47 33	4 1	2 1	2 2	5 1
87	Diseases of the larynx.....	(M.) 412 (F.) 301	75 43	64 55	34 29	32 27	22 15	227 169	49 37	14 6	4 3	4 11
88	Diseases of the thyroid body.....	(M.) 85 (F.) 447	9 5	1 2	1 1	1 1	1 1	11 8	1 1	6 8	6 18	5 35
89	Acute bronchitis.....	(M.) 3,341 (F.) 3,365	1,883 1,560	415 424	142 171	63 64	86 45	2,489 2,264	66 50	14 16	16 14	9 17
90	Chronic bronchitis.....	(M.) 2,216 (F.) 2,518	48 41	25 19	6 9	5 6	5 4	87 79	27 24	11 7	8 11	25 26
91	Bronchopneumonia.....	(M.) 26,011 (F.) 23,434	8,325 6,408	3,410 3,094	1,302 1,299	624 706	388 408	14,047 11,915	799 824	321 394	470 454	692 883
92	Pneumonia (total).....	(M.) 85,100 (F.) 63,594	4,862 3,671	2,810 2,362	1,361 1,322	803 830	619 655	10,455 8,840	1,872 1,790	1,538 1,873	4,508 3,553	6,455 7,227
	Lobar pneumonia.....	(M.) 74,766 (F.) 55,133	5,532 2,608	2,254 1,847	1,072 1,068	653 646	497 541	8,008 6,710	1,583 1,506	1,295 1,597	4,021 3,156	5,817 6,585
	Pneumonia (undefined).....	(M.) 10,334 (F.) 8,461	1,330 1,063	556 515	289 254	150 184	122 114	2,447 2,130	309 284	243 276	487 397	633 642
93	Pleurisy.....	(M.) 1,726 (F.) 1,114	85 63	117 76	56 44	49 28	26 18	333 229	71 55	44 34	76 53	104 68
94	Pulmonary congestion, pulmonary apoplexy.....	(M.) 649 (F.) 726	86 75	13 15	7 5	6 5	3 3	115 103	4 11	6 5	12 12	11 12
95	Gangrene of the lung.....	(M.) 192 (F.) 75	3	6	1	1	1	11 11	4 4	1 1	7 7	16
96	Asthma.....	(M.) 984 (F.) 817	15 12	8 7	3 4	3 4	3 5	37 32	6 3	5 3	4 3	3 3
97	Pulmonary emphysema.....	(M.) 100 (F.) 54	4 5	1 1	1 1	1 1	1 1	5 7	2 2	1 1	2 2	2 2
98	Other diseases of the respiratory system (tuberculosis excepted).....	(M.) 677 (F.) 291	23 20	4 8	6 4	4 1	2 1	39 34	7 5	6 6	18 14	22 15
	V.—Diseases of the digestive system.....	99,434	37,560	10,314	2,879	1,425	894	53,072	2,389	1,715	1,753	1,774
	Males.....	53,947	21,200	5,555	1,539	770	492	29,556	1,270	942	914	841
	Females.....	45,487	16,360	4,750	1,340	655	402	23,516	1,119	773	839	933
99	Diseases of the mouth and annexa.....	(M.) 296 (F.) 283	97 76	11 9	4 5	3 4	7 3	122 97	11 16	6 3	3 2	6 11
100	Diseases of the pharynx.....	(M.) 987 (F.) 868	86 72	44 34	42 33	62 34	47 38	281 211	141 157	88 63	59 57	58 73
101	Diseases of the esophagus.....	(M.) 48 (F.) 40	3 2	1 1	1 1	1 1	1 1	5 3	1 2	1 1	1 1	1 1
102	Ulcer of the stomach.....	(M.) 1,910 (F.) 984	12 12	4 1	3 3	2 2	1 1	22 19	9 4	9 9	20 22	42 47
103	Other diseases of the stomach (cancer excepted).....	(M.) 3,585 (F.) 3,229	1,423 953	190 189	100 80	48 38	27 30	1,788 1,290	70 69	26 23	20 30	29 36
104	Diarrhea and enteritis (under 2 years).....	(M.) 23,655 (F.) 19,025	18,597 14,673	5,058 4,352	—	—	—	23,655 19,025	—	—	—	—
105	Diarrhea and enteritis (2 years and over).....	(M.) 4,956 (F.) 4,986	—	—	1,216 1,085	474 456	271 204	1,961 1,745	355 283	82 71	50 59	60 61
106	Ankylostomiasis.....	(M.) 10 (F.) 14	1	1	1	1	1	2 3	4 5	1 2	1 2	2

CAUSES OF DEATH, BY SEX AND AGE.

275

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEASED: 1918—Con.
soldiers, sailors, and marines.]

DEATHS AT AGE OF—																	Deaths at un- known age.	Detailed List No.	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.				
75	89	100	97	86	112	87	79	54	62	46	19	15	5	1	—	1	4	74	
55	85	78	80	104	99	61	66	62	59	42	37	19	19	8	1	—	—	—	
2	1	—	1	2	2	—	2	1	2	1	4	—	—	—	—	—	—	1	75
2	—	2	—	1	—	—	—	—	4	4	1	2	1	—	—	—	—	—	—
30	35	39	34	27	32	20	19	16	7	4	1	6	2	—	—	—	—	1	76
22	21	19	20	20	20	12	19	9	5	7	3	6	2	—	—	—	—	—	—
2,920	8,506	4,231	5,283	6,829	8,602	11,167	14,937	17,674	20,148	18,883	13,862	7,238	2,250	501	76	207	—	—	—
1,123	1,603	2,051	2,704	3,658	4,845	6,468	8,477	9,966	10,832	9,797	6,786	3,893	928	181	36	125	—	—	
1,727	1,903	2,180	2,579	3,171	3,757	4,699	6,460	7,708	9,316	9,086	7,076	3,845	1,322	320	40	82	—	—	
12	19	13	13	19	36	49	42	41	38	33	21	11	4	1	—	2	—	77	
14	15	11	11	8	15	18	30	30	37	23	35	8	6	1	—	—	—	—	
130	166	227	274	333	428	465	104	84	76	50	27	11	3	3	—	3	—	78	
192	221	202	228	269	273	350	72	60	66	56	41	20	11	—	—	—	—	3	
981	1,296	1,581	2,095	2,772	3,635	4,855	6,734	7,874	8,287	7,243	4,723	2,187	542	89	24	91	—	79	
1,427	1,537	1,807	2,129	2,619	3,047	3,739	5,448	6,317	7,462	7,033	5,134	2,592	811	170	24	68	—	—	
20	41	92	139	297	287	474	562	584	595	377	194	72	10	4	—	—	—	80	
20	44	48	62	77	117	206	282	345	261	163	70	14	7	—	—	—	—	3	
15	33	76	115	197	310	459	648	1,186	1,626	1,949	1,700	1,085	357	81	12	21	—	81	
13	15	16	60	84	178	257	487	759	1,217	1,517	1,567	1,076	453	135	16	6	—	—	
24	32	41	48	82	113	126	138	152	168	116	100	41	10	3	—	4	—	82	
36	45	59	62	77	94	91	114	147	156	164	113	69	23	6	—	1	—	—	
5	9	9	12	17	20	20	23	28	25	9	8	3	2	—	—	—	—	83	
9	15	25	14	21	23	27	15	17	16	17	10	3	3	3	—	1	—	—	
4	5	2	1	1	4	3	3	4	2	3	1	—	—	—	—	—	—	84	
2	3	1	1	2	3	1	1	2	4	3	2	3	2	—	—	—	—	85	
2	2	10	7	10	12	17	23	13	15	12	12	3	5	1	—	—	—	—	
4	8	11	12	14	7	10	11	13	13	10	10	—	—	—	—	—	—	—	
23,539	22,119	15,659	9,992	8,488	7,198	6,903	7,101	7,285	7,367	6,609	5,038	2,773	1,013	221	40	459	—	—	—
12,502	18,597	10,208	6,643	5,634	4,565	4,262	4,143	3,905	3,644	3,066	2,178	1,150	392	85	11	332	—	—	
11,037	8,522	5,451	3,349	2,854	2,633	2,641	2,958	3,380	3,723	3,543	2,860	1,623	621	136	29	127	—	—	
1	3	1	3	—	2	1	—	3	3	4	3	3	1	1	—	—	—	86	
2	1	1	3	—	1	10	10	6	18	14	12	6	3	1	—	—	—	87	
6	6	8	8	7	10	10	5	3	9	3	5	4	3	1	—	—	—	88	
4	5	5	5	12	9	5	3	6	3	3	2	3	1	—	—	—	—	89	
46	40	39	33	57	47	39	18	18	14	18	4	3	1	—	—	—	—	90	
9	17	22	30	21	32	53	55	66	96	105	116	79	36	10	—	—	—	91	
33	26	19	19	28	19	38	50	78	116	158	196	135	72	12	4	1	—	92	
17	21	44	52	75	97	140	159	212	304	357	310	187	66	14	2	1	—	93	
21	31	21	35	54	77	91	164	246	378	430	420	262	106	33	4	1	—	94	
1,137	1,305	1,048	710	636	515	566	612	660	755	742	517	308	107	20	3	41	—	95	
1,185	918	637	405	384	370	436	583	721	884	940	810	469	181	37	10	24	—	96	
11,166	12,069	8,855	5,596	4,577	3,567	3,162	2,972	2,601	2,179	1,552	1,018	473	140	28	3	284	—	97	
9,622	7,372	4,601	2,713	2,180	1,935	1,893	1,956	2,067	2,063	1,715	1,188	602	205	41	8	100	—	98	
10,219	11,039	8,051	5,086	4,123	3,225	2,820	2,622	2,258	1,838	1,270	787	353	100	23	3	175	—	99	
8,825	6,693	4,163	2,452	1,931	1,762	1,639	1,711	1,708	1,698	1,379	882	421	140	32	7	76	—	100	
947	980	804	510	454	342	342	350	343	321	321	231	120	40	5	—	109	—	101	
797	679	438	261	249	223	254	245	299	355	336	306	181	65	9	1	24	—	102	
104	97	113	102	119	111	112	93	99	66	42	50	30	18	7	5	1	—	103	
65	57	69	70	51	38	50	59	62	48	50	30	18	7	—	—	1	—	104	
9	14	17	14	17	15	16	37	43	53	75	94	53	30	11	2	1	—	95	
10	17	12	12	15	20	21	21	56	63	89	119	86	38	11	3	1	—	96	
15	10	20	14	19	20	15	12	11	6	9	2	—	—	—	—	—	—	97	
3	8	8	4	7	3	3	4	3	1	1	—	—	—	—	—	—	—	98	
10	17	34	44	82	100	110	112	115	118	93	64	21	6	1	1	3	—	99	
19	26	21	37	49	55	57	79	95	111	104	70	31	7	1	—	1	—	100	
3	2	6	7	3	4	2	16	12	15	14	3	4	2	1	—	1	—	101	
25	31	41	63	64	85	65	63	62	32	29	15	9	7	2	1	1	—	102	
20	21	18	12	13	11	7	19	24	29	24	9	7	2	1	—	1	—	103	
2,045	2,354	2,729	2,850	3,301	3,474	3,772	3,884	3,788	3,606	3,138	2,178	1,040	362	97	14	99	—	—	
1,009	1,210	1,510	1,563	1,871	1,956	2,135	2,163	2,014	1,815	1,516	974	464	125	31	2	66	—	104	
1,036	1,144	1,219	1,287	1,430	1,518	1,637	1,721	1,774	1,791	1,622	576	227	66	12	33	—	—	105	
15	6	17	10	19	16	16	13	13	12	7	4	—	—	—	—	—	—	106	
9	15	11	10	17	8	10	18	13	12	6	5	11	1	1	—	—	—	—	
48	46	35	31	26	27	28	24	21	19	12	12	5	3	2	2	2	—	107	
54	47	33	35	22	22	22	17	14	11	9	13	5	1	—	—	—	—	108	
3	1	1	2	2	4	4	2	8	4	4	5	1	—	—	—	—	—	109	
03	124	167	199	204	185	225	187	142	119	89	47	22	2	—	—	—	—	110	
49	52	81	81	93	85	101	78	86	80	57	24	9	6	1	—	1	—	111	
36	46	69	78	101	113	138	175	185	207	208	164	90	30	7	1	6	4	112	
42	53	61	67	87	82	103	149	185	241	249	130	70	22	4	4	4	4	113	

MORTALITY STATISTICS.

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	1 5 years.	2 years.
V.—Diseases of the digestive system—Continued.												
107	Intestinal parasites.....	(M. 56 F. 57)	4 5	11 14	6 7	7 4	8 37	36 11	10 1			
108	Appendicitis and typhlitis.....	(M. 5,048 F. 3,944)	30 7	33 12	41 27	63 54	57 72	224 172	430 336	558 467	560 492	417 395
109	Hernia, intestinal obstruction (total).....	(M. 4,381 F. 4,119)	705 407	137 91	73 58	61 29	42 26	1,018 611	104 76	56 45	82 46	89 98
	Hernia.....	(M. 1,677 F. 1,436)	138 38	24 3	4 4	3 4	3 3	173 45	7 5	4 1	15 2	18 6
	Intestinal obstruction.....	(M. 2,704 F. 2,683)	567 369	113 88	69 54	57 29	39 26	845 566	97 71	52 44	67 44	71 92
110	Other diseases of the intestines.....	(M. 834 F. 808)	80 48	19 13	15 14	10 7	6 4	130 86	26 20	18 15	16 15	16 27
111	Acute yellow atrophy of the liver.....	(M. 136 F. 144)	5 5	1 1	2 1	1 1	1 1	10 7	4 2	3 2	4 6	5 15
112	Hydatid tumor of the liver.....	(M. 18 F. 12)							1		1	
113	Cirrhosis of the liver.....	(M. 4,906 F. 2,336)	9 5	6 7	2 5	1 5	1 2	21 24	12 5	11 11	7 12	22 15
114	Biliary calculi.....	(M. 658 F. 1,729)							2	1	1	7
115	Other diseases of the liver.....	(M. 1,414 F. 1,823)	61 41	13 13	12 7	13 6	8 5	107 72	28 22	16 14	25 19	34 41
116	Diseases of the spleen.....	(M. 114 F. 60)	8 1	5 4	4 5	5 2	2 2	24 24	6 5	5 4	3 2	7 5
117	Simple peritonitis (nonpuerperal).....	(M. 735 F. 858)	76 50	23 18	16 15	16 13	13 11	144 107	56 55	57 37	56 63	40 75
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	(M. 220 F. 208)	3 2	1	1	1	6 2	1 3	3 4	7 8	9 5
VI.—Nonvenereal diseases of the genito-urinary system and annexa.												
	Males.....	80,733	685	267	221	162	153	1,488	523	474	791	1,252
	Females.....											
119	Acute nephritis.....	(M. 2,601 F. 2,190)	202 130	60 54	76 48	46 37	40 38	424 307	144 98	73 71	94 90	88 105
120	Bright's disease.....	(M. 36,340 F. 29,237)	77 66	45 51	43 33	40 24	34 35	239 209	129 129	146 161	230 251	285 451
121	Chyluria.....	(M. 1 F. 1)										
122	Other diseases of the kidneys and annexa.....	(M. 912 F. 751)	76 76	14 34	6 11	5 9	1 2	102 132	8 11	8 4	9 11	20 41
123	Calculi of the urinary passages.....	(M. 310 F. 136)	1 1						1	1	1	5
124	Diseases of the bladder.....	(M. 1,003 F. 229)	9 6	1	3	13 11	1 2	1 1	1 1	1 1
125	Diseases of the urethra, urinary abscess, etc.	(M. 191 F. 11)	2 1	1	1	3 1			2 2	5 5
126	Diseases of the prostate.....	(M. 3,175 F. 71)	1	1					
127	Nonvenereal diseases of the male genital organs.....	(M. 71 F. 49)	25	2	1	28 1	1 1	2 1	2 8	3 7
128	Uterine hemorrhage (nonpuerperal).....	(M. 1,136 F. 674)	1				
129	Uterine tumor (nonmalignant).....	(F. 556)									3	11
130	Other diseases of the uterus.....	(F. 556)									21	45
131	Cysts and other tumors of the ovary.....	(F. 556)									2	22
132	Salpingitis and other diseases of the female genital organs.....	(F. 1,127)			2						48	160
133	Nonpuerperal diseases of the breast (cancer excepted).....	(M. 5 F. 28)	4 10	10 4	2 2	1 1		1
VII.—The puerperal state.												
		16,038									1,196	3,710
134	Accidents of pregnancy.....	(F. 3,901)								2	255	941
135	Puerperal hemorrhage.....	(F. 1,139)									29	167
136	Other accidents of labor.....	(F. 2,910)									185	683
137	Puerperal septicemia.....	(F. 4,529)								4	349	1,029
138	Puerperal albuminuria and convulsions.....	(F. 3,093)								4	355	734
139	Puerperal phlegmasia alba dolens, embolus sudden death.....	(F. 372)									1	17
140	Following childbirth (not otherwise defined).....	(F. 82)									5	70
141	Puerperal diseases of the breast.....	(F. 12)									5	6
VIII.—Diseases of the skin and of the cellular tissue.												
		3,057	554	50	31	25	13	673	39	23	45	56
	Males.....	1,770	326	28	18	14	6	392	21	15	27	27
	Females.....	1,237	223	22	13	11	7	281	18	8	18	29
142	Gangrene.....	(M. 807 F. 637)	15 14	8 4	6 3	9 5	4 2	42 28	5 11	2 3	4 3	4 2
143	Furuncle.....	(M. 302 F. 127)	54 27	6 2	1	1	1	61 30	2 1	3 3	8 7	12
144	Acute abscess.....	(M. 338 F. 220)	81 68	9 6	7 4	1 1	1 1	102 86	13 3	8 3	11 8	8 14
145	Other diseases of the skin and annexa.....	(M. 333 F. 303)	176 119	5 10	4 3	1 2	1 3	187 137	1 3	2 1	7 3	3 6

CAUSES OF DEATH, BY SEX AND AGE.

277

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEASED: 1918—Con.
soldiers, sailors, and marines.]

DEATHS AT AGE OF—																	Deaths at un- known age.	Detailed Inf. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.			
1	2	1	1	2	1	2	1	1	1	1	1	1	2	2	2	107		
411	401	434	359	331	286	193	160	121	85	41	18	7	2	2	2	8	108	
341	345	271	235	206	178	154	111	61	60	38	19	9	1	1	1	3	108	
101	122	167	162	203	254	313	360	350	371	309	202	83	23	4	1	7	109	
132	156	178	214	249	299	296	329	363	385	324	190	81	33	9	2	3	109	
34	38	66	67	86	143	159	167	181	185	169	104	43	11	4	1	2	110	
17	22	56	77	98	164	145	187	187	181	128	56	30	16	2	1	1	110	
67	84	101	95	117	111	154	193	169	186	140	98	40	12	7	2	5	111	
115	134	122	137	151	135	151	142	176	204	186	134	51	17	7	2	2	111	
37	47	34	43	57	61	43	53	53	67	56	39	25	7	4	2	2	111	
49	41	56	60	41	57	59	35	52	61	51	46	29	4	2	2	2	111	
6	4	16	5	5	14	14	11	8	10	8	1	1	2	3	2	3	111	
18	17	4	6	7	8	7	8	7	8	9	9	7	3	2	2	2	112	
2	3	3	3	1	1	1	2	1	1	2	2	1	2	2	2	2	112	
1	1	1	1	2	1	1	1	1	1	2	2	2	2	2	2	2	112	
42	129	231	367	505	604	682	679	639	450	303	145	42	8	7	7	7	113	
32	75	123	152	188	198	278	272	286	245	218	131	55	11	2	3	3	113	
17	18	30	45	63	75	82	91	82	63	46	19	14	1	1	1	1	114	
49	70	108	127	164	204	240	208	195	144	108	62	17	4	4	4	4	114	
50	66	80	80	114	120	140	123	112	109	91	76	27	8	1	7	7	115	
60	83	99	105	144	163	170	208	185	163	130	85	39	16	3	1	1	115	
8	5	4	3	7	2	7	10	8	5	8	2	2	2	2	2	2	116	
3	3	3	4	3	1	3	6	2	6	1	4	4	1	1	1	1	116	
39	46	46	21	32	26	37	34	26	33	22	14	4	2	2	2	2	117	
85	78	68	60	39	27	29	34	21	28	27	18	3	1	1	1	1	117	
3	19	37	19	22	20	23	22	10	12	12	4	3	3	3	3	3	118	
19	17	20	22	14	33	18	15	12	8	5	3	3	3	3	3	3	118	
1,863	2,342	3,148	3,825	4,835	5,680	7,044	8,354	9,691	10,185	9,373	5,899	2,855	846	145	23	97		
676	914	1,346	1,697	2,395	3,062	4,093	4,975	5,791	6,142	5,705	3,519	1,596	475	80	10	56		
1,187	1,428	1,802	2,128	2,440	2,618	2,951	3,379	3,900	4,043	3,668	2,380	1,259	371	65	13	41		
120	130	166	152	179	154	190	143	142	141	129	79	37	11	2	1	2	119	
126	135	143	136	140	121	143	114	132	118	80	75	40	9	3	4	4	119	
495	715	1,094	1,437	2,042	2,723	3,632	4,360	4,880	5,033	4,509	2,719	1,203	351	61	1	49	120	
616	744	1,036	1,343	1,794	2,172	2,612	3,081	3,580	3,755	3,422	2,204	1,175	340	59	13	30	120	
																	121	
25	31	48	41	67	47	67	70	90	91	88	54	39	6	1	1	2	122	
34	49	36	59	53	46	43	58	51	41	44	23	5	7	1	1	2	122	
14	16	12	20	32	25	25	35	29	32	35	17	7	2	2	2	123		
4	17	10	13	11	17	12	10	14	12	7	3	3	3	3	3	3	123	
3	4	6	17	22	31	31	63	117	164	209	162	101	46	11	1	1	124	
4	2	7	9	4	5	5	10	23	26	51	36	20	10	1	1	1	124	
8	10	11	16	18	25	23	22	21	11	10	4	1	1	1	1	1	125	
7	6	8	13	31	52	122	279	507	667	723	481	207	58	5	1	3	126	
4	2	1	4	5	3	3	5	3	2	2	1	1	1	1	1	1	127	
4	4	5	6	5	4	4	2	2	2	2	1	1	1	1	1	1	128	
35	94	148	252	228	183	50	40	42	37	30	18	6	2	2	2	2	129	
71	108	97	102	79	43	32	28	15	13	8	6	3	1	1	1	1	130	
54	64	56	64	52	40	35	29	35	41	21	13	8	1	1	1	1	131	
238	209	108	140	69	32	19	9	1	2	2	2	2	2	2	2	1	132	
1	2	2	3	1	1	1	4	1	1	1	1	1	1	1	1	1	133	
4,267	3,375	2,401	915	124	9	1										29		
1,216	830	482	145	18	2											10	134	
222	273	285	142	19												2	135	
831	611	414	157	22	3											4	136	
1,144	943	694	251	37	3	1										10	137	
730	613	444	185	24	1											3	138	
95	85	68	33	3												139		
28	19	12	2													140		
1	1	2														141		
50	57	61	96	103	128	143	159	193	280	303	312	232	81	11	6	6		
25	33	39	58	66	79	94	101	116	161	182	163	120	38	3	5	5		
25	24	22	38	37	49	49	58	77	119	121	149	112	43	8	1	1		
5	9	8	15	23	24	28	39	70	112	136	127	105	34	3	5	5	142	
4	4	1	12	11	16	20	32	49	95	94	122	84	37	7	1	1	142	
8	10	15	18	15	27	28	24	19	21	15	10	4	1	1	1	1	143	
4	9	5	6	11	14	11	6	7	3	3	1	1	1	1	1	1	143	
4	10	11	22	23	14	25	24	18	18	9	6	4	4	1	1	1	144	
9	8	11	7	8	12	9	8	10	6	10	5	4	4	2	3	3	144	
2	4	5	3	5	14	13	9	12	11	15	14	21	23	5	5	5	145	
8	3	5	13	7	9	12	11	15	14	14	21	23	5	5	5	145		

MORTALITY STATISTICS.

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	IX.—Diseases of the bones and of the organs of locomotion.....	1,919	160	81	44	33	45	363	196	181	120	30
	Males.....	1,165	103	45	27	12	25	212	119	104	80	55
	Females.....	754	57	36	17	21	20	151	77	77	40	35
146	Diseases of the bones (tuberculosis excepted).....(M.....	1,032	90	43	26	12	24	195	113	99	72	54
	(F.....	618	50	35	16	19	20	140	73	70	37	34
147	Diseases of the joints (tuberculosis and rheumatism excepted).....(M.....	100	8	2	1	—	—	1	12	4	5	6
	(F.....	105	5	1	—	—	—	—	6	3	6	1
148	Amputations.....(F.....	1	—	—	—	—	—	—	—	—	—	—
149	Other diseases of the organs of locomotion.....(M.....	32	5	—	—	—	—	5	2	—	2	—
	(F.....	31	2	—	1	2	—	5	1	1	3	—
	X.—Malformations.....	12,263	11,388	328	129	77	34	11,956	140	64	56	21
	Males.....	6,989	6,503	180	79	43	15	6,820	79	38	32	13
	Females.....	5,274	4,885	148	50	34	19	5,136	61	31	24	8
150	Congenital malformations (stillbirths not included) (total).....(M.....	6,989	6,503	180	79	43	15	6,820	79	33	32	13
	(F.....	5,274	4,885	148	50	34	19	5,136	61	31	24	8
	Hydrocephalus.....(M.....	560	397	65	35	10	7	514	27	5	9	1
	(F.....	516	396	45	21	12	6	480	16	7	6	3
	Congenital malformations of the heart.....(M.....	4,425	4,213	67	29	24	3	4,336	37	24	15	7
	(F.....	3,083	2,900	62	17	14	9	3,002	32	24	14	3
	Other congenital malformations.....(M.....	2,004	1,893	48	15	9	5	1,970	15	4	8	5
	(F.....	1,675	1,589	41	12	8	4	1,654	13	—	4	2
	XI.—Early infancy.....	56,084	56,084	—	—	—	—	56,084	—	—	—	—
	Males.....	32,479	32,479	—	—	—	—	32,479	—	—	—	—
	Females.....	23,605	23,605	—	—	—	—	23,605	—	—	—	—
151	Congenital debility, icterus, and sclerema (total).....(M.....	26,050	26,050	—	—	—	—	26,050	—	—	—	—
	(F.....	19,228	19,228	—	—	—	—	19,228	—	—	—	—
	Premature birth.....(M.....	20,029	20,029	—	—	—	—	20,029	—	—	—	—
	(F.....	14,911	14,911	—	—	—	—	14,911	—	—	—	—
	Congenital debility, "atrophy," "marasmus," etc.....(M.....	6,021	6,021	—	—	—	—	6,021	—	—	—	—
	(F.....	4,317	4,317	—	—	—	—	4,317	—	—	—	—
152	Other causes peculiar to early infancy (total).....(M.....	6,338	6,338	—	—	—	—	6,338	—	—	—	—
	(F.....	4,328	4,328	—	—	—	—	4,328	—	—	—	—
	Injuries at birth.....(M.....	3,602	3,602	—	—	—	—	3,602	—	—	—	—
	(F.....	2,246	2,246	—	—	—	—	2,246	—	—	—	—
	Other causes peculiar to early infancy ¹(M.....	2,736	2,736	—	—	—	—	2,736	—	—	—	—
	(F.....	2,082	2,082	—	—	—	—	2,082	—	—	—	—
153	Lack of care.....(M.....	91	91	—	—	—	—	91	—	—	—	—
	(F.....	49	49	—	—	—	—	49	—	—	—	—
	XII.—Old age.....	10,419	—	—	—	—	—	—	—	—	—	—
	Males.....	4,449	—	—	—	—	—	—	—	—	—	—
	Females.....	5,970	—	—	—	—	—	—	—	—	—	—
154	Senility.....(M.....	4,449	—	—	—	—	—	—	—	—	—	—
	(F.....	5,970	—	—	—	—	—	—	—	—	—	—
	XIII.—External causes.....	73,182	1,754	1,627	1,413	1,305	1,163	7,262	4,006	3,193	4,289	4,418
	Males.....	54,652	970	945	820	703	643	4,081	2,694	2,557	3,466	3,469
	Females.....	18,530	784	682	593	602	520	3,181	1,312	636	523	949
	Suicide (total).....(M.....	6,861	—	—	—	—	—	—	—	18	140	338
	(F.....	2,460	—	—	—	—	—	—	—	1	18	258
155	By poison.....(M.....	744	—	—	—	—	—	—	—	3	22	49
	(F.....	689	—	—	—	—	—	—	—	3	72	118
156	By asphyxia.....(M.....	744	—	—	—	—	—	—	—	1	8	29
	(F.....	506	—	—	—	—	—	—	—	3	19	38
157	By hanging or strangulation.....(M.....	1,264	—	—	—	—	—	—	—	8	19	36
	(F.....	348	—	—	—	—	—	—	—	1	4	11
158	By drowning.....(M.....	359	—	—	—	—	—	—	—	1	5	15
	(F.....	264	—	—	—	—	—	—	—	5	12	16
159	By firearms.....(M.....	2,848	—	—	—	—	—	—	—	6	80	186
	(F.....	367	—	—	—	—	—	—	—	6	30	58
160	By cutting or piercing instruments.....(M.....	627	—	—	—	—	—	—	—	—	1	10
	(F.....	102	—	—	—	—	—	—	—	—	2	3
161	By jumping from high places.....(M.....	146	—	—	—	—	—	—	—	—	1	7
	(F.....	123	—	—	—	—	—	—	—	—	6	13
162	By crushing.....(M.....	63	—	—	—	—	—	—	—	—	1	2
	(F.....	17	—	—	—	—	—	—	—	—	1	2
163	Other suicides.....(M.....	56	—	—	—	—	—	—	—	—	3	4
	(F.....	44	—	—	—	—	—	—	—	—	2	1

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY SEX AND AGE.

279

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDEDENT: 1918—Con.
soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	
XIII.—External causes—Continued.													
	Accidental or undefined (total).....	{M. 44,908 F. 15,364	909 723	935 675	813 590	699 593	634 510	3,990 3,091	2,661 1,295	2,500 594	3,191 607	2,843 596	
164	Poisoning by food.....	{M. 377 F. 350	49 41	35 28	25 23	14 18	18 9	141 119	31 25	22 15	16 13	11 12	
165	Other acute poisonings.....	{M. 688 F. 482	60 26	129 80	58 55	45 24	28 12	320 197	35 17	16 11	13 17	17 46	
166	Conflagration.....	{M. 743 F. 485	23 16	14 19	31 20	31 20	19 22	118 97	63 62	36 34	22 28	18 16	
167	Burns (conflagration excepted).....	{M. 2,554 F. 3,127	99 103	360 256	372 278	268 338	140 279	1,239 1,254	193 491	58 100	73 113	95 115	
168	Absorption of deleterious gases (conflagration excepted).....	{M. 2,156 F. 926	303 240	18 17	8 8	15 4	6 5	350 274	27 17	41 17	59 26	100 59	
169	Accidental drowning.....	{M. 4,254 F. 697	24 9	112 74	81 41	40 29	66 11	323 184	424 61	528 87	656 107	389 67	
170	Traumatism by firearms.....	{M. 1,419 F. 228	2 4	8 5	9 9	14 18	18 6	51 42	136 51	341 37	310 30	126 18	
171	Traumatism by cutting or piercing instruments.....	{M. 127 F. 34	3 3	1 2	2 1	4 2	2 1	12 9	5 4	8 1	9 1	7 1	
172	Traumatism by fall.....	{M. 5,570 F. 4,222	72 45	88 74	59 51	56 23	63 29	338 222	195 83	179 31	159 37	155 21	
173	Traumatism in mines and quarries (total).....	{M. 2,487 F. 2,405	1 4	1	2	12	195	273	
	Traumatism in mines.....	{M. 82 F. 82	1	1	1	11	188	287	
	Traumatism in quarries.....	{M. 82 F. 82	1	1	1	1	7	6	
174	Traumatism by machines.....	{M. 2,044 F. 83	2 3	2 3	6 1	5 1	15 8	35 4	68 5	229 10	161 4		
175	Traumatism by other crushing (total).....	{M. 16,471 F. 3,190	40 29	55 51	109 52	162 90	224 113	590 335	1,221 413	931 202	1,091 194	1,171 204	
	Railroad accidents and injuries.....	{M. 7,068 F. 758	12 4	15 8	13 5	9 6	18 13	67 36	165 42	234 62	513 56	632 57	
	Street-car accidents and injuries.....	{M. 1,730 F. 477	2 7	9 7	23 17	23 18	20 15	77 57	79 45	44 9	82 27	95 27	
	Automobile accidents and injuries.....	{M. 5,409 F. 1,651	19 16	19 23	50 22	90 54	149 70	327 185	803 508	508 286	350 112	286 107	
	Injuries by other vehicles.....	{M. 1,763 F. 251	7 7	10 13	21 8	38 12	34 12	110 52	162 39	135 16	122 14	104 11	
	Landslide, other crushing.....	{M. 501 F. 23	2 2	2 2	2 2	2 3	3 3	9 5	12 1	10 3	24 2	54 2	
176	Injuries by animals.....	{M. 559 F. 60	2 2	5 5	15 3	12 3	13 5	47 18	45 6	53 7	31 2	18 1	
177	Starvation.....	{M. 18 F. 11	3 3	1 1	4 3	
178	Excessive cold.....	{M. 299 F. 72	4 5	1 1	1 1	4 7	1 1	5 1	3 1	4 1	
179	Effects of heat.....	{M. 649 F. 337	103 85	13 12	2 3	2 2	2 1	120 103	8 2	2 2	15 1	7 2	
180	Lightning.....	{M. 300 F. 59	1 1	1 1	3 1	15 10	32 5	28 5	33 6	
181	Electricity (lightning excepted).....	{M. 724 F. 8	1 1	1 2	14 1	43 2	79 1	92 7	
182	Fractures (cause not specified).....	{M. 337 F. 349	3 2	2 1	1 1	1 1	3 3	8 2	5 2	14 2	1 1	
183	Other external violence.....	{M. 3,132 F. 640	116 110	93 48	41 43	30 21	27 12	307 234	143 44	115 39	189 20	179 24	
	Homicide (total).....	{M. 2,883 F. 706	61 61	10 7	7 3	4 9	9 10	91 90	33 16	39 24	135 67	288 95	
182	By firearms.....	{M. 1,999 F. 357	2 3	1 2	5 2	14 7	8 5	27 13	97 44	220 58	
183	By cutting or piercing instruments.....	{M. 304 F. 80	2 7	1 1	1 1	1 1	2 2	12 11	5 4	2 2	20 12	39 29	
184	By other means.....	{M. 580 F. 269	57 51	8 4	4 2	2 8	2 6	71 71	20 4	12 9	18 15	29 34	
	XIV.—Ill-defined diseases.....	9,968	3,710	634	199	117	68	4,728	148	113	108	140	
	Males.....	5,607	2,113	339	99	63	29	2,643	67	64	67	50	
	Females.....	4,361	1,597	295	100	54	39	2,085	81	49	41	90	
187	Ill-defined organic disease.....	{M. 220 F. 236	2 2	4 1	3 3	3 1	1 2	13 9	2 2	1 4	1 3	1 3	
188	Sudden death.....	{M. 439 F. 303	91 73	9 6	4 3	4 1	1 1	109 83	3 6	5 2	4 2	4 6	
189	Not specified or ill-defined (total).....	{M. 4,948 F. 3,822	2,020 1,522	326 288	92 94	56 52	27 37	2,521 1,993	62 73	58 43	62 34	46 81	
	Ill-defined.....	{M. 2,022 F. 1,558	408 329	218 192	58 37	27 22	10 13	721 593	35 32	24 17	20 14	19 34	
	Not specified or unknown.....	{M. 2,926 F. 2,264	1,612 1,193	108 96	34 57	29 30	17 24	1,800 1,400	27 41	34 26	42 7	27 47	

CAUSES OF DEATH, BY SEX AND AGE.

281

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEASED: 1918—Con.
soldiers, sailors, and marines.]

DEATHS AT AGE OF—																	Deaths at un- known age.	Detailed List No.	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.				
3,191 529	3,477 457	3,653 505	3,169 508	3,212 499	2,720 556	2,403 572	2,102 621	1,776 712	1,355 884	1,016 1,017	662 1,143	419 718	139 299	38 67	2 3	389 61			
9	9	9	18	19	17	12	20	21	11	5	3	2	2	1	1				
16	13	27	24	13	11	10	17	19	3	4	6	2	1	1	1	164			
25	50	34	38	33	29	20	27	11	12	3	4	1	1	1	1	1			
40	27	26	26	14	18	16	9	5	3	6	2	1	1	1	1	165			
33	43	44	43	36	39	36	41	24	25	30	11	6	4	4	4	71			
22	14	22	21	11	23	22	14	20	16	13	11	5	4	4	4	30			
117	108	106	110	83	64	73	59	56	44	32	21	15	4	4	4	4	167		
87	97	76	92	65	80	69	80	93	100	83	29	5	4	4	4	6			
130	158	157	164	201	155	171	130	103	85	57	43	19	2	1	1	1	168		
39	33	38	41	48	50	34	47	55	51	42	37	11	5	1	1	1	169		
296	266	243	255	216	199	134	91	66	41	23	14	6	1	1	1	42			
34	38	31	22	18	18	16	12	6	3	3	3	1	1	1	1	3			
89	85	59	44	55	35	32	10	20	4	8	2	2	1	1	1	3			
14	8	11	1	7	3	4	1	1	1	1	1	1	1	1	1	1	170		
1	5	8	11	11	10	11	11	7	4	5	2	1	1	1	1	1	171		
1	1	2	1	1	2	1	2	3	4	2	1	1	1	1	1	1	172		
252	287	358	383	385	361	360	363	375	350	372	326	244	91	26	2	9			
43	46	57	48	81	105	128	205	295	479	652	813	570	237	55	3	6			
331	394	400	266	248	148	105	59	30	11	3	2	1	1	1	1	7	173		
1	321	381	391	261	255	142	100	57	28	10	3	2	2	2	2	7			
1	10	13	9	5	13	6	5	2	2	1	1	1	1	1	1	1			
226	228	224	188	170	158	123	104	62	32	12	3	1	1	1	1	5	174		
9	6	6	4	7	5	4	5	4	1	1	1	1	1	1	1	1			
1,275	1,386	1,505	1,250	1,259	1,124	942	843	712	511	302	129	58	18	4	4	149	175		
177	168	165	175	191	156	208	155	128	128	86	53	12	6	1	1	8			
695	761	777	640	573	536	410	332	275	168	101	40	21	6	2	2	120			
43	53	56	67	59	44	42	34	27	35	25	12	2	2	2	2	6			
112	126	166	154	162	119	111	112	107	84	54	22	12	3	2	2	7			
27	32	26	27	24	28	35	34	22	26	17	6	7	1	1	1	1			
327	325	398	314	353	317	275	287	194	169	99	42	17	8	10	10				
90	72	68	71	87	94	112	77	65	57	37	30	1	4	4	4	1			
90	114	103	97	118	122	108	93	120	83	43	24	8	1	1	1	6			
16	16	5	14	10	20	18	17	10	14	9	6	5	2	2	1	1			
51	60	61	45	53	30	38	19	16	7	5	1	1	1	1	1	6			
1	1	1	1	1	2	2	2	1	1	1	1	1	1	1	1				
16	28	25	27	44	31	42	40	45	33	22	9	2	2	1	1	1	176		
1	1	2	2	2	4	2	3	2	4	3	1	1	1	1	1	1	177		
9	12	12	27	23	25	35	42	28	30	17	10	7	2	2	2	3			
1	4	2	2	2	4	5	5	4	10	7	9	5	1	1	1	1	178		
16	37	31	46	61	41	46	45	42	40	38	23	18	6	2	2	1	179		
7	10	7	8	12	13	14	20	28	20	29	31	18	11	1	1	1			
36	24	29	19	25	11	15	15	8	2	2	1	1	1	1	1	180			
8	3	5	3	4	3	2	2	2	2	2	1	1	1	1	1	1	181		
109	114	115	43	48	31	18	10	2	2	2	1	1	1	1	1	4			
13	15	23	18	27	19	26	17	28	19	24	33	21	8	2	2	3	185		
1	2	1	10	15	13	19	22	42	59	66	55	27	6	1	1	1			
208	228	271	219	267	222	201	165	138	89	58	26	19	3	1	1	84			
29	22	27	26	20	16	23	24	17	20	19	6	1	1	1	1	2	186		
415	436	432	335	240	157	114	60	54	19	7	2	1	1	1	1	25			
91	103	75	44	32	26	10	10	7	3	2	1	1	1	1	1	4			
321	335	307	236	165	103	70	38	27	11	2	1	1	1	1	1	17			
45	61	39	28	22	15	6	5	3	2	1	1	1	1	1	1	1	182		
48	53	48	39	16	14	9	2	3	1	1	1	1	1	1	1		183		
11	13	9	4	2	5	1	3	1	1	1	1	1	1	1	1				
46	48	77	60	59	40	35	20	24	7	4	1	1	1	1	1	8	184		
35	29	27	12	8	6	3	2	4	4	2	2	1	1	1	1	3			
164	173	267	275	284	284	353	466	579	546	516	363	242	71	22	3	118			
80	86	148	153	186	175	244	290	348	313	262	185	109	41	12	12	84			
84	87	119	122	98	109	114	176	231	233	254	178	133	30	10	3	34			
2	2	7	4	9	20	14	17	25	35	25	15	21	3	2	1	1	187		
3	7	7	10	9	5	15	21	38	27	35	18	16	3	1	1				
6	6	12	11	21	24	35	51	48	38	24	23	9	6	1	1	1	188		
5	7	8	9	10	9	16	18	27	29	28	18	13	3	2	2				
72	78	129	138	156	131	195	222	275	240	213	147	79	32	10	82	82	189		
76	73	104	103	79	95	83	137	166	177	191	142	104	24	9	3	32			
26	38	56	68	78	69	119	142	194	147	117	74	31	20	5	2	19			
40	31	58	48	46	61	55	89	107	101	99	60	33	11	5	2	63			
46	40	73	70	78	62	76	80	81	93	96	73	48	12	5	5				
36	42	46	55	33	34	28	48	59	76	92	82	71	13	4	1	23			

MORTALITY STATISTICS.

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of

Detailed Int. List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	All causes.....	157,733	22,871	7,654	3,657	2,270	1,615	38,067	5,020	4,540	9,557	12,493
	Males.....	81,440	12,409	3,964	1,845	1,083	781	20,082	2,360	2,090	4,654	5,598
	Females.....	76,293	10,462	3,690	1,812	1,187	884	17,985	2,660	2,450	4,903	6,895
I.—General diseases.....		61,713	4,986	2,978	1,729	1,234	905	11,832	2,931	2,759	5,711	7,100
	Males.....	29,869	2,631	1,507	829	580	434	5,981	1,336	1,131	2,667	3,021
	Females.....	31,844	2,355	1,471	900	654	471	5,851	1,595	1,628	3,044	4,079
1	Typhoid fever.....	(M.) 1,040 (F.) 995	10 15	16 9	7 15	18 18	9 11	60 68	98 118	124 151	206 184	132 155
2	Typhus fever.....	(M.)										
3	Relapsing fever.....	(M.)										
4	Malaria.....	(M.) 587 (F.) 659	82 70	49 35	32 34	16 25	19 23	198 187	60 69	28 41	49 48	19 69
5	Smallpox.....	(M.) 43 (F.) 17	1 1	1 1	1 1	1 1	1 1	5 2	1 1	2 1	3 1	3 1
6	Measles.....	(M.) 341 (F.) 332	96 82	91 70	33 30	23 24	10 11	253 217	31 30	8 29	26 19	12 12
7	Scarlet fever.....	(M.) 13 (F.) 12	1 1	1 1	4 1	3 1	1 1	9 3	2 3	2 2	3 2	1 1
8	Whooping cough.....	(M.) 1,209 (F.) 1,432	536 595	295 333	132 184	77 109	50 76	1,090 1,297	90 104	15 21	2 2	2 3
9	Diphtheria and croup.....	(M.) 228 (F.) 185	61 47	30 23	25 13	17 12	16 16	149 111	50 41	14 15	6 3	2 1
10	Influenza.....	(M.) 11,261 (F.) 11,439	1,004 888	619 655	421 463	286 328	234 227	2,564 2,511	621 832	518 674	1,236 1,022	1,073 1,425
11	Miliary fever.....	(M.)										
12	Asiatic cholera.....	(M.)										
13	Cholera nostras.....	(M.) 12 (F.) 19	5 6	1 1				5 7	2 1	1 1	1 1	1 1
14	Dysentery.....	(M.) 599 (F.) 594	196 154	141 112	35 33	12 19	4 10	388 328	22 24	9 9	7 14	10 13
15	Plague.....	(M.)										
16	Yellow fever.....	(M.)										
17	Leprosy.....	(M.) 5 (F.)										
18	Erysipelas.....	(M.) 53 (F.) 49	8 13	1 1		1 1	1 1	11 15		1 1	1 1	5 2
19	Other epidemic diseases.....	(M.) 30 (F.) 22	7 6	6 3	4	1 1	3 1	21 10	1 4	1 2	1 1	2 2
20	Purulent infection and septicemia.....	(M.) 98 (F.) 76	12 2	3 3	1 1	2 1	1 1	18 7	4 4	1 2	9 10	5 8
21	Glanders.....	(M.) 1 (F.)										1
22	Anthrax.....	(M.) 3 (F.)										1
23	Rabies.....	(M.) 8 (F.) 3	1 1			1 1		1 1	5 1	2 1		1
24	Tetanus.....	(M.) 181 (F.) 107	93 53	1 1			1 1	95 54	15 9	14 9	11 5	9 4
25	Mycoses.....	(M.) 2 (F.)										
26	Pellagra.....	(M.) 373 (F.) 1,430	5 6	5 9	1 5	2 2	1 4	14 28	11 22	12 27	15 89	10 154
27	Beriberi.....	(M.) 6 (F.) 4	1 3					1 3				1
	Tuberculosis (total).....	(M.) 10,731 (F.) 10,461	170 154	180 148	107 90	102 92	73 74	632 553	283 295	349 610	1,021 1,555	1,599 2,035
28	Tuberculosis of the lungs.....	(M.) 9,281 (F.) 9,084	94 85	110 87	46 43	53 45	29 45	332 305	185 199	263 498	850 1,389	1,435 1,821
29	Acute miliary tuberculosis.....	(M.) 453 (F.) 508	8 11	6 10	6 6	6 12	4 8	30 47	16 16	20 45	65 91	71 101
30	Tuberculous meningitis.....	(M.) 308 (F.) 221	41 30	40 26	33 20	21 22	18 13	153 111	37 35	19 15	22 12	14 12
31	Abdominal tuberculosis.....	(M.) 369 (F.) 411	10 6	11 6	7 11	10 5	13 3	51 31	23 25	26 32	57 37	41 66
32	Pott's disease.....	(M.) 69 (F.) 39	2 1	4 2	2 3	1 1	2 1	11 9	7 5	6 2	4 5	8 4
33	White swellings.....	(M.) 68 (F.) 27		1 1	1 2	1 1		3 5	3 3	6 4	6 3	10 5
34	Tuberculosis of other organs.....	(M.) 129 (F.) 104	5 10	4 6	4 5	9 5	4 1	26 26	12 9	8 10	11 11	14 11
35	Disseminated tuberculosis.....	(M.) 54 (F.) 69	10 10	4 4	8 2	1 2	3 1	26 19	9 3	1 4	6 7	6 15
36	Rickets.....	(M.) 83 (F.) 69	28 28	30 24	15 12	6 4		79 68	3 10	1 11	1 27	81
37	Syphilis.....	(M.) 1,307 (F.) 834	250 240	31 35	9 9	7 6	6 6	303 299	10 12	11 9	38 33	79
38	Gonococcus infection.....	(M.) 36 (F.) 111	4 5					4 5	3 3	2 12	2 24	

CAUSES OF DEATH, BY SEX AND AGE.

283

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDEDENT: 1918.

soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of

Detailed Int. List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	
I.—General diseases—Continued.													
	Cancer and other malignant tumors (total).....	(M) 883 (F) 2,240	2	1	1	2	3	8	6	4	9	15	
39	Of the buccal cavity.....	(M) 61 (F) 31	1					9	6	4	9	37	
40	Of the stomach, liver.....	(M) 453 (F) 468	1			1		2	1		1	1	
41	Of the peritoneum, intestines, rectum.....	(M) 87 (F) 148						2			2	3	
42	Of the female genital organs.....	(F) 1,019					1	1	1		1	19	
43	Of the breast.....	(M) 8 (F) 365									1	5	
44	Of the skin.....	(M) 16 (F) 24									1	1	
45	Of other organs or of organs not specified.....	(M) 258 (F) 185			1	2	1	4	4	2	6	5	
46	Other tumors (tumors of the female genital organs excepted).....	(M) 6 (F) 24	1					1		1		1	
47	Acute articular rheumatism.....	(M) 188 (F) 205	3	1		1	1	6	10	6	12	15	
48	Chronic rheumatism and gout.....	(M) 35 (F) 33	4	1	2		1	8	6	7	14	19	
49	Scurvy.....	(M) 7 (F) 16	3	1				4	1			1	
50	Diabetes.....	(M) 228 (F) 245	1	1		1		11	1		2	10	
51	Exophthalmic goiter.....	(M) 7 (F) 55						2	3	1	1	5	
52	Addison's disease.....	(M) 1 (F) 4						1		1	1		
53	Leukemia.....	(M) 31 (F) 14	4	1	1				1		2	2	
54	Anemia, chlorosis.....	(M) 43 (F) 63	13		2	1	2	15	1	1	2	1	
55	Other general diseases.....	(M) 79 (F) 61	37	3	1	1	2	10	2	5	4	7	
56	Alcoholism (acute or chronic).....	(M) 93 (F) 18						42	4	3	5	1	
57	Chronic lead poisoning.....	(M) 3 (F) 3						35	4		1	4	
58	Other chronic occupation poisonings.....	(M) 3 (F) 3											
59	Other chronic poisonings.....	(M) 14 (F) 7									1	1	
II.—Diseases of the nervous system and of the organs of special sense.													
	Males.....	9,110	579	175	99	59	58	970	153	157	210	252	
	Females.....		4,495 4,615	316 263	95 80	49 50	32 27	30 28	522 448	73 80	87 70	134 76	132 120
60	Encephalitis.....	(M) 41 (F) 44	5	3	1		1	10	2	4	2	1	
61	Meningitis (total).....	(M) 404 (F) 295	59	32	22	14	16	143	36	34	59	43	
	Simple meningitis.....	(M) 132 (F) 112	33	13	6	5	5	122	47	35	19	17	
	Cerebrospinal meningitis (undefined).....	(M) 119 (F) 77	12	9	12	5	7	60	10	11	10	5	
	Cerebrospinal fever.....	(M) 153 (F) 106	15	6	5	9	9	42	12	13	18	17	
62	Locomotor ataxia.....	(M) 66 (F) 33						28	13	10	5	6	
63	Other diseases of the spinal cord (total).....	(M) 158 (F) 170	10	7	5	3	5	30	8	4	3	8	
	Acute anterior poliomyelitis.....	(M) 24 (F) 34	5	12	7	2	3	29	3	7	2	5	
	Other diseases of the spinal cord.....	(M) 124 (F) 136	5	9	7	2	2	25	1	2		1	
64	Cerebral hemorrhage, apoplexy.....	(M) 2,043 (F) 2,540	9	4	2	1	1	17	3	5	2	5	
65	Softening of the brain.....	(M) 30 (F) 34	10	1	2	1	3	17	4	6	12	33	
66	Paralysis without specified cause.....	(M) 567 (F) 672	5	1	1	1		8	1	5	4	7	
67	General paralysis of the insane.....	(M) 359 (F) 152	5		1		1	7	3	1	5	9	
68	Other forms of mental alienation.....	(M) 136 (F) 130								1	7	10	
69	Epilepsy.....	(M) 274 (F) 159	19	3	5	4	2	33	8	22	33	30	
70	Convulsions (nonpuerperal).....	(M) 17 (F) 27						25	8	9	15	20	
71	Convulsions of infants.....	(M) 256 (F) 208	197	39	11	7	2	256		6	3	2	
72	Chorea.....	(M) 4 (F) 6	156	27	13	7	5	208	4	1	6	4	
73	Neuralgia and neuritis.....	(M) 10 (F) 13									1	3	

* Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY SEX AND AGE.

285

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918—Con.
soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of

Detailed Int. List No.	CAUSE OF DEATH.	All deaths:	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to year*	‡ years.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.											
74	Other diseases of the nervous system.....	(M. 88 F. 91)	7 3	1 4	3	2 1	1 1	11 12	1 3	3 3	5 5	1 5
75	Diseases of the eyes and their annexa.....	(M. 7 F. 6)		1					1		1 1	1 1
76	Diseases of the ears.....	(M. 30 F. 35)	4 3	4 4	2 3		1 1	11 13	5 4	2 2	2 1	2 2
	III.—Diseases of the circulatory system.....	13,522	76	32	27	11	10	156	90	127	196	402
	Males.....	7,020	39	22	11	5	3	80	45	58	79	167
	Females.....	6,502	37	10	16	6	7	76	45	69	117	235
77	Pericarditis.....	(M. 88 F. 67)		1	1			1 3	2	2	4	9
78	Acute endocarditis.....	(M. 369 F. 378)	4 2	4 2	2	1		11 10	4 6	8 11	10 16	18 24
79	Organic diseases of the heart.....	(M. 5,713 F. 5,388)	19	12	7	3	3	44 49	38 36	44 55	60 94	132 198
80	Angina pectoris.....	(M. 116 F. 106)	7	12	4	5		1	1	1	1	2
81	Diseases of the arteries, atheroma, aneurism, etc.....	(M. 629 F. 442)		1				1 1		1	1	3
82	Embolism and thrombosis.....	(M. 50 F. 68)			1			1 1		2	4	2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	(M. 13 F. 23)	1	1	2	1		1 1		1	1	8
84	Diseases of the lymphatic system (lymphangitis, etc.).....	(M. 19 F. 9)	10	2				12	1			1
85	Hemorrhage; other diseases of the circulatory system.....	(M. 28 F. 21)	4 5	2	1	1		6 8	1	3		2
	IV.—Diseases of the respiratory system.....	26,847	3,908	1,947	916	459	337	7,567	908	718	1,710	2,486
	Males.....	15,216	2,154	1,012	474	217	165	4,022	447	324	939	1,309
	Females.....	11,631	1,754	935	442	242	172	3,545	461	394	771	1,177
86	Diseases of the nasal fossae.....	(M. 104 F. 99)	59	14	5	2	2	82	7	2	5	2
87	Diseases of the larynx.....	(M. 36 F. 29)	16	3	2	1	1	70	1	4	2	2
88	Diseases of the thyroid body.....	(M. 3 F. 23)	12	4	1	2	1	23	1		1	
89	Acute bronchitis.....	(M. 473 F. 436)	239	88	42	7	8	384	11	3	5	6
90	Chronic bronchitis.....	(M. 206 F. 205)	10	4	4	2	2	344	10	6	7	7
91	Bronchopneumonia.....	(M. 2,762 F. 2,490)	949	162	193	74	44	1,722	86	41	72	98
92	Pneumonia (total).....	(M. 11,097 F. 7,912)	851	425	222	124	102	1,724	326	266	819	1,161
	Lobar pneumonia.....	(M. 8,801 F. 6,021)	432	271	142	74	68	1,474	300	320	644	1,022
	Pneumonia (undefined).....	(M. 2,206 F. 1,891)	255	221	133	82	59	987	218	205	636	959
93	Pleurisy.....	(M. 213 F. 126)	419	154	80	50	34	850	206	243	487	813
			334	133	85	40	32	624	94	108	61	202
			8	1	1	3	4	24	6	2	14	16
			5	4	1	2	2	14	5	3	3	15
94	Pulmonary congestion, pulmonary apoplexy.....	(M. 53 F. 52)	12	2	2	1	1	18		3		1
95	Gangrene of the lung.....	(M. 15 F. 5)	8	5	3	1		17	2			2
96	Asthma.....	(M. 142 F. 165)	2	3	2			7	1	2	3	3
97	Pulmonary emphysema.....	(M. 9 F. 10)	5	5	1	1		11	3	1	2	9
98	Other diseases of the respiratory system (tuberculosis excepted).....	(M. 103 F. 79)	8	2	5	1	1	16	2	1	8	11
			4	2	1	1	1	8	1	3	5	12
	V.—Diseases of the digestive system.....	11,571	4,128	1,698	470	203	109	6,608	307	176	278	357
	Males.....	5,916	2,197	874	256	101	56	3,484	146	83	117	135
	Females.....	5,655	1,931	824	214	102	53	3,124	161	93	161	222
99	Diseases of the mouth and annexa.....	(M. 79 F. 102)	56	6	2			64	3	1	1	1
100	Diseases of the pharynx.....	(M. 82 F. 96)	58	6	5	3		72	3	2	4	4
101	Diseases of the esophagus.....	(M. 7 F. 5)	8	6	7	2	2	25	6	7	10	8
102	Ulcer of the stomach.....	(M. 125 F. 117)	5	1	1			22	12	10	12	15
103	Other diseases of the stomach (cancer excepted).....	(M. 638 F. 748)	168	43	25	16	8	260	23	6	10	13
			163	41	14	12	13	243	26	12	18	26
104	Diarrhea and enteritis (under 2 years).....	(M. 2,675 F. 2,398)	1,888	787				2,675				
105	Diarrhea and enteritis (2 years and over).....	(M. 662 F. 745)	1,649	749	199	84	35	2,398				
106	Ankylostomiasis.....	(M. 2 F. 2)		1				288	57	18	17	12
								266	60	12	23	30
								1	1	1	1	1

CAUSES OF DEATH, BY SEX AND AGE.

287

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918—Con.
soldiers, sailors and marines.]

DEATHS AT AGE OF—																	Deaths at un-known age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.			
4	8	8	7	5	4	10	4	9	2	4	1	1	1	1	1	2	2	74
5	7	9	5	4	8	3	5	1	5	2	2	2	2	2	2	2	2	75
1		1		2		3		1	1		1	1	1	1	1	1		76
2		5	1			1	1	1	1									
540	691	1,021	1,173	1,248	1,359	1,169	1,223	1,141	1,083	739	529	273	172	65	51	74		
234	352	548	607	679	697	630	647	623	607	419	255	120	83	29	20	41		
306	339	473	566	569	662	539	576	518	476	320	274	153	89	36	31	33		
2	8	2	9	2	8	6	10	8	5	7	1	1	1	1	1	1		77
3	3	9	4	5	6	7	2	4	2	1	2	1	1	1	1	1		78
25	30	44	52	53	60	40	3	3	1	3	1	2	1	2	1	1		79
40	33	39	50	45	54	32	4	3	2	3	2	1	1	1	1	1		79
194	233	416	483	551	561	535	575	532	508	332	200	91	69	18	12	35		
246	231	379	469	470	545	459	520	445	415	264	211	125	60	25	19	28		
4	6	10	12	17	13	14	5	9	5	9	1	3	1	1	1	2		80
5	10	14	5	14	17	10	6	9	4	3	3	2	14	9	8	3		81
8	19	63	45	47	47	28	49	66	77	68	51	22	22	8	12	3		
6	9	17	25	22	31	30	30	51	45	46	55	24	24	8	12	3		
3	6	5	3	4	4	3	4	3	4	6	1	1	1	1	1	1		82
1	10	7	10	7	1	8	5	4	4									83
2	3	2	2	4	2	2	1	1	2	1	1	1	1	2	1	1		84
1	2	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1		85
2,611	2,299	2,084	1,431	1,228	901	629	579	459	398	235	171	95	53	29	32	194		
1,414	1,416	1,338	944	853	561	371	339	259	221	147	79	44	23	12	10	144		
1,197	883	726	487	375	340	258	240	200	177	138	92	51	30	17	22	50		
1	5	2	1	2	3	2			1	1		1	2	1	1	1		86
2	2	3	1	1	1	1		1										87
1	2	1	1	1	1	1												88
2	1	3	4	1	1	2	4	1	1	1	1	1	1	1	1	1		89
4	4	13	9	6	2	5	6	5	2	3	3	2	1	1	1	1		90
12	5	3	7	1	5	1	8	3	2	1	5	2	2	1	4	1		91
12	12	9	12	14	14	19	8	10	14	13	7	6	1	2	2	3		92
24	10	16	15	13	10	9	11	14	9	6	5	3	1	2	3	1		93
118	97	113	75	64	50	47	35	38	32	28	11	6	6	6	2	15		91
109	87	59	46	39	35	37	34	26	33	26	12	10	5	3	2	3		92
1,240	1,259	1,154	806	716	455	266	259	184	156	85	52	28	10	4	6	121		92
1,015	752	611	393	279	257	183	162	137	113	89	57	30	15	8	15	36		93
1,052	1,116	1,007	707	610	390	235	218	155	110	57	34	16	6	3	6	74		94
849	649	506	327	234	206	146	132	108	88	64	44	22	9	5	8	25		95
188	143	147	99	106	65	31	41	29	46	28	18	12	4	1	1	47		96
166	103	105	66	45	51	37	30	29	25	25	13	8	6	3	7	11		97
16	19	25	16	27	14	11	12	6	1	1	1	1	1	1	1	2		98
15	5	8	4	11	5	10	5	7	3	1	1	1	1	1	1			99
4	1	1	2	4	2	3	2	2	3	3	1	1	1	1	2	2		100
1	1	4	2	6	2	2	2	2	2	1	1	1	1	1	1	1		101
1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		102
5	11	13	12	13	10	13	10	6	9	11	4	4	3	1	2	4		103
7	8	19	11	15	15	8	10	6	12	8	8	4	3	1	1	1		104
1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1		105
2	9	7	7	7	8	4	6	7	1	3	1	1	1	1	1	2		106
8	7	1	4	4	7	3	4	5	5	3	1	1	1	1	1	1		
405	395	474	398	405	379	298	288	270	183	141	90	44	24	6	15	30		
156	171	237	204	239	206	159	149	149	106	70	49	22	12	2	6	14		
249	224	227	194	166	173	139	139	121	77	71	41	22	12	4	9	16		
4	2	3	1	1	2	4	3	1	1	1	1							107
11	6	3	2	3	4	2	3	1	1	1	1							108
5	3	4	4	3	5	1	3	2	1	1	1							109
3	1	1	1	1	1	1	1	1	1	1	1							110
9	10	18	14	16	12	5	5	5	3	1	2	1	1	1	1	1		111
10	15	14	11	8	11	8	6	5	3	2	1	1	1	1	1	1		112
13	26	33	33	39	34	29	26	20	31	17	10	8	4	2	2	1		113
38	39	49	40	42	41	40	35	36	21	15	13	3	4	2	1	1		114
10	18	31	19	30	18	16	32	15	15	13	3	2	1	1	1	6		115
26	38	35	33	34	32	12	34	23	21	15	11	6	1	1	6	5		116

MORTALITY STATISTICS.

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
V.—Diseases of the digestive system—Continued.												
107	Intestinal parasites.....	{M. 56 F. 38	8 4	14 9	12 8	7 3	4 2	45 26	9 9	1 1	1 1	1 1
108	Appendicitis and typhlitis.....	{M. 398 F. 345	2 3	3 2	2 1	3 3	3 1	11 5	23 24	35 34	48 50	57 50
109	Hernia, intestinal obstruction (total).....	{M. 432 F. 386	54 32	8 7	4 5	3 7	1 2	70 53	10 12	8 9	15 18	17 29
	Hernia.....	{M. 187 F. 76	21 2	4 1	2 2			27 5	2 8	2 6	3 12	3 9
	Intestinal obstruction.....	{M. 245 F. 310	33 30	4 6	2 5	3 5	1 2	43 48	8 12	6 9	12 16	9 27
110	Other diseases of the intestines.....	{M. 95 F. 95	4 7	2 2	2 1	1 1	1 1	10 11	2 1	3 2	2 2	4 3
111	Acute yellow atrophy of the liver.....	{M. 8 F. 15				1 1	1 1	3			1	4
112	Hydatid tumor of the liver.....	{M. 1 F. 1						3				
113	Cirrhosis of the liver.....	{M. 355 F. 197		1		1 1	1 1	2 6	1 2	1 1	3 1	4 10
114	Biliary calculi.....	{M. 32 F. 39								1	2	2
115	Other diseases of the liver.....	{M. 160 F. 142	2 4	1 2	1 2	3 2	1 1	8 4	5 4	8 11	12 15	
116	Diseases of the spleen.....	{M. 6 F. 2		1				1		1		
117	Simple peritonitis (nonpuerperal).....	{M. 97 F. 168	6 5	2 3	3 1	1 1		12 9	4 8	3 7	6 19	6 27
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	{M. 9 F. 14									2	3
VI.—Nonvenereal diseases of the genito-urinary system and annexa.												
		10,350	99	92	61	32	19	303	93	93	187	293
	Males.....	5,394	64	51	34	18	6	173	46	50	73	96
	Females.....	4,956	35	41	27	14	13	130	47	43	114	197
119	Acute nephritis.....	{M. 591 F. 571	29 22	26 21	23 14	6 9	5 9	89 75	16 21	20 16	24 27	27 36
120	Bright's disease.....	{M. 4,236 F. 3,428	18 12	20 17	11 11	12 5	1 3	62 48	25 20	28 19	46 58	53 75
121	Chyluria.....	{M. 130 F. 92										
122	Other diseases of the kidneys and annexa.....	{M. 19 F. 7	11 2	5 2				16 2	3 5	1 3	2 4	4 4
123	Calculi of the urinary passages.....	{M. 94 F. 31		2								
124	Diseases of the bladder.....	{M. 94 F. 31		2								
125	Diseases of the urethra, urinary abscess, etc.....	{M. 98 F. 3		1					1	1	1	1
126	Diseases of the prostate.....	{M. 210										3
127	Nonvenereal diseases of the male genital organs.....	{M. 16 F. 12		2				2		1	1	1
128	Uterine hemorrhage (nonpuerperal).....	{M. 1 F. 12										
129	Uterine tumor (noncancerous).....	{M. 331 F. 130								1	1	5
130	Other diseases of the uterus.....	{M. 130 F. 55								2	6	15
131	Cysts and other tumors of the ovary.....	{M. 55 F. 296									3	6
132	Salpingitis and other diseases of the female genital organs.....	{M. 296 F. 2								1	14	55
133	Nonpuerperal diseases of the breast (cancer excepted).....	{M. 2 F. 2										
VII.—The puerperal state.												
		2,139								18	400	554
134	Accidents of pregnancy.....	{M. 349 F. 110								2	37	97
135	Puerperal hemorrhage.....	{M. 361 F. 721								5	3	18
136	Other accidents of labor.....	{M. 721 F. 1								5	57	84
137	Puerperal septicemia.....	{M. 1 F. 1								4	146	203
138	Puerperal albuminuria and convulsions.....	{M. 558 F. 38								7	157	143
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	{M. 1 F. 1										9
140	Following childbirth (not otherwise defined).....	{M. 1 F. 1										
141	Puerperal diseases of the breast.....	{M. 1 F. 1										
VIII.—Diseases of the skin and of the cellular tissue.												
		359	31	6	1	2	1	41	6	6	4	11
	Males.....	196	16	3		1	1	21	1	5	1	6
	Females.....	163	15	3	1	1		20	5	1	3	5
142	Gangrene.....	{M. 112 F. 102	3					3		1		3
143	Furuncle.....	{M. 8 F. 7	1	1			1	1				
144	Acute abscess.....	{M. 47 F. 24	5	2	1	1	1	9	1	3	1	2
145	Other diseases of the skin and annexa.....	{M. 29 F. 30	7	2				9	8	1		2

CAUSES OF DEATH, BY SEX AND AGE.

289

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918—Con.
soldiers, sailors, and marines.]

DEATHS AT AGE OF—																		Deaths at un- known age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.				
			2															107	
42	39	44	32	24	17	6	5	6	4	1	2	1						108	
63	40	30	20	4	11	6	2	2	2	2	2							109	
30	17	29	28	38	25	23	28	34	17	12	15	7	2	1	3	4	3	109	
33	40	38	31	27	20	18	21	20	5	5	2	1	1	2	1	1	1	109	
3	3	11	9	16	12	13	16	17	13	8	12	6	2	1	1	1	1	109	
4	8	3	9	6	6	6	10	9	1	1	2	1	1	1	1	1	1	109	
27	14	18	19	22	13	10	12	17	4	3	3	1	1	1	2	1	1	109	
29	32	35	22	21	14	12	11	11	4	4	4	1	1	1	1	1	1	109	
4	12	10	7	13	5	5	6	2	5	2	1	1	1	1	1	1	1	109	
16	9	10	1	8	5	6	5	4	3	6	2							110	
1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	111	
																		112	
13	13	35	35	39	48	46	39	1	19	11	5	1	3					113	
9	8	17	16	15	30	24	16	35	17	13	3	2	1	1	2	1	1	113	
1	3	1	6	3	2	3	4	2	1	1	1	1	1	1	1	1	1	114	
1	2	5	8	3	1	2	7	1	1	1	1	1	1	1	1	1	1	114	
13	12	19	16	21	11	7	11	7	3	4	4	2	2	1	1	1	1	115	
13	9	18	14	1	6	9	5	3	4	5	2	2	2	1	1	2	1	115	
																		116	
9	10	6	5	7	10	4	5	5	2	2	2	1	1	1	1	1	1	117	
26	15	14	13	11	6	3	5	2	2	2	2	1	1	1	1	1	1	117	
2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	118	
442	554	817	856	929	1,055	846	904	817	837	573	352	190	84	41	30	54			
145	193	315	363	461	549	471	551	506	550	397	233	120	45	14	8	35			
297	361	502	493	468	506	375	353	311	237	176	119	70	39	27	22	19			
32	47	59	37	46	55	30	33	27	26	12	3	2	1	1	1	5		119	
48	49	39	59	53	40	32	22	20	18	8	2	1	1	1	2	2		120	
99	135	231	301	381	448	398	456	429	457	325	185	96	35	12	7	29		120	
124	174	266	296	341	425	316	312	272	254	152	111	64	37	26	22	14		121	
7	3	5	5	9	10	11	11	9	8	15	7	3	1	1	1	1	1	122	
8	7	9	6	5	4	3	10	2	5	6	1	3	1	1	1	1	1	123	
		1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	123	
3	1	3	3	3	10	4	11	12	9	12	10	6	1	1	1	1		124	
2	5	13	13	10	8	4	11	10	5	7	4	3	2	2	1	1		124	
4	1	1	1	3	10	17	14	27	19	41	26	25	12	8	1	1		125	
	2	1	2	1	3	3	1	1	1	1	1	1	1	1	1	1		126	
	2	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1		127	
																		128	
27	52	76	78	44	14	10	7	5	5	2	2	1	1	1	1	1		129	
21	17	26	12	13	11	3	1	1	1	1	1	1	1	1	1	1		130	
5	8	12	4	2	4	2	4	3	3	1	1	1	1	1	1	1		131	
60	51	66	33	5	6			3		1								132	
2																		133	
412	320	300	107	22														6	
89	58	50	12	4														134	
18	27	31	11	2														135	
75	56	55	20	6														136	
124	113	91	34	5														137	
95	57	65	29	3														2	
10	9	7	1	2														138	
1		1	1	1														139	
14	9	15	18	19	28	15	31	23	36	27	19	10	12	5	9	1		140	
8	6	9	10	15	16	7	16	7	19	14	10	6	6	2	2	1		141	
6	3	6	8	4	12	8	15	20	17	13	9	4	6	3	7	1			
3	2	4	7	3	9	2	13	11	14	11	10	6	5	2	2	1		142	
3	2	4	6	3	10	3	11	5	12	13	7	3	6	2	6	1		143	
2	3	4	3	6	3	2	1	3	3	1	1	1	1	1	1	1		144	
1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1		145	

MORTALITY STATISTICS.

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[This table excludes the deaths of

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	
	IX.—Diseases of the bones and of the organs of locomotion.	122	9		5	3	1	18	9	4	10	6	
	Males.	88	7		4	2		13	3	4	7	3	
	Females.	39	2		1	1	1	5	6		3	3	
146	Diseases of the bones (tuberculosis excepted).	{M. F.	58 34	6 2		3	2		11	3	6	3	
147	Diseases of the joints (tuberculosis and rheumatism excepted).	{M. F.	19 2	1 2		1	1	1	6	1	2	2	
148	Amputations.	{M. F.	1 1								1		
149	Other diseases of the organs of locomotion.	{M. F.	5 3								1	1	
	X.—Malformations.	578	499	25	15	7	4	550	14	7	4	2	
	Males.	332	281	17	13	4	3	318	8	2	2	1	
	Females.	246	218	8	2	3	1	232	6	5	2	1	
150	Congenital malformations (stillbirths not included) (total).	{M. F.	332 246	281 218	17 8	13 2	4 3	3	318 232	8 6	2 5	2 2	1
	Hydrocephalus.	{M. F.	57 36	35 27	9 4	7	2		58 32	3	1		
	Congenital malformations of the heart.	{M. F.	180 135	163 124	6 3	3	1	1	174 129	3 2	2	1	
	Other congenital malformations.	{M. F.	95 75	83 67	2 1	3	1	2	91 71	2 1	1	1	
	XI.—Early infancy.	6,106	6,106						6,106				
	Males.	3,371	3,371						3,371				
	Females.	2,735	2,735						2,735				
151	Congenital debility, icterus, and sclerema (total).	{M. F.	2,844 2,411	2,844 2,411					2,844 2,411				
	Premature birth.	{M. F.	1,948 1,647	1,948 1,647					1,948 1,647				
	Congenital debility, "atrophy," "marasmus," etc.	{M. F.	896 764	896 764					896 764				
152	Other causes peculiar to early infancy (total).	{M. F.	491 299	491 299					491 299				
	Injuries at birth.	{M. F.	195 106	195 106					195 106				
	Other causes peculiar to early infancy ¹ .	{M. F.	296 193	296 193					296 193				
153	Lack of care.	{M. F.	36 25	36 25					36 25				
	XII.—Old age.	1,832											
	Males.	783											
	Females.	1,049											
154	Senility.	{M. F.	783 1,049										
	XIII.—External causes.		7,827	311	186	189	172	123	981	368	376	695	849
	Males.	5,827	166	104	99	80	56		505	185	297	574	657
	Females.	2,000	145	82	90	92	67	476	183	79	121	192	
	Suicide (total).	{M. F.	250 74								1	10	27
155	By poison.	{M. F.	19 22								8	15	
156	By asphyxia.	{M. F.	20 8								1	4	7
157	By hanging or strangulation.	{M. F.	24 8								1	1	2
158	By drowning.	{M. F.	23 3								1	1	3
159	By firearms.	{M. F.	116 19								1	6	18
160	By cutting or piercing instruments.	{M. F.	33 8								3	2	
161	By jumping from high places.	{M. F.	9 3									1	
162	By crushing.	{M. F.	4 1									1	1
163	Other suicides.	{M. F.	2 3										

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY SEX AND AGE.

291

(EXCLUSIVE OF HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1918—Con.
soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA.

[This table excludes the deaths of

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
XIII.—External causes—Continued.												
Accidental or undefined (total).....	(M.) 4,084 (F.) 1,552	155 137	104 80	98 90	80 91	54 66	491 464	180 181	272 272	417 72	391 63	391 81
164 Poisoning by food.....	(M.) 58 (F.) 57	3 3	4 4	4 2	3 3	2 2	14 14	14 2	3 5	6 2	3 3	3 3
165 Other acute poisonings.....	(M.) 107 (F.) 72	6 4	16 12	14 9	8 2	4 5	48 32	7 2	2 4	1 2	6 8	6 8
166 Conflagration.....	(M.) 97 (F.) 89	8 10	7 3	9 5	3 5	5 5	32 30	8 18	5 3	5 3	3 3	3 3
167 Burns (conflagration excepted).....	(M.) 355 (F.) 581	18 19	41 31	42 56	42 62	18 45	161 213	24 101	6 24	17 20	18 19	18 19
168 Absorption of deleterious gases (conflagration excepted).....	(M.) 177 (F.) 79	54 49	2 3	1 5	1 4	1 1	56 53	4 4	1 1	13 13	11 2	11 2
169 Accidental drowning.....	(M.) 467 (F.) 46	1 2	8 6	5 2	4 2	1 1	19 12	26 8	75 4	90 50	50 5	50 5
170 Traumatism by firearms.....	(M.) 282 (F.) 84	1 1	3 3	3 4	2 7	6 3	15 18	19 9	50 11	69 10	42 7	42 7
171 Traumatism by cutting or piercing instruments.....	(M.) 18 (F.) 7	7 7	7 4	7 4	7 3	1 1	18 18	1 1	1 1	1 1	1 2	2 2
172 Traumatism by fall.....	(M.) 324 (F.) 157	19 13	10 10	7 2	8 4	6 1	50 30	5 9	11 2	20 2	17 2	17 2
173 Traumatism in mines and quarries (total).....	(M.) 97 (F.) 88 (M.) 88 (F.) 9 (M.) 9										13 12 8	8 8
174 Traumatism by machines.....	(M.) 221 (F.) 12			1				1	4	14	31	33
175 Traumatism by other crushing (total).....	(M.) 1,199 (F.) 171	3 2	4 1	4 5	7 4	11 2	29 14	58 26	79 7	100 9	134 13	
Railroad accidents and injuries.....	(M.) 600 (F.) 65			1 1			1 1	6 3	24 3	49 4	88 5	
Street-car accidents and injuries.....	(M.) 106 (F.) 13		2	1	2	2	7 3	3 7	11 1	11 1	8 8	
Automobile accidents and injuries.....	(M.) 294 (F.) 70			1 2	2 3	9	17 6	36 18	38 1	25 4	18 6	
Injuries by other vehicles.....	(M.) 135 (F.) 19		2 1	1 1			3 3	13 3	9 3	10 1	10 1	
Landslide, other crushing.....	(M.) 64 (F.) 4			1			1 1		1	5	10	
176 Injuries by animals.....	(M.) 31 (F.) 6				1		1 1	5 1	3 1	5 1	3 3	
177 Starvation.....	(M.) 7 (F.) 4		1 1				1 1	1 1				
178 Excessive cold.....	(M.) 96 (F.) 41		2 2				3 2	2 1	1 1	5 1	3 2	
179 Effects of heat.....	(M.) 96 (F.) 54		15 14	1 2	2 1	1	18 17					5 5
180 Lightning.....	(M.) 38 (F.) 10						17	5	1	9	5	
181 Electricity (lightning excepted).....	(M.) 22 (F.) 22							1	2	3	3	4
185 Fractures (cause not specified).....	(M.) 32 (F.) 6							1	1	1	1	4
186 Other external violence.....	(M.) 360 (F.) 76	24 16	8 4	7 2	2 1	3 3	44 26	11 3	12 4	31 3	42 5	
Homicide (total).....	(M.) 1,493 (F.) 374	11 8		1 2		2 1	14 12	5 2	24 7	147 50	239 96	
182 By firearms.....	(M.) 1,127 (F.) 244	1 2		1		1 1	3 2	3 1	20 4	116 31	196 72	
183 By cutting or piercing instruments.....	(M.) 206 (F.) 79						2 1	1 1	3 3	16 10	28 12	
184 By other means.....	(M.) 160 (F.) 51	10 6	2		1	1	11 9	1 1	1 1	15 9	15 12	
XIV.—Ill-defined diseases.												
Males.....	2,938	1,167	279	76	43	27	1,592	70	49	61	71	
Females.....	2,719	972	236	69	45	21	1,343	71	50	91	110	
187 Ill-defined organic disease.....	(M.) 203 (F.) 195	5 3	5 1	2 1	1 1	1 3	14 9	5 2	4 2	4 9	6 5	
188 Sudden death.....	(M.) 160 (F.) 145	47 32	7 4				54 37			3 2	3 4	
189 Not specified or ill-defined (total).....	(M.) 2,575 (F.) 2,379	1,115 937	267 231	74 68	42 43	26 18	1,524 1,297	65 65	45 46	54 78	62 97	
Ill-defined.....	(M.) 825 (F.) 735	207 179	150 126	33 34	20 11	12 7	422 357	25 20	15 14	19 19	17 30	
Not specified or unknown.....	(M.) 1,750 (F.) 1,644	908 758	117 105	41 34	22 32	14 11	1,102 1,940	40 45	30 32	35 39	45 67	

CAUSES OF DEATH, BY SEX AND AGE.

293

(EXCLUSIVE OF HAWAII) FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDEDENT: 1918—Con.
soldiers, sailors, and marines.]

DEATHS AT AGE OF—																			Deaths at un-known age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.					
282	314	377	312	260	203	130	109	88	82	48	37	24	5	3	6			53		
74	53	79	68	57	58	35	52	39	25		33	20	15	7	11			14	14	
3	4	4	2	3	7	3	1	51										1	1	
8	3	1	3	3	5		2	3		1								1	164	
5	8	7	6	4	5	2	3											1	1	
2	4	6	2	3	2	2	2											1	165	
1	6	10	6	2	2	3	3	3											166	
5	3	1	3	3	2	1	3	3											167	
16	16	16	17	8	10	9	11	3	2									1	167	
13	18	25	19	12	19	10	16	17	16	13								3	3	
9	16	16	13	10	11	4	5	3	2	2								1	168	
6	3	1	1	1	1		3	3										9	9	
36	36	37	35	22	12	8	2	1	4	2								2	169	
4	1	2	1	1			1	2											170	
20	20	16	11	6	4	2	1		1										1	
8	5	4	2	1			3			1									2	
			2																171	
22	29	31	23	24	19	10	18	8	8	12	5	5	5	3	2		2	3	172	
5	5	7	8	9	7	8	8	16	6	3	11	6	5	3	2			2	173	
12	10	9	15	12	9	5	1													
12	10	8	14	10	6	4	1		1										2	
		1	1	2	3	1														
22	21	30	22	21	9	5	2	3	2					1					174	
2	2	1																		
95	91	125	107	99	74	60	30	40	28	11	8	8						23	175	
15	7	17	14	12	12	6	8	1	2	3	1	1						3	3	
53	60	72	60	52	42	27	14	10	12	3	4							23	2	
8	4	10	5	7	4	2	1		1	2	1	1						1		
6	4	14	5	10	5	7	3	10	2	2	1									
1	1	2	1		1															
17	17	21	23	20	11	16	6	10	7	5	4	3								
5	1	3	7	4	5	3	4		1	1	1	1							1	
15	4	9	11	12	10	6	5	7	7	1	3									
1	1	1	1	2	1	1	2		3											
4	6	9	8	5	6	4	2	3												
1	1	1	1																	
	2	2	4		1	1	4	1		1									176	
		1		1	1	1			1									1		
1	2	6	5	6	5	2	7	8	17	10	9	2	1	2	4		2	2	177	
3	8	10	12	6	8	3	9	8	5	2	1	2	2	2	1			1	178	
1	5	2	5	1	2	3	2	3	5	1	2	2	2	2	1			1	179	
2	2	2	1																180	
1	3	2	1	1	1	1														
3	3	7	5	1	1	1	1	2		1	1	2	1						181	
31	39	45	23	22	21	12	7	4	3	1	4	1					7	1	185	
5	7	6	6	3	3	3	1	1	2	1	1							1	186	
241	229	234	135	86	53	33	14	13	3	2		1						20		
82	35	38	24	13	3		3	1	1									6		
185	179	173	101	58	37	20	9	9	2	1								14	182	
57	23	25	14	6	3		3											3		
38	32	39	19	11	7	6		2		1							3	183		
22	8	9	5	6													2			
18	18	22	15	17	9	7	5	2	1								3	1	184	
3	4	4	5	1				1												
160	153	148	131	214	178	165	188	173	198	112	101	59	41	27	20		81			
51	72	87	65	121	83	79	91	87	113	71	59	37	12	13	8		46			
109	81	61	66	93	95	86	97	86	85	41	42	22	29	14	12		35			
1	7	5	12	13	15	15	15	20	19	21	9	7	2	5	2		2	187		
5	9	10	19	17	16	14	18	15	13	6	11	8	1	3			3			
5	7	10	5	10	7	9	8	5	12	5	6	9					1	188		
4	1	6	3	8	7	8	9	13	11	6	7	4	1				1	1		
45	58	72	48	98	61	55	68	62	82	45	44	21	10	8	5		43		189	
100	71	45	44	68	72	64	70	61	29	24	10	27	11	11	11		31			
16	22	20	22	39	29	24	32	26	31	17	20	7	3	6	1		12			
24	24	16	23	18	34	28	32	24	21	15	12	8	6	3	2		5			
29	36	52	26	59	32	31	36	51	28	24	14	2	2	4	3		31			
76	47	29	21	50	38	36	38	34	40	14	12	2	21	8	9		26			

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
THE REGISTRATION AREA (EXCLUSIVE OF HAWAII).																			
	All causes.....	1,445,158	193,855	55,059	26,929	17,408	12,892	88,012	84,196	185,602	185,648	131,883	131,296	149,021	144,416	73,333	11,125	733,3,750	
	I.—General diseases.....	521,903	31,234	22,325	13,155	9,180	6,943	19,940	44,690	102,380	95,461	56,102	45,180	39,092	25,589	8,320	915	60,1,387	
1	Typhoid fever.....	10,167	84	96	98	143	128	858	2,734	2,466	1,628	942	525	281	120	21	2	1,40	
2	Typhus fever.....	3						1											
4	Malaria.....	2,534	280	152	124	88	61	225	309	275	217	199	166	204	140	64	18	2,10	
5	Smallpox.....	333	62	5	3	6	6	19	28	38	42	39	32	31	18	7	2	2,9	
6	Measles.....	8,223	1,953	2,827	981	530	317	701	545	270	189	160	108	76	48	9			
7	Scarlet fever.....	2,335	104	227	245	248	235	621	384	170	72	18	7			1		3	
8	Whooping cough.....	13,728	6,562	3,430	1,457	792	478	767	139	30	12	6	7	11	11	5		21	
9	Diphtheria and croup.....	11,183	860	1,531	1,577	1,400	1,160	3,012	1,042	253	186	77	58	22	9	3	1	12	
10	Influenza.....	234,290	12,874	10,903	6,758	4,606	3,474	9,985	24,354	61,845	57,045	19,717	9,242	6,051	4,442	1,906	303	755	
13	Cholera nostras.....	299	54	20	13	8	5	18	13	9	13	13	31	54	30	11		2	
14	Dysentery.....	4,720	1,032	800	311	151	95	212	114	123	138	188	227	332	543	377	60	4,13	
17	Leprosy.....	24							1	4	7	1	2	4	5				
18	Erysipelas.....	2,579	771	67	18	12	8	27	78	118	166	243	290	319	279	159	20	4	
19	Other epidemic diseases.....	558	140	74	45	25	26	67	60	38	23	16	18	12	6	5	2	1	
20	Purulent infection and septicemia.....	1,446	176	26	19	21	11	68	128	171	168	154	156	157	132	48	6	7	
21	Glanders.....	4						1			2		1						
22	Anthrax.....	34									5	3	10	4	6	1			
23	Rabies.....	63	1		1	8	6	18	7	4	4	4	3	4	3				
24	Tetanus.....	1,276	351	13	10	17	20	198	198	93	81	111	80	66	30	5	1	2	
25	Mycoses.....	46	1	1					3	3	7	8	10	8	5				
26	Pellagra.....	3,741	22	18	12	12	9	58	183	586	749	706	552	483	248	64	13	3,23	
27	Beriberi.....	11	4							3	1	2							
28	Tuberculosis (total).....	121,204	2,501	1,967	1,107	829	657	2,128	12,039	31,845	26,556	18,467	11,766	7,187	3,166	635	44	3,307	
29	Tuberculosis of the lungs.....	103,966	814	611	291	248	196	899	9,366	28,970	24,397	16,922	10,657	6,440	2,812	534	32	3,274	
30	Acute military tuberculosis.....	3,626	133	92	62	43	23	94	641	1,064	695	423	226	84	30	11	1	9	
31	Tuberculous meningitis.....	5,874	1,153	1,026	593	387	311	743	603	436	312	158	98	33	13	3		5	
32	Abdominal tuberculosis.....	4,034	205	136	79	71	60	197	447	721	611	532	425	341	153	39		10	
33	Pott's disease.....	1,010	18	19	24	33	27	83	161	179	134	115	86	77	44	8		2	
34	White swellings.....	570	17	9	11	13	12	41	95	92	73	57	64	48	28	6		2	
35	Tuberculosis of other organs.....	1,445	85	42	27	28	16	55	155	252	233	177	162	117	60	27	7		
36	Disseminated tuberculosis.....	669	76	32	20	6	7	16	71	131	101	83	48	47	21	7		3	
37	Rickets.....	564	280	151	61	21	3	14	10	3	7	1	4	2	4	3			
38	Syphilis.....	7,522	2,004	152	61	46	25	54	180	721	1,269	1,304	930	532	172	38	4	30	
39	Gonococcus infection.....	500	47	1		2		3	38	172	133	62	20	17	3	1		1	
40	Cancer and other malignant tumors (total).....	65,282	59	59	79	72	60	140	340	1,082	3,803	9,807	15,480	17,387	12,506	3,961	342	13,92	
41	Of the buccal cavity.....	2,344	4	5	1	3	3	7	15	27	81	264	503	671	515	220	21	2	
42	Of the stomach, liver.....	24,766	11	9	10	15	3	16	33	196	873	2,973	5,953	7,654	5,495	1,411	73	3,38	
43	Of the peritoneum, intestines, rectum.....	8,630	9	1	4	6	5	17	38	184	321	520	1,175	1,958	2,393	502	38	11	
44	Of the female genital organs.....	9,892	1		4		2	5	25	253	1,114	2,524	2,698	1,989	992	250	21	14	
45	Of the breast.....	6,040	1					2	3	3	58	487	1,325	1,596	1,317	865	337	35	11
46	Of the skin.....	2,224	1	2	3	1	3	2	9	26	50	115	286	464	662	504	91	5	
47	Of other organs or of organs not specified.....	11,386	32	42	57	47	44	91	217	338	678	1,431	2,486	2,899	2,208	737	63	5,11	
48	Other tumors (tumors of the female genital organs excepted).....	276	11	7		1	1	2	13	18	29	29	44	48	43	24	4	2	
49	Acute articular rheumatism.....	3,111	24	19	17	27	54	328	608	323	285	285	332	348	286	135	19	4,7	
50	Chronic rheumatism and gout.....	1,033						3	7	33	60	99	152	251	281	128	16	1,2	
51	Scurvy.....	91	52	7	2	1	1	3	2	4	2	4	4	5	2	2			
52	Diabetes.....	12,880	21	29	37	39	34	216	716	811	936	1,373	2,609	3,407	2,125	487	28		
53	Exophthalmic goiter.....	1,416	2	1				1	81	205	289	321	302	153	51	7		3	
54	Addison's disease.....	306	1	1		1		1	9	28	62	65	50	20	3				
55	Leukemia.....	1,416	36	31	22	18	26	59	113	158	226	188	262	181	82	14	1		
56	Anemia, chlorosis.....	4,520	141	62	27	17	14	45	113	205	379	665	1,059	1,085	566	126	11	4	
57	Other general diseases.....	1,630	723	148	70	39	30	86	88	74	62	71	60	77	67	32	5	1,6	
58	Alcoholism (acute or chronic).....	2,193						5	131	576	662	481	220	83	19			16	
59	Chronic lead poisoning.....	123	1						7	21	26	34	23	11					
	Other chronic occupation poisonings.....	29						3	7	5	8	3	3						
	Other chronic poisonings.....	196						3	52	34	37	22	17	27	2	1		1	
	II.—Diseases of the nervous system and of the organs of special sense.....	107,184	4,846	1,710	1,033	682	505	1,733	2,760	3,271	5,632	9,206	15,352	22,139	24,764	11,911	1,346	54	240
60	Encephalitis.....	687	108	47	34	17	9	52	79	75	83	71	54	30	21	7			
61	Meningitis (total).....	7,500	1,632	828	565	365	285	846	1,061	677	453	341	229	124	58	24	1	11	
	Simple meningitis.....	3,180	813	374	271	159	108	300	325	221	191	171	109	77	41	17	1	2	
	Cerebrospinal meningitis (undefined).....	1,963	385	244	144	96	69	236	305	202	107	74	56	26	12	4		3	
62	Cerebrospinal fever.....	2,357	434	210	150	110	108	310	431	254	155	98	64	21	5	3		6	
63	Locomotor ataxia.....	1,857	1					2	4	31	142	316	539	516	252	47	3	4	
	Other diseases of the spinal cord (total).....	4,998	169	164	140	91	61	217	254	226	255	406	722	1,027	943	292	26	3	
	Acute anterior poliomyelitis.....	954	117	144	124	69	51	165	141	44	32	22	17	13	10	4		1	
	Other diseases of the spinal cord.....	4,044	52	20	16	22	10	52	113	182	223	334	705	1,014	933	288	26		

CAUSES OF DEATH, BY AGE.

295

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																	Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.			
THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)—Continued.																					
	III.—Diseases of the circulatory system.	161,217	1,316	313	202	175	171	1,334	4,085	6,216	9,449	14,533	22,297	34,975	40,853	21,902	2,988	127	281		
77	Pericarditis.	913	15	10	8	4	8	30	65	56	50	71	145	170	154	79	15	3		
78	Acute endocarditis.	6,656	304	59	45	39	35	223	548	703	962	1,304	1,702	333	257	105	21	6			
79	Organic diseases of the heart.	124,514	630	177	114	111	115	1,008	3,340	5,123	7,580	11,588	17,376	28,445	31,549	15,263	1,784	79	222		
80	Angina pectoris.	6,037	3	1	2	4	21	80	265	553	1,188	1,820	1,599	506	36	9		
81	Diseases of the arteries, atherosclerosis, etc.	19,013	6	1	1	1	1	12	67	248	595	1,340	3,476	6,545	5,560	1,079	48	33		
82	Embolism and thrombosis.	2,754	43	8	6	4	7	26	53	116	199	293	440	571	615	324	43	6			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	469	8	2	3	6	27	63	71	98	87	69	26	8	1		
84	Diseases of the lymphatic system (lymphangitis, etc.).	475	266	49	19	15	5	25	24	14	12	7	11	11	10	6	1			
85	Hemorrhage; other diseases of the circulatory system.	356	41	6	7	1	10	16	15	40	51	47	62	55	33	2			
	IV.—Diseases of the respiratory system.	245,216	31,242	14,888	6,737	3,720	2,598	6,626	16,020	44,273	42,141	21,139	15,631	15,424	14,659	8,077	1,316	72	653		
86	Diseases of the nasal fossae.	343	179	34	11	3	5	13	19	13	7	11	4	13	13	4	1			
87	Diseases of the larynx.	778	146	126	66	62	39	87	30	27	28	39	35	37	34	19	2	1			
88	Diseases of the thyroid body.	553	15	3	2	33	94	94	109	106	49	39	11	1				
89	Acute bronchitis.	7,615	3,889	1,002	388	152	100	137	81	109	121	155	271	483	536	134	4	6			
90	Chronic bronchitis.	5,145	110	56	21	12	12	65	65	144	164	270	457	821	1,511	1,200	225	9	3		
91	Bronchopneumonia.	54,697	16,436	7,434	2,974	1,497	901	1,840	1,891	4,288	4,284	2,359	2,056	2,709	3,440	2,143	365	18	82		
92	Pneumonia (total).	167,703	10,073	5,951	3,123	1,879	1,467	4,288	13,521	38,908	36,673	17,260	11,768	10,338	7,952	3,448	451	32	541		
	Lobar pneumonia.	144,721	6,927	4,593	2,415	1,455	1,165	3,493	11,640	35,119	33,274	15,470	10,423	8,972	6,524	2,559	318	24	350		
	Pneumonia (undefined).	22,982	3,146	1,358	708	424	302	795	1,881	3,789	3,399	1,790	1,345	1,366	1,455	889	133	8	191		
93	Pleurisy.	3,179	161	205	102	82	50	137	239	403	393	400	351	343	213	84	12	1	3		
94	Pulmonary congestion, pulmonary apoplexy.	1,480	181	35	17	13	7	17	33	50	67	72	76	165	289	354	95	7	2		
95	Gengrene of the lung.	287	3	1	7	1	2	8	17	51	49	46	44	31	22	4		1		
96	Asthma.	2,108	34	23	15	7	8	13	27	65	149	263	368	433	466	206	22	9			
97	Pulmonary emphysema.	173	10	2	3	1	6	3	11	3	19	14	33	49	17	1	1		
98	Other diseases of the respiratory system (tuberculosis excepted).	1,156	55	16	10	11	5	13	61	122	135	174	190	190	118	42	4	4		
	V.—Diseases of the digestive system.	111,005	41,688	12,012	3,349	1,628	1,003	2,696	3,922	4,581	5,952	6,954	7,923	8,230	7,068	3,352	489	29	129		
99	Diseases of the mouth and annexa.	740	287	32	14	12	10	33	20	46	55	61	59	61	33	16	1			
100	Diseases of the pharynx.	2,013	170	89	89	101	90	316	298	261	176	127	113	83	54	36	6	1		
101	Diseases of the esophagus.	100	5	1	3	1	4	3	9	7	13	15	15	14	9	10	1	4	
102	Ulcer of the stomach.	3,136	24	5	7	5	2	14	66	268	481	626	643	514	358	108	29	1			
103	Other diseases of the stomach (cancer excepted).	8,200	2,707	463	219	114	78	188	145	233	376	487	580	811	987	650	139	8	15		
104	Diarrhea and enteritis (under 2 years).	47,753	36,807	10,946	2,670	1,062	538	755	332	384	571	686	725	1,074	1,354	952	173	12	41		
105	Diarrhea and enteritis (2 years and over).	11,329	28	2	1	2	1	10	5	5	1	1	1	3			
106	Ankylostomiasis.	207	21	48	33	24	18	29	2	3	9	1	5	1	5	5	5	5	11		
107	Intestinal parasites.	9,733	39	48	71	119	158	863	2,244	1,776	1,604	1,211	851	468	234	54	5			
108	Appendicitis and typhilitis.	9,318	1,198	243	140	100	71	202	279	529	747	652	1,248	1,428	581	72	6	17			
109	Hernia, intestinal obstruction (total).	3,376	199	32	10	6	3	14	29	92	207	368	648	774	696	254	35	2	7		
	Hernia.	5,942	999	211	130	94	68	188	250	437	540	584	600	731	732	327	37	4	10		
	Intestinal obstruction.	1,832	139	36	33	18	11	49	73	156	219	230	241	210	251	143	19	5	4		
110	Other diseases of the intestines.	303	11	2	2	2	3	6	16	49	45	27	37	40	38	20	2	3		
111	Acute yellow atrophy of the liver.	112	Hydatid tumor of the liver.	31	18	14	7	9	5	20	47	147	631	1,317	1,910	1,985	1,284	384	24	1	13
113	Cirrhosis of the liver.	7,794	18	14	7	9	5	2	9	104	237	419	609	588	370	113	5	2	2		
114	Biliary calculi.	2,458	3,539	108	29	20	24	14	59	93	238	386	500	631	654	509	233	29	1	11	
115	Other diseases of the liver.	182	10	9	4	5	2	8	17	23	17	20	13	26	21	6	1	3		
116	Diseases of the spleen.	1,858	137	46	34	31	24	123	248	307	283	188	142	132	116	41	3	3		
117	Simple peritonitis (nonpuerperal).	1,423	5	1	1	1	4	24	41	100	83	96	60	29	6			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	451	5	1	1	1	4	24	41	100	83	96	60	29	6			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	91,083	784	359	282	194	172	616	1,545	3,850	6,861	10,445	14,625	19,766	20,968	9,296	1,116	58	151		
119	Acute nephritis.	5,953	383	161	161	98	92	279	415	582	768	802	765	633	532	240	28	1	13		
120	Bright's disease.	73,239	173	133	98	81	73	303	939	2,193	4,455	7,935	12,724	17,370	17,907	7,757	921	50	122		
121	Chyluria.	1	1,885	163	56	19	14	4	27	42	143	188	245	231	303	298	132	17	3		
122	Other diseases of the kidneys and annexa.	123	Calculus of the urinary passages.	472	4	1	5	25	58	77	85	95	89	80	2	1	1		
124	Diseases of the bladder.	1,357	18	3	3	3	5	6	16	24	61	92	239	476	340	69	2	1			
125	Diseases of the urethra, urinary abscess, etc.	303	2	1	1	2	23	45	63	67	59	34	5	5	1	1			
126	Diseases of the prostate.	3,385	1	1	1	1	1	1	2	13	17	57	205	832	1,457	725	72	2	3		
127	Nonvenereal diseases of the male genital organs.	87	27	2	1	1	1	7	5	5	8	10	9	6	5	1	1	1		
128	Uterine hemorrhage (nonpuerperal).	61	1	1	1	1	1	1	9	11	15	14	5	3	3	1	1	1	3		
129	Uterine tumor (noncancerous).	1,467	18	3	3	3	5	6	16	24	370	602	212	94	74	27	2	2	3		
130	Other diseases of the uterus.	804	1	1	1	1	1	31	152	248	206	89	45	22	10	10	10	10	1		
131	Cysts and other tumors of the ovary.	611	1	1	1	1	1	22	87	140	124	81	67	66	21	2					

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)—Continued.																			
142	VIII.—Diseases of the skin and of the cellular tissue.....	3,416	585	56	32	27	14	45	78	131	142	236	314	406	646	573	109	15	7
143	Gangrene.....	1,658	32	12	9	15	6	19	12	24	34	80	112	231	487	474	96	14	1
144	Furuncle.....	444	83	8	1	1	1	3	17	31	39	53	85	59	42	17	3	2	1
145	Acute abscess.....	629	161	18	15	9	3	18	35	49	49	70	66	64	49	20	2	1	1
	Other diseases of the skin and annexa.....	685	309	18	7	3	4	5	14	27	20	33	51	52	68	62	8	1	3
146	IX.—Diseases of the bones and of the organs of locomotion.....	2,041	169	81	49	36	46	205	315	197	202	186	209	146	147	48	2	—	3
147	Diseases of the bones (tuberculosis excepted).....	1,742	148	78	46	34	45	195	289	183	180	151	169	106	86	29	—	—	3
148	Diseases of the joints (tuberculosis and rheumatism excepted).....	226	14	3	2	—	1	7	18	13	18	28	31	32	44	13	2	—	—
149	Amputations.....	2	—	7	—	1	2	—	3	7	1	4	7	8	8	17	6	—	—
	Other diseases of the organs of locomotion.....	71	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
150	X.—Malformations.....	12,841	11,887	353	144	84	38	154	131	38	7	3	1	1	—	—	—	—	—
	Congenital malformations (stillbirths not included) (total).....	12,841	11,887	353	144	84	38	154	131	38	7	3	1	1	—	—	—	—	—
	Hydrocephalus.....	1,169	855	123	63	25	13	49	28	7	3	2	—	—	—	—	—	—	—
	Congenital malformations of the heart.....	7,823	7,400	138	49	40	14	74	84	19	4	—	—	—	—	—	—	—	—
	Other congenital malformations.....	3,849	3,632	92	32	19	11	31	19	12	—	—	—	—	—	—	—	—	—
	62,190	62,190	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
151	XI.—Early infancy.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Congenital debility, icterus, and scle- rema (total).....	50,533	50,533	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Premature birth.....	38,535	38,535	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Congenital debility, "atrophy," "marasmus," etc.....	11,998	11,998	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
152	Other causes peculiar to early infancy (total).....	11,456	11,456	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Injuries at birth.....	6,149	6,149	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other causes peculiar to early infan- cy.....	5,307	5,307	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
153	Lack of care.....	201	201	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	XII.—Old age.....	12,251	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
154	XIII.—External causes.....	81,009	2,065	1,813	1,602	1,477	1,286	4,374	8,553	11,077	12,663	11,003	8,741	6,879	5,051	3,197	587	22	619
	Suicide (total).....	9,645	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	By poison.....	1,474	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	47
	By asphyxia.....	1,278	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
	By hanging or strangulation.....	1,644	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
	By drowning.....	649	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
	By firearms.....	3,350	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
	By cutting or piercing instruments.....	780	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
	By jumping from high places.....	281	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	By crushing.....	84	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	Other suicides.....	105	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
	Accidental or undefined (total).....	65,908	1,924	1,794	1,591	1,463	1,284	4,317	7,716	7,987	8,945	8,085	6,677	5,511	4,466	3,056	573	22	517
	Poisoning by food.....	842	98	71	54	38	29	58	83	65	70	85	65	85	26	13	—	—	4
	Other acute poisonings.....	1,249	96	237	136	79	49	61	66	149	162	126	94	58	24	9	1	—	2
	Conflagration.....	1,414	57	43	67	59	51	151	130	103	143	125	128	111	92	40	11	2	101
	Burns (conflagration excepted).....	6,617	239	688	748	710	482	809	411	480	462	406	334	335	302	171	20	6	14
	Absorption of deleterious gases (con- flagration excepted).....	3,338	646	40	17	19	11	52	157	356	422	479	426	347	241	111	9	—	5
	Accidental drowning.....	5,464	38	200	129	75	78	574	1,555	881	654	570	387	184	79	24	—	—	56
	Traumatism by firearms.....	2,013	8	19	25	41	33	215	864	322	208	130	83	45	13	3	—	—	4
	Traumatism by cutting or piercing instruments.....	186	6	3	3	6	3	10	23	12	18	32	21	27	16	4	1	—	1
	Traumatism by fall.....	10,273	149	182	119	91	99	292	441	517	820	961	998	1,288	1,882	1,985	422	7	20
	Traumatism in mines and quarries (total).....	2,558	—	1	—	—	—	—	2	221	625	813	542	268	91	14	2	—	9
	Traumatism in mines.....	2,497	—	—	—	—	—	—	1	212	609	790	521	253	87	13	2	—	9
	Traumatism in quarries.....	91	—	1	—	—	—	—	1	9	16	23	21	15	4	1	—	—	8
174	Traumatism by machines.....	2,360	2	3	6	7	6	43	360	461	518	412	304	180	47	6	—	—	5
175	Traumatism by other crushing (total).....	21,031	74	111	170	263	350	1,718	2,613	3,084	3,459	3,107	2,612	1,917	1,068	272	30	—	183
	Railroad accidents and injuries.....	8,491	16	23	20	15	31	216	945	1,581	1,793	1,463	1,107	695	345	81	9	—	151
	Street-car accidents and injuries.....	2,326	2	18	41	44	39	129	181	277	371	383	306	288	185	49	5	—	8
	Automobile accidents and in- juries.....	7,424	36	43	76	152	228	1,143	1,133	856	905	879	833	643	375	98	12	—	12
	Injuries by other vehicles.....	2,198	17	25	30	50	46	217	309	248	250	269	284	251	149	43	4	—	6
	Landslide, other crushing.....	592	3	2	3	2	6	13	45	122	140	113	82	40	14	1	—	6	
	Injuries by animals.....	656	5	10	18	16	18	57	102	38	59	80	81	95	62	11	1	—	2
	Starvation.....	40	8	1	—	—	—	1	3	17	21	38	68	80	101	98	48	6	6
	Excessive cold.....	508	13	2	—	4	3	10	27	42	108	152	128	152	140	20	1	—	1
	Effects of heat.....	1,136	217	28	5	5	3	10	27	42	108	152	128	152	140	20	1	—	1
	Lightning.....	407	1	—	—	—	—	3	31	79	93	71	58	34	21	13	1	—	1
	Electricity (lightning excepted).....	754	—	—	—	—	—	1	18	129	206	236	95	51	12	2	—	4	
	Fractures (cause not specified).....	724	5	2	1	—	2	11	25	29	44	68	75	90	145	179	43	5	
	Other external violence.....	4,208	266	153	93	54	45	201	413	528	639	586	501	367	191	76	6	—	94
	Homicide (total).....	5,456	141	19	11	14	22	56	493	1,547	1,582	909	396	362	162	42	5	—	55
	By firearms.....	3,727	8	3	4	3	8	19	352	1,154	1,142	630	254	94	19	2	—	35	
	By cutting or piercing instruments.....	669	9	2	1	2	5	11	62	201	211	102	42	10	5	1	—	5	

CAUSES OF DEATH, BY AGE.

297

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
			REGISTRATION STATES. ¹																
	All causes.....	1,404,116	188,771	53,369	26,113	16,897	12,536	36,895	81,493	179,208	179,282	127,242	127,411	145,590	141,804	72,269	10,943	687	3,606
	I.—General diseases.....	506,717	30,391	21,744	12,814	8,988	6,744	19,381	43,389	99,159	92,438	54,239	43,857	38,083	25,070	8,178	898	561	338
1	Typhoid fever.....	9,684	81	93	98	138	126	814	2,600	2,332	1,547	901	504	275	114	20	2	1	38
2	Typhus fever.....	3						1				2							
4	Malaria.....	2,332	269	148	122	79	59	216	289	240	187	168	151	182	133	61	17	2	9
5	Smallpox.....	304	61	4	3	5	6	17	24	30	35	30	30	31	17	7	2		2
6	Measles.....	7,968	1,911	2,258	943	508	301	667	532	260	184	156	107	76	48	9			8
7	Scarlet fever.....	2,302	102	224	241	242	233	610	382	169	71	17	7			1			3
8	Whooping cough.....	13,464	6,451	3,353	1,424	775	467	758	135	29	12	6	6	11	5				21
9	Diphtheria and croup.....	10,987	851	1,503	1,554	1,374	1,130	2,955	1,027	249	164	77	56	22	9	3	1		12
10	Influenza.....	288,120	12,548	10,643	6,584	4,496	3,369	9,715	23,817	60,255	55,528	19,117	8,933	5,875	4,327	1,864	293	25	731
13	Cholera nostras.....	291	52	20	12	8	5	18	13	4	9	13	12	31	52	29	11		2
14	Dysentery.....	4,445	972	763	296	143	92	202	105	110	124	167	205	310	515	366	58	4	13
17	Leprosy.....	23						1	3	7	1	2	4	5					
18	Erysipelas.....	2,498	754	65	18	11	7	25	76	111	156	234	254	308	272	154	20		3
19	Other epidemic diseases.....	535	136	73	42	25	23	65	59	32	22	15	17	12	6	5	2		1
20	Purulent infection and septicemia.....	1,389	173	26	19	21	11	64	124	158	161	143	143	154	131	48	6		7
21	Glanders.....	4						1	4	5	2	1	1						
22	Anthrax.....	32						1	4	4	4	4	3	3	2				
23	Rabies.....	59	1		1	7	5	17	7	4	4	4	3	4	2				
24	Tetanus.....	1,176	303	12	10	17	19	181	189	84	76	108	75	64	30	5	1		2
25	Mycoses.....	44	1	1				3	3	7	8	10	8	3					
26	Pellagra.....	3,126	16	16	11	9	8	56	155	476	630	581	459	406	209	62	10	1	21
27	Beriberi.....	11	4					3	1	2		1							
	Tuberculosis (total).....	117,506	2,449	1,916	1,082	809	642	2,068	11,598	30,762	25,681	17,915	11,493	7,021	3,108	622	42	3	295
28	Tuberculosis of the lungs.....	100,718	797	586	277	239	192	864	9,495	27,968	23,601	16,415	10,412	6,294	2,757	526	30	3	262
29	Acute miliary tuberculosis.....	3,538	132	90	62	43	27	92	624	1,033	673	408	221	83	30	10	1		9
30	Tuberculous meningitis.....	5,751	1,130	1,007	585	378	303	729	587	425	304	154	95	33	13	3			5
31	Abdominal tuberculosis.....	3,900	109	133	78	70	59	191	426	698	580	521	412	329	156	36	2		10
32	Pott's disease.....	984	18	18	24	32	27	82	158	174	129	110	84	74	44	8			2
33	White swellings.....	554	17	9	11	13	12	40	94	88	70	54	62	47	28	5	2		2
34	Tuberculosis of other organs.....	1,409	83	41	26	28	15	54	149	246	228	171	159	114	59	27	7		2
35	Disseminated tuberculosis.....	652	73	32	19	6	7	16	65	130	96	82	48	47	21	7			3
36	Rickets.....	552	277	144	59	21	3	14	10	3	7	1	4	2	4	3			
37	Syphilis.....	7,044	1,894	140	56	43	24	47	160	661	1,169	1,224	893	500	166	37	3		27
38	Gonococcus infection.....	448	44	1		2		3	34	152	115	59	20	15	2	1			
	Cancer and other malignant tumors (total).....	63,790	58	58	76	69	59	136	328	1,027	3,657	9,515	15,120	17,027	12,303	3,914	339	13	91
39	Of the buccal cavity.....	2,289	4	4	1	3	3	7	15	25	79	258	491	653	506	215	21	2	2
40	Of the stomach, liver.....	24,279	11	9	10	14	3	15	31	182	848	2,890	5,835	7,510	5,417	1,392	72	3	37
41	Of the peritoneum, intestines, rectum.....	8,464	9	1	4	6	5	16	38	175	498	1,139	1,917	2,357	1,752	498	38		11
42	Of the female genital organs.....	9,555	1		4		2	4	23	237	1,071	2,420	2,610	1,940	962	246	21		14
43	Of the breast.....	5,931	1					2	3	57	473	1,303	1,561	1,295	854	334	34	3	11
44	Of the skin.....	2,178	1	2	3	1	3	2	8	26	49	112	279	451	646	500	90		5
45	Of other organs or of organs not specified.....	11,094	31	42	54	45	43	90	210	325	639	1,393	2,427	2,821	2,166	729	63	5	11
46	Other tumors (tumors of the female genital organs excepted).....	269	11	7		1	1	2	12	17	27	28	43	47	43	24	4		2
47	Acute articular rheumatism.....	3,044	24	19	17	27	53	323	599	313	273	285	326	342	281	132	19	4	7
48	Chronic rheumatism and gout.....	1,009						3	7	31	59	98	147	244	274	127	16	1	2
49	Scurvy.....	89	50	7	2	1	1	3	2	4	2	4	4	5	2	2			
50	Diabetes.....	12,642	20	29	35	39	34	212	698	792	913	1,347	2,561	3,339	2,102	481	28		12
51	Exophthalmic goiter.....	1,381	2	1				1	78	197	277	316	296	153	50	7			3
52	Addison's disease.....	301	1	1		1		1	8	28	61	64	49	20	3				
53	Leukemia.....	1,383	33	21	18	25	53	110	152	220	186	256	176	82	14	1			
54	Anemia, chlorosis.....	4,420	141	61	26	17	14	45	110	201	366	651	1,033	1,056	561	122	11	1	4
55	Other general diseases.....	1,557	700	127	62	32	27	83	85	70	60	69	53	75	66	31	5	1	6
56	Alcoholism (acute or chronic).....	2,145						3	125	566	648	473	214	83	18				15
57	Chronic lead poisoning.....	122	1					7	21	26	33	23	11						
58	Other chronic occupation poisonings.....	29						3	7	5	8	3	3	3	3				
59	Other chronic poisonings.....	189						2	52	32	33	22	17	27	2	1			1
	II.—Diseases of the nervous system and of the organs of special sense.....	104,648	4,736	1,675	1,007	664	491	1,682	2,654	3,124	5,400	8,904	14,881	21,713	24,356	11,758	1,330	51	222
60	Encephalitis.....	650	106	46	33	16	9	50	71	65	75	71	52	30	20	6			
61	Meningitis (total).....	7,258	1,596	817	552	357	277	817	1,012	644	435	322	219	121	57	24	1		7
	Simple meningitis.....	3,098	794	367	269	155	106	293	312	216	186	160	105	75	40	17	1		
	Cerebrospinal meningitis (undefined).....	1,897	375	242	139	95	69	228	291	186	105	71	52	25	12	4			3
	Cerebral spinal fever.....	2,263	427	208	144	107	102	206	409	242	144	91	62	21	5	3			2
62	Locomotor ataxia.....	1,322	1					2	4	30	140	309	536	501	246	46	3		4
63	Other diseases of the spinal cord (total).....	4,892	162	163	138	90	61	214	250	216	239	401	699	1,016	925	288	26	1	

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	Cause of Death	All deaths	DEATHS AT AGE OF—															Deaths at unknown age	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 19 years	20 to 29 years	30 to 39 years	40 to 49 years	50 to 59 years	60 to 69 years	70 to 79 years	80 to 89 years	90 to 99 years		
			REGISTRATION STATES ¹ —Continued.																
	III.—Diseases of the circulatory system	158,027	1,289	305	196	171	169	1,309	4,000	6,002	9,084	14,020	21,716	34,390	40,351	21,682	2,949	125	269
77	Pericarditis	891	15	10	8	4	8	30	64	54	71	70	140	168	152	79	15	3
78	Acute endocarditis	6,498	301	59	45	36	34	223	530	687	937	1,274	1,660	328	253	104	21	6
79	Organic diseases of the heart	122,071	615	171	110	110	114	991	3,282	4,980	7,304	11,174	16,920	27,977	31,184	15,111	1,756	78	214
80	Angina pectoris	5,924	3	1	2	4	19	76	251	531	1,113	1,795	1,581	503	38	9
81	Diseases of the arteries, atherosclerosis, etc.	18,873	5	1	1	1	12	61	225	565	1,304	3,410	6,444	5,499	1,068	47	30
82	Embolism and thrombosis	2,676	41	8	6	4	7	25	48	111	185	281	429	557	604	322	43	5
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	460	8	2	3	6	25	63	70	94	85	69	26	8	1
84	Diseases of the lymphatic system (lymphangitis, etc.)	464	262	47	18	15	5	23	23	13	12	7	11	11	10	6	1	
85	Hemorrhage; other diseases of the circulatory system	370	39	6	7	1	10	16	15	36	48	45	59	54	32	2
	IV.—Diseases of the respiratory system	238,443	30,515	14,553	6,552	3,609	2,540	6,415	15,496	42,853	40,861	20,456	15,222	15,062	14,374	7,950	1,300	65	620
86	Diseases of the nasal fossae	339	177	34	11	3	5	13	19	12	13	7	10	4	13	13	4	1
87	Diseases of the larynx	758	143	124	66	61	37	87	28	26	27	36	35	34	32	19	2	1
88	Diseases of the thyroid body	531	15	3	1	2	33	84	87	107	102	46	39	11	1
89	Acute bronchitis	7,446	3,757	979	377	146	98	134	76	89	105	114	149	267	480	532	134	4	5
90	Chronic bronchitis	5,026	108	55	19	12	12	61	58	131	154	259	442	801	1,496	1,184	223	9	2
91	Bronchopneumonia	53,498	16,102	7,271	2,891	1,457	882	1,792	3,277	4,163	4,139	2,285	2,003	2,651	3,388	2,105	382	17	76
92	Pneumonia (total)	162,812	9,778	5,813	3,038	1,820	1,435	4,141	13,088	37,671	35,580	16,712	11,477	10,089	7,792	3,392	443	26	517
	Lobar pneumonia	140,559	6,692	4,487	2,343	1,409	1,138	3,377	11,275	34,061	32,322	14,994	10,167	8,765	6,355	2,514	311	18	331
93	Pneumonia (undefined)	22,253	3,088	1,326	695	411	297	764	1,913	3,610	3,258	1,718	1,310	1,324	878	182	8	186
	Pleurisy	3,090	158	200	100	79	48	128	236	390	380	386	339	336	211	83	12	1	3
94	Pulmonary congestion, pulmonary apoplexy	1,430	176	34	15	12	7	17	33	48	60	65	70	158	283	350	93	7	2
95	Gangrene of the lung	280	3	1	7	1	2	8	16	50	49	45	44	29	20	4	1	
96	Asthma	2,043	84	23	15	7	8	13	23	59	136	255	834	428	459	200	21	8	
97	Pulmonary emphysema	167	10	1	3	1	6	3	11	2	19	13	33	47	16	1	1	
98	Other diseases of the respiratory system (tuberculosis excepted)	1,113	54	15	10	10	5	13	56	119	129	166	184	186	117	41	4	4	
	V.—Diseases of the digestive system	106,639	40,438	11,404	3,180	1,545	955	2,580	3,721	4,248	5,577	6,607	7,594	7,957	6,913	3,200	478	26	126
99	Diseases of the mouth and annexa	724	283	31	14	11	10	32	19	46	54	55	60	60	33	16	1	
100	Diseases of the pharynx	1,955	166	86	88	101	89	304	289	254	168	123	110	79	55	35	6	4
101	Diseases of the esophagus	95	5	1	3	1	4	3	9	6	11	15	12	9	1	1	
102	Ulcer of the stomach	3,046	22	5	7	5	2	14	64	253	463	609	618	508	353	108	10	1	4
103	Other diseases of the stomach (cancer excepted)	7,931	2,667	449	215	109	73	182	213	345	447	544	780	963	648	139	7	14	
104	Diarrhea and enteritis (under 2 years)	46,035	35,667	10,368	2,518	998	507	717	294	340	526	638	682	1,010	1,315	924	167	10	41
105	Diarrhea and enteritis (2 years and over)	10,687	1	9	5	5	1	5	1	1	3	
106	Ankylostomiasis	25	2	1	1	2	3	9	1	5	1	3	
107	Intestinal parasites	205	21	47	33	23	18	39	2	3	9	1	5	1	3	
108	Appendicitis and typhilitis	9,260	39	46	68	114	132	826	2,150	1,661	1,510	1,144	825	452	224	54	4	10	
109	Hernia, intestinal obstruction (total)	8,929	1,151	237	135	94	67	189	257	484	688	907	1,191	1,460	1,408	568	70	6	17
	Hernia	3,271	190	32	9	5	3	14	26	87	195	352	619	761	686	248	35	2	7
	Intestinal obstruction	5,658	961	205	126	89	64	175	231	397	493	555	572	699	722	320	35	4	10
110	Other diseases of the intestines	1,748	136	35	33	17	8	47	71	142	201	216	230	205	244	140	19	4	4
111	Acute yellow atrophy of the liver	298	11	2	2	2	3	6	16	47	45	26	36	40	38	19	2	3	3
112	Hydatid tumor of the liver	31	1	1	2	8	5	5	5	4	
113	Cirrhosis of the liver	7,548	16	14	7	9	5	20	45	134	593	1,273	1,854	1,919	1,242	380	23	1	13
114	Biliary calculi	2,403	102	27	19	24	12	54	86	218	350	411	588	578	363	113	5	2	2
115	Other diseases of the liver	3,348	102	27	19	24	12	54	86	218	350	411	601	634	495	227	28	1	10
116	Diseases of the spleen	178	10	9	4	5	2	8	16	23	17	18	13	26	20	6	1	3
117	Simple peritonitis (nonpuerperal)	1,765	135	46	33	31	24	122	234	278	267	180	130	127	113	39	3	3
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	428	5	1	1	1	4	22	39	92	78	92	58	29	6	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	88,134	766	345	288	188	169	599	1,483	3,632	6,489	9,961	14,096	19,211	20,490	9,151	1,098	47	141
119	Acute nephritis	5,659	374	157	155	95	91	271	398	543	722	744	717	602	513	236	28	1	12
120	Bright's disease	71,168	189	126	90	79	71	296	906	2,124	4,272	7,618	12,304	16,908	17,510	7,634	906	44	113
121	Chyluria	1	1	
122	Other diseases of the kidneys and annexa	1,814	158	53	19	13	4	25	41	133	178	231	225	291	298	180	17	3	3
123	Calculi of the urinary passages	451	4	1	4	24	58	69	81	90	88	29	2	1	1	
124	Diseases of the bladder	1,311	18	3	3	3	5	6	14	21	54	83	232	466	335	66	2	2	
125	Diseases of the urethra, urinary abscess, etc.	273	2	1	1	2	18	42	56	63	52	30	5	1	1	
126	Diseases of the prostate	3,300	2	1	1	2	13	14	53	192	814	1,418	717	72	2	3	
127	Nonvenereal diseases of the male genital organs	84	27	2	1	1	6	5	4	8	10	8	6	5	1	
128	Uterine hemorrhage (nonpuerperal)	58	1	9	9	14	14	14	5	3	3	1	1	
129	Uterine tumor (nononcancerous)	1,374	4	70	339	565	208	89	72	27	2	3	3	3	
130	Other diseases of the uterus	732	1	29	129	221	197	81	43	22	9	2	1	1	
131	Cysts and other tumors of the ovary	583	21	83	130	119	78	64	65	20	2	1	1	
132	Saipingitis and other diseases of the female genital organs	1,292	2	55	464	470	229	52	13	3	2	2	2</			

CAUSES OF DEATH, BY AGE.

299

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un. known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.			
			REGISTRATION STATES ¹ —Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue.	3,307	575	55	31	27	14	43	73	123	131	223	299	393	629	563	108	14	6	
142	Gangrene.	1,612	32	11	9	15	6	18	11	22	32	75	107	222	477	466	95	13	1	
143	Furuncle.	431	83	8	1	—	—	1	3	17	30	35	51	82	58	41	17	3	1	
144	Acute abscess.	602	157	18	14	9	3	17	33	46	46	65	61	62	48	20	2	—	1	
145	Other diseases of the skin and annexa.	662	303	18	7	3	4	5	12	25	18	32	49	51	63	60	8	1	3	
	IX.—Diseases of the bones and of the organs of locomotion.	1,958	164	76	45	34	46	195	302	189	191	179	198	141	145	48	2	—	3	
146	Diseases of the bones (tuberculosis excepted).	1,668	143	74	43	32	45	185	277	175	169	146	159	103	85	29	—	—	3	
147	Diseases of the joints (tuberculosis and rheumatism excepted).	219	14	2	1	—	1	7	18	13	18	26	30	31	43	13	2	—	—	
148	Amputations.	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
149	Other diseases of the organs of locomotion.	70	7	—	1	2	—	3	7	1	4	7	8	7	17	6	—	—	—	
	X.—Malformations.	12,616	11,685	345	140	82	38	151	126	37	7	3	1	1	1	—	—	—	—	
150	Congenital malformations (stillbirths not included) (total).	12,616	11,685	345	140	82	38	151	126	37	7	3	1	1	1	—	—	—	—	
	Hydrocephalus.	1,146	840	120	60	25	13	48	27	7	3	2	—	1	—	—	—	—	—	
	Congenital malformations of the heart.	7,699	7,286	136	48	38	14	72	81	19	4	—	1	—	—	—	—	—	—	
	Other congenital malformations.	3,771	3,559	89	32	19	11	31	18	11	—	1	—	—	—	—	—	—	—	
	XI.—Early infancy.	60,519	60,519	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
151	Congenital debility, icterus, and scoliosis (total).	49,078	49,078	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Premature birth.	37,408	37,408	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Congenital debility, "atrophy," "marasmus," etc.	11,670	11,670	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
152	Other causes peculiar to early infancy (total).	11,261	11,261	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Injuries at birth.	6,046	6,046	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other causes peculiar to early infancy ² .	5,215	5,215	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
153	Lack of care.	180	180	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	XII.—Old age.	11,916	—	—	—	—	—	—	—	—	—	1	4	74	542	3,187	5,750	2,051	262	45
154	Senility.	11,916	—	—	—	—	—	—	—	—	—	1	4	74	542	3,187	5,750	2,051	262	45
	XIII.—External causes.	78,644	2,004	1,764	1,551	1,442	1,259	4,270	8,247	10,604	12,212	10,686	8,544	6,744	4,958	3,152	575	20	612	
	Suicide (total).	9,398	—	—	—	—	—	1	328	1,481	2,073	1,955	1,637	1,192	538	135	12	—	46	
155	By poison.	1,411	—	—	—	—	—	100	330	311	279	185	133	52	16	2	—	3		
156	By asphyxia.	1,282	—	—	—	—	—	1	27	176	248	281	269	170	74	13	1	2		
157	By hanging or strangulation.	1,624	—	—	—	—	—	31	162	271	348	327	276	159	35	2	—	13		
158	By drowning.	642	—	—	—	—	—	24	86	145	135	111	79	43	8	3	—	8		
159	By firearms.	3,241	—	—	—	—	—	128	589	766	649	518	389	148	39	1	—	14		
160	By cutting or piercing instruments.	758	—	—	—	—	—	3	64	198	172	163	99	39	17	—	3	—		
161	By jumping from high places.	276	—	—	—	—	—	7	50	89	59	24	19	17	7	3	—	1		
162	By crushing.	81	—	—	—	—	—	3	10	27	15	18	6	2	—	—	—	—		
163	Other suicides.	103	—	—	—	—	—	5	14	18	22	21	4	—	—	—	—	2		
	Accidental or undefined (total).	64,178	1,868	1,746	1,542	1,428	1,239	4,213	7,470	7,717	8,674	7,872	6,528	5,396	4,379	3,013	561	20	512	
164	Poisoning by food.	792	89	63	51	37	28	56	79	62	69	78	58	80	25	13	4	—	—	
165	Other acute poisonings.	1,297	91	231	133	78	47	56	63	139	155	121	92	56	24	9	—	2	—	
166	Conflagration.	1,394	57	41	67	57	51	51	151	128	102	140	122	107	91	39	11	2	101	
167	Burns (conflagration excepted).	6,398	234	676	718	689	472	790	395	452	487	391	320	328	292	167	19	5	13	
168	Absorption of deleterious gases (conflagration excepted).	3,287	628	38	17	19	11	49	147	351	412	469	421	343	237	111	9	—	5	
169	Accidental drowning.	5,366	35	198	129	74	57	566	1,526	844	635	559	382	181	79	24	2	—	55	
170	Traumatism by firearms.	1,925	8	19	25	39	31	205	886	297	199	124	79	44	12	3	—	4	—	
171	Traumatism by cutting or piercing instruments.	179	6	3	3	6	3	9	22	12	16	16	30	20	27	16	4	1	1	
172	Traumatism by fall.	10,080	145	179	118	89	99	288	426	502	798	939	978	1,270	1,844	1,985	415	6	19	
173	Traumatism in mines and quarries (total).	2,539	—	1	—	—	—	2	214	613	800	531	263	90	14	2	—	9		
	Traumatism in mines.	2,450	—	—	—	—	—	1	206	587	777	511	248	86	13	2	—	9		
	Traumatism in quarries.	89	—	1	—	—	—	1	8	16	23	20	15	4	1	—	—	—		
174	Traumatism by machines.	2,277	2	3	5	6	6	43	348	441	493	397	299	178	45	6	—	5		
175	Traumatism by other crushing (total).	20,456	70	107	165	280	344	1,676	2,513	2,988	3,364	3,030	2,555	1,871	1,042	261	29	181		
	Railroad accidents and injuries.	8,275	15	23	18	15	26	212	917	1,523	1,744	1,430	1,086	680	337	78	9	—	150	
	Street-car accidents and injuries.	2,247	2	17	41	43	36	123	172	268	359	370	299	279	178	47	5	8		
	Automobile accidents and injuries.	7,211	34	40	74	150	228	1,116	1,084	832	882	856	809	627	364	93	11	11		
	Injuries by other vehicles.	2,155	17	25	29	50	46	213	268	239	244	265	280	248	149	42	4	6		
	Landslide, other crushing.	568	2	2	3	2	6	6	12	42	116	135	109	81	37	14	1	6		
176	Injuries by animals.	645	4	8	18	16	18	56	101	37	59	78	80	93	62	14	1	—		
177	Starvation.	37	7	—	—	—	—	1	3	15	21	36	67	79	100	98	46	5		
178	Excessive cold.	498	13	2	—	—	—	1	3	9	26	41	105	149	123	149	138	1		
179	Effects of heat.	1,112	215	27	4	5	3	9	26	41	105	149	123	149	138	97	19	1		
180	Lightning.	402	1	—	—	—	—	3	30	78	93	71	57	32	21	13	1	1		
181	Electricity (lightning excepted).	732	—	—	—	—	—	1	17	126	200	226	93	51	12	2	—	4		
182	Fractures (cause not specified).	700	5	2	1	—	2	10	23	26	41	63	71	87	145	176	43	48		
183	Other external violence.	4,082	258	148	88	53	42	198	404	496	617	571	491	354	190	74	6	94		
	Homicide (total).	5,068	136	18	9	14	20	56	449	1,406	1,465	859	379	156	41	4	2	54		
184	By firearms.	3,443	.8	3	3	3	7	19	321	1,049	1,052	592	243	90	18	1	—	34		
	By cutting or piercing instruments.	603	9	2	1	2	5	11	53	174	192	96	38	9	5	1	—	5		
	By other means.	1,022	119	13																

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																	Deaths at un- known age	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.			
CALIFORNIA.																					
	All causes.....	56,488	4,686	1,127	601	465	330	1,054	2,544	6,908	9,180	6,519	6,229	6,641	6,338	3,335	485	35	31		
	I.—General diseases.....	21,901	750	481	302	227	165	560	1,373	4,191	5,234	2,987	2,216	1,820	1,176	372	33	2	12		
1	Typhoid fever.....	196	2	2	2	3	2	10	45	41	36	36	10	4	3						
4	Malaria.....	41	4	3	1			2	1	4	1	7	3	8	4	2	1				
5	Smallpox.....	3				1		1													
6	Measles.....	163	36	45	14	8	12	18	13	4	6	6	1								
7	Scarlet fever.....	59	1	3	5	4	4	20	8	9	4	1									
8	Whooping cough.....	307	158	76	24	22	6	15	2	1			1			1	1				
9	Diphtheria and croup.....	231	13	14	32	26	26	68	30	8	5	4	3	2							
10	Influenza.....	9,675	282	282	162	105	72	249	740	2,599	3,303	1,105	422	212	123	50	8			11	
13	Cholera nostras.....	1				1															
14	Dysentery.....	99	23	11	6	8	2	5		4	4	6	5	4	11	9	1				
17	Leprosy.....	5								1		1	1	1	1	1	1				
18	Erysipelas.....	58	12	1					2	3	7	9	11	4	5	3	1				
19	Other epidemic diseases.....	22	6	3		1	1	4	1	1	2	1		1	1						
20	Purulent infection and septicemia.....	56	7	2				4	6	6	6	7	6	6	6	6					
21	Glanders.....	2									1	1									
22	Anthrax.....	3							1		2										
24	Tetanus.....	44	8				1	6	7	7	4	4	2	5							
25	Mycoses.....	3							1			2									
26	Pellagra.....	22				1				1	7	1	6	3	3	8					
27	Beriberi.....	5	2							2				1							
	Tuberculosis (total).....	6,046	91	77	45	39	30	125	451	1,355	1,445	1,069	655	429	188	43	2	1	1		
28	Tuberculosis of the lungs.....	5,308	23	19	8	11	11	48	365	1,252	1,347	1,003	613	394	166	39	2	1	1		
29	Acute miliary tuberculosis.....	121	3	4	4	1		7	24	31	22	12	8	5							
30	Tuberculous meningitis.....	281	45	45	30	25	13	45	31	10	20	11	3	3							
31	Abdominal tuberculosis.....	170	7	6	1	2	4	20	14	32	26	20	16	13	7	2					
32	Pott's disease.....	41		1				1	3	9	6	6	2	3							
33	White swellings.....	20						1	5	9	2	2	2	2	3	1					
34	Tuberculosis of other organs.....	83	4	1	2	2	3	8	17	14	12	8	7	5	7	1					
35	Disseminated tuberculosis.....	22	4	1				1	2	4	3	3	2	2							
36	Rickets.....	6	5							1											
37	Syphilis.....	348	70	4	2	4	2	2	8	26	57	65	55	22	23	6	2				
38	Gonococcus infection.....	19	1						3	9	1		5								
	Cancer and other malignant tumors (total).....	3,305	9	1	4	2	4	3	16	42	202	502	797	871	635	205	16	1			
39	Of the buccal cavity.....	113	2					1		6	6	23	37	26	11						
40	Of the stomach, liver.....	1,252		1		1		1	8	50	165	298	392	272	60	4					
41	Of the peritoneum, intestines, rectum.....	474	1		1		1	1	3	9	24	71	105	129	92	34	3				
42	Of the female genital organs.....	453						1	12	53	102	127	94	46	12	1					
43	Of the breast.....	289					1		1	25	72	81	60	29	18	2					
44	Of the skin.....	76					1			1	7	4	12	27	20	4					
45	Of other organs or of organs not specified.....	648	1		3	1	2	1	10	12	38	79	159	147	143	50	2				
46	Other tumors (tumors of the female genital organs excepted).....	9		1				1	2	1		1		2	1						
47	Acute articular rheumatism.....	81				1		11	10	10	7	11	5	8	11	7					
48	Chronic rheumatism and gout.....	39							1	4	5	7	10	10	10	2					
49	Scurvy.....	2	1										1								
50	Diabetes.....	535	1	2	2		1	10	22	35	39	52	98	133	104	34	2				
51	Exophthalmic goiter.....	43						2	3	10	15	6	6	1							
52	Addison's disease.....	17					1	1	1	3	1	6	4								
53	Leukemia.....	72	1	3	1	2	1	2	3	3	16	9	18	10	5	1					
54	Anemia, chlorosis.....	203	7	1	1	1		3	2	5	14	26	57	53	27	6					
55	Other general diseases.....	27	15		1			3		2	3		1	1	1						
56	Alcoholism (acute or chronic).....	139								9	34	36	35	15	9	1					
57	Chronic lead poisoning.....	2											1	1							
58	Other chronic occupation poisonings.....	3								2				1							
59	Other chronic poisonings.....	10								2	2	2	3		1						
	II.—Diseases of the nervous system and of the organs of special sense.....	4,382	104	41	26	12	18	66	89	124	269	452	701	892	1,009	521	53	4	1		
60	Encephalitis.....	23	5	1				1	3	4		2	5		2						
61	Meningitis (total).....	252	33	23	15	8	11	34	32	34	16	22	7	5	4	3					
	Simple meningitis.....	105	21	9	4	5	4	12	7	14	7	12	2	3	3	2					
	Cerebrospinal meningitis (undefined).....	62	6	8	6	1	2	7	10	9	4	5	1	2	1						
	Cerebrospinal fever.....	85	11	6	5	2	5	15	15	11	5	5	4	1							
62	Locomotor ataxia.....	101									2	6	24	29	25	10	3	2			
63	Other diseases of the spinal cord (total).....	205	7	2	2	1		4	10	3	8	21	41	38	58	10					
	Acute anterior poliomyelitis.....	20	4	2	2	1		3	6	1		1									
	Other diseases of the spinal cord.....	185	3					1	4	2	8	20	41	38	53	10					
64	Cerebral hemorrhage, apoplexy.....	2,771	10	2	2			4	8	23	63	180	453	716	822	439	44	4	1		
65	Softening of the brain.....	46								1	1	5	5	10	12	11	1				
66	Paralysis without specified cause.....	181	2						1	1	5	12	21	41	53	35	5	1			
67	General paralysis of the insane.....	380							2	11	109	122	83	31	16	5					
68	Other forms of mental alienation.....	78							8	15	17	17	10	6	5						
69	Epilepsy.....	118	1				1	4	14	29	24	17	12	2	8	6					
70	Convulsions (nonpuerperal).....	1										1									
71	Convulsions of infants.....	40	28	9		1	2														
72	Chorea.....	7	1						2			2			1	1					
73	Neuralgia and neuritis.....	5																			
74	Other diseases of the nervous system.....	120	5	1	2		4	10	9	6	17	2									

CAUSES OF DEATH, BY AGE.

301

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
CALIFORNIA—Continued.																			
	VIII.—Diseases of the skin and of the cellular tissue.....	109	16	1	1	1	2	5	13	12	8	26	19	5	
142	Gangrene.....	55	1	2	2	2	7	4	19	15	5		
143	Furuncle.....	8	2	2	3	1		
144	Acute abscess.....	22	2	1	3	6	2	3	5		
145	Other diseases of the skin and annexa.....	24	13	1	1	3	1	1	4	
	IX.—Diseases of the bones and of the organs of locomotion.....	100	5	2	1	1	1	4	11	12	11	12	15	12	9	4	
146	Diseases of the bones (tuberculosis excepted).....	87	5	2	1	1	1	4	10	12	11	11	10	12	4	3	
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	10	1	1	3	5	1	
149	Other diseases of the organs of locomotion.....	3	2	
	X.—Malformations.....	362	322	13	4	4	3	8	5	2	1	
150	Congenital malformations (stillbirths not included) (total).....	362	322	13	4	4	3	8	5	2	1	
	Hydrocephalus.....	40	22	8	1	3	1	2	3	
	Congenital malformations of the heart.....	239	223	2	3	1	1	4	2	2	1	
	Other congenital malformations.....	83	77	3	1	2	
	XI.—Early infancy.....	1,570	1,570	
151	Congenital debility, icterus, and scle- rema (total).....	1,254	1,254	2	
	Premature birth.....	1,014	1,014	
	Congenital debility, "atrophy," "marasmus," etc.....	240	240	
152	Other causes peculiar to early infancy (total).....	308	308	
	Injuries at birth.....	170	170	10	10	1	
153	Other causes peculiar to early infancy	138	138	8	
	Lack of care.....	3	
	XII.—Old age.....	350	3	24	79	176	61	7	
154	Senility.....	350	3	24	79	176	61	7	
	XIII.—External causes.....	4,058	73	65	39	41	37	123	293	508	797	686	557	377	271	152	25	2	
	Suicide (total).....	774	18	113	218	172	117	79	42	18	2		
155	By poison.....	101	6	2	5	1	1	7	5	10	7	4	8	1	2	
156	By asphyxia.....	108	1	10	1	10	23	26	15	23	7	3	
157	By hanging or strangulation.....	67	4	12	14	16	10	10	1	
158	By drowning.....	36	2	15	7	5	3	3	1	1	1	
159	By firearms.....	349	10	60	104	73	51	28	14	8	1	1	
160	By cutting or piercing instruments.....	75	4	29	22	12	5	2	1	1	1	1	1	1	1	
161	By jumping from high places.....	23	3	12	4	2	1	2	1	1	1	1	1	1	1	
162	By crushing.....	5	2	1	1	1	1	1	2	1	1	1	1	1	1	
163	Other suicides.....	10	1	2	1	1	1	1	2	1	1	1	1	1	1	
	Accidental or undefined (total).....	2,984	65	64	38	40	34	120	250	330	489	458	406	289	227	139	25	8	
164	Poisoning by food.....	59	3	3	2	5	1	1	7	5	10	7	4	8	1	2	
165	Other acute poisonings.....	65	1	17	4	6	1	3	3	7	7	5	7	1	3	1	1	1	
166	Conflagration.....	64	4	1	4	4	4	5	7	4	7	10	7	8	2	1	1	
167	Burns (conflagration excepted).....	140	6	9	5	5	6	13	14	11	14	18	15	5	13	4	2	1	
168	Absorption of deleterious gases (con- flagration excepted).....	126	18	6	10	24	17	17	20	11	12	7	1	1	1	1	
169	Accidental drowning.....	303	3	18	7	4	1	13	39	43	40	40	55	42	21	9	3	5	
170	Traumatism by firearms.....	107	2	2	1	12	43	16	12	9	7	7	2	
171	Traumatism by cutting or piercing instruments.....	5	2	4	2	12	15	15	42	62	49	62	65	93	20	2	
172	Traumatism by fall.....	451	6	2	4	2	12	15	15	42	62	49	62	65	93	20	2	
173	Traumatism in mines and quarries (total).....	43	3	7	16	8	5	4	4	4	4	4	4	4	4	
	Traumatism in mines.....	39	4	4	4	2	2	2	7	14	8	4	4	4	4	4	4	4	
	Traumatism in quarries.....	4	1	1	1	1	1	1	2	2	2	1	1	1	1	1	1	1	
174	Traumatism by machines.....	103	2	9	18	38	14	17	5	
175	Traumatism by other crushing (total).....	1,215	6	7	9	13	16	52	89	153	225	198	191	134	96	23	2	1	
	Railroad accidents and injuries.....	352	1	1	1	2	2	3	12	17	51	76	57	65	31	30	5	2	1
	Street-car accidents and injuries.....	146	2	2	3	3	6	11	20	30	21	18	24	6
	Automobile accidents and injuries.....	533	4	5	6	6	9	31	47	70	94	76	82	65	28	10
	Injuries by other vehicles.....	145	1	1	3	4	6	18	12	27	22	19	17	13	13	13	13	13	13
	Landslide, other crushing.....	39	4	1	2	1	1	9	8	13	4	3	3	3	3	3	2	1
176	Injuries by animals.....	26	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
177	Starvation.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
178	Excessive cold.....	6	10	1	2	3	10	2	4	4	3	3	3	3	3	3	3
179	Effects of heat.....	35	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
180	Lightning.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
181	Electricity (lightning excepted).....	45	1	1	1	1	1	1	13	15	6	6	6	6	6	6	6	6	6
182	Fractures (cause not specified).....	20	1	1	2	2	4	12	20	29	30	20	14	7	4	4	4	1	1
183	Other external violence.....	157	8	5	1	2	2	4	12	20	29	30	20	14	7	2	2	1	1
	Homicide (total).....	300	8	1	1	1	3	3	25	65	90	56	34	9	2	2	2	2	2
182	By firearms.....	215	1	1	1	2	2	2	19	45	75	42	20	6	6	6	6	6	1
183	By cutting or piercing instruments.....	27	1	1	1	1	1	1	8	7	6	6	2	1	1	1	1	1	1
184	By other means.....	58	6	1	1	1	1	5	12	8	8	8	12	2	1	1	1	1	1
	XIV.—Ill-defined diseases.....	81	14	10	1	2	1	3	5	8	9	13	9	4	2	2	2	2
187	Ill-defined organic disease.....	6	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1
188	Sudden death.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
189	Not specified or ill-defined (total).....	74	12	10	1	2	1	2	5	8	9	13	6	3	2	2	2	2
	Ill-defined.....	54	7	10	1	2	1	2	2	4	4	2	2	1	1	1	1	1
	Not specified or unknown.....	20	5	3	4	4	2	4	2	2	2	2	2	2	2

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

303

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
COLORADO.																		
17,546	All causes.....	1,900	450	240	171	134	399	1,197	3,225	3,029	1,793	1,506	1,500	1,286	540	79	7	90
7,948	I.—General diseases.....	319	175	109	96	73	197	648	2,099	1,907	927	610	408	254	52	7	1	66
1	Typhoid fever.....	3	3	5	7	1	11	31	38	19	9	5	4	2				2
5	Smallpox.....	4	1	1	1			1	1									
6	Measles.....	9	12	11	2	2	5	4		1	3	1						
7	Scarlet fever.....	1	2	3	7	4	12	7	1									
8	Whooping cough.....	78	37	11	6	3	10	1										
9	Diphtheria and croup.....	4	3	12	10	11	28	9	2	2								
10	Influenza.....	134	90	58	50	42	115	441	1,232	1,137	431	176	95	60	11			54
13	Cholera nostras.....	1	1	1	2	1		1		2	2	1	1	2	3	2	1	
14	Dysentery.....	8	1	1	2	1				2	2	2	1			2	1	
18	Erysipelas.....	17	2						2	2	6	5	3	2	1			
19	Other epidemic diseases.....	1		2		1				1								
20	Purulent infection and septicemia.....	14					1	3	2		1	2	4	1				
22	Anthrax.....	1										1						
23	Rabies.....	1									1							
24	Tetanus.....	1						1			1			1				
25	Mycoses.....	2					1						2					
26	Pellagra.....	2						1				1						
28	Tuberculosis (total).....	2,183	24	16	6	8	6	2	114	774	653	335	155	66	22	1		6
29	Tuberculosis of the lungs.....	2,042	5	3	2	2	1	101	743	624	328	148	58	21				
30	Acute miliary tuberculosis.....	1						3	9	10	2	2	3					
31	Tuberculous meningitis.....	15	11	6	6	2		6	11	5	1	1						
32	Abdominal tuberculosis.....	2	1					1	4	9	3	2	2		1			
33	Pott's disease.....	4					1	1						1				
34	White swellings.....	5					1		3					1				
35	Tuberculosis of other organs.....	13	1				1	1	2	5	1	2	1					
36	Disseminated tuberculosis.....	5	1				1	1	1			1						
37	Rickets.....	2	1					1										
38	Syphilis.....	69	29	3		1		1	6	6	10	9	4					
Cancer and other malignant tumors (total).....	701	2			1	2	6	15	44	97	187	185	127	30	4	1		
39	Of the buccal cavity.....	22							3	4	2	6	2					
40	Of the stomach, liver.....	233						1	14	26	38	92	61	9	1	1		
41	Of the peritoneum, intestines, rectum.....	69						5	5	6	19	22	10	1				
42	Of the female genital organs.....	99					1	5	11	28	26	18	9	1				
43	Of the breast.....	62						1	17	14	17	9	4					
44	Of the skin.....	22					2		1	2	5	6	4	2				
45	Of other organs or of organs not specified.....	134	2			1	2	4	3	10	15	33	29	26	9			
46	Other tumors (tumors of the female genital organs excepted).....	4						1			2	1						
47	Acute articular rheumatism.....	39				3	13	2	7	3	2	3	2	1			1	
48	Chronic rheumatism and gout.....	6				1		1	1	1	1	1	1	2				
50	Diabetes.....	120	1	1	1	1	5	12	13	13	8	23	20	17	4	1		
51	Exophthalmic goiter.....	19						3	3	4	3	4	1					
52	Addison's disease.....	7						2	2	1	4	5	1					
53	Leukemia.....	16						2	2	2	5	4	1					
54	Anemia, chlorosis.....	53	1				1	2	4	4	20	14	7					
55	Other general diseases.....	10	3	1			2	1	1	1	1	1						1
56	Alcoholism (acute or chronic).....	13						1	4	2	4	1	2					
57	Chronic lead poisoning.....	1																
58	Other chronic occupation poisonings.....	1										1						
59	Other chronic poisonings.....	2									2							
II.—Diseases of the nervous system and of the organs of special sense.....	916	32	10	9	3	5	17	30	33	77	85	149	201	181	72	9	1	2
60	Encephalitis.....	7					1		1	2	2			1				
61	Meningitis (total).....	19	3	8	1	4	8	10	6	2	2	6						
62	Simple meningitis.....	7	1	7	1	2	6	5	1	5	1	5						
63	Cerebrospinal meningitis (undefined).....	8	1	1	1	2		4	2	2	1							
64	Cerebral spinal fever.....	4	1				2	1	3	1	1							
65	Locomotor ataxia.....	21							2	7	5	6	1					
66	Other diseases of the spinal cord (total).....	51	2	4	1	1	1	2	4	4	13	7	9	2	1			
67	Acute anterior poliomyelitis.....	9	2	4	1	1	1	1	4	4	13	7	9	2	1			
68	Other diseases of the spinal cord ¹	42			1		1		4	4	13	7	9	2	1			
69	Cerebral hemorrhage, apoplexy.....	510				2	2	9	20	30	80	156	149	53	7	1	1	
70	Softening of the brain.....	7						1		1	1	3	2					
71	Paralysis without specified cause.....	53						2	1	27	23	24	19	15	14			
72	General paralysis of the insane.....	92						3	4	3	1	2	3	1				
73	Other forms of mental alienation.....	13						3	4	3	1							
74	Epilepsy.....	45	2	1				9	9	6	7	6	5					
75	Convulsions of infants.....	8	3					2	1									
76	Chorea.....	3																
77	Neuralgia and neuritis.....	1																
78	Other diseases of the nervous system.....	19	1			1	2	3	2	5	2	1	2					
79	Diseases of the ears.....	121	2			5	1	1	1	1	1	1	1	1				

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No. Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
COLORADO—Continued.																		
III.—Diseases of the circulatory system	1,343	12	4	1	2	5	31	82	79	97	131	135	279	282	131	17	1	4
77 Pericarditis.....	9								1	2		2	3	1				
78 Acute endocarditis.....	57								10	10	5	13	8	3	1	1		
79 Organic diseases of the heart.....	990	8	3	1	1	3	29	67	58	85	98	131	201	207	83	10	1	4
80 Angina pectoris.....	70								1	1	5	20	23	16	3	1		
81 Diseases of the arteries, atherosclerosis, etc.....	165									3	1	7	15	39	52	43	5	
82 Embolism and thrombosis.....	38								3	5	3	6	7	9	4	1		
83 Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	3								1		1	1						
84 Diseases of the lymphatic system (lymphangitis, etc.).....	6	3	1						1									
85 Hemorrhage; other diseases of the circulatory system.....	5	1								1		1		1	1			
IV.—Diseases of the respiratory system.....	3,112	374	123	53	37	24	63	212	611	526	314	227	230	208	91	12	1	11
86 Diseases of the nasal fossae.....	1															1		
87 Diseases of the larynx.....	16	1	2	1	1	1	3	2			2	1	2					
88 Diseases of the thyroid body.....	1										1							
89 Acute bronchitis.....	58	39	5	4	2		1	1	2	5	9	10	1	3	1	1		
90 Chronic bronchitis.....	63	1								49	19	16	23	37	15	3	1	
91 Bronchopneumonia.....	619	248	74	24	14	10	23	19	44	49	19	16	23	37	15	3	1	
92 Pneumonia (total).....	2,193	84	39	23	20	12	35	187	549	455	252	170	171	126	54	5		11
Lobar pneumonia.....	2,022	73	38	21	17	11	30	168	513	425	238	156	160	114	47	3		8
Pneumonia (undefined).....	171	11	1	2	3	1	5	19	36	30	14	14	11	12	7	2		3
93 Pleurisy.....	33	1	2	1				2	8	4	2	5	1	6	1			
94 Pulmonary congestion, pulmonary apoplexy.....	18		1							1	2		2	5	7			
95 Gangrene of the lung.....	5							1	2		2							
96 Asthma.....	56							1	2	7	12	14	11	6	3			
97 Pulmonary emphysema.....	2									1				1				
98 Other diseases of the respiratory system (tuberculosis excepted).....	47									4	5	14	9	10	3	2		
V.—Diseases of the digestive system.....	1,210	401	109	36	13	8	31	58	76	94	84	91	105	73	27	3		1
99 Diseases of the mouth and annexa.....	2														1			
100 Diseases of the pharynx.....	30	4	3		2		5	1	5	3	2	3	1	1				
101 Diseases of the esophagus.....	2										2							
102 Ulcer of the stomach.....	43							3	7	6	8	7	5	6	1			
103 Other diseases of the stomach (cancer excepted).....	91	39	4	4	1	1	1	2	3	7	2	3	8	8	7	1		
104 Diarrhea and enteritis (under 2 years).....	429	337	92		6	3	7	3	2	4	10	8	7	14	5	1		
105 Diarrhea and enteritis (2 years and over).....	96			26	3	2	13	42	33	38	22	10	14	2	2			
108 Appendicitis and typhlitis.....	186	1	1	3	3	2	1	2	6	12	19	16	27	13	5	1		
109 Hernia, intestinal obstruction (total).....	130	17	7	2		1	2	1	1	7	8	5	9	4	3	1		
Hernia.....	40	1	1							5	10	10	10	8	8	2		
Intestinal obstruction.....	90	16	6	2		1	2	1	6	5	11	11	18	9	2			
110 Other diseases of the intestines.....	23	2						3	4	1	5	2	5	1				
111 Acute yellow atrophy of the liver.....	2							1	1									
113 Cirrhosis of the liver.....	57						1	1	4	10	12	17	9	2				1
114 Biliary calculi.....	34							4	2	1	12	8	8	6	1			
115 Other diseases of the liver.....	43	1	1					1	5	5	10	10	10	8	8	2		
116 Diseases of the spleen.....	3									1	1	2						
117 Simple peritonitis (nonpuerperal).....	35		1	1	1	1	2	4	10	6	1	4	3		1			
118 Other diseases of the digestive system (cancer and tuberculosis excepted).....	4									2	1		1					
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	882	10	5	6	2		5	21	40	60	113	123	188	202	75	7	1	4
119 Acute nephritis.....	77	2	2	5			2	7	6	9	8	7	15	11	2			1
120 Bright's disease.....	622	5	2	1	2		3	11	18	30	78	108	142	159	59	6	1	2
122 Other diseases of the kidneys and annexa.....	22	3						1	1	2	4	5	3	3				
123 Calculi of the urinary passages.....	6									2	1	3						
124 Diseases of the bladder.....	16			1						2	1	6	2	6	2			
125 Diseases of the urethra, urinary abscess, etc.....	4											1	6	6	2			
126 Diseases of the prostate.....	50											2	1	1				
129 Uterine tumor (noncancerous).....	21							3	8	8	1		1					
130 Other diseases of the uterus.....	13							3	1	6	2		1					
131 Cysts and other tumors of the ovary.....	8							2	1	2		2		2	1			
132 Salpingitis and other diseases of the female genital organs.....	23							2	7	9	4							1
VII.—The puerperal state.....	280							29	139	97	14	1						
134 Accidents of pregnancy.....	66							11	33	20	2							
135 Puerperal hemorrhage.....	18							1	10	5	2							
136 Other accidents of labor.....	54							5	27	18	3	1						
137 Puerperal septicemia.....	110							9	51	44	6							
138 Puerperal albuminuria and convulsions.....	24							2	13	8	1							
139 Puerperal phlegmasia alba dolens, embolus, sudden death.....	7							1	5	1								
140 Following childbirth (not otherwise defined).....	1										1							

CAUSES OF DEATH, BY AGE.

305

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
COLORADO—Continued.																			
	VIII.—Diseases of the skin and of the cellular tissue.	28	4		1				1		2	4		3	8	4	1		
142	Gangrene.	19	2		1				1		1	2		1	6	4	1		
143	Furuncle.	1										1							
144	Acute abscess.	5	1								1	1		2					
145	Other diseases of the skin and annexa.	3	1											2					
	IX.—Diseases of the bones and of the organs of locomotion.	20	4			1	1	2		3	1	2	4	1	1				
146	Diseases of the bones (tuberculosis excepted).	19	4					1	2	3	1	2	4	1	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted).	1					1												
	X.—Malformations.	157	142	6	3	1		2	3										
150	Congenital malformations (stillbirths not included) (total).	157	142	6	3	1		2	3										
	Hydrocephalus.	11	6	3	2														
	Congenital malformations of the heart.	98	89	3	1	1		1	3										
	Other congenital malformations.	48	47					1											
	XI.—Early infancy.	575	575																
151	Congenital debility, icterus, and scle- rema (total).	471	471																
	Premature birth.	356	356																
	Congenital debility, "atrophy," "marasmus," etc.	115	115																
152	Other causes peculiar to early infancy (total).	103	103																
	Injuries at birth.	34	34																
153	Other causes peculiar to early infancy ¹ .	69	69																
	Lack of care.	1	1																
	XII.—Old age.	127									1		1	4	32	67	20	2	
154	Senility.	127		22	13	21	16	17	52	109	145	164	116	111	78	45	21	3	
	XIII.—External causes.	935																2	
	Suicide (total).	132								11	20	34	28	21	10	7	1		
155	By poison.	23							4	5	9	3	2						
156	By asphyxia.	9							3	2	2	1	1						
157	By hanging or strangulation.	13						2	1	2	3	2	2		3				
158	By drowning.	3											3						
159	By firearms.	70							5	9	18	18	11	5	3	1			
160	By cutting or piercing instruments.	7								2	2	2	1	2					
161	By jumping from high places.	1								1									
162	By crushing.	2											1						
163	Other suicides.	4							2				1						
	Accidental or undefined (total).	734	22	13	21	16	17	52	94	101	112	78	79	67	38	20	8	1	
164	Poisoning by food.	6							2	1	1	2	2						
165	Other acute poisonings.	22	1	1	3	2	1	4	2		3	1	2	2					
166	Conflagration.	7	1	1	1	1	1		1										
167	Burns (conflagration excepted).	31	2	2	3	5	3	4	2	1	1	1	1	5	1				
168	Absorption of deleterious gases (conflagration excepted).	25	10	1	1	2	3	6	16	4	4	2	2	2	2				
169	Accidental drowning.	60	3	6	5	2	3	6	17	8	2	4	2	2	1				
170	Traumatism by firearms.	40		2	1				6	7	24	37	24	10	3	1			
171	Traumatism by cutting or piercing instruments.	2								5	7	24	37	24	10	3			
172	Traumatism by fall.	96							2	3	15	5	7	6	1	10	20	17	3
173	Traumatism in mines and quarries (total).	107								7	24	37	24	10	3	1			1
	Traumatism in mines.	107								7	24	37	24	10	3	1			1
174	Traumatism by machines.	22							1	2	3	4	3	4	4	1			
175	Traumatism by other crushing (total).	228	2	1	4	3	4	23	17	33	38	23	38	28	12	2			
	Railroad accidents and injuries.	65	1	1				2	2	9	12	11	14	8	5				
	Street-car accidents and injuries.	8							1	1	1	1	1	2		1			
	Automobile accidents and injuries.																		
	Injuries by other vehicles.	119	1		2	2	1	15	15	21	21	9	16	11	4	1			
176	Injuries by animals.	36	1		1	1	2	6	6	2	4	2	2	1	3	2			
177	Starvation.	2	1																
178	Excessive cold.	5																	
180	Lightning.	13							1	6	3	1	1		1				
181	Electricity (lightning excepted).	23							2	9	7	4	1						
185	Fractures (cause not specified).	2							1										
186	Other external violence.	29	2	2	2			2	1	2	2	4	6	5	1				
	Homicide (total).	69								4	24	18	10	11	1				1
182	By firearms.	56							1	18	16	9	10	1				1	
183	By cutting or piercing instruments.	7							1	4	2								
184	By other means.	6							2	2		1	1						
	XIV.—Ill-defined diseases.	33	5	5	1	1	1		2		3	3	4	3	5				
187	Ill-defined organic disease.	3								1				1		1			
188	Sudden death.	3							1		1		1						
189	Not specified or ill-defined (total).	27	5	5	1	1	1			2	3	2	3	4					
	Ill-defined.	20	1	4						1	1		2	3	3	1			
	Not specified or unknown.	7																	

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.			
CONNECTICUT.																			
	All causes.....	27,240	3,964	1,011	450	284	228	626	1,280	3,822	3,767	2,538	2,442	2,648	2,561	1,357	223	4	35
	I.—General diseases.....	10,323	689	464	247	157	120	309	691	2,262	2,059	1,115	875	714	444	141	18	18	
1	Typhoid fever.....	72						5	12	18	15	12	5	4	1				
4	Malaria.....	3							1			1		1					
6	Measles.....	89	30	25	16	5	2	3	4		1		1	1					
7	Scarlet fever.....	37	2	2	5	2	5	14	5	2									
8	Whooping cough.....	269	144	71	20	12	10	10	1									1	
9	Diphtheria and croup.....	204	19	26	27	20	25	59	16	5	3	2	1						
10	Influenza.....	5,604	312	267	151	92	54	163	434	1,642	1,484	498	247	136	79	29	7	11	
13	Cholera nostras.....	1															1		
14	Dysentery.....	39	13	4	1	2				1	2	2	1	1	3	7	5		
18	Erysipelas.....	47	21								4	5	6	4	3	1			
19	Other epidemic diseases.....	8	6						1								1		
20	Purulent infection and septicemia.....	20	4		1				2	4	3	3			1	2			
22	Anthrax.....	1							1										
24	Tetanus.....	19	1			1			2	1	2	1		3		3			
26	Pellagra.....	4							1				2	1				1	
	Tuberculosis (total).....	2,033	68	59	21	19	21	34	176	538	431	325	194	99	38	7		3	
28	Tuberculosis of the lungs.....	1,674	15	9	1	3	5	13	146	478	390	302	177	90	35	7		3	
29	Acute, miliary tuberculosis.....	63	2	2			1		11	24	11	9	3						
30	Tuberculous meningitis.....	168	38	43	15	11	12	13	13	9	6	3	4	1					
31	Abdominal tuberculosis.....	72	9	4	3	3	3	4	2	11	12	7	5	2					
32	Pott's disease.....	13					1		4	2	5	1							
33	White swellings.....	4	1						1		1				1				
34	Tuberculosis of other organs.....	30	1	1	2	1			1	6	9	3	8	2	1				
35	Disseminated tuberculosis.....	9	2							5	1	1							
36	Rickets.....	11	7	2				1				1							
37	Syphilis.....	78	35		1			2	1	3	12	13	9	1	1				
38	Gonococcus infection.....	3	1						1				1						
	Cancer and other malignant tumors (total).....	1,259	1		2	3	2	1	5	13	51	185	308	352	249	76	9	2	
39	Of the buccal cavity.....	56										12	14	13	4				
40	Of the stomach, liver.....	410					1			1	11	50	99	132	89	26	1		
41	Of the peritoneum, intestines, rectum.....	206	1					1	1	2	7	20	54	54	52	10	2		
42	Of the female genital organs.....	189							1	4	15	46	47	50	15	10	2		
43	Of the breast.....	159							1	8	30	45	37	30	5	3			
44	Of the skin.....	28					1			1	2	4	5	11	3	1			
45	Of other organs or of organs not specified.....	211			2	1	2		3	4	10	28	45	61	39	18			
46	Other tumors (tumors of the female genital organs excepted).....	8	1	1					2	1	1	1				1			
47	Acute articular rheumatism.....	34		1					7	7	3	3	3	4	2	2	1	1	
48	Chronic rheumatism and gout.....	10										1	2	4	1	2			
50	Diabetes.....	264	2	1		1	4	12	17	14	29	51	77	43	13				
51	Exophthalmic goiter.....	11							3	2	3	1	1	1					
52	Addison's disease.....	5							1	1		1	2						
53	Leukemia.....	24	1			1		1	3	4	5	2	5	1	1				
54	Anemia, chlorosis.....	69	6	2					3	1	5	6	20	15	8	3			
55	Other general diseases.....	26	17	2	1				1		1		2	1	1				
56	Alcoholism (acute or chronic).....	68								3	19	26	16	2	2				
57	Chronic lead poisoning.....	2												2					
58	Other chronic occupation poisonings.....	1											1						
	II.—Diseases of the nervous system and of the organs of special sense.....	2,017	63	31	18	8	10	39	42	45	72	180	283	430	492	278	26		
60	Encephalitis.....	5				1		1	1			1							
61	Meningitis (total).....	148	21	20	13	7	8	17	16	13	11	10	7	4					
	Simple meningitis.....	66	9	9	2	3	6	8	8	4	6	4	4	2					
	Cerebrospinal meningitis (undefined).....	42	7	6	7	1	2	4	3	5	1	3	1	2					
	Cerebrospinal fever.....	40	5	5	4	3		5	5	4	4	3	2						
62	Locomotor ataxia.....	33							3	2	7	5	8	5	3				
63	Other diseases of the spinal cord (total).....	81	3	2				4	4	4	9	16	18	12	5				
	Acute anterior poliomyelitis.....	10	1		1			2	2		2	1	1						
	Other diseases of the spinal cord.....	71	2		1			2	4	4	7	15	17	12	5				
64	Cerebral hemorrhage, apoplexy.....	1,410	2	1				3	2	6	21	97	209	368	443	232	26		
65	Softening of the brain.....	17										1	3	5	8				
66	Paralysis without specified cause.....	48						1			2	3	4	12	11	15			
67	General paralysis of the insane.....	77								1	14	26	20	6	4	6			
68	Other forms of mental alienation.....	30								5	3	7	7	3	5				
69	Epilepsy.....	56	2	1			1	3	11	9	7	6	7	4	4	1			
70	Convulsions (nonpuerperal).....	1					1												
71	Convulsions of infants.....	39	30	6	2	1													
73	Neuralgia and neuritis.....	8																	
74	Other diseases of the nervous system.....	41	2	1				5	3	2	6	7	5	3	2	5			
75	Diseases of the eyes and their annexa.....	3						4	4	1	1	2	1						
76	Diseases of the ears.....	20	3	2				4	4	1	2	2	2						

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

307

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

CONNECTICUT—Continued.

III.—Diseases of the circulatory system		2,916	16	4	2	2	21	64	114	179	257	411	595	758	416	70	2	5	
77	Pericarditis	11						1	1	4	1	1	3						
78	Acute endocarditis	115	5					1	4	14	17	18	28	5					
79	Organic diseases of the heart	2,174	6	2	1	1	16	47	91	138	209	317	460	561	274	44	2	5	
80	Angina pectoris	175						2	1	7	15	33	46	56	13				
81	Diseases of the arteries, atherosclerosis, etc.	350								5	7	19	62	114	121	22			
82	Embolism and thrombosis	68								7	4	11	16	19	8				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	11								2	3	2	2	2					
84	Diseases of the lymphatic system (lymphangitis, etc.)	8	5		1	1							1						
85	Hemorrhage; other diseases of the circulatory system	4								1	1	1		1					
IV.—Diseases of the respiratory system		4,963	671	282	131	69	38	108	265	950	886	441	320	314	265	177	42		4
87	Diseases of the larynx	13	3	1						2	2	2	1	1					
88	Diseases of the thyroid body	5								2			1	1					
89	Acute bronchitis	166	96	12	3	1	2	1	1	2	3	2	1	10	13	11	8		
90	Chronic bronchitis	80	1	5					1			5	8	18	17	17	8		
91	Bronchopneumonia	1,051	367	135	61	29	13	40	18	47	56	38	36	58	76	65	11	1	
92	Pneumonia (total)	3,543	194	125	62	39	22	66	243	892	820	379	257	210	145	75	11	3	
	Lobar pneumonia	3,241	171	115	54	37	20	62	232	861	785	358	246	192	134	61	10		
93	Pleurisy	202	23	10	8	2	2	4	11	31	35	21	11	18	11	14	2		
94	Pulmonary congestion, pulmonary apoplexy	54	6	3	5		1		2	3	3	8	10	9	2	2			
95	Gangrene of the lung	25	3	1					1		1		1	2	2	1	2	4	
96	Asthma	16								1	1	3	4	4	2	1			
97	Pulmonary emphysema	1									1								
98	Other diseases of the respiratory system (tuberculosis excepted)	1										1							
V.—Diseases of the digestive system		1,823	828	173	20	13	15	32	38	55	89	121	124	130	114	66	5		
99	Diseases of the mouth and annexa	7	3						1	1	1			1					
100	Diseases of the pharynx	25	1	1	3	1	1	4	4	5	1	2	1			1			
101	Diseases of the esophagus	2									6	12	16	9	7	3	3		
102	Ulcer of the stomach	58	2																
103	Other diseases of the stomach (cancer excepted)	118	52	7	1	1	3	2	1	2	4	4	8	8	12	11	2		
104	Diarrhea and enteritis (under 2 years)	893	735	158															
105	Diarrhea and enteritis (2 years and over)	128		16	8	8	10	3	1	7	13	8	16	19	18	1			
107	Intestinal parasites	1																	
108	Appendicitis and typhlitis	154																	
109	Hernia, intestinal obstruction (total)	168	30	3															
	Hernia.	58	3																
	Intestinal obstruction	110	27	3															
110	Other diseases of the intestines	13																	
111	Acute yellow atrophy of the liver	5	1	1						2						1			
113	Cirrhosis of the liver	143		1							7	29	38	31	28	7			
114	Biliary calculi	36									2	2	5	8	8	1	1		
115	Other diseases of the liver	35	1						1	1	2	2	4	11	5	4	3	1	
116	Diseases of the spleen	3								1		1			1				
117	Simple peritonitis (nonpuerperal)	28	3	1					1		3	5	4	2	3	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	11								1	1	4	2	2	1				
VI.—Nonvenereal diseases of the genito-urinary system and annexa		1,508	13	6	2	3	5	7	18	60	120	184	261	303	350	157	17		2
119	Acute nephritis	94	7	5		1	4	3	4	13	15	17	8	6	5				
120	Bright's disease	1,237	1	2	2		4	11	33	77	141	234	271	314	125	15		2	
122	Other diseases of the kidneys and annexa	25	6						1	3	3	2	5	2	3				
123	Calculi of the urinary passages	9								1	1	1	1	2	1	2			
124	Diseases of the bladder	24									1	1	1	4	9	8	1		
125	Diseases of the urethra, urinary abscess, etc.	4									1	1							
126	Diseases of the prostate	51										1	5	14	15	15	1		
127	Nonvenereal diseases of the male genital organs	1										1							
128	Uterine hemorrhage (nonpuerperal)	1										1							
129	Uterine tumor (noncancerous)	28										6	14	4	4				
130	Other diseases of the uterus	3										2			1				
131	Cysts and other tumors of the ovary	10										2	2	1		2			
132	Salpingitis and other diseases of the female genital organs	21										4	12	4	1				
VII.—The puerperal state		277							12	137	111	17							
134	Accidents of pregnancy	77								3	40	28	6						
135	Puerperal hemorrhage	23								1	5	13	4						
136	Other accidents of labor	56								2	32	20	2						
137	Puerperal septicemia	55								4	26	24	1						
138	Puerperal albuminuria and convulsions	52								2	29	19	2						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	12								4	7	1							
140	Following childbirth (not otherwise defined)	1								1			1						
141	Puerperal diseases of the breast	1											1						

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
CONNECTICUT—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue.....	62	17	2	2	1	1	2	4	3	2	1	6	9	8	3	1	
142	Gangrene.....	23																
143	Furuncle.....	8																
144	Acute abscess.....	17	9	2	1	1	1	1	1	1	1	1	1	1	1	1		
145	Other diseases of the skin and annexa.....	14	8		1													
	IX.—Diseases of the bones and of the organs of locomotion.....	37	6	4		1	2	5	2	1	2	6	2	4	2			
146	Diseases of the bones (tuberculosis excepted).....	27	4	4			1	2	5	2	1	2	3	1	1	1		
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	8	1										3	1	2	1		
149	Other diseases of the organs of locomotion.....	2	1													1		
	X.—Malformations.....	256	241	6	1			5	2		1							
150	Congenital malformations (stillbirths not included) (total).....	256	241	6	1			5	2		1							
	Hydrocephalus.....	13	8	3	1			1										
	Congenital malformations of the heart.....	152	142	3				4	2		1							
	Other congenital malformations.....	91																
	XI.—Early infancy.....	1,373	1,373															
151	Congenital debility, icterus, and sclerema (total).....	1,071	1,071															
	Premature birth.....	808	808															
	Congenital debility, "atrophy," "marasmus," etc.....	263	263															
152	Other causes peculiar to early infancy (total).....	292	292															
	Injuries at birth.....	183	183															
153	Other causes peculiar to early infancy ¹	109	109															
	Lack of care.....	10	10															
	XII.—Old age.....	114											1	5	26	48	33	1
154	Senility.....	114											1	5	26	48	33	1
	XIII.—External causes.....	1,482	28	37	24	32	35	101	138	189	232	205	153	141	94	59	9	5
	Suicide (total).....	193							4	37	51	41	27	25	6	2		
155	By poison.....	36						3	11	7	8	3	4					
156	By asphyxia.....	31							1	9	10	5	5	1				
157	By hanging or strangulation.....	33							8	5	8	7	4	1				
158	By drowning.....	18							3	5	4	1	3	2				
159	By firearms.....	45						1	10	10	9	8	6	1				
160	By cutting or piercing instruments.....	23						2	11	2	2	3	2	1				
161	By jumping from high places.....	5						2	3									
162	By crushing.....	2							1									
164	Accidental or undefined (total).....	1,238	25	37	24	32	35	99	131	143	164	152	122	115	88	57	9	5
165	Poisoning by food.....	9	1	2	2				1		1	1	4	1				
166	Other acute poisonings.....	11	1	2					1	2		2		1				
167	Conflagration.....	19			1	1		1		3	5	4	1	1	2			
168	Burns (conflagration excepted).....	135	5	21	9	17	13	16	8	4	3	8	10	8	6	7		
	Absorption of deleterious gases (conflagration excepted).....	101	7	2		1	1	1	6	13	16	18	16	11	5	3		1
169	Accidental drowning.....	125	2		4	1	1	22	41	15	10	15	8	1	4	1		
170	Traumatism by firearms.....	16				1		3	7	2								
171	Traumatism by cutting or piercing instruments.....	6																
172	Traumatism by fall.....	215	1	6	3	3	2	5	6	12	19	17	17	31	45	37	9	2
173	Traumatism in mines and quarries (total).....	2											1	1				
	Traumatism in quarries.....	2											1	1				
174	Traumatism by machines.....	54	1							9	7	11	12	9	3	2		
175	Traumatism by other crushing (total).....	416	1	6	6	17	46	38	72	74	50	46	36	17	5			2
	Railroad accidents and injuries.....	125	1			3	9	32	30	20	15	8	7	3	1			
	Street-car accidents and injuries.....	56	2		3	2	2	9	12	8	7	7	7	3	1			
	Automobile accidents and injuries.....	183	3	6	13	35	18	24	24	15	20	17	5	3				
	Injuries by other vehicles.....	45	1		1	6	9	6	6	3	4	4	4	4	1			
	Landslide, other crushing.....	7						1		1								
176	Injuries by animals.....	7	1					1	1		1		2					1
178	Excessive cold.....	15	1							1	3	2	2	7				
179	Effects of heat.....	12	4							3	2	2	1					
180	Lightning.....	9						1	2	2	1	1		2				
181	Electricity (lightning excepted).....	16						1	6	2	4	3						
185	Fractures (cause not specified).....	13							2	1	2	2	2	2	2			
186	Other external violence.....	57	4	2			2	4	7	10	10	6	7	3	2			
	Homicide (total).....	51	3				2	3	9	17	12	4	1					
182	By firearms.....	29					1	1	4	10	10	2	1					
183	By cutting or piercing instruments.....	11	1				1	1	2	4	4	1	1					
184	By other means.....	11	2				1	1	3	3	1	1						
	XIV.—Ill-defined diseases.....	89	19	6	1	1	1	3	4	14	14	7	8	5	5			1
187	Ill-defined organic disease.....	3											1	2				
188	Sudden death.....	13	1	2					1	2	2	2	1	1	1			
189	Not specified or ill-defined (total).....	73	18	4	1	1	1	3	3	12	12	5	6	2	4			1
	Ill-defined.....	48	8	4	1	1	1	2	2	8	9	5	4	2	1			
	Not specified or unknown.....	25	10					1	1	4	3	2	2	3	2			

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

309

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
ILLINOIS.																		
100,396	All causes.....	13,109	3,820	1,916	1,316	952	2,827	5,302	12,599	13,070	9,276	9,857	10,386	9,816	5,305	770	37	238
35,352	I.—General diseases.....	1,611	1,273	884	635	491	1,484	2,741	6,825	6,680	3,860	3,401	2,793	1,809	670	62	2	81
1 Typhoid fever.....	519	3	2	3	8	11	43	120	128	86	53	35	17	7	1	1	1	
4 Malaria.....	81	8	3	6	5	—	4	5	5	9	11	2	11	6	6	—	—	
5 Smallpox.....	15	1	1	—	—	—	2	3	3	1	2	1	—	1	—	—	—	
6 Measles.....	317	67	85	38	32	11	28	18	9	13	7	4	3	—	1	—	1	
7 Scarlet fever.....	149	4	19	19	13	19	35	24	12	4	—	—	—	—	—	—	—	—
8 Whooping cough.....	696	329	166	61	45	26	47	14	3	—	—	1	1	2	—	—	—	1
9 Diphtheria and croup.....	1,142	56	143	160	158	114	344	114	24	13	9	4	—	1	—	—	—	—
10 Influenza.....	15,169	668	701	497	352	243	728	1,453	4,033	3,757	1,212	610	400	301	153	21	35	—
13 Cholera nostras.....	8	2	1	1	—	—	—	—	—	—	2	—	—	2	—	—	—	—
14 Dysentery.....	208	44	16	12	4	4	6	3	5	12	15	17	16	22	27	3	—	2
18 Erysipelas.....	183	41	4	1	2	3	6	10	13	18	15	27	23	14	—	—	2	2
19 Other epidemic diseases.....	27	7	5	2	2	—	2	3	1	2	1	—	—	—	—	—	—	—
20 Furtulent infection and septicemia.....	126	14	1	—	2	—	7	8	16	15	16	15	12	9	9	1	—	1
23 Rabies.....	2	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
24 Tetanus.....	85	16	1	—	1	—	17	13	7	7	11	5	4	1	2	—	—	—
25 Mycoses.....	5	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—
26 Pellagra.....	26	—	—	—	—	—	—	—	1	8	7	2	2	5	1	—	—	—
28 Tuberculosis (total).....	8,579	149	91	58	48	40	142	776	2,279	2,118	1,316	831	462	204	39	4	22	
29 Tuberculosis of the lungs.....	7,417	61	26	17	15	11	78	638	2,050	1,932	1,203	414	180	33	2	20	—	—
30 Acute miliary tuberculosis.....	274	14	4	2	5	4	5	36	85	58	34	14	9	2	2	—	—	—
31 Tuberculous meningitis.....	328	56	52	29	15	18	31	40	33	22	19	8	3	2	—	—	—	—
32 Abdominal tuberculosis.....	271	7	1	6	6	2	10	23	64	51	32	39	17	9	2	—	—	2
33 Pott's disease.....	95	3	2	—	4	2	10	17	16	18	6	9	4	4	—	—	—	—
34 White swellings.....	49	—	1	1	2	1	3	9	6	11	6	5	3	1	1	2	—	—
35 Tuberculosis of other organs.....	107	7	2	2	1	2	4	8	15	22	13	13	10	5	1	2	—	—
36 Disseminated tuberculosis.....	38	1	3	1	—	—	1	5	10	4	3	6	2	1	1	—	—	—
37 Rickets.....	34	11	14	6	2	1	—	—	—	—	—	—	—	—	—	—	—	—
38 Syphilis.....	435	109	6	3	1	1	4	6	32	73	83	62	41	10	3	—	1	—
39 Gonococcus infection.....	17	—	—	—	—	—	—	—	1	5	5	3	1	2	—	—	—	—
40 Cancer and other malignant tumors (total).....	5,222	4	2	4	6	2	14	24	67	300	790	1,352	1,346	944	332	24	1	10
41 Of the buccal cavity.....	194	—	—	—	—	—	—	3	2	4	31	47	57	30	18	1	1	—
42 Of the stomach, liver.....	2,083	1	—	—	—	—	—	1	9	75	252	549	629	426	130	7	4	—
43 Of the peritoneum, intestines, rectum.....	625	—	—	—	—	—	—	2	11	39	93	141	173	124	39	2	1	—
44 Of the female genital organs.....	685	—	—	—	—	—	—	2	12	83	174	213	111	71	15	2	—	—
45 Of the breast.....	406	—	—	—	—	—	—	—	4	40	89	132	73	53	14	1	—	—
46 Of the skin.....	144	—	—	—	—	—	—	—	1	1	5	20	34	43	34	5	—	—
47 Of other organs or of organs not specified.....	1,085	3	2	3	6	2	12	17	28	58	146	250	269	197	82	6	1	3
48 Other tumors (tumors of the female genital organs excepted).....	28	—	1	—	—	—	—	2	1	3	3	4	6	5	2	1	—	—
49 Acute articular rheumatism.....	251	1	1	1	1	6	30	60	23	17	20	37	25	13	14	1	1	—
50 Chronic rheumatism and gout.....	62	—	—	—	—	—	—	1	1	3	6	15	15	14	7	—	—	—
51 Scurvy.....	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
52 Diabetes.....	1,063	1	1	—	1	3	15	54	77	88	126	219	287	169	40	2	—	—
53 Exophthalmic goiter.....	123	—	—	—	—	—	—	8	29	27	26	23	12	7	—	1	—	—
54 Addison's disease.....	18	—	—	—	—	—	—	1	2	1	6	4	2	—	—	—	—	—
55 Leukemia.....	135	1	3	3	—	4	7	9	16	20	24	22	17	7	2	—	—	—
56 Anemia, chlorosis.....	364	12	2	1	3	2	9	15	34	53	90	88	44	8	3	—	—	—
57 Other general diseases.....	114	59	4	4	3	2	3	6	9	6	2	4	8	2	2	—	—	—
58 Alcoholism (acute or chronic).....	116	—	—	—	—	—	—	1	10	34	29	23	11	4	4	—	—	—
59 Chronic lead poisoning.....	12	1	—	—	—	—	—	1	5	2	2	1	—	—	—	—	—	—
60 Other chronic poisonings.....	7	—	—	—	—	—	—	1	3	1	—	—	—	—	—	—	—	—
61 II.—Diseases of the nervous system and of the organs of special sense.....	6,968	311	101	80	55	33	137	196	265	470	678	1,043	1,358	1,416	720	74	3	28
62 Encephalitis.....	44	7	3	3	—	—	3	10	5	4	3	3	—	1	2	—	—	—
63 Meningitis (total).....	500	110	43	41	29	16	55	64	47	46	46	18	10	9	3	3	3	1
64 Simple meningitis.....	274	62	30	23	16	7	27	27	18	33	14	6	6	2	2	2	—	—
65 Cerebrospinal meningitis (undefined).....	102	22	9	6	8	3	9	21	11	7	2	2	1	1	—	—	—	—
66 Cerebrospinal fever.....	124	26	9	12	5	6	19	16	13	6	2	2	2	2	1	—	—	—
67 Locomotor ataxia.....	181	—	—	—	—	—	—	3	24	34	59	42	15	3	—	—	—	—
68 Other diseases of the spinal cord (total).....	413	13	14	17	10	9	35	35	24	15	32	53	63	67	26	—	—	—
69 Acute anterior poliomyelitis.....	115	9	12	14	8	8	27	25	6	2	10	18	25	12	1	1	1	—
70 Other diseases of the spinal cord.....	298	4	2	3	2	1	8	10	18	13	29	53	62	67	26	—	—	—
71 Cerebral hemorrhage, apoplexy.....	3,665	20	4	2	1	—	5	12	37	102	291	657	929	1,017	516	57	1	14
72 Softening of the brain.....	71	—	—	—	—	—	—	—	2	—	2	10	18	25	12	1	1	—
73 Paralysis without specified cause.....	574	4	—	1	1	—	1	3	8	11	26	49	139	199	118	13	1	6
74 General paralysis of the insane.....	615	—	—	—	—	—	1	1	35	152	164	112	77	44	22	1	—	—
75 Other forms of mental alienation.....	135	—	—	—	—	—	—	3	25	32	25	21	16	10	2	1	—	—
76 Epilepsy.....	234	12	4	4	4	3	9	30	42	41	40	23	9	5	4	4	4	—
77 Convulsions (nonpuerperal).....	5	—	—	—	—	3	—	1	—	1	—	—	—	—	—	—	—	—
78 Convulsions of infants.....	129	106	14	4	5	—	—	—	1	—	—	—	—	—	—	—	—	—
79 Chorea.....	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
80 Neuralgia and neuritis.....	23	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
81 Other diseases of the nervous system.....	20	—	—	—	2	2	10	15	23	35	31	35</td						

CAUSES OF DEATH, BY AGE.

311

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
ILLINOIS—Continued.																			
	VIII.—Diseases of the skin and of the cellular tissue.	216	41	2	1	1	3	5	5	16	23	29	42	42	5	1
142	Gangrene.....	103	2	1	1	1	7	7	20	32	33	4	1
143	Furuncle.....	23	10	1	1	2	1	3	3	7	2	2	2	1	
144	Acute abscess.....	29	7	1	1	1	3	1	5	2	4	2	2	2	1	
145	Other diseases of the skin and annexa.....	51	22	1	1	3	1	7	3	6	7	
	IX.—Diseases of the bones and of the organs of locomotion.	138	9	6	1	2	5	14	14	16	18	15	15	11	11	1	
146	Diseases of the bones (tuberculosis excepted).	115	8	6	1	2	5	13	10	14	17	11	13	9	6	
147	Diseases of the joints (tuberculosis and rheumatism excepted).	16	4	2	1	2	2	1	3	1	
149	Other diseases of the organs of locomotion	7	1	1	2	2	1	1	2	1	
	X.—Malformations.	991	913	29	11	9	5	12	8	8	1	
150	Congenital malformations (stillbirths not included) (total).	991	913	29	11	9	5	12	8	3	1	
	Hydrocephalus.....	93	71	9	4	2	1	3	1	1	1	
	Congenital malformations of the heart	605	573	10	4	3	3	5	6	1	
	Other congenital malformations.	293	269	10	3	4	1	4	1	
	XI.—Early infancy.	4,054	4,054	
151	Congenital debility, iuterus, and scle- rema (total).	3,061	3,061	1	
	Premature birth.....	2,357	2,357	
152	Congenital debility, "atrophy," "ma- rasmus," etc.	704	704	
	Other causes peculiar to early infancy (total).	977	977	
	Injuries at birth.....	585	555	7	2	1	
153	Other causes peculiar to early infancy.	392	392	2	4	1	
	Lack of care.	16	16	
	XII.—Old age.	774	774	2	35	213	374	140	6	4
154	Senility.	774	774	2	35	213	374	140	6	4	
	XIII.—External causes.	5,886	99	119	109	92	87	287	550	773	976	821	753	548	363	231	39	39
	Suicide (total).	830	25	123	176	166	183	105	40	11	1	
155	By poison.....	113	8	21	27	25	18	9	4	1	
156	By asphyxia.....	191	3	22	38	36	55	26	8	3	
157	By hanging or strangulation.....	117	1	14	13	29	29	16	11	3	1	
158	By drowning.....	51	3	11	11	10	6	7	3	
159	By firearms.....	253	9	42	60	46	54	33	7	2	
160	By cutting or piercing instruments.....	53	4	14	12	13	7	2	1	
161	By jumping from high places.....	25	5	8	4	1	2	4	1	
162	By crushing.....	13	1	2	4	3	2	1	
163	Other suicides.....	14	2	1	1	5	4	1	
	Accidental or undefined (total).	4,637	91	115	103	'88	85	279	498	539	681	582	535	432	316	220	39	29	
164	Poisoning by food.....	40	4	2	4	2	2	5	4	3	2	3	4	3	2	1	
165	Other acute poisonings.....	78	7	15	8	2	3	1	1	10	10	10	7	2	2	2	
166	Conflagration.....	28	1	2	4	1	1	2	1	1	4	3	3	6	2	2	1	
167	Burns (conflagration excepted).	397	11	38	49	39	34	48	23	26	35	18	24	13	25	13	1	
168	Absorption of deleterious gases (con- flagration excepted).	349	25	4	2	3	8	16	31	45	60	58	49	34	13	1	
169	Accidental drowning.....	387	3	13	7	1	4	31	105	55	53	26	20	11	3	2	5	1	
170	Traumatism by firearms.....	142	1	2	4	1	13	66	15	18	13	4	2	2	2	2	1	
171	Traumatism by cutting or piercing instruments.....	11	1	1	6	3	14	19	23	51	3	4	2	2	2	1	1	
172	Traumatism by fall.....	536	7	16	11	6	3	14	19	67	59	56	32	11	11	11	1	
173	Traumatism in mines and quarries (total).	247	2	19	67	59	56	32	11	11	1	1	1	
	Traumatism in mines.....	246	1	19	67	59	56	32	11	11	1	1	1	
	Traumatism in quarries.....	1	1	
174	Traumatism by machines.....	126	1	1	1	1	1	11	25	32	17	19	15	4	17	
175	Traumatism by other crushing (total).	1,603	3	6	9	20	30	129	179	226	232	215	154	74	23	3	16	1	
	Railroad accidents and injuries.....	774	1	1	1	5	17	9	92	140	168	131	101	64	27	11	3	1	
	Street-car accidents and injuries.....	209	1	1	3	3	1	11	9	21	37	24	43	32	19	3	1	
	Automobile accidents and injuries.....	464	1	3	6	12	21	89	62	46	50	53	49	43	21	5	3	
	Injuries by other vehicles.....	127	2	4	3	12	14	14	14	18	21	19	11	5	4	2	2	
	Landslide, other crushing.....	29	2	5	10	3	3	4	3	2	2	2	
176	Injuries by animals.....	46	1	1	1	2	2	5	6	4	2	6	5	15	24	52	71	19	
177	Starvation.....	2	1	1	3	2	3	3	5	2	1	1	1	
178	Excessive cold.....	21	1	1	1	1	5	7	3	6	4	1	1	
179	Effects of heat.....	51	8	2	1	1	1	1	1	1	5	4	2	2	2	1	1	1	
180	Lightning.....	18	2	3	3	3	3	3	2	2	1	1	1	
181	Electricity (lightning excepted).	50	13	6	19	7	3	2	2	2	2	2	1	
185	Fractures (cause not specified).	198	1	1	1	1	1	1	2	6	5	15	24	52	71	19	1	1	
186	Other external violence.	357	19	14	9	6	1	19	32	41	51	44	49	41	19	10	1	1	
	Homicide (total).	419	8	4	1	4	2	8	27	111	119	73	35	11	7	2	4	9	
182	By firearms.....	247	1	13	77	84	40	22	4	2	2	1	1	
183	By cutting or piercing instruments.....	44	1	1	1	1	1	4	9	15	7	3	1	1	1	1	1	1	
184	By other means.	128	7	3	1	3	2	6	10	25	20	26	10	7	4	4	4	4	
	XIV.—Ill-defined diseases.	508	85	28	3	4	5	20	18	12	30	41	40	82	76	38	9	2	15
187	Ill-defined organic disease.	32	1	1	1	2	2	6	14	4	1	1	1	
188	Sudden death.	3	1	1	1	1	1	1	1	29	39	38	76	62	33	8	2	15	
189	Not specified or ill-defined (total).	473	84	28	3	4	5	18	18	11	29	39	38	76	62	33	8	2	9
	Ill-defined.	333	61	22	3	3	1	2	8	8	14	25	28	63	54	24	6	2	9
	Not specified or unknown.	140	23	6	1	4	16	10	3	15	14	10	13	8	9	2	2	6	

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
INDIANA.																			
	All causes.....	45,993	5,603	1,479	754	504	397	1,193	2,803	4,833	4,745	3,551	4,210	5,676	6,419	3,281	433	19	93
	I.—General diseases.....	15,605	875	626	354	275	230	648	1,433	2,616	2,287	1,452	1,479	1,620	1,239	407	48	16
1	Typhoid fever.....	400	2	5	5	11	5	32	124	88	54	34	20	12	3	3	2	
4	Malaria.....	33	1	1	2	2	1	2	5	2	6	3	7	1	
5	Smallpox.....	22	4	1	2	3	2	1	1	4	3	1	1	
6	Measles.....	144	28	29	17	10	6	19	15	7	1	7	3	2	2		
7	Scarlet fever.....	125	5	15	9	10	13	32	33	4	3	1	
8	Whooping cough.....	503	264	142	29	31	13	19	3	1	1	
9	Diphtheria and croup.....	431	23	47	.49	52	44	140	48	14	6	4	2	2	
10	Influenza.....	5,553	332	286	185	123	112	268	673	1,322	1,196	392	207	191	171	77	16	4
13	Cholera nostras.....	12	2	1	1	1	1	1	2	2	2	2	2
14	Dysentery.....	134	21	17	9	1	1	2	1	4	16	31	27	4
17	Leprosy.....	1	1	
18	Erysipelas.....	121	23	5	2	6	1	6	13	17	23	14	9	2
19	Other epidemic diseases.....	35	6	3	1	2	2	9	6	3	2	1
20	Purulent infection and septicemia.....	57	6	1	1	2	5	6	4	3	4	10	11	4
22	Anthrax.....	3	1	1	1	1	1	1	1	1	1	3
24	Tetanus.....	59	11	1	1	1	10	10	4	5	5	6	5	2	2
25	Mycoses.....	3	3	3	3	2	1
26	Fellagra.....	12	4	3	3	3	2
28	Tuberculosis (total).....	4,048	68	63	34	27	17	74	416	1,039	744	516	407	379	215	44	2	3
	Tuberculosis of the lungs.....	3,357	22	18	11	12	6	25	324	926	661	445	350	328	187	38	2	2
29	Acute miliary tuberculosis.....	122	9	4	3	3	1	4	26	26	19	13	9	2	2	1	1
30	Tuberculous meningitis.....	184	30	31	14	8	6	32	27	15	8	5	6	2	1
31	Abdominal tuberculosis.....	230	5	7	4	3	2	8	23	36	35	27	30	29	14	4	1
32	Pott's disease.....	44	1	1	1	3	7	12	5	6	4	1	3	2	1	1
33	White swellings.....	24	1	1	1	1	3	3	3	3	5	2	1	1	
34	Tuberculosis of other organs.....	48	1	1	1	1	1	5	9	6	7	5	9	3	1	
35	Disseminated tuberculosis.....	39	2	1	12	7	10	3	3	4	1	
36	Rickets.....	9	7	1	1	1	1	1
37	Syphilis.....	277	46	6	2	1	10	21	47	47	50	25	17	3	2	1
38	Gonococcus infection.....	17	1	2	3	6	4	1	1	
	Cancer and other malignant tumors (total).....	2,567	1	3	3	2	9	8	36	104	317	571	720	571	200	18	4	
39	Of the buccal cavity.....	75	1	1	1	3	5	17	22	16	8	2	2	1	
40	Of the stomach, liver,.....	1,042	1	2	4	7	24	86	227	344	267	72	5	3	
41	Of the peritoneum, intestines, rectum.....	309	1	1	1	9	12	32	69	99	62	24	1	
42	Of the female genital organs.....	379	1	10	36	98	105	82	40	6	1	1	1	1	
43	Of the breast.....	222	2	12	41	61	43	40	21	1	1	1	1	
44	Of the skin.....	147	1	1	8	19	34	49	29	16	6	1	
45	Of other organs or of organs not specified.....	393	1	3	1	1	5	3	7	16	47	73	96	97	40	3	1
46	Other tumors (tumors of the female genital organs excepted).....	10	1	1	3	2	2	1	1	1
47	Acute articular rheumatism.....	114	1	1	1	3	13	23	9	16	7	15	12	8	4	2	1	1
48	Chronic rheumatism and gout.....	41	3	13	23	9	16	7	15	12	8	4	2	1	1	1
49	Scurvy.....	3	2	1	1
50	Diabetes.....	494	1	1	2	2	5	6	36	27	33	40	81	137	102	19	2	1
51	Exophthalmic goiter.....	79	3	10	19	14	19	19	9	5	1	1
52	Addison's disease.....	15	6	5	5	4	2	5	4	2	1	1	1	1	1
53	Leukemia.....	39	1	2	1	5	9	20	27	35	37	4	1	1
54	Anemia, chlorosis.....	152	7	1	2	1	5	9	20	27	35	37	4	1	1
55	Other general diseases.....	50	13	3	4	1	1	5	2	3	4	3	2	4	3	2	1	2	1
56	Alcoholism (acute or chronic).....	35	1	9	6	9	6	9	6	4	1	1
57	Chronic lead poisoning.....	3	1	3	1	1	1	
59	Other chronic poisonings.....	4	1	1	1	1	2	1	1	1	1	1
	II.—Diseases of the nervous system and of the organs of special sense.....	4,137	113	52	42	29	15	60	92	84	162	298	537	874	1,159	553	64	1	2
60	Encephalitis.....	28	3	6	1	2	3	4	1	3	3	1	1	1	1	1	1
61	Meningitis (total).....	274	56	29	23	19	8	34	33	20	12	11	8	8	5	3	2	1	1
	Simple meningitis.....	132	32	7	17	9	3	12	16	8	3	7	4	7	4	3	2	1	1
	Cerebrospinal meningitis (undefined).....	75	13	15	5	4	2	16	4	9	4	2	2	1	1	1	1	1	1
	Cerebrospinal fever.....	67	11	7	6	6	3	6	13	3	2	4	1	1	1	1	1	1	1
62	Locomotor ataxia.....	76	1	1	5	6	7	8	9	12	22	25	10	4	1	1
63	Other diseases of the spinal cord (total).....	197	4	3	5	3	1	5	6	7	8	9	32	49	43	19	3	1	1
	Acute anterior poliomyelitis.....	23	4	2	5	3	1	2	4	4	2	2	2	2	2	2	1	1	1
	Other diseases of the spinal cord ¹	174	1	3	2	7	8	9	30	49	43	19	19	19	19	19	1
64	Cerebral hemorrhage, apoplexy.....	2,508	4	4	1	1	3	10	15	44	188	340	631	859	405	51	1	1
65	Softening of the brain.....	64	1	1	1	2	3	11	25	18	4	2	1	1
66	Paralysis without specified cause.....	354	1	1	1	2	4	16	34	75	141	77	2	2	2	2
67	General paralysis of the insane.....	242	4	45	51	48	37	38	18	1	1	1	1	1
68	Other forms of mental alienation.....	60	4	7	14	11	11	7	5	5	1	1	1	1
69	Epilepsy.....	127	2	1	1	2	4	20	16	24	24	15	8	10	1
70	Convulsions (nonpuerperal).....	3	1	1	2	1	
71	Convulsions of infants.....	37	31	3	2	1	1	1	1	1	1	1	
72	Chorea.....	5	1	1	1	1	2	2	2	3	9	1	1	1	
73	Neuralgia and neuritis.....	20	1	3	2	1	3	10	7	14	13	12	10	3	2	1	1	1
74	Other diseases of the nervous system.....	87	6	1	3	2	1	3	10	7	14	13	12	10	3	2			

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																	Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.		
INDIANA—Continued.																				
	VIII.—Diseases of the skin and of the cellular tissue.....	108	17					1		3	4	2	5	6	11	27	27	5		
142	Gangrene.....	60	1					1		1	2	2	3	6	19	23	4			
143	Furuncle.....	12							1	2	1	1	2	3	2					
144	Acute abscess.....	18	9						2	2	1	1	2	1						
145	Other diseases of the skin and annexa.....	18	7									1		3	5	1				
	IX.—Diseases of the bones and of the organs of locomotion.....	74	4	4	2			1	9	14	7	8	3	7	5	7	3			
146	Diseases of the bones (tuberculosis excepted).....	64	4	3	2			1	8	14	6	7	2	7	3	6	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	8		1							1	1	1		2					
149	Other diseases of the organs of locomotion.....	2															1			
	X.—Malformations.....	526	509	7	5	1			1	2	1									
150	Congenital malformations (stillbirths not included) (total).....	526	509	7	5	1			1	2	1									
	Hydrocephalus.....	28	23	3	2															
	Congenital malformations of the heart.....	363	355	2	2	1			1	2										
	Other congenital malformations.....	135	131	2	1						1									
	XI.—Early infancy.....	1,862	1,862																	
151	Congenital debility, icterus, and scoloma (total).....	1,489	1,489																	
	Premature birth.....	1,261	1,261																	
	Congenital debility, "atrophy," "marasmus," etc.....	228	228																	
152	Other causes peculiar to early infancy (total).....	371	371																	
	Injuries at birth.....	177	177																	
	Other causes peculiar to early infancy.....	194	194																	
153	Lack of care.....	2	2																	
	XII.—Old age.....	212																		
154	Senility.....	212																		
	XIII.—External causes.....	2,758	68	64	45	35	36	110	326	324	387	340	297	256	217	163	27		63	
	Suicide (total).....	341																		
155	By poison.....	101																		
156	By asphyxia.....	11																		
157	By hanging or strangulation.....	59																		
158	By drowning.....	19																		
159	By firearms.....	116																		
160	By cutting or piercing instruments.....	25																		
161	By jumping from high places.....	2																		
162	By crushing.....	4																		
163	Other suicides.....	4																		
	Accidental or undefined (total).....	2,299	64	64	45	35	36	109	297	256	281	238	229	203	201	158	25		58	
164	Poisoning by food.....	47	4	4	1	2	3	6	6	2	2	3	5	7	1	1				
165	Other acute poisonings.....	54	6	12	9		1		4	5	6	2	4	4						
166	Confagation.....	17	1	1	1	3		1		2	1	1	1	1	2	2				
167	Burns (confagation excepted).....	199	7	25	15	15	13	22	15	14	14	15	11	10	8	1				
	Absorption of deleterious gases (confagation excepted).....	76	22		1	1		1	7	8	6	7	12	1	6	4				
169	Accidental drowning.....	143	1	9	5		2	13	55	25	11	8	5	4	2	1				
170	Traumatism by firearms.....	61		1	3	1	2	36	6	6	1	2	3							
171	Traumatism by cutting or piercing instruments.....	3																		
172	Traumatism by fall.....	411	5	4	2	3	1	10	14	13	20	13	28	49	101	127	21			
173	Traumatism in mines and quarries (total).....	118							15	25	33	22	13	7	1			2		
	Traumatism in mines.....	115							15	25	31	21	13	7	1					
	Traumatism in quarries.....	3									2	1								
174	Traumatism by machines.....	82									12	16	17	8	7	3				
175	Traumatism by other crushing (total).....	834	3	3	7	6	13	38	105	107	136	126	103	78	48	4	3		54	
	Railroad accidents and injuries.....	430	1	1	1	4	6	47	55	79	73	50	39	17	2	1			54	
	Street-car accidents and injuries.....	101		3	1	2	8	4	15	12	14	15	16	9	1	1				
	Automobile accidents and injuries.....	177	1	2	2	2	1	1	1	2	5	8	1	4	1					
	Injuries by other vehicles.....	102	2	2	2	1	1	4	7	2	3	3	5	4	8	2				
	Landslide, other crushing.....	24																		
176	Injuries by animals.....	40																		
178	Excessive cold.....	13																		
179	Effects of heat.....	30	5						1	3	2	1	1	4	7	2				
180	Lightning.....	12							3	2	1	3		1						
181	Electricity (lightning excepted).....	42							8	11	9	8	4	2						
185	Fractures (cause not specified).....	4	1							1				1				1		
186	Other external violence.....	113	9	6	2	1		7	8	15	13	10	17	13	9	3				
	Homicide (total).....	118	4						1	6	28	34	24	13	4	1	1	1		2
182	By firearms.....	76							2	20	23	17	9	3						
183	By cutting or piercing instruments.....	13							1	5	3	3	1							
184	By other means.....	29	4						1	3	3	8	4	3	1	1	1			
	XIV.—Ill-defined diseases.....	67	27	3	2		1		2	4	2	5	3	7	6	3			2	
187	Ill-defined organic disease.....	1									1									
188	Sudden death.....	1																		
189	Not specified or ill-defined (total).....	65	27	3	2	1		1	2	4	1	5	3	6	6	3			2	
	Ill-defined.....	26	8	2	2				2	1	2	3	1	3	4	3	3	1		
	Not specified or unknown.....	39	19	1											2	3	2			2

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

315

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
KANSAS.																			
	All causes.....	25,053	3,111	685	398	222	191	663	1,687	2,997	2,800	1,834	2,009	2,742	3,513	1,875	255	11	55
	I.—General diseases.....	8,402	449	265	191	117	102	338	844	1,640	1,477	724	670	690	635	226	22	12
1	Typhoid fever.....	291	1	2	2	4	2	24	75	76	44	26	18	8	5	3	1	
4	Malaria.....	21	1	1	2	1	2	4	2	2	2	2	2	2	
5	Smallpox.....	26	4	1	2	1	5	4	3	1	3	1	1	1	1	
6	Measles.....	256	54	34	33	11	12	41	34	14	12	5	2	2	1	1	1	
7	Scarlet fever.....	71	5	4	6	5	3	17	17	9	4	1	
8	Whooping cough.....	220	125	32	22	11	7	22	1	
9	Diphtheria and croup.....	112	3	17	12	12	19	29	12	5	3	
10	Influenza.....	4,073	166	130	SS	62	49	152	519	1,159	1,014	298	138	105	119	66	8	5	
13	Cholera nostras.....	9	1	1	1	1	1	2	2	
14	Dysentery.....	105	17	18	10	3	2	5	2	2	7	9	19	10	1	
18	Erysipelas.....	61	16	1	1	1	1	1	1	6	8	8	7	10	1	
19	Other epidemic diseases.....	28	6	4	3	1	3	6	1	1	1	1	1	1	1	
20	Purulent infection and septicemia.....	56	4	3	8	4	2	4	4	11	13	3	
22	Anthrax.....	1	1	1	1	1	1	
24	Tetanus.....	39	4	2	1	6	11	5	4	2	3	1	1	1	1	1	
26	Pellagra.....	22	2	10	2	4	3	3	1	1	1	1	
28	Tuberculosis (total).....	1,027	10	6	3	6	1	11	94	270	230	157	121	79	31	4	1	3	
	Tuberculosis of the lungs.....	873	3	2	1	1	1	5	75	233	206	139	101	76	26	2	1	3	
29	Acute miliary tuberculosis.....	32	1	1	6	14	6	3	1	1	1	1	1	1	
30	Tuberculous meningitis.....	29	7	1	2	4	3	3	5	3	1	1	1	1	1	1	
31	Abdominal tuberculosis.....	46	1	1	3	6	9	7	6	10	2	2	2	2	2	
32	Pott's disease.....	10	2	3	1	2	1	1	1	1	1	1	1	1	
33	White swellings.....	5	1	1	1	1	1	1	1	1	1	1	1	1	
34	Tuberculosis of other organs.....	20	1	1	1	1	1	1	3	3	2	5	1	1	1	1	1	1	
35	Disseminated tuberculosis.....	12	1	2	2	5	1	1	1	1	1	1	1	1	
36	Rickets.....	10	6	2	1	1	1	1	1	1	1	1	1	1	
37	Syphilis.....	88	15	1	1	1	14	15	14	14	11	3	
38	Gonococcus infection.....	5	1	1	1	2	1	1	1	1	1	1	1	1	
39	Cancer and other malignant tumors (total).....	1,279	1	3	3	1	10	23	77	144	245	347	323	93	7	2	2	
40	Of the buccal cavity.....	49	1	2	2	2	9	12	12	11	1	1	1	1	
41	Of the stomach, liver, &c.....	521	2	1	1	1	4	17	43	88	157	168	36	3	
42	Of the peritoneum, intestines, rectum.....	160	1	1	1	3	11	12	36	49	39	7	1	1	1	1	
43	Of the female genital organs.....	156	1	1	6	15	36	44	34	12	6	1	1	1	1	
44	Of the breast.....	111	1	1	14	18	29	26	20	20	3	
45	Of the skin.....	65	1	1	5	3	16	27	12	12	1	1	1	1	
46	Of other organs or of organs not specified.....	217	1	1	8	8	17	28	36	53	45	18	2	2	2	2	
47	Other tumors (tumors of the female genital organs excepted).....	9	1	1	1	1	9	5	2	1	1	1	1	1	1	
48	Acute articular rheumatism.....	69	1	1	6	17	4	9	5	3	6	9	1	1	1	1	1	
49	Chronic rheumatism and gout.....	21	1	1	1	2	3	3	2	3	4	7	3	3	3	
50	Scurvy.....	2	2	1	1	1	1	1	1	1	1	1	1	1	1	
51	Diabetes.....	266	2	1	2	1	5	18	21	13	27	48	50	53	23	2	2	2	
52	Exophthalmic goiter.....	20	1	2	4	2	5	5	2	2	2	2	2	2	2	
53	Addison's disease.....	6	1	1	2	1	1	1	1	1	1	1	1	1	
54	Leukemia.....	36	2	2	1	3	3	5	3	2	4	2	5	1	1	1	1	
55	Anemia, chlorosis.....	118	1	2	1	1	2	5	4	5	12	17	22	26	24	2	1	1	1
56	Other general diseases.....	32	5	2	1	1	2	5	4	1	3	1	3	2	4	1	1	1	
57	Alcoholism (acute or chronic).....	14	1	1	4	2	1	1	1	3	3	3	3	3	3	
58	Chronic lead poisoning.....	5	1	1	1	1	1	1	2	1	1	1	1	1	
59	Other chronic occupation poisonings.....	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Other chronic poisonings.....	3	1	1	1	1	1	1	1	1	1	1	1	1	
60	II.—Diseases of the nervous system and of the organs of special sense.....	2,431	83	25	17	3	8	52	74	87	118	158	282	476	690	320	32	2	4
61	Encephalitis.....	30	3	1	2	3	3	2	6	6	4	2	1	1	1	1	
62	Meningitis (total).....	142	15	11	6	3	2	22	28	28	10	2	8	5	2	1	1	1	
	Simple meningitis.....	42	7	6	2	1	1	5	5	8	2	3	1	1	1	1	1	1	
	Cerebrospinal meningitis (undefined).....	44	3	3	2	2	1	10	13	8	4	1	1	1	1	1	1	1	
63	Cerebrospinal fever.....	56	5	2	2	2	1	10	10	12	4	5	3	1	1	1	1	1	
64	Locomotor ataxia.....	35	1	1	1	3	2	9	12	4	5	1	1	1	1	
65	Other diseases of the spinal cord (total).....	124	5	3	2	1	1	2	1	4	2	17	31	38	11	1	1	1	
	Acute anterior poliomyelitis.....	11	4	2	2	1	1	1	2	1	1	2	1	1	1	1	1	1	
	Other diseases of the spinal cord.....	113	1	1	1	1	1	2	1	4	4	11	9	7	14	8	3	1	
66	Cerebral hemorrhage, apoplexy.....	1,375	6	4	4	2	2	10	17	34	65	167	316	499	221	25	1	2	
67	Softening of the brain.....	79	1	1	2	3	2	2	5	15	31	20	2	2	1	1	
68	Paralysis without specified cause.....	221	1	1	2	3	8	9	19	54	75	55	3	1	1	1	
69	General paralysis of the insane.....	111	1	1	4	4	16	28	27	17	16	16	3	3	1	
70	Other forms of mental alienation.....	58	1	1	4	4	11	9	7	14	8	3	1	1	1	
71	Epilepsy.....	67	2	3	1	4	11	13	10	12	4	1	1	1	1	1	1	
72	Convulsions (nonpuerperal).....	47	41	4	1	1	2	1	1	1	1	1	1	1	
73	Convulsions of infants.....	8	1	3	1	1	1	1	1	1	1	1	1	1	1	1	
74	Chorea.....	9	1	6	8	6	6	12	2	15	8	1	1	1	1	1	
75	Neuralgia and neuritis.....	80	7	1	1	6	8	6	12	2	15	8	1	1	1	1	1	
76	Other diseases of the nervous system.....	2	1	1	7	4	3	1	3	1	2	1	1	1	1	
	Diseases of the eyes and their annexa.....	29	4	3	1	7	4	3	1	3	1	1	1	1	1	1	1	
	Diseases of the ears.....	2	1	1	7	4	3	1	3	1	2	1	1	1	1	

¹ Exclusive of acute anterior poliomyelitis (infant

CAUSES OF DEATH, BY AGE.

317

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
KANSAS—Continued.																		
142	VIII.—Diseases of the skin and of the cellular tissue.....	77	5	2	1	2	4	2	3	.11	19	26	1	1
143	Gangrene.....	52	1	1	3	6	15	25	1	1
144	Furuncle.....	10	2	1	2	1	3	2	1	1	1
145	Acute abscess.....	9	1	2	1	2	2	1	1	1
	Other diseases of the skin and annexa.....	6	3	1	1	1	1	1
146	IX.—Diseases of the bones and of the organs of locomotion.....	34	1	1	1	5	5	5	5	5	5	1	1
147	Diseases of the bones (tuberculosis excepted).....	27	1	1	1	4	4	4	4	4	3	1	1
148	Diseases of the joints (tuberculosis and rheumatism excepted).....	5	1	1	1	1	2
149	Other diseases of the organs of locomotion.....	2	1	1
	X.—Malformations.....	284	267	4	3	2	4	4
150	Congenital malformations (stillbirths not included) (total).....	284	267	4	3	2	4	4
	Hydrocephalus.....	22	15	2	3	2
	Congenital malformations of the heart.....	179	174	1	1	1	2
	Other congenital malformations.....	83	78	3	2
	XI.—Early infancy.....	1,212	1,212
151	Congenital debility, icterus, and sclerema (total).....	1,007	1,007
	Premature birth.....	702	702
	Congenital debility, "atrophy," "marasmus," etc.....	305	305
152	Other causes peculiar to early infancy (total).....	203	203
	Injuries at birth.....	102	102
	Other causes peculiar to early infancy ¹	101	101
153	Lack of care.....	2	2	22	145	265	68
	XII.—Old age.....	505	22	145	265	68
154	Senility.....	505	99	81	16	5
	XIII.—External causes.....	1,509	47	36	37	23	24	61	208	202	203	176	146	136	22	145	265	68
	Suicide (total).....	206	12	35	48	42	29	27	9	3	1
	By poison.....	45	3	10	14	5	5	3	3	2	1	1
	By asphyxia.....	3	1	1	1	1	1	1
	By hanging or strangulation.....	38	1	4	6	12	4	7	3	1	1	1
	By drowning.....	12	2	2	2	1	2	2	2	2	1	1
	By firearms.....	85	7	17	18	19	14	9	1	1	1
	By cutting or piercing instruments.....	14	6	6	3	3	3	2	2	2	1	1
	By jumping from high places.....	1	1	1	1	1	1	1
	By crushing.....	2	1	1	1	1	1	1
	Other suicides.....	6	1	1	1	1	1	1
155	Accidental or undefined (total).....	1,202	44	36	37	22	24	60	182	140	136	115	110	106	88	78	16	1
	Poisoning by food.....	23	2	1	2	3	2	2	4	2	1	1	2	1	1	1	1	1
	Other acute poisonings.....	48	2	14	6	1	2	2	7	4	5	2	1	1	1	1	1	1
	Conflagration.....	14	2	3	1	2	1	1	2	1	1	1	1	1	1	1	1
	Burns (conflagration excepted).....	75	2	4	7	8	7	3	6	10	10	6	3	2	3	3	1	1
	Absorption of deleterious gases (conflagration excepted).....	34	20	1	1	2	1	2	3	2	1	1	1	1	3	1	1	1
	Accidental drowning.....	87	6	7	3	1	8	31	15	7	9	5	4	3	2	2	1	1
156	Accidental drowning by firearms.....	65	1	2	7	31	31	7	9	5	3	3	2	2	1	1
157	Traumatism by firearms.....	6	1	2	5	15	6	3	3	2	1	1	1	1	1	1
158	Traumatism by cutting or piercing instruments.....	186	3	2	2	1	2	5	15	6	7	15	8	18	18	38	52	11
159	Traumatism in mines and quarries (total).....	39	4	9	11	6	5	5	3	1	1	1	1	1
160	Traumatism in mines.....	37	4	8	11	5	5	5	3	3	1	1	1	1
161	Traumatism in quarries.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1
162	Traumatism by machines.....	43	3	7	7	8	6	9	2	1	1	1	1	1	1
163	Traumatism by other crushing (total).....	381	1	7	2	7	23	58	50	54	40	57	48	26	4	4	3	4
	Railroad accidents and injuries.....	154	4	24	23	32	20	21	17	8	8	2	2	2	2	2
	Street-car accidents and injuries.....	23	1	1	3	2	2	2	1	5	5	1	1	1	1	1	1
	Automobile accidents and injuries.....	129	1	5	2	1	11	19	20	15	13	17	17	8	2	2	2	2
	Injuries by other vehicles.....	68	1	1	4	5	12	4	4	1	1	1	1	1	1	1	1	1
	Landslide, other crushing.....	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
164	Injuries by animals.....	27	1	1	1	2	6	4	2	2	2	2	2	4	2	3	4	1
165	Excessive cold.....	15	1	1	1	1	1	2	2	2	2	2	1	1	1	1	1
166	Effects of heat.....	28	3	2	7	2	7	2	5	3	3	6	1	5	1	1
167	Lightning.....	17	2	3	3	4	1	1	1	1	1	1	1	1	1
168	Electricity (lightning excepted).....	17	2	3	3	4	1	1	1	1	1	1	1	1	1	1
169	Fractures (cause not specified).....	13	1	1	3	9	5	10	9	9	9	9	7	7	1	1	1	1
170	Other external violence.....	86	11	6	2	3	3	9	5	10	9	9	9	7	7	1	1	1
171	Homicide (total).....	101	3	1	1	14	27	19	19	7	3	2	2	2	2	2	5
	By firearms.....	74	10	21	15	16	7	7	1	1	1	1	1	1	1	4
	By cutting or piercing instruments.....	5	1	1	3	4	2	2	2	2	2	2	2	2	2	2	1
172	By other means.....	22	3	1	1	3	4	2	2	3	2	2	2	2	2	2	1
173	XIV.—Ill-defined diseases.....	301	86	10	6	3	3	5	7	13	11	15	20	37	51	24	5	5
174	Ill-defined organic disease.....	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
175	Sudden death.....	16	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Not specified or ill-defined (total).....	266	83	9	5	3	3	4	6	12	11	11	17	30	40	22	5	4
	Ill-defined.....	108	11	7	12	1	1	3	4	6	4	6	10	18	20	9	3	4
	Not specified or unknown.....	158	72	2	3	2	3	1	2	6	7	5	7	12	13	2	2	5

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at known ages.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
KENTUCKY (TOTAL).																		
	All causes.....	39,532	5,816	1,903	1,042	691	482	1,384	3,250	4,828	4,143	3,054	2,940	3,640	3,741	1,804	302	37
	I.—General diseases.....	16,923	1,367	916	574	412	297	851	2,043	3,043	2,424	1,395	1,122	1,172	779	260	41	3
1	Typhoid fever.....	649	5	7	7	11	11	57	199	137	98	46	28	20	13	1		9
4	Malaria.....	109	7	5	4	4	1	3	19	9	8	8	11	19	5	4	1	1
5	Smallpox.....	12	1	2						2		1	2	1	3			2
6	Measles.....	344	86	62	22	14	10	30	40	22	17	10	11	13	4	1		
7	Scarlet fever.....	46	7	6	4	4	5	12	3	5								
8	Whooping cough.....	891	385	221	105	63	30	59	15	1	3		1		1			7
9	Diphtheria and croup.....	325	59	53	43	45	38	67	14	3	1		1					1
10	Influenza.....	7,149	523	411	313	226	159	478	1,121	1,489	1,192	453	220	191	168	77	12	3
13	Cholera nostras.....	25	5	2	1		3	1	.1		2	1		1	4	1	1	2
14	Dysentery.....	323	45	.57	19	8	13	26	21	4	8	15	13	24	43	19	6	2
18	Erysipelas.....	97	26	2	2		1	3	6	7	5	3	6	18	13	4	1	
19	Other epidemic diseases.....	15	2	1		2		1	5	2		1			1			
20	Purulent infection and septicemia.....	60	4		2	2		4	5	10	10	2	8	7	4	1		1
23	Rabies.....	3										1						
24	Tetanus.....	36	5			2		1	6	5	2	3	4	3	2	3		
26	Pellagra.....	147	1	3	2		1	5	2	17	35	21	26	19	10	3		2
	Tuberculosis (total).....	4,744	129	75	33	26	22	76	543	1,243	890	579	420	379	212	40	4	68
28	Tuberculosis of the lungs.....	4,133	65	34	13	14	11	44	466	1,156	324	523	371	323	189	35	3	62
29	Acute miliary tuberculosis.....	101	3					1	1	26	23	19	12	7	3	2	1	1
30	Tuberculous meningitis.....	188	47	33	14	8	9	13	17	20	9	5	5	2	1			2
31	Abdominal tuberculosis.....	195	6	4	3	1	1	5	21	22	25	29	26	39	10	2		2
32	Pott's disease.....	23		1	1	1	1	2	5	1	1	2	4	3	1			
33	White swellings.....	18	1	1		1		3	5	3			1	2	1			
34	Tuberculosis of other organs.....	45	4	2	2	1		1	3	9	5	6	5	2	4		1	
35	Disseminated tuberculosis.....	41	3					2	5	9	7	2	5	4	2	1		
36	Rickets.....	15	6	1	3		1	3	1									
37	Syphilis.....	155	51	2	2	1		2	3	15	29	24	16	3	3	1		6
38	Gonococcus infection.....	9	2						5	1	1							
	Cancer and other malignant tumors (total).....	1,272	1	2	7			4	7	26	82	164	271	361	238	88	13	8
39	Of the buccal cavity.....	38	1								1	9	12	7	7	1		
40	Of the stomach, liver.....	442			1			1	1	4	16	42	107	154	89	22	4	1
41	Of the peritoneum, intestines, rectum.....																	
42	Of the female genital organs.....	128			1			2		3	9	22	19	41	26	4		2
43	Of the breast.....	239						1	7	28	54	62	47	28	7			4
44	Of the skin.....	118							2	14	18	29	27	16	9	2		1
45	Of other organs or of organs not specified.....	81							1		5	7	12	30	22	4		
46	Other tumors (tumors of the female genital organs excepted).....	226		2	5			1	5	9	15	22	38	68	42	17	2	
47	Acute articular rheumatism.....	82									1	1		1	1			
48	Chronic rheumatism and gout.....	27						1	1	7	7	8	3	13	13	4	3	
49	Scurvy.....	4	2		1	1		3	9	19	14	20	30	58	17	5		
50	Diabetes.....	178	1	1	1			1	2	6	4	3	3	1				
51	Exophthalmic goiter.....	20							1	2	1	2						
52	Addison's disease.....	3																
53	Leukemia.....	23						1	2	3	2	3						
54	Anemia, chlorosis.....	67	3	5	1	1		3	2	1		1	3	7	3	1		2
55	Other general diseases.....	39	11	5	1	1		3	2	1		1	3	7	3	1		
56	Alcoholism (acute or chronic).....	38								5	7	12	10	2	1	1		
57	Chronic lead poisoning.....	1								1					1			
58	Other chronic occupation poisonings.....	1													1			
59	Other chronic poisonings.....	5								1				2	2			
	II.—Diseases of the nervous system and of the organs of special sense.....	2,797	210	87	55	36	24	83	104	124	144	224	320	500	571	242	26	4
60	Encephalitis.....	36	14	4	2	1		5		2	1	5	2					
61	Meningitis (total).....	422	110	50	38	22	19	46	53	36	19	10	6	6	2	1		4
	Simple meningitis.....	197	57	27	18	7	6	19	22	16	10	7	1	5	1			1
	Cerebrospinal meningitis (undefined).....	127	36	16	9	7	6	14	10	15	5	2	3	1				2
	Cerebrospinal fever.....	98	17	7	11	8	7	13	21	5	4	1	2	1				1
62	Locomotor ataxia.....	30									2	4	6	9	7	2		
63	Other diseases of the spinal cord (total).....	147	8	15	10	8	4	14	5	3	7	5	14	23	24	5	1	1
	Acute anterior poliomyelitis.....	53	5	14	10	6	4	10	3		1	1	5	13	22	4	1	
	Other diseases of the spinal cord i.....	94	3	1		2		4	2	3	6	5	14	23	24	5	1	
64	Cerebral hemorrhage, apoplexy.....	1,194	4	2				5	11	19	42	111	189	252	351	145	16	1
65	Softening of the brain.....	48								1	1	1	5	13	22	4	1	
66	Paralysis without specified cause.....	365	3			1			4	7	8	17	32	94	112	67	7	1
67	General paralysis of the insane.....	165								8	21	30	30	28	30	13	7	4
68	Other forms of mental alienation.....	77							4	5	14	11	14	12	15		1	1
69	Epilepsy.....	135	6	2	1			6	15	27	22	19	14	12	6	2		
70	Convulsions (nonpuerperal).....	8						1	3	1			1	1				1
71	Convulsions of infants.....	70	54	10	4	1	1											
72	Chorea.....	2																
73	Neuralgia and neuritis.....	11																
74	Other diseases of the nervous system.....	49	6						1	3	7	2	2	1	3	1		1
75	Diseases of the ears.....	38	5	4		3		5	6	6	4		4					1

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

319

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																	Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.		
KENTUCKY (TOTAL)—Continued.																				
	III.—Diseases of the circulatory system.....	3,096	30	8	5	1	3	26	79	101	189	319	430	667	810	349	40	6	33	
77	Pericarditis.....	38	—	1	2	—	—	—	1	—	3	3	4	5	13	3	2	—	1	
78	Acute endocarditis.....	124	5	—	—	—	2	6	15	14	19	24	31	3	4	1	—	25	4	26
79	Organic diseases of the heart.....	2,362	15	5	3	1	18	58	77	147	265	342	549	620	206	28	6	—	—	1
80	Angina pectoris.....	115	2	—	—	—	—	1	5	6	9	18	39	131	125	13	2	2	2	
81	Diseases of the arteries, atherosclerosis, etc.....	378	—	—	—	—	—	2	2	5	8	22	66	131	125	13	2	2	1	
82	Embolism and thrombosis.....	42	—	—	—	—	—	1	1	—	7	7	3	11	4	—	—	—	—	1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	6	—	—	—	—	—	—	—	—	1	1	—	2	1	—	—	—	—	1
84	Diseases of the lymphatic system (lymphangitis, etc.).....	10	5	2	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1
85	Hemorrhage; other diseases of the circulatory system.....	21	3	—	—	—	—	1	1	1	2	2	5	2	1	3	—	—	—	
	IV.—Diseases of the respiratory system.....	5,322	767	337	201	120	83	203	469	771	620	403	311	329	383	216	45	2	62	
86	Diseases of the nasal fossae.....	8	7	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
87	Diseases of the larynx.....	30	6	7	4	1	1	4	1	1	2	—	1	2	1	—	—	—	—	1
88	Diseases of the thyroid body.....	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
89	Acute bronchitis.....	136	68	18	7	5	3	1	—	1	1	4	2	3	4	11	7	2	—	
90	Chronic bronchitis.....	183	2	3	2	1	—	—	7	9	11	12	11	24	46	42	8	1	—	
91	Bronchopneumonia.....	1,138	357	131	82	40	23	48	50	73	71	42	34	50	69	47	12	1	8	
92	Pneumonia (total).....	3,565	317	172	103	68	56	140	400	667	509	309	230	215	209	103	17	—	50	
	Lobar pneumonia.....	2,482	162	96	48	40	33	95	276	505	407	240	170	166	150	53	11	—	30	
	Pneumonia (undefined).....	1,083	155	76	55	28	23	45	124	162	102	69	60	49	59	50	6	4	3	
93	Pleurisy.....	60	3	1	1	2	—	—	2	4	8	8	10	8	6	4	3	—	—	
94	Pulmonary congestion; pulmonary apoplexy.....	46	1	—	—	—	—	—	2	2	3	4	3	2	7	10	7	3	1	
95	Gangrene of the lung.....	6	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1
96	Asthma.....	89	3	5	1	2	—	—	—	—	2	—	13	14	11	23	7	3	—	
97	Pulmonary emphysema.....	9	—	—	—	—	—	—	—	—	2	—	2	1	4	—	—	—	—	
98	Other diseases of the respiratory system (tuberculosis excepted).....	41	3	—	—	1	—	—	5	2	5	6	4	8	6	—	—	—	1	
	V.—Diseases of the digestive system.....	2,755	786	430	123	42	30	80	123	107	141	155	171	245	196	89	11	3	23	
99	Diseases of the mouth and annexa.....	36	12	2	1	2	1	4	4	5	2	3	1	1	5	2	—	—	1	
100	Diseases of the pharynx.....	48	2	2	4	4	4	7	5	1	2	5	4	6	1	—	—	—	1	
101	Diseases of the esophagus.....	2	—	—	—	—	—	—	—	1	5	14	12	12	10	7	1	—	1	
102	Ulcer of the stomach.....	64	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
103	Other diseases of the stomach (cancer excepted).....	297	75	21	10	4	3	8	11	10	15	24	19	37	31	19	6	1	3	
104	Diarrhea and enteritis (under 2 years).....	1,041	649	392	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
105	Diarrhea and enteritis (2 years and over).....	381	97	26	12	26	24	8	15	15	21	40	47	36	3	2	9	—	—	
106	Ankylostomiasis.....	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
107	Intestinal parasites.....	15	2	3	2	—	3	3	—	1	—	—	—	—	—	—	—	—	2	
108	Appendicitis and typhlitis.....	185	27	2	4	4	7	15	53	29	25	18	20	11	8	1	—	—	2	
109	Hernia, intestinal obstruction (total).....	208	4	—	—	—	—	—	11	6	14	16	20	52	33	8	—	2	—	
	Hernia.....	69	—	—	—	—	—	—	2	—	4	6	10	27	14	2	—	—	2	
	Intestinal obstruction.....	139	23	2	4	4	4	7	9	6	10	10	10	10	25	19	6	—	2	
110	Other diseases of the intestines.....	41	5	—	—	—	—	—	2	3	4	5	4	7	4	1	—	—	—	
111	Acute yellow atrophy of the liver.....	12	1	—	—	—	—	—	—	—	3	1	2	1	4	—	—	—	2	
113	Cirrhosis of the liver.....	139	2	1	—	—	—	1	—	1	2	11	20	39	35	19	5	1	2	
114	Biliary calculi.....	52	—	—	—	—	—	—	—	2	3	10	9	15	13	—	—	—	—	
115	Other diseases of the liver.....	135	5	4	4	—	—	1	5	15	16	12	15	25	21	10	—	—	2	
116	Diseases of the spleen.....	5	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	
117	Simple peritonitis (nonpuerperal).....	85	5	2	3	1	6	10	20	13	14	5	2	3	1	—	—	—	—	
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	7	—	—	—	—	—	—	2	1	2	—	1	1	—	—	—	—	—	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	2,366	20	7	6	9	6	18	46	77	149	249	350	484	614	262	39	5	25	
119	Acute nephritis.....	155	7	2	3	5	2	6	18	10	15	22	25	11	21	7	—	—	1	
120	Bright's disease.....	1,943	8	4	2	4	4	11	22	51	99	187	306	433	534	223	30	5	20	
122	Other diseases of the kidneys and annexa.....	47	5	1	—	—	—	—	2	—	4	2	3	9	11	9	1	—	—	
123	Calculi of the urinary passages.....	5	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	
124	Diseases of the bladder.....	47	—	—	—	—	—	—	—	—	6	4	9	14	7	6	—	—	—	
125	Diseases of the urethra, urinary abscess, etc.....	16	—	—	1	—	—	—	—	—	4	4	3	3	1	14	27	15	2	1
126	Diseases of the prostate.....	61	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
127	Nonvenereal diseases of the male genital organs.....	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
128	Uterine hemorrhage (nonpuerperal).....	4	—	—	—	—	—	—	—	1	1	2	12	3	3	3	—	—	2	
129	Uterine tumor (noncancerous).....	31	—	—	—	—	—	—	—	1	7	7	5	2	—	—	—	—	—	
130	Other diseases of the uterus.....	17	—	—	—	—	—	—	2	3	1	4	3	1	3	1	—	—	1	
131	Cysts and other tumors of the ovary.....	19	—	—	—	—	—	—	—	8	9	2	—	—	—	—	—	—	—	
132	Salpingitis and other diseases of the female genital organs.....	19	—	—	—	—	—	—	66	229	161	34	—	—	—	—	—	—	9	
	VII.—The puerperal state.....	499	—	—	—	—	—	—	—	—	3	5	—	—	—	—	—	—	—	
134	Accidents of pregnancy.....	119	—	—	—	—	—	—	—	11	67	33	6	—	—	—	—	—	2	
135	Puerperal hemorrhage.....	24	—	—	—	—	—	—	—	6	12	5	—	—	—	—	—	—	1	
136	Other accidents of labor.....	83	—	—	—	—	—	—	—	8	43	24	8	—	—	—	—	—	4	
137	Puerperal septicemia.....	166	—	—	—	—	—	—	30	64	59	9	—	—	—	—	—	—	2	
138	Puerperal albuminuria and convulsions.....	94	—	—	—	—</														

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
KENTUCKY (TOTAL)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue.....	81	5		1	2	1	3	2	3	3	6	8	9	18	17	1	1
142	Gangrene.....	38				2		1		1		3	1	5	13	10	1	1
143	Furuncle.....	8									3	2	2	1				
144	Acute abscess.....	16	1					1	2		2	3	1	2	3			1
145	Other diseases of the skin and annexa.....	19	4		1		1	1		2	1		2	1	2	4		
	IX.—Diseases of the bones and of the organs of locomotion.....	32	4		1	1	1	3	6	6	3	3		3	1			
146	Diseases of the bones (tuberculosis excepted).....	30	3		1	1	1	3	6	6	3	3		3				
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	1													1			
149	Other diseases of the organs of locomotion.....	1	1															
	X.—Malformations.....	232	219	5	3			1	4									
150	Congenital malformations (stillbirths not included) (total).....	232	219	5	3			1	4									
	Hydrocephalus.....	12	11		1													
	Congenital malformations of the heart.....	125	120	3														
	Other congenital malformations.....	95	88	2	2													
	XI.—Early infancy.....	1,914	1,914															
151	Congenital debility, icterus, and sclerema (total).....	1,709	1,709															
	Premature birth.....	1,366	1,356															
	Congenital debility, "atrophy," "marasmus," etc.....	353	353															
152	Other causes peculiar to early infancy (total).....	200	200															
	Injuries at birth.....	89	89															
	Other causes peculiar to early infancy.....	111	111															
153	Lack of care.....	5	5															
	XII.—Old age.....	549																
154	Senility.....	549																
	XIII.—External causes.....	1,924	82	51	41	40	29	91	266	317	260	214	158	126	133	74	14	1
	Suicide (total).....	186																3
155	By poison.....	29																
156	By asphyxia.....	1																
157	By hanging or strangulation.....	39																1
158	By drowning.....	13																2
159	By firearms.....	81																2
160	By cutting or piercing instruments.....	13																2
161	By jumping from high places.....	7																1
162	Other suicides.....	3																
164	Accidental or undefined (total).....	1,500	81	51	41	39	29	91	238	218	154	136	109	94	113	72	12	1
165	Poisoning by food.....	26	8	3		2	1	1	5	2	2	1	1					
166	Other acute poisonings.....	28	2	7		1	2	2	2	2	4	1	3	1		1		
167	Conflagration.....	39	3	2	5	3	2	7	1	1	2	5	1	1	2	2	2	1
168	Burns (conflagration excepted).....	201	8	23	24	26	11	25	19	16	7	9	10	6	10	4	2	1
169	Absorption of deleterious gases (conflagration excepted).....	43	33							2	7		1					
170	Accidental drowning.....	96	2	4	2	1	2	9	28	19	7	12	3	8	2			2
171	Traumatism by firearms.....	114	1	1	1	2	5	10	42	24	10	9	7	1				1
172	Traumatism by cutting or piercing instruments.....	6								2	1		2	1				6
173	Traumatism by fall.....	200	5	4	5		1	8	17	9	14	17	13	14	41	41	5	
174	Traumatism in mines and quarries (total).....	93								16	31	20	18	4	3			1
175	Traumatism by machines.....	93								16	31	20	18	4	3			1
	Traumatism by other crushing (total).....	25								1	5	7	3	1	4	1		
	Railroad accidents and injuries.....	352	4	1		4	4	16	62	76	59	29	41	28	18	5	1	4
	Street-car accidents and injuries.....	196	2	1		1	1	5	30	54	37	15	22	12	11	2	1	2
	Automobile accidents and injuries.....	13				1	1	2		1	1	1	3	2	1			
	Injuries by other vehicles.....	92	1			2	5	25	18	12	10	10	4	3	1			1
	Landslide, other crushing.....	9					1	1	1	4	1	1	1	1				
176	Injuries by animals.....	16		1		1		1	1	1	1	3	1	1	1	1		
177	Starvation.....	2																
178	Excessive cold.....	23								1	1	4	4	2	7	2		1
179	Effects of heat.....	24		4					1	1	1	1	1	5	8	2		1
180	Lightning.....	18						1	4	3	4	2	2	1	1			
181	Electricity (lightning excepted).....	12							2	5	1	2	1					1
182	Fractures (cause not specified).....	46						1	1	1	2	2	2	7	16	12	2	
183	Other external violence.....	136	10	6	3		9	28	12	17	15	13	12	5	2			4
184	Homicide (total).....	238	1			1			19	75	70	40	15	8	4	1	1	3
185	By firearms.....	187				1			14	57	59	27	14	7	4	1		
186	By cutting or piercing instruments.....	25						3	11	4	2	7						
187	By other means.....	26	1					2	7	7	6	1	1			1		
	XIV.—Ill-defined diseases.....	1,042	412	62	32	28	8	25	42	45	49	51	67	65	78	42	9	1
188	Ill-defined organic disease.....	62		1	3	2	1	2	1		5	7	14	10	10	7		1
189	Sudden death.....	57	15	2	3	3	2	1		1	3	8	6	10	6			
189	Not specified or ill-defined (total).....	923	397	61	27	23	7	23	40	45	43	41	45	49	58	29	9	1
	Ill-defined.....	226	65	21	6	4	2	4	5	6	13	12	19	31	23	8	3	5
	Not specified or unknown.....	697	332	40	21	19	5	19	35	40	30	29	26	18	35	21	6	1

1 Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

321

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at m. years and over.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
KENTUCKY (WHITE).																			
	All causes.....	32,972	5,057	1,645	912	601	429	1,203	2,657	3,905	3,330	2,318	2,307	3,112	3,295	1,620	246	11	324
	I.—General diseases.....	14,885	1,201	810	513	363	271	752	1,652	2,512	2,039	1,149	935	1,043	710	241	30	2	162
1	Typhoid fever.....	538	4	5	6	11	10	44	164	114	81	37	24	18	13	1	1	1	6
4	Malaria.....	82	5	4	3	4	1	2	13	7	6	9	13	3	4	1	1	1	1
5	Smallpox.....	11	1	1	1	1	1	1	1	2	1	2	1	3	3	1	1	1	1
6	Measles.....	329	81	60	19	14	9	28	39	22	16	10	11	13	4	1	1	1	2
7	Scarlet fever.....	45	7	6	4	4	5	12	2	5	1	1	1	1	1	1	1	1	1
8	Whooping cough.....	751	329	190	94	44	21	50	12	1	3	1	1	1	1	1	1	1	7
9	Diphtheria and croup.....	311	55	51	41	43	37	65	14	2	1	2	2	5	17	12	4	1	1
10	Influenza.....	6,388	477	373	285	207	143	438	981	1,347	1,079	381	136	163	145	69	10	2	92
13	Cholera nostras.....	24	5	2	1	1	3	1	1	1	1	1	1	1	1	1	1	1	2
14	Dysentery.....	290	44	47	19	8	3	25	20	4	7	12	6	24	39	18	3	1	1
15	Erysipelas.....	90	25	2	2	1	1	3	6	7	3	2	5	17	12	4	1	1	1
19	Other epidemic diseases.....	15	2	1	2	1	1	5	2	1	1	1	1	1	1	1	1	1	1
20	Purulent infection and septicemia.....	49	3	2	2	1	4	5	9	6	1	1	6	6	4	1	1	1	1
23	Rabies.....	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	Tetanus.....	30	4	2	2	1	1	5	5	2	2	3	2	1	3	1	1	1	1
26	Pellagra.....	135	1	3	2	1	1	5	2	14	30	21	25	17	9	3	2	2	2
28	Tuberculosis (total).....	3,633	107	57	22	18	19	48	349	906	692	459	351	334	191	37	2	41	41
29	Tuberculosis of the lungs.....	3,158	47	25	8	.9	8	22	299	845	645	418	308	281	171	34	1	37	37
30	Acute miliary tuberculosis.....	60	2	—	—	—	—	1	1	13	12	10	6	7	3	1	1	1	2
31	Tuberculous meningitis.....	162	45	27	10	6	9	14	14	17	8	4	5	2	1	1	1	1	2
32	Abdominal tuberculosis.....	149	6	2	2	1	1	4	10	17	13	22	36	8	—	—	—	—	1
33	Pott's disease.....	19	1	1	1	1	1	1	3	1	1	1	1	1	4	3	1	1	1
34	White swellings.....	14	1	1	1	1	1	3	3	2	—	—	1	2	1	1	1	1	1
35	Tuberculosis of other organs.....	36	3	2	1	1	1	1	3	3	6	3	3	2	4	2	1	1	1
36	Disseminated tuberculosis.....	35	3	—	—	—	—	2	4	4	7	2	5	4	2	1	1	1	1
37	Rickets.....	10	3	2	1	1	1	4	5	9	6	1	1	6	4	1	1	1	1
38	Syphilis.....	78	31	1	1	1	2	—	—	3	12	14	8	1	2	1	1	1	1
39	Gonococcus infection.....	4	1	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
40	Cancer and other malignant tumors (total).....	1,142	1	2	7	—	—	4	7	22	65	145	230	332	228	83	11	5	5
41	Of the buccal cavity.....	31	1	—	—	—	—	—	—	—	1	4	11	7	6	1	1	1	1
42	Of the stomach, liver.....	398	—	—	—	—	—	1	1	4	12	33	90	143	87	21	4	1	1
43	Of the peritoneum, intestines, rectum.....	122	—	—	—	—	—	2	—	3	8	22	18	38	25	4	2	2	2
44	Of the female genital organs.....	202	—	—	—	—	—	—	1	5	21	49	54	39	25	6	—	1	1
45	Of the breast.....	104	—	—	—	—	—	—	—	2	10	16	27	23	16	9	—	1	1
46	Of the skin.....	79	—	—	—	—	—	—	1	—	4	6	12	30	22	4	—	—	—
47	Of other organs or of organs not specified.....	206	—	2	5	—	—	1	5	7	14	20	31	66	38	15	2	—	—
48	Other tumors (tumors of the female genital organs excepted).....	6	—	—	—	—	—	—	—	1	1	1	1	1	1	1	1	1	1
49	Acute articular rheumatism.....	67	—	—	—	1	1	6	6	8	3	6	9	10	12	4	1	1	1
50	Chronic rheumatism and gout.....	22	—	—	—	—	—	—	—	1	1	2	3	6	6	3	1	1	1
51	Scurvy.....	3	2	1	1	—	—	3	8	17	10	17	23	48	16	4	1	1	1
52	Diabetes.....	149	1	1	1	—	—	1	1	1	6	4	3	2	1	1	1	1	1
53	Exophthalmic goiter.....	18	—	—	—	—	—	1	—	1	1	2	—	—	—	—	—	—	—
54	Addison's disease.....	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55	Leukemia.....	23	—	—	—	—	—	1	2	3	2	3	8	3	1	1	1	1	1
56	Anemia, chlorosis.....	63	2	—	—	1	—	5	3	4	7	13	15	8	4	1	1	1	1
57	Other general diseases.....	34	10	5	—	1	—	2	2	1	—	1	1	7	3	1	1	1	1
58	Alcoholism (acute or chronic).....	32	—	—	—	—	—	—	4	5	11	9	2	—	—	1	1	1	1
59	Chronic lead poisoning.....	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	II.—Diseases of the nervous system and of the organs of special sense.....	2,337	181	75	51	36	20	77	91	94	112	158	250	421	511	212	24	1	23
60	Encephalitis.....	32	13	3	2	1	—	5	—	1	1	4	2	—	—	4	1	1	3
61	Meningitis (total).....	875	100	44	36	22	15	43	49	29	15	8	4	4	2	1	1	1	3
62	Simple meningitis.....	176	52	25	18	7	4	18	20	14	8	5	3	1	1	1	1	1	1
63	Cerebrospinal meningitis (undefined).....	113	35	13	8	7	4	14	10	11	3	2	2	1	1	1	1	1	2
64	Cerebral hemorrhage, apoplexy.....	86	13	6	10	8	7	11	19	4	4	1	2	1	1	1	1	1	1
65	Locomotor ataxia.....	28	—	—	—	—	—	—	—	2	2	3	6	8	7	2	1	1	1
66	Other diseases of the spinal cord (total).....	124	7	13	8	8	4	13	5	2	4	2	11	19	23	4	1	1	1
67	Acute anterior poliomyelitis.....	46	4	12	8	6	4	9	3	9	30	79	144	235	317	127	15	8	8
68	Other diseases of the spinal cord 1.....	78	3	1	—	2	—	4	2	2	4	2	11	19	23	4	1	1	1
69	Cerebral hemorrhage, apoplexy.....	982	3	2	—	—	—	4	9	9	30	79	144	235	317	127	15	8	8
70	Softening of the brain.....	46	—	—	—	—	—	—	—	1	—	5	13	21	4	1	1	1	1
71	Paralysis without specified cause.....	293	2	—	—	1	—	—	3	5	7	8	23	78	93	61	7	5	5
72	General paralysis of the insane.....	129	—	—	—	—	—	—	—	6	17	22	23	24	27	9	—	1	1
73	Other forms of mental alienation.....	61	—	—	—	—	—	—	3	3	8	9	13	11	13	—	1	1	1
74	Epilepsy.....	116	6	2	1	—	—	5	12	23	21	14	11	10	6	2	—	3	3
75	Convulsions (nonpuerperal).....	7	—	—	—	1	2	1	—	—	—	—	1	1	1	1	1	1	1
76	Convulsions of infants.....	53	39	8	4	1	1	—	—	—	—	—	—	—	—	—	—	—	1
77	Chorea.....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
78	Neuralgia and neuritis.....	11	—	—	—	—	—	1	2	6	2	2	1	3	3	1	1	1	1
79	Other diseases of the nervous system.....	42	6	—	—	—	—	1	2	6	5	3	3	6	10	1	1	1	1
80	Diseases of the ears.....	36	5	3	—	3	—	5	6	6	6	3	3</td						

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

CAUSES OF DEATH, BY AGE.

323

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at mi- known age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.			
KENTUCKY (WHITE)—Continued.																				
	VIII.—Diseases of the skin and of the cellular tissue.....	66	5	1	2	1	3	2	3	1	5	7	9	11	14	1	1	
142	Gangrene.....	30	2	1	1	2	1	5	9	8	1		
143	Furuncle.....	7	1	1	3	1	2	1	1	2	1		
144	Acute abscess.....	13	1	1	1	1	2	1	3	1	1	2	1		
145	Other diseases of the skin and annexa.....	16	4	1	1	1	2	2	2	1	1	4	1		
	IX.—Diseases of the bones and of the organs of locomotion.....	31	4	1	1	1	3	6	6	3	3	2	1	1	1		
146	Diseases of the bones (tuberculosis excepted).....	29	3	1	1	1	3	6	6	3	3	2	2	1	1		
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	1	1	1	1		
149	Other diseases of the organs of locomotion.....	1	1	1		
	X.—Malformations.....	218	206	5	2	1	4	1	1	
150	Congenital malformations (stillbirths not included) (total).....	218	206	5	2	1	4	1	1	
	Hydrocephalus.....	10	9	1	1	1	
	Congenital malformations of the heart.....	118	113	3	1	2	1	1	
	Other congenital malformations.....	90	84	2	1	1	2	1	1	
	XI.—Early infancy.....	1,705	1,705	1	1	
151	Congenital debility, icterus, and sclerema (total).....	1,530	1,530	1	1	
	Premature birth.....	1,222	1,222	1	1	
152	Congenital debility, "atrophy," "marasmus," etc.....	308	308	1	1	
	Other causes peculiar to early infancy (total).....	171	171	1	1	
	Injuries at birth.....	79	79	1	1	
	Other causes peculiar to early infancy ¹	92	92	4	1	1	
153	Lack of care.....	477	477	1	3	34	133	231	68	4	3
154	Senility.....	477	477	1	3	34	133	231	68	4	3	
	XIII.—External causes.....	1,566	65	43	30	33	21	76	216	246	204	174	134	109	119	69	11	16	
	Suicide (total).....	172	8	23	32	33	33	23	16	1	1	1	2		
155	By poison.....	27	2	3	7	7	7	1	1	1	1	1	1		
156	By asphyxia.....	1	1	4	7	5	11	4	5	2	3	2	2		
157	By hanging or strangulation.....	37	5	14	9	16	10	13	6	3	2	2	2		
158	By drowning.....	12	5	14	9	16	10	13	6	3	2	2	2		
159	By firearms.....	75	3	1	2	2	2	2	3	1	1	1	1		
160	By cutting or piercing instruments.....	11	4	1	1	2	1	1	1	1	1	1	1		
161	By jumping from high places.....	6	2	1	1	2	1	1	1	1	1	1	1		
163	Other suicides.....	3	2	1	1	1	1	1	1	1	1	1	1		
164	Accidental or undefined (total).....	1,253	64	43	30	32	21	76	201	186	125	112	94	80	99	67	10	13		
165	Poisoning by food.....	23	7	3	2	1	1	4	2	2	2	1	1	1	1	1	1	1		
166	Other acute poisonings.....	25	2	6	2	2	2	2	4	1	2	1	1	1	1	1	1		
167	Conflagration.....	13	1	2	1	1	1	1	4	7	9	4	8	4	2	1	1		
168	Burns (conflagration excepted).....	170	8	19	21	23	8	22	16	12	6	7	9	4	8	4	2	1		
	Absorption of deleterious gases (conflagration excepted).....	33	24	4	1	1	2	8	22	16	4	11	3	3	3	1	1	1		
169	Accidental drowning.....	78	2	4	1	1	2	8	22	16	4	11	3	3	3	1	1	1		
170	Traumatism by firearms.....	86	1	1	1	2	2	8	33	17	9	5	7	1	1	1	1	1		
171	Traumatism by cutting or piercing instruments.....	5	1	7	15	27	20	16	3	1	1	1	1	1	1		
172	Traumatism by fall.....	183	5	3	3	1	7	15	27	20	16	3	1	1	1	1	1		
173	Traumatism in mines and quarries (total).....	83	15	27	20	16	3	1	1	1	1	1	1		
174	Traumatism in mines.....	83	15	27	20	16	3	1	1	1	1	1	1		
175	Traumatism by other crushing (total).....	21	4	1	4	3	16	54	67	46	26	35	26	16	3	1	3	2		
	Railroad accidents and injuries.....	172	2	1	1	1	1	5	26	48	30	14	19	12	9	1	1	1		
	Street-car accidents and injuries.....	11	1	2	1	1	1	1	1	1	1	1	1	1	1	1		
	Automobile accidents and injuries.....	78	1	2	2	5	21	15	11	8	9	3	3	3	1	1	1		
	Injuries by other vehicles.....	39	1	2	3	6	2	4	2	3	10	4	4	1	1	1	1		
	Landslide, other crushing.....	5	1	1	1	1	1	1	1	1	1	5	1	1	1	1	1		
176	Injuries by animals.....	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
177	Starvation.....	2	1	1	1	2	4	1	3	1	1	1	1	1		
178	Excessive cold.....	13	1	1	3	2	4	1	2	4	6	2	1	1	1		
179	Effects of heat.....	19	4	2	5	1	1	2	1	2	1	1	1	1		
180	Lightning.....	14	1	1	2	5	1	1	2	1	2	1	1	1	1		
181	Electricity (lightning excepted).....	10	1	1	1	2	5	1	1	2	6	16	12	2	1	1		
182	Fires (cause not specified).....	43	1	1	1	8	26	11	12	13	11	11	5	4	1	1		
183	Other external violence.....	113	6	6	2	1	8	26	11	12	13	11	11	5	4	1	1		
184	Homicide (total).....	141	1	1	1	1	7	37	47	29	7	6	4	1	1	1	1		
185	By firearms.....	109	1	1	1	1	5	26	39	20	7	5	4	1	1	1	1		
186	By cutting or piercing instruments.....	15	1	1	1	1	7	2	5	1	1	1	1	1	1	1		
187	By other means.....	17	1	1	1	1	1	4	6	4	4	1	1	1	1	1	1		
188	XIV.—Ill-defined diseases.....	903	365	51	31	26	6	22	35	41	38	37	56	59	70	38	7	21		
189	III-defined organic disease.....	52	1	3	2	1	1	1	1	2	6	10	9	7	5	1	1		
190	Sudden death.....	52	13	2	3	2	1	2	1	1	1	2	7	6	10	5	20			
191	Not specified or ill-defined (total).....	799	352	60	26	21	5	20	33	41	35	29	39	44	51	26	7	20		
192	Ill-defined.....	200	63	17	5	3	1	3	5	5	11	8	17	28	21	7	3	3		
193	Not specified or unknown.....	599	289	33	21	18	4	17	28	36	24	21	22	16	30	19	4	17		

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.

KENTUCKY (COLORED).

	All causes.....	6,560	759	258	130	90	53	181	593	918	813	736	633	528	446	184	56	26	156	
	I.—General diseases.....	2,538	166	106	61	49	26	99	391	531	385	246	187	129	69	19	11	1	62	
1	Typhoid fever.....	111	1	2	1	—	—	1	13	35	23	17	9	4	2	—	—	—	3	
4	Malaria.....	27	2	1	1	—	—	1	6	2	1	2	2	6	2	—	—	—	1	
5	Smallpox.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	Measles.....	15	5	2	3	—	—	1	2	1	—	1	—	—	—	—	—	—	—	
7	Scarlet fever.....	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
8	Whooping cough.....	140	56	31	11	19	9	9	3	—	—	—	1	—	—	1	—	—	—	
9	Diphtheria and croup.....	14	4	2	2	2	1	2	—	1	—	—	—	—	—	—	—	—	—	
10	Influenza.....	761	46	38	28	10	11	40	140	142	113	72	34	23	23	8	2	1	21	
13	Cholera nostras.....	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
14	Dysentery.....	33	1	10	—	—	—	—	1	1	—	1	3	7	—	4	1	3	1	
18	Erysipelas.....	7	1	—	—	—	—	—	—	—	—	2	1	1	1	1	—	—	—	
20	Purulent infection and septicemia.....	11	1	—	—	—	—	—	—	—	1	4	1	2	1	—	1	—	—	
24	Tetanus.....	6	1	—	—	—	—	—	1	—	—	1	1	1	1	—	—	—	—	
26	Pellagra.....	12	—	—	—	—	—	—	—	3	5	—	1	2	1	—	—	—	—	
	Tuberculosis (total).....	1,111	22	18	11	8	3	28	199	337	198	120	69	45	21	3	2	—	27	
28	Tuberculosis of the lungs.....	975	18	9	5	5	3	22	167	311	179	105	63	42	18	1	2	—	25	
29	Acute miliary tuberculosis.....	41	1	—	—	—	—	—	13	11	9	6	—	—	1	—	—	—	—	
30	Tuberculous meningitis.....	26	2	6	4	2	—	4	3	3	1	1	—	—	—	—	—	—	—	
31	Abdominal tuberculosis.....	46	2	1	1	—	—	1	11	5	7	7	4	3	2	2	—	1	—	
32	Pott's disease.....	4	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	
33	White swellings.....	4	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
34	Tuberculosis of other organs.....	9	1	—	1	1	—	—	—	1	2	—	2	—	—	—	—	—	—	
35	Disseminated tuberculosis.....	6	—	—	—	—	—	—	1	5	—	—	—	—	—	—	—	—	—	
36	Rickets.....	5	3	1	1	—	—	—	—	—	—	2	1	—	—	—	—	—	5	
37	Syphilis.....	80	20	1	1	—	—	—	3	12	17	10	8	2	1	—	—	—	—	
38	Gonococcus infection.....	5	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	
	Cancer and other malignant tumors (total).....	130	—	—	—	—	—	—	—	4	17	19	41	29	10	5	2	—	3	
39	Of the buccal cavity.....	7	—	—	—	—	—	—	—	—	4	9	17	11	2	1	1	—	—	
40	Of the stomach, liver.....	44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
41	Of the peritoneum, intestines, rectum.....	6	—	—	—	—	—	—	—	—	1	—	1	3	1	—	—	—	—	
42	Of the female genital organs.....	37	—	—	—	—	—	—	—	2	7	5	8	8	3	1	—	3	—	
43	Of the breast.....	14	—	—	—	—	—	—	—	—	4	2	2	2	4	—	2	—	—	
44	Of the skin.....	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
45	Of other organs or of organs not specified.....	20	—	—	—	—	—	—	—	2	1	2	7	2	4	2	—	—	—	
47	Acute articular rheumatism.....	15	—	—	—	—	—	—	1	1	—	—	2	4	1	—	2	—	—	
48	Chronic rheumatism and gout.....	5	—	—	—	—	—	—	—	—	—	1	2	1	1	—	—	—	—	
49	Scurvy.....	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
50	Diabetes.....	29	—	—	—	—	—	—	—	1	2	4	3	7	10	1	1	1	—	
51	Exophthalmic goiter.....	2	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
54	Anemia, chlorosis.....	4	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
55	Other general diseases.....	5	1	—	1	—	—	1	—	—	—	—	2	—	—	—	—	—	—	
56	Alcoholism (acute or chronic).....	6	—	—	—	—	—	—	—	—	1	2	1	1	—	—	—	—	—	
	II.—Diseases of the nervous system and of the organs of special sense.....	460	29	12	4	—	—	4	6	13	30	32	68	70	79	60	30	2	3	20
60	Encephalitis.....	4	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	
61	Meningitis (total).....	47	10	6	2	—	—	4	3	4	7	4	2	2	2	—	—	—	1	
	Simplic meningitis.....	21	5	2	—	—	—	2	1	2	2	2	2	1	2	—	—	—	—	
	Cerebrospinal meningitis (undefined).....	14	1	3	1	—	—	2	—	—	4	2	—	1	—	—	—	—	—	
	Cerebrospinal fever.....	12	4	1	1	—	—	2	2	1	—	—	—	—	—	—	—	—	—	
62	Locomotor ataxia.....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
63	Other diseases of the spinal cord (total).....	23	1	2	2	—	—	—	1	—	3	3	3	4	1	1	1	—	1	
	Acute anterior poliomyelitis.....	7	1	2	2	—	—	—	1	—	1	2	3	3	4	1	1	1	—	
	Other diseases of the spinal cord ¹	16	—	—	—	—	—	—	—	1	2	6	2	1	1	2	—	—	—	
64	Cerebral hemorrhage, apoplexy.....	212	1	—	—	—	—	—	1	2	10	12	32	45	47	34	18	1	1	8
65	Softening of the brain.....	2	—	—	—	—	—	—	—	—	1	—	9	9	16	19	6	1	7	
66	Paralysis without specified cause.....	72	1	—	—	—	—	—	1	2	4	8	7	4	3	4	1	—	3	
67	General paralysis of the insane.....	38	—	—	—	—	—	—	—	1	2	6	2	1	1	2	—	—	1	
68	Other forms of mental alienation.....	16	—	—	—	—	—	—	—	1	2	6	2	1	1	2	—	—	—	
69	Epilepsy.....	19	—	—	—	—	—	1	3	4	1	5	3	2	—	—	—	—	—	
70	Convulsions (nonpuerperal).....	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
71	Convulsions of infants.....	17	15	2	—	—	—	—	—	1	1	—	2	—	2	—	1	—	—	
74	Other diseases of the nervous system.....	7	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	
76	Diseases of the ears.....	2	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

325

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

KENTUCKY (COLORED)—Continued.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	

KENTUCKY (COLORED)—Continued.

	VIII.—Diseases of the skin and of the cellular tissue.....	15									2	1	1		7	3	1	
142	Gangrene.....	8										1			4	2	1	
143	Furuncle.....	1										1			1			
144	Acute abscess.....	3									1				1			
145	Other diseases of the skin and annexa.....	3									1				2			
	IX.—Diseases of the bones and of the organs of locomotion.....	1													1			
146	Diseases of the bones (tuberculosis excepted).....	1													1			
	X.—Malformations.....	14	13		1													
150	Congenital malformations (stillbirths not included) (total).....	14	13		1													
	Hydrocephalus.....	2	2															
	Congenital malformations of the heart.....	7	7															
	Other congenital malformations.....	5	4		1													
	XI.—Early infancy.....	209	209															
151	Congenital debility, icterus, and sclerema (total).....	179	179															
	Premature birth.....	134	134															
	Congenital debility, "atrophy," "marasmus," etc.....	45	45															
152	Other causes peculiar to early infancy (total).....	29	29															
	Injuries at birth.....	10	10															
	Other causes peculiar to early infancy ¹	19	19															
153	Lack of care.....	1	1															
	XII.—Old age.....	72													6	25	22	8
154	Senility.....	72													6	25	22	8
	XIII.—External causes.....	358	17	8	11	7	8	15	50	71	56	40	24	17	14	5	3	1
	Suicide (total).....	14								1	1	4	5	1	1			1
155	By poison.....	2									1	1	1					
157	By hanging or strangulation.....	2									1							1
158	By drowning.....	1									1	1						
159	By firearms.....	6									1	1	3					
160	By cutting or piercing instruments.....	2										1		1				
161	By jumping from high places.....	1										1		1				
164	Accidental or undefined (total).....	247	17	8	11	7	8	15	37	32	29	24	15	14	14	5	2	1
165	Poisoning by food.....	3	1							1		1						
166	Other acute poisonings.....	3																
167	Conflagration.....	26	3	2	4	1	1	6		1	2	1	1	1	2	1	1	2
168	Burn (conflagration excepted).....	31	4	3	3	3	3	3	4	1	1	2	1	1	2			
169	Absorption of deleterious gases (conflagration excepted).....	10	9							1								
170	Accidental drowning.....	18				1				6	3	3	1			2		
171	Traumatism by firearms.....	28				2	3	2	9	7	1	4						
172	Traumatism by cutting or piercing instruments.....	1																
173	Traumatism by fall.....	17		1	2			1	2		8	1	1	3	1			2
	Traumatism in mines and quarries (total).....	10								1	4		2	1	2			
174	Traumatism in mines.....	10								1	4		2	1	2			
175	Traumatism by machines.....	4								3			1					
	Traumatism by other crushing (total).....	47						1		8	9	13	3	6	2	2	2	1
	Railroad accidents and injuries.....	24							4	6	7	1	3					
	Street-car accidents and injuries.....	2						1						1				
	Automobile accidents and injuries.....	14								4	3	1	2	1	1			1
	Injuries by other vehicles.....	3									1		2					
	Landslide, other crushing.....	4									4							
176	Injuries by animals.....	2											1					
178	Excessive cold.....	10										2		1		4	1	1
179	Effects of heat.....	5									1		1	1	2			
180	Lightning.....	4						1	1	1			1					
181	Electricity (lightning excepted).....	2											1					
185	Fractures (cause not specified).....	3											1					
186	Other external violence.....	23	4		1			1	.2	1	5	2	2	1		1		3
	Homicide (total).....	97								12	38	23	11	8	2			
182	By firearms.....	78								9	31	20	7	7	2			
183	By cutting or piercing instruments.....	10								2	4	2	2					
184	By other means.....	9								1	3	1	2	1				
	XIV.—Ill-defined diseases.....	139	47	11	1	2	2	3	7	4	11	14	11	6	8	4	2	1
187	Ill-defined organic disease.....	10									3	1	4	1	1			
188	Sudden death.....	5	2									1	1					
189	Not specified or ill-defined (total).....	124	45	11	1	2	2	3	7	4	8	12	6	5	7	3	2	1
	Ill-defined.....	26	2	4	1	1	1	1	2	7	4	6	4	2	3	2	1	
	Not specified or unknown.....	98	43	7		1	1	2	7	4	6	8	4	2	5	2	2	1

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

327

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																	Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.			
LOUISIANA (TOTAL).																					
	All causes.....	32,201	4,415	1,320	701	455	298	1,021	2,745	4,931	4,145	3,235	2,588	2,590	2,123	1,100	290	90	154		
	I.—General diseases.....	13,147	983	489	316	228	148	530	1,590	2,912	2,194	1,422	931	727	427	150	30	6	64		
1	Typhoid fever.....	709	20	14	8	6	7	63	228	168	88	55	28	16	5					3	
2	Malaria.....	526	72	39	31	18	15	53	87	63	38	23	22	25	23	10	4			3	
3	Smallpox.....	18	2				1		1	2	3	3	3	2	1					1	
4	Measles.....	350	73	55	25	15	10	31	47	29	21	17	11	7	4	2				3	
5	Scarlet fever.....	5	1	1	1			1		1										1	
6	Whooping cough.....	358	183	70	32	28	17	17	6							1				2	
7	Diphtheria and croup.....	97	23	9	20	9	9	19	3		3	2								1	
8	Influenza.....	5,312	324	207	156	115	66	242	744	1,397	1,059	443	196	149	121	54	9	3	27		
9	Cholera nostras.....	9	3		1				3				1	1							
10	Dysentery.....	306	53	31	13	6	6	15	17	16	19	18	26	30	34	15	6			1	
11	Leprosy.....	11							1		5		1	1	1	1	3				
12	Erysipelas.....	37	9	3				2	1		3	4	5	4							
13	Other epidemic diseases.....	21	2	2				1	7	1	2	2	1	2	1						
14	Purulent infection and septicemia.....	89	4	4		2		5	10	16	16	11	6	5	6	2	1	1			
15	Anthrax.....	6						1		1		3			1						
16	Rabies.....	5						1		3		2	1	6							
17	Tetanus.....	107	70	1	1	2	1	7	26	58	46	41	24	25	13	7	4		4		
18	Fellagra.....	263	4	1																	
19	Tuberculosis (total).....	3,294	45	31	21	18	12	42	343	1,022	687	528	300	159	56	12	1	1	15		
20	Tuberculosis of the lungs.....	2,941	14	15	7	10	8	29	301	937	634	490	276	146	49	11			1	13	
21	Acute miliary tuberculosis.....	137	1	1		3		5	18	47	32	16	7	5	2						
22	Tuberculous meningitis.....	37	6	7	2			3	7	6	2	2			1	1					
23	Abdominal tuberculosis.....	83	3	4	1	1	2	6	17	14	14	10	7	2		1	1				
24	Pott's disease.....	11		2			1	1	3	2				1	1						
25	White swellings.....	18				1		2	4	4	3	3	1								
26	Tuberculosis of other organs.....	27	1	2	2	1		2	4	4	3	3	4								
27	Disseminated tuberculosis.....	40	20	4	6	2	1	1		5				1							
28	Rickets.....	19	9	6	1	2		1													
29	Syphilis.....	364	69	6	2	6		2	21	60	69	60	45	16	6	1					
30	Gonococcus infection.....	23	2							9	3	5	2	2							
31	Cancer and other malignant tumors (total).....	874	1		1		2	5	5	35	88	169	196	213	115	36	3	2	3		
32	Of the buccal cavity.....	48						1	1	4	7	12	12	9	1	1					
33	Of the stomach, liver, etc.....	246						1		8	16	40	55	79	36	9					
34	Of the peritoneum, intestines, rectum, etc.....	68						1		4	6	11	14	20	8	3				1	
35	Of the female genital organs.....	225							15	40	63	51	33	18	4	1					
36	Of the breast.....	69						3	4	22	16	9	9	9	9						
37	Of the skin.....	36								3	6	10	10	10	7						
38	Of other organs or of organs not specified.....	182	1		1		1	4	4	4	18	23	42	50	25	7	1	1			
39	Other tumors (tumors of the female genital organs excepted).....	9						1		2	2	1	1	1							
40	Acute articular rheumatism.....	73						5	8	10	9	5	7	13	12	3	1				
41	Chronic rheumatism and gout.....	14						1			2	2	2	5	2	1	1				
42	Scurvy.....	2	2																		
43	Diabetes.....	111						1	8	8	7	8	30	29	16	4					
44	Exophthalmic goiter.....	11						1	3	3	2			2							
45	Leukemia.....	19	1					1	2	4	3	4	3	1							
46	Anemia, chlorosis.....	38	5	1	2			1	5	3	3	5	8	5	1						
47	Other general diseases.....	33	10	5		1	1	6	2	1	4	1									
48	Alcoholism (acute or chronic).....	30								1	10	6	4	7		1				1	
49	Chronic lead poisoning.....	5								1	1	1	2								
50	Other chronic poisonings.....	1										1									
51	II.—Diseases of the nervous system and of the organs of special sense.....	1,602	95	31	10	18	16	49	81	75	106	200	253	273	256	116	16	2	5		
52	Encephalitis.....	28	5	1	1	4		2	4		1		5	1	3	1					
53	Meningitis (total).....	158	27	11	6	9	5	24	33	18	6	10	4	2	3						
54	Simple meningitis.....	54	13	4	3	2	3	3	30	10	3	2	3	2	1						
55	Cerebrospinal meningitis (undefined).....	45	7	2		1	1	1	13	6	2	2	2	1	2						
56	Cerebral hemorrhage, apoplexy.....	59	7	5	3	6	1	8	10	9	4	5									
57	Locomotor ataxia.....	27									1	5	5	6	7	2	1				
58	Other diseases of the spinal cord (total).....	66	4	3	1	1	4	5	4	17	41	99	170	151	173	84	13	1	2		
59	Acute anterior poliomyelitis.....	13	3	2	1	1	2	3	3	2	1	2	1	7	4	5	2				
60	Other diseases of the spinal cord.....	53	1	1			2	2	3	1	2	10	11	10	8	2					
61	Cerebral hemorrhage, apoplexy.....	800	8	2	1		2	3	3	17	41	99	170	151	173	84	13	1	2		
62	Softening of the brain.....	22							2	2	1	2	1	7	4	5	2				
63	Paralysis without specified cause.....	169	3	1				2	2	4	8	19	22	42	43	19	3				
64	General paralysis of the insane.....	74								5	11	26	12	12	7	1					
65	Other forms of mental alienation.....	49								8	11	13	4	5	6	6	2				
66	Epilepsy.....	71	3	1		1	1	5	19	15	10	7	2	1	4						
67	Convulsions (nonpuerperal).....	10					5	4													
68	Convulsions of infants.....	37	41	8	1	3	4			1	1										
69	Chorea.....	4	1	1																	
70	Neuralgia and neuritis.....	7																			
71	Other diseases of the nervous system.....	43	1	1				1	6	4	9	5	10	2	1	3					
72	Diseases of the eyes and their annexa.....	2					1	5	2					1	1	1					
73	Diseases of the ears.....	15	2	2			1	5	2					1	2						

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

CAUSES OF DEATH, BY AGE.

329

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un known age	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
LOUISIANA (TOTAL)—Continued.																			
	VIII.—Diseases of the skin and of the cellular tissue.....	74	10	1					1	4	7	4	6	7	14	7	10	2	1
142	Gangrene.....	42	2							2	3	1	3	3	11	6	10	2	1
143	Furuncle.....	11	1							2	2	1	3	1					
144	Acute abscess.....	10	1						1	1		1		2	1				
145	Other diseases of the skin and annexa.....	11	6						1		2	1	1						
	IX.—Diseases of the bones and of the organs of locomotion.....	31	4						6	5	2	5	3	4	2				
146	Diseases of the bones (tuberculosis excepted).....	23	4						6	5	2	4	2	4	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	2										1			1				
149	Other diseases of the organs of locomotion.....	1											1						
	X.—Malformations.....	190	176	3	1	2			5	3									
150	Congenital malformations (stillbirths not included) (total).....	190	176	3	1	2			5	3									
	Hydrocephalus.....	16	13	1					2										
	Congenital malformations of the heart.....	123	118	1		1			1	2									
	Other congenital malformations.....	51	45	1	1	1			2	1									
	XI.—Early infancy.....	1,068	1,068																
151	Congenital debility, icterus, and sclerema (total).....	925	925																
	Premature birth.....	648	648																
	Congenital debility, "atrophy," "marasmus," etc.....	277	277																
152	Other causes peculiar to early infancy (total).....	130	130																
	Injuries at birth.....	64	64																
	Other causes peculiar to early infancy ¹	66	66																
153	Lack of care.....	13	13																
	XII.—Old age.....	620																	
154	Senility.....	620																	
	XIII.—External causes.....	1,690	47	40	36	33	27	76	260	312	292	230	99	118	54	35	10	1	20
155	Suicide (total).....	110								3	24	25	25	17	11	4	1		
156	By poison.....	18								1	6	2	6	2	1				
157	By asphyxia.....	2								1		1	1						
158	By hanging or strangulation.....	7								1	1	2	3		1				
159	By drowning.....	7								1	1	1	2	1		1			
160	By firearms.....	60									13	17	12	8	8	1	1		
161	By cutting or piercing instruments.....	7								2	1	1	1	1		2			
162	By jumping from high places.....	2										1							
163	By crushing.....	2									1		1						
	Other suicides.....	5											3	1					
164	Accidental or undefined (total).....	1,241	45	39	35	33	27	75	214	184	171	144	65	97	49	34	10	1	18
165	Poisoning by food.....	33	3	5	1	2	4	4	1	4	3	1	3	1					
166	Other acute poisonings.....	38		11	6	4	4	2	2	2	1	1	2	1	1				1
167	Conflagration.....	17	1	1	2	1			2	2	1	3	1	1	1	2			
168	Burns (conflagration excepted).....	159	6	9	15	16	9	18	6	17	17	12	9	13	4	6	1		1
	Absorption of deleterious gases (conflagration excepted).....	29	17	1						3		4	2	1		1			
169	Accidental drowning.....	139	1	2	1	1	1	8	51	25	13	21	1	6	3				5
170	Traumatism by firearms.....	112		2	2	1	10	37	23	19	9	4	4	1					
171	Traumatism by cutting or piercing instruments.....	5								1		2							1
172	Traumatism by fall.....	150	10	5		3		6	18	13	13	14	13	19	11	17	7		
174	Traumatism by machines.....	59						1	13	20	9	12	2	2					
175	Traumatism by other crushing (total).....	278	2	1	4	2	4	15	50	38	52	40	19	28	14	4	1		4
	Railroad accidents and injuries.....	120						1	3	22	15	29	23	10	6	7	1		3
	Street-car accidents and injuries.....	26						1	1	2	8	2	3	3	2	1			
	Automobile accidents and injuries.....	76			2	1	2	8	15	11	9	6	3	12	4	2			1
	Injuries by other vehicles.....	30	1	1	2			2	7	2		7	1	5	1	1			
	Landslide, other crushing.....	26	1					1	4	8	6	2	2	2					
176	Injuries by animals.....	9				1		1	3	1		1	2						
177	Starvation.....	5																	J
178	Excessive cold.....	14								1	2		1	3	4	2			
179	Effects of heat.....	10								1	2	3	1		2	1			
180	Lightning.....	25							1	6	8	7	1		1		1		
181	Electricity (lightning excepted).....	3							1	1			1						
185	Fractures (cause not specified).....	19								3	3	2	1	2	4	2			1
186	Other external violence.....	137	5	4	3	2	3	6	20	24	21	26	10	9	1	1			3
182	Homicide (total).....	339	2	1	1			1	43	104	96	61	17	10	1				2
183	By firearms.....	253	1							29	80	78	48	10	6				
183	By cutting or piercing instruments.....	40								10	11	10	6	1					1
184	By other means.....	46	1	1				1	4	13	8	7	6	4					1
	XIV.—Ill-defined diseases.....	1,108	335	91	28	19	13	24	52	65	72	72	67	89	95	54	14	2	16
187	Ill-defined organic disease.....	107	2			1	1			7	7	7	12	20	18	16	11	4	1
188	Sudden death.....	105	31	2					2	4	7	13	7	6	10	15	6	1	1
189	Not specified or ill-defined (total).....	896	302	89	27	18	13	22	41	51	52	53	41	61	37	10	1	14	
	Ill-defined.....	392	74	58	17	9	6	10	19	18	28	24	22	41	37	21	5	1	3
	Not specified or unknown.....	504	228	31	10	9	7	12	22	33	24	29	19	20	27	16	5	1	11

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
LOUISIANA (WHITE).																			
	All causes.....	15,822	2,271	654	357	219	153	457	1,060	2,105	1,970	1,567	1,415	1,554	1,260	610	97	12	61
	I.—General diseases.....	6,041	439	222	154	91	70	200	543	1,205	1,053	677	543	456	267	85	13	1	.22
1	Typhoid fever.....	380	14	7	7	3	4	27	113	94	53	22	19	13	3				1
4	Malaria.....	240	30	18	16	8	4	20	44	28	14	9	13	15	5				1
5	Smallpox.....	7	2									2	2	1					
6	Measles.....	231	50	35	14	7	7	21	21	20	16	16	10	6	4	2			2
7	Scarlet fever.....	5	1	1	1			1		1									
8	Whooping cough.....	159	81	35	15	12	7	3	5		1	1							1
9	Diphtheria and croup.....	63	8	5	18	7	9	14											
10	Influenza.....	2,506	142	79	64	42	29	74	249	704	614	229	100	76	60	30	4		10
13	Cholera nostras.....	3	1			1			1										
14	Dysentery.....	170	26	17	7	4	4	7	6	5	10	10	12	22	26	10	4		
17	Leprosy.....	10							1										
18	Erysipelas.....	36	8	3					2	1									
19	Other epidemic diseases.....	12	1	1															
20	Furuncular infection and septicemia.....	50		2					4	6	12	9	6	4	1	5			1
22	Anthrax.....	5							1										
23	Rabies.....	3								2									
24	Tetanus.....	41	27		1				3	3		1	1	2	3				
26	Pellagra.....	60							2	3	6	12	11	8	9	7	1	1	
	Tuberculosis (total).....	1,163	17	12	8	7	4	9	60	285	237	227	172	86	30	3	1		5
28	Tuberculosis of the lungs.....	1,028	4	4	2	4	3	5	49	264	218	208	157	77	26	3			4
29	Acute miliary tuberculosis.....	42	1	1		1			1	13	9	6	4	3	2				
30	Tuberculous meningitis.....	28	6	6	2			3	5	4	1								
31	Abdominal tuberculosis.....	32			1	1					6	10	5	6	1	1			
32	Pott's disease.....	7		1			1			2	2								
33	White swellings.....	6			1				1		2	2							
34	Tuberculosis of other organs.....	11	1		2				2		1	1	4						
35	Disseminated tuberculosis.....	9	5		1					2			1						
36	Rickets.....	7	3	2		1		1											
37	Syphilis.....	85	17	1				1	2	8	14	20	13	4	5				
38	Gonococcus infection.....	6	1						1	1	1	1	1						
	Cancer and other malignant tumors (total).....	567			1		1	2	20	39	93	133	162	85	26	2	1	1	
39	Of the buccal cavity.....	38						1	4	5	9	10	8	1					
40	Of the stomach, liver.....	169						1		6	6	21	36	61	30	6	1	1	
41	Of the peritoneum, intestines, rectum.....																		
42	Of the female genital organs.....	53							2	4	7	13	24	28	18	7	1		
43	Of the breast.....	105							7	13	13	13	13	9	7	3	2		
44	Of the skin.....	34																	
45	Of other organs or of organs not specified.....	32																	
46	Other tumors (tumors of the female genital organs excepted).....	136		1					2	4	12	20	33	40	17	6	1		
47	Acute articular rheumatism.....	33																	
48	Chronic rheumatism and gout.....	11							3	6	2	5	1	4	7	3	2	1	
49	Scurvy.....	1	1						1	7	8	6	5	24	25	12	3		
50	Diabetes.....	91							1	3	2	1							
51	Exophthalmic goiter.....	7							1	3	2	1							
53	Leukemia.....	13	1		1				1	1	3	1	2	3	1				
54	Anemia, chlorosis.....	30	2	1	1				1	3	2	3	4	8	5				
55	Other general diseases.....	19	6	3				1	3	2		1	1	1		1			
56	Alcoholism (acute or chronic).....	20									1	5	5	3	5		1		
57	Chronic lead poisoning.....	4									1	1	2	2		1			
59	Other chronic poisonings.....	1										1							
	II.—Diseases of the nervous system and of the organs of special sense.....	949	46	19	6	11	9	32	50	31	57	117	152	176	159	75	4	1	4
60	Encephalitis.....	17	3	1		4		1	3			2	1	2					
61	Meningitis (total).....	106	18	7	4	6	3	16	21	13	3	8	3	2					
	Simple meningitis.....	35	9	2	1		1	6	6	3	1	2	1	1					
	Cerebrospinal meningitis (undefined).....	29	5	1				1	6	8	3	1	2	1	1				
	Cerebrospinal fever.....	42	4	4	2	5	1	4	7	7	2	4	4	6	6	1			
62	Locomotor atrophy.....	22																	
63	Other diseases of the spinal cord (total).....	49	2	2	1	1	3	4	3	1	1	8	7	8	6	2			
	Acute anterior poliomyelitis.....	12	2	2	1	1	2	3	1										
	Other diseases of the spinal cord ¹	37						1	1	2	1	1	8	7	8	6	2		
64	Cerebral hemorrhage, apoplexy.....	484	5	1	1		1	3	1	2	22	51	102	121	113	55	4		2
65	Softening of the brain.....	16									1	4	3	5	2	1			
66	Paralysis without specified cause.....	80	3	1				2	1	2	2	11	8	19	20	11			
67	General paralysis of the insane.....	45								3	6	19	6	8	3				
68	Other forms of mental alienation.....	24									7	7	3	3	3	1			
69	Epilepsy.....	35	2	1				2	11	5	3	4	1	1	3				
70	Convulsions (nonpuerperal).....	5						2	2										2
71	Convulsions of infants.....	16	10	4		2		1	1										
72	Chorea.....	2																	
73	Neuralgia and neuritis.....	5																	
74	Other diseases of the nervous system.....	31	1					1	3	3	8	3	7	2	1	2			
76	Diseases of the ears.....	12	2	2					4	2			1		1				

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

331

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
LOUISIANA (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	35	6						4	2	3	4	3	6	1	6		
142	Gangrene.....	14							2	2	1	2	1	4		6		
143	Furuncle.....	9	1								1	1	1					
144	Acute abscess.....	4	1						1		1	1	1					
145	Other diseases of the skin and annexa.....	8	4						1		1	1	1					
	IX.—Diseases of the bones and of the organs of locomotion	22	2						5	5	1	4	1	2	2			
146	Diseases of the bones (tuberculosis excepted).....	20	2						5	5	1	3	1	2	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	2										1			1			
	X.—Malformations.....	106	99	2		1			3	1								
150	Congenital malformations (stillbirths not included) (total).....	106	99	2		1			3	1								
	Hydrocephalus.....	6	4	1					1									
	Congenital malformations of the heart.....	73	70			1			1	1								
	Other congenital malformations.....	27	25	1					1									
	XI.—Early infancy.....	625	625															
151	Congenital debility, icterus, and scoloma (total).....	539	539															
	Premature birth.....	389	389															
	Congenital debility, "atrophy," "marasmus," etc.....	150	150															
152	Other causes peculiar to early infancy (total).....	85	85															
	Injuries at birth.....	47	47															
153	Lack of care.....	38	38															
	XII.—Old age.....	233													1	12	71	107
154	Senility.....	233													1	12	71	107
	XIII.—External causes.....	889	23	17	19	13	16	51	129	143	146	129	64	68	37	22	5	7
	Suicide (total).....	95							2	21	20	21	15	11	4	1		
155	By poison.....	16							1	5	2	5	2	1				
156	By asphyxia.....	2							1		1							
157	By hanging or strangulation.....	6							1	1	3		1					
158	By drowning.....	3							1		1							
159	By firearms.....	53							12	14	10	7	8	1	1			
160	By cutting or piercing instruments.....	7							2	1	1	1		2				
161	By jumping from high places.....	2							1									
162	By crushing.....	1																
163	Other suicides.....	5							1			3	1					
	Accidental or undefined (total).....	680	23	17	18	13	16	51	116	97	89	79	41	55	32	21	5	7
164	Poisoning by food.....	18	2	5	1	3	2	2	3	2	2	1	1	1	1	1		1
165	Other acute poisonings.....	16		5	1	1	2	1	2	1	1	1	1	1	1	1		
166	Conflagration.....	8		1					1	1	2	1	1	1	1	1		
167	Burns (conflagration excepted).....	75	6	2	7	6	5	12	1	14	5	6	5	2	1	2	1	
168	Absorption of deleterious gases (conflagration excepted).....	12	6						1		3	1	1					
169	Accidental drowning.....	71	1	1	1	1	4	23	14	5	10	5	10	5	3			3
170	Traumatism by firearms.....	55		1	1	1	8	21	7	9	5	5	2					
171	Traumatism by cutting or piercing instruments.....	2																
172	Traumatism by fall.....	103	2	2		2	1	6	11	6	12	1	9	12	15	9	13	4
173	Traumatism by machines.....	34							12	9	4	7	1	1				
174	Traumatism by other crushing (total).....	172	2	1	4	2	2	10	29	24	28	23	11	21	11	2		2
175	Railroad accidents and injuries.....	61				1	2	11	7	14	10	6	2	2	2	1		1
	Street-car accidents and injuries.....	17						1	1	5	1	3	2	2	1			
	Automobile accidents and injuries.....	56		2	1	1	1	6	10	9	6	6	1	11	2			1
	Injuries by other vehicles.....	22	1	2			1	5		7	3	5	1	5	1			
	Landslide, other crushing.....	16						1	2	7	3	1		1				
176	Injuries by animals.....	6		1				1		2		1		1				
177	Excessive cold.....	4																
178	Effects of heat.....	2																
179	Lightning.....	12						1	3	4	3	1		1				
180	Electricity (lightning excepted).....	2							1									
181	Fractures (cause not specified).....	13						1										
182	Other external violence.....	75	4	2	3	1	1	6	11	11	9	14	7	2	4	2		1
183	Homicide (total).....	114			1				11	25	27	29	8	2	1			
184	By firearms.....	80							7	17	27	21	5	2	1			
185	By cutting or piercing instruments.....	13							3	2	4	3	2					
186	By other means.....	21							1	6	6	5	3					
	XIV.—Ill-defined diseases.....	350	105	24	12	10	4	7	14	15	20	19	20	36	39	19	1	5
187	Ill-defined organic disease.....	22							1	3	2	3	4	3	4	3		
188	Sudden death.....	37	0						1	2	1	2	3	6	8	3		
189	Not specified or ill-defined (total).....	291	96	24	11	10	4	6	11	11	18	14	13	27	27	13	1	5
	Ill-defined.....	154	24	19	8	5	3	5	7	7	12	9	6	20	17	9	1	2
	Not specified or unknown.....	137	72	5	3	5	1	1	4	4	6	5	7	7	10	4		3

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

333

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
LOUISIANA (COLORED).																			
	All causes.....	16,379	2,144	666	344	236	145	564	1,685	2,826	2,175	1,668	1,173	1,036	863	490	193	78	93
	I.—General diseases.....	7,106	544	267	162	137	78	330	1,047	1,707	1,141	745	388	271	160	65	17	5	42
1	Typhoid fever.....	329	6	7	1	3	3	36	115	74	35	33	9	3	2				2
4	Malaria.....	286	42	21	15	10	11	33	43	35	24	14	10	8	5	4		2	
5	Smallpox.....	11					1		1	2	3	1	1	1				1	
6	Measles.....	119	23	20	11	8	3	10	26	9	5	1	1	1				1	
8	Whooping cough.....	197	102	35	17	16	10	14	1					1					
9	Diphtheria and croup.....	34	15	4	2	2		5	3		2	1							
10	Influenza.....	2,806	182	128	92	73	37	168	495	693	445	214	96	73	61	24	5	3	17
13	Cholera nostras.....	6	2						2			1	1						
14	Dysentery.....	136	27	14	6	2	2	8	11	11	9	8	14	8	8	5	2		1
17	Leprosy.....	1									1								
18	Erysipelas.....	1	1																
19	Other epidemic diseases.....	9	1	1				1	3	1	1	1							
20	Purulent infection and septicemia.....	39	4	2		2		1	4	4	7	5	2	4	1	2	1		
22	Anthrax.....	1										1							
23	Rabies.....	2																	
24	Tetanus.....	66	43	1		2	1	5	7	3	1	4	2						
26	Pellagra.....	203	4	1	2	1	5	23	52	34	30	16	16	6	6	3		4	
28	Tuberculosis (total).....	2,131	28	19	13	11	8	34	283	737	450	301	128	73	26	9		1	10
29	Tuberculosis of the lungs.....	1,913	10	11	5	6	5	24	252	673	416	282	119	69	23	8		1	9
30	Acute military tuberculosis.....	95				2		4	17	34	23	10	3	2					
31	Tuberculous meningitis.....	9	1					2	2	1	2	1	1						
32	Abdominal tuberculosis.....	51	3	1	3		1	2	6	17	8	4	5	1					
33	Pott's disease.....	4		1				1	1										1
34	White swellings.....	12						2	3	4	1	1							
35	Tuberculosis of other organs.....	16	2		1	1	1	2	4	2	2								
36	Rickets.....	12	6	4	1	1													
37	Syphilis.....	279	52	5	2	6		1	19	52	55	40	32	12	1	1			1
38	Gonococcus infection.....	17	1						8	2	4	1	1						
39	Cancer and other malignant tumors (total).....	307	1					1	4	3	15	49	76	63	51	30	10	1	2
40	Of the buccal cavity.....	10						1			2	10	19	19	18	6	3		
41	Of the stomach, liver, etc.....	77									2	2	4	1	1	1	1		
42	Of the peritoneum, intestines, rectum, etc.....	15									2	2	1	2	1	1	2		1
43	Of the female genital organs.....	120									3	27	39	23	15	7		1	
44	Of the breast.....	35									3	4	9	7	2	6	3		1
45	Of the skin.....	4											1	2	1				
46	Of other organs or of organs not specified.....	46	1					1	4	2		6	3	9	10	8	1		1
47	Other tumors (tumors of the female genital organs excepted).....	7									1	2	1	1	1	1			
48	Acute articular rheumatism.....	40							2	2	8	4	4	3	6	9	1	1	
49	Chronic rheumatism and gout.....	3										1		1					
50	Scurvy.....	1	1									1	3	6	4	1			
51	Diabetes.....	20										1	1	2					
52	Exophthalmic goiter.....	4										1	1						
53	Leukemia.....	6										2	2						
54	Anemia, chlorosis.....	8	3	1	1	1		2	1		1		1						
55	Other general diseases.....	14	4	2		1	3			1		5	1	1	2				
56	Alcoholism (acute or chronic).....	10										1							1
57	Chronic lead poisoning.....	1																	
	II.—Diseases of the nervous system and of the organs of special sense.....	653	49	12	4	7	7	17	31	44	49	83	101	97	97	41	12	1	1
60	Encephalitis.....	11	2		1			1	1		1	3		1	1				
61	Meningitis (total).....	52	9	4	2	3	2	8	12	5	3	2	1		1				
	Simple meningitis.....	19	4	2	1	1		2	4		1	1	1						
	Cerebrospinal meningitis (undefined).....	16	2	1		1		2	5	3		1							
	Cerebral fever.....	17	3	1	1	1		4	3	2		2							
62	Locomotor ataxia.....	5									1	1	1	1	1	1	1		
63	Other diseases of the spinal cord (total).....	17	2	1			1	1	1		1	2	4	2	2	2			
	Acute anterior poliomyelitis.....	1	1								1								
	Other diseases of the spinal cord.....	16	1	1							1	2	4	2	2	2			
64	Cerebral hemorrhage, apoplexy.....	316	3	1				1		2	15	19	48	68	60	60	29	9	1
65	Softening of the brain.....	6									1	1	3	1					
66	Paralysis without specified cause.....	89									1	2	6	8	14	23	23	8	3
67	General paralysis of the insane.....	29									2	5	7	6	4	4	1		
68	Other forms of mental alienation.....	25									8	4	6	1	2	3	1		
69	Epilepsy.....	36	1			1	1	3	8	10	7	3	1		1				
70	Convulsions (nonpuerperal).....	5					3	2											
71	Convulsions of infants.....	41	31	4	1	3	2												
72	Chorea.....	2	1	1															
73	Neuralgia and neuritis.....	2																	
74	Other diseases of the nervous system.....	12		1							3	1	1	2	3		1		
75	Diseases of the eyes and their annexa.....	2									1	1		1		1	1		
76	Diseases of the ears.....	3									1	1			1	1			

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
LOUISIANA (COLORED)—Continued.																			
	III.—Diseases of the circulatory system.....	1,368	8	4	6	27	87	163	241	248	224	203	96	36	13	1
77	Pericarditis.....	16							1	1	1	3	7	1	2
78	Acute endocarditis.....	85	1						5	15	10	25	23	4	1	1
79	Organic diseases of the heart.....	1,101	6	4	6	21	67	146	194	203	189	156	69	24	9	7
80	Angina pectoris.....	15								2	5	1	3	2	2	2	2	2	2
81	Diseases of the arteries, atherosclerosis, etc.....	135								1	8	10	12	23	42	24	11	4
82	Embolism and thrombosis.....	7								1		2	2	2	2	2	2	2	2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	3									1		2						
84	Diseases of the lymphatic system (lymphangitis, etc.).....	1									1								
85	Hemorrhage; other diseases of the circulatory system.....	5	1								1	1	1				1		
	IV.—Diseases of the respiratory system.....	2,186	312	121	77	34	24	104	268	457	328	194	100	77	49	24	6	2	9
86	Diseases of the nasal fossae.....	20	9	4					1	2	2	1	1						
87	Diseases of the larynx.....	4	1		1							2							
88	Diseases of the thyroid body.....	2								1	1	2							
89	Acute bronchitis.....	74	43	8	7	3	2	2	1	1	1	2	2						
90	Chronic bronchitis.....	32	6	1	1		1	3		3	4	3	2	3	3	1	1	1	1
91	Bronchopneumonia.....	279	83	36	19	8	4	16	23	34	23	12	4	10	3	3	1		
92	Pneumonia (total).....	1,688	164	69	49	22	14	81	237	394	288	164	82	56	36	19	3	1	9
	Lobar pneumonia.....	780	58	18	16	8	4	24	94	208	155	93	45	31	12	7	2	5	
	Pneumonia (undefined).....	908	106	51	33	14	10	57	143	186	133	71	37	25	24	12	1	1	4
93	Pleurisy.....	31	3	1			1	2	1	1	8	6	3	1					
94	Pulmonary congestion, pulmonary apoplexy.....	8	2	2						1				1	1	1	1		
95	Asthma.....	24	1							1	2	4	5	5	2	4			
96	Other diseases of the respiratory system (tuberculosis excepted).....	24								1	3	11	1	2	4	2			
	V.—Diseases of the digestive system.....	1,287	445	161	54	25	15	48	54	92	101	82	72	56	48	27	3	1	3
99	Diseases of the mouth and annexa.....	14	10	1	1					1		1							
100	Diseases of the pharynx.....	27	5		1	1	1	2	3	6	3	1	2	1	2				
102	Ulcer of the stomach.....	20						1	3	9	3	1		1	2				
103	Other diseases of the stomach (cancer excepted).....	144	28	4	4	3	3	7	4	10	12	17	12	12	16	9	3		
104	Diarrhea and enteritis (under 2 years).....	536	391	145															
105	Diarrhea and enteritis (2 years and over).....	186		36	15	10	23	14	13	17	9	9	14	16	8			2	
107	Intestinal parasites.....	32	1	9	9	3	1	6	4	20	28	16	7	5	1	1	1		
108	Appendicitis and typhitis.....	82							2	6	10	14	12	9	7	4	3	1	1
109	Hernia, intestinal obstruction (total).....	80	8	1	1	1			1	2	5	3	5	2	3	3	1	1	
	Hernia.....	27							1	1	5	11	7	7	5	1			
	Intestinal obstruction.....	53	8	1	1	1			1	4	5	11	7	7	5	1			
110	Other diseases of the intestines.....	20							1	1	6	5	1	1	2				
111	Acute yellow atrophy of the liver.....	4								1	2	1							
113	Cirrhosis of the liver.....	74	1							5	11	16	19	14	6	1			
114	Biliary calculi.....	10								1	1	2	3	2	1				
115	Other diseases of the liver.....	35								3	2	5	7	6	2	1			
117	Simple peritonitis (nonpuerperal).....	22	1							1	9	3	2	5	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	1													1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	1,006	6	13	9	3	1	13	33	94	123	152	171	179	123	68	13	3	2
119	Acute nephritis.....	108	4	8	4	1	1	5	6	14	21	14	13	10	5	1			1
120	Bright's disease.....	727	2	4	5	2		6	24	52	64	113	143	148	98	51	12	3	
122	Other diseases of the kidneys and annexa.....	20		1				1		1	4	1	2	2	7	1			
123	Calculi of the urinary passages.....	3												2		1			
124	Diseases of the bladder.....	20							1		1		1		4	5	6	1	
125	Diseases of the urethra, urinary abscess, etc.....																		
126	Diseases of the prostate.....	17								2	4	1	4	3	3	2	8		
127	Nonvenereal diseases of the male genital organs.....	24								1		2	3	6	4	4			
128	Uterine hemorrhage (nonpuerperal).....	2										2							
129	Uterine tumor (nongenital).....	24								1	10	9	3	1					
130	Other diseases of the uterus.....	18								5	6	4	2						
131	Cysts and other tumors of the ovary.....	5								1	1	1	1		1	1			
132	Salpingitis and other diseases of the female genital organs.....	37								2	15	12	5	2					1
	VII.—The puerperal state.....	252								54	120	65	12						1
134	Accidents of pregnancy.....	36								6	22	5	3						
135	Puerperal hemorrhage.....	18								1	6	10	1						
136	Other accidents of labor.....	47								8	24	11	3						1
137	Puerperal septicemia.....	82								16	35	28	3						
138	Puerperal albuminuria and convulsions.....	66								23	33	9	1						
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	3										2	1						

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

335

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
LOUISIANA (COLORED)—Continued.																			
	VIII.—Diseases of the skin and of the cellular tissue.....	30	4	1					1		5	1	2	4	8	6	4	2	1
142	Gangrene.....	28	2							3		1	2	7	6	4	2	1	
143	Furuncle.....	2																	
144	Acute abscess.....	6		1					1		2	1							
145	Other diseases of the skin and annexa.....	3	2								1								
	IX.—Diseases of the bones and of the organs of locomotion.....	9	2						1		1	1	2	2					
146	Diseases of the bones (tuberculosis excepted).....	8	2						1		1	1	1	2					
149	Other diseases of the organs of locomotion.....	1																	
	X.—Malformations.....	84	77	1	1	1			2	2									
150	Congenital malformations (stillbirths not included) (total).....	84	77	1	1	1		2	2										
	Hydrocephalus.....	10	9					1											
	Congenital malformations of the heart.....	50	48	1					1										
	Other congenital malformations.....	24	20		1	1		1	1										
	XI.—Early infancy.....	443	443																
151	Congenital debility, icterus, and sclerema (total).....	386	386																
	Premature birth.....	259	259																
152	Congenital debility, "atrophy," "marasmus," etc.....	127	127																
	Other causes peculiar to early infancy (total).....	45	45																
	Injuries at birth.....	17	17																
	Other causes peculiar to early infancy ¹	28	28																
153	Lack of care.....	12	12																
	XII.—Old age.....	387																	
154	Senility.....	387																	
	XIII.—External causes.....	801	24	23	17	20	11	25	131	169	146	101	35	50	17	13	5	1	13
	Suicide (total).....	15								1	3	5	4	2					
155	By poison.....	2								1		1							
157	By hanging or strangulation.....	1								1		1							
158	By drowning.....	4		5	3	2	2	1				1	1						
159	By firearms.....	7			1					1	3	2	1						
162	By crushing.....	1								1									
164	Accidental or undefined (total).....	561	22	22	17	20	11	24	98	87	82	65	24	42	17	13	5	1	11
165	Poisoning by food.....	15	1	2	1	2	1	2	1	1	1	1	2						
166	Other acute poisonings.....	22		6	5	3	2	2	1			1	1						1
167	Conflagration.....	9	1		2	1		2	1		1								
168	Burns (conflagration excepted).....	84	7	8	10	4	6	5	3	12	6	4	11	3	4				1
169	Absorption of deleterious gases (conflagration excepted).....	17	11	1				2		1	1	1							2
170	Accidental drowning.....	68	1		1			4	28	11	8	11	1	2					
171	Traumatism by firearms.....	57			1	1		2	16	16	10	4	2	1					
	Traumatism by cutting or piercing instruments.....	3								1		1							1
172	Traumatism by fall.....	47	8	3		1			7	7	1	5	1	4	2	4	3		1
174	Traumatism by machines.....	25						2	5	21	14	24	17	8	7	3	2	1	2
175	Traumatism by other crushing (total).....	106						1	11	8	15	13	4	4					2
	Railroad accidents and injuries.....	59							1	1	1	3	1						
	Street-car accidents and injuries.....	9							2	1	2	2	2						
	Automobile accidents and injuries.....	20						1	2	5	2	3	2	1	2	2			
	Injuries by other vehicles.....	8							1	2	2	2	2						
	Landslide, other crushing.....	10							2	1	3	1	2	1					
176	Injuries by animals.....	3							2					1	1				1
177	Starvation.....	5									1		1	1	2	3	2	1	
178	Excessive cold.....	10									1		1	1	2	3	2	1	
179	Effects of heat.....	8									2	2	1		2	1			
180	Lightning.....	13							3	4	4				1		1		
181	Electricity (lightning excepted).....	1							1										
185	Fractures (cause not specified).....	6								3		1	1						1
186	Other external violence.....	62	1	2		1	2		9	13	12	12	3	5	1				1
182	Homicide (total).....	225	2	1				1	32	79	59	32	9	8					2
183	By firearms.....	173	1							22	63	51	27	5	4				
184	By cutting or piercing instruments.....	27								7	9	6	3	1					1
	By other means.....	25	1	1				1	3	7	2	2	3	4					1
	XIV.—Ill-defined diseases.....	758	230	67	16	9	9	17	38	50	52	53	47	53	56	35	13	2	11
187	Ill-defined organic disease.....	85	2			1			6	4	7	9	16	15	12	8	4		1
188	Sudden death.....	68	22	2					2	6	11	5	3	4	7	3		1	1
189	Not specified or ill-defined (total).....	605	206	65	16	8	9	16	30	40	34	39	28	34	37	24	9	1	9
	Ill-defined.....	238	50	39	9	4	3	5	12	11	16	15	16	21	20	12	4	5	1
	Not specified or unknown.....	367	156	26	7	4	6	11	18	20	18	24	12	13	17	12	5	1	8

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Detail: Irrag	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
MAINE.																			
	All causes.....	14,499	1,700	357	151	112	70	297	801	1,525	1,497	988	1,204	1,907	2,242	1,381	208	6	53
	I.—General diseases.....	5,055	285	173	73	55	38	155	452	914	897	466	483	554	380	145	15	20
1	Typhoid fever.....	58	1	2	13	13	12	6	5	4	2
4	Malaria.....	2	1	1
6	Measles.....	99	29	25	7	3	5	7	6	3	3	5	4	1	1
7	Scarlet fever.....	12	2	1	2	3	2	1	1
8	Whooping cough.....	59	29	12	4	6	5	2	1	1
9	Diphtheria and croup.....	61	7	11	3	7	5	14	4	4	2	2	2	1
10	Influenza.....	2,513	162	97	43	31	18	90	290	625	620	190	91	113	81	39	8	15
13	Cholera nostras.....	4	1	1	2
14	Dysentery.....	29	2	3	2	1	2	8	1	3	1	1	1	1	5
18	Erysipelas.....	26	5	1	1	1	1	3	1	4	7	2
19	Other epidemic diseases.....	3	2	1	1	3	1	4	1	1	1	1	1	1
20	Purulent infection and septicemia.....	14	2	1	3	1	4	2	1
22	Anthrax.....	1	1
24	Tetanus.....	3	2	1
25	Mycosos.....	1	1	2	3	5	3	2
26	Pellagra.....	16	1	2	3	5	3	2
28	Tuberculosis (total).....	923	22	20	8	6	6	19	105	228	180	111	99	72	36	7	4	2
29	Tuberculosis of the lungs.....	721	4	1	1	3	4	78	193	156	94	90	59	30	6	1	1
30	Acute military tuberculosis.....	26	1	1	2	1	7	7	5	1	1	1	1	1	1	1	1
31	Tuberculous meningitis.....	80	15	19	7	4	2	12	8	6	1	2	1	1	1	1	1	1	1
32	Abdominal tuberculosis.....	53	1	1	1	1	11	12	8	6	3	7	4	3	7	4	4	4	4
33	Pott's disease.....	5	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
34	White swellings.....	3	1	2	4	7	2	3	1	1	1	1	1	1	1	1	1
35	Tuberculosis of other organs.....	23	1	3	4	7	2	3	1	1	1	1	1	1	1	1	1
36	Disseminated tuberculosis.....	12	2	1	2	2	2	1	1	1	1	3	1	1	1	1	1
37	Rickets.....	5	5	1	2	10	11	11	7	1
	Syphilis.....	57	14	1	2	10	11	11	7	1
	Cancer and other malignant tumors (total).....	841	1	4	8	41	93	147	272	192	75	7	1	1	1
39	Of the buccal cavity.....	35	1	1	1	1	1	1	3	14	10	5
40	Of the stomach, liver.....	289	1	1	1	1	8	26	51	102	79	20	1
41	Of the peritoneum, intestines, rectum.....	145	1	1	1	1	4	10	23	45	42	17	3
42	Of the female genital organs.....	140	1	5	19	33	31	39	9	3	1	1	1	1	1	1	1
43	Of the breast.....	81	1	6	7	19	19	29	11	9	1	1	1	1	1	1	1
44	Of the skin.....	26	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
45	Of other organs or of organs not specified.....	125	1	1	1	4	15	19	32	37	15	1	1	1	1	1	1
46	Other tumors (tumors of the female genital organs excepted).....	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
47	Acute articular rheumatism.....	28	1	2	7	2	2	2	2	4	4	2	2	2	2	2	2	2
48	Chronic rheumatism and gout.....	13	1	5	19	33	31	39	9	3	1	1	1	1	1	1	1
49	Scurvy.....	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
50	Diabetes.....	167	1	6	11	8	7	19	36	42	30	7
51	Exophthalmic goiter.....	7	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1
52	Addison's disease.....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
53	Leukemia.....	15	1	1	1	1	2	3	2	4	3	1	1	1	1	1	1	1
54	Anemia, chlorosis.....	52	2	1	2	1	1	1	1	4	5	6	9	10	10	2	2	2	2
55	Other general diseases.....	9	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
56	Alcoholism (acute or chronic).....	17	1	1	1	1	1	1	3	6	4	2	2	1	1	1	1	1
57	Chronic lead poisoning.....	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
58	Other chronic occupation poisonings.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
59	Other chronic poisonings.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	II.—Diseases of the nervous system and of the organs of special sense.....	1,393	55	12	7	4	2	15	33	22	41	79	157	285	390	269	20	2
60	Encephalitis.....	6	1	1	1	2	1	8	15	6	8	1	2	1	3	1	1	1
61	Meningitis (total).....	82	24	6	4	1	1	8	5	8	3	1	4	1	3	3	3	3	3
	Simple meningitis.....	50	18	3	3	1	1	1	2	4	1	4	1	3	1	3	3	3	3
	Cerebrospinal meningitis (undefined).....	19	3	2	1	1	1	1	3	2	1	1	1	1	1	1	1	1	1
	Cerebrospinal fever.....	13	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
62	Locomotor ataxia.....	25	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
63	Other diseases of the spinal cord (total).....	56	1	1	1	1	1	4	1	1	3	6	3	17	13	7	1	1	1
	Acute anterior poliomyelitis.....	7	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1
	Other diseases of the spinal cord ¹	49	1	1	1	1	1	1	2	6	3	17	13	7	1	1	1	1	1
64	Cerebral hemorrhage, apoplexy.....	938	7	1	1	1	1	1	2	10	39	105	213	314	227	17	2	2	2
65	Softening of the brain.....	14	1	1	1	1	1	1	1	1	1	3	4	3	2	2	2	2
66	Paralysis without specified cause.....	76	1	2	1	1	1	1	1	1	3	3	8	8	31	19	1	1	1
67	General paralysis of the insane.....	57	1	1	1	1	1	1	4	16	13	15	3	3	1	1	1	1
68	Other forms of mental alienation.....	25	1	1	1	1	1	1	3	2	6	6	5	2	2	2	2	2
69	Epilepsy.....	42	1	1	1	1	2	4	9	9	2	5	1	1	5	1	1	1	1
70	Convulsions (nonpuerperal).....	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
71	Convulsions of infants.....	21	17	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
72	Neuralgia and neuritis.....	7	1	1	1	1	1	2	3	1	4	4	7	6	1	1	1	1
73	Other diseases of the nervous system.....	29	1	1	1	1	1	1	2	3	1	4	4	7	6	1	1	1	1
74	Diseases of the eyes and their annexa.....	1	1	1	1	1	2	5	1	1	1	1	1	1	1	1	1	1
75	Diseases of the ears.....	10	2	1	1	1	1	2	5	1	1	1	1	1	1	1	1	1	1

CAUSES OF DEATH, BY AGE.

337

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
MAINE—Continued.																		
III.—Diseases of the circulatory system.....	1,982	13	2	1	5	19	30	45	95	188	453	692	386	47	2	4
77 Pericarditis.....	6						1	4	4	10	8	1	1			2		
78 Acute endocarditis.....	44	3	1				1	4	4	10	8	4	5	3				
79 Organic diseases of the heart.....	1,453	6	1		1		4	17	23	40	73	149	347	499	266	23	2	2
80 Angina pectoris.....	119									2	12	38	49	15		3		
81 Diseases of the arteries, atherosclerosis, aneurism, etc.....	307																	
82 Embolism and thrombosis.....	36	2							2	1	4	10	49	128	96	18		2
83 Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	6										3	5	9	9	5			
84 Diseases of the lymphatic system (lymphangitis, etc.).....	6										1	1	3			1		
85 Hemorrhage; other diseases of the circulatory system.....	2	1											1					
IV.—Diseases of the respiratory system.....	2,130	257	90	41	20	13	46	133	329	297	122	136	200	239	168	31		8
86 Diseases of the nasal fossae.....	3	2														1	1	
87 Diseases of the larynx.....	7	1			1	1					1					1	1	
88 Diseases of the thyroid body.....	1																	
89 Acute bronchitis.....	90	27	9	4		1	2	3		1	3	1	4	12	16	8		
90 Chronic bronchitis.....	59	2	1					1	1		3	2	7	21	15	1		
91 Bronchopneumonia.....	407	126	40	16	6	3	7	12	13	13	16	20	34	46	49	5		1
92 Pneumonia (total).....	1,492	96	39	20	12	8	37	115	310	275	89	104	144	147	76	14		6
Lobar pneumonia.....	1,059	48	24	8	7	4	28	92	228	212	68	88	105	96	41	8		2
Pneumonia (undefined).....	433	48	15	12	5	4	9	23	82	63	21	16	39	51	35	6		4
93 Pleurisy.....	13	1	1					1		2	1	3	2	1				1
94 Pulmonary congestion, pulmonary apoplexy.....	26	2				1	1				3	2	2	6	6	2		
95 Gangrene of the lung.....	3										1	2						
96 Asthma.....	16										1	1	3	4	3	3	1	
97 Pulmonary emphysema.....	1																	
98 Other diseases of the respiratory system (tuberculosis excepted).....	12										3	3	3	2	1			
V.—Diseases of the digestive system.....	902	314	49	17	17	11	28	44	32	44	49	71	81	90	42	10		3
99 Diseases of the mouth and annexa.....	8	2						3	3	2	1	1	1	2				
100 Diseases of the pharynx.....	14	3											1	1		1		
102 Ulcer of the stomach.....	19										2	4	4	4	2	2		1
103 Other diseases of the stomach (cancer excepted).....	97	27	3	1	1		4	2	1	2	5	3	17	20	6	4		1
104 Diarrhea and enteritis (under 2 years).....	306	264	42			11	18	11	5	1	8	6	4	10	8	16	8	
105 Diarrhea and enteritis (2 years and over).....	97	1	1	1				11		32	14	14	11	14	8	5	2	
107 Intestinal parasites.....	3				2	1			11	1	6	3	11	15	17	20	14	3
108 Appendicitis and typhlitis.....	116											3	9	7	8	1		
109 Hernia, intestinal obstruction (total).....	101	9	1	1								8	6	10	12	13	3	
Hernia.....	30	2										3	6	6	10	12	13	
110 Intestinal obstruction.....	71	7	1	1				1	6	3	3	8	6	10	12	13	3	
111 Other diseases of the intestines.....	24	5		1	1			2	2		2	4	3	3	3	1		
112 Acute yellow atrophy of the liver.....	5	1									1	1	1	1		1		
113 Cirrhosis of the liver.....	33										3	3	8	8	10	1		
114 Biliary calculi.....	23										3	3	7	5	3	2		
115 Other diseases of the liver.....	37	2									1	2	4	3	8	3	2	
116 Diseases of the spleen.....	2							1				1						
117 Simple peritonitis (nonpuerperal).....	12							2	1	1	1		1	1	2	2		
118 Other diseases of the digestive system (cancer and tuberculosis excepted).....	5										1	1	2	1				
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	963	5	3	1	2		3	3	29	49	78	134	227	287	122	14	1	5
119 Acute nephritis.....	56	1	1	2			2	2	8	8	7	8	6	10	5		1	
120 Bright's disease.....	771	2	2	1			1	1	19	28	47	115	192	245	101	13	1	3
122 Other diseases of the kidneys and annexa.....	16	1							2	1	1	4	3	3				
123 Calculi of the urinary passages.....	8										1	1	2	2	1			
124 Diseases of the bladder.....	24											1	1	7	11	4	1	
125 Diseases of the urethra, urinary abscess, etc.....	1																	
126 Diseases of the prostate.....	37													13	13	10		
127 Nonvenereal diseases of the male genital organs.....	1																	
129 Uterine tumor (nononcancerous).....	21										2	11	2	3	3			
130 Other diseases of the uterus.....	10										2	5	2	1				
131 Cysts and other tumors of the ovary.....	5										1	2		2				
132 Salpingitis and other diseases of the female genital organs.....	13										3	6	4					
VII.—The puerperal state.....	144							18	72	47	12							
134 Accidents of pregnancy.....	26							2	18	6								
135 Puerperal hemorrhage.....	8							1	3	4								
136 Other accidents of labor.....	39							3	14	17	5							
137 Puerperal septicemias.....	21							4	10	6	1							
138 Puerperal albuminuria and convulsions.....	39							2	23	10	3							
139 Puerperal phlegmonia alba dolens, embolus, sudden death.....	8							4	2	2								
140 Following childbirth (not otherwise defined).....	3									2	1							

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.			
MAINE—Continued.																				
	VIII.—Diseases of the skin and of the cellular tissue.....	45	3												1	8		12	18	3
142	Gangrene.....	31													1	3		10	15	3
143	Furuncle.....	4													1					
144	Acute abscess.....	4													1					
145	Other diseases of the skin and annexa.....	6	1												1	1	3			
	IX.—Diseases of the bones and of the organs of locomotion.....	13	2	1						1	3				1	1	4			
146	Diseases of the bones (tuberculosis excepted).....	12	2	1						1	2				1	1	4			
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	1									1									
	X.—Malformations.....	96	88	3	2					2	1									
150	Congenital malformations (stillbirths not included) (total).....	96	88	3	2					2	1									
	Hydrocephalus.....	7	6	1																
	Congenital malformations of the heart.....	64	58	1	2					2	1									
	Other congenital malformations.....	25	24	1																
	XI.—Early infancy.....	613																		
151	Congenital debility, icterus, and sclerema (total).....	509	509																	
	Premature birth.....	336																		
	Congenital debility, "atrophy," "marasmus," etc.....	173	173																	
152	Other causes peculiar to early infancy (total).....	104	104																	
	Injuries at birth.....	55																		
	Other causes peculiar to early infancy.....	49	49																	
	XII.—Old age.....	295													1	7	66	164	55	2
154	Senility.....	295													1	7	66	164	55	2
	XIII.—External causes.....	699	17	13	9	13	6	43	98	88	70	77	60	70	62	50	13	1	.9	
	Suicide (total).....	107								8	16	18	20	12	16	12	2	1	2	
155	By poison.....	10							1	3	2	1	1		2					
156	By asphyxia.....	3								1										
157	By hanging or strangulation.....	28							3	3	2	3	5	3	6	2			1	
158	By drowning.....	10							2	1	5	10	3	9	2	1				
159	By firearms.....	39							1		3	2	3	2	1					
160	By cutting or piercing instruments.....	13								3	2									
161	By jumping from high places.....	2										1								
162	By crushing.....	1																		
163	Other suicides.....	1																		
	Accidental or undefined (total).....	582	15	13	9	13	6	43	89	70	50	56	46	54	50	48	12	1	7	
164	Poisoning by food.....	10	2					2	1		1	1	1	1	2	1				
165	Other acute poisonings.....	9	1	1	1				1		1	1	1	1						
166	Conflagration.....	22	3	1	1	1	2	3	2	1	1	3	1	2					1	
167	Burns (conflagration excepted).....	47	2	5	4	4	1	5	2	4	6	3	1	3	3	4				
168	Absorption of deleterious gases (conflagration excepted).....	15	6					1	2	1	2									
169	Accidental drowning.....	100	2	2	1	16	36	21	1	9	5	2	2	2	1				2	
170	Traumatism by firearms.....	16	1					8		5		1								
171	Traumatism by cutting or piercing instruments.....																			
172	Traumatism by fall.....	5																		
173	Traumatism in mines and quarries (total).....	101	1	1			2	1	3	3	4	4	8	18	13	32	10	1		
	Traumatism in mines.....	3																		
	Traumatism in quarries.....	2																		
174	Traumatism by machines.....	31							2	3	6	5	5	1	5	2	1			
175	Traumatism by other crushing (total).....	134	1	1					11	22	23	13	19	14	16	9	3		2	
	Railroad accidents and injuries.....	63	2						10	13	8	8	8	9	4					
	Street-car accidents and injuries.....	4							1				1							
	Automobile accidents and injuries.....																			
	Injuries by other vehicles.....	41	1						6	8	8	3	7	2	3	2	1			
	Landslide, other crushing.....	8							2	3	1	1	2	1	3	1	2			
176	Injuries by animals.....	8								1					1					
177	Excessive cold.....	4													1	1	1			
178	Effects of heat.....	3																		
179	Lightning.....	7							1		1	1	2	1						
180	Electricity (lightning excepted).....	6							3	1	1	1								
181	Fractures (cause not specified).....	13								1										
182	Other external violence.....	48	1	2		4		1	4	5	3	5	7	7	6	4	1		1	
183	Homicide (total).....	10	2						1	2	2	1	2							
184	By firearms.....	6							1	1	2		2							
	By other means.....	4	2							1		1		1						
	XIV.—Ill-defined diseases.....	169	48	11	1				2	3	5	7	9	15	20	20	17		2	
185	Ill-defined organic disease.....	7										1	2	1	2	1	1			
186	Sudden death.....	23	3							1	2		3	3	2	2	1			
187	Not specified or ill-defined (total).....	139	45	11	1				1	3	3	7	8	10	20	16	13		1	
	Ill-defined.....	54	5	8	1				1	3	2	2	2	7	14	8	4			
	Not specified or unknown.....	85	40	3	1					3	1	5	6	3	6	8	9			

* Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

339

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF--														Deaths at un-known age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.

MARYLAND (TOTAL).

	All causes.....	32,134	4,790	1,439	638	351	283	822	1,995	4,192	3,815	2,738	2,993	3,221	3,107	1,428	196	14	112
	I.—General diseases.....	10,472	661	513	307	174	152	416	1,063	2,121	1,774	1,049	896	723	459	123	8	2	31
1	Typhoid fever.....	238	1	3	2	4	2	22	82	51	27	21	8	9	4	1	1
2	Typhus fever.....	1						1								1	2		
3	Malaria.....	6															1	1	
4	Measles.....	138	32	39	24	9	8	13	8	4	1	2							
5	Scarlet fever.....	20	2	1	4	3	1	5	1	2	1								
6	Whooping cough.....	464	191	121	60	30	17	39	6										
7	Diphtheria and croup.....	135	16	19	18	21	15	28	12	2	2	1							
8	Influenza.....	4,437	268	260	161	81	80	219	515	1,194	973	286	173	105	1	79	24	3	15
9	Cholera nostras.....	6	1	1												2	2		
10	Dysentery.....	47	13	6		2		1	1	3	2	2	5	3	6	2	1		
11	Erysipelas.....	29	4	1												2	4	4	
12	Other epidemic diseases.....	6	2		1	1		1								1			
13	Purulent infection and septicemia.....	22	4													4	3	1	
14	Tetanus.....	33	7						5	7	4	2	4	1	2				
15	Pellagra.....	18	1							1	3	2	5	3	2				1
16	Tuberculosis (total).....	2,927	48	46	31	18	26	65	365	762	625	407	282	172	60	11	1	8	
17	Tuberculosis of the lungs.....	2,553	16	20	12	6	9	34	312	687	585	377	258	162	57	10	1	1	
18	Acute miliary tuberculosis.....	106	4	7	3	1	4	9	20	27	15	11	5						
19	Tuberculous meningitis.....	108	21	15	9	5	12	15	9	11	4	2	3			1	1		
20	Abdominal tuberculosis.....	74	6		3	2		3	12	19	8	8	4						
21	Pott's disease.....	18		1		3	1	1	3	2	1	2	1	3					
22	White swellings.....	15		1				1	4	1	3	1	1	2					
23	Tuberculosis of other organs.....	24	1	1	1	1		2	2	6	3	2	5						
24	Disseminated tuberculosis.....	29		1	3				3	9	6	4	1	1					
25	Rickets.....	24	16	5	1				1	1									
26	Syphilis.....	174	34	6	1				1	5	23	20	36	28	14	4			2
27	Gonococcus infection.....	27	1						1	4	8	4	8	1					
28	Cancer and other malignant tumors (total).....	1,197	2	1	1	2			5	12	22	63	205	281	303	232	62	3	3
29	Of the buccal cavity.....	46			1				2	1		1	7	11	16	5	2		
30	Of the stomach, liver, etc.....	474							1		1	17	71	113	131	103	33	1	3
31	Of the peritoneum, intestines, rectum.....	152								5	11	19	43	38	28	8			
32	Of the female genital organs.....	174								5	18	57	46	26	22				
33	Of the breast.....	114								8	34	22	30	18	2				
34	Of the skin.....	36							1			1	10	14	8	2			
35	Of other organs or of organs not specified.....	201	2	1	1	1		2	10	11	8	17	45	52	42	9			
36	Other tumors (tumors of the female genital organs excepted).....	2										1				1			
37	Acute articular rheumatism.....	61			1	1			5	15	7	4	9	5	7	5	2		
38	Chronic rheumatism and gout.....	22							1		1	1				7	2		
39	Scurvy.....	5	2						1	3	11	18	11	30	53	69	30	8	
40	Diabetes.....	236	1						1	3	11	18	11	30	53	69	30	8	
41	Exophthalmic goiter.....	26								3	5	7	6	4	1				
42	Addison's disease.....	4								2		3	3	1	1				
43	Leukemia.....	53								2		3	3	4	4	2			
44	Anæmia, chlorosis.....	21								1		1	1	1	1				
45	Other general diseases.....	59	3	1	1	1		1		3	1	3	6	15	9	11	4		
46	Alcoholism (acute or chronic).....	28	15	1					1		1	3	6	3	3	1			
47	Chronic lead poisoning.....	51									3	18	8	15	5	2			
48	Other chronic occupation poisonings.....	4									1		1						
49	Other chronic poisonings.....	2										1				1			
50	II.—Diseases of the nervous system and of the organs of special sense.....	2,508	118	38	19	15	10	41	54	72	104	213	381	558	566	272	37	1	9
51	Encephalitis.....	12	2	1					1	1	2	2	3						
52	Meningitis (total).....	162	41	18	12	10	5	16	21	15	8	7	4	4	2				
53	Simple meningitis.....	51	18	6	5	4	1	1	4	3	1	4	2						
54	Cerebrospinal meningitis (undefined).....	23	5	2	2	1		4	3	1	1	1	1	2					
55	Cerebrospinal fever.....	88	18	10	5	5	4	10	14	11	6	2	3	3	10	10	4	1	1
56	Locomotor ataxia.....	34		2		1	2	1	6	5		3	5	10	10	4	1		
57	Other diseases of the spinal cord (total).....	90	3	2	1	2	1	6	5			8	8	19	27	5	3		
58	Acute anterior poliomyelitis.....	18	3	2	1	2		6	1			1	2			2			
59	Other diseases of the spinal cord.....	72						1	4	15	41	133	284	446	426	208	30		
60	Cerebral hemorrhage, apoplexy.....	1,593	2						1	5	15								
61	Softening of the brain.....	21																	
62	Paralysis without specified cause.....	227								1	3	4	3	10	32	47	78	44	3
63	General paralysis of the insane.....	110									8	21	24	18	18	13	7		
64	Other forms of mental alienation.....	15									1	2	3	6	2	1			
65	Epilepsy.....	70	3	1					1	11	15	14	11	8	3				
66	Convulsions (nonpuerperal).....	7							4	1		1				1			
67	Convulsions of infants.....	75	56	14	3	1	1		1										
68	Chorea.....	2														1			
69	Neuralgia and neuritis.....	11								1									
70	Other diseases of the nervous system.....	53	6	1	2	1	6	4	8	5	8	1	2	2	2	2	2	2	
71	Diseases of the ears.....	26	5	1	3			5	2	3	3	3	3	1					

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

CAUSES OF DEATH, BY AGE.

341

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—															Deaths at un-known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
MARYLAND (TOTAL)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue.....	75	14	2	1	3	2	2	3	6	5	17	8	9	2	1
142	Gangrene.....	29	1	1	1	2	10	6	5	2	1
143	Furuncle.....	12	4	2	1	1	2	2
144	Acute abscess.....	15	2	1	1	1	1	2	1	5	1
145	Other diseases of the skin and annexa.....	19	8	1	2	1	2	1	2	3
	IX.—Diseases of the bones and of the organs of locomotion.....	40	6	2	3	2	2	5	3	5	8	3	1
146	Diseases of the bones (tuberculosis excepted).....	33	5	2	3	2	1	5	2	5	6	1	1
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	6	1	1	2	2
149	Other diseases of the organs of locomotion.....	1	1
	X.—Malformations.....	306	280	11	4	1	1	3	4	2
150	Congenital malformations (stillbirths not included) (total).....	306	280	11	4	1	1	3	4	2
	Hydrocephalus.....	24	14	2	2	1	2	2	1
	Congenital malformations of the heart.....	215	203	5	2	1	1	2	1
	Other congenital malformations.....	67	63	4
	XI.—Early infancy.....	1,352	1,352
151	Congenital debility, iuterus, and sole-remia (total).....	1,101	1,101
	Premature birth.....	775	775
	Congenital debility, "atrophy," "marasmus" etc.....	326	326
152	Other causes peculiar to early infancy (total).....	326	326
	Injuries at birth.....	246	246
	Other causes peculiar to early infancy ¹	111	111
153	Lack of care.....	135	135	5	5
	XII.—Old age.....	243	243
154	Senility.....	243	243	3
	XIII.—External causes.....	1,622	47	25	26	32	15	95	161	241	239	223	179	140	110	58	11	20
155	Suicide (total).....	168	5	34	36	33	34	19	5	2
	By poison.....	24	2	6	2	8	5	1
	By asphyxia.....	35	1	6	5	9	7	4	2	1
	By hanging or strangulation.....	23	6	5	5	4	2	1	1
	By drowning.....	6	1	2	1	1	1	1	1	1
	By firearms.....	57	2	12	16	9	9	7	2
	By cutting or piercing instruments.....	12	203	5	2	1	1	2	4	1	3	2
	By jumping from high places.....	5	63	4	1	1	1	1	1	1	1
	Other suicides.....	6	1	4	1	1	1	1	1	1	1	1
164	Accidental or undefined (total).....	1,361	48	25	26	32	15	95	150	178	175	174	137	117	104	58	11	18
	Poisoning by food.....	22	2	2	1	2	3	8	2	2	2	2	1	1	1	1	1
	Other acute poisonings.....	18	1	3	1	1	1	5	3	1	1	1	1	1	1	1	1
	Conflagration.....	12	1	1	1	2	4	2	1	1	1	1	1	1	1
	Burns (conflagration excepted).....	135	2	10	14	20	7	17	9	11	6	7	11	10	7	3	1	1
	Absorption of deleterious gases (conflagration excepted).....	57	12	2	1	1	1	1	2	6	4	9	6	7	2	4	1	3
	Accidental drowning.....	138	1	2	3	1	1	10	28	33	16	16	14	10	10	10	10	10
	Traumatism by firearms.....	27	3	2	12	3	4	2	2	1	1	1	1	1	1
171	Traumatism by cutting or piercing instruments.....	4	1	2	2	1	1	1	1	1	1
172	Traumatism by fall.....	226	5	4	2	1	4	15	14	24	25	28	25	38	33	8
173	Traumatism in mines and quarries (total).....	22	5	4	4	4	6	2	1	1	1	1	1
	Traumatism in mines.....	19	4	3	4	3	5	2	1	1	1	1	1
	Traumatism in quarries.....	3	1	1	1	1	1	1	1	1	1	1	1
174	Traumatism by machines.....	45	1	1	10	12	8	10	10	3	4	1	11
175	Traumatism by other crushing (total).....	444	2	2	2	5	1	47	55	66	74	67	45	35	29	20	11	7
	Railroad accidents and injuries.....	162	1	1	9	20	34	35	30	12	10	8	3	1	2
	Street-car accidents and injuries.....	66	1	7	5	11	9	10	8	8	2	2	1	2
	Automobile accidents and injuries.....	161	1	2	4	1	28	22	23	19	22	15	11	12	1	1	1
	Injuries by other vehicles.....	48	1	1	1	1	1	7	5	4	7	6	5	5	6	5	1	1
	Landslide, other crushing.....	7	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1
176	Injuries by animals.....	7	3	1	1	1	1	1	1	1	1	1	1	1
	Excessive cold.....	25	3	1	2	4	1	3	10	2	2	1	1	1
	Effects of heat.....	75	8	1	2	2	11	14	10	12	3	1	1	1
	Lightning.....	5	1	2	2	2	1	1	1	1	1	1	1	1
181	Electricity (lightning excepted).....	10	1	1	1	1	5	3	1	1	1	1	1	1	1
185	Fractures (cause not specified).....	22	1	1	1	1	7	9	7	11	5	9	2	1	1	2
186	Other external violence.....	67	8	1	1	1	1	4	7	9	7	11	5	9	2	1	1	1
	Homicide (total).....	93	1	1	1	1	1	6	29	16	8	4	1	1	1	1
	By firearms.....	55	1	1	1	1	5	18	20	6	5	1	1	1	1
	By cutting or piercing instruments.....	16	1	1	1	1	4	6	4	4	1	1	1	1	1	1
	By other means.....	23	1	1	1	1	1	7	2	6	2	3	1	1	1	1	1
	XIV.—Ill-defined diseases.....	225	83	25	2	1	2	2	8	7	11	16	13	31	11	5	2
187	Ill-defined organic disease.....	6	2	1	2	1	1	1	1	1
188	Sudden death.....	9	1	1	1	1	1	1	1	1	1	2	1	3	1	1	1	1
189	Not specified or ill-defined (total).....	210	82	24	2	1	1	2	2	8	7	10	12	11	26	11	4	2
	Ill-defined.....	91	9	18	2	1	1	1	1	4	5	7	10	9	17	5	2	1
	Not specified or unknown.....	119	73	6	1	1	1	1	1	4	2	3	2	2	9	6	2	1

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES; BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	deaths.	DEATHS AT AGE OF—														Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
MARYLAND (WHITE).																			
	All causes.....	24,329	3,468	976	410	243	187	556	1,300	3,207	2,915	1,953	2,272	2,669	2,692	1,263	150	4	64
	I.—General diseases.....	7,837	428	347	192	117	101	256	644	1,617	1,409	811	723	644	415	109	8	16	
1	Typhoid fever.....	154	1	2	—	3	2	15	45	30	21	16	6	8	3	—	1	1	
2	Typhus fever.....	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
4	Malaria.....	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	Measles.....	107	29	30	17	8	8	7	3	2	—	—	—	—	—	1	2	—	
7	Scarlet fever.....	18	2	1	3	3	1	4	1	2	1	—	—	—	—	1	—	—	
8	Whooping cough.....	263	117	71	33	15	8	17	2	—	—	—	—	—	—	—	—	—	
9	Diphtheria and croup.....	123	13	17	18	21	15	25	9	2	—	1	1	—	—	—	—	—	
10	Influenza.....	3,531	180	189	102	52	51	145	379	1,023	835	234	189	95	71	23	3	10	
13	Cholera nostras.....	3	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	
14	Dysentery.....	35	8	6	—	2	—	1	—	—	3	2	2	1	3	4	2	1	
18	Erysipelas.....	25	3	1	—	1	—	—	—	1	2	3	4	1	2	4	4	—	
19	Other epidemic diseases.....	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20	Purulent infection and septicemia.....	22	4	—	—	—	—	—	—	5	1	2	2	4	3	1	—	—	
24	Tetanus.....	21	4	—	—	—	—	—	5	5	2	2	2	1	2	—	—	—	
26	Pellagra.....	14	—	—	—	—	—	—	—	1	—	2	5	3	2	—	—	1	
	Tuberculosis (total).....	1,915	30	26	15	8	13	25	150	488	441	307	212	144	46	8	—	2	
28	Tuberculosis of the lungs.....	1,693	5	7	4	4	7	128	447	422	287	195	135	43	7	—	2	2	
29	Acute military tuberculosis.....	52	2	5	1	—	—	4	10	15	8	5	2	—	—	—	—	—	
30	Tuberculous meningitis.....	87	17	13	8	5	8	13	8	7	2	1	3	—	1	1	—	—	
31	Abdominal tuberculosis.....	43	5	—	2	—	—	1	1	11	5	8	5	4	1	—	—	—	
32	Pott's disease.....	11	—	—	—	—	—	—	—	—	1	1	1	3	—	—	—	—	
33	White swellings.....	8	—	—	—	—	—	—	—	2	1	1	1	1	—	—	—	—	
34	Tuberculosis of other organs.....	12	1	—	—	—	—	—	—	1	3	1	2	4	—	—	—	—	
35	Disseminated tuberculosis.....	9	—	—	—	—	—	—	—	3	1	2	1	1	—	—	—	—	
36	Rickets.....	10	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
37	Syphilis.....	67	10	—	—	—	—	—	—	1	—	6	5	19	14	9	3	—	
38	Gonococcus infection.....	10	1	—	—	—	—	—	—	2	2	1	4	—	—	—	—	—	
	Cancer and other malignant tumors (total).....	1,061	2	1	1	1	—	4	10	21	52	163	248	279	218	57	8	1	
39	Of the buccal cavity.....	40	—	—	—	1	—	2	1	—	7	9	13	5	2	—	—	—	
40	Of the stomach, liver.....	420	—	—	—	—	—	—	—	—	11	56	102	121	97	30	1	1	
41	Of the peritoneum, intestines, rectum.....	135	—	—	—	—	—	—	—	5	10	12	38	37	26	7	—	—	
42	Of the female genital organs.....	149	—	—	—	—	—	—	—	4	16	45	41	23	20	—	—	—	
43	Of the breast.....	99	—	—	—	—	—	—	—	8	27	18	27	17	2	—	—	—	
44	Of the skin.....	34	—	—	—	—	—	—	—	1	—	—	1	10	13	7	2	—	
45	Of other organs or of organs not specified.....	184	2	1	1	—	—	—	2	8	11	7	16	39	48	40	9	—	
46	Other tumors (tumors of the female genital organs excepted).....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
47	Acute articular rheumatism.....	36	—	—	—	1	—	4	14	1	3	3	1	5	2	2	1	—	
48	Chronic rheumatism and gout.....	21	—	—	—	—	—	—	—	—	5	3	4	7	—	—	—	—	
49	Scurvy.....	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
50	Diabetes.....	206	—	—	—	—	—	—	—	1	2	8	15	10	24	48	63	29	
51	Exophthalmic goiter.....	23	—	—	—	1	—	2	8	3	5	6	4	4	1	5	—	1	
52	Addison's disease.....	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
53	Leukemia.....	21	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
54	Anemia, chlorosis.....	58	2	1	1	1	—	—	2	2	3	3	4	4	2	—	—	—	
55	Other general diseases.....	21	11	—	1	1	1	—	3	1	3	6	15	9	11	4	—	—	
56	Alcoholism (acute or chronic).....	46	—	—	—	—	—	—	—	2	17	7	13	5	2	—	—	—	
57	Chronic lead poisoning.....	4	—	—	—	—	—	—	—	1	—	1	2	—	—	—	—	—	
58	Other chronic occupation poisonings.....	2	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
59	Other chronic poisonings.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	II.—Diseases of the nervous system and of the organs of special sense.....	1,970	91	28	14	11	6	31	40	52	71	139	272	449	498	240	26	2	
60	Encephalitis.....	7	—	—	—	—	—	1	2	2	2	—	—	—	—	—	—	—	
61	Meningitis (total).....	132	36	14	9	8	4	13	18	9	6	5	4	4	2	2	—	—	
	Simple meningitis.....	40	16	5	5	3	1	3	1	—	—	—	—	—	—	—	—	—	
	Cerebrospinal meningitis (undefined).....	20	4	2	1	1	—	3	3	1	1	1	1	2	—	—	—	—	
62	Cerebral hemorrhage, apoplexy.....	72	16	7	3	4	4	9	12	7	5	2	3	8	4	1	—	—	
63	Locomotor ataxia.....	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other diseases of the spinal cord (total).....	76	3	2	1	1	—	5	4	—	2	6	7	15	26	5	1	—	
	Acute anterior poliomyelitis.....	15	3	2	1	1	—	5	1	—	—	1	1	1	1	1	6	—	
	Other diseases of the spinal cord 1.....	61	—	—	—	—	—	3	—	—	—	5	7	14	26	5	1	—	
64	Cerebral hemorrhage, apoplexy.....	1,259	2	—	—	—	—	1	8	12	25	78	201	361	372	180	23	1	
65	Softening of the brain.....	20	—	—	—	—	—	—	—	—	—	2	4	9	4	1	—	—	
66	Paralysis without specified cause.....	178	—	—	—	—	—	—	1	3	2	5	21	34	68	41	1	—	
67	General paralysis of the insane.....	81	—	—	—	—	—	—	—	—	4	14	17	12	17	11	6	—	
68	Other forms of mental alienation.....	11	—	—	—	—	—	—	—	1	2	2	4	1	1	—	—	—	
69	Epilepsy.....	51	3	1	—	—	—	—	1	8	11	10	10	5	2	—	—	—	
70	Convulsions (nonpuerperal).....	3	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	
71	Convulsions of infants.....	48	36	9	2	1	—	—	—	—	—	—	—	—	—	—	—	—	
72	Chorea.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
73	Neuralgia and neuritis.....	11	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
74	Other diseases of the nervous system.....	45	6	1	—	1	1	5	1	8	5	8	6	2	1	2	1	—	
75	Diseases of the ears.....	19	5	1	2	—	—	2	1	2	3	2	1	—	—	—	—	—	

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

343

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
MARYLAND (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue.....	58	14	2	1	3	2	2	1	4	4	13	4	8	
142	Gangrene.....	14	1	1	6	2	4	
143	Furuncle.....	12	4	2	1	1	1	2	2	
144	Acute abscess.....	13	2	1	1	1	1	1	5	1	
145	Other diseases of the skin and annexa.....	19	8	1	2	1	2	2	3	
	IX.—Diseases of the bones and of the organs of locomotion.....	34	6	2	2	2	2	4	3	5	5	3	
146	Diseases of the bones (tuberculosis excepted).....	29	5	2	2	2	1	4	2	5	5	1	
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	4	1	1	1	2	
149	Other diseases of the organs of locomotion.....	1	
	X.—Malformations.....	243	225	8	3	1	4	2	
150	Congenital malformations (stillbirths not included) (total).....	243	225	8	3	1	4	2	
	Hydrocephalus.....	19	11	2	2	1	2	1	
	Congenital malformations of the heart.....	166	160	2	1	2	1	
	Other congenital malformations.....	58	54	4	
	XI.—Early infancy.....	1,050	1,050	
151	Congenital debility, interus, and sclerema (total).....	850	850	
	Premature birth.....	619	619	
	Congenital debility, "atrophy," "marasmus," etc.....	231	231	
152	Other causes peculiar to early infancy (total).....	198	198	
	Injuries at birth.....	97	97	
153	Other causes peculiar to early infancy ¹	101	101	2	
	Lack of care.....	2	
	XII.—Old age.....	195	5	62	99	25	2	2	
154	Senility.....	195	5	62	99	25	2	2	
	XIII.—External causes.....	1,300	28	20	17	25	14	83	127	190	177	168	156	120	94	55	11	15
	Suicide (total).....	156	5	30	33	33	32	16	5	2	
155	By poison.....	23	2	5	2	8	5	1	1	
156	By asphyxia.....	34	1	5	5	9	7	4	2	1	
157	By hanging or strangulation.....	23	6	5	5	5	4	2	1	1	
158	By drowning.....	6	1	2	1	1	1	1	1	2	1	1	
159	By firearms.....	51	2	10	13	9	9	6	2	1	
160	By cutting or piercing instruments.....	10	2	4	1	3	1	1	1	1	1	1	
161	By jumping from high places.....	5	1	1	1	1	1	1	1	1	1	1	
162	Other suicides.....	4	1	1	1	1	1	1	1	1	1	1	
164	Accidental or undefined (total).....	1,103	27	20	17	25	14	83	119	149	135	127	119	101	88	55	11	13
165	Poisoning by food.....	15	2	2	2	3	1	2	1	2	1	1	1	1	
166	Other acute poisonings.....	10	1	1	1	4	2	1	1	1	1	1	1	1	
167	Confagration.....	6	1	2	2	1	1	1	1	1	1	1	
168	Burns (confagration excepted).....	103	1	10	8	18	6	12	6	8	4	5	9	7	6	3	1	
	Absorption of deleterious gases (confagration excepted).....	44	5	1	1	1	1	1	2	6	3	7	5	7	1	4	1	
169	Accidental drowning.....	108	1	2	2	1	1	9	20	31	12	7	12	9	1	1	1	
170	Traumatism by firearms.....	21	3	1	9	3	2	2	2	1	1	1	1	1	
171	Traumatism by cutting or piercing instruments.....	2	1	1	4	12	13	22	21	24	24	36	32	8	
172	Traumatism by fall.....	204	3	3	1	1	4	12	13	22	21	24	24	36	32	8	
173	Traumatism in mines and quarries (total).....	21	5	4	4	5	2	1	1	1	1	1	
	Traumatism in mines.....	19	4	3	4	5	2	1	1	1	1	1	
	Traumatism in quarries.....	2	1	1	1	1	1	1	1	1	1	1	
174	Traumatism by machines.....	30	1	1	5	8	6	6	3	
175	Traumatism by other crushing (total).....	388	2	2	2	3	45	47	58	61	56	41	30	28	4	9	
	Railroad accidents and injuries.....	141	1	1	8	19	29	31	23	11	10	3	1	5	
	Street-car accidents and injuries.....	54	1	3	3	5	7	8	9	7	7	2	1	2	
	Automobile accidents and injuries.....	141	1	2	2	27	19	20	16	19	14	7	12	1	1	1	
	Injuries by other vehicles.....	46	1	1	1	1	7	5	4	6	5	5	6	5	6	1	
	Landslide, other crushing.....	6	1	1	1	1	1	1	1	2	1	1	1	1	1	
176	Injuries by animals.....	4	1	1	1	1	3	1	2	2	2	1	1	1	1	1	
177	Excessive cold.....	9	1	1	1	1	1	1	5	12	8	10	3	1	1	1	
179	Effects of heat.....	52	5	1	1	1	1	2	1	1	1	1	1	1	1	1	
180	Lightning.....	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
181	Electricity (lightning excepted).....	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
185	Fractures (cause not specified).....	20	5	1	1	1	1	3	7	4	4	9	3	1	8	2	2	2
186	Other external violence.....	52	5	1	1	1	1	1	2	8	7	3	2	2	2	1	1	1
	Homicide (total).....	41	1	1	1	1	1	3	11	9	8	5	3	1	1	1	1	
182	By firearms.....	22	2	8	7	3	2	2	2	2	2	2	
183	By cutting or piercing instruments.....	2	1	3	2	4	2	1	1	1	1	1	1	
184	By other means.....	17	1	1	1	1	1	3	2	4	6	7	13	24	9	3	4
	XIV.—Ill-defined diseases.....	124	39	9	1	1	1	1	3	4	6	7	13	24	9	3	4	4
187	Ill-defined organic disease.....	3	1	1	1	1	1	1	
188	Sudden death.....	5	1	1	1	1	1	1	3	4	6	6	11	22	9	2	4	4
189	Not specified or ill-defined (total).....	118	38	8	1	1	1	1	2	2	2	5	5	9	15	4	1	4
	Ill-defined.....	56	4	7	1	1	1	1	2	2	1	1	1	2	7	5	1	4
	Not specified or unknown.....	60	34	1	1	1	1	1	1	2	1	1	1	2	7	5	1	4

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

345

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No. Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

MARYLAND (COLORED).

All causes.....	7,805	1,322	463	228	108	96	266	695	985	900	785	721	552	415	165	46	10	48
I.—General diseases.....	2,635	233	166	115	57	51	160	419	504	365	238	173	79	44	14	2	15
1 Typhoid fever.....	84	1	2	1	7	37	21	6	5	2	1	1
4 Malaria.....	1	1
6 Measles.....	31	3	9	7	1	6	5
7 Scarlet fever.....	2	1
8 Whooping cough.....	201	74	50	27	16	9	22	4
9 Diphtheria and croup.....	12	3	2	3	3	1
10 Influenza.....	906	88	71	59	29	20	74	136	171	138	52	34	10	8	1	1	5
13 Cholera nostras.....	3	1	1
14 Dysentery.....	12	5	1	4	1
18 Erysipelas.....	4	1	1	1	1
19 Other epidemic diseases.....	2	1	1
24 Tetanus.....	12	3	2	2	4	1
26 Pellagra.....	4	1	3
Tuberculosis (total).....	1,012	18	20	16	10	13	40	215	274	184	100	70	28	14	3	1	6
28 Tuberculosis of the lungs.....	860	11	13	8	6	5	27	184	240	163	90	63	27	14	3	1	5
29 Acute miliary tuberculosis.....	54	2	2	2	1	4	5	10	12	7	6	3
30 Tuberculous meningitis.....	21	4	2	1	4	2	1	1	4	2	1
31 Abdominal tuberculosis.....	31	1	1	2	2	11	3	3	3
32 Pott's disease.....	7	1	1	3	1	1
33 White swellings.....	7	1	1	2	2	1
34 Tuberculosis of other organs.....	12	1	1	1	2	1	3	2	1
35 Disseminated tuberculosis.....	20	3	3	6	5	2	1
36 Rickets.....	14	7	4	1	1	1
37 Syphilis.....	107	24	6	1	5	17	15	17	14	5	1	2
38 Gonococcus infection.....	17	1	2	6	3	4	1
Cancer and other malignant tumors (total).....	136	1	1	2	1	11	42	33	24	14	5	2
39 Of the buccal cavity.....	6	1	2	3
40 Of the stomach, liver.....	54	1	6	15	11	10	6	3	2
41 Of the peritoneum, intestines, rectum.....	17	1	2	12	5	3	2	1
42 Of the female genital organs.....	25	1	7	5	1	2	1
43 Of the breast.....	15	7	4	3	1
44 Of the skin.....	2	1	1
45 Of other organs or of organs not specified.....	17	1	2	1	1	6	4	2
46 Other tumors (tumors of the female genital organs excepted).....	1	1
47 Acute articular rheumatism.....	25	1	1	1	6	1	6	4	2	3	1
48 Chronic rheumatism and gout.....	1
49 Scurvy.....	2	1
50 Diabetes.....	30	1	1	3	3	1	6	5	6	1	3
51 Exophthalmic goiter.....	3	1	2
54 Anemia, chlorosis.....	1	1
55 Other general diseases.....	7	4	1	2
56 Alcoholism (acute or chronic).....	5	1	1	1	2
II.—Diseases of the nervous system and of the organs of special sense.....	538	27	10	5	4	4	10	14	20	33	74	109	109	68	32	11	1	7
60 Encephalitis.....	5	2	1	1	1
61 Meningitis (total).....	30	5	4	3	2	1	2	3	6	2	2
62 Simple meningitis.....	11	2	1	1	1	1	2	1	2
63 Cerebrospinal meningitis (undefined).....	3	1	1	1
64 Cerebrospinal fever.....	16	2	3	2	1	1	2	4	1	3	2
65 Locomotor ataxia.....	6
66 Other diseases of the spinal cord (total).....	14	1	1	1	1	1	2	1	4	1	2
67 Acute anterior poliomyelitis.....	3	1	1	2	1	1
68 Other diseases of the spinal cord ¹	11	1	1	2	1	3	1	2
Epilepsy.....	334	2	3	16	55	83	85	53	28	7	2
69 Softening of the brain.....	1	2	1	5	11	13	10	3	2
70 Paralysis without specified cause.....	49	4	7	7	6	1	2	1	1
71 General paralysis of the insane.....	29	1	2	1
72 Other forms of mental alienation.....	4	1	2	1
73 Epilepsy.....	19	2	1	1	3	1	3
74 Convulsions (nonpuerperal).....	4	2	1
75 Convulsions of infants.....	27	20	5	1
76 Chorea.....	1
77 Other diseases of the nervous system.....	8	1	3	2	1
Diseases of the ears.....	7	1	3	1	1	1

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at un- known age.

MARYLAND (COLORED)—Continued.

CAUSES OF DEATH, BY AGE.

347

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—																	Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.		

MARYLAND (COLORED)—Continued.

142	Gangrene.....	15									1	1	1	4	4	1	2		1	
144	Acute abscess.....	2									1	1								
	IX.—Diseases of the bones and of the organs of locomotion.....	6			1				1			3			1					
146	Diseases of the bones (tuberculosis excepted).....	4			1				1			1								
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	2										2								
	X.—Malformations.....	63	55	3	1		1	3												
150	Congenital malformations (stillbirths not included) (total).....	63	55	3	1		1	3												
	Hydrocephalus.....	5	3					2												
	Congenital malformations of the heart.....	49	43	3	1		1	1												
	Other congenital malformations.....	9	9																	
	XI.—Early infancy.....	302	302																	
151	Congenital debility, icterus, and sclerema (total).....	251	251																	
	Premature birth.....	156	156																	
	Congenital debility, "atrophy," "marasmus," etc.....	95	95																	
152	Other causes peculiar to early infancy (total).....	48	48																	
	Injuries at birth.....	14	14																	
	Other causes peculiar to early infancy ¹	34	34																	
153	Lack of care.....	3	3																	
	XII.—Old age.....	48														4	16	20	5	2
154	Senility.....	48														4	16	20	5	2
	XIII.—External causes.....	322	19	5	9	7	1	12	34	51	62	55	23	20	16	3				5
	Suicide (total).....	12								4	3		2	3						
155	By poison.....	1								1										
156	By asphyxia.....	1								1										
159	By firearms.....	6								2	3			1						
160	By cutting or piercing instruments.....	2											2							
163	Other suicides.....	2																		
164	Accidental or undefined (total).....	258	19	5	9	7	1	12	31	29	40	47	18	16	16	3				5
	Poisoning by food.....	7					1			2		1		2	1					
165	Other acute poisonings.....	8	1	2	1	1				1	1			1						
166	Conflagration.....	6		1		1		2					1		1					
167	Burns (conflagration excepted).....	32	1		6	2	1	5	3	3	2	2	2	3	1					
168	Absorption of deleterious gases (conflagration excepted).....	13	7	1					1	8	2	1	2	1	1	1				
169	Accidental drowning.....	30			1				1	3	2	4	9	2	1					2
170	Traumatism by firearms.....	6							1		2									
171	Traumatism by cutting or piercing instruments.....	2										2								
172	Traumatism by fall.....	22	2	1	1				3	1	2	4	4	1	2	1				
173	Traumatism in mines and quarries (total).....	1											1							
	Traumatism in quarries.....	1											1							
174	Traumatism by machines.....	15								5	4	2	4							
175	Traumatism by other crushing (total).....	56				2		2	8	8	13	11	4	5	1					2
	Railroad accidents and injuries.....	21					1	1	5	4	7	1								
	Street-car accidents and injuries.....	12						4		4	1	1	1							
	Automobile accidents and injuries.....	20				2		1	3	3	3	1	1	4						
	Injuries by other vehicles.....	2								1		1		1						
	Landalide, other crushing.....	1									1									
176	Injuries by animals.....	3							1	1		1								
178	Excessive cold.....	16	2								1			1						
179	Effects of heat.....	23	3							2	6	6	2	2	2					
180	Lightning.....	1								1										
185	Fractures (cause not specified).....	2										2								
186	Other external violence.....	15	3					1		5	3	2	1							
187	Homicide (total).....	52							3	18	19	8	3	1						
188	By firearms.....	33							3	10	13	3	3	1						
189	By cutting or piercing instruments.....	13								4	6	3								
184	By other means.....	6								4		2								
	XIV.—Ill-defined diseases.....	101	44	16	1			2	1	5	3	5	9		7	2	2	2	2	
	Ill-defined organic disease.....	3											2			1				
	Sudden death.....	4										1	1		2					
	Not specified or ill-defined (total).....	94	44	16	1			2	1	5	3	4	6		4	2	2	2	2	
	Ill-defined.....	35	5	11	1			1	1	2	3	2	5		2	1	1	1	1	
	Not specified or unknown.....	59	39	5				1	1	3		2	1		2	1	1	1	1	

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
MASSACHUSETTS.																			
	All causes.....	77,248	10,780	2,983	1,274	845	631	1,719	3,360	9,588	10,197	7,245	7,261	8,483	8,016	4,122	694	21	29
	I.—General diseases.....	26,955	1,546	1,276	656	476	341	873	1,689	5,210	5,209	3,103	2,539	2,156	1,374	443	56	8
1	Typhoid fever.....	153	1	3	1	5	28	37	43	19	13	2	1
2	Typhus fever.....	1	1	1	1	1
4	Malaria.....	5	1	1	1	1	1
5	Smallpox.....	1	1
6	Measles.....	508	134	208	60	35	20	25	8	1	4	2	1	1	1	1	1	1	1
7	Scarlet fever.....	73	3	10	8	4	16	16	7	5	1	2	1	1	1
8	Whooping cough.....	690	306	200	74	40	31	34	1	2	1	1	1
9	Diphtheria and croup.....	590	48	73	75	83	52	178	53	12	8	4	4
10	Influenza.....	12,494	604	583	331	220	157	451	969	3,461	3,391	1,146	530	345	212	71	17	6	
13	Cholera nostras.....	10	2	2	1	2	1	1	1	1	1	1	1	1
14	Dysentery.....	74	16	9	5	2	1	4	2	2	6	9	9	6	1	1	1	1
18	Erysipelas.....	150	61	4	1	1	3	4	11	13	17	17	14	6	2	1	2
19	Other epidemic diseases.....	23	11	6	1	2	6	6	4	9	4	4	1	1	1	1
20	Purulent infection and septicemia.....	57	14	1	1	1	2	9	3	3	1	1	1	1	1
22	Anthrax.....	5	1	1	1	2	2	1	1	2	1	1	1	1
24	Tetanus.....	36	7	1	1	2	9	3	3	1	4	1	2	1	2	1	1
25	Mycoses.....	2	1	1	1	1	1	1	1
26	Pellagra.....	21	1	1	2	9	3	3	1	1	1	1	1	1	1
	Tuberculosis (total).....	5,970	155	149	69	73	35	104	515	1,504	1,366	974	589	300	109	24	2	2	2
	Tuberculosis of the lungs.....	5,020	46	44	8	15	5	32	421	1,379	1,261	892	533	270	90	22	1	1	1
29	Acute miliary tuberculosis.....	164	9	8	6	5	1	3	24	41	29	18	9	5	5
30	Tuberculous meningitis.....	417	82	75	47	43	20	52	34	27	17	11	7	2	1	1	1	1	1
31	Abdominal tuberculosis.....	181	11	16	4	5	6	10	19	33	19	28	16	10	4	4	4	4	4
32	Pott's disease.....	51	1	1	3	3	3	6	8	6	7	6	3	3	4	4	4	4
33	White swellings.....	31	1	1	1	1	6	1	4	4	7	4	1	1	1	1	1
34	Tuberculosis of other organs.....	72	6	2	1	2	3	12	18	8	9	5	3	2	1	1	1	1
35	Disseminated tuberculosis.....	34	1	2	1	1	1	2	3	12	6	2	1	2	1	1	1	1
36	Rickets.....	36	15	11	4	1	1	2	2	1	1	1	1	1
37	Syphilis.....	289	77	4	3	2	1	4	8	16	41	57	50	21	4	1	1	1	1
38	Gonococcus infection.....	8	2	1	1	2	2	2	1	1	1	1	1	1
	Cancer and other malignant tumors (total).....	4,100	3	4	6	4	9	5	14	56	178	626	981	1,095	807	280	32	32	32
39	Of the buccal cavity.....	149	1	4	23	35	43	33	8	2	1	1	1
40	Of the stomach, liver.....	1,337	1	1	2	1	8	35	180	347	383	299	76	4	4	4	4
41	Of the peritoneum, intestines, rectum.....	799	1	1	1	3	7	31	101	173	236	169	70	7	7	7	7
42	Of the female genital organs.....	587	1	1	1	10	57	147	164	122	61	21	2	2	2	2
43	Of the breast.....	430	1	1	2	20	87	102	109	71	36	3	3	3	3
44	Of the skin.....	114	1	1	1	1	8	15	28	30	22	8	8	8	8
45	Of other organs or of organs not specified.....	684	2	2	4	2	7	3	10	28	30	80	145	174	144	47	6	6	6
46	Other tumors (tumors of the female genital organs excepted).....	8	1	1	1	1	2	1	2	1	1	1	1
47	Acute articular rheumatism.....	101	2	1	7	6	22	7	10	13	11	10	9	2	1	1	1	1
48	Chronic rheumatism and gout.....	41	1	5	2	2	12	14	8	8	8	8	8	8
49	Scurvy.....	3	2	4	4	10	42	46	42	88	162	217	133	34	1	1	1	1
50	Diabetes.....	787	2	2	4	4	10	42	46	42	88	162	217	133	34	1	1	1	1
51	Exophthalmic goiter.....	36	1	4	4	1	8	5	8	6	6	6	6	1	1	1	1	1
52	Addison's disease.....	18	1	7	4	1	1	1	6	1	2	3	4	4	4	4	4
53	Leukemia.....	62	4	2	1	2	3	7	9	10	10	9	3	2	2	2	2	2
54	Anemia, chlorosis.....	300	8	3	1	2	1	7	3	13	21	53	83	70	31	4	4	4	4
55	Other general diseases.....	103	73	3	2	3	2	5	1	3	1	2	4	1	2	1	1	1	1
56	Alcoholism (acute or chronic).....	188	9	52	52	45	22	6	6	2	1	1	1	1
57	Chronic lead poisoning.....	7	1	1	3	3	1	1	1	1	1	1	1
59	Other chronic poisonings.....	5	1	2	1	1	1	1	1	1	1	1
	II.—Diseases of the nervous system and of the organs of special sense.....	5,715	235	92	43	35	11	66	108	137	231	461	805	1,300	1,358	723	108	1	1
60	Encephalitis.....	20	5	2	2	1	2	1	2	3	2
61	Meningitis (total).....	342	100	50	25	18	7	33	39	27	15	11	11	5	1	1	1	1	1
	Simple meningitis.....	111	41	18	9	7	2	8	7	3	4	5	4	3	1	1	1	1	1
	Cerebrospinal meningitis (undefined).....	95	25	19	7	4	1	9	15	8	2	3	1	1	1	1	1	1	1
62	Cerebral hemorrhage, apoplexy.....	136	34	13	9	7	4	16	17	16	9	3	6	2	2	1	1	1	1
63	Locomotor ataxia.....	109	1	1	1	1	1	1	2	6	11	34	18	5	5	5	5	5
	Other diseases of the spinal cord (total).....	240	9	7	5	4	1	7	8	17	15	31	22	53	43	12	12	12	12
	Acute anterior poliomyelitis.....	38	7	6	5	3	1	5	3	5	5	1	1	1	1	1	1	1	1
	Other diseases of the spinal cord i.....	202	2	1	1	1	2	5	12	15	30	22	57	43	11	11	1	1	1
64	Cerebral hemorrhage, apoplexy.....	3,942	5	2	2	2	2	2	2	20	57	241	591	1,095	1,179	648	94	1	1
65	Softening of the brain.....	45	1	1	3	3	4	4	5	5	12	19	5	4	4	4	4
66	Paralysis without specified cause.....	146	1	1	3	3	4	4	5	5	15	26	53	29	6	6	6
67	General paralysis of the insane.....	302	2	3	11	9	9	5	2	1	1	1	1	1
68	Other forms of mental alienation.....	33	2	3	11	9	9	5	2	1	1	1	1	1
69	Epilepsy.....	190	3	2	2	1	8	32	36	35	24	19	19	2	2	2	2	2
70	Convulsions (nonpuerperal).....	4	2	1	3	1	1	1	1	1	1	1	1
71	Convulsions of infants.....	102	76	21	3	2
72	Neuralgia and neuritis.....	9													

CAUSES OF DEATH, BY AGE.

349

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths of un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.			
MASSACHUSETTS—Continued.																				
	VIII.—Diseases of the skin and of the cellular tissue.....	181	46	7	2	3	5	3	5	10	8	17	15	27	28	5		
142	Gangrene.....	56	2	2	1	1	3	6	4	18	15	4		
143	Furuncle.....	31	9	1	1	3	1	1	6	5	2	1		
144	Acute abscess.....	43	13	2	2	2	1	2	4	2	4	2	3	5	1		
145	Other diseases of the skin and annexa.....	51	24	4	1	1	3	2	1	4	4	7		
	IX.—Diseases of the bones and of the organs of locomotion.....	131	9	7	4	2	6	8	17	8	18	18	13	8	9	4		
146	Diseases of the bones (tuberculosis excepted).....	111	8	7	4	1	6	8	15	8	16	15	9	4	6	4		
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	18	1	1	2	2	3	4	4	4	3		
149	Other diseases of the organs of locomotion.....	2		
	X.—Malformations.....	781	718	30	8	4	1	10	10		
150	Congenital malformations (stillbirths not included) (total).....	781	718	30	8	4	1	10	10		
	Hydrocephalus.....	79	57	10	6	4	1	4	2		
	Congenital malformations of the heart.....	482	453	15	1	2	4	7	12	14	13	5	5	1		
	Other congenital malformations.....	220	208	5	1	2	1	2	1		
	XI.—Early infancy.....	3,342	3,342		
151	Congenital debility, icterus, and scle- rema (total).....	2,592	2,592		
	Premature birth.....	2,012	2,012		
	Congenital debility, "atrophy," "marasmus," etc.	580	580		
152	Other causes peculiar to early infancy (total).....	744	744		
	Injuries at birth.....	427	427		
	Other causes peculiar to early in- fancy ¹	317	317	6		
153	Lack of care.....	6	6	8	42	114		
	XII.—Old age.....	222	53	5		
154	Senility.....	222	8	42	114		
	XIII.—External causes.....	3,425	86	88	64	74	73	262	301	358	450	469	421	318	253	161	30	1		
	Suicide (total).....	474	1	16	74	104	78	92	70	31	8		
155	By poison.....	58	4	15	18	4	9	5	1	2		
156	By asphyxia.....	129	1	5	17	24	21	27	23	10	1		
157	By hanging or strangulation.....	64	1	11	10	12	13	10	6	1		
158	By drowning.....	53	1	12	14	13	15	5	1		
159	By firearms.....	92	4	15	19	14	19	15	6	1		
160	By cutting or piercing instruments.....	50	1	7	14	8	8	11	1	1		
161	By jumping from high places.....	15	2	5	3	1	2	2	2	2	2	2	2	2		
162	By crushing.....	7	1	2	1	1	1	1	1	1	1	1	1	1		
163	Other suicides.....	1	1		
	Accidental or undefined (total).....	2,864	79	87	63	73	72	259	277	264	322	379	323	245	227	153	30	1		
164	Poisoning by food.....	23	1	2	2	1	2	3	1	5	8	2	4	6	1		
165	Other acute poisonings.....	45	3	9	10	1	4	2	2	3	4	5	8	1	1		
166	Conflagration.....	37	4	2	1	1	2	2	2	3	4	5	8	3	1	1		
167	Burns (conflagration excepted).....	299	9	35	29	31	21	51	11	14	15	16	17	21	19	10		
168	Absorption of deleterious gases (con- flagration excepted).....	299	38	7	1	1	1	3	14	32	32	57	37	39	23	12	1	2		
169	Accidental drowning.....	264	1	6	6	6	11	47	61	31	32	29	19	5	5	1	4		
170	Traumatism by firearms.....	30	2	6	6	13	6	1	1	1	1	1	1	1	1	1		
171	Traumatism by cutting or piercing instruments.....	11	1	2	1	2	1	2	1	2	1	2	2	2	2	2	1		
172	Traumatism by fall.....	570	5	9	8	7	7	14	14	17	43	60	67	73	108	112	25	1		
173	Traumatism in mines and quarries (total).....	3	1	19	17	29	15	25	11	3	1		
	Traumatism in quarries.....	3	1	1	1	1	1	1	1	1	1	1	1		
174	Traumatism by machines.....	120	19	17	29	15	25	11	3	1		
175	Traumatism by other crushing (total).....	911	2	3	24	25	124	117	112	111	149	112	66	53	7	1	3		
	Railroad accidents and injuries.....	222	2	1	1	1	6	24	36	37	55	27	17	13	
	Street-car accidents and injuries.....	105	1	1	5	8	23	21	18	16	6	1	1	1	1	1	1	
	Automobile accidents and in- juries.....	476	2	2	18	22	102	70	54	43	56	56	26	26	3	3	3	3	
	Injuries by other vehicles.....	96	2	2	4	2	10	17	13	1	15	11	7	5	3	3	3	3	
	Landslide, other crushing.....	12	2	2	1	1	1	3	1	2	2	2	1	1	1	1	
176	Injuries by animals.....	12	1	2	2	1	1	2	2	2	2	2	2	2	
178	Excessive cold.....	16	1	1	1	1	1	4	2	2	3	2	2	2	
179	Effects of heat.....	22	6	2	1	1	1	2	10	10	2	1	1	1	1	2	3	1	
180	Lightning.....	6	1	1	7	10	10	24	12	9	4	2	2	2	2	
181	Electricity (lightning excepted).....	31	1	1	5	12	13	26	30	20	12	4	3	5	1	1	
185	Fractures (cause not specified).....	16	1	1	1	1	4	8	10	12	9	4	2	2	2	2	
186	Other external violence.....	149	14	8	3	1	2	5	13	26	30	20	12	4	4	2	2	2	
	Homicide (total).....	87	7	1	1	1	1	2	8	20	24	12	6	3	3	1	1	1	1	
182	By firearms.....	47	1	1	1	1	1	1	4	12	12	9	4	2	2	2	2	2	
183	By cutting or piercing instruments.....	12	1	1	1	1	1	2	8	10	12	9	4	2	2	2	2	
184	By other means.....	28	7	1	1	1	3	4	7	2	2	2	1	1	1	1	1	1	
	XIV.—Ill-defined diseases.....	332	104	21	12	5	1	2	5	14	14	33	32	37	33	14	3	2	2	
187	Ill-defined organic disease.....	3	1	3	3	9	7	2	1	1	1	1	1	1	
188	Sudden death.....	45	6	2	2	2	1	2	4	11	11	24	25	27	5	1	1	1	1
189	Not specified or ill-defined (total).....	284	98	21	10	5	1	2	4	11	11	24	25	27	23	12	3	2	2
	Ill-defined.....	222	60	20	8	5	1	1	2	8	10	21	21	27	22	12	3	2	2
	Not specified or unknown.....	62	38	1	2	1	2	3	1	3	4	4	5	5	2	2	2	2

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

351

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
MICHIGAN.																			
	All causes.....	53,320	8,105	1,777	856	579	490	1,389	2,689	5,789	5,640	3,958	4,712	6,154	6,904	3,584	522	14	158
	I.—General diseases.....	16,989	1,092	694	423	308	249	719	1,380	3,052	2,756	1,599	1,563	1,557	1,148	365	30	54
1	Typhoid fever.....	332	4	4	5	4	30	70	75	69	38	18	9	4	1	1
4	Malaria.....	8	1	2	2	1	1	1
5	Smallpox.....	16	8	1	1	1	1	1	2	1	1	1	1
6	Measles.....	252	79	65	26	20	10	33	10	3	3	2
7	Scarlet fever.....	178	7	10	18	14	17	57	32	13	8	1	1
8	Whooping cough.....	492	265	106	56	27	12	17	6	1	1	1
9	Diphtheria and croup.....	655	43	66	91	83	65	187	93	20	18	13	3	2	1
10	Influenza.....	6,382	392	341	186	117	104	260	665	1,720	1,481	441	221	175	155	88	7	29
13	Cholera nostras.....	10	2	1	1	2	1	3
14	Dysentery.....	93	34	7	4	6	1	1	1	3	3	6	4	17	4	1	1
18	Erysipelas.....	133	35	3	2	4	8	5	10	20	18	15	11	1	1
19	Other epidemic diseases.....	22	10	1	1	2	3	2	1	1	1
20	Purulent infection and septicemia.....	50	4	1	1	1	2	5	6	8	3	3	8	4	3	1
23	Rabies.....	2	1	1	1
24	Tetanus.....	35	3	11	6	4	1	4	3	1
25	Mycoses.....	2	1	1	1	3	1	1	1
26	Pellagra.....	9	1	3	1	3	1	1	1	1
28	Tuberculosis (total).....	3,567	70	58	25	24	26	66	372	1,032	771	474	342	182	100	16	9
29	Tuberculosis of the lungs.....	2,992	16	7	7	6	9	23	291	936	705	424	306	157	88	10	7
30	Acute miliary tuberculosis.....	97	6	8	2	1	22	28	13	9	9	2	1	1	1
31	Tuberculous meningitis.....	198	38	32	15	12	11	30	25	18	10	5	1
32	Abdominal tuberculosis.....	140	8	6	3	2	4	7	15	22	22	23	11	11	3	3	3	3
33	Pott's disease.....	33	2	1	6	10	3	1	4	4	2	2	2	2	2
34	White swellings.....	22	1	1	1	4	3	4	3	3	2	2	2	2	2
35	Tuberculosis of other organs.....	62	2	2	2	10	14	12	5	6	5	2	2	1	1	1
36	Disseminated tuberculosis.....	23	4	1	2	1	2	5	3	3	2	2	1	1	1	1
37	Rickets.....	33	18	9	3	1	10	26	53	42	27	32	11	3	2	2	2
38	Syphilis.....	283	66	5	2	1	2	1	10	26	53	42	27	32	11	3	2	2
39	Gonococcus infection.....	19	7	6	3	3	3	3	3	3	3	3	3
41	Cancer and other malignant tumors (total).....	2,896	2	2	3	2	5	19	35	161	373	673	799	619	177	19	7
42	Of the buccal cavity.....	104	2	1	7	19	34	27	13	1	1	1	1
43	Of the stomach, liver.....	1,170	1	3	8	39	126	263	362	288	72	3	5	5
44	Of the peritoneum, intestines, rectum.....	392	1	1	2	1	7	33	51	84	116	78	15	3	1	1
45	Of the female genital organs.....	397	1	1	1	6	38	77	118	87	52	15	1	1	1	1
46	Of the breast.....	237	1	4	20	50	69	50	32	10	1	1	1	1
47	Of the skin.....	105	2	2	17	27	56	67	98	54	19	6	6	6
48	Of other organs or of organs not specified.....	491	1	2	2	2	14	8	28	60	103	123	118	25	4	1	1
49	Other tumors (tumors of the female genital organs excepted).....	23	1	1	5	8	3	5	3	1	1	1	1
50	Acute articular rheumatism.....	142	1	2	2	3	15	24	19	15	10	10	22	16	3	1	1	1
51	Chronic rheumatism and gout.....	50	1	1	4	4	34	22	18	6	2	1	1	1	1
52	Scurvy.....	9	6	1	1	1	1	1	4	34	22	18	6	2	1	1	1	1
53	Diabetes.....	590	1	2	1	1	18	40	47	53	63	96	148	101	18	1	1	1	1
54	Exophthalmic goiter.....	68	1	4	10	13	10	14	11	5	1	1	1	1	1	1
55	Addison's disease.....	15	1	2	3	2	3	2	3	1	1	1	1	1	1	1
56	Leukemia.....	65	3	1	2	1	2	4	4	9	14	14	5	7	1	1	1	1
57	Anemia, chlorosis.....	360	15	6	1	3	6	8	27	56	67	98	54	19	6	3	3	1
58	Other general diseases.....	70	28	5	1	3	2	2	5	4	8	4	6	3	1	1	1	1
59	Alcoholism (acute or chronic).....	87	1	4	34	22	18	6	2	2	1	1	1	1	1	1
60	Chronic lead poisoning.....	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
61	Other chronic occupation poisonings.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
62	Other chronic poisonings.....	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
63	Locomotor ataxia.....	90	7	8	2	2	6	15	14	14	15	15	31	63	41	20	3	1	1
64	Other diseases of the spinal cord (total).....	257	7	8	2	2	6	13	10	3	4	1	1	1	1	1	1	1	1
65	Acute anterior poliomyelitis.....	52	4	6	2	2	6	13	10	3	4	1	1	1	1	1	1	1	1
66	Other diseases of the spinal cord ¹	205	3	2	2	4	11	11	14	31	62	41	20	3	1	1	1	1
67	Cerebral hemorrhage, apoplexy.....	3,114	5	4	1	3	3	20	61	167	438	801	1,069	492	42	8	8	8
68	Softening of the brain.....	52	1	2	1	3	11	23	11	1	1	1	1	1	1
69	Paralysis without specified cause.....	339	1	1	5	6	16	35	74	129	64	7	1	1	1	1
70	General paralysis of the insane.....	257	1	8	55	53	63	35	28	12	1	1	1	1	1
71	Other forms of mental alienation.....	74	2	7	16	16	12	8	11	2	1	1	1	1	1	1
72	Epilepsy.....	170	5	3	1	2	17	40	37	24	15	16	8	2	2	2	2	2
73	Convulsions (nonpuerperal).....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
74	Convulsions of infants.....	141	117	17	5	2	1	1	1	1	1	1	1	1	1	1	1	1
75	Chorea.....	4	1	1	1	1	1	1	1	1	1	1	1	1	1
76	Neuralgia and neuritis.....	24	1	1	1	5	7	11	13	26	20	18	16	6	1	1	1
77	Other diseases of the nervous system.....	141	7	3	2	3	5	7	11	13	26	20	18	16	6	1	1	1	1
78	Diseases of the eyes and their annexa.....	7	1	1	1	1	5	4	10	5									

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
MICHIGAN—Continued.																			
	III.—Diseases of the circulatory system.....	7,276	76	13	10	13	10	51	150	226	309	484	872	1,596	2,130	1,174	144	2	16
77	Pericarditis.....	48	—	—	—	—	—	1	1	3	—	1	4	11	10	9	6	2	—
78	Acute endocarditis.....	189	9	5	4	1	1	10	18	26	27	26	40	9	12	1	—	—	—
79	Organic diseases of the heart.....	5,571	40	7	3	10	8	36	124	183	256	403	676	1,279	1,649	807	79	11	2
80	Angina pectoris.....	295	1	—	—	—	—	—	4	11	18	49	108	75	24	3	—	2	2
81	Diseases of the arteries, atherosclerosis, aneurism, etc.....	988	—	—	—	—	—	—	1	2	2	15	67	166	356	317	57	2	3
82	Embolism and thrombosis.....	113	7	—	1	1	—	—	1	3	8	11	12	19	17	20	11	2	—
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	21	—	—	—	—	—	—	—	2	—	2	4	3	4	5	1	—	—
84	Diseases of the lymphatic system (lymphangitis, etc.).....	31	18	1	1	1	—	—	3	—	—	1	1	2	2	1	—	—	—
85	Hemorrhage; other diseases of the circulatory system.....	20	1	—	—	1	—	—	—	1	1	—	3	4	2	4	3	—	—
	IV.—Diseases of the respiratory system.....	7,649	1,185	475	173	86	84	187	456	1,259	1,146	553	467	513	603	377	62	—	23
86	Diseases of the nasal fossae.....	6	1	1	—	—	—	—	—	2	—	—	—	—	2	1	1	—	—
87	Diseases of the larynx.....	28	6	1	3	3	1	2	—	4	3	1	8	6	2	5	2	1	—
88	Diseases of the thyroid body.....	29	—	—	—	—	—	—	—	7	5	3	7	9	29	52	9	1	—
89	Acute bronchitis.....	425	202	53	19	8	4	13	4	7	5	3	7	12	42	88	81	17	—
90	Chronic bronchitis.....	268	4	2	—	—	—	3	1	4	7	7	12	42	70	15	5	—	—
91	Bronchopneumonia.....	1,779	620	225	70	31	38	54	51	126	112	68	61	79	154	70	15	—	—
92	Pneumonia (total).....	4,746	335	186	75	42	38	110	373	1,089	979	427	343	320	265	134	14	16	—
	Lobar pneumonia.....	4,003	242	142	64	31	32	90	323	955	859	368	301	258	210	99	14	15	—
	Pneumonia (undefined).....	743	98	44	11	11	6	20	50	134	120	59	42	62	55	35	—	1	—
93	Pleurisy.....	148	2	6	4	2	1	4	20	19	21	17	16	17	14	4	—	—	—
94	Pulmonary congestion, pulmonary apoplexy.....	54	9	—	—	—	—	—	—	—	1	2	1	—	6	15	16	4	—
95	Gangrene of the lung.....	16	—	—	—	—	—	—	—	—	1	6	4	3	1	—	1	—	—
96	Asthma.....	105	2	1	2	—	—	1	—	1	4	9	11	10	29	23	11	—	1
97	Pulmonary emphysema.....	10	1	—	—	—	—	—	—	—	1	—	—	1	1	4	—	—	—
98	Other diseases of the respiratory system (tuberculosis excepted).....	35	3	—	—	—	—	1	—	1	3	3	3	8	4	7	1	1	—
	V.—Diseases of the digestive system.....	4,601	1,699	368	120	78	54	152	175	192	240	240	292	377	396	187	22	1	8
99	Diseases of the mouth and annexa.....	27	5	1	—	—	—	1	2	—	2	3	3	4	2	3	1	—	—
100	Diseases of the pharynx.....	130	5	7	6	6	6	20	17	19	14	3	7	7	6	5	1	1	—
101	Diseases of the esophagus.....	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
102	Ulcer of the stomach.....	151	1	—	—	1	—	—	4	14	15	18	27	34	27	10	—	—	—
103	Other diseases of the stomach (cancer excepted).....	408	187	22	11	4	2	12	2	9	11	10	12	41	52	27	6	—	—
104	Diarrhea and enteritis (under 2 years).....	1,722	1,415	307	—	91	48	20	38	12	8	24	20	22	35	70	46	9	1
105	Diarrhea and enteritis (2 years and over).....	446	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2
107	Intestinal parasites.....	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
108	Appendicitis and typhlitis.....	477	3	4	2	7	13	56	102	82	73	64	35	25	8	3	—	—	—
109	Hernia, intestinal obstruction (total).....	417	57	14	5	5	5	10	10	22	26	36	31	70	88	39	3	—	—
	Hernia.....	156	12	2	—	—	—	1	1	6	9	11	15	38	41	19	1	—	—
	Intestinal obstruction.....	261	45	12	5	5	5	9	9	16	17	25	16	32	42	20	2	—	—
110	Other diseases of the intestines.....	101	8	4	2	—	—	2	5	8	6	8	12	17	16	10	—	—	1
111	Acute yellow atrophy of the liver.....	12	—	—	—	—	—	—	—	—	1	—	2	2	3	2	—	—	—
112	Hydatid tumor of the liver.....	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
113	Cirrhosis of the liver.....	336	—	3	—	—	—	1	2	5	20	34	89	78	74	28	1	—	1
114	Biliary calculi.....	90	—	—	—	—	—	—	—	1	15	13	13	27	16	5	—	—	—
115	Other diseases of the liver.....	158	7	2	—	4	3	2	8	4	11	17	28	26	31	11	2	—	2
116	Diseases of the spleen.....	7	—	—	—	—	—	—	—	2	1	—	1	1	1	—	—	—	—
117	Simple peritonitis (nonpuerperal).....	96	9	3	2	2	2	6	13	13	15	11	4	10	6	—	—	—	—
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	15	—	—	—	—	—	—	1	3	5	2	4	—	—	—	—	—	—
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	3,058	38	16	10	9	6	36	44	127	220	304	458	661	791	301	36	—	1
119	Acute nephritis.....	186	14	8	5	4	4	20	10	14	15	22	27	10	24	9	—	—	—
120	Bright's disease.....	2,321	10	5	4	5	2	16	27	68	184	213	381	576	617	236	27	—	—
122	Other diseases of the kidneys and annexa.....	79	12	3	1	—	—	—	1	4	9	10	12	11	5	—	—	—	1
123	Calculi of the urinary passages.....	16	—	—	—	—	—	—	—	1	2	1	3	2	5	2	—	—	—
124	Diseases of the bladder.....	80	—	—	—	—	—	—	—	1	—	3	1	12	36	23	4	—	—
125	Diseases of the urethra, urinary abscess, etc.....	14	—	—	—	—	—	—	—	1	2	3	10	32	86	22	3	—	—
126	Diseases of the prostate.....	159	—	—	—	—	—	—	—	1	2	3	10	32	86	22	3	—	—
127	Nonvenereal diseases of the male genital organs.....	9	2	—	—	—	—	—	—	1	—	2	3	—	—	—	—	—	—
128	Uterine hemorrhage (nonpuerperal).....	3	—	—	—	—	—	—	—	1	—	15	26	10	5	4	3	—	—
129	Uterine tumor (noncancerous).....	64	—	—	—	—	—	—	—	3	11	9	12	5	1	—	—	—	—
130	Other diseases of the uterus.....	42	—	—	—	—	—	—	—	1	5	9	1	4	5	3	1	—	—
131	Cysts and other tumors of the ovary.....	29	—	—	—	—	—	—	—	2	18	23	10	—	—	—	1	—	—
132	Salpingitis and other diseases of the female genital organs.....	56	—	—	—	—	—	—	2	18	23	10	—	—	—	1	—	—	—
	VII.—The puerperal state.....	732	—	—	—	—	—	—	49	376	294	60	—	—	—	—	—	3	—
134	Accidents of pregnancy.....	149	—	—	—	—	—	—	6	77	58	7	—	—	—	—	—	—	1
135	Puerperal hemorrhage.....	65	—	—	—	—	—	—	—	28	29	9	—	—	—	—	—	—	1
136	Other accidents of labor.....	142	—	—	—	—	—	—	—	8	80	44	9	—	—	—	—	—	1
137	Fuerperal septicemia.....	236	—	—	—	—	—	—	—	13	114	94	15	—	—	—	—	—	—
138	Puerperal albuminuria and convulsions.....	166	—	—	—	—	—	—	—	18	70	59	19	—	—	—	—	—	—
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	20	—	—	—	—	—	—	2	8	9	1	—	—	—	—	—	—	—
140	Following childbirth (not otherwise defined).....	4	—	—	—	—	—	—	2	1	1	—							

CAUSES OF DEATH, BY AGE.

353

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
MICHIGAN—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue.....	183	29	3	4	1	1	4	7	3	6	17	18	43	39	8
142	Gangrene.....	98	2	1	1	1	1	4	10	34	36	8
143	Furuncle.....	17	2	1	1	3	5	2	1	2
144	Acute abscess.....	24	5	2	1	1	2	3	4	2	3
145	Other diseases of the skin and annexa.....	44	20	1	1	1	1	2	2	4	4	5	1
	IX.—Diseases of the bones and of the organs of locomotion.....	87	6	3	5	1	2	5	11	7	10	7	10	11	8	1
146	Diseases of the bones (tuberculosis excepted).....	68	5	2	5	1	2	4	11	7	7	6	8	8	2
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	13	1	1	2	1	3	5
149	Other diseases of the organs of locomotion.....	6	1	1	2	1	1
	X.—Malformations.....	707	663	18	7	3	5	6	4	1
150	Congenital malformations (stillbirths not included) (total).....	707	663	18	7	3	5	6	4	1
	Hydrocephalus.....	69	56	6	2	1	2	1	1	1
	Congenital malformations of the heart.....	408	392	4	2	1	2	4	2	1
	Other congenital malformations.....	230	215	8	3	1	1	1	1	1
	XI.—Early infancy.....	2,921	2,921
151	Congenital debility, icterus, and scle- rema (total).....	2,376	2,376
	Premature birth.....	1,874
	Congenital debility, "atrophy," "marasmus," etc.....	502	502
152	Other causes peculiar to early infancy (total).....	540	540
	Injuries at birth.....	280	280
	Other causes peculiar to early infancy ¹	260	260
153	Lack of care.....	5	5
	XII.—Old age.....	658	3	20	172	320	120	11	3
154	Sensitily.....	658	3	20	172	320	129	11	3
	XIII.—External causes.....	3,113	106	82	66	60	55	162	323	398	417	350	337	287	236	172	33	24
	Suicide (total).....	402	13	61	84	64	62	66	33	10	3	6
155	By poison.....	73	4	19	10	11	10	12	4	2	1
156	By asphyxia.....	26	4	6	5	5	2	2	1	1
157	By hanging or strangulation.....	103	2	10	18	18	24	8	1	3
158	By drowning.....	31	4	1	8	3	6	5	2	1	1
159	By firearms.....	125	1	22	30	18	15	19	15	4	1
160	By cutting or piercing instruments.....	29	1	4	5	8	4	3	2	1	1
161	By jumping from high places.....	7	1	5	1	1	2	1	1	1	1	1	1
163	Other suicides.....	8	1	1	2	1	1	2	1	1	1	1	1
164	Accidental or undefined (total).....	2,604	102	81	65	60	55	160	306	304	302	277	265	216	202	162	30	17
165	Poisoning by food.....	49	4	6	6	3	1	3	5	4	4	4	1	3	5
166	Other acute poisonings.....	58	4	12	2	4	2	3	5	6	6	6	3
167	Confagation.....	65	3	2	2	8	1	10	5	6	3	6	2	7	2	1	1	1
168	Burns (confagation excepted).....	234	11	28	28	23	15	15	10	23	21	8	14	15	12	9	1	1
	Absorption of deleterious gases (confagation excepted).....	105	36	4	12	8	13	11	6	9	5	1
169	Accidental drowning.....	248	4	12	8	8	8	33	82	34	16	15	14	9	2	3
170	Traumatism by firearms.....	72	1	1	5	34	13	7	5	5	1	1	1	1	1	1
171	Traumatism by cutting or piercing instruments.....	5	8	1	1	1	1	1	1	1	1	1	1	1	1
172	Traumatism by fall.....	411	8	8	4	8	6	20	17	19	26	35	44	92	102	21	1
173	Traumatism in mines and quarries (total).....	110	9	38	31	19	12	1	1
	Traumatism in mines.....	110	9	38	31	19	12	1	1
174	Traumatism by machines.....	96	5	5	23	14	21	16	10	1	1	1	1	1	1
175	Traumatism by other crushing (total).....	752	2	7	8	8	15	63	96	92	111	109	93	84	38	18	2	6
	Railroad accidents and injuries.....	251	2	1	5	29	41	44	45	40	29	6	5	4	4	4
	Street-car accidents and injuries.....	145	2	2	1	9	17	19	26	21	12	13	18	4	1	1	1
	Automobile accidents and injuries.....	255	1	2	4	5	11	44	43	26	25	28	20	27	11	7	1	1
	Injuries by other vehicles.....	86	1	1	1	2	4	5	7	4	12	12	16	14	3	2	1	1
	Landslide, other crushing.....	15	2	2	4	1	2	4	3	3	4	3	3	3	1	1	1
176	Injuries by animals.....	26	1	1	1	2	2	4	1	3	3	7	3	1	1	1	1	1
177	Starvation.....	3	1	1	1	1	1	1	1	1	2	1	1	1	4	1	1	1
178	Excessive cold.....	28	14	2	1	1	1	2	1	3	2	1	2	5	8	3	1	1
179	Effects of heat.....	42	14	2	1	1	1	1	3	12	15	4	2	3	1	1	1	1
180	Lightning.....	15	1	3	1	3	1	3	4	3	1	1	1	1	1
181	Electricity (lightning excepted).....	38	1	3	12	15	4	2	3	1	1	1	1	1	1
182	Fractures (cause not specified).....	55	1	3	1	3	1	3	6	8	6	9	14	4	2
183	Other external violence.....	192	15	4	6	5	3	12	17	17	26	23	29	16	13	4	4	2
184	Homicide (total).....	107	4	1	1	1	2	9	33	31	9	10	5	1	1	1	1	1
	By firearms.....	67	1	1	1	1	1	6	24	21	5	5	3	1	1	1	1	1
	By cutting or piercing instruments.....	10	1	1	1	3	3	1	2	2	2	1	1	1	1	1
	By other means.....	30	3	1	1	1	2	2	6	7	3	3	2	2	2	2	1	1
	XIV.—Ill-defined diseases.....	300	85	23	3	1	1	7	5	8	16	14	34	38	21	32	2	11
187	Ill-defined organic disease.....	22	2	4	6	2	8
188	Sudden death.....	19	4	1	1	1	2	2	5	2	2	2	2	2	2	2
189	Not specified or ill-defined (total).....	259	81	22	3	1	7	4	8	14	12	28	27	17	22	2	11	2
	Ill-defined.....	129	14	16	2	1	1	4	3	6	10	8	21	22	10	9	1	9
	Not specified or unknown.....	130	67	6	1	3	1	2	4	7	5	7	7	13	1	1	9

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
MINNESOTA.																			
	All causes.....	31,109	3,968	821	473	297	238	837	2,074	4,095	4,081	2,629	2,906	3,087	3,144	1,975	349	7	123
	I.—General diseases.....	12,430	700	404	270	154	130	449	1,150	2,604	2,312	1,218	1,081	990	697	238	18	1	14
1	Typhoid fever.....	87						2	2	10	27	23	10	6	6				1
4	Malaria.....	1																	
5	Smallpox.....	10	4																
6	Measles.....	99	32	21	13	6	4	9	10	3	1								
7	Scarlet fever.....	154	4	19	13	19	10	33	37	15	3	1							
8	Whooping cough.....	310	160	74	37	16	7	14											
9	Diphtheria and croup.....	288	11	20	22	19	20	85	53	28	18	5	1	1					
10	Influenza.....	5,720	314	198	140	58	67	201	699	1,717	1,437	426	186	128	95	38	7	1	8
13	Cholera nostras.....	9	1	1					1		1	1	1	1	1				
14	Dysentery.....	46	11	4	3	4	3	5	1	1	1	2	2	3	4	2			
18	Erysipelas.....	106	36	4						4	8	9	7	13	11	6	1		
19	Other epidemic diseases.....	19	4	3	5			3	1		1		1						
20	Purulent infection and septicemia.....	42	7	1			2	2	3	6	5	5	3	2	5	1			
24	Tetanus.....	32	5		1	1	1	4	5	2	3	4	2	1	1	2			
25	Mycoses.....	3								1									
26	Pellagra.....	4							1				1	1	1				
28	Tuberculosis (total).....	2,444	50	36	28	18	13	55	228	674	579	340	230	137	43	9			
29	Tuberculosis of the lungs.....	2,029	11	10	6	3	2	18	176	613	519	298	206	120	40	5			
30	Acute miliary tuberculosis.....	64	9	2	2				1	6	14	13	10	5	2				
31	Tuberculous meningitis.....	176	27	22	17	12	8	28	19	17	18	5	1						
32	Abdominal tuberculosis.....	68		1		1	1	3	14	14	6	10	9	6	1	2			
33	Pott's disease.....	36		1	2	1	1	6	8	3	7	4	1	2					
34	White swellings.....	13			1				2	3	2	1	1	2					
35	Tuberculosis of other organs.....	43	2					1	2	6	11	10	6	2	1	2			
36	Disseminated tuberculosis.....	15	1			1	1		1	4	3	2		2					
37	Rickets.....	13	5	4	1	2		1											
38	Syphilis.....	128	39	5					2	7	20	25	18	9	8				
	Gonococcus infection.....	14	1						1	8	2	2							
	Cancer and other malignant tumors (total).....	1,945	2	1	3	2		10	8	32	101	247	462	520	414	136	7		
39	Of the buccal cavity.....	68								2	1	9	14	16	19	5			
40	Of the stomach, liver.....	903		1	1					4	28	87	215	295	218	53	1		
41	Of the peritoneum, intestines, rectum.....	218						1			19	28	47	47	61	15			
42	Of the female genital organs.....	179							1	6	17	40	48	43	21	3			
43	Of the breast.....	148								2	15	34	48	23	17	9			
44	Of the skin.....	51						1	1	1	2	8	6	9	21	2			
45	Of other organs or of organs not specified.....	378	2		2	2		8	7	17	20	47	82	90	69	30	2		
46	Other tumors (tumors of the female genital organs excepted).....	5								2		1			1	1			
47	Acute articular rheumatism.....	99				2		8	24	14	11	9	9	8	8	6			
48	Chronic rheumatism and gout.....	30							3	3	3	2	4	7	8	7	8		
49	Scurvy.....	1																	
50	Diabetes.....	393	1	1	2	3		11	45	28	37	41	51	91	69	17	1		
51	Exophthalmic goiter.....	90							11	16	11	25	17	7	3				
52	Addison's disease.....	10								3	2		3	1					
53	Leukemia.....	55	2		1	1	2	1	5	13	12	8	8	1	1				
54	Anemia, chlorosis.....	185	4	1	1	1	1	3	3	13	33	53	44	25	4				
55	Other general diseases.....	30	8	9	2	2		3		2	1	2			1				
56	Alcoholism (acute or chronic).....	55								3	14	17	15	4		1			1
59	Other chronic poisonings.....	3								1	1				1				
	II.—Diseases of the nervous system and of the organs of special sense.....	2,206	131	32	20	12	7	35	66	79	134	172	345	388	453	291	39		2
60	Encephalitis.....	13	4	1				1	1	2	3			1					
61	Meningitis (total).....	99	23	6	12	5	3	9	14	6	7	4	5	2	2	1			
	Simple meningitis.....	36	10	2	3	2			5	3	1	1	3		2	1			
	Cerebrospinal meningitis (undefined).....	25	4	3	4				1	6	1	2	1		2				
	Cerebrospinal fever.....	33	9	1	5	3	3	3	5	2	4	2	1						
62	Locomotor ataxia.....	42								4	5	19	13	1					
63	Other diseases of the spinal cord (total).....	140	4	6		2		6	15	13	10	11	31	20	16	6			
64	Acute anterior poliomyelitis.....	32	3	4		1		6	11	4	1		1		1				
	Other diseases of the spinal cord.....	108	1	2	4	1			4	9	9	11	30	20	15	6			
64	Cerebral hemorrhage, apoplexy.....	1,310	3					1	2	8	20	74	212	303	386	261	38		
65	Softening of the brain.....	11										2	2	5	2				
66	Paralysis without specified cause.....	88	1						2	1	3	3	11	22	30	15			
67	General paralysis of the insane.....	98							1	5	27	34	23	4	2	2			
68	Other forms of mental alienation.....	53							1	11	14	12	10	3	1	1			
69	Epilepsy.....	88	2			1		4	11	20	23	9	9	5	3	1			
70	Convulsions (nonpuerperal).....	4						2	1		1								
71	Convulsions of infants.....	97	79	13	2	2	1			2									
72	Chorea.....	4																	
73	Neuralgia and neuritis.....	11								1	2		4	3	1				
74	Other diseases of the nervous system.....	93	7	4	4	1	2	6	8	11	15	9	13	6	4	2	1		
75	Diseases of the eyes and their annexa.....	1		1	2	1		5	10	2	6	9	5	4	1				
76	Diseases of the ears.....	54	8	1	2	1													

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

355

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																	Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.		
MINNESOTA—Continued.																				
	VIII.—Diseases of the skin and of the cellular tissue.....	86	16	2	1	1	3	7	5	10	7	12	20	2
142	Gangrene.....	40	5	1	2	2	3	2	10	18	2	2
143	Furuncle.....	14	4	2	1	2	2	2	1	1	2	1	1	1	1	1
144	Acute abscess.....	18	7	2	1	4	3	1	1	1	1	1	1	1	1
145	Other diseases of the skin and annexa.....	14	7	2	3	3	1	1	1	1	1	1	1	1
	IX.—Diseases of the bones and of the organs of locomotion.....	55	4	1	9	12	4	6	6	5	3	4	1
146	Diseases of the bones (tuberculosis excepted).....	47	4	1	9	12	3	4	5	3	2	3	1	1	1	1	1	1
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	5	1	1	1	1	1	1	1	1	1	1	1	1
149	Other diseases of the organs of locomotion.....	3	1	1	2	2	2	2	2	2	2	2	2	2
	X.—Malformations.....	341	310	13	3	2	1	3	9
150	Congenital malformations (stillbirths not included) (total).....	341	310	13	3	2	1	3	9
	Hydrocephalus.....	32	25	4	2	1
	Congenital malformations of the heart.....	177	159	8	1	1	1	1	7
	Other congenital malformations.....	132	126	1	1	2	2
	XI.—Early infancy.....	1,653	1,653
151	Congenital debility, icterus, and scoloma (total).....	1,353	1,353
	Premature birth.....	1,080	1,080
	Congenital debility, "atrophy," "inrasmus," etc.....	273	273
152	Other causes peculiar to early infancy (total).....	298	298
	Injuries at birth.....	160	160
153	Other causes peculiar to early infancy.....	138	138
	Lack of care.....	2	2
	XII.—Old age.....	319	4	17	71	168	57	2
154	Senility.....	319	4	17	71	168	57	2
	XIII.—External causes.....	2,215	35	61	48	37	35	131	272	246	321	246	256	184	135	91	19	98
	Suicide (total).....	291	6	40	63	49	61	48	20	4
155	By poison.....	40	2	8	5	10	7	6	2
156	By asphyxia.....	17	1	4	3	6	3	1	1	1	1	1	1	1	1
157	By hanging or strangulation.....	76	1	3	11	14	18	16	12	1	1	1	1	1	1
158	By drowning.....	19	3	2	5	1	6	4	1	1	1	1	1	1	1
159	By firearms.....	108	3	21	35	12	18	15	4	1	1	1	1	1	1
160	By cutting or piercing instruments.....	24	2	3	4	7	5	1	2	2	1	1	1	1	1
161	By jumping from high places.....	2	1	1	1	1	1	1	1	1	1	1	1	1
162	By crushing.....	2	1	1	1	1	1	1	1	1	1	1	1	1
163	Other suicides.....	3	2	1	1	1	1	1	1	1	1	1	1	1
	Accidental or undefined (total).....	1,856	32	61	48	36	34	124	261	196	234	186	191	135	114	87	19	98
164	Poisoning by food.....	14	1	5	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1
165	Other acute poisonings.....	30	2	6	3	5	1	1	1	4	1	3	2	1	1	1	1	1	1	1
166	Conflagration.....	342	9	6	11	6	9	38	49	19	24	13	21	27	10	8	2	2	95
167	Burns (conflagration excepted).....	107	2	14	11	12	6	11	13	5	9	10	6	3	4	1	1	1	1	1
168	Absorption of deleterious gases (conflagration excepted).....	63	8	2	5	6	2	7	13	7	5	8	1	1	1	1	1	1
169	Accidental drowning.....	176	10	4	1	1	1	15	67	27	21	17	7	4	2	2	2	2	2	2
170	Traumatism by firearms.....	58	3	1	2	2	6	25	10	3	4	2	1	1	1	1	1	1	1	1
171	Traumatism by cutting or piercing instruments.....	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
172	Traumatism by fall.....	234	3	3	2	2	2	4	8	13	17	17	22	23	45	58	15	1	1	1
173	Traumatism in mines and quarries (total).....	66	2	18	28	13	4	1	1	1	1	1	1	1	1
	Traumatism in mines.....	65	2	17	28	13	4	1	1	1	1	1	1	1	1
	Traumatism in quarries.....	1	1	1	1	1	1	1	1	1	1	1	1	1
174	Traumatism by machines.....	73	1	1	1	1	1	2	11	12	14	9	18	4	1	1	1	1	1	1
175	Traumatism by other crushing (total).....	458	2	2	7	8	8	30	52	64	71	68	61	41	29	11	2	2	1	1
	Railroad accidents and injuries.....	169	1	2	2	1	1	1	22	27	31	26	23	16	6	6	6	6	6	6
	Street-car accidents and injuries.....	21	1	1	1	5	1	6	6	6	1	1	1	1	1	1	1	1
	Automobile accidents and injuries.....	183	1	1	4	5	4	15	20	30	22	27	24	12	15	7	3	2	2	1
	Injuries by other vehicles.....	73	1	1	3	1	9	5	6	6	6	3	1	1	1	1	1	1	1	1
	Landslide, other crushing.....	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
176	Injuries by animals.....	32	1	1	1	1	1	3	4	1	5	3	6	2	3	1	1	1	1	1
177	Starvation.....	3	1	1	1	1	1	1	1	1	1	1	1	1	1
178	Excessive cold.....	14	1	1	1	1	4	3	1	1	1	1	1	1	1
179	Effects of heat.....	5	1	1	1	1	4	3	1	1	1	1	1	1	1
180	Lightning.....	10	1	1	1	1	4	3	1	1	1	1	1	1	1
181	Electricity (lightning excepted).....	21	1	1	1	3	4	11	24	11	4	1	1	1	1	1	1	1
186	Other external violence.....	143	5	10	6	4	7	17	12	22	14	21	12	11	2	2	2	2	2	2
182	Homicide (total).....	68	3	1	1	7	5	10	24	11	4	1	1	1	1	1	1	1	1
183	By firearms.....	47	1	1	3	4	9	18	8	4	1	1	1	1	1	1	1	1
183	By cutting or piercing instruments.....	5	1	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1
184	By other means.....	16	3	1	2	1	1	1	4	3	3	1	1	1	1	1	1	1	1
	XIV.—Ill-defined diseases.....	209	101	9	1	1	1	1	1	6	11	9	13	15	23	15	2	2	2	2
187	Ill-defined organic disease.....	5	1	1	1	1	1	1	2	2	2	2	2	2	2
188	Sudden death.....	20	6	1	1	1	1	1	2	3	1	1	1	1	1	1
189	Not specified or ill-defined (total).....	184	95	9	1	1	1	1	1	5	10	8	12	13	16	10	1	1	1	1
	Ill-defined.....	62	9	6	1	1	1	1</												

CAUSES OF DEATH, BY AGE.

357

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No. Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
MISSOURI.																			
1	All causes.....	53,311	5,937	1,784	956	656	440	1,500	3,475	6,680	6,475	4,922	4,883	5,996	5,993	2,950	421	26	217
1	I.—General diseases.....	19,004	1,085	757	480	362	263	822	1,793	3,459	3,051	1,981	1,672	1,640	1,116	394	55	5	69
2	Typhoid fever.....	664	7	8	8	4	12	75	184	132	107	57	34	19	11	3	2	1	3
3	Malaria.....	278	30	22	15	12	8	32	19	23	19	31	15	22	18	9	2	1	1
4	Smallpox.....	83	14	—	1	3	7	6	8	11	10	10	6	4	1	1	1	1	1
5	Measles.....	374	73	59	83	26	19	39	58	30	9	14	8	3	3	—	—	—	—
6	Scarlet fever.....	94	11	9	10	11	7	22	18	5	—	—	—	—	—	—	—	—	1
7	Whooping cough.....	522	232	123	66	39	18	30	8	3	5	1	1	1	1	1	1	1	1
8	Diphtheria and croup.....	465	41	54	59	45	42	156	52	8	5	1	1	—	—	—	—	—	1
9	Influenza.....	7,025	382	345	222	173	117	340	832	1,794	1,486	515	241	227	197	102	23	2	28
10	Cholera nostras.....	5	1	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—
11	Dysentery.....	250	43	55	18	8	4	4	5	2	1	6	9	13	41	34	6	—	1
12	Erysipelas.....	125	21	2	—	—	—	—	—	11	9	6	9	23	12	16	15	1	—
13	Other epidemic diseases.....	28	9	3	2	3	1	2	6	1	—	—	—	—	1	—	—	—	—
14	Purulent infection and septicemia.....	48	4	2	1	1	—	2	7	7	5	1	4	7	6	1	—	—	—
15	Anthrax.....	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
16	Rabies.....	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17	Tetanus.....	54	11	—	—	—	2	1	7	10	4	4	5	6	2	2	—	—	—
18	Mycoses.....	3	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—
19	Pellagra.....	56	—	—	—	—	—	—	—	1	—	3	14	11	9	6	—	1	—
20	Tuberculosis (total).....	4,880	70	63	29	28	24	62	476	1,223	1,086	734	477	370	183	32	4	19	—
21	Tuberculosis of the lungs.....	4,314	29	27	10	7	12	28	407	1,131	1,007	674	433	332	172	24	3	18	—
22	Acute miliary tuberculosis.....	133	4	1	3	1	3	4	21	36	28	20	7	4	1	—	—	—	—
23	Tuberculous meningitis.....	144	26	30	8	15	9	13	15	8	8	4	2	3	1	1	1	1	—
24	Abdominal tuberculosis.....	104	3	3	6	3	9	14	28	21	21	24	23	5	3	1	—	—	—
25	Pott's disease.....	50	1	1	1	1	—	2	10	8	13	8	3	1	1	—	—	—	—
26	White swellings.....	11	2	—	—	—	—	1	1	1	2	2	2	2	2	2	2	2	—
27	Tuberculosis of other organs.....	52	4	1	1	1	—	3	6	10	7	3	6	6	2	1	1	—	—
28	Disseminated tuberculosis.....	12	1	—	—	—	—	2	2	1	—	2	2	1	1	—	—	—	—
29	Rickets.....	13	7	—	3	1	—	—	1	1	—	—	—	—	—	—	—	—	—
30	Syphilis.....	431	100	6	4	1	2	4	8	37	71	91	58	39	9	—	—	1	—
31	Gonococcal infection.....	16	—	—	—	—	—	—	2	8	3	1	2	—	—	—	—	—	—
32	Cancer and other malignant tumors (total).....	2,488	3	1	3	1	—	6	16	66	128	363	578	692	461	154	9	1	6
33	Of the buccal cavity.....	104	—	—	—	—	—	—	3	4	13	23	33	18	10	—	—	—	—
34	Of the stomach, liver.....	941	2	—	—	—	—	—	2	3	14	21	21	305	219	60	2	3	—
35	Of the peritoneum, intestines, rectum.....	300	—	—	—	—	—	1	3	10	18	39	63	89	62	15	—	—	—
36	Of the female genital organs.....	366	—	—	—	—	—	—	1	15	30	104	104	77	30	3	1	1	—
37	Of the breast.....	202	—	—	—	—	—	—	4	19	46	53	33	37	33	8	1	1	—
38	Of the skin.....	137	—	—	—	—	—	—	2	5	4	24	28	40	30	4	—	—	—
39	Of other organs or of organs not specified.....	438	1	1	3	1	—	3	9	18	31	58	100	123	59	28	1	1	1
40	Other tumors (tumors of the female genital organs excepted).....	9	—	—	—	—	—	—	—	1	—	4	2	2	—	—	—	—	—
41	Acute articular rheumatism.....	120	2	—	—	3	1	14	26	11	10	9	15	14	11	4	—	—	—
42	Chronic rheumatism and gout.....	43	—	—	—	—	—	—	1	5	2	6	3	5	4	3	—	—	—
43	Scurvy.....	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
44	Diabetes.....	494	—	2	—	—	—	11	23	41	35	43	89	126	95	23	3	3	—
45	Exophthalmic goiter.....	55	—	—	—	—	—	4	7	8	8	16	9	3	1	1	1	—	—
46	Addison's disease.....	6	—	—	—	—	—	—	1	2	—	1	2	—	1	1	1	—	—
47	Leukemia.....	68	2	2	2	—	2	3	6	7	11	9	13	5	6	—	—	—	—
48	Anemia, chlorosis.....	164	3	3	1	1	3	8	9	15	25	33	35	17	8	2	1	1	—
49	Other general diseases.....	56	17	—	3	1	1	—	6	4	—	3	6	7	5	1	1	1	—
50	Alcoholism (acute or chronic).....	68	—	—	—	—	—	—	6	10	26	12	11	2	—	—	—	1	—
51	Chronic lead poisoning.....	2	—	—	—	—	—	—	3	—	1	—	1	—	—	—	—	—	—
52	Other chronic poisonings.....	9	—	—	—	—	—	—	—	1	—	2	—	2	—	1	—	1	—
53	II.—Diseases of the nervous system and of the organs of special sense.....	3,956	156	62	38	20	21	93	118	149	230	309	547	813	968	377	35	4	16
54	Encephalitis.....	21	3	2	1	—	—	3	2	1	3	—	1	4	1	—	—	—	—
55	Meningitis (total).....	344	72	35	25	11	13	52	47	24	22	17	13	11	1	1	—	—	—
56	Simple meningitis.....	132	35	13	15	4	7	13	15	7	6	7	4	6	—	—	—	—	—
57	Cerebrospinal meningitis (undefined).....	63	13	8	3	4	3	11	8	4	3	3	2	—	1	—	—	—	—
58	Cerebrospinal fever.....	149	24	14	7	3	3	28	24	13	13	7	5	—	1	—	—	—	—
59	Locomotor ataxia.....	82	—	—	—	—	—	—	1	2	19	24	21	13	2	—	—	—	—
60	Other diseases of the spinal cord (total).....	240	8	6	7	1	3	14	13	11	9	16	34	50	53	14	1	—	—
61	Acute anterior poliomyelitis.....	31	4	5	6	1	3	7	8	11	9	16	34	50	53	14	1	—	—
62	Other diseases of the spinal cord ¹	209	4	1	1	—	—	7	8	11	9	16	34	50	53	14	1	—	—
63	Cerebral hemorrhage, apoplexy.....	2,228	8	3	1	—	1	4	9	32	52	133	342	593	733	277	28	4	8
64	Softening of the brain.....	41	—	—	—	—	—	—	—	1	1	2	5	6	15	10	1	—	—
65	Paralysis without specified cause.....	301	2	1	1	1	—	3	3	10	10	4	34	60	110	58	4	—	—
66	General paralysis of the insane.....	294	—	—	—	—	—	—	6	7	75	69	40	17	12	—	—	4	—
67	Other forms of mental alienation.....	41	—	—	—	—	—	—	1	8	8	9	3	4	7	—	—	1	—
68	Epilepsy.....	149	6	—															

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

CAUSES OF DEATH, BY AGE.

359

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
MISSOURI—Continued.																			
VIII.—Diseases of the skin and of the cellular tissue.....	111	18	1	3	3	2	5	3	8	14	18	19	12	5		
142 Gangrene.....	53	1	2	3	1	1	2	2	6	10	10	10	5			
143 Furuncle.....	21	6	1	1	1	3	1	3	2	6	1					
144 Acute abscess.....	19	4	1	1	3	3	3	2	2						
145 Other diseases of the skin and annexa.....	18	7	1	1	1	1	3	4	1	1					
IX.—Diseases of the bones and of the organs of locomotion.....	65	5	4	2	2	5	7	9	5	6	7	6	4	3			
146 Diseases of the bones (tuberculosis excepted).....	56	5	4	2	2	5	6	8	4	6	5	5	2	2			
147 Diseases of the joints (tuberculosis and rheumatism excepted).....	7	1	1	1	2	1	1						
149 Other diseases of the organs of locomotion.....	2	1	1					
X.—Malformations.....	423	393	10	4	5	2	3	3	2	1		
150 Congenital malformations (stillbirths not included) (total).....	423	393	10	4	5	2	3	3	2	1		
Hydrocephalus.....	41	28	7	2	1	1	2		
Congenital malformations of the heart.....	250	240	1	2	3	1	2	1		
Other congenital malformations.....	132	125	2	1	1	1	2	1		
XI.—Early infancy.....	1,917	1,917		
151 Congenital debility, icterus, and scoloma (total).....	1,558	1,558		
Premature birth.....	1,295	1,295		
Congenital debility, "atrophy," "marasmus," etc.	263	263		
152 Other causes peculiar to early infancy (total).....	355	355		
Injuries at birth.....	177	177		
Other causes peculiar to early infancy ¹	178	178		
153 Lack of care.....	4	4	1	1	10	60	147	43	3	1	
XII.—Old age.....	266	1	1	10	60	147	43	3	1	
154 Senility.....	266	1	1	10	60	147	43	3	1	
XIII.—External causes.....	2,970	78	51	60	75	22	105	326	359	454	424	346	274	216	130	21	1	28	
Suicide (total).....	444	16	79	80	109	75	59	20	3	3		
By poison.....	117	6	23	26	32	14	10	6		
By asphyxia.....	13	1	2	3	1	2	2		
By hanging or strangulation.....	60	1	8	7	20	9	13	1	1		
By drowning.....	25	1	5	6	5	4	3	1	2		
By firearms.....	177	7	37	25	44	32	21	8	1	2		
By cutting or piercing instruments.....	35	2	7	5	13	6	2	1		
By jumping from high places.....	9	1	2	1	1	2	1	1		
By crushing.....	4	3	1		
Other suicides.....	4	1	1	4	2	2		
Accidental or undefined (total).....	2,186	75	51	60	73	20	102	276	197	271	249	246	202	194	127	21	1	21	
Poisoning by food.....	45	4	4	1	3	2	5	3	7	8	5	2	1		
Other acute poisonings.....	56	8	4	5	7	1	3	2	7	3	6	2	3	1	1		
Conflagration.....	38	1	2	1	3	3	2	2	3	4	8	5	3	4	3		
Burns (conflagration excepted).....	191	11	14	28	31	8	9	13	12	11	13	9	9	10	10	10	3		
Absorption of deleterious gases (conflagration excepted).....	53	22	2	1	4	1	2	4	2	4	2	2	4	1	1		
Accidental drowning.....	116	1	7	3	1	1	10	35	18	16	5	14	3	1	1	1	1		
Traumatism by firearms.....	90	3	1	12	36	14	10	2	4	4	3	3	3	3	1		
Traumatism by cutting or piercing instruments.....	10	2	2	6	15	17	24	32	1	2	1	1	1	1	1	1		
Traumatism by fall.....	406	6	6	4	3	2	6	15	17	24	32	47	50	88	86	19	1		
Traumatism in mines and quarries (total).....	59	3	9	21	14	11	1	1	1	1	1		
Traumatism in mines.....	54	2	9	19	13	10	1	1	1	1	1		
Traumatism in quarries.....	5	1	2	1	1	1	1	1	1	1	1		
Traumatism by machines.....	82	2	1	18	12	9	17	10	7	5	5	5	5	1		
Traumatism by other crushing (total).....	701	3	4	5	9	4	39	103	70	116	108	93	73	55	7	1	11		
Railroad accidents and injuries.....	284	1	4	4	38	36	66	43	43	29	13	1	1	10		
Street-car accidents and injuries.....	68	2	3	5	3	10	13	11	6	12	3		
Automobile accidents and injuries.....	239	1	2	2	5	2	29	39	23	27	34	24	28	18	3	1	1		
Injuries by other vehicles.....	91	2	1	1	1	2	5	18	7	11	16	9	9	10	2	1	1		
Landslide, other crushing.....	19	1	1	2	1	8	13	2	1	2	6	1	2	1	1	1		
Injuries by animals.....	49	1	1	2	1	6	17	15	18	18	14	12	7	6	1	1	1		
Starvation.....	1	1	1	4	5	2	3	1	1	1	1		
Excessive cold.....	18	9	1	1	2	1	7	10	3	14	6	7	1	1	1		
Effects of heat.....	62	2	9	6	8	3	5	1	2	3	3		
Lightning.....	36	1	1	4	8	1	3	3	1	1	1	1	1	1		
Electricity (lightning excepted).....	19	1	1	4	1	1	1	4	2	2	1	1	1	1		
Fractures (cause not specified).....	9	1	6	17	15	18	18	14	12	7	6	1	1	1	1		
Other external violence.....	145	8	8	10	4	1	6	17	15	18	18	14	12	7	6	1	1		
Homicide (total).....	340	3	2	2	3	34	83	103	66	25	13	2	4	2	4	4		
By firearms.....	243	1	2	2	29	65	77	47	11	7	1	1	1	1	3		
By cutting or piercing instruments.....	33	1	1	1	4	5	12	5	2	2	2	2	2	2	2	2		
By other means.....	64	3	1	1	13	14	14	12	4	1	1	1	1	1	1		
XIV.—Ill-defined diseases.....	614	254	23	11	6	5	4	10	24	26	36	32	61	61	38	9	1	13	
Ill-defined organic disease.....	13	1	1	2	2	1	1	4	2		
Sudden death.....	28	5	1	1	1	2	2	3	7	5	3	13		
Not specified or ill-defined (total).....	573	248	23	10	5	5	4	10	22	23	34	28	53	52	33	9	1	1	
Ill-defined.....	115	13	8	1	4	1	2	5	6	3	10	22	22	6	3	1	1	1	
Not specified or unknown.....	458	235	15	9	1	4	3	8	17	17	25	18	31	30	27	6	12		

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																	Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.		
MONTANA.																				
8,985	1,027	201	125	103	79	224	554	1,542	1,919	1,064	776	685	438	198	22	1	27			
I.—General diseases.	4,002	171	75	61	53	39	108	295	960	1,123	491	296	218	83	10	1	1	17		
1 Typhoid fever.	53	1		1	1	2	2	15	15	9	3	4								
4 Malaria.	2	1																		
5 Smallpox.	6	2																		
6 Measles.	18	5	3	1	5	3	1	1	1											
7 Scarlet fever.	71	3	4	6	8	5	18	11	8	8										
8 Whooping cough.	64	48	8	5	1	1	1													
9 Diphtheria and croup.	45	1	2	5	6	4	12	8	5	1										
10 Influenza.	2,654	73	42	37	27	21	55	208	813	915	276	104	40	21	5	1	1	15		
13 Cholera nostras.	2																			
14 Dysentery.	11	2	2																	
18 Erysipelas.	22	7		1																
19 Other epidemic diseases.	2		1																	
20 Purulent infection and septicemia.	13	1		1		1														
24 Tetanus.	2	1																		
Tuberculosis (total).	504	6	10	3	3	2	11	38	92	115	100	66	48	8					2	
28 Tuberculosis of the lungs.	432	4		1			2	24	88	108	90	60	47	6					2	
29 Acute miliary tuberculosis.	10		2						2	1	1	2	2							
30 Tuberculous meningitis.	32	2	6	2	3	1	8	7	1			1	1							
31 Abdominal tuberculosis.	14		1				1	3	1	2	4	2								
32 Pott's disease.	5								2	1	1		1							
33 White swellings.	2																		1	
34 Tuberculosis of other organs.	6		1					1			1	1								
35 Disseminated tuberculosis.	3										1	1	1							
Rickets.	1		1																	
37 Syphilis.	42	13	1		1	1				4	7	7	5	1	2					
38 Gonococcus infection.	1									1										
Cancer and other malignant tumors (total).	279			1		1	2	6	22	59	71	82	31	3						
39 Of the buccal cavity.	8								1	2	1	3	1							
40 Of the stomach, liver.	103								1	6	18	26	36	16						
41 Of the peritoneum, intestines, rectum.	33							1	2	5	5	11	6	3						
42 Of the female genital organs.	46								4	20	10	9	3							
43 Of the breast.	29								1	8	10	8	2							
44 Of the skin.	13								1	2	2	6	1	1						
45 Of other organs or of organs not specified.	47		1		1	1	1	3	4	4	11	14	5	2						
46 Other tumors (tumors of the female genital organs excepted).	2								1										1	
47 Acute articular rheumatism.	15							3	4	1	3	2	1							
48 Chronic rheumatism and gout.	3								1										2	
50 Diabetes.	78	1		1					5	6	12	13	12	20	8					
51 Exophthalmic goiter.	6							2		1	1	2								
52 Addison's disease.	2									1	1									
53 Leukemia.	7							1	1	2	2		1							
54 Anemia, chlorosis.	23	1							1	1	7	7	5	1						
55 Other general diseases.	8	5	1							1			1							
56 Alcoholism (acute or chronic).	60								3	19	15	11	11	1						
57 Chronic lead poisoning.	1																			
58 Other chronic occupation poisonings.	2										2									
59 Other chronic poisonings.	3									1		1	1							
II.—Diseases of the nervous system and of the organs of special sense.	427	17	13	2	4	4	4	18	21	54	56	67	74	64	29					
60 Encephalitis.	6								4											
61 Meningitis (total).	52	6	11	1	3	2	2	8	6	7	3	2	1							
Simple meningitis.	2	4							2	4	1	1	1							
Cerebrospinal meningitis (undefined).	15	2	6	1	3		1	2	1	3	1	1	1							
Cerebral fever.	21	2	1			2	1	6	3											
62 Locomotor ataxia.	4									2	1	1	1							
63 Other diseases of the spinal cord (total).	21		1	1			1	1	2	3	3		3	5	1					
Acute anterior poliomyelitis.	7			1	1			1	1	2	1									
Other diseases of the spinal cord ¹ .	14							1	1	1	2	3	5	1						
64 Cerebral hemorrhage, apoplexy.	213	2							1	11	27	40	57	49	26					
65 Softening of the brain.	2											1	1	1	1					
66 Paralysis without specified cause.	21								1	2	1	6	4	5	2					
67 General paralysis of the insane.	38									11	12	6	5	4						
68 Other forms of mental alienation.	31								7	10	8	4	2							
69 Epilepsy.	11	1							5	1	1		3							
70 Convulsions (nonpuerperal).	1									1										
71 Convulsions of infants.	8	7	1							1										
72 Chorea.	1																			
73 Neuralgia and neuritis.	1																			
74 Other diseases of the nervous system.	12	1				1		3	1	1		4	1							
76 Diseases of the ears.	5							1	1	1		1	1							

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

361

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.

MONTANA—Continued.

	III.—Diseases of the circulatory system.....	596	6	1	2	12	27	35	61	69	108	108	102	56	5	2		
78	Acute endocarditis.....	48	1	1	1	4	4	3	8	12	10	2	92	46	3	1		
79	Organic diseases of the heart.....	476	4	1	1	8	23	28	51	47	80	91	2	1	1			
80	Angina pectoris.....	21	4					2	1	7	6	3	2	1				
81	Diseases of the arteries, atheroma, aneurism, etc.....	33						1		1	7	8	5	9	2			
82	Embolism and thrombosis.....	12								5	3	3	1					
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	3						1	1	1								
84	Diseases of the lymphatic system (lymphangitis, etc.).....	2	1							1								
85	Hemorrhage; other diseases of the circulatory system.....	1										1						
	IV.—Diseases of the respiratory system.....	1,371	135	43	18	9	9	31	78	249	346	178	113	86	48	23	2	
87	Diseases of the larynx.....	6	1	1	1					2		1						
88	Diseases of the thyroid body.....	3	9	2	1					2		1						
89	Acute bronchitis.....	13	1					1	1			1						
90	Chronic bronchitis.....	16						3	18	22	17	6	8	7	1			
91	Bronchopneumonia.....	213	78	24	6	1	6	3	3	18	22	17	6	8	9	11	1	
92	Pneumonia (total).....	1,085	45	15	10	8	2	27	70	225	319	155	96	70	30	9	1	
	Lobar pneumonia.....	1,033	36	13	8	8	2	24	67	216	310	149	91	67	30	9	1	
	Pneumonia (undefined).....	52	9	2	2			3	3	9	9	6	5	3			1	
93	Pleurisy.....	13		1			1		4		1		3	3				
94	Pulmonary congestion, pulmonary apoplexy.....	2																
95	Gangrene of the lung.....	2						1					1			1		
96	Asthma.....	8	1						1		8	1			2			
97	Pulmonary emphysema.....	2							1		1							
98	Other diseases of the respiratory system (tuberculosis excepted).....	8							1	2	1	1	2		1			
	V.—Diseases of the digestive system.....	596	157	38	22	19	14	30	46	38	59	59	38	45	22	8	1	
99	Diseases of the mouth and annexa.....	3	2									1						
100	Diseases of the pharynx.....	27	4	1				1	7	3	2	4	2		3			
102	Ulcer of the stomach.....	21	1						1	5	2	5	4	3				
103	Other diseases of the stomach (cancer excepted).....	24	11						2		1	1	3	3	2	1		
104	Diarrhea and enteritis (under 2 years).....	156	126	30						2	2	6	2	7	1	1		
105	Diarrhea and enteritis (2 years and over).....	65		20	13	6	5			2	2	6	2	7				
108	Appendicitis and typhlitis.....	130	1	1	3	6	12	39	20	22	17	5	4					
109	Hernia, intestinal obstruction (total).....	53	11	4	1	1	2	1	3	6	7	6	5	4	1			
	Hernia.....	17	2	2					1	1	3	3	2	2	1			
	Intestinal obstruction.....	36	9	2	1	1	1	2	1	2	5	4	3	3				
110	Other diseases of the intestines.....	12	1	1		1				1	3	3	1	1				
113	Cirrhosis of the liver.....	42						1		3	10	8	12	8				
114	Biliary calculi.....	21							1	4	2	6	5	1	2			
115	Other diseases of the liver.....	20							1	6	4	2	4	1	2			
117	Simple peritonitis (nonpuerperal).....	20	1	1		1		4	1	1	5	2	2	1	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	2								2								
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	371	6	4	3	3	1	3	12	17	32	49	65	82	67	25	1	
119	Acute nephritis.....	33	2	1	1	2	1	1	3	4	2	5	4	5	1	1		
120	Bright's disease.....	289	2	3	2	1		2	5	9	21	36	57	69	58	23	1	
	Other diseases of the kidneys and annexa.....	7	1								1	1		3				
123	Calculi of the urinary passages.....	1										1						
124	Diseases of the bladder.....	3	1											1				
126	Diseases of the prostate.....	15										1	1	8	4	1		
129	Uterine hemorrhage (nonpuerperal).....	1										1						
130	Uterine tumor (noncarcinous).....	3										1	2					
131	Other diseases of the uterus.....	6						2	1	1	1	1		1				
132	Cysts and other tumors of the ovary.....	2								2								
	Salpingitis and other diseases of the female genital organs.....	11							2	3	3	2	1					
	VII.—The puerperal state.....	184							11	97	65	11						
134	Accidents of pregnancy.....	44								3	24	16	1					
135	Puerperal hemorrhage.....	12								5	4	3						
136	Other accidents of labor.....	35								21	12	2						
137	Puerperal septicemia.....	54							6	23	19	1						
138	Puerperal albuminuria and convulsions.....	31							1	16	12	2						
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	6							1	2	2	1						
140	Following childbirth (not otherwise defined).....	2								1		1						

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.
MONTANA—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue.....	6	1	1	1	1	1	
142	Gangrene.....	3	1	1	1	2	
144	Acute abscess.....	2	1	1	1	1	
145	Other diseases of the skin and annexa.....	1	1	
	IX.—Diseases of the bones and of the organs of locomotion.....	14	2	1	1	1	2	3	1	1	2	
146	Diseases of the bones (tuberculosis excepted).....	13	2	1	1	1	2	3	1	2	
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	1	1	
	X.—Malformations.....	86	77	3	2	1	1	2	
150	Congenital malformations (stillbirths not included) (total).....	86	77	3	2	1	1	2	
	Hydrocephalus.....	10	7	1	1	1	1	2	
	Congenital malformations of the heart.....	51	48	2	1	1	1	2	
	Other congenital malformations.....	25	22	1	1	1	2	
	XI.—Early infancy.....	418	418	
151	Congenital debility, icterus, and sclerema (total).....	330	330	
	Premature birth.....	253	253	
	Congenital debility, "atrophy," "marasmus," etc.	77	77	
152	Other causes peculiar to early infancy (total).....	86	86	
	Injuries at birth.....	52	52	
	Other causes peculiar to early infancy ¹	34	34	2	
153	Lack of care.....	2	2	
	XII.—Old age.....	74	1	1	9	28	27	8	
154	Senility.....	74	1	1	9	28	27	8	
	XIII.—External causes.....	780	22	19	15	11	10	33	64	120	173	144	82	46	16	17	3	5
155	Suicide (total).....	97	4	21	18	29	15	6	1	1	1	1	
	By poison.....	21	10	3	3	4	1	
156	By asphyxia.....	1	1	
157	By hanging or strangulation.....	9	1	2	2	3	1	
158	By drowning.....	10	1	2	4	2	2	1	1	1	1	1	
159	By firearms.....	48	2	8	10	15	5	5	1	1	1	1	
160	By cutting or piercing instruments.....	7	1	3	1	3	3	3	1	1	1	1	
163	Other suicides.....	1	1	
164	Accidental or undefined (total).....	625	22	19	15	11	8	31	53	86	135	104	62	38	15	16	2	3
	Poisoning by food.....	13	2	2	1	1	1	2	2	1	1	1	1	1	1	1	1	1
165	Other acute poisonings.....	7	1	1	2	1	1	4	4	1
166	Conflagration.....	12	1	1	2	1	1	1	1	1	4	1	1	1	1	1	1	1
167	Burns (conflagration excepted).....	27	2	6	5	3	2	1	3	1	1	2	1	1	1	1	1
168	Absorption of deleterious gases (conflagration excepted).....	14	6	1	1	1	1	1	1	1	3	1	2	1	1	1	1	1
169	Accidental drowning.....	62	1	4	1	2	1	8	15	7	3	1	5	2	1	1	1	1
170	Traumatism by firearms.....	29	1	1	2	3	5	3	6	4	2	1	1	1	1	1	1
171	Traumatism by cutting or piercing instruments.....	1	1
172	Traumatism by fall.....	53	2	1	1	1	1	8	7	3	3	11	2	3	9	1	1	1
173	Traumatism in mines and quarries (total).....	88	1	24	28	25	5	2	2	2	2	2	1
	Traumatism in mines.....	88	1	24	28	25	5	2	2	2	2	2	1
174	Traumatism by machines.....	12	2	2	5	1	1	1	1	1	1	1	1
175	Traumatism by other crushing (total).....	210	2	2	1	2	1	8	11	24	59	43	22	24	5	4	1	1
	Railroad accidents and injuries.....	95	1	3	10	29	20	13	12	3	2	1	1
	Street-car accidents and injuries.....	5	1	2	1	2	1	1	1	1	1	1
	Automobile accidents and injuries.....	64	1	1	1	1	1	2	5	8	21	13	7	3	1	1	1	1
	Injuries by other vehicles.....	39	1	1	1	1	1	4	2	3	7	7	2	8	1	1	1	1
	Landslide, other crushing.....	7	1	1	1	3	1	1	1	1	1	1	1	1
176	Injuries by animals.....	20	2	1	1	1	1	2	4	2	1	5	2	2	1	1	1	1
178	Excessive cold.....	7	1	2	2	2	1	1	1	1	1
180	Lightning.....	17	1	2	2	2	5	5	2	1	1	1	1	1
181	Electricity (lightning excepted).....	7	1	2	2	2	1	1	1	1	1	1	1	1
185	Fractures (cause not specified).....	2	1	1	1	1	1	1	1	1	1
186	Other external violence.....	44	5	1	2	1	1	4	3	8	7	6	2	4	1	1	1	1
182	Homicide (total).....	58	2	2	2	13	20	11	5	2	1	1	1	1	1
	By firearms.....	39	1	2	13	11	8	3	3	1	1	1	1	1	1
183	By cutting or piercing instruments.....	8	1	2	1	6	1	1	1	1	1	1	1	1	1
184	By other means.....	11	2	1	1	3	2	1	1	1	1	1	1	1	1	1
	XIV.—Ill-defined diseases.....	60	15	5	1	2	1	1	1	1	1	3	4	5	13	7	1	1
188	Sudden death.....	2	2	1
189	Not specified or ill-defined (total).....	58	13	5	1	2	1	1	1	1	3	4	5	13	7	1	1	1
	Ill-defined.....	27	2	2	1	2	1	1	1	1	2	1	3	2	5	4	1	1
	Not specified or unknown.....	31	11	3	1	1	1	1	3	4	5	3	2	5	3	1

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

363

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—															Deaths at known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
NEW HAMPSHIRE.																			
	All causes.....	9,581	1,094	272	117	94	71	171	480	1,190	1,070	730	782	1,154	1,335	814	130	3	74
	I.—General diseases.....	3,522	191	137	66	50	45	93	273	749	636	340	290	280	225	84	8	35
1	Typhoid fever.....	20	1	6	4	2	3	2	2
4	Malaria.....	2	1	1
6	Measles.....	46	8	14	3	5	2	4	2	3	1	2	1	1
7	Scarlet fever.....	8	1	1	1	3	1	1
8	Whooping cough.....	100	47	22	11	7	4	9
9	Diphtheria and croup.....	37	1	7	3	5	7	11	2	1
10	Influenza.....	1,999	97	77	43	24	25	47	199	533	501	166	92	56	55	24	5	29
13	Cholera nostras.....	1	1
14	Dysentery.....	15	3	1	1	3	1	1	1	4	2	2	2
18	Erysipelas.....	13	3
19	Other epidemic diseases.....	1	1
20	Purulent infection and septicemia.....	7	1	1	2	2	2
24	Tetanus.....	6	1	1	1	2	1
25	Mycoses.....	1	1
26	Pellagra.....	2	1	1	1
28	Tuberculosis (total).....	554	19	9	5	5	5	6	53	156	111	73	57	29	19	4	3	3
	Tuberculosis of the lungs.....	462	5	1	2	1	2	44	133	104	66	52	26	19	4
29	Acute miliary tuberculosis.....	11	1	6	2	2
30	Tuberculous meningitis.....	34	7	7	4	1	4	2	3	5	1
31	Abdominal tuberculosis.....	20	3	1	2	1	4	1	2	4	1
32	Pott's disease.....	8	1	1	1	1	2	2	1	2
33	White swellings.....	3	1	1	1	1
34	Tuberculosis of other organs.....	9	2	1	2	3	1	1
35	Disseminated tuberculosis.....	7	1	1	3	2
37	Syphilis.....	14	8	2	2	2
38	Gonococcus infection.....	1	1
39	Cancer and other malignant tumors (total).....	478	1	1	1	8	20	67	90	142	100	45	2	1	1
40	Of the buccal cavity.....	19	1	1	6	7	3	1	1
41	Of the stomach, liver.....	141	2	4	12	28	50	33	11	1
42	Of the peritoneum, intestines, rectum.....	97	1	2	3	15	16	26	22	11	1
43	Of the female genital organs.....	77	1	2	9	16	15	22	9	4
44	Of the breast.....	39	1	1	10	8	7	7	7	5	5
45	Of the skin.....	14	1	2	1	3	4	3	4	3	1
46	Of other organs or of organs not specified.....	91	1	1	1	2	11	16	27	22	10
47	Other tumors (tumors of the female genital organs excepted).....	4	1	1	2	1	1
48	Acute articular rheumatism.....	7	1	1	1	3	2	1	2	1
49	Chronic rheumatism and gout.....	5
50	Scurvy.....	1
51	Diabetes.....	97	3	8	7	5	8	18	21	23	4
52	Exophthalmic goiter.....	2	1	1	1	2	1
53	Addison's disease.....	5	1	1	1	2	1	3	1	1	1
54	Leukemia.....	5	1	1	1	1	2	1	1	1	1	1	1	1	1
55	Anemia, chlorosis.....	56	1	1	3	2	3	2	1	4	4	13	16	9	4	1	1	1
56	Other general diseases.....	19	6	3	2	3	2	1	1	2	1	2	1	3	1	1	1	1
57	Alcoholism (acute or chronic).....	14	1	1	4	1	1	1	3	3	3	1	1	1	1
58	Other chronic poisonings.....	2	1	1	1	1	1	1	1	1	1	1	1
60	II.—Diseases of the nervous system and of the organs of special sense.....	914	35	22	7	10	3	7	19	11	26	57	102	184	272	143	10	6
61	Encephalitis.....	6	1	1	1	4	3	3	1	2	1	1	1	1	1	1
62	Meningitis (total).....	56	16	13	2	5	2	1	4	3	3	1	2	1	1	1	1	1	1
63	Simple meningitis.....	34	12	8	2	4	2	1	1	2	1	1	1	1	1	1	1	1
64	Cerebrospinal meningitis (undifferentiated).....	11	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
65	Cerebrospinal fever.....	11	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1
66	Locomotor ataxia.....	15	2	2	1	1	1	1	3	1	1	1	1	3	5	3	3	3	3
67	Other diseases of the spinal cord (total).....	40	2	2	2	1	1	1	2	1	1	1	1	3	8	13	5	5	5
68	Acute anterior poliomyelitis.....	8	2	2	1	1	1	1	2	1	1	4	11	5	8	7	3	3	3
69	Other diseases of the spinal cord ¹	32	1	1	1	1	1	1	3	8	13	5	5	5	5	5
70	Cerebral hemorrhage, apoplexy.....	618	1	2	1	1	1	1	7	28	79	146	221	120	7	5	5	5
71	Softening of the brain.....	7	1	1	1	1	1	1	2	3	2	2	2	2	2
72	Paralysis without specified cause.....	37	1	1	1	1	1	1	1	6	20	7	1	1	1	1
73	General paralysis of the insane.....	38	1	1	1	4	11	5	8	7	3	3	3	3	3
74	Other forms of mental alienation.....	11	1	1	1	1	1	1	1	4	4	4	1	1	1	1	1	1
75	Epilepsy.....	34	2	3	2	2	1	3	6	3	5	3	2	6	2	2	2	2	2
76	Convulsions of infants.....	19	11	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1
77	Chorea.....	2	1	1	1	1	1	1	1	1	1	1	1
78	Neuralgia and neuritis.....	4	1	1	1	1	1	1	1	1	1	1	1
79	Other diseases of the nervous system.....	18	1	1	1	1	1	1	2	2	1	2	1	4	1	1	2	1	1
80	Diseases of the eyes and their annexa.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
81	Diseases of the ears.....	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
NEW HAMPSHIRE—Continued.																			
	III.—Diseases of the circulatory system.....	1,362	8	1	6	16	22	36	82	141	322	416	261	38	1	12
77	Pericarditis.....	3							1	1	2	4	8	8	2	1			
78	Acute endocarditis.....	29	2							6	13	19	22	58	101	239	286	154	1
79	Organic diseases of the heart.....	921	3	1							7	4	11	26	20	5	13	2	6
80	Angina pectoris.....	77																	2
81	Diseases of the arteries, atheroma, aneurism, etc.....	270										1	5	8	46	95	88	23	3
82	Embolism and thrombosis.....	52										2	4	13	9	11	12		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	5											3			1			
84	Diseases of the lymphatic system (lymphangitis, etc.).....	4		3													1		
85	Hemorrhage; other diseases of the circulatory system.....	1															1		
	IV.—Diseases of the respiratory system.....	1,459	159	63	26	19	10	35	97	268	217	93	85	118	141	95	21		12
86	Diseases of the nasal fossae.....	1											1			1			
87	Diseases of the larynx.....	9	2						1	3			1		1				1
88	Diseases of the thyroid body.....	2											1			1			
89	Acute bronchitis.....	68	26	9	3	1			1						2	3	8	11	4
90	Chronic bronchitis.....	35	1												2	6	7	13	4
91	Bronchopneumonia.....	276	82	35	9	5	4	8	5	20	18	11	9	14	29	22	4		1
92	Pneumonia (total).....	1,019	43	17	14	12	3	22	90	244	192	76	69	90	87	41	8		11
	Lobar pneumonia.....	748	23	13	10	9	3	12	66	195	143	56	51	69	63	21	5		9
	Pneumonia (undefined).....	271	20	4	4	3		10	24	49	49	20	18	21	24	20	3		2
93	Pleurisy.....	16	1	2				1	1	1	2	5			1	1			
94	Pulmonary congestion, pulmonary apoplexy.....	13	1								1				1	4	4	1	
95	Gangrene of the lung.....	1									1								
96	Asthma.....	14	1									1	2	1	2	3	3		
97	Pulmonary emphysema.....	1													1				
98	Other diseases of the respiratory system (tuberculosis excepted).....	4	2									1	1						
	V.—Diseases of the digestive system.....	585	216	33	9	9	7	12	21	14	26	37	48	55	57	33	5		3
100	Diseases of the pharynx.....	7		1		2			1			1		1	1				
101	Diseases of the esophagus.....	1										2	2	5	6	4	2		1
102	Ulcer of the stomach.....	22																	
103	Other diseases of the stomach (cancer excepted).....	52	17	3	2		1	2			1	2	4	4	4	8	3		1
104	Diarrhea and enteritis (under 2 years).....	217	192	25															
105	Diarrhea and enteritis (2 years and over).....	62		7	5	3	3	1	1	6	4	3	13	11	4	1			
107	Intestinal parasites.....	1			1														1
108	Appendicitis and typhlitis.....	50		1			2	5	13	8	5	8	4	2	1				
109	Hernia, intestinal obstruction (total).....	56	3	1		1	1	1	1	3	5	6	10	10	9	5			
	Hernia.....	14									1	2	1	5	2	3			
	Intestinal obstruction.....	42	3	1		1	1	1	1	2	3	5	5	8	6	5			
110	Other diseases of the intestines.....	7	1	1								1		2	1	1			
111	Acute yellow atrophy of the liver.....	1													1				
113	Cirrhosis of the liver.....	49	1									3	5	11	7	15	7		
114	Biliary calculi.....	18										2	4	3	5	3	1		
115	Other diseases of the liver.....	26							1	2	1	1	5	4	7	4	1		
116	Diseases of the spleen.....	4		1							2		1						
117	Simple peritonitis (nonpuerperal).....	11	1								3		3	1	1	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	1											1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	604	6	1				2	2	10	26	36	60	69	143	157	83	6	
119	Acute nephritis.....	28	4						1	6	5	5	2	3	2				1
120	Bright's disease.....	494	2	1				2	2	7	18	22	44	64	124	138	66	5	
122	Other diseases of the kidneys and annexa.....	7									1		1		1				
123	Calculi of the urinary passages.....	1																	
124	Diseases of the bladder.....	10																	
125	Diseases of the urethra, urinary abscess, etc.....	1																	
126	Diseases of the prostate.....	36										1		11	11	11			2
128	Uterine hemorrhage (nonpuerperal).....	1										1							
129	Uterine tumor (noncancerous).....	11									1	1	7	1					
130	Other diseases of the uterus.....	4										3	1						
131	Cysts and other tumors of the ovary.....	5									2	1				2			
132	Salpingitis and other diseases of the female genital organs.....	5								2	1	1	1						
133	Nonpuerperal diseases of the breast (cancer excepted).....	1													1				
	VII.—The puerperal state.....	75								2	42	27	4						
134	Accidents of pregnancy.....	12								1	5	6							
135	Puerperal hemorrhage.....	6								2	4								
136	Other accidents of labor.....	13								8	5								
137	Puerperal septicemia.....	16								13	3								
138	Puerperal albuminuria and convulsions.....	25								12	9	3							
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	3								2		1							

CAUSES OF DEATH, BY AGE.

365

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
NEW HAMPSHIRE—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue.....	22	2						1		1				3	8	7	
142	Gangrene.....	19	1							1		1			2	8	7	
144	Acute abscess.....	3	1											1				
	IX.—Diseases of the bones and of the organs of locomotion.....	11	1	1					2	1	2		1	1		2		
146	Diseases of the bones (tuberculosis excepted).....	10	1	1					2	1	2			1		2		
148	Amputations.....	1											1					
	X.—Malformations.....	75	68	4	1					1				1				
150	Congenital malformations (stillbirths not included) (total).....	75	68	4	1					1					1			
	Hydrocephalus.....	8	6	1											1			
	Congenital malformations of the heart.....	39	35	3	1													
	Other congenital malformations.....	28	27							1								
	XI.—Early infancy.....	401	401															
151	Congenital debility, icterus, and scle- rema (total).....	341	341															
	Premature birth.....	233	233															
	Congenital debility, "atrophy," "marasmus," etc.....	108	108															
152	Other causes peculiar to early infancy (total).....	57	57															
	Injuries at birth.....	21	21															
	Other causes peculiar to early infancy ¹	36	36															
153	Lack of care.....	3	3												2	25	80	38
	XII.—Old age.....	147													2			2
154	Senility.....	147													2	25	80	38
	XIII.—External causes.....	381	5	9	7	6	4	14	39	54	42	56	44	39	31	24	4	3
	Suicide (total).....	68							2	13	11	15	13	8	5			1
155	By poison.....	4							2	1	1	1						
156	By asphyxia.....	9							3	1	2	1			2			
157	By hanging or strangulation.....	13							1	1	2	2	3	4				
158	By drowning.....	11							3	2	3	2	1					1
159	By firearms.....	21							1	3	4	5	4	1	2			
160	By cutting or piercing instruments.....	9							1	1	3	1	2	1				
161	By jumping from high places.....	1									1							
	Accidental or undefined (total).....	309	5	9	7	6	4	14	37	39	31	40	31	30	26	24	4	2
164	Poisoning by food.....	6		1				1	1	1	1	1		1				
165	Other acute poisonings.....	8	2		1	1			1	1	1	1		1				
166	Conflagration.....	6		1						1	1	1	1		1			
167	Burns (conflagration excepted).....	28	1	2	5	2		3	2		4	2	3	1	2	1		
168	Absorption of deleterious gases (con- flagration excepted).....	14	1						4	7	3	1	3	2	1	2		
169	Accidental drowning.....	38		3				1	3	13	7	3	4	3	1			
170	Traumatism by firearms.....	8						1	4	1	1		1	1				
172	Traumatism by fall.....	65							2	3	1	11	7	8	10	18	4	
173	Traumatism in mines and quarries (total).....	1								1								
	Traumatism in quarries.....	19								2	5	4	2	1	3	1	1	
174	Traumatism by machines.....																	
175	Traumatism by other crushing (total).....	76	1	1		2	1	5	4	14	11	12	7	7	10			1
	Railroad accidents and injuries.....	38		1					2	8	8	7	4	6		2		
	Street-car accidents and injuries.....	2																
	Automobile accidents and injuries.....	21	1			1	1	3	2	3	2	3	1	1	3			
	Injuries by other vehicles.....	14				1		2		3	1	1	2		3			1
	Landslide, other crushing.....	1																
176	Injuries by animals.....	5						1		2			1		1	1	1	
179	Effects of heat.....	4		1														
180	Lightning.....	2										1		1				
181	Electricity (lightning excepted).....	6							2	2	2							
185	Fractures (cause not specified).....	2											1	1				
186	Other external violence.....	21	1	1				1	4	1	2	5	3	3				
	Homicide (total).....	4									2	1			1			
182	By firearms.....	3								2	1				1			
184	By other means.....	1													1			
	XIV.—Ill-defined diseases.....	23	2	1	1				2		2	1	1	2	6	3	2	
187	Ill-defined organic disease.....	2										1	1		1			
188	Sudden death.....	3											2					
189	Not specified or ill-defined (total).....	18	2	1	1				2		2		2	4	2	2		
	Ill-defined.....	17	2	1	1					2	2		2	4	1	2		
	Not specified or unknown.....	1											1					

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

NEW JERSEY.

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

367

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
NEW JERSEY—Continued.																		
142	VIII.—Diseases of the skin and of the cellular tissue.....	135	29	3	1	1	3	1	8	4	14	18	21	20	11	1	..
143	Gangrene.....	55	1	1	1	1	1	1	1	4	7	10	16	10	1
144	Furuncle.....	22	3	2	1	2	6	5	2
145	Acute abscess.....	37	12	2	1	1	4	2	7	4	4	2
146	Other diseases of the skin and annexa.....	21	13	1	1	1	2	2	1
147	IX.—Diseases of the bones and of the organs of locomotion.....	68	7	4	1	4	2	8	10	5	7	7	8	2	1	2
148	Diseases of the bones (tuberculosis excepted).....	62	6	4	1	3	2	8	10	5	6	5	7	2	1	2
149	Diseases of the joints (tuberculosis and rheumatism excepted).....	4	1	1	1	1
150	Other diseases of the organs of locomotion.....	2	1	1
151	X.—Malformations.....	522	486	17	2	4	7	6
152	Congenital malformations (stillbirths not included) (total).....	522	486	17	2	4	7	6
153	Hydrocephalus.....	44	32	6	2	1	1	2
154	Congenital malformations of the heart.....	329	312	6	3	6	2
155	Other congenital malformations.....	149	142	5	2
156	XI.—Early infancy.....	2,419	2,419
157	Congenital debility, idiocy, and scoliosis (total).....	1,953	1,953
158	Premature birth.....	1,452	1,452
159	Congenital debility, "atrophy," "marasmus," etc.....	501	501
160	Other causes peculiar to early infancy (total).....	455	455
161	Injuries at birth.....	249	249
162	Other causes peculiar to early infancy ¹	206	206	11
163	Lack of care.....	11
164	XII.—Old age.....	252
165	Senility.....	252
166	XIII.—External causes.....	3,457	83	68	70	54	67	212	347	454	499	508	394	305	204	119	26	1 46
167	Suicide (total).....	358	10	68	59	78	62	54	20	6	1	..
168	By poison.....	34	1	5	9	6	5	2
169	By asphyxia.....	107	3	19	12	18	27	20	8
170	By hanging or strangulation.....	63	2	6	13	12	9	15	4	2
171	By drowning.....	20	1	5	2	10	1	1
172	By firearms.....	93	2	26	18	22	11	8	4	2
173	By cutting or piercing instruments.....	25	1	6	3	4	6	5	2	1	1
174	By jumping from high places.....	12	1	1	2	5	1	1	1	1	1
175	By crushing.....	2	1	1	1	1	1	1	1	1	1	1	..
176	Accidental or undefined (total).....	2,954	74	68	68	58	66	208	327	347	401	407	323	245	183	113	26	1 44
177	Poisoning by food.....	30	2	5	2	3	2	3	1	4	7	1	3	1	1	1	1	..
178	Other acute poisonings.....	30	1	4	3	1	2	3	3	6	3	3	1	1	1	1	1	..
179	Confagration.....	50	1	2	7	11	6	4	7	6	1	3	2
180	Burns (confagration excepted).....	347	9	34	33	26	30	41	27	31	29	37	11	20	13	6
181	Absorption of deleterious gases (confagration excepted).....	247	27	3	1	2	18	31	33	35	37	32	17	8	3
182	Accidental drowning.....	292	1	5	4	1	4	2	38	76	53	37	39	25	5	2	1	1
183	Traumatism by firearms.....	27	1	6	14	3	2	1	1
184	Traumatism by cutting or piercing instruments.....	6	1	1	12	7	22	8	8	6	1
185	Traumatism by fall.....	447	3	8	10	4	4	10	9	29	34	1	1	2
186	Traumatism in mines and quarries (total).....	13	3	7	2	1
187	Traumatism in mines.....	12	3	6	2	1
188	Traumatism in quarries.....	1	3	6	2	1
189	Traumatism by machines.....	65	1	12	7	22	8	8	6	1
190	Traumatism by other crushing (total).....	1,045	1	8	7	16	21	95	142	140	174	162	126	84	50	16	1	2
191	Railroad accidents and injuries.....	447	3	4	3	4	3	16	54	74	88	87	68	36	16	4	1	1
192	Street-car accidents and injuries.....	109	3	4	3	4	11	9	16	17	13	18	5	5	5	..	1
193	Automobile accidents and injuries.....	388	1	2	3	11	15	67	65	44	49	46	31	23	24	6	..	1
194	Injuries by other vehicles.....	84	3	1	1	3	8	11	8	16	10	10	7	5	4
195	Landslide, other crushing.....	17	2	1	2	1	5	5	2	4	4	2	1	1
196	Injuries by animals.....	12	2	1	2	1	1	1	2	2	1	2	1	1	1	..
197	Excessive cold.....	24	1	1	1	1	5	7	4	3	1	1	1	1	..
198	Effects of heat.....	89	25	3	1	3	5	12	8	13	8	11	1
199	Lightning.....	4	1	1	1	1	1	2	2	2	2	2	2	2	..
200	Electricity (lightning excepted).....	26	1	1	2	9	11	1	1	1	1	1	1	1	1	..
201	Fractures (cause not specified).....	17	1	3	3	7	23	31	24	23	12	5	4	1	3	41
202	Other external violence.....	183	3	2	3	1	3	3	7	2	2	1	2	3	1	4	2	..
203	Homicide (total).....	145	9	2	1	1	4	10	39	39	23	9	6	1
204	By firearms.....	79	1	1	2	9	22	25	14	3	1	1	1	1	1	..
205	By cutting or piercing instruments.....	18	1	1	2	1	9	10	6	5	4	4	4	4	4	..
206	By other means.....	48	9	1	1	2	4	2	3	3	5	5	5	11	1	1	1
207	XIV.—Ill-defined diseases.....	103	33	21	7	1	4	2	3	3	5	5	5	11	1	1	1
208	Ill-defined organic disease.....	2	1	1	2	1	1	1	1	1	1	1	..
209	Sudden death.....	6	2	1	2	1	1	1	1	1	1	1	1	..
210	Not specified or ill-defined (total).....	95	31	21	7	1	3	2	3	1	4	5	4	11	1	1	1
211	Ill-defined.....	77	23	19	7	1	3	1	1	2	4	5	4	7	1	1	1
212	Not specified or unknown.....	18	8	2	1	2	4	4	4	4	4	4	4	1

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

369

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.			
NEW YORK.																				
	All causes.....	190,764	23,452	7,072	3,148	2,119	1,535	4,425	9,115	23,463	24,094	18,726	20,333	22,121	19,966	9,590	1,418	39	148	
	I.—General diseases.....	60,715	3,356	2,768	1,462	993	740	1,896	4,072	11,019	10,775	7,425	6,683	5,376	3,039	917	97	3	44	
1	Typhoid fever.....	579	3	5	5	7	3	40	124	163	97	72	34	14	11	—	—	—	1	
4	Malaria.....	35	4	2	2	—	—	2	4	4	1	5	—	5	1	—	—	—	—	
5	Smallpox.....	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	
6	Measles.....	1,339	307	557	177	93	43	77	36	16	15	6	—	6	—	—	—	—	—	
7	Scarlet fever.....	311	7	51	40	49	34	74	34	11	7	3	1	—	1	—	—	—	—	
8	Whooping cough.....	1,257	617	334	123	62	43	61	12	1	—	—	2	—	1	1	—	—	—	
9	Diphtheria and croup.....	1,751	120	355	276	233	163	427	111	28	16	7	10	2	1	1	—	—	1	
10	Influenza.....	21,903	1,127	1,042	581	365	297	794	1,934	6,106	5,492	1,836	979	648	458	191	27	1	25	
13	Cholera nostras.....	27	5	2	1	1	—	3	—	—	—	1	3	6	2	3	—	—	—	
14	Dysentery.....	143	28	9	11	4	3	3	1	8	7	5	8	9	26	17	3	—	—	
17	Leprosy.....	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	
18	Erysipelas.....	342	143	8	1	1	2	—	8	15	30	25	35	40	17	10	2	—	—	
19	Other epidemic diseases.....	42	13	6	4	2	1	—	2	1	4	2	1	3	2	—	1	—	—	
20	Purulent infection and septicemia.....	113	15	2	3	—	—	3	8	14	14	10	15	14	11	4	—	—	—	
21	Glanders.....	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
22	Anthrax.....	4	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	
24	Tetanus.....	77	13	—	1	2	2	10	11	1	3	5	12	8	9	1	—	—	—	
25	Mycoses.....	4	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	
26	Pellagra.....	21	—	—	—	—	—	—	—	—	7	5	4	4	1	—	—	—	—	
27	Beriberi.....	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
28	Tuberculosis (total).....	16,964	369	321	200	142	107	278	1,519	4,114	3,826	3,015	1,862	870	287	43	1	10	—	
	Tuberculosis of the lungs.....	14,442	67	51	33	23	16	80	1,201	3,751	3,569	2,821	1,726	792	265	37	1	9	—	
29	Acute miliary tuberculosis.....	565	33	15	9	8	3	15	95	174	92	65	42	12	2	—	—	—	—	
30	Tuberculous meningitis.....	1,150	235	227	138	81	68	137	96	67	55	25	16	3	2	—	—	—	—	
31	Abdominal tuberculosis.....	372	16	15	8	14	8	21	51	52	62	34	27	7	1	—	—	—	—	
32	Pott's disease.....	146	—	4	6	10	5	14	27	21	17	15	11	11	4	1	—	—	—	
33	White swellings.....	73	—	2	2	2	5	5	19	13	6	3	7	7	2	—	—	—	—	
34	Tuberculosis of other organs.....	154	8	5	2	3	1	22	22	23	21	22	12	4	4	4	—	—	—	
35	Disseminated tuberculosis.....	62	8	4	2	1	1	8	14	2	10	4	6	1	—	—	—	—	—	
36	Rickets.....	72	37	18	8	4	—	1	—	66	178	239	150	70	15	5	—	1	—	
37	Syphilis.....	1,138	371	18	3	3	1	4	14	66	178	239	150	70	15	5	—	1	—	
38	Gonococcus infection.....	64	6	—	—	—	—	—	6	18	18	12	2	—	1	—	—	—	—	
	Cancer and other malignant tumors (total).....	9,908	8	7	8	10	7	15	37	139	578	1,572	2,609	2,639	1,703	523	49	1	3	
39	Of the buccal cavity.....	332	—	—	—	—	1	1	4	2	11	49	74	92	66	29	3	—	—	
40	Of the stomach, liver.....	3,642	1	2	1	2	—	1	2	26	122	488	966	1,127	705	189	8	1	1	
41	Of the peritoneum, intestines, rectum.....	1,542	1	—	1	2	—	4	8	30	83	227	411	411	282	77	4	—	1	
42	Of the female genital organs.....	1,346	—	—	—	—	—	3	23	146	327	369	301	145	28	4	—	—	—	
43	Of the breast.....	983	—	—	—	—	—	1	9	93	218	278	199	128	49	38	—	—	—	
44	Of the skin.....	253	—	1	1	—	—	1	4	9	12	32	50	76	54	13	—	—	—	
45	Of other organs or of organs not specified.....	1,810	6	4	5	6	6	8	19	45	114	251	479	459	301	97	9	—	1	
46	Other tumors (tumors of the female genital organs excepted).....	24	—	—	—	—	—	—	—	1	4	5	6	2	5	1	—	—	—	
47	Acute articular rheumatism.....	391	3	3	1	6	14	51	75	50	36	32	45	36	22	16	1	—	—	
48	Chronic rheumatism and gout.....	154	—	—	—	—	—	1	2	10	15	22	40	46	15	1	—	—	—	
49	Scurvy.....	12	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	
50	Diabetes.....	2,280	3	5	5	4	3	27	84	94	143	248	553	686	362	56	6	—	—	
51	Exophthalmic goiter.....	214	—	—	—	—	—	—	10	26	46	54	49	23	4	2	—	—	—	
52	Addison's disease.....	51	—	1	—	—	—	—	1	5	12	10	11	7	3	1	—	—	—	
53	Leukemia.....	256	7	6	4	2	8	6	19	30	48	29	51	32	11	3	—	—	—	
54	Anemia, chlorosis.....	605	9	6	1	1	3	6	8	30	64	80	134	173	71	17	2	—	—	
55	Other general diseases.....	232	134	6	7	1	6	12	10	15	8	9	9	7	3	4	1	—	—	
56	Alcoholism (acute or chronic).....	304	—	—	—	—	—	—	—	21	89	94	62	24	11	1	—	2	—	
57	Chronic lead poisoning.....	21	—	—	—	—	—	—	—	4	6	6	6	3	2	—	—	—	—	
58	Other chronic occupation poisonings.....	8	—	—	—	—	—	—	1	28	12	8	4	5	3	1	—	—	—	
59	Other chronic poisonings.....	62	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	II.—Diseases of the nervous system and of the organs of special sense.....	13,881	418	173	98	76	47	178	234	390	705	1,274	2,202	3,055	3,223	1,557	136	2	13	—
60	Encephalitis.....	46	1	1	1	1	1	2	8	7	4	8	5	4	2	1	—	—	—	
61	Meningitis (total).....	787	167	94	48	40	26	88	96	82	51	42	29	14	7	5	3	—	—	
	Simple meningitis.....	327	81	37	17	18	10	29	28	32	20	14	9	5	3	—	—	—	—	
	Cerebrospinal meningitis (undefined).....	224	33	37	12	10	9	22	31	21	19	15	9	4	2	—	—	—	—	
	Cerebrospinal fever.....	236	53	20	19	12	7	37	29	12	3	6	1	—	—	—	—	—	—	
62	Locomotor ataxia.....	234	—	—	—	—	—	—	—	4	19	41	67	72	25	6	—	—	—	
63	Other diseases of the spinal cord (total).....	633	16	16	5	6	6	22	28	22	39	62	107	153	106	33	2	—	—	
	Acute anterior poliomyelitis.....	82	9	14	13	2	3	16	14	4	3	1	2	1	—	—	—	—	—	
	Other diseases of the spinal cord ¹	551	7	2	3	3	3	6	14	18	36	61	105	153	105	33	2	—	—	
64	Cerebral hemorrhage, apoplexy.....	9,345	11	3	5	1	—	3	14	52	182	654	1,612	2,482	2,799	1,355	162	2	8	
65	Softening of the brain.....	114	—	—	—	—	—	—	—	2	12	31	43	21	5	5	—	—	—	
66	Paralysis without specified cause.....	442	2	1	1	—	—	1	5	1	11	21	45	110	134	96	13	1	—	
67	General paralysis																			

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																	Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.		
NEW YORK—Continued.																				
	III.—Diseases of the circulatory system.	26,372	208	52	37	40	35	230	701	989	1,434	2,325	3,725	5,873	6,663	3,521	509	8	22	
77	Pericarditis.	80	4				1	2	5	4	4	5	10	14	16	12	1		1	
78	Acute endocarditis.	1,178	88	10	9	8	6	35	93	102	161	242	340	39	27	16	2			
79	Organic diseases of the heart.	20,648	59	30	26	28	25	181	593	853	1,159	1,842	2,867	4,866	5,284	2,503	308	6	18	
80	Angina pectoris.	910						1	8	30	108	187	280	213	78	5				
81	Diseases of the arteries, atherosclerosis, etc.	2,918																		
82	Embolism and thrombosis.	460	3	2				1	5	3	8	35	80	218	550	1,008	827	186	2	3
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	65							1	2	2	12	7	18	10	8	5			
84	Diseases of the lymphatic system (lymphangitis, etc.).	87	51	10	2	3	1	3	4	3	3			3	1	1	2			
85	Hemorrhage; other diseases of the circulatory system.	26	3					3			6	1	6	4	3					
	IV.—Diseases of the respiratory system.	39,910	4,510	2,663	1,061	630	397	1,056	2,390	7,826	7,249	3,496	2,739	2,472	2,127	1,093	174	9	18	
86	Diseases of the nasal fossae.	7	2					1	1	1	1		1							
87	Diseases of the larynx.	76	11	16	1	9	1	5	3	6	3	7	5	2	5	1	1			
88	Diseases of the thyroid body.	59						1	5	9	8	16	11	4	5					
89	Acute bronchitis.	1,193	658	153	49	13	12	19	10	14	17	13	22	31	82	88	17			
90	Chronic bronchitis.	689	10	3	4	3	3	3	4	16	17	44	78	116	200	156	30	2		
91	Bronchopneumonia.	9,732	2,592	1,383	526	265	158	334	342	967	904	432	427	507	538	308	46	1	2	
92	Pneumonia (total).	27,090	1,173	1,039	457	314	212	659	1,992	6,728	6,194	2,843	2,074	1,689	1,171	458	67	4	16	
	Lobar pneumonia.	25,169	987	948	409	288	198	604	1,879	6,379	5,861	2,667	1,927	1,557	1,025	366	48	3	15	
93	Pneumonia (undefined).	1,921	186	91	43	28	16	55	113	349	333	176	147	132	136	92	19	1	1	
94	Pleurisy.	596	41	63	21	24	10	30	26	69	65	84	56	50	33	23				
	Pulmonary congestion, pulmonary apoplexy.	142	10	1	3	1		1	3	5	6	7	14	38	43	12	1			
95	Gangrene of the lung.	36						2		3	7	10	4	7	3					
96	Asthma.	163	3	1				1	2	14	20	36	32	39	14	2				
97	Pulmonary emphysema.	25	2					1			2	3	7	8	2					
98	Other diseases of the respiratory system (tuberculosis excepted).	102	8	4		1		3	4	11	15	18	15	13	5	5				
	V.—Diseases of the digestive system.	12,692	4,959	1,066	247	154	91	244	372	473	725	934	1,173	1,005	813	375	56	2	3	
99	Diseases of the mouth and annexa.	76	18	5	1		2	1	1	4	8	9	12	9	3	3				
100	Diseases of the pharynx.	225	19	6	15	16	6	32	23	34	24	14	11	4	9	5	2			
101	Diseases of the esophagus.	16	1					1	6	36	74	107	100	63	51	13	2			
102	Ulcer of the stomach.	456	3																	
103	Other diseases of the stomach (cancer excepted).	594	205	29	12	4	4	4	2	10	15	39	42	61	84	67	16			
104	Diarrhea and enteritis (under 2 years).	5,470	4,499	971																
105	Diarrhea and enteritis (2 years and over).	1,093		183	103	55	56	18	45	71	90	105	111	142	94	18	1	1		
106	Ankylostomiasis.	1	1																	
107	Intestinal parasites.	5	2					1												
108	Appendicitis and typhlitis.	1,148	5	6	9	15	17	98	228	202	213	142	131	50	28	4				
109	Hernia, intestinal obstruction (total).	1,283	160	34	19	7	4	24	22	51	99	123	212	223	206	87	11	1		
	Hernia.	586	35	4		1	1	4	5	10	46	57	133	138	113	33	6			
	Intestinal obstruction.	697	125	30	19	6	3	20	17	41	53	66	79	85	93	54	5	1		
110	Other diseases of the intestines.	206	18	3	2	2		5	11	16	19	22	37	26	31	11	3			
111	Acute yellow atrophy of the liver.	27	1					1	5	5	3	2	2	6	1	1				
112	Hydatid tumor of the liver.	6						1	5	2	1		1	1						
113	Cirrhosis of the liver.	1,180	1	2	1	2		2	7	13	97	233	332	276	155	51	1		2	
114	Biliary calculi.	294							2	8	27	55	83	72	35	12				
115	Other diseases of the liver.	351	9	2	2	1		2	8	22	30	57	71	80	44	20	3			
116	Diseases of the spleen.	18		2					4	2	2	3	2		2	1				
117	Simple peritonitis (nonpuerperal).	176	17	6	3	3	3	13	27	16	34	13	14	12	13	2				
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	67							2	3	8	6	18	16	8	6				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	13,705	84	37	25	18	14	56	171	480	974	1,657	2,479	3,194	3,028	1,811	166	4	7	
119	Acute nephritis.	630	43	14	14	8	5	25	42	60	98	95	87	70	39	30				
120	Bright's disease.	11,595	14	13	9	10	7	27	112	330	674	1,537	2,231	2,893	2,668	1,116	143	4	7	
122	Other diseases of the kidneys and annexa.	236	15	8	2		1	4	6	16	32	40	27	34	33	15	3			
123	Calculi of the urinary passages.	75	1						1	3	12	17	15	13	11	2				
124	Diseases of the bladder.	159	2					1		4	2	8	14	30	51	38	9			
125	Diseases of the urethra, urinary abscess, etc.	37							1		5	6	12	10	2	1				
126	Diseases of the prostate.	451							1		3	8	23	119	192	96	9			
127	Nonvenereal diseases of the male genital organs.	7	5										1	1						
128	Uterine hemorrhage (nonpuerperal).	3											1							
129	Uterine tumor (noncancerous).	208											4	50	83	32	12	18	8	
130	Other diseases of the uterus.	80		1									2	11	23	18	13	6		
131	Cysts and other tumors of the ovary.	73											1	8	15	20	13	4	1	
132	Salpingitis and other diseases of the female genital organs.	145		1									5	44	58	25	10	2		
133	Nonpuerperal diseases of the breast (cancer excepted).	6	4										1					1		
	VII.—The puerperal state.	1,931							96	993	717	125								
134	Accidents of pregnancy.	466											17	259	173	17				
135	Puerperal hemorrhage.	165											2	55	82	26				
136	Other accidents of labor.	356											15	199	124	18				
137	Puerperal septicemia.	499											21	254	184	40				
138	Puerperal albuminuria and convulsions.	378											40	192	124	22				
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	50											1	24	23	2				
140	Following childbirth (not otherwise defined).	12	4										7	5						
141	Fuerperal diseases of the breast.	5	5										3	2						

CAUSES OF DEATH, BY AGE.

371

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
NEW YORK—Continued.																			
	VIII.—Diseases of the skin and of the cellular tissue.....	416	93	5	4	1	2	5	10	23	21	30	43	44	60	61	14	
142	Gangrene.....	156	3	1	3	1	1	1	3	4	5	11	25	33	49	11	
143	Furuncle.....	58	17	1	1	5	4	10	11	3	3	2	
144	Acute abscess.....	104	28	3	1	4	7	9	10	9	11	8	12	2	
145	Other diseases of the skin and annexa.....	98	45	1	1	6	3	6	10	8	7	8	3	
	IX.—Diseases of the bones and of the organs of locomotion.....	322	32	16	10	9	7	40	58	28	30	29	30	12	16	4	1	
146	Diseases of the bones (tuberculosis excepted).....	296	29	16	10	9	7	37	52	28	29	28	28	8	11	3	1	
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	20	3	3	3	1	2	4	3	1	
149	Other diseases of the organs of locomotion.....	6	3	1	2	
	X.—Malformations.....	1,543	1,417	41	22	11	2	21	19	6	2	2	
150	Congenital malformations (stillbirths not included) (total).....	1,543	1,417	41	22	11	2	21	19	6	2	2	
	Hydrocephalus.....	180	138	17	10	2	7	2	1	
	Congenital malformations of the heart.....	896	834	17	8	5	1	11	16	3	1	
	Other congenital malformations.....	467	445	7	4	4	1	3	1	1	
	XI.—Early infancy.....	8,117	8,117	
151	Congenital debility, icterus, and scoloma (total).....	6,202	6,202	
	Premature birth.....	4,721	4,721	
	Congenital debility, "atrophy," "marasmus," etc.	1,481	1,481	
152	Other causes peculiar to early infancy (total).....	1,906	1,906	
	Injuries at birth.....	1,105	1,105	
153	Other causes peculiar to early infancy ¹	801	801	9	
	Lack of care.....	9	9	
	XII.—Old age.....	752	3	32	199	361	147	10	
154	Senility.....	752	3	32	199	361	147	10	
	XIII.—External causes.....	10,190	205	213	171	184	198	697	937	1,228	1,457	1,425	1,242	1,023	726	378	66	1	34
	Suicide (total).....	1,295	33	197	277	277	257	146	85	18	2	3	
155	By poison.....	127	7	26	25	26	21	16	4	1	1	
156	By asphyxia.....	366	8	60	73	82	34	21	3	1	
157	By hanging or strangulation.....	240	2	28	41	44	55	32	30	6	1	1	
158	By drowning.....	88	2	11	23	21	13	11	6	1	1	
159	By firearms.....	250	8	34	49	57	49	32	15	5	1	
160	By cutting or piercing instruments.....	92	1	11	23	17	24	11	4	1	1	
161	By jumping from high places.....	117	5	24	35	29	8	9	5	1	1	1	
162	By crushing.....	11	2	6	1	2	1	
163	Other suicides.....	4	1	2	1	1	
	Accidental or undefined (total).....	8,491	186	209	169	184	194	689	872	930	1,058	1,085	956	863	639	359	64	1	33
164	Poisoning by food.....	53	8	4	3	1	1	1	4	8	11	2	9	2	1	
165	Other acute poisonings.....	140	8	17	8	4	4	4	6	19	17	24	15	8	4	2	1	
166	Conflagration.....	158	7	2	5	5	3	17	8	13	27	17	17	19	13	2	3	1	
167	Burns (conflagration excepted).....	858	27	92	90	73	83	125	36	61	59	45	46	67	37	15	1	
168	Absorption of deleterious gases (conflagration excepted).....	777	72	6	4	2	4	8	23	83	120	129	123	104	71	26	2	
169	Accidental drowning.....	879	6	12	8	4	10	97	232	123	121	128	83	35	13	4	3	
170	Traumatism by firearms.....	99	2	5	1	13	37	18	8	7	6	1	1	1	
171	Traumatism by cutting or piercing instruments.....	21	1	1	1	1	1	2	4	2	2	1	2	2	1	1	1	
172	Traumatism by fall.....	21	1	1	1	1	1	1	2	4	2	2	1	2	2	1	1	1	
173	Traumatism in mines and quarries (total).....	1,648	12	42	31	24	31	82	69	89	140	176	161	216	286	240	47	1	1
	Traumatism in mines.....	9	2	4	5	1	
	Traumatism in quarries.....	3	1	2	4	3	2	2	1	2	3	1	1	
174	Traumatism by machines.....	280	2	46	57	58	42	44	23	7	1	1	
175	Traumatism by other crushing (total).....	2,761	7	16	12	55	54	309	350	382	339	385	345	283	134	28	1	11	
	Railroad accidents and injuries.....	763	3	1	1	3	2	20	31	152	145	131	100	84	28	5	7	
	Street-car accidents and injuries.....	399	2	2	5	3	18	35	70	64	68	52	47	25	7	1	
	Automobile accidents and injuries.....	1,240	3	9	6	37	43	233	193	99	135	148	141	119	60	13	1	
	Injuries by other vehicles.....	295	1	4	3	10	6	38	37	46	30	29	41	27	19	3	1	1	
	Landslide, other crushing.....	64	1	2	1	1	1	3	5	7	6	11	6	2	2	2	2	
176	Injuries by animals.....	51	1	2	1	1	1	3	5	7	11	13	14	4	1	1	1	
177	Starvation.....	6	2	1	1	1	1	1	1	2	1	1	1	
178	Excessive cold.....	61	4	2	2	2	2	2	8	14	19	14	13	14	4	1	1	1	
179	Effects of heat.....	109	18	2	2	2	2	2	1	6	1	4	2	1	1	1	1	1	
180	Lightning.....	17	4	11	10	19	11	6	2	1	1	1	1	
181	Electricity (lightning excepted).....	62	4	3	4	7	15	13	19	18	5	1	1	
182	Fractures (cause not specified).....	112	2	1	1	1	4	3	4	7	15	13	19	20	18	5	1	15	
183	Other external violence.....	382	14	12	7	6	1	17	36	41	57	60	50	39	18	9	1	15	
	Homicide (total).....	404	19	4	2	4	8	32	101	122	63	29	14	2	1	1	1	3	
182	By firearms.....	215	1	2	2	18	64	68	34	18	6	2	1	1	
183	By cutting or piercing instruments.....	64	1	1	4	18	24	12	3	1	1	1	1	1	1	
184	By other means.....	125	19	3	2	2	5	10	19	30	17	8	8	1	1	1	1	1	
	XIV.—Ill-defined diseases.....	218	53	38	11	3	2	2	5	8	5	4	14	35	22	12	3	1	
187	Ill-defined organic disease.....	7	1	1	1	1	1	3	1	1	1	1	
188	Sudden death.....	15	6	1	1	5	5	4	14	30	19	8	1	1	1	
189	Not specified or ill-defined (total).....	196	47	37	11	3	1	2	5	8	5	4	14	30	19	8	1	1	
	Ill-defined.....	138	11	36	11	3	1	1	4	3	3	3	2	2	24	16	8	1	
	Not specified or unknown.....	58	36	1	1	1	5	2	1	2	2	6	3	1	1	1	

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.			
NORTH CAROLINA (TOTAL).																			
	All causes.....	42,274	7,686	2,894	1,244	727	467	1,478	3,396	5,141	4,335	2,924	2,742	3,474	3,374	1,641	342	62	347
	I.—General diseases.....	16,673	1,496	1,008	550	380	256	848	2,032	3,174	2,583	1,462	997	889	568	223	46	4	157
1	Typhoid fever.....	568	4	5	7	10	11	57	165	120	90	48	23	11	4	1	2		
4	Malaria.....	189	29	12	4	6	5	17	19	28	17	8	13	6	17	3	1	1	
5	Smallpox.....	3	1								1					1			
6	Measles.....	308	57	57	36	15	12	30	31	18	11	8	9	15	8	1			
7	Scarlet fever.....	23		3	5	3	3	8	1										
8	Whooping cough.....	705	356	142	78	35	21	53	10	5		1							4
9	Diphtheria and croup.....	251	66	33	40	29	18	41	15	2	4	2	6	5	9	5	1	1	
10	Influenza.....	7,948	667	527	300	231	147	493	1,187	1,668	1,418	526	264	201	127	67	20	1	104
13	Cholera nostras.....	26	2	1	3	1		4	1	1	1	1	1	3	1	2	2		
14	Dysentery.....	556	124	141	39	15	11	26	7	9	14	23	22	40	47	34	2	1	1
18	Erysipelas.....	68	22	4	2	2		2	3	4	2	6	5	9	5	1			
19	Other epidemic diseases.....	31	9	6	2	1	2	2	4	1	1			2	1				
20	Purulent infection and septicemia.....	56	3	1	1	1		3	7	5	3	5	8	8	6	1	1		2
23	Rabies.....	4						1	1			2							
24	Tetanus.....	72	47		2		1	5	6	3	4	1	1		1			1	
26	Pellagra.....	696	1	4	2	1	2	12	32	127	132	139	93	99	35	11	2		4
	Tuberculosis (total).....	3,412	35	37	18	17	12	65	477	1,060	713	436	251	163	82	17	4		25
28	Tuberculosis of the lungs.....	3,029	19	22	13	8	7	38	416	966	655	404	223	150	71	11	4		22
29	Acute miliary tuberculosis.....	104		1	2	1		5	19	43	14	9	5	3				1	
30	Tuberculous meningitis.....	65	13	7	2	3	3	8	10	6	7	1	4					1	
31	Abdominal tuberculosis.....	131	1	3		3		10	15	31	26	17	10	4	8	2			
32	Pott's disease.....	16	2				1	4	3	3	2								
33	White swellings.....	15						3	4	3	1	1	1	2					
34	Tuberculosis of other organs.....	44		4	1	2		4	7	5	4	3	7	5	1	1			
35	Disseminated tuberculosis.....	8						3	2	1			1						
36	Rickets.....	10	2	4	3		1	1	6	33	28	22	15	11	1				2
37	Syphilis.....	171	42	8	1		1	2	6	5	1								
38	Gonococcus infection.....	15	1																
	Cancer and other malignant tumors (total).....	1,072		3	2	5	3	4	17	28	81	185	228	263	177	62	7	1	6
39	Of the buccal cavity.....	36				1			1		4	3	4	11	9	3			
40	Of the stomach, liver.....	325			1	1			1	2	15	58	69	96	63	19			
41	Of the peritoneum, intestines, rectum.....	62				1			1	4	6	8	14	12	11	4		1	
42	Of the female genital organs.....	256				1		1	1	10	29	68	73	45	21	6	1		1
43	Of the breast.....	134							3	14	27	32	33	19	4				
44	Of the skin.....	65							3	1	3	7	15	16	16	2		2	
45	Of other organs or of organs not specified.....	194		3	1	2	2	4	13	6	12	18	29	51	38	10	3	1	1
46	Other tumors (tumors of the female genital organs excepted).....	10	3							1			3	2	1				
47	Acute articular rheumatism.....	108	1	2			1	7	14	12	14	9	13	9	17	7	1		1
48	Chronic rheumatism and gout.....	33					1			5	4	5	6	5	6	1			
49	Scurvy.....	5									1	1	1	1	2				
50	Diabetes.....	179	1	1	2	2	8	18	17	20	17	27	35	25	5				
51	Exophthalmic goiter.....	14							2	4	6								
52	Addison's disease.....	2							1										
53	Leukemia.....	16	1	1	1		2	1	2	1	3	2	1						
54	Anemia, chlorosis.....	38	4	4	2		1	1	5	6	1	4	9	3	1				
55	Other general diseases.....	66	19	12	4	5	2	4	4	1	2	2	3	1	2	2	2		1
56	Alcoholism (acute or chronic).....	12								4	6	1							
59	Other chronic poisonings.....	6							1	1	3			1					
	II.—Diseases of the nervous system and of the organs of special sense.....	2,943	214	57	31	21	21	65	104	98	156	230	353	622	609	283	47	8	24
60	Encephalitis.....	30	6		1	3	1	3	4	4	2	1	2	1	2				
61	Meningitis (total).....	252	74	27	18	11	10	34	30	16	10	6	8	4	1	2			1
	Simple meningitis.....	120	42	17	12	5	2	15	10	4	2	1	6	2	1	1			
	Cerebrospinal meningitis (undifferentiated).....	87	25	8	5	5	6	13	7	8	4	1	2	1		1			1
	Cerebrospinal fever.....	45	7	2	1	1	2	6	13	4	4	4	1						
62	Locomotor ataxia.....	18						1				2	3	6	8				
63	Other diseases of the spinal cord (total).....	87	9	5	3	1	2	3	6	2	7	5	7	18	12	6	1		
	Acute anterior poliomyelitis.....	21	4	5	2		2	1	1		1	2	1	2	1				
	Other diseases of the spinal cord.....	66	5		1	1		2	5	2	6	3	6	16	12	6	1		
64	Cerebral hemorrhage, apoplexy.....	1,482	3	1			3	5	15	18	65	139	246	405	375	169	27	3	8
65	Softening of the brain.....	38								1	2		2	10	16	4	2	1	
66	Paralysis without specified cause.....	513	4	4	3		2	1	3	4	19	26	50	129	156	84	17	3	8
67	General paralysis of the insane.....	54								1	6	4	7	13	14	7			
68	Other forms of mental alienation.....	79								5	10	15	12	11	9	3			2
69	Epilepsy.....	154	17	2	1	2	2	3	28	35	19	19	4	8	6	5		1	2
70	Convulsions (nonpuerperal).....	11						3	3	1	1	2	1						
71	Convulsions of infants.....	107	94	6	4	3													
72	Chorea.....	3									1	1			1				
73	Neuralgia and neuritis.....	10									1	1		4	3	1			
74	Other diseases of the nervous system.....	79	3	7	1			7	5	5	8	10	10	13	8	1			
75	Diseases of the eyes and their annexa.....	3	4	1		1	1	4	5	1		1	1			1			
76	Diseases of the ears.....	23	4	4		1	1	4	5	1		1	1			1			

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

373

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
NORTH CAROLINA (TOTAL)—Continued.																		
	III.—Diseases of the circulatory system.....	2,816	28	4	7	7	2	24	72	138	182	244	354	669	755	277	34	4
77	Pericarditis.....	20	1						1	1	2	1	2	6	5		1	
78	Acute endocarditis.....	65	1	1	2	1	4	4	9	17	13	11	1	1	1	1	1	
79	Organic diseases of the heart.....	2,442	21	4	6	5	1	20	64	119	147	211	302	597	661	242	26	3
80	Angina pectoris.....	.90							3	4	4	18	25	30	6			13
81	Diseases of the arteries, atheroma, aneurism, etc.....	143							1	2	4	13	14	29	47	25	5	1
82	Embolism and thrombosis.....	25							1	3	3	1	3	6	6	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	10									3		2	2	1		2	
84	Diseases of the lymphatic system (lymphangitis, etc.).....	9	5						1		1			1	1			
85	Hemorrhage; other diseases of the circulatory system.....	12								1	1	1	2	2	3	2		
	IV.—Diseases of the respiratory system.....	4,778	868	419	192	121	72	170	465	723	525	319	242	223	243	116	21	4
86	Diseases of the nasal fossae.....	52	39	4	5	4	1	5	4	1		1			1	3	2	
87	Diseases of the larynx.....	45	7	11	5	4			1		2	2						
88	Diseases of the thyroid body.....	14	1								4	1	4	2	2			
89	Acute bronchitis.....	172	96	27	18	8	5	1	4	7	1		1	3		4	1	1
90	Chronic bronchitis.....	98	2	2		1		6	2	13	5	6	9	10	30	10	1	1
91	Bronchopneumonia.....	1,042	391	193	81	40	15	33	48	43	36	24	29	27	47	24	6	1
92	Pneumonia (total).....	3,168	317	173	89	65	45	119	399	637	459	261	182	161	145	63	6	2
	Lobar pneumonia.....	2,421	147	115	62	40	30	87	339	521	406	216	148	140	97	42	4	1
	Pneumonia (undefined).....	747	170	58	27	25	15	32	60	116	53	45	34	21	48	21	1	19
93	Pleurisy.....	52	1	1	2	2			1	1	3		1	3	2	1	4	3
94	Pulmonary congestion, pulmonary apoplexy.....	27	5	2	1				1	1	3		1	3	2	1	4	3
95	Gangrene of the lung.....	1																
96	Asthma.....	55	3	2	1				1	1	5	6	6	3	7	10	7	2
97	Pulmonary emphysema.....	1												1				
98	Other diseases of the respiratory system (tuberculosis excepted).....	51	6	4		1			1	3	7	5	9	6	5	3		1
	V.—Diseases of the digestive system.....	3,969	1,192	1,051	287	88	49	121	139	136	141	130	174	187	163	80	12	3
99	Diseases of the mouth and annexa.....	43	22	4	1	1			4	2	3	2		3	1			
100	Diseases of the pharynx.....	48	8	3	8	5			7	1	5	4	1	3	1			1
101	Diseases of the esophagus.....	18				1					1	2	4	3	1			
102	Ulcer of the stomach.....	60	1						1	3	5	11	10	11	6	1		
103	Other diseases of the stomach (cancer excepted).....	365	95	35	12	6	3	19	14	16	21	19	33	33	34	19	3	1
104	Diarrhea and enteritis (under 2 years).....	1,997	1,013	984	244	57	34	42	25	24	14	18	31	45	51	33	3	10
105	Diarrhea and enteritis (2 years and over).....	631																
106	Ankylostomiasis.....	6																
107	Intestinal parasites.....	28	3	8	6	5	2	4										
108	Appendicitis and typhlitis.....	201	1		4	2	3	19	55	44	26	14	11	10	8	2	1	1
109	Hernia, intestinal obstruction (total).....	196	32	11	3	3	5	10	12	10	11	23	20	26	18	7	2	1
110	Intestinal obstruction.....	46	9	1							2	4	10	10	7	7	2	1
111	Other diseases of the intestines.....	150	23	10	3	3	5	10	12	10	9	19	10	16	11	7	7	2
112	Acute yellow atrophy of the liver.....	6	5	1	2	1	1	1	2				1		1	1		
113	Cirrhosis of the liver.....	111		1	3		1		2	3	10	10	21	29	25	5	1	
114	Biliary calculi.....	32	6		1	5		1	4	7	12	10	15	13	5	6	1	1
115	Other diseases of the liver.....	87																
116	Diseases of the spleen.....	1																
117	Simple peritonitis (nonpuerperal).....	88	6	4	2	2			10	17	11	14	11	11				
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	6								1		2	1	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	2,326	31	33	22	10	5	33	72	113	192	210	341	500	515	192	34	6
119	Acute nephritis.....	212	14	18	9	4	1	12	24	18	27	21	32	11	15	5		1
120	Bright's disease.....	1,831	11	11	12	4	4	19	33	65	128	164	279	450	443	159	28	5
122	Other diseases of the kidneys and annexa.....	75	3	4	1	2		2	3	.8	5	2	6	15	16	6	2	
123	Calculi of the urinary passages.....	14	1								3	2	1	2	4	1		
124	Diseases of the bladder.....	32	1								1	1	4	5	13	6	1	
125	Diseases of the urethra, urinary abscess, etc.....	9										3	1	2	3			
126	Diseases of the prostate.....	52										3	3	3	10	19	13	3
127	Nonvenereal diseases of the male genital organs.....	3		1									1			1		
128	Uterine hemorrhage (nonpuerperal).....	4										2		1		1		
129	Uterine tumor (noncancerous).....	26										2	9	5	5	5		
130	Other diseases of the uterus.....	30										5	8	8	3			
131	Cysts and other tumors of the ovary.....	11										1	2	2	3	1		
132	Salpingitis and other diseases of the female genital organs.....	27										5	10	8	1	1	1	
	VII.—The puerperal state.....	815								130	375	238	66					6
134	Accidents of pregnancy.....	174									20	91	51	10				2
135	Puerperal hemorrhage.....	50									2	18	17	13				
136	Other accidents of labor.....	168									20	75	56	15				2
137	Puerperal septicemia.....	156									25	88	40	7				
138	Puerperal albuminuria and convulsions.....	262									63	105	74	19				
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	3										1		2				1
140	Following childbirth (not otherwise defined).....	2										2						

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.			
NORTH CAROLINA (TOTAL)—Continued.																				
	VIII.—Diseases of the skin and of the cellular tissue.....	91	10	6	1	1	6	2	5	6	6	13	16	12	3	3	1	
142	Gangrene.....	42	2	3	1	1	1	3	2	5	10	9	2	3		
143	Furuncle.....	11	1	1	3	2	3	2	2	1	1			
144	Acute abscess.....	21	3	1	3	2	1	1	2	3	4	1			
145	Other diseases of the skin and annexa.....	17	4	3	1	2	1	2	3	1	2	1		
	IX.—Diseases of the bones and of the organs of locomotion.....	55	4	4	3	15	7	6	1	2	4	4	3	2		
146	Diseases of the bones (tuberculosis excepted).....	45	4	3	3	14	7	6	1	1	3	2	1		
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	6	1	1	1	1	2		
149	Other diseases of the organs of locomotion.....	4	2	2		
	X.—Malformations.....	273	237	17	5	4	1	5	3	1		
150	Congenital malformations (stillbirths not included) (total).....	273	237	17	5	4	1	5	3	1		
	Hydrocephalus.....	35	24	6	1	1	2	1		
	Congenital malformations of the heart.....	99	88	6	2	1	1		
	Other congenital malformations.....	139	125	5	2	3	2	2		
	XI.—Early infancy.....	1,984	1,984		
151	Congenital debility, icterus, and sclerema (total).....	1,746	1,746		
	Premature birth.....	1,272	1,272		
	Congenital debility, "atrophy," "marasmus," etc.....	474	474		
152	Other causes peculiar to early infancy (total).....	227	227		
	Injuries at birth.....	93	93		
153	Other causes peculiar to early infancy.....	134	134		
	Lack of care.....	11	11		
	XII.—Old age.....	616	12	36	170	268	105	21	4
154	Senility.....	616	12	36	170	268	105	21	4
	XIII.—External causes.....	1,607	97	76	68	53	39	143	247	240	177	136	94	77	77	55	8	3	17	
	Suicide (total).....	99	5	18	22	20	13	5	2	1		
155	By poison.....	6	1	1	2	1		
156	By asphyxia.....	2	1	1		
157	By hanging or strangulation.....	18	2	2	2	2	5	6	1		
158	By drowning.....	9	2	2	2	3	1	1		
159	By firearms.....	51	5	11	14	8	5	5	2	1	1		
160	By cutting or piercing instruments.....	9	1	1	3	1	1	1	2		
163	Other suicides.....	4	2	2	2	2		
164	Accidental or undefined (total).....	1,321	92	75	68	53	38	142	217	156	113	97	70	57	70	53	8	3	9	
	Poisoning by food.....	43	6	2	4	4	3	7	4	3	2	1	4	1		
165	Other acute poisonings.....	57	8	8	11	2	4	8	5	4	3	2	1	1	1		
166	Conflagration.....	34	2	2	4	2	3	9	2	1	1	1	1	2	1	1	1	1		
167	Burns (conflagration excepted).....	277	23	41	40	37	22	43	5	10	12	5	4	7	18	6	1	1	2	
168	Absorption of deleterious gases (conflagration excepted).....	39	30	2	3	1	2	1		
169	Accidental drowning.....	104	7	3	3	1	13	37	21	7	4	3	2	2	1	1		
170	Traumatism by firearms.....	98	3	1	2	15	44	17	4	4	4	5	2	1	1	1	1		
171	Traumatism by cutting or piercing instruments.....	6	5	2	1	1	6	5	1	2	1	2	1	1	1	1		
172	Traumatism by fall.....	115	5	2	7	5	6	5	6	2	4	28	38	7		
173	Traumatism in mines and quarries (total).....	3	1	1	1	1	1	1	1	1	1	1	1	1		
	Traumatism in mines.....	3	1	1	1	1	1	1	1	1	1	1	1	1		
174	Traumatism by machines.....	44	3	11	8	6	11	2	3		
175	Traumatism by other crushing (total).....	282	3	3	5	22	59	51	44	36	27	17	12	2	1		
	Railroad accidents and injuries.....	135	1	1	1	7	24	30	27	16	13	7	6	2	1	1	1		
	Street-car accidents and injuries.....	8	2	2	1	2	1	2	1	1	1	1	1	1		
	Automobile accidents and injuries.....	79	1	2	2	3	10	20	11	12	8	6	3	5	6	1	1	1		
	Injuries by other vehicles.....	48	2	2	2	5	12	5	2	8	5	2	3	1	1	1	1	1		
	Landslide, other crushing.....	12	1	3	3	3	3	1	3	1	3	1	2	1	1	1	1		
176	Injuries by animals.....	16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
177	Starvation.....	1		
178	Excessive cold.....	15	1	1	1	1	1	2	2	1	1	1	3	2	1	1	1	1		
179	Effects of heat.....	22	2	1	1	1	1	1	1	1	1	6	3	4	1	1	1	1		
180	Lightning.....	23	1	2	6	3	3	6	1	1	1	1	1	1	1		
181	Electricity (lightning excepted).....	13	5	4	1	1	3	5	1	2	1	1	1	1	1		
185	Fractures (cause not specified).....	10	3	3	14	24	18	13	4	7	6	3	2	1	1	1		
186	Other external violence.....	119	12	5	3	3	3	14	24	18	13	4	7	6	3	2	1	1		
	Homicide (total).....	187	5	1	1	1	25	66	42	19	11	7	2	7	5	5		
182	By firearms.....	150	2	1	1	22	57	33	16	8	5	2	5	2	1		
183	By cutting or piercing instruments.....	17	1	1	1	1	6	5	2	2	1	1	1	1	1	1		
184	By other means.....	20	3	1	2	3	4	3	3	1	2	1	2	1	1	1	1		
	XIV.—Ill-defined diseases.....	3,328	1,525	223	78	39	22	53	119	135	135	119	165	254	255	133	32	6	35	
	III-defined organic disease.....	155	3	4	1	1	4	4	3	9	13	21	34	36	13	6	1	2		
188	Sudden death.....	278	56	7	1	1	2	6	10	11	13	34	62	51	21	2	1	1		
189	Not specified or ill-defined (total).....	2,895	1,466	212	77	37	21	47	109	122	115	93	110	158	168	99	24	4	33	
	III-defined.....	475	133	57	15	5	4	8	18	16	16	25	38	63	35	30	5	7		
	Not specified or unknown.....	2,420	1,333	155	62	32	17	39	91	106	99	68	72	95	133	69	19	4	26	

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

375

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.			
NORTH CAROLINA (WHITE).																				
	All causes.....	24,907	4,424	1,662	765	411	255	811	1,617	2,662	2,530	1,685	1,697	2,436	2,479	1,133	172	11	157	
	I.—General diseases.....	9,641	799	577	343	213	140	446	938	1,678	1,570	863	673	676	453	166	29	1	76	
1	Typhoid fever.....	305	1	1	2	5	9	30	61	72	59	34	19	9	2				1	
4	Malaria.....	75	12	4	2	4	2	2	3	5	9	6	8	6	11	1	1			
5	Smallpox.....	2	1								1									
6	Measles.....	255	47	42	33	9	8	28	26	14	9	8	9	14	7	1				
7	Scarlet fever.....	20		2	5	1	3	8	1											
8	Whooping cough.....	355	185	74	34	13	10	32	3										1	
9	Diphtheria and croup.....	202	45	29	36	27	16	30	13	1	2	2							1	
10	Influenza.....	4,794	358	300	175	125	74	240	628	1,026	963	342	196	145	104	46	14	1	57	
13	Cholera nostras.....	23	2	1	3	1		4	1	1	1	1	11	3	4	1				
14	Dysentery.....	307	48	76	28	11	5	16	6	2	3	15	11	26	31	26	2		1	
18	Erysipelas.....	58	20	4	2	1		2	3	4	4	3	8	5	1	1				
19	Other epidemic diseases.....	27	7	5	1	1	2	2	4	1	1		2		1					
20	Purulent infection and septicemia.....	35	3	1	1		1	2	3	2	1	2	6	6	5	1			1	
23	Rabies.....	3																		
24	Tetanus.....	28	13		2		1	4	3	2	2		1		1					
26	Pellagra.....	360				1	1	5	6	39	74	67	63	69	25	7	1		1	
28	Tuberculosis (total).....	1,615	17	14	12	3	3	20	128	456	354	241	157	123	63	14	1		9	
29	Tuberculosis of the lungs.....	1,436	4	6	5	1	2	5	104	426	329	228	137	115	53	9	1		8	
30	Acute miliary tuberculosis.....	34			2				4	5	15	3	3	1						
31	Tuberculous meningitis.....	45	11	6	2				6	5	3	6	1	4		1				
32	Abdominal tuberculosis.....	57	1	1		2		4	6	8	8	7	8	2	7	2			1	
33	Pott's disease.....	8	1					1	3	1	1									
34	White swellings.....	9							2		3		1	1	2					
35	Tuberculosis of other organs.....	23			1			1	2	3	3	2	5	4	1					
36	Disseminated tuberculosis.....	3						1	1		1		1							
37	Rickets.....	3	1	1	1															
38	Syphilis.....	45	16	1																
	Gonococcus infection.....	7	1							1	3	2	5	6	3	1				
	Cancer and other malignant tumors (total).....	783		3	1	4	1	3	14	14	48	113	154	215	151	54	6		2	
39	Of the buccal cavity.....	30			1			1		1	2	2	3	4	10	7	3			
40	Of the stomach, liver.....	266			1	1			1	2	10	36	61	81	56	17				
41	Of the peritoneum, intestines, rectum.....	48				1			1	2	3	5	11	11	11	3				
42	Of the female genital organs.....	147						1		1	4	15	34	33	35	14	5	1		
43	Of the breast.....	86							1	1	9	19	17	23	14	3				
44	Of the skin.....	59							1	1	3	5	14	16	16	2		1		
45	Of other organs or of organs not specified.....	147		3		1	1	3	11	4	8	13	18	41	33	7	3		1	
46	Other tumors (tumors of the female genital organs excepted).....	7	2								1			2	1	1				
47	Acute articular rheumatism.....	53	1	1				1	4	11	1	6	3	5	7	11	2			
48	Chronic rheumatism and gout.....	25						1	1		4	2	3	5	5	4	1			
50	Diabetes.....	138		1	1	2	1	7	15	18	13	12	17	29	22	5				
51	Exophthalmic goiter.....	9							1											
52	Addison's disease.....	2								1										
53	Leukemia.....	13	1	1		1		1	1	1	3	2	2							
54	Anemia, chlorosis.....	31	4	4				1	1	5	1	2	9	3	1			1		
55	Other general diseases.....	50	14	12	3	4	2	3	2	1			2	1	2	2	1		1	
56	Alcoholism (acute or chronic).....	7								2	4								1	
59	Other chronic poisonings.....	4									1	2								
	II.—Diseases of the nervous system and of the organs of special sense.....	1,953	126	36	24	18	12	43	53	55	79	135	234	432	456	203	33	1	13	
60	Encephalitis.....	21	3		1	3		1	4	2	2	1	2	2	2					
61	Meningitis (total).....	187	64	19	16	9	6	22	17	12	7	5	6	2	1	1				
	Simple meningitis.....	93	35	11	11	4	2	10	7	4	1	1	4	1	1					
	Cerebrospinal meningitis (undefined).....	62	23	6	4	4	3	8	3	5	3	2	2							
	Cerebrospinal fever.....	32	6	2	1	1	1	4	7	3	3	4	2							
62	Locomotor ataxia.....	12																		
63	Other diseases of the spinal cord (total).....	60	7	2	3	1		1	2	2	5	3	5	14	9	5	1			
	Acute anterior poliomyelitis.....	11	2	2	2				1	1	1	1	1	2						
	Other diseases of the spinal cord ¹	49	5		1	1		1	1	2	4	2	5	12	9	5	1			
64	Cerebral hemorrhage, apoplexy.....	1,012	2					2	4	7	11	27	76	165	279	286	130	19	1	3
65	Softening of the brain.....	32									2		2	10	14	3	1			
66	Paralysis without specified cause.....	329	2	3	2		2	1	1	1	7	15	28	89	111	50	12		5	
67	General paralysis of the insane.....	38									5	3	4	9	10	6			1	
68	Other forms of mental alienation.....	54								3	4	9	8	9	8	3			1	
69	Epilepsy.....	73	3	1		2	1	1	12	17	10	11	2	5	3				2	
70	Convulsions (nonpuerperal).....	5						3												
71	Convulsions of infants.....	44	38	3	1	2														
72	Chorea.....	3																		
73	Neuralgia and neuritis.....	5																		
74	Other diseases of the nervous system.....	53	3	6	1			5	3	5	3	6	9	9	6	1			1	
75	Diseases of the eyes and their annexa.....	1						1	4	4	1		1							
76	Diseases of the ears.....	19	4	2		1	1	4	4	1		1								

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—															Deaths at un-known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
NORTH CAROLINA (WHITE)—Continued.																			
	III.—Diseases of the circulatory system.....	1,781	21	1	2	4	2	17	35	67	86	116	190	459	560	189	14	1	11
77	Pericarditis.....	8							1		1					3	2		
78	Acute endocarditis.....	42	1						4	3	6	9	8	7	1	1			
79	Organic diseases of the heart.....	1,521	16	1	2	3	1	13	29	58	69	94	157	399	490	167	12		10
80	Angina pectoris.....	78								2	2	2	13	25	29	25	5		
81	Diseases of the arteries, atheroma, aneurism, etc.....	97							1		1	9	10	22	35	15	2	1	1
82	Embolism and thrombosis.....	14								1	1	1	1	4	5	1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	6										3			2	1			
84	Diseases of the lymphatic system (lymphangitis, etc.).....	7	4							1						1	1		
85	Hemorrhage: other diseases of the circulatory system.....	8										1	2	2	2	1			
	IV.—Diseases of the respiratory system.....	2,623	435	216	109	69	37	90	224	353	297	189	134	162	186	94	7	1	20
86	Diseases of the nasal fossae.....	13	10		3	3	5	4	1							1	2		
87	Diseases of the larynx.....	36	4	10								2	1	3					
88	Disease of the thyroid body.....	13	1								4	1	4	2	1				
89	Acute bronchitis.....	69	38	10	5	6	2			1	1			1		4	1		
90	Chronic bronchitis.....	61	1					5	1	1	1	3	5	8	25	9		1	
91	Bronchopneumonia.....	601	215	106	43	20	10	17	20	18	24	16	22	22	38	22	3	1	4
92	Pneumonia (total).....	1,731	159	84	56	39	20	58	197	324	258	153	96	115	107	49	1		15
	Lobar pneumonia.....	1,363	81	61	41	24	13	46	165	274	225	131	78	102	75	33	1		13
	Pneumonia (undefined).....	368	78	23	15	15	7	12	32	50	33	22	18	13	32	16			
93	Pleurisy.....	34	1					4	3	5	3	5	2	2	4	1	1		
94	Pulmonary congestion, pulmonary apoplexy.....	19	4	2				1		3			1	2	1	4	1		
95	Gangrene of the lung.....	1																	
96	Asthma.....	23		1					1	1	3	3	1	4	6	3			
97	Pulmonary emphysema.....	1																	
98	Other diseases of the respiratory system (tuberculosis excepted).....	21	2	2				1	1		3	5	2	2	3				
	V.—Diseases of the digestive system.....	2,569	732	674	206	55	33	83	85	79	89	87	112	132	120	66	8	1	7
99	Diseases of the mouth and annexa.....	18	7	1				3	2	2	1		2						
100	Diseases of the pharynx.....	32	5	3	4			6		2	1	2	1	2					1
101	Diseases of the esophagus.....	15								1	2	2	3	3	2	3	1		
102	Ulcer of the stomach.....	41	1					1	2	2	7	8	8	8	3	1			
103	Other diseases of the stomach (cancer excepted).....	229	65	24	10	4	2	10	6	5	10	9	17	24	24	14	2	1	2
104	Diarrhea and enteritis (under 2 years).....	1,246	616	630				30	14	15	6	14	23	33	45	27	2		3
105	Diarrhea and enteritis (2 years and over).....	442		176	33	21		3	2	2	1								
106	Ankylostomiasis.....	6						3	2										
107	Intestinal parasites.....	11	4	1	2	1		3											
108	Appendicitis and typhlitis.....	149	1	3	2	2	13	41	32	17	13	9	8	4	2	1			1
109	Hernia, intestinal obstruction (total).....	126	22	9	3	3	5	7	6	6	9	11	13	13	5	4	1		
	Hernia.....	23	5	1							1		6	5	4				
	Intestinal obstruction.....	103	17	8	3	3	5	7	6	6	8	11	7	8	9	5			
110	Other diseases of the intestines.....	21	4		2		1				2	2	1	4	1				
111	Acute yellow atrophy of the liver.....	3								1	1					1			
112	Cirrhosis of the liver.....	77		1	3		1		1		1	8	6	12	22	17	5	1	
113	Biliary calculi.....	23								1	3	3	4	6	5	5	1		
114	Other diseases of the liver.....	65	6		1	4		3	2	10	9	9	9	10	5	5	1		
115	Diseases of the spleen.....	1																	
116	Simple peritonitis (nonpuerperal).....	58	5	2	2	2		7	9	8	9	6	8						
117	Other diseases of the digestive system (cancer and tuberculosis excepted).....	6							1		2	1	1	1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	1,384	13	13	10	4.	4	24	25	38	86	107	196	340	371	124	20	1	8
119	Acute nephritis.....	113	5	6	3	1	1	11	13	7	14	10	21	7	10	4			8
120	Bright's disease.....	1,145	6	4	6	1	3	12	10	25	60	88	158	309	330	107	17	1	8
122	Other diseases of the kidneys and annexa.....	41	2	3	1	2		1		2	4	1	4	11	7	2	1		
123	Calculi of the urinary passages.....	10									3	2	1	1	3				
124	Diseases of the bladder.....	18									1	2	3	2	3	9	2	1	
125	Diseases of the urethra, urinary abscess, etc.....	3									1	1	1	1	1				
126	Diseases of the prostate.....	28										2	7	10	8	1			
128	Uterine hemorrhage (nonpuerperal).....	1																	
129	Uterine tumor (noncancerous).....	4																	
130	Other diseases of the uterus.....	10																	
131	Cysts and other tumors of the ovary.....	6																	
132	Salpingitis and other diseases of the female genital organs.....	5																	
	VII.—The puerperal state.....	490							60	232	151	43							4
134	Accidents of pregnancy.....	126							14	67	34	9							2
135	Puerperal hemorrhage.....	36							1	14	12	9							
136	Other accidents of labor.....	105							9	47	39	9							1
137	Puerperal septicemia.....	80							10	42	24	4							
138	Puerperal albuminuria and convulsions.....	139							26	60	42	10							
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	2										2							
140	Following childbirth (not otherwise defined).....	2										2							

CAUSES OF DEATH, BY AGE.

377

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List.	Cause of Death.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
NORTH CAROLINA (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue.	55	7	6	—	1	—	—	4	2	5	4	3	7	8	6	—	1
142	Gangrene.	21	2	3	—	1	—	—	1	—	1	3	3	—	5	4	—	1
143	Furuncle.	9	—	—	—	—	—	—	1	—	2	2	—	1	—	—	—	—
144	Acute abscess.	14	2	—	—	—	—	—	1	2	1	1	3	2	1	—	—	—
145	Other diseases of the skin and annexa.	11	3	—	—	—	—	—	1	—	—	—	2	—	1	—	—	1
	IX.—Diseases of the bones and of the organs of locomotion.	44	4	—	4	3	—	—	12	6	3	1	1	2	4	3	1	—
146	Diseases of the bones (tuberculosis excepted).	35	4	—	3	3	—	—	11	6	3	1	—	1	2	1	—	—
147	Diseases of the joints (tuberculosis and rheumatism excepted).	5	—	—	1	—	—	—	1	—	—	—	1	1	—	—	—	—
149	Other diseases of the organs of locomotion.	4	—	—	—	—	—	—	—	—	—	—	1	—	2	2	—	—
	X.—Malformations.	220	197	12	2	3	1	2	2	1	—	—	—	—	—	—	—	—
150	Congenital malformations (stillbirths not included) (total).	220	197	12	2	3	1	2	2	1	—	—	—	—	—	—	—	—
	Hydrocephalus.	23	14	4	1	1	—	—	2	2	1	—	—	—	—	—	—	—
	Congenital malformations of the heart.	90	83	5	—	1	2	—	—	—	1	—	—	—	—	—	—	—
	Other congenital malformations.	107	100	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	XI.—Early infancy.	1,357	1,357	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
151	Congenital debility, icterus, and scoliosis (total).	1,207	1,207	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Premature birth.	924	924	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Congenital debility, "atrophy," "marasmus," etc.	283	283	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
152	Other causes peculiar to early infancy (total).	146	146	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Injuries at birth.	68	68	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other causes peculiar to early infancy ¹ .	78	78	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
153	Lack of care.	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	XII.—Old age.	341	—	—	—	—	—	—	—	—	—	—	—	—	8	18	104	161
154	Senility.	341	—	—	—	—	—	—	—	—	—	—	—	—	8	18	104	161
	XIII.—External causes.	966	42	51	38	29	20	82	144	126	112	91	62	58	57	43	5	6
155	Suicide (total).	86	—	—	—	—	—	—	5	10	19	13	13	5	1	—	—	1
	By poison.	6	—	—	—	—	—	—	1	1	1	2	1	—	—	—	—	—
156	By asphyxia.	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
157	By hanging or strangulation.	16	—	—	—	—	—	—	—	2	2	5	6	1	—	—	—	—
158	By drowning.	7	—	—	—	—	—	—	5	1	2	1	1	—	—	—	—	—
159	By firearms.	43	—	—	—	—	—	—	5	5	12	8	5	2	1	—	—	1
160	By cutting or piercing instruments.	8	—	—	—	—	—	—	1	1	3	3	1	1	1	—	—	—
163	Other suicides.	4	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	Accidental or undefined (total).	805	41	51	38	29	20	82	135	91	74	62	41	40	51	42	5	3
164	Poisoning by food.	30	4	2	3	2	—	—	3	5	2	2	3	1	—	—	—	1
165	Other acute poisonings.	30	4	5	5	—	—	—	1	4	3	4	2	1	1	—	—	—
166	Conflagration.	9	—	1	—	—	—	—	3	1	—	—	3	1	—	—	—	—
167	Burns (conflagration excepted).	154	10	26	24	21	11	24	3	5	7	1	1	4	11	4	—	2
168	Absorption of deleterious gases (conflagration excepted).	20	14	2	—	—	—	1	—	1	2	—	—	—	—	—	—	—
169	Accidental drowning.	69	6	3	2	1	1	10	22	16	3	2	3	2	1	—	—	—
170	Traumatism by firearms.	55	—	1	1	1	1	9	24	7	2	3	4	2	1	—	—	—
171	Traumatism by cutting or piercing instruments.	3	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—
172	Traumatism by fall.	92	1	1	—	—	—	5	5	4	3	5	2	4	23	34	5	—
173	Traumatism in mines and quarries (total).	3	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—
174	Traumatism in mines.	3	—	—	—	—	—	—	3	7	4	3	6	2	2	—	—	—
175	Traumatism by machines.	27	—	—	—	—	—	—	1	1	2	3	6	2	2	—	—	—
	Traumatism by other crushing (total).	191	—	3	—	—	—	3	14	39	31	33	27	17	14	10	—	—
	Railroad accidents and injuries.	85	1	—	—	—	—	1	6	13	16	19	13	7	5	4	—	—
	Street-car accidents and injuries.	6	—	—	—	—	—	—	—	1	1	1	2	1	—	—	—	—
	Automobile accidents and injuries.	63	—	—	—	—	—	1	6	17	9	12	5	5	3	5	1	—
	Injuries by other vehicles.	28	2	—	—	—	—	2	7	2	1	5	3	5	3	5	1	—
	Landslide, other crushing.	9	—	—	—	—	—	1	1	2	3	3	3	3	2	1	—	—
176	Injuries by animals.	10	1	—	—	—	—	1	1	2	3	—	—	2	—	—	—	—
178	Excessive cold.	1	—	—	—	—	—	—	—	1	—	3	1	2	1	1	—	—
179	Effects of heat.	10	1	1	—	—	—	1	—	2	4	2	1	5	1	—	—	—
180	Lightning.	16	—	—	—	—	—	1	—	4	3	1	3	—	—	—	—	—
181	Electricity (lightning excepted).	11	—	—	—	—	—	—	4	2	2	1	—	—	—	—	—	—
185	Fractures (cause not specified).	5	—	—	—	—	—	—	—	1	1	3	—	—	—	—	—	—
186	Other external violence.	69	7	4	1	3	2	7	16	10	6	4	2	1	2	2	1	—
	Homicide (total).	75	1	—	—	—	—	—	4	25	19	10	8	5	1	—	—	2
182	By firearms.	62	—	—	—	—	—	—	4	22	16	8	6	3	1	—	—	2
183	By cutting or piercing instruments.	3	—	—	—	—	—	—	1	1	1	1	1	—	—	—	—	—
184	By other means.	10	1	—	—	—	—	—	2	2	2	2	1	2	—	—	—	—
	XIV.—Ill-defined diseases.	1,483	691	76	27	12	6	12	41	28	54	49	88	148	155	80	11	2
187	Ill-defined organic disease.	79	1	2	—	1	—	1	3	2	3	2	3	12	19	24	6	3
188	Sudden death.	165	32	3	1	1	—	1	3	1	7	8	22	40	32	11	2	1
189	Not specified or ill-defined (total).	1,239	658	71	26	11	6	10	35	25	44	38	49	89	99	63	6	1
	Ill-defined.	283	84	26	8	3	1	2	12	6	12	11	23	43	29	19	2	2
	Not specified or unknown.	956	574	45	18	8	5	8	23	19	32	27	26	46	70	44	4	1

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
NORTH CAROLINA (COLORED).																			
	All causes.....	17,367	3,262	1,232	479	316	212	667	1,779	2,479	1,805	1,239	1,045	1,038	895	508	170	51	190
	I.—General diseases.....	7,032	697	431	207	167	116	402	1,094	1,496	1,013	599	324	213	115	57	17	3	81
1	Typhoid fever.....	263	3	4	5	5	2	27	104	58	31	14	4	2	2	1	1	1	1
4	Malaria.....	114	17	8	2	2	3	14	14	19	11	7	5	6	2	2	1	1	1
5	Smallpox.....	1																	
6	Measles.....	53	10	15	3	6	4	2	5	4	2			1	1				
7	Scarlet fever.....	3		1		2													
8	Whooping cough.....	350	171	68	44	22	11	21	7	2		1							3
9	Diphtheria and croup.....	49	21	4	4	2	2	11	2	1	2								
10	Influenza.....	3,154	309	227	125	106	73	253	559	642	455	184	68	56	23	21	6		47
13	Cholera nostras.....	3										1					2		
14	Dysentery.....	249	76	65	11	4	6	10	1	7	11	8	11	14	16	8	1		
15	Erysipelas.....	10	2			1					2	2	1						
19	Other epidemic diseases.....	4	2	1	1														
20	Purulent infection and septicemia.....	21				1		1	4	3	2	3	2	2	1	1			1
23	Rabies.....	1						1											
24	Tetanus.....	44	34					1	1	3	1	2	1						1
26	Pellagra.....	336	1	4	1			1	7	26	88	58	72	30	30	10	4	1	3
28	Tuberculosis (total).....	1,797	18	23	6	14	9	45	349	604	359	195	94	40	19	3	3	16	
28	Tuberculosis of the lungs.....	1,593	15	16	5	7	5	33	312	540	326	176	86	35	18	2	3	14	1
29	Acute miliary tuberculosis.....	70		1		1		1	14	28	11	6	4	2		1			
30	Tuberculous meningitis.....	20	2	1		3	3	2	5	3									
31	Abdominal tuberculosis.....	74		2		1		6	9	23	18	10	2	2	1				
32	Pott's disease.....	8	1					1	2	2	2								
33	White swellings.....	6						1	4										1
34	Tuberculosis of other organs.....	21		3	1	2		3	5	2	1	1	2	1					
35	Disseminated tuberculosis.....	5						1	2	2									
36	Rickets.....	7	1	3	2			1											
37	Syphilis.....	126	26	7	1			1	1	4	29	21	17	9	8				2
38	Gonococcus infection.....	8																	
39	Cancer and other malignant tumors (total).....	289			1	1	2	1	3	14	33	72	74	48	26	8	1	1	4
39	Of the buccal cavity.....	6							1		3	3	1						
40	Of the stomach, liver.....	59									2		1	2					
41	Of the peritoneum, intestines, rectum.....	14									2	3	3	1					1
42	Of the female genital organs.....	109				1				6	14	34	35	10					
43	Of the breast.....	48							2	5	8	15	10	7	1				1
44	Of the skin.....	6						2			2	1	1	5	1	1			1
45	Of other organs or of organs not specified.....	47			1	1	1	1	2	2	4	5	11	10	5	3		1	
46	Other tumors (tumors of the female genital organs excepted).....	3	1												1	1			
47	Acute articular rheumatism.....	55		1				3	3	11	8	6	8	2	6	5	1		1
48	Chronic rheumatism and gout.....	8										2	2	1	2				
49	Scurvy.....	5						1	1	3	4	7	5	10	6	3			1
50	Diabetes.....	41						1	1	3	1	1	1	1	1				
51	Exophthalmic goiter.....	5									1	1	1	2					
53	Leukemia.....	3						1		1	1	1							
54	Anemia, chlorosis.....	7							4	1	2	2							
55	Other general diseases.....	16	5		1	1		1	2		2	2	1						1
56	Alcoholism (acute or chronic).....	5								2	2	1							
59	Other chronic poisonings.....	2								1		1							
	II.—Diseases of the nervous system and of the organs of special sense.....	990	88	21	7	3	9	22	51	43	77	95	119	190	153	80	14	7	11
60	Encephalitis.....	9	3					1	2		2				1				
61	Meningitis (total).....	65	10	8	2	2	4	12	13	4	3	1	2	2	1				1
	Simple meningitis.....	27	7	6	1	1		5	3		1		2	1					
	Cerebrospinal meningitis (undefined).....	25	2	2	1	1	3	5	4	3	1	1							
	Cerebrospinal fever.....	13	1				1	2	6	1	1								
62	Locomotor ataxia.....	6						1						1				2	
63	Other diseases of the spinal cord (total).....	27	2	3			2	2	4		2	2	2	4	3	1			
	Acute anterior poliomyelitis.....	10	2	3			2	1				1	1						
	Other diseases of the spinal cord ¹	17					1	4		2	1	1	4	3	1				
64	Cerebral hemorrhage, apoplexy.....	470	1	1			1	1	8	7	38	63	81	126	89	39	8	2	5
65	Softening of the brain.....	6							1		1		2	1	1	1	1	1	
66	Paralysis without specified cause.....	184	2	1	1				2	3	12	11	22	40	45	34	5	3	3
67	General paralysis of the insane.....	16								1	1	3	4	4	4	1			1
68	Other forms of mental alienation.....	25							2	6	6	4	3	2	1				
69	Epilepsy.....	81	14	1	1		1	2	16	18	9	8	2	3	3	2		1	
70	Convulsions (nonpuerperal).....	6							3	1	1		1						
71	Convulsions of infants.....	63	56	3	3	1													
73	Neuralgia and neuritis.....	5																	
74	Other diseases of the nervous system.....	21		1				2	2		5	4	1	4	2	2	1		
75	Diseases of the eyes and their annexa.....	2										1							
76	Diseases of the ears.....	4	2						1			1							

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

379

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2. years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
NORTH CAROLINA (COLORED)—Continued.																			
	III.—Diseases of the circulatory system.	1,035	7	3	5	3		7	37	71	96	128	164	210	189	88	20	3	4
77	Pericarditis.	12	1							1	1		2		3	3		1	
78	Acute endocarditis.	23								3	8	5	4						
79	Organic diseases of the heart.	921	5	3	4	2		7	35	61	78	117	145	198	171	75	14	3	3
80	Angina pectoris.	12								1	2	2	5		1				
81	Diseases of the arteries, atheroma, aneurism, etc.	46								2	3	4	4		7	12	10	3	1
82	Embolism and thrombosis.	11							1	2	2		2	2	1				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	4											2						2
84	Diseases of the lymphatic system (lymphangitis, etc.).	2	1									1							
85	Hemorrhage, other diseases of the circulatory system.	4									1	1			1	1			
	IV.—Diseases of the respiratory system.	2,155	433	208	83	52	35	80	241	370	228	130	108	61	57	22	14	3	35
86	Diseases of the nasal fossae.	39	29	4				1		1		1					1	2	
87	Diseases of the larynx.	9	3	1	2	1					2								
88	Diseases of the thyroid body.	1													1				1
89	Acute bronchitis.	103	58	17	8	2	3	1	4	6									
90	Chronic bronchitis.	37	1	1		1		1	1	12	4	3	4	2	5	1		1	
91	Bronchopneumonia.	441	176	87	58	20	5	16	28	25	12	8	7	5	9	2	3		
92	Pneumonia (total).	1,437	158	89	33	26	25	61	202	313	201	108	86	46	38	14	5	2	30
	Lobar pneumonia.	1,058	66	54	21	16	17	41	174	247	181	85	70	38	22	9	3	1	13
	Pneumonia (undefined).	379	92	35	12	10	8	20	28	66	20	23	16	8	16	5	2	1	17
93	Pleurisy.	18				1	1		2	3	3	2							2
94	Pulmonary congestion, pulmonary apoplexy.	8	1		1					1		1	2			2			1
95	Asthma.	32	3	1	1					1		4	3	2	3	4	4	2	
96	Other diseases of the respiratory system (tuberculosis excepted).	30	4	2		1				2	7	2	4	4	3				1
	V.—Diseases of the digestive system.	1,400	460	377	81	33	16	38	54	57	52	43	62	55	43	14	4	2	9
99	Diseases of the mouth and annexa.	25	15	3	1	1		1		1		1		1	1				
100	Diseases of the pharynx.	16	3		3	1		1	1	3	2		1		1				
101	Diseases of the esophagus.	3			1														
102	Ulcer of the stomach.	19								1	3	4	2	3	3				
103	Other diseases of the stomach (cancer excepted).	136	30	11	.2	2	1	9	8	11	11	10	16	9	10	5	1		
104	Diarrhea and enteritis (under 2 years).	751	397	354		68	24	13	12	11	9	8	4	8	12	6	6	1	7
105	Diarrhea and enteritis (2 years and over).	189	3	4	5	3	1	1	6	14	12	9	1	2	2	4			
107	Intestinal parasites.	17	3					1	3	6	4	2	2	7	13	5	2	1	1
108	Appendicitis and typhitis.	52							3	6	4	1	4	5	3				
109	Hernia, intestinal obstruction (total).	70	10	2						3	6	4	1	3	8	2	2		
	Hernia.	23	4																
	Intestinal obstruction.	47	6	2						3	6	4	1	3	8	2			
110	Other diseases of the intestines.	24	1	1		1			1	2	2	3	2	3	4	3			
111	Acute yellow atrophy of the liver.	3														1			
113	Cirrhosis of the liver.	34								1	3	2	4	9	7	8			
114	Biliary calculi.	9								1	1	2	1	2	2				
115	Other diseases of the liver.	22				1		1	1	5	2	1	6	3		1			
117	Simple peritonitis (nonpuerperal).	30	1	2					3	8	3	5	5	3					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	942	18	20	12	6	1	9	47	75	106	103	145	160	144	68	14	5	9
119	Acute nephritis.	99	9	12	6	3		1	11	11	13	11	11	4	5	1			1
120	Bright's disease.	686	5	7	6	3	1	7	23	40	68	76	121	141	113	52	11	4	8
122	Other diseases of the kidneys and annexa.	34	1	1				1	3	6	1	1	2	4	9	4	1		
123	Calculus of the urinary passages.	4													1	1	1		
124	Diseases of the bladder.	14	1												2	4	4		
125	Diseases of the urethra, urinary abscess, etc.	6													1	2	2	1	
126	Diseases of the prostate.	24													1	1	1		
127	Nonvenereal diseases of the male genital organs.	3	1														1		
128	Uterine hemorrhage (nonpuerperal).	3																	
129	Uterine tumor (noncancerous).	22								2	6	4	5	3	4				
130	Other diseases of the uterus.	20								1	2	1	1						
131	Cysts and other tumors of the ovary.	5																	
132	Salpingitis and other diseases of the female genital organs.	22								4	8	6	1	1	1				
	VII.—The puerperal state.	325								70	143	87	23						2
134	Accidents of pregnancy.	48								6	24	17	1						
135	Puerperal hemorrhage.	14								1	4	5	4						
136	Other accidents of labor.	63								11	28	17	6						1
137	Puerperal septicemia.	76								15	41	16	3						
138	Puerperal albuminuria and convulsions.	123								37	45	32	9						
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	1										1							

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.				
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.					
NORTH CAROLINA (COLORED)—Continued.																						
142	VIII.—Diseases of the skin and of the cellular tissue.....	36	3						1	2				2	3	6	8	6	3	2		
143	Gangrene.....	21													2	5	5	5	2	2		
144	Furuncle.....	2	1																			
145	Acute abscess.....	7	1						1	2					1							
	Other diseases of the skin and annexa.....	6	1												2	1	1	1				
	IX.—Diseases of the bones and of the organs of locomotion.....	11							3	1	3			1	2				1			
146	Diseases of the bones (tuberculosis excepted).....	10							3	1	3			1	2							
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	1																	1			
	X.—Malformations.....	53	40	5	3	1			3	1												
150	Congenital malformations (stillbirths not included), (total).....	53	40	5	3	1			3	1												
	Hydrocephalus.....	12	10	2																		
	Congenital malformations of the heart.....	9	5	1	2	1	1			1												
	Other congenital malformations.....	32	25	2	1	1			2	1												
	XI.—Early infancy.....	627	627																			
151	Congenital debility, icterus, and scoliosis (total).....	539	539																			
	Premature birth.....	348	348																			
	Congenital debility, "atrophy," "marasmus," etc.	191	191																			
152	Other causes peculiar to early infancy (total).....	81	81																			
	Injuries at birth.....	25	25																			
153	Other causes peculiar to early infancy ¹	56	56																			
	Lack of care.....	7	7																			
	XII.—Old age.....	275														4	18	66	107	60	19	1
154	Senility.....	275														4	18	66	107	60	19	1
	XIII.—External causes.....	641	55	25	30	24	19	61	103	114	65	45		32	19	20	12	3	3	11		
157	Suicide (total).....	13									8	3	1							1		
158	By hanging or strangulation.....	2									2											
159	By drowning.....	2									1	1										
160	By firearms.....	8									6	2										
	By cutting or piercing instruments.....	1																				
164	Accidental or undefined (total).....	516	51	24	30	24	18	60	82	65	39	35	29	17	19	11	3	3	6			
165	Poisoning by food.....	13	2	1	2	2			2	2	1		1	1						1		
166	Other acute poisonings.....	27	4	3	6	2			3	4	2		1	1								
167	Conflagration.....	25	2	2	3	2	3	6	1	1	1	1	1	1	1	1	1	1	1	1		
168	Burns (conflagration excepted).....	123	13	15	16	16	11	19	2	5	5	4	3	3	7	2	1	1	1	1		
169	Absorption of deleterious gases (conflagration excepted).....	19	16				2					1										
170	Accidental drowning.....	35		1		1			3	15	5	4	2		2	1					1	
171	Traumatism by firearms.....	43		2		1			6	20	10	2	1	1								
	Traumatism by cutting or piercing instruments.....	3																				
172	Traumatism by fall.....	23	4	1					2	1		1	1				5	4	2			
174	Traumatism by machines.....	17								4	4	3	5				1					
175	Traumatism by other crushing (total).....	91	3					2	8	20	20	11	9	10	3	2	2	2		1		
	Railroad accidents and injuries.....	50						1	11	14	8	3	6	2	2	2					1	
	Street-car accidents and injuries.....	2							1	1												
	Automobile accidents and injuries.....	16	1						2	4	3	2	3	1								
	Injuries by other vehicles.....	20	2						3	5	3	1	3	2	1							
	Landslide, other crushing.....	3							1	2	1		1									
176	Injuries by animals.....	6																				
177	Starvation.....	1																				
178	Excessive cold.....	14	1	1					1	2	2		1	3	2	1						
179	Effects of heat.....	12	1						1	1	1	1	3	2	2							
180	Lightning.....	7																				
181	Electricity (lightning excepted).....	2								1	1											
185	Fractures (cause not specified).....	5																				
186	Other external violence.....	50	5	1	2	1	7	8	8	7	3	1	2	1	2	1	2	1	2	1	1	
	Homicide (total).....	112	4	1				1	1	21	41	23	9	3	2	1				5		
182	By firearms.....	88	2						1	18	35	17	8	2	2	1				3		
183	By cutting or piercing instruments.....	14							1	1	5	4	2	1						1		
184	By other means.....	10	2	1					2	1	2	1	2	1						1		
	XIV.—III-defined diseases.....	1,845	834	147	51	27	16	41	78	107	81	70	82	106	100	53	21	4	27			
187	III-defined organic disease.....	76	2	2		1	1	3	1	1	6	10	9	15	12	7	3	1	2			
188	Sudden death.....	113	24	4				1	3	9	4	5	12	22	19	10						
189	Not specified or ill-defined (total).....	1,656	808	141	51	26	15	37	74	97	71	55	61	69	36	18	3	25				
	Ill-defined.....	192	49	31	7	2	3	6	6	10	4	14	15	20	6	11	3	5	5			
	Not specified or unknown.....	1,464	759	110	44	24	12	31	68	87	67	41	46	49	63	25	15	3	20			

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

381

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No. Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.			
OHIO.																				
	All causes.....	92,356	11,727	2,840	1,377	901	668	2,098	4,680	11,180	11,751	8,590	8,455	10,488	11,037	5,712	778	22	43	
	I.—General diseases.....	31,748	1,682	1,195	644	489	355	1,105	2,468	6,186	5,887	3,588	2,830	2,699	1,985	629	61	1	14	
1	Typhoid fever.....	760	6	5	6	12	5	61	200	181	136	77	33	28	9	1				
4	Malaria.....	24	1	1		2		1	2	3	1	3	4	5		1				
5	Smallpox.....	22	7						2	1	2	3	3	3		1				
6	Measles.....	244	64	62	28	14	10	22	20	6	3	7	5	2	1					
7	Scarlet fever.....	165	6	15	12	16	20	48	26	13	7	2								
8	Whooping cough.....	672	333	183	58	34	20	35	3		1	1		3					1	
9	Diphtheria and croup.....	515	20	55	72	67	53	148	69	11	11	2	6						6	
10	Influenza.....	13,542	749	667	368	267	182	561	1,221	3,624	3,458	1,152	485	346	307	128	21			
13	Cholera nostras.....	12	1							1	1	1	1		4	1	3			
14	Dysentery.....	169	27	15	5	6	3	4	1	2	4	9	7	15	33	36	2			
18	Erysipelas.....	162	49	4					1	2	10	7	17	15	21	15	18	3		
19	Other epidemic diseases.....	35	7	7	3			2	5	4	6		1							
20	Purulent infection and septicemia.....	75	10	1	2			1	4	3	10	12	7	9	7	7	1	1		
22	Anthrax.....	2																		
23	Rabies.....	8						1	3	1	2		1							
24	Tetanus.....	71	8					4	13	12	6	5	8	10	3	1		1		
25	Mycoses.....	2											1							
26	Pellagra.....	7								1				2	1					
	Tuberculosis (total).....	7,599	160	125	71	51	37	147	717	2,006	1,625	1,101	732	487	269	63	4		4	
28	Tuberculosis of the lungs.....	6,360	40	40	20	17	6	64	568	1,788	1,466	984	657	421	225	57	3			
29	Acute miliary tuberculosis.....	197	4	6	4	1		4	34	52	33	34	17	4	2	2				
30	Tuberculous meningitis.....	403	81	63	36	21	20	53	45	33	32	13	3	1	2					
31	Abdominal tuberculosis.....	314	14	10	5	4	5	12	34	74	45	35	23	30	22					
32	Pott's disease.....	91	2	1	2	3	2	4	14	19	12	7	6	12	6	1				
33	White swellings.....	49	1		2	2	1	6	4	6	7	4	8	3	4	1				
34	Tuberculosis of other organs.....	115	4	3	2	3	1	2	10	20	21	20	13	10	4	2				
35	Disseminated tuberculosis.....	70	14	2			2	2	8	14	9	4	5	6	4					
36	Rickets.....	29	11	10	2			2	1				1		1		1			
37	Syphilis.....	592	144	14	3	4	2	3	11	61	103	113	69	53	11	1				
38	Gonococcus infection.....	69	7						3	24	20	9	5	1						
	Cancer and other malignant tumors (total).....	4,797	3	7	6	7	3	6	26	76	249	705	1,053	1,266	1,051	313	23	1	2	
39	Of the buccal cavity.....	182							1	4	5	16	33	50	49	22	2			
40	Of the stomach, liver.....	1,873	1	1	1	1			3	22	60	195	403	580	477	123	5		1	
41	Of the peritoneum, intestines, rectum.....																			
42	Of the female genital organs.....	601																		
43	Of the breast.....	765																		
44	Of the skin.....	436	1																	
45	Of other organs or of organs not specified.....	190	1																	
46	Other tumors (tumors of the female genital organs excepted).....	750	1	6	4	5	1	6	19	17	32	97	167	162	183	44	4	1	1	
47	Acute articular rheumatism.....	10							1	1	2		1	2	2	1				
48	Chronic rheumatism and gout.....	199	3	2		1	6	15	48	23	15	21	15	25	18	6	1			
49	Scurvy.....	2	1																	
50	Diabetes.....	891	3	2	1	2	3	14	58	57	62	86	170	240	155	36				
51	Exophthalmic goiter.....	188	1						9	25	31	38	46	30	7	1				
52	Addison's disease.....	28							2	1	5	7	6	5	1	1				
53	Leukemia.....	91	1	2	1	2	2	7	9	7	12	9	14	17	6	1	1			
54	Anemia, chlorosis.....	355	14	10	4	3		2	10	6	20	62	81	82	55	6				
55	Other general diseases.....	92	46	8	2	1	1	2	6	4	8	1	4	3	2					
56	Alcoholism (acute or chronic).....	219								1	15	58	79	38	18	9	1			
57	Chronic lead poisoning.....	12								2	2	4	2	2	2					
58	Other chronic occupation poisonings.....	1										1								
59	Other chronic poisonings.....	12									2	1	3	3	1	1	1			
	II.—Diseases of the nervous system and of the organs of special sense.....	8,340	297	101	70	44	33	93	175	182	432	709	1,209	1,741	2,144	1,006	102	1	1	
60	Encephalitis.....	40	7	1	3				3	3	4	7	6	4	1	1				
61	Meningitis (total).....	453	100	50	37	25	22	46	69	32	31	19	14	7	1					
	Simple meningitis.....	184	45	24	19	12	6	21	19	12	9	7	6	4						
	Cerebrospinal meningitis (undefined).....	112	28	9	11	6	5	12	19	6	8	5	2	1						
	Cerebrospinal fever.....	157	27	17	7	7	11	13	31	14	14	7	6	2	1					
62	Locomotor ataxia.....	183							1	2	14	32	59	47	26	2				
63	Other diseases of the spinal cord (total).....	354	5	10	12	10	5	13	19	12	8	29	53	81	75	19	3			
	Acute anterior poliomyelitis.....	65	8	10	7	5	12	9		3	3	2	2	1						
	Other diseases of the spinal cord.....	289	2	2	2	3		1	10	12	5	26	51	79	74	19	3			
64	Cerebral hemorrhage, apoplexy.....	5,583	10	6	3	1	1	3	21	37	148	367	861	1,385	1,808	851	79	1	1	
65	Softening of the brain.....	100							1	1	1	4	5	17	39	30	2			
66	Paralysis without specified cause.....	273	3	1					1	2	3	5	12	27	61	90	57	11		
67	General paralysis of the insane.....	437							2	11	99	124	77	56	49	16	3			
68	Other forms of mental alienation.....	196							1	18	37	41	43	26	20	20	10			
69	Epilepsy.....	229	6	1	2			8	30	41	44	34	26	22	11	3	1			
70	Convulsions (nonpuerperal).....	11						5	1			1	1	1	2					
71	Convulsions of infants.....	163	133	22	6	1	1		2	4	2	1		3	2	1	1			
72	Chorea.....	17							1	1	1	3	3	9	8	7	5	3		
73	Neuralgia and neuritis.....	39							3	11	12	25	29	17	18	13	11			
74	Other diseases of the nervous system.....	154	11	1	1	2														
75	Diseases of the eyes and their annexa.....	6	2</																	

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES; BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
OHIO—Continued.																		
III.—Diseases of the circulatory system.....	11,256	78	15	7	8	10	72	227	352	551	932	1,458	2,485	3,101	1,737	217	4	
77 Pericarditis.....	68		1	2				4	2	3	7	15	12	10	10	2		
78 Acute endocarditis.....	368	19	1	1	1	2	11	25	46	53	75	77	23	18	13	3		
79 Organic diseases of the heart.....	8,590	36	11	3	5	7	57	192	285	443	754	1,158	2,046	2,350	1,148	122	1	
80 Angina pectoris.....	484							1	6	22	42	86	125	146	52	4		
81 Diseases of the arteries, atherosclerosis, aneurism, etc.....	1,514	149	4			1		3	4	10	12	17	34	526	493	80	3	
82 Embolism and thrombosis.....																		
83 Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	42									3	5	4	11	6	9	2		
84 Diseases of the lymphatic system (lymphangitis, etc.).....																		
85 Hemorrhage; other diseases of the circulatory system.....	23	14	2	1	1			1	1			1	1					
IV.—Diseases of the respiratory system.....	14,065	1,787	734	336	175	123	305	787	2,443	2,533	1,270	844	987	1,074	584	73	5	
86 Diseases of the nasal fossae.....	5	1	1					1							1	1		
87 Diseases of the larynx.....	37	3	2	2	3	1		5	2			3	2	3	3	3		
88 Diseases of the thyroid body.....	39	2						3	6	5	8	8	4	2	1			
89 Acute bronchitis.....	378	152	45	16	8	4	11	2	2	4	8	13	22	46	37	8		
90 Chronic bronchitis.....	338	10	1	1	1		1	2	3	13	19	17	62	109	85	13	1	
91 Bronchopneumonia.....	3,136	1,017	377	133	74	48	86	91	174	210	131	118	186	288	178	19	3	
92 Pneumonia (total).....	9,695	577	298	177	85	65	203	664	2,218	2,273	1,060	630	635	542	238	28	1	
Lobar pneumonia.....	9,413	534	292	170	82	63	194	639	2,192	2,242	1,044	606	602	506	220	25	1	
Pneumonia (undefined).....	282	43	6	7	3	2	9	25	28	31	16	24	33	38	18	3		
93 Pleurisy.....	139	4	6	2	1	3	2	15	20	14	13	15	24	16	3	1		
94 Pulmonary congestion, pulmonary apoplexy.....	66	9	1	1					4	2	5	3	8	18	13	2		
95 Gangrene of the lung.....	17							1	4	1	2	5	2		1			
96 Asthma.....	144	3	1	2	1	1		3	2	3	14	23	29	44	16	1	1	
97 Pulmonary emphysema.....	7										1	1	2					
98 Other diseases of the respiratory system (tuberculosis excepted).....	64	4	2	2	2			1	1	8	8	6	9	10	3	8		
V.—Diseases of the digestive system.....	7,105	2,508	600	174	73	43	145	223	314	376	480	562	645	590	314	52	2	
99 Diseases of the mouth and annexa.....	33	8	3		1				2		3	7	1	1	4	3		
100 Diseases of the pharynx.....	135	11	3	5	3	1	21	22	20	14	9	10	5	6	5			
101 Diseases of the esophagus.....	2											1	1					
102 Ulcer of the stomach.....	241	1						1		2	27	22	51	44	51	32	7	
103 Other diseases of the stomach (cancer excepted).....	592	204	17	8	7	5	10	6	14	32	26	32	63	88	64	15	1	
104 Diarrhea and enteritis (under 2 years).....	2,722	2,176	546		137	42	21	31	14	18	36	35	42	61	87	86	17	
105 Diarrhea and enteritis (2 years and over).....	628										1		1					
107 Intestinal parasites.....	3		1															
108 Appendicitis and typhlitis.....	637	2	3	9	7	7	48	129	126	103	82	57	31	25	7		1	
109 Hernia, intestinal obstruction (total).....	637	72	20	5	5	4	16	18	32	49	57	86	98	120	47	6	2	
Hernia.....	242	18	1					1	1	6	15	32	40	49	55	21	2	
Intestinal obstruction.....	395	54	19	5	5	4	15	17	26	34	25	46	49	65	26	4	1	
110 Other diseases of the intestines.....	125	8	1	4				4	6	8	11	12	11	17	24	15	4	
111 Acute yellow atrophy of the liver.....	14	1				1			1		2		6	1	1	1		
113 Cirrhosis of the liver.....	670	1			1		1	5	13	29	105	153	200	116	48	2	1	
114 Biliary calculi.....	218								10	22	43	53	46	30	13	1		
115 Other diseases of the liver.....	251	11	4	3	4	1	4	5	14	21	32	53	43	37	16	3		
116 Diseases of the spleen.....	53	5		2	1		4	4	6	3	4	2	10	10	2			
117 Simple peritonitis (nonpuerperal).....	106	8	2	1	2	1	5	11	21	21	10	6	6	7	5			
118 Other diseases of the digestive system (cancer and tuberculosis excepted).....	38						1	1	2	9	5	10	6	3				
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	5,488	46	17	8	14	7	27	75	206	349	611	810	1,229	1,361	655	73		
119 Acute nephritis.....	299	21	7	4	7	3	12	21	23	34	47	32	37	35	11	5		
120 Bright's disease.....	4,399	16	6	2	4	4	14	46	127	216	447	698	1,076	1,151	534	58		
121 Chyluria.....	1							1	3	11	8	17	20	16	11	1		
122 Other diseases of the kidneys and annexa.....	104	8	3	2	2		1	1	3	11	8	17	20	16	11	1		
123 Calculi of the urinary passages.....	37							1	3	4	5	7	9	1				
124 Diseases of the bladder.....	80							2	1	5	5	7	7	31	26	3		
125 Diseases of the urethra, urinary abscess, etc.....	14								2	1	7	2	1					
126 Diseases of the prostate.....	268								2	1	4	18	64	108	65	6		
127 Nonvenereal diseases of the male genital organs.....	5	1						1	9	1						1		
128 Uterine hemorrhage (nonpuerperal).....	2								2									
129 Uterine tumor (nononcерous).....	111							1	4	26	51	13	8	5	3			
130 Other diseases of the uterus.....	41							1	5	18	11	3	1	2				
131 Cysts and other tumors of the ovary.....	53							1	13	8	11	10	5	5				
132 Salpingitis and other diseases of the female genital organs.....	73							2	22	25	15	7	2					
133 Nonpuerperal diseases of the breast (cancer excepted).....	1									1								
VII.—The puerperal state.....	1,206							83	569	485	69							
134 Accidents of pregnancy.....	306								23	167	108	8						
135 Puerperal hemorrhage.....	87								2	22	51	12						
136 Other accidents of labor.....	198								11	96	82	9						
137 Puerperal septicemia.....	400								31	190	160	19						
138 Puerperal albuminuria and convulsions.....	187								16	80	72	19						
139 Puerperal phlegmasia alba dolens, embolus, sudden death.....	26									13	11	2						
140 Following childbirth (not otherwise defined).....	2									1	1							

CAUSES OF DEATH, BY AGE.

388

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																	Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.		
OHIO—Continued.																				
142	VIII.—Diseases of the skin and of the cellular tissue.	231	41	1	1	5	4	10	20	19	27	50	42	10	1	
143	Gangrene.	119	1	1	1	1	6	6	17	43	35	8	1		
144	Furuncle.	25	1	2	2	8	5	7	1	1				
145	Acute abscess.	29	3	1	1	2	4	3	4	1	2	2	2	2	2	2
	Other diseases of the skin and annexa.	58	32	2	1	4	3	4	1	2	4	2	2	2	2
146	IX.—Diseases of the bones and of the organs of locomotion.	142	9	3	5	1	2	9	23	20	14	12	8	10	16	8	1	1	
147	Diseases of the bones (tuberculosis excepted).	117	8	3	5	1	2	9	21	18	13	9	7	7	8	5	1		
149	Diseases of the joints (tuberculosis and rheumatism excepted).	21	1	2	2	1	2	1	3	5	3	1			
	Other diseases of the organs of locomotion.	4	1	3	
150	X.—Malformations.	1,007	923	25	14	6	7	16	10	5	1	
151	Congenital malformations (stillbirths not included) (total).	1,007	923	25	14	6	7	16	10	5	1	
	Hydrocephalus.	79	60	5	4	3	4	2	1	
	Congenital malformations of the heart.	633	590	11	6	3	1	11	7	3	1	
	Other congenital malformations.	295	273	9	4	2	3	2	
	XI.—Early infancy.	3,943	3,943	
152	Congenital debility, icterus, and sclerema (total).	3,151	2,479	2,479	
	Premature birth.	672	672	
	Congenital debility, "atrophy," "marasmus," etc.	672	672	
153	Other causes peculiar to early infancy (total).	782	782	
	Injuries at birth.	453	453	
154	Other causes peculiar to early infancy ¹ .	329	329	
155	Lack of care.	10	10	3	26	236	396	121	7	
156	XII.—Old age.	789	789	3	26	236	396	121	7		
157	Senility.	6,428	162	116	111	86	83	318	592	886	1,098	910	672	586	426	312	64	11	
158	XIII.—External causes.	699	22	107	163	154	110	83	45	10	1	4	
159	Suicide (total).	188	2	43	38	22	13	11	6	3	
160	By poison.	6	2	2	2	2	2	2	2	2	2	2	2	2	
161	By asphyxia.	129	4	6	14	30	32	25	13	4	1	1	1	1	
162	By hanging or strangulation.	53	7	13	9	11	8	8	3	1	1	1	1	1	
163	By drowning.	301	15	45	81	69	42	29	15	3	2	2	2	2	2	
164	By firearms.	49	1	10	18	10	18	10	7	3	3	3	3	3	3	
165	By cutting or piercing instruments.	6	2	1	1	2	1	2	1	1	1	1	1	1	1	
166	By jumping from high places.	6	1	1	3	2	2	2	2	2	2	2	2	2	2	
167	By crushing.	11	1	1	3	2	2	2	2	2	2	2	2	2	2	
168	Other suicides.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
169	Accidental or undefined (total).	5,257	151	114	111	84	81	311	541	656	768	674	523	494	377	302	63	7	
170	Poisoning by food.	53	11	4	4	2	3	1	3	3	5	5	3	3	1	1	1	1	1	
171	Other acute poisonings.	114	3	16	13	7	4	11	5	9	7	14	8	11	5	1	1	1	1	
172	Conflagration.	103	5	5	6	5	4	7	10	10	6	7	12	8	10	9	2	1	1	
173	Burns (conflagration excepted).	445	11	36	53	42	22	41	29	50	39	36	25	21	22	15	3	3	3	
174	Absorption of deleterious gases (conflagration excepted).	152	48	2	3	1	1	9	20	24	20	13	6	4	1	1	1	1	
175	Accidental drowning.	355	1	14	3	5	3	5	41	114	49	56	28	23	13	6	1	1	1	
176	Traumatism by firearms.	114	1	2	4	2	12	45	22	8	11	2	3	2	2	2	2	2	
177	Traumatism by cutting or piercing instruments.	15	1	1	2	6	4	1	1	1	1	1	1	
178	Traumatism by fall.	926	16	9	6	3	6	21	28	44	77	84	87	122	175	201	46	1	1	
179	Traumatism in mines and quarries (total).	166	15	37	48	32	19	12	2	2	2	2	2	2	
180	Traumatism in mines.	160	15	35	46	31	18	12	2	2	2	2	2	2	
181	Traumatism in quarries.	6	2	1	1	2	1	1	1	1	1	1	1	1	1	
182	Traumatism by machines.	211	7	16	13	16	16	5	28	43	49	41	20	16	6	1	1	1	1	
183	Traumatism by other crushing (total).	1,969	1	2	1	2	4	18	77	180	200	163	119	71	36	3	3	3	3	
184	Railroad accidents and injuries.	394	4	5	1	3	13	15	25	32	45	26	21	31	11	5	5	5	5	
185	Street-car accidents and injuries.	216	
186	Automobile accidents and injuries.	650	6	8	5	11	17	103	85	71	85	71	78	68	27	13	2	2	2	
187	Injuries by other vehicles.	159	1	2	2	6	14	23	23	20	20	10	20	26	8	4	4	4	4	
188	Landslide, other crushing.	50	1	3	1	8	12	15	6	6	5	4	2	2	2	2	2	
189	Injuries by animals.	42	1	1	11	1	29	45	41	29	24	20	6	4	2	2	2	
190	Starvation.	1	3	2	2	5	7	8	11	3	3	3	3	3	3	3	
191	Excessive cold.	40	1	1	1	4	14	19	12	23	18	15	4	4	4	4	4	
192	Effects of heat.	133	19	3	1	1	2	7	6	4	4	3	3	3	3	3	3	3	
193	Lightning.	25	1	2	15	22	26	7	5	5	5	5	1	1	1	1	1	
194	Electricity (lightning excepted).	78	1	1	3	4	4	4	4	4	4	4	4	4	4	4	
195	Fractures (cause not specified).	43	1	1	3	4	4	4	4	4	4	4	4	4	4	4	
196	Other external violence.	272	27	9	4	1	13	21	29	45	41	29	24	20	6	4	2	2	
197	Homicide (total).	472	11	2	2	2	7	29	123	162	82	39	9	4	4	4	4	4	
198	By firearms.	302	1	1	1	20	87	112	58	21	15	6	2	2	2	2	2	
199	By cutting or piercing instruments.	76	2	1	1	3	2	21	22	15	28	9	13	5	2	2	2	2	
	By other means.	94	9	1	2	3	7	15	28	9	13	5	2	2	2	2	2	2	
200	XIV.—Ill-defined diseases.	608	251	33	8	5	5	7	12	13	40	48	40	53	54	29	4	1	5	
201	Ill-defined organic disease.	12	1	1	2	2	2	1	1	4	1	4	4	4	4	
202	Sudden death.	45	14	2	1</														

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
OREGON.																			
	All causes.....	9,679	907	197	100	84	49	220	528	1,137	1,237	983	1,047	1,236	1,189	640	79	3	43
	I.—General diseases.....	3,490	107	77	41	37	25	109	232	687	718	420	381	329	216	53	8	1	19
1	Typhoid fever.....	73			1	1		4	15	14	20	10	5	3					
4	Malaria.....	1									1								
6	Measles.....	53	9	11	4	2	3	11	5		2	2	1	2	1				
7	Scarlet fever.....	15		1	1	2	1	2	5		2	1							
8	Whooping cough.....	48	23	15	5	3	1	1											
9	Diphtheria and croup.....	32	1	2		6	1	17	3	2									
10	Influenza.....	1,564	41	32	20	15	13	50	165	489	480	168	65	36	34	13	2	1	10
14	Dysentery.....	22	4	2		1		1	1				2	4	3	2	1		
18	Erysipelas.....	18	4	2								3	1	3	3				
19	Other epidemic diseases.....	8	1					1	1	2		1		1			1		
20	Purulent infection and septicemia.....	17	2							2	4	4	1	2	1				1
24	Tetanus.....	3							1		2				1				
25	Mycoses.....	1																	
26	Pellagra.....	2										1	1						
	Tuberculosis (total).....	674	7	9	6	3	4	15	62	184	157	91	65	48	19				4
28	Tuberculosis of the lungs.....	546	3	3	2		2	3	48	158	134	75	55	44	16				3
29	Acute miliary tuberculosis.....	15		1	2	1			3	3	1	2	2						1
30	Tuberculous meningitis.....	42	3	5	2	2	2	8	5	5	6	2	1						
31	Abdominal tuberculosis.....	37						2	2	9	9	6	5	1	3				
32	Pott's disease.....	7						1	2	2		2							
33	White swellings.....	5							1			1	1	1					
34	Tuberculosis of other organs.....	16	1						5	7		1	1	2					
35	Disseminated tuberculosis.....	6							1	2	3								
36	Rickets.....	3	2		1					3	5	8	6	1	1				
37	Syphilis.....	30	4		1						1								
38	Gonococcus infection.....	2																	
	Cancer and other malignant tumors (total).....	646			2	1			5	6	37	97	164	178	121	29	4		2
39	Of the buccal cavity.....	19		1					3	1	7	5	2						
40	Of the stomach, liver.....	290						1	3	9	36	73	89	64	13	1			
41	Of the peritoneum, intestines, rectum.....	84							4	13	21	22	20	4					
42	Of the female genital organs.....	69							1	8	16	26	12	4	2				
43	Of the breast.....	43							2	18	8	7	7	1					
44	Of the skin.....	22							1	2	3	4	6	4	2				
45	Of other organs or of organs not specified.....	119		1	1			4	2	10	11	26	39	18	5	1			1
46	Other tumors (tumors of the female genital organs excepted).....	4									1		2	1					
47	Acute articular rheumatism.....	22				1	3	3	1	1	2	1	8	2					
48	Chronic rheumatism and gout.....	8									1	3	2	1	1				
50	Diabetes.....	131		1		2	11	9	13	13	13	26	29	22	3				2
51	Exophthalmic goiter.....	16				1		6	2	6	2	6		1					
52	Addison's disease.....	4									2	1							
53	Leukemia.....	16	1					2	1	2	3	5	1	1					
54	Anemia, chlorosis.....	50	1	2	1				2	3	8	21	8	5	2				
55	Other general diseases.....	17	8	2	1	1		1	2	3	1	2		1					
56	Alcoholism (acute or chronic).....	7							1	2	2	2	1						
57	Chronic lead poisoning.....	1								1									
58	Other chronic poisonings.....	2								1		1							
	II.—Diseases of the nervous system and of the organs of special sense.....	931	38	12	5	6	1	12	15	33	47	86	143	209	206	111	5		2
60	Encephalitis.....	10	2	1					1	7	2		3	1					
61	Meningitis (total).....	47	9	6	3	4		5	3	5	3	1	1						
	Simple meningitis.....	25	6	4	4	4		2	1	3	3	1	1						
	Cerebrospinal meningitis (undefined).....	12	1	2	3			1	2	2		1							
62	Locomotor ataxia.....	10	2					2		2	1	1							
63	Other diseases of the spinal cord (total).....	40							3	4		5	9	9	7	3			
	Acute anterior poliomyelitis.....	2							1	1		5	9	9	7	3			
	Other diseases of the spinal cord.....	38							2	3		5	9	9	7	3			
64	Cerebral hemorrhage, apoplexy.....	540	5					2	1	5	13	35	98	143	155	78	4		1
65	Softening of the brain.....	13									3	3	5	3	1				
66	Paralysis without specified cause.....	96	1					1	2		3	3	6	26	30	23	1		
67	General paralysis of the insane.....	52								2	9	20	5	10	2	3			
68	Other forms of mental alienation.....	23								5	1	10	2	3	2				
69	Epilepsy.....	26	1	3	1	2	1	2	3	7	1	2	3	2	3	1			
71	Convulsions of infants.....	23	17	3	1	2					1			1					
72	Chorea.....	2									1			1					
73	Neuralgia and neuritis.....	5												1	3	1			
74	Other diseases of the nervous system.....	30				1		1	3	7	3	7	3	2	2				
75	Diseases of the eyes and their annexa.....	1	1						1	1		5	1	1					
76	Diseases of the ears.....	13	2	2							1								

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

385

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
OREGON—Continued.																		
	III.—Diseases of the circulatory system.	1,312	7	1	1	2	9	33	42	49	128	176	324	343	172	23	2
77	Pericarditis.	6	3	8	2	6	2	1	2	1
78	Acute endocarditis.	45	2	6	21	39	39	95	141	245	258	118	12	1
79	Organic diseases of the heart.	982	2	1	1	2	13	9	30	23	4	1	2
80	Angina pectoris.	80
81	Diseases of the arteries, atherosclerosis, aneurism, etc.	154	1	2	4	9	32	53	44	9
82	Embolism and thrombosis.	30	2	1	2	3	5	6	7	4
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	6	2	1	2	1
84	Diseases of the lymphatic system (lymphangitis, etc.).	4	3	1
85	Hemorrhage; other diseases of the circulatory system.	5	2	1	2
	IV.—Diseases of the respiratory system.	1,058	126	43	20	11	10	26	61	166	166	93	85	95	89	58	5	4
86	Diseases of the nasal fossae.	3	1	1	1	1	1
87	Diseases of the larynx.	6	1	1	1	1	2	2	1	1	1	1
88	Diseases of the thyroid body.	6	1	1	1	3	1	1	1
89	Acute bronchitis.	23	10	3	1	1	1	1	2	1	1	3	1	1
90	Chronic bronchitis.	25	1	5	4	12	3
91	Bronchopneumonia.	216	62	20	8	4	4	10	17	19	10	5	18	15	21	3	3
92	Pneumonia (total).	698	51	20	9	9	6	18	44	137	141	71	64	60	43	22	3	3
	Lobar pneumonia.	610	34	14	8	8	2	16	38	132	128	65	59	54	32	17	3	3
	Pneumonia (undefined).	88	17	6	1	1	4	2	6	5	13	6	5	6	11	5
93	Pleurisy.	27	1	1	2	5	5	5	3	2	1	1	1	1	1	1
94	Pulmonary congestion, pulmonary apoplexy.	15	1	1	1	1	1	1	1	1	4	5	1	1	1
95	Gangrene of the lung.	3	1	1	1	1	1	1	1	2	1	1
96	Asthma.	25	1	1	3	3	7	9	2	1	1	1
97	Pulmonary emphysema.	2	1	1	1	1	1	1	1
98	Other diseases of the respiratory system (tuberculosis excepted).	9	1	2	3	1	2
	V.—Diseases of the digestive system.	632	128	41	17	12	6	26	34	29	43	60	76	55	72	27	5	1
99	Diseases of the mouth and annexa.	3	1	1	1	1	1	1	1	1	1	1	1
100	Diseases of the pharynx.	18	1	1	2	4	2	2	4	1	1	1	1	1	1	1	1
101	Diseases of the esophagus.	1	1	1	9	8	4	4	4	4	4	4
102	Ulcer of the stomach.	27	2	1	1	1	5	6	3	3	3	3	3
103	Other diseases of the stomach (cancer excepted).	47	16	3	2	2	1	1	1	5	3	8	4	1	1	1
104	Diarrhea and enteritis (under 2 years).	127	96	31	12	8	2	6	1	1	2	6	6	2	11	5	2	2
105	Diarrhea and enteritis (2 years and over).	62	2	2	1	1	1	1	1	2	14	16	8	5	1	2	2
107	Intestinal parasites.	115	2	2	1	1	1	1	1	1	10	12	12	19	6	2	2
108	Appendicitis and typhitis.	93	13	3	1	2	1	1	1	1	1	3	6	4	14	3	1	1
109	Hernia, intestinal obstruction (total).	33	1	1	1	1	1	1	1	1	3	6	8	5	3	1	1
	Hernia.	60	13	3	1	1	1	1	1	1	1	5	3	5	4	1	1	1
110	Intestinal obstruction.	22	1	1	1	1	1	1	1	1	1	1
111	Other diseases of the intestines.	11	1	1	1	1	1	1	1	1	1	1	1
112	Acute yellow atrophy of the liver.	36	1	2	6	1	12	3	9	2	2	2	2
113	Cirrhosis of the liver.	32	1	2	6	7	11	6	5	5	5	5	5
114	Biliary calculi.	29	1	1	1	1	1	1	2	1	1	3	3	4	6	5	5	1
115	Other diseases of the liver.	1	1	1	1	1	1	1	1	1	1	1	1	1
116	Diseases of the spleen.	12	1	1	2	2	1	1	1	1	1	1	1	1	1
117	Simple peritonitis (nonpuerperal).	3	1	1	1	1	1	1	1	1	1	1	1
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	583	1	1	1	1	1	1	12	30	38	59	92	137	134	70	5	1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	22	1	1	1	1	1	1	3	3	2	4	2	2	2	1	1	1
119	Acute nephritis.	446	1	1	1	1	1	1	8	17	21	43	76	115	110	50	3	1
120	Bright's disease.	8	1	1	1	1	1	1	4	4	4	4	4	4
122	Other diseases of the kidneys and annexa.	6	1	1	2	1	2	1	2	1	2	1	1
123	Calculi of the urinary passages.	7	1	1	1	1	1	2	1	2	1	2	1
124	Diseases of the bladder.	47	1	1	1	3	14	13	15	1	1	1	1
126	Diseases of the prostate.	1	1	1	1	3	14	13	15	1	1	1	1
127	Nonvenereal diseases of the male genital organs.	17	1	1	3	7	3	1	1	1	1	1	1	1
129	Uterine tumor (noncancerous).	9	1	1	1	1	4	3	1	1	1	1	1	1	1	1
130	Other diseases of the uterus.	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1
131	Cysts and other tumors of the ovary.	17	1	1	5	4	1	1	1	1	1	1	1	1
132	Salpingitis and other diseases of the female genital organs.	142	1	1	1	1	7	5	4	1	1	1	1	1	1	1
	VII.—The puerperal state.	24	1	1	1	1	1	1	7	10	6	1	1	1	1	1	1	1
134	Accidents of pregnancy.	9	1	1	1	1	4	4	1	1	1	1	1	1	1	1
135	Puerperal hemorrhage.	18	1	1	1	1	14	2	1	1	1	1	1	1	1	1
136	Other accidents of labor.	50	1	1	1	1	24	17	6	1	1	1	1	1	1	1
137	Puerperal septicemia.	35	1	1	1	1	19	14	1	1	1	1	1	1	1	1
138	Puerperal albuminuria and convulsions.	4	1	1	1	1	2	1	1	1	1	1	1	1	1	1
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
140	Following childbirth (not otherwise defined).	156247	20	25	1	1	1	1	1	1	1	1	1	1	1	1

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.
OREGON—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue.....	27	2	1					2		3	1	5	5	4	4		
142	Gangrene.....	11							1		1	1	1	3	2	2		
143	Furuncle.....	7		1					1		1	1	2	1	1	1		
144	Acute abscess.....	7								1		1	2	1	1	1		
145	Other diseases of the skin and annexa.....	2	1											1				
	IX.—Diseases of the bones and of the organs of locomotion.....	16	2	1					8		3	1		1				
146	Diseases of the bones (tuberculosis excepted).....	15	2	1					8		3	1						
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	1													1			
	X.—Malformations.....	94	83	6	2				1	2								
150	Congenital malformations (stillbirths not included) (total).....	94	83	6	2				1	2								
	Hydrocephalus.....	7	3	2	2													
	Congenital malformations of the heart.....	61	57	3							1							
	Other congenital malformations.....	26	23	1					1		1							
	XI.—Early infancy.....	383	383															
151	Congenital debility, icterus, and sclerema (total).....	304	304															
	Premature birth.....	235	235															
	Congenital debility, "atrophy," "marasmus," etc.....	69	69															
152	Other causes peculiar to early infancy (total).....	78	78															
	Injuries at birth.....	42	42															
	Other causes peculiar to early infancy ¹	36	36															
153	Lack of care.....	1	1															
	XII.—Old age.....	220												2	2	76	113	24
154	Senility.....	220												2	2	76	113	24
	XIII.—External causes.....	745	16	13	13	13	7	34	75	96	123	115	82	72	42	30	2	12
155	Suicide (total).....	100							4	18	23	24	15	9	4	1	1	1
	By poison.....	19							3	5	5	2	3	1				
156	By asphyxia.....	5							2	1	1	1	1					
157	By hanging or strangulation.....	11							1	3	2			2	1	1		1
158	By drowning.....	14							3	8	8	1	2					
159	By firearms.....	37							1	6	8	8	7	5	2			
160	By cutting or piercing instruments.....	14							1	6	3	3	1					
164	Accidental or undefined (total).....	614	15	13	13	13	7	34	67	73	92	84	63	61	38	29	1	11
165	Poisoning by food.....	8	2						1	1	1	1	1	3				
166	Other acute poisonings.....	13		1		1			1	1	1	2	4		2			
167	Confagration.....	15		1	1	1			5	1	1	1	1	2				
168	Burns (conflagration excepted).....	30	1	4	2	1	3	2	6	1	4	2		1	1	2		
169	Absorption of deleterious gases (conflagration excepted).....	16	9						3	3	1							
170	Accidental drowning.....	84		3	7	3	2	12	18	11	8	10	4	4	1			1
171	Traumatism by firearms.....	31						3	12	6	4	1	3	1				1
172	Traumatism by cutting or piercing instruments.....	2							1	5	1	4	9	13	12	17	1	
173	Traumatism in mines and quarries (total).....	2								1	1	1						
	Traumatism in mines.....	1								1								
	Traumatism in quarries.....	1								1								
174	Traumatism by machines.....	15								1	1	2	3	1	2			2
175	Traumatism by other crushing (total).....	191		1	1	5	1	7	13	24	36	38	26	20	13	1		5
	Railroad accidents and injuries.....	67		1	1			1	8	6	13	17	7	6	3			4
	Street-car accidents and injuries.....	8				1				2	1	1		2	1			
	Automobile accidents and injuries.....	66				3		4	3	7	12	11	13	8	4	1		
	Injuries by other vehicles.....	25				1		2	2	2	2	4	4	2	2	2		1
	Landscape, other crushing.....	25				1				7	8	5	5	2	3	1	1	
176	Injuries by animals.....	9						1				1	2	2	3	1	1	
179	Effects of heat.....	1												1				
180	Lightning.....	2							1									
181	Electricity (lightning excepted).....	7								3	3							1
185	Fractures (cause not specified).....	20								1	1	1	1	3	7	6		
186	Other external violence.....	87	3	3	2	2	1	1	4	15	12	18	15	6	3	2		
182	Homicide (total).....	31	1						4	5	8	7	4	2				
183	By firearms.....	22							3	5	6	5	1	2				
184	By cutting or piercing instruments.....	3							1		1	1	1					
	By other means.....	6	1								1	2	2					
	XIV.—Ill-defined diseases.....	46	14	1		2		2		1	1	2	4	8	6	2	2	1
187	Ill-defined organic disease.....	1											1					
188	Sudden death.....	3	2											1				
189	Not specified or ill-defined (total).....	42	12	1		2		2		1	1	2	4	7	5	2	2	1
	Ill-defined.....	27	4			1		1		1	1	2	4	7	4	1	1	
	Not specified or unknown.....	15	8	1		1		1				1	1	1	1	1	1	

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

387

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
PENNSYLVANIA.																			
	All causes.....	187,951	28,299	8,362	4,134	2,531	1,911	4,983	10,019	26,192	27,014	17,713	15,701	16,894	15,555	7,553	1,002	23	60
	I.—General diseases.....	68,883	4,239	3,308	2,054	1,354	1,038	2,624	5,165	14,533	14,010	7,564	5,315	4,177	2,567	803	64	2	16
1	Typhoid fever.....	928	3	7	9	10	10	67	225	246	179	89	44	29	10				
4	Malaria.....	18			1			1		2	2		3	3	5				
5	Smallpox.....	2																	
6	Measles.....	831	227	285	114	49	34	72	26	13	4	4	3						
7	Scarlet fever.....	174	10	11	20	16	18	45	33	13	8								
8	Whooping cough.....	1,521	707	427	182	75	52	66	7	4				1					
9	Diphtheria and croup.....	1,754	105	245	303	264	202	457	140	35	15	7	9	1	1				
10	Influenza.....	39,301	2,193	1,957	1,186	798	604	1,556	3,363	10,570	10,094	3,780	1,665	861	518	172	24		10
13	Cholera nostras.....	54	10	4	1	2		1	2	1	1	5	2	5	13	7			
14	Dysentery.....	232	54	24	19	9	9	9	4	5	8	4	8	19	28	29	3		
17	Leprosy.....	3									1	1		1					
18	Erysipelas.....	229	74	2	3			1	9	6	18	27	26	18	33	12			
19	Other epidemic diseases.....	59	15	7	9	3	3	9	3	3	2	3	2						
20	Purulent infection and septicemia.....	117	26		4	8	3	7	7	10	16	7	11	8	3				
22	Anthrax.....	3											2	1					
23	Rabies.....	8											1						
24	Tetanus.....	131	17	5	1	2	2	28	21	11	11	15	6	7	5				
25	Mycoses.....	2										1		1					
26	Pellagra.....	7			1						1	1	3	1					
28	Tuberculosis (total).....	12,944	410	257	150	83	73	214	1,115	3,209	2,800	2,093	1,341	817	309	68	2	3	
29	Tuberculosis of the lungs.....	10,944	134	81	37	29	22	82	874	2,901	2,559	1,928	1,216	742	275	60	2	2	
30	Acute miliary tuberculosis.....	457	17	12	7	4	2	10	76	136	106	43	29	10	4	1			
31	Tuberculous meningitis.....	620	162	126	84	39	31	81	65	43	26	14	10	2	1			1	
32	Abdominal tuberculosis.....	458	68	27	11	6	12	17	57	57	56	63	40	26	14	4			
33	Pott's disease.....	109	4	2	3	2	1	10	14	19	13	15	14	7	4	1			
34	White swellings.....	71	9	3	2	2	2	7	9	11	6	6	6	5	2	1			
35	Tuberculosis of other organs.....	137	12	3	2	1	2	7	13	26	18	14	18	13	7	1			
36	Disseminated tuberculosis.....	78	4	3	4		1	7	11	16	10	8	12	2					
37	Rickets.....	93	51	23	9	4	1	1	2		1		1						
38	Syphilis.....	655	227	9	9	7	2	3	10	62	114	100	52	37	18	5			
39	Gonococcus infection.....	46	13	1		1		4	17	6	3		1						
40	Cancer and other malignant tumors (total).....	6,697	12	9	10	4	11	12	31	119	412	1,018	1,577	1,772	1,253	420	28	1	3
41	Of the buccal cavity.....	268	2			1	2	1	3	11	20	54	76	66	24	3			
42	Of the stomach, liver.....	2,701	4	2	1	1	2	2	21	97	344	667	823	580	150	6		1	
43	Of the peritoneum, intestines, rectum.....	805	2	2		1	1		22	55	117	156	213	178	49	5			
44	Of the female genital organs.....	1,038	1					2	27	130	254	294	199	97	33			1	
45	Of the breast.....	635							6	40	140	165	152	83	43	3			
46	Of the skin.....	207	1					2	1	7	6	30	45	56	51	6			
47	Of other organs or of organs not specified.....	1,048	5	6	6	3	7	7	18	39	72	137	211	264	198	70	5		
48	Other tumors (tumors of the female genital organs excepted).....	30	1	2					3	1		5	6	6	4	2			
49	Acute articular rheumatism.....	348	2	1	6	4	3	42	70	28	34	44	30	34	.35	12	2	1	
50	Chronic rheumatism and gout.....	106							3	6	8	10	38	28	9	4			
51	Scurvy.....	13	10						1	1	1								
52	Diabetes.....	1,322	3	3	5	6	2	12	55	82	91	150	296	352	217	47	1		
53	Exophthalmic goiter.....	115							6	15	33	28	19	9	4	1			
54	Addison's disease.....	32								4	7	8	10	2	1				
55	Leukemia.....	115	10	1	2	1	5	3	17	20	11	17	20	6	2				
56	Aneurysm, chlorosis.....	424	9	12	7	2	3	13	41	39	72	83	91	42	10				
57	Alcoholism (acute or chronic).....	148	50	16	5	4	10	10	4	8	6	6	8	12	4				
58	Chronic lead poisoning.....	318							9	79	110	83	29	8					
59	Other chronic occupation poisonings.....	12							3	3	3	2	2	1					
	Other chronic poisonings.....	2							1	1	1	2	1	2	1				
60	I.—Diseases of the nervous system and of the organs of special sense.....	11,941	737	258	150	87	76	163	264	313	600	959	1,596	2,433	2,793	1,358	146	2	1
61	Encephalitis.....	71	8	9	8	2	4	5	9	11	6	4	2	1					
62	Meningitis (total).....	831	179	108	69	48	43	80	112	61	45	48	21	11	6				
63	Simple meningitis.....	399	88	57	41	24	15	33	39	26	24	24	15	7	6				
64	Cerebrospinalmeningitis (undefined).....	133	31	17	7	10	7	15	18	11	4	7	4	2					
65	Cerebrospinal fever.....	299	60	34	21	14	21	32	55	24	17	17	2	2					
66	Locomotor ataxia.....	224	1				1	2	2	18	36	67	59	34	4				
67	Other diseases of the spinal cord (total).....	560	17	20	17	13	6	16	21	27	32	38	88	113	116	34	2		
68	Acute anterior poliomyelitis.....	103	11	20	16	8	6	12	12	4	4	2	2	2	2				
69	Other diseases of the spinal cord ¹	457	6		1	5		4	9	23	28	36	86	111	114	32	2		
70	Cerebral hemorrhage, apoplexy.....	7,315	31	11	8	1	2	5	15	49	174	456	1,119	1,922	2,263	1,133	124	1	1
71	Softening of the brain.....	110							3	4	10	20	49	21	2	1			
72	Paralysis without specified cause.....	573	6		1			1	6	9	12	27	58	133	202	108	10		
73	General paralysis of the insane.....	637							2	23	161	184	109	82	56	18	2		
74	Other forms of mental alienation.....	156							7	17	25	32	33	21	12	8	1		
75	Epilepsy.....	401	12	8	1	3	8	15	55	77	59	70	37	32	20	4			
76	Convulsions (nonpuerperal).....	21				6		9	3	1	2	2	2	1		1			
77	Convulsions of infants.....	539	415	75	29	14	6		1	1		1	1		2				
78	Chorea.....	6							2	2	6	5	4	6	11	8	1		
79	Neuralgia and neuritis.....	45							22	38	40	36	20	25	13	3			
80	Other diseases of the nervous system.....	278	29	10	6	5	2	14	15	13	14	10	7	11	1	2	1		
81	Diseases of the eyes and their annexa.....	8	1		1		1	7	17	13	14	10	7						

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

CAUSES OF DEATH, BY AGE.

389

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
PENNSYLVANIA—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue.....	462	85	5	10	8	2	4	7	15	20	23	38	51	103	81	10	
142	Gangrene.....	251	4	1	2	5	1	4	2	3	4	7	16	32	89	71	10	
143	Furuncle.....	58	17	1	—	—	—	—	1	3	4	11	7	5	1	—	—	
144	Acute abscess.....	84	31	1	5	2	—	—	3	5	7	7	6	4	2	—	—	
145	Other diseases of the skin and annexa.....	69	33	2	3	1	1	—	1	4	1	4	6	5	7	—	—	
	IX.—Diseases of the bones and of the organs of locomotion.....	217	26	7	1	4	7	23	38	18	21	16	18	15	19	4	—	
146	Diseases of the bones (tuberculosis excepted).....	186	22	7	1	4	7	23	36	16	16	9	15	13	15	2	—	
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	24	3	—	—	—	—	—	2	2	4	6	2	2	3	—	—	
149	Other diseases of the organs of locomotion.....	7	1	—	—	—	—	—	—	1	1	—	—	1	2	—	—	
	X.—Malformations.....	1,963	1,864	33	15	13	5	21	9	2	1	—	—	—	—	—	—	
150	Congenital malformations (stillbirths not included) (total).....	1,963	1,864	33	15	13	5	21	9	2	1	—	—	—	—	—	—	
	Hydrocephalus.....	149	111	9	8	3	3	10	3	1	1	—	—	—	—	—	—	
	Congenital malformations of the heart.....	1,347	1,303	16	2	8	2	9	6	1	—	—	—	—	—	—	—	
	Other congenital malformations.....	467	450	8	5	2	—	2	—	—	—	—	—	—	—	—	—	
	XI.—Early infancy.....	7,675	7,675	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
151	Congenital debility, icterus, and sclerema (total).....	6,259	6,259	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Premature birth.....	4,694	4,694	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Congenital debility, "atrophy," "marasmus," etc.....	1,565	1,565	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
152	Other causes peculiar to early infancy (total).....	1,387	1,387	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Injuries at birth.....	730	730	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other causes peculiar to early infancy.....	657	657	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
153	Lack of care.....	29	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	XII.—Old age.....	879	879	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
154	Senility.....	879	879	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	XIII.—External causes.....	10,892	279	246	217	221	182	579	1,026	1,617	1,899	1,608	1,135	816	595	392	59	21
	Suicide (total).....	956	—	—	—	—	—	—	—	31	149	235	210	155	119	51	15	1
155	By poison.....	103	—	—	—	—	—	—	—	12	24	23	17	15	8	3	1	1
156	By asphyxia.....	131	—	—	—	—	—	—	—	3	7	31	40	20	18	9	2	1
157	By hanging or strangulation.....	203	—	—	—	—	—	—	—	2	19	41	47	35	37	17	5	—
158	By drowning.....	46	—	—	—	—	—	—	—	3	3	12	10	9	7	1	1	—
159	By firearms.....	370	—	—	—	—	—	—	—	11	82	96	74	52	36	15	4	—
160	By cutting or piercing instruments.....	74	—	—	—	—	—	—	—	4	22	17	18	9	2	2	—	—
161	By jumping from high places.....	21	—	—	—	—	—	—	—	6	5	3	2	2	3	—	—	—
162	By crushing.....	6	—	—	—	—	—	—	—	1	2	2	2	1	—	—	—	—
163	Other suicides.....	12	—	—	—	—	—	—	—	3	3	2	2	2	2	—	—	—
	Accidental or undefined (total).....	9,370	254	244	217	221	181	578	969	1,295	1,495	1,292	943	687	541	375	59	19
164	Poisoning by food.....	53	8	2	3	3	4	7	2	2	7	6	4	1	2	—	—	—
165	Other acute poisonings.....	169	20	30	16	15	8	8	4	21	14	14	12	4	3	—	—	—
166	Conflagration.....	126	5	2	3	5	2	11	11	11	10	20	16	7	4	7	—	1
167	Burns (conflagration excepted).....	1,053	38	125	118	133	83	137	63	75	63	76	43	46	36	14	2	—
168	Absorption of deleterious gases (conflagration excepted).....	344	55	5	1	4	3	9	3	46	48	57	33	38	29	13	—	—
169	Accidental drowning.....	512	1	14	13	11	6	53	140	91	62	54	40	16	9	2	—	—
170	Traumatism by firearms.....	139	—	1	1	2	3	21	66	18	14	7	4	2	—	—	—	—
171	Traumatism by cutting or piercing instruments.....	13	1	—	—	1	—	—	2	1	3	2	2	2	—	—	—	—
172	Traumatism by fall.....	1,465	19	32	11	9	9	30	57	73	126	143	147	202	278	276	53	—
173	Traumatism in mines and quarries (total).....	1,149	—	—	—	—	—	—	—	89	270	389	235	123	36	6	1	—
	Traumatism in mines.....	1,116	—	—	—	—	—	—	—	87	265	383	225	115	35	5	1	—
	Traumatism in quarries.....	33	—	—	—	—	—	—	—	2	5	6	10	8	1	1	—	—
174	Traumatism by machines.....	341	1	—	—	—	—	—	4	57	59	90	62	41	21	6	—	—
175	Traumatism by other crushing (total).....	2,945	13	10	37	34	47	262	389	486	503	453	355	227	102	23	2	2
	Railroad accidents and injuries.....	1,557	3	2	4	3	5	49	180	324	350	277	202	109	39	8	—	2
	Street-car accidents and injuries.....	305	1	3	11	15	8	27	31	33	45	49	34	29	16	3	—	—
	Automobile accidents and injuries.....	853	6	3	14	13	33	159	150	95	84	99	83	67	38	7	2	—
	Injuries by other vehicles.....	198	3	2	8	3	1	27	26	24	18	22	29	21	9	5	—	—
	Landslide, other crushing.....	32	—	—	—	—	—	—	—	2	10	6	7	1	—	—	—	—
176	Injuries by animals.....	57	2	—	4	1	2	3	6	2	3	13	10	8	2	1	1	—
177	Starvation.....	6	3	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—
178	Excessive cold.....	54	—	1	—	—	—	—	—	1	4	7	8	7	12	11	3	—
179	Effects of heat.....	247	58	8	2	1	1	1	4	9	21	35	25	26	30	24	2	—
180	Lightning.....	40	—	—	—	—	—	—	1	4	9	8	4	2	2	1	1	—
181	Electricity (lightning excepted).....	113	—	—	—	—	—	—	3	19	40	30	12	8	1	—	—	—
182	Fractures (cause not specified).....	11	—	—	—	—	—	—	2	1	4	4	1	—	—	—	—	—
183	Other external violence.....	533	30	11	9	4	9	25	45	78	95	85	67	33	20	6	16	—
	Homicide (total).....	556	25	2	—	—	—	1	1	26	173	169	106	37	10	3	2	1
184	By firearms.....	350	—	—	—	—	—	—	1	22	120	110	65	22	7	1	—	—
	By cutting or piercing instruments.....	89	1	—	—	—	—	—	3	34	28	16	5	1	—	—	1	—
	By other means.....	117	22	2	—	—	—	—	1	19	31	25	10	3	1	2	1	—
	XIV.—Ill-defined diseases.....	726	246	86	16	3	5	11	11	15	37	48	62	73	64	43	4	2
187	Ill-defined organic disease.....	30	—	—	—	—	—	—	—	2	1	3	6	10	7	1	—	—
188	Sudden death.....	38	11	1	—	—	—	—	1	1	3	2	6	7	4	2	—	—
189	Not specified or ill-defined (total).....	658	235	85	16	3	5	11	10	14	32	45	53	60	50	34	3	2
	Ill-defined.....	300	39	70	11	3	4	8	6	6	19	28	34	32	25	17	3	2
	Not specified or unknown.....	358	196	15	5	—	—	1	3	6	8	13	17	19	28	25	17	2

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.
RHODE ISLAND.																		
	All causes.....	12,407	1,947	542	289	160	108	315	539	1,459	1,489	1,178	1,148	1,438	1,122	573	87	3
	I.—General diseases.....	4,655	375	255	153	101	55	175	301	892	834	529	332	342	185	67	5	4
1	Typhoid fever.....	34	1	—	1	—	—	—	6	12	8	2	1	3	—	1	—	—
4	Malaria.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Smallpox.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Measles.....	125	39	37	20	13	2	10	3	—	—	—	—	—	—	—	—	—
7	Scarlet fever.....	25	2	2	2	1	4	9	3	1	1	—	—	—	—	—	—	—
8	Whooping cough.....	157	79	36	21	14	3	4	—	—	—	—	—	—	—	—	—	—
9	Diphtheria and croup.....	102	8	10	12	13	13	36	5	1	—	—	3	—	1	—	—	—
10	Influenza.....	2,190	139	125	64	45	28	83	171	558	572	223	84	55	29	11	2	1
14	Dysentery.....	25	13	2	—	—	—	1	1	—	—	1	—	—	2	1	—	—
18	Erysipelas.....	31	13	2	1	—	—	1	—	1	1	1	2	5	3	1	—	—
20	Purulent infection and septicemia.....	12	4	1	—	—	—	—	2	—	—	1	2	1	1	—	—	—
24	Tetanus.....	7	2	—	1	—	—	—	1	—	—	1	1	1	—	—	—	—
26	Pellagra.....	7	—	—	—	—	—	—	—	1	1	2	2	1	—	—	—	—
	Tuberculosis (total).....	1,078	36	36	30	11	5	27	96	290	210	162	101	50	17	4	—	3
28	Tuberculosis of the lungs.....	881	11	4	5	2	1	10	86	267	190	148	88	48	17	2	—	2
29	Acute miliary tuberculosis.....	29	1	1	3	—	—	—	4	5	9	6	—	—	—	—	—	—
30	Tuberculous meningitis.....	84	15	25	14	6	3	12	4	—	—	—	—	—	—	—	—	—
31	Abdominal tuberculosis.....	47	5	5	6	2	—	4	—	5	8	4	7	1	—	—	—	1
32	Pott's disease.....	9	—	—	2	—	1	1	—	1	1	—	1	—	—	1	—	—
33	White swellings.....	6	—	—	—	1	—	—	—	1	—	1	2	1	—	—	—	—
34	Tuberculosis of other organs.....	8	1	1	—	—	—	—	—	2	1	1	2	1	—	—	—	—
35	Disseminated tuberculosis.....	14	3	—	—	—	—	—	2	4	1	2	1	—	—	—	—	—
36	Rickets.....	9	3	2	1	1	—	1	—	—	—	—	—	1	—	—	—	—
37	Syphilis.....	57	30	—	—	1	—	—	1	1	3	9	7	3	2	—	—	—
38	Gonococcus infection.....	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Cancer and other malignant tumors (total).....	570	1	—	—	—	—	—	3	7	20	91	135	168	104	40	1	—
39	Of the buccal cavity.....	25	—	—	—	—	—	—	1	7	6	6	3	2	—	—	—	—
40	Of the stomach, liver.....	179	—	—	—	—	—	—	—	6	26	47	60	32	7	1	—	—
41	Of the peritoneum, intestines, rectum.....	102	—	—	—	—	—	—	1	4	2	15	16	35	23	6	—	—
42	Of the female genital organs.....	98	—	—	—	—	—	—	1	5	22	25	31	7	7	—	—	—
43	Of the breast.....	57	—	—	—	—	—	—	5	12	15	9	9	7	7	—	—	—
44	Of the skin.....	17	—	—	—	—	—	—	1	1	—	1	2	7	4	—	—	—
45	Of other organs or of organs not specified.....	92	1	—	—	—	—	—	1	1	1	8	25	25	23	7	—	—
46	Other tumors (tumors of the female genital organs excepted).....	2	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
47	Acute articular rheumatism.....	22	—	1	—	—	—	1	3	2	1	1	6	4	2	1	—	1
48	Chronic rheumatism and gout.....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50	Diabetes.....	109	—	—	—	—	—	—	3	7	3	15	18	37	20	6	—	—
51	Exophthalmic goiter.....	8	—	—	—	—	—	—	1	3	—	1	3	—	—	—	—	—
52	Addison's disease.....	3	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—
53	Leukemia.....	9	—	—	1	—	—	1	—	4	1	—	2	—	—	—	—	—
54	Anemia, chlorosis.....	31	—	1	—	—	—	1	1	5	7	8	4	3	—	—	—	—
55	Other general diseases.....	9	4	—	—	1	—	—	1	—	2	—	—	—	—	—	—	—
56	Alcoholism (acute or chronic).....	25	—	—	—	—	—	—	—	1	5	6	7	6	—	—	—	—
57	Chronic lead poisoning.....	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
59	Other chronic poisonings.....	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	II.—Diseases of the nervous system and of the organs of special sense.....	1,008	47	19	19	8	6	8	12	18	40	88	147	272	211	101	12	—
60	Encephalitis.....	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
61	Meningitis (total).....	74	20	12	11	5	4	5	5	2	6	1	1	—	—	—	—	—
	Simple meningitis.....	31	9	3	6	1	2	2	3	1	1	2	—	—	—	—	—	—
	Cerebrospinal meningitis (undefined).....	16	2	4	2	3	2	1	—	—	1	1	—	—	—	—	—	—
	Cerebrospinal fever.....	27	9	5	3	1	—	2	2	1	—	3	1	—	—	—	—	—
62	Locomotor ataxia.....	16	—	—	—	—	—	—	—	2	1	4	6	3	—	—	—	—
63	Other diseases of the spinal cord (total).....	49	—	3	3	—	—	—	1	3	2	5	7	16	4	5	—	—
	Acute anterior poliomyelitis.....	5	—	3	2	—	—	—	1	—	2	5	7	16	4	5	—	—
	Other diseases of the spinal cord.....	44	—	1	—	—	—	—	1	3	2	5	7	16	4	5	—	—
64	Cerebral hemorrhage, apoplexy.....	679	2	1	—	—	—	—	2	2	13	46	103	228	185	89	8	—
65	Softening of the brain.....	4	—	—	—	—	—	—	—	—	—	—	1	3	—	—	—	—
66	Paralysis without specified cause.....	30	—	—	—	—	—	—	—	—	—	2	1	7	11	5	4	—
67	General paralysis of the insane.....	52	—	—	—	—	—	—	—	—	1	7	14	18	7	4	1	—
68	Other forms of mental alienation.....	17	—	—	—	—	—	—	—	2	5	2	4	3	1	—	—	—
69	Epilepsy.....	32	—	—	1	—	1	4	6	7	5	3	3	3	2	—	—	—
70	Convulsions (nonpuerperal).....	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
71	Convulsions of infants.....	26	19	1	3	1	2	—	—	—	—	—	—	—	—	—	—	—
73	Neuralgia and neuritis.....	4	—	3	1	1	—	—	—	—	3	4	1	—	—	1	—	—
74	Other diseases of the nervous system.....	14	3	1	1	—	1	—	—	—	3	4	1	—	1	—	—	—
76	Diseases of the ears.....	8	2	1	—	1	—	—	—	—	—	—	3	—	—	—	—	—

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

391

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
RHODE ISLAND—Continued.																		
III.—Diseases of the circulatory system.....	1,410	9	1	3	3			11	33	42	68	137	213	347	325	192	24	2
77 Pericarditis.....	2	1						3	6	4	1	8	25	4	2	1		1
78 Acute endocarditis.....	70	2		2	1			8	26	33	11	53	119	161	289	226	120	6
79 Organic diseases of the heart.....	1,048	4		1	1					1	1	4	6	24	14	3		
80 Angina pectoris.....	53																	
81 Diseases of the arteries, atherosclerosis, aneurism, etc.....	204										1	1	3	15	22	77	68	17
82 Embolism and thrombosis.....	22	1									2	1	2	4	7	4		
83 Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	2											1	1					
84 Diseases of the lymphatic system (lymphangitis, etc.).....	6	1	1		1					1	1					1		
85 Hemorrhage; other diseases of the circulatory system.....	3												1	1	1			
IV.—Diseases of the respiratory system.....	2,042	349	168	75	23	22	54	100	305	302	176	136	146	121	52	12		1
87 Diseases of the larynx.....	1							1										
88 Diseases of the thyroid body.....	1											1						
89 Acute bronchitis.....	99	59	14	8	1	1	2				2		2	1	3	4	2	
90 Chronic bronchitis.....	47	1	1					1	2	3	2		4	10	10	12	1	
91 Bronchopneumonia.....	400	139	58	30	5	9	9	2	28	18	19	13	23	31	13	3		
92 Pneumonia (total).....	1,456	145	93	37	17	11	40	95	275	275	152	110	108	71	21	5		1
Lobar pneumonia.....	1,171	92	67	31	15	10	32	76	245	236	129	95	80	46	14	2		1
Pneumonia (undefined).....	285	53	26	6	2	1	8	19	30	39	23	15	28	25	7	3		
93 Pleurisy.....	15	3	2				1	2	1		2	1	1	1				
94 Pulmonary congestion, pulmonary apoplexy.....	7								1					1	3	1	1	
95 Gangrene of the lung.....	1										2	1	1	2	1	1		
96 Asthma.....	11	1										2	1	3	2	1	1	
98 Other diseases of the respiratory system (tuberculosis excepted).....	4	1										1	1		1			
V.—Diseases of the digestive system.....	898	410	75	21	11	8	16	18	29	44	63	68	67	47	20	1		
99 Diseases of the mouth and annexa.....	3												1					
100 Diseases of the pharynx.....	18	3		1	1	2	1	1	2		3		3	1				
101 Diseases of the esophagus.....	1											1						
102 Ulcer of the stomach.....	32					1		1		2	5	10	5	6	2			
103 Other diseases of the stomach (cancer excepted).....	57	24	4				1	1	1		3	2	3	7	7	4		
104 Diarrhea and enteritis (under 2 years).....	440	373	67				1	1		4	7	7	8	5	9	12	1	
105 Diarrhea and enteritis (2 years and over).....	84			18	7	5	1				2							
107 Intestinal parasites.....	1																	
108 Appendicitis and typhlitis.....	56	1					1		7	13	10	10	5	5	3	1	1	
109 Hernia, intestinal obstruction (total).....	72	6	3	2				1	2	3	5	5	20	13	11	5	1	
Hernia.....	33	1	1	1					1		1	3	3	11	5	6		
Intestinal obstruction.....	39	5	2	1					2	2	2	2	9	8	6	2		
110 Other diseases of the intestines.....	19		1			1			1	2	5	1	3	3				
111 Acute yellow atrophy of the liver.....	3							1		1	1							
113 Cirrhosis of the liver.....	54									1	3	14	15	11	10			
114 Biliary calculi.....	21									2		7	4	7	1			
115 Other diseases of the liver.....	20										2	5	4	6	1	2		
116 Diseases of the spleen.....	1												1					
117 Simple peritonitis (nonpuerperal).....	14	3					3		2			2		2	2			
118 Other diseases of the digestive system (cancer and tuberculosis excepted).....	2										1	1						
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	745	6	3	2	1			4	10	27	62	91	127	191	154	60	6	1
119 Acute nephritis.....	43	4	2	1				2	4	6	4	8	3	5	2	2		
120 Bright's disease.....	612	1	1					2	3	14	49	70	116	171	130	48	6	1
122 Other diseases of the kidneys and annexa.....	14	1							1	1	1	1	5	3				
123 Calculi of the urinary passages.....	3																	
124 Diseases of the bladder.....	5																	
125 Diseases of the urethra, urinary abscess, etc.....	1																	
126 Diseases of the prostate.....	30													2	7	13	8	
127 Nonvenereal diseases of the male genital organs.....	2																	
128 Uterine hemorrhage (nonpuerperal).....	1																	
129 Uterine tumor (nongeascerous).....	6																	
130 Other diseases of the uterus.....	7																	
131 Cysts and other tumors of the ovary.....	5																	
132 Salpingitis and other diseases of the female genital organs.....	15									2	5	6	1	1				
133 Nonpuerperal diseases of the breast (cancer excepted).....	1										1							
VII.—The puerperal state.....	152								7	72	66	7						
134 Accidents of pregnancy.....	47								2	23	20	2						
135 Puerperal hemorrhage.....	17									8	8	1						
136 Other accidents of labor.....	20									1	6	11	2					
137 Puerperal septicemia.....	33									2	19	12						
138 Puerperal albuminuria and convulsions.....	33									2	16	14	1					
139 Puerperal phlegmnia alba dolens, embolus, sudden death.....	1												1					
140 Following childbirth (not otherwise defined).....	1											1						

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES; BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
RHODE ISLAND—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue.....	24	6	1						1	2	2	2	4	3	1	2	
142	Gangrene.....	8	1									1		1	3	1	1	
143	Furuncle.....	7	3							1	1			1				
144	Acute abscess.....	2										1	1	1				
145	Other diseases of the skin and annexa.....	7	2	1						1	1	1	1					
	IX.—Diseases of the bones and of the organs of locomotion.....	12		1	1			2	2			2	1	2		1		
146	Diseases of the bones (tuberculosis excepted).....	12		1	1			2	2			2	1	2		1		
	X.—Malformations.....	106	99	2	1	1	1	1	1									
150	Congenital malformations (stillbirths not included) (total).....	106	99	2	1	1	1	1	1									
	Hydrocephalus.....	10	8	2														
	Congenital malformations of the heart.....	63	59			1		1	1									
	Other congenital malformations.....	33	32															
	XI.—Early infancy.....	614	614															
151	Congenital debility, ieterus, and scoloma (total).....	465	465															
	Premature birth.....	276	276															
	Congenital debility, "atrophy," "marasmus," etc.....	189	189															
152	Other causes peculiar to early infancy (total).....	146	146															
	Injuries at birth.....	94	94															
	Other causes peculiar to early infancy ¹	52	52															
153	Lack of care.....	3	3															
	XII.—Old age.....	124													8	41	48	23
154	Senility.....	124													8	41	48	23
	XIII.—External causes.....	558	12	9	12	12	16	42	54	68	70	78	65	54	33	30	2	1
155	Suicide (total).....	79							5	16	20	14	10	10	2	1	1	
	By poison.....	10							2	2	3	1	1		1			
156	By asphyxia.....	19							1	3	8	1	3	3				
157	By hanging or strangulation.....	8							1		3	3	3	1				
158	By drowning.....	6							2	1	2			1				
159	By firearms.....	28							1	9	6	7	1	2	1			
160	By cutting or piercing instruments.....	7								2	2	3						
161	By jumping from high places.....	1																1
	Accidental and undefined (total).....	465	12	9	12	12	16	42	48	46	49	60	54	43	31	29	1	1
161	Poisoning by food.....	3	1						1									
165	Other acute poisonings.....	8		1	1	2				2	2							
166	Conflagration.....	7							1			4			1	1		
167	Burns (conflagration excepted).....	54	1	6	7	7	4	7	3	3	2	5	3	4	1	1		
168	Absorption of deleterious gases (conflagration excepted).....	44	4				1	1	1	1	4	7	6	6	9	4	1	
169	Accidental drowning.....	41			1	1	3	3	10	6	6	7	6	2	1			1
170	Traumatism by firearms.....	5						1	3	1								
171	Traumatism by cutting or piercing instruments.....	2													1	1		
172	Traumatism by fall.....	89	1	1	1	1		2	1	6	3	13	15	11	10	23	1	
174	Traumatism by machines.....	21							7	3	3	5			3			
175	Traumatism by other crushing (total).....	131				1	1	7	25	16	13	17	13	20	10	6	2	
	Railroad accidents and injuries.....	25						2	4	6	3	1	4	1	4			
	Street-car accidents and injuries.....	26				1	1	2	2	1	3	5	4	4	2		1	
	Automobile accidents and injuries.....	68						5	19	9	3	6	8	9	7	1	1	
	Injuries by other vehicles.....	9							1	1	2	1	3		1			
	Landslide, other crushing.....	3							1	1	2							
178	Excessive cold.....	10	1								1	2	4	1	1			
179	Effects of heat.....	3	2															
180	Lightning.....	1							1									
181	Electricity (lightning excepted).....	11							1	2	4	2	2					
185	Fractures (cause not specified).....	1																
186	Other external violence.....	34	2	1	1			2	4	6	3	4	2	3	6			
	Homicide (total).....	14							1	6	1	4	1	1				
182	By firearms.....	8							1	3		2	1	1				
183	By cutting or piercing instruments.....	3								2		1						
184	By other means.....	3								1	1	1						
	XIV.—Ill-defined diseases.....	59	20	8	2			2	1	5	1	5	7	5	2	1		
187	Ill-defined organic disease.....	1	1															
188	Sudden death.....	14	4	2														
189	Not specified or ill-defined (total).....	44	15	6	2				1	1	3	1	3	5	4	2	1	
	Ill-defined.....	28	6	5	1				1	1	3	1	1	3	4	2		
	Not specified or unknown.....	16	9	1	1							2	2			1		

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

393

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.			
SOUTH CAROLINA (TOTAL).																				
	All causes.....	30,761	6,031	2,013	938	563	415	1,216	2,915	3,979	3,273	2,392	1,846	2,100	1,806	883	210	69	112	
	I.—General diseases.....	13,282	1,553	899	505	326	287	776	1,796	2,439	1,848	1,117	667	549	339	146	27	8	50	
1	Typhoid fever.....	583	11	5	7	8	10	66	176	131	66	50	31	13	4	1	1	1	3	
4	Malaria.....	526	77	44	34	18	16	66	68	50	38	28	30	27	17	8	3	1	1	
5	Smallpox.....	2	1																	
6	Measles.....	290	87	69	28	12	10	15	26	13	11	11	3	3	2					
7	Scarlet fever.....	4	1	1	1	1		1												
8	Whooping cough.....	754	368	174	81	41	30	40	12	2	1	2	1	1					1	
9	Diphtheria and croup.....	139	31	17	25	16	17	25	4	2			1	1						
10	Influenza.....	5,964	572	326	230	166	122	415	1,015	1,250	945	443	174	134	82	45	9	4	32	
13	Cholera nostras.....	11	4				1	3		1			1	1						
14	Dysentery.....	668	210	182	59	30	9	35	14	13	13	12	9	22	35	21	3	1		
17	Leprosy.....	1											1							
18	Erysipelas.....	40	6	2	1	2		5			2	3	7	4	7	1			1	
19	Other epidemic diseases.....	15	6	1	1		3	1	1		1									
20	Purulent infection and septicemia.....	46	5	2		2		3	9	4	3	5	6	2	2	3				
23	Rabies.....	3												1						
24	Tetanus.....	45	29					8	3			2	1	1	1					
26	Pellagra.....	741	10	4	3	3		22	52	131	146	138	90	75	43	19	4		1	
	Tuberculosis (total).....	2,360	36	42	22	16	12	70	365	780	478	264	143	106	33	7			6	
28	Tuberculosis of the lungs.....	2,146	28	34	12	10	6	52	338	709	438	245	135	96	31	7			1	
29	Acute miliary tuberculosis.....	82	2	3	3	2	2	5	16	22	23	3	2							
30	Tuberculous meningitis.....	27	3	2	4	2	1	6	1	3	2	1	2							
31	Abdominal tuberculosis.....	57		1	2	1	3	4	6	14	11	9	2	3	1					
32	Pott's disease.....	8		1					2	4		1								
33	White swellings.....	7							3	2		2								
34	Tuberculosis of other organs.....	27	3	1	1	3		3	2		3	3	1	4	1					
35	Disseminated tuberculosis.....	6							3	1		1								
36	Rickets.....	9	4	3	2															
37	Syphilis.....	209	67	11	4	2	4	2	7	27	46	19	10	8		1			1	
38	Gonococcus infection.....	10								4	6									
	Cancer and other malignant tumors (total).....	570		1		1	1	3	6	21	67	110	127	112	85	27	7		2	
39	Of the buccal cavity.....	20		1						4	2	1	7	3		1				
40	Of the stomach, liver.....	167							1	4	20	23	46	38	24	10			1	
41	Of the peritoneum, intestines, rectum.....	37							1	1	3	7	10	6	8	1				
42	Of the female genital organs.....	160							9	20	51	41	19	15	2	2			1	
43	Of the breast.....	73							1	11	19	12	14	10	4	2				
44	Of the skin.....	36							2	1	2	7	9	7	7	1				
45	Of other organs or of organs not specified.....	77			1			3	3	5	8	6	10	19	18	3	1			
46	Other tumors (tumors of the female genital organs excepted).....	8		1					1	2			2		1				1	
47	Acute articular rheumatism.....	46	2					1	1	11	9	6	3	1	5	1	5		1	
48	Chronic rheumatism and gout.....	15							1	1	2	2	2	2	4	2	1		1	
49	Scurvy.....	2		1					1											
50	Diabetes.....	113			1			4	9	9	8	18	17	29	14	4				
51	Exophthalmic goiter.....	2	1										1							
53	Leukemia.....	5		1					1				2		1					
54	Anemia, chlorosis.....	31	3	2	3	3		2	5	4	3	6	1	1						
55	Other general diseases.....	56	22	12	5	2	1	4	2	2	1	1	1	2		1				
56	Alcoholism (acute or chronic).....	6									2	3	1							
57	Chronic lead poisoning.....	2								1	1	2	1		3					
59	Other chronic poisonings.....	6																		
	II.—Diseases of the nervous system and of the organs of special sense.....	1,794	138	23	26	19	12	36	88	79	126	182	273	347	308	111	14	4	8	
60	Encephalitis.....	9	1					1	2	1	1	1	1							
61	Meningitis (total).....	162	25	6	12	6	6	22	50	13	13	5	4							
	Simple meningitis.....	39	11	2	2	1	2	2	12	1	3	1	2							
	Cerebrospinal meningitis (undefined).....	52	4	3	6	3	2	6	18	6	2	1	1							
62	Cerebral hemorrhage, apoplexy.....	71	10	1	4	2	2	14	20	6	8	3	1							
63	Locomotor ataxia.....	7								2	1	2	1	1						
	Other diseases of the spinal cord (total).....	45	3	2	4	2	1	1	2	5	4	7	4	3	5	1				
	Acute anterior poliomyelitis.....	18	3	2	4	2	1	1	1	1	1	7	3	3	5	1				
	Other diseases of the spinal cord ¹	27								1	4	3	7							
64	Cerebral hemorrhage, apoplexy.....	814	4		1	1	2	1	6	19	49	94	175	221	172	58	5	2	4	
65	Softening of the brain.....	11							2	4	13	22	50	74	101	116	41	8	1	2
66	Paralysis without specified cause.....	436	1						2	4	13	22	50	74	101	116	41	8	1	2
67	General paralysis of the insane.....	45							1	5	3	2	4	4	7	1				
68	Other forms of mental alienation.....	19							1	5	3	2	2	4	1	1				
69	Epilepsy.....	67	6	1		1		6	15	16	13	2		4	1					
70	Convulsions (nonpuerperal).....	14						3	2	2	5				1				1	
71	Convulsions of infants.....	121	98	12	7	7	2													
72	Chorea.....	4		1			1		2											
73	Neuralgia and neuritis.....	4								1										
74	Other diseases of the nervous system.....	27	3	1	2				2		4	2	3	3	7					
76	Diseases of the ears.....	9	2						2	2	1	1	1							

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

395

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
SOUTH CAROLINA. (TOTAL)—Continued.																			
	VIII.—Diseases of the skin and of the cellular tissue.	63	9	4	2	—	—	1	3	6	4	11	5	9	8	1	—		
142	Gangrene.	31	2	2	1	—	—	1	—	1	3	6	4	6	1	—	—		
143	Furuncle.	8	—	—	—	—	—	—	—	2	1	2	1	2	—	—	—		
144	Acute abscess.	13	2	1	1	—	—	—	3	3	—	1	—	2	—	—	—		
145	Other diseases of the skin and annexa.	11	5	1	—	—	—	—	—	—	2	—	1	2	—	—	—		
	IX.—Diseases of the bones and of the organs of locomotion.	18	4	—	—	—	—	1	1	3	—	2	2	1	3	1	—		
146	Diseases of the bones (tuberculosis excepted).	15	3	—	—	—	—	1	1	2	—	2	2	1	2	1	—		
147	Diseases of the joints (tuberculosis and rheumatism excepted).	3	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—		
	X.—Malformations.	135	117	5	3	1	2	3	2	2	2	—	—	—	—	—	—	—	
150	Congenital malformations (stillbirths not included) (total).	135	117	5	3	1	2	3	2	2	—	—	—	—	—	—	—	—	
	Hydrocephalus.	26	17	3	3	1	—	1	1	—	—	—	—	—	—	—	—	—	
	Congenital malformations of the heart.	54	51	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
	Other congenital malformations.	55	49	1	—	—	—	2	2	—	1	—	—	—	—	—	—	—	
	XI.—Early infancy.	2,246	2,246	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
151	Congenital debility, icterus, and sclerosis (total).	2,086	2,086	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Premature birth.	1,544	1,544	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Congenital debility, "atrophy," "marasmus," etc.	542	542	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
152	Other causes peculiar to early infancy (total).	156	156	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Injuries at birth.	51	51	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other causes peculiar to early infancy ¹ .	105	105	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
153	Lack of care.	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	XII.—Old age.	495	—	—	—	—	—	—	—	—	—	—	2	18	153	195	90	37	
154	Senility.	495	—	—	—	—	—	—	—	—	—	—	2	18	153	195	90	37	
	XIII.—External causes.	1,146	63	55	48	41	47	101	201	175	120	121	51	44	39	21	4	5	10
	Suicide (total).	56	—	—	—	—	—	—	6	14	10	11	8	4	2	—	—	1	
155	By poison.	10	—	—	—	—	—	—	6	2	2	1	1	1	—	—	—	—	
156	By asphyxia.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
157	By hanging or strangulation.	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
158	By drowning.	5	—	—	—	—	—	6	5	4	6	3	3	1	—	—	1	—	
159	By firearms.	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
160	By cutting or piercing instruments.	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
162	By crushing.	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
163	Other suicides.	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
164	Accidental or undefined (total).	921	60	55	48	41	47	100	165	108	76	79	35	35	35	21	4	5	7
165	Poisoning by food.	19	5	4	1	—	—	1	2	4	—	2	—	—	—	—	—	—	
166	Other acute poisonings.	32	1	11	5	2	2	1	3	3	3	1	—	—	—	—	—	—	
167	Conflagration.	39	1	2	4	—	—	3	4	6	7	3	3	3	1	2	1	—	
168	Burns (conflagration excepted).	251	20	20	25	30	30	43	20	13	9	10	3	8	9	7	2	2	
	Absorption of deleterious gases (conflagration excepted).	24	15	—	—	—	—	3	—	1	1	3	1	2	—	—	—	2	
169	Accidental drowning.	65	2	7	2	—	4	5	30	10	1	2	1	2	1	—	—	—	
170	Traumatism by firearms.	89	2	2	4	2	4	11	44	7	8	3	2	—	—	—	—	—	
171	Traumatism by cutting or piercing instruments.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
172	Traumatism by fall.	82	5	2	1	4	2	5	8	5	8	7	3	7	15	8	2	—	
174	Traumatism by machines.	38	—	—	—	—	—	1	6	12	4	10	1	3	—	1	—	—	
175	Traumatism by other crushing (total).	174	—	—	4	2	4	19	28	34	23	27	14	6	7	8	1	3	
	Railroad accidents and injuries.	77	—	—	2	—	—	2	9	15	14	15	14	6	4	6	1	3	
	Street-car accidents and injuries.	4	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	
	Automobile accidents and injuries.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Injuries by other vehicles.	56	—	—	2	—	—	9	14	10	6	4	5	2	2	—	—	—	
	Landslide, other crushing.	30	—	—	1	2	8	4	4	2	1	1	1	1	1	3	1	2	
176	Injuries by animals.	9	—	—	—	—	—	3	2	2	1	—	—	—	—	—	—	—	
177	Starvation.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
178	Excessive cold.	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
179	Effects of heat.	5	—	—	1	—	—	—	2	5	2	1	1	—	—	—	—	—	
180	Lightning.	11	—	—	—	—	—	2	1	1	6	3	1	1	1	—	—	—	
181	Electricity (lightning excepted).	5	—	—	—	—	—	—	1	—	2	1	1	1	—	—	—	—	
182	Other external violence.	68	9	6	2	1	2	2	9	6	9	11	4	4	4	1	—	2	
	Homicide (total).	169	3	—	—	—	—	1	30	53	34	31	8	5	2	—	—	2	
183	By firearms.	143	—	—	—	—	—	1	21	50	29	26	7	5	2	—	—	2	
184	By cutting or piercing instruments.	13	—	—	—	—	—	—	6	2	3	2	—	—	—	—	—	—	
	By other means.	13	3	—	—	—	—	—	3	1	2	3	1	—	—	—	—	—	
	XIV.—Ill-defined diseases.	1,038	270	147	32	19	15	33	68	69	51	71	59	.81	76	33	7	1	6
187	Ill-defined organic disease.	162	3	4	2	1	4	2	10	11	12	24	19	21	29	16	3	1	—
188	Sudden death.	35	15	1	—	—	—	—	—	1	2	4	9	2	1	—	—	6	
189	Not specified or ill-defined (total).	841	252	142	30	18	11	31	58	57	37	43	40	51	45	16	4	—	
	Ill-defined.	636	130	122	24	16	9	20	43	35	25	26	31	42	41	14	4	—	
	Not specified or unknown.	205	72	20	6	2	11	15	22	12	17	9	7	4	2	—	—	4	

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
SOUTH CAROLINA (WHITE).																			
	All causes.....	11,152	1,959	718	297	189	118	344	779	1,189	1,195	904	814	1,088	1,021	440	54	4	39
	I.—General diseases.....	4,405	408	291	151	100	65	210	460	680	701	441	312	286	202	75	6	17	
1	Typhoid fever.....	204	1	2	2	2	5	28	45	44	26	26	16	5	2				
4	Malaria.....	95	10	2	1	3	1	13	13	10	12	6	8	9	5	2			
6	Measles.....	115	23	26	15	4	4	2	10	5	10	9	3	3	1				
7	Scarlet fever.....	4	1	1	1	1		1											
8	Whooping cough.....	204	107	51	16	10	5	6	4	2	1	1	1						
9	Diphtheria and croup.....	91	13	9	19	13	13	18	4	1									
10	Influenza.....	2,045	143	107	56	43	27	113	282	419	429	193	75	71	46	25	1	15	
13	Cholera nostras.....	4					1	1						1					
14	Dysentery.....	253	56	69	30	11	6	12	4	4	4	5	3	10	25	14			
17	Leprosy.....	1												1					
18	Erysipelas.....	31	5	1	1	2					2	2	4	1	7	1			
19	Other epidemic diseases.....	7	3	1				1	1										
20	Purulent infection and septicemia.....	28	4			2		1	6	2	2	2	4	1	2	2			
23	Rabies.....	3				2								1	1				
24	Tetanus.....	11	7						1	1				1					
26	Pellagra.....	276	3	1	1	2		5	9	26	51	58	51	37	25	5	1	1	
28	Tuberculosis (total).....	522	9	9	3	1	2	1	54	142	119	70	56	36	16	3			1
	Tuberculosis of the lungs.....	481	8	6	1				52	135	113	61	55	30	16	3			1
29	Acute miliary tuberculosis.....	5				1				2	1	1							
30	Tuberculous meningitis.....	10	1	1	1	1		1	1	2	1			1					
31	Abdominal tuberculosis.....	17	1	1	1		1			2	4	6	1	1					
32	Pott's disease.....	1																	
33	White swellings.....	1																	
34	Tuberculosis of other organs.....	5		1											3				
35	Disseminated tuberculosis.....	2											1						
36	Rickets.....	2	2																
37	Syphilis.....	15	6	1						2	5			1					
38	Gonococcus infection.....	1																	
	Cancer and other malignant tumors (total).....	329		1		1		2	4	10	32	52	71	79	53	20	4		
39	Of the buccal cavity.....	17		1						3	2	1	7	2					
40	Of the stomach, liver.....	98						1		10	14	24	27	15	7				
41	Of the peritoneum, intestines, rectum.....																		
42	Of the female genital organs.....	68							5	7	18	20	9	6	2	1			
43	Of the breast.....	36								6	7	7	9	4	2	1			
44	Of the skin.....	32								1		2	6	9	6	7	1		
45	Of other organs or of organs not specified.....	51			1			2	2	3	4	4	5	15	14	1			
46	Other tumors (tumors of the female genital organs excepted).....	2								1					1				
47	Acute articular rheumatism.....	14							1	7	1		1	1	2	1			
48	Chronic rheumatism and gout.....	5											1	2	1	1			
50	Diabetes.....	78			1			4	7	6	4	10	10	10	23	12	1		
53	Leukemia.....	2		1					1										
54	Anemia, chlorosis.....	15		2	2									5	1				
55	Other general diseases.....	38	15	9	5	2		2	1	1		1	1	2	1				
56	Alcoholism (acute or chronic).....	4										1	2	1					
57	Chronic lead poisoning.....	2									1	1		2					
59	Other chronic poisonings.....	4													2				
	II.—Diseases of the nervous system and of the organs of special sense.....	812	48	10	12	8	6	12	35	28	46	61	113	187	175	63	5		3
60	Encephalitis.....	4	1			1			1				1						
61	Meningitis (total).....	95	17	5	8	5	5	10	26	9	7	1	2						
	Simple meningitis.....	25	6	2	1	2	1	2	7	1	3								
	Cerebrospinal meningitis (undefined).....	36	3	3	6	2	1	4	9	5	1	1	1						
	Cerebrospinal fever.....	34	8	1		2	2	4	10	3	3	1	1						
62	Locomotor ataxia.....	4									1			2		1			
63	Other diseases of the spinal cord (total).....	23	2	1	2	1				2	2	3	2	3	4	1			
	Acute anterior poliomyelitis.....	9	2	1	2	1				1	1	1	1	1	3	4	1		
	Other diseases of the spinal cord.....	14									1	1	1	1	3	4	1		
64	Cerebral hemorrhage, apoplexy.....	398	3				1	1	1	5	13	30	74	127	102	87	2		2
65	Softening of the brain.....	7									1	5	18	27	47	59	19	2	
66	Paralysis without specified cause.....	179									1	2	2	2	1	1			1
67	General paralysis of the insane.....	14									1	2	5	2	3	1			
68	Other forms of mental alienation.....	6									2	1	1	1	1	1			
69	Epilepsy.....	27	2					1	3	8	8	1		3	1				
70	Convulsions (nonpuerperal).....	4									3				1				
71	Convulsions of infants.....	25	21	2	1	1													
72	Chorea.....	3		1					2										
73	Neuralgia and neuritis.....	3																	
74	Other diseases of the nervous system.....	15	1	1	1				2		2	2	2	2	1	1	4		
76	Diseases of the ears.....	5	1							2		1	1	1					

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No. Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.
SOUTH CAROLINA (WHITE)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue.....	21	4	2	1				1	2	1	4	1	3	2		
142	Gangrene.....	9	2	2	1					2	1	1	1	1	2		
143	Furuncle.....	5															
144	Acute abscess.....	3						1									
145	Other diseases of the skin and annexa.....	4	2									1		1			
	IX.—Diseases of the bones and of the organs of locomotion.....	13	2			1	1	1		2	2	1	3				
146	Diseases of the bones (tuberculosis excepted).....	12	2			1	1	1		2	2	1	2				
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	1											1				
	X.—Malformations.....	76	72			2	1	1									
150	Congenital malformations (stillbirths not included) (total).....	76	72			2	1	1									
	Hydrocephalus.....	6	6														
	Congenital malformations of the heart.....	40	38					1									
	Other congenital malformations.....	30	28			2											
	XI.—Early infancy.....	788	788														
151	Congenital debility, icterus, and sclerema (total).....	721	721														
	Premature birth.....	573	573														
	Congenital debility, "atrophy," "marasmus," etc.....	148															
152	Other causes peculiar to early infancy (total).....	66	66														
	Injuries at birth.....	21	21														
	Other causes peculiar to early infancy ¹	45	45														
153	Lack of care.....	1	1														
	XII.—Old age.....	149															
154	Senility.....	149															
	XIII.—External causes.....	473	29	17	12	19	13	36	65	65	56	61	31	27	24	12	2
	Suicide (total).....	42							4	8	9	9	8	3	1		
155	By poison.....	8							4		2		1	1			
156	By asphyxia.....	1															
157	By hanging or strangulation.....	2															
158	By drowning.....	3							2								
159	By firearms.....	20						4	2	4	5	3	2				
160	By cutting or piercing instruments.....	5									1	2	2				
162	By crushing.....	2									2						
163	Other suicides.....	1											1				
	Accidental or undefined (total).....	388	27	17	12	19	13	36	57	53	36	39	18	21	22	12	2
164	Poisoning by food.....	9	2	2	1			1		3							4
165	Other acute poisonings.....	8	1	4		1					1	1					
166	Cougriation.....	19				1			4	6	2	1	2	2	1		
167	Burns (cougriation excepted).....	81	11	3	7	13	6	12	5	4	4	7	3	2	3	1	
168	Absorption of deleterious gases (cougriation excepted).....	11	7						1	1	2						
169	Accidental drowning.....	28	1	4	1			3	12	5				1			1
170	Traumatism by firearms.....	32	1		1		1	6	15	2	3	2	1				
172	Traumatism by fall.....	45			2	1	5	3			4	2	2	5	13	7	1
174	Traumatism by machines.....	15				2	3		6		1	6		2			
175	Traumatism by other crushing (total).....	93			1	2	3	6	10	20	12	14	11	5	6		3
	Railroad accidents and injuries.....	46						1	2	11	9	7	5	3	5		3
	Automobile accidents and injuries.....	31			1		1	2	7	8	2	2	5	2	1		
	Injuries by other vehicles.....	14				1	2	3	1	1	1	1	1				
	Landslide, other crushing.....	2				1							1				
176	Injuries by animals.....	3						1					1				
178	Excessive cold.....	2							1								1
179	Effects of heat.....	1			1												
180	Lightning.....	4							3								
181	Electricity (lightning excepted).....	5						1	1	3							
186	Other external violence.....	32	4	3	1	1	1	2	3	3	5	5	3		1		
182	Homicide (total).....	43	2						4	4	11	13	5	3	1		
183	By firearms.....	33							1	4	9	11	4	3	1		
184	By cutting or piercing instruments.....	4							2		1	1	1				
	By other means.....	6	2						1		1	1	1				
	XIV.—Ill-defined diseases.....	236	65	25	6	2	2	4	7	14	10	18	15	31	25	12	
187	Ill-defined organic disease.....	29			1	1	2			2	3	2	2	5	6	5	
188	Sudden death.....	15	4	1						1	1	1		6	1		
189	Not specified or ill-defined (total).....	192	61	24	5	1		4	7	11	6	15	13	20	18	7	
	Ill-defined.....	131	31	20	4	1		2	5	6	4	10	9	17	17	5	
	Not specified or unknown.....	61	30	4	1			2	5	2	5	4	3	1	2		

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

399

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
SOUTH CAROLINA (COLORED).																			
	All causes.....	19,609	4,072	1,295	641	374	297	872	2,136	2,790	2,078	1,488	1,032	1,012	785	443	156	65	73
	I.—General diseases.....	8,877	1,145	608	354	226	172	566	1,336	1,759	1,147	676	855	263	137	71	21	8	33
1	Typhoid fever.....	379	10	3	5	6	5	38	131	87	40	24	15	8	2	1	1	1	3
4	Malaria.....	431	67	42	33	15	15	53	55	40	26	22	18	12	6	3	1	1	1
5	Smallpox.....	2	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
6	Measles.....	175	64	43	13	8	6	13	16	8	1	2	—	—	1	—	—	—	—
8	Whooping cough.....	550	261	123	65	31	25	34	8	—	1	1	—	—	—	—	—	—	1
9	Diphtheria and croup.....	48	18	8	6	3	4	7	—	1	—	—	—	—	1	—	—	—	—
10	Influenza.....	3,919	429	219	174	123	95	302	733	831	516	250	99	63	36	20	8	4	17
13	Cholera nostras.....	7	4	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—
14	Dysentery.....	415	154	113	29	19	3	23	10	9	9	7	6	12	10	7	3	1	—
18	Erysipelas.....	9	1	1	—	—	—	—	—	—	1	3	3	3	—	—	—	—	—
19	Other epidemic diseases.....	8	3	—	1	—	—	2	—	—	1	—	—	—	—	—	—	—	1
20	Purulent infection and septicemia.....	18	1	2	—	—	—	2	3	2	1	3	2	1	—	1	—	—	—
24	Tetanus.....	34	22	—	—	—	—	1	—	7	2	1	1	1	—	—	—	—	—
26	Pellagra.....	465	7	3	2	1	—	17	43	105	95	80	39	38	18	14	3	—	—
28	Tuberculosis (total).....	1,888	27	33	19	15	10	69	311	618	359	194	87	70	17	4	—	—	5
29	Tuberculosis of the lungs.....	1,665	20	28	11	10	6	52	286	574	325	184	80	66	15	4	—	—	1
30	Acute miliary tuberculosis.....	77	2	3	3	—	—	1	5	16	20	22	2	—	—	—	—	—	—
31	Tuberculous meningitis.....	17	2	1	3	1	1	5	—	1	1	1	1	1	—	—	—	—	—
32	Abdominal tuberculosis.....	40	—	—	1	1	2	4	6	12	7	3	1	2	1	—	—	—	—
33	Pott's disease.....	7	—	1	—	—	—	—	1	4	—	1	—	—	—	—	—	—	—
34	White swellings.....	6	—	—	—	—	—	—	—	2	—	2	2	2	—	—	—	—	—
35	Tuberculosis of other organs.....	22	3	—	1	3	—	3	2	—	3	2	1	1	1	—	—	—	—
36	Disseminated tuberculosis.....	4	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
37	Rickets.....	7	2	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38	Syphilis.....	194	61	10	4	2	4	2	7	25	41	19	10	7	—	1	—	—	1
39	Gonococcus infection.....	9	—	—	—	—	—	—	—	4	5	—	—	—	—	—	—	—	2
40	Cancer and other malignant tumors (total).....	241	—	—	—	—	—	1	1	2	11	35	58	56	33	32	7	3	—
41	Of the buccal cavity.....	3	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—
42	Of the stomach, liver.....	69	—	—	—	—	—	—	—	4	10	9	22	11	9	3	—	—	1
43	Of the peritoneum, intestines, rectum.....	10	—	—	—	—	—	—	—	1	2	2	3	2	—	—	—	—	1
44	Of the female genital organs.....	92	—	—	—	—	—	—	—	4	13	33	21	10	9	—	—	—	1
45	Of the breast.....	37	—	—	—	—	—	—	—	1	5	12	5	5	6	2	1	—	—
46	Of the skin.....	4	—	—	—	—	—	—	—	1	1	1	1	1	1	—	—	—	—
47	Of other organs or of organs not specified.....	26	—	—	—	—	—	—	1	1	2	4	2	5	4	4	2	1	—
48	Other tumors (tumors of the female genital organs excepted).....	6	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
49	Acute articular rheumatism.....	32	2	—	—	—	—	1	—	4	8	6	2	—	3	—	5	1	1
50	Chronic rheumatism and gout.....	10	—	—	—	—	—	—	1	—	2	—	1	—	3	1	1	1	1
51	Scurvy.....	2	—	1	—	—	—	1	—	2	3	4	8	7	6	2	3	—	—
52	Diabetes.....	35	—	—	—	—	—	—	—	2	3	4	8	7	6	2	3	—	—
53	Exophthalmic goiter.....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
54	Leukemia.....	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55	Anemia, chlorosis.....	16	3	1	1	1	1	1	—	3	2	3	1	—	—	—	—	—	—
56	Other general diseases.....	18	7	3	2	1	2	1	—	1	1	1	—	—	—	—	—	—	—
57	Alcoholism (acute or chronic).....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
58	Other chronic poisonings.....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	II.—Diseases of the nervous system and of the organs of special sense.....	982	90	13	14	11	6	24	53	51	80	121	160	160	133	48	9	4	5
60	Encephalitis.....	5	—	—	—	—	—	—	1	1	1	1	1	—	—	—	—	—	—
61	Meningitis (total).....	67	8	1	4	1	1	12	24	4	6	4	2	—	—	—	—	—	—
	Simple meningitis.....	14	5	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—
	Cerebrospinalmeningitis (undefined).....	16	1	—	—	—	—	2	9	1	1	—	—	—	—	—	—	—	—
	Cerebral fever.....	37	2	—	4	—	—	10	10	3	5	3	—	—	—	—	—	—	—
62	Locomotor ataxia.....	3	—	—	—	—	—	—	—	—	1	1	1	1	—	2	—	—	—
63	Other diseases of the spinal cord (total).....	22	1	1	2	1	1	1	2	3	2	4	2	—	—	1	—	—	—
	Acute anterior poliomyelitis.....	9	1	1	2	1	1	1	1	—	1	2	4	2	—	1	—	—	—
	Other diseases of the spinal cord ¹	13	—	—	—	—	—	—	1	3	2	4	2	—	1	—	—	—	—
64	Cerebral hemorrhage, apoplexy.....	416	1	—	1	1	1	—	5	14	36	64	101	94	70	21	3	2	2
65	Softening of the brain.....	4	—	—	—	—	—	—	4	12	17	32	47	54	57	22	6	1	1
66	Paralysis without specified cause.....	257	1	—	—	—	2	4	—	12	17	32	47	54	57	22	6	1	1
67	General paralysis of the insane.....	31	—	—	—	—	—	—	—	4	5	12	2	4	4	—	—	—	—
68	Other forms of mental alienation.....	13	—	—	—	—	—	—	1	3	2	1	2	3	—	1	—	—	—
69	Epilepsy.....	40	4	1	—	1	—	5	12	8	5	1	—	1	—	—	—	2	—
70	Convulsions (nonpuerperal).....	10	—	6	6	2	—	3	2	2	2	—	—	—	—	—	—	—	1
71	Convulsions of infants.....	96	72	10	6	6	2	—	—	—	—	—	—	—	—	—	—	—	—
72	Chorea.....	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
73	Neuralgia and neuritis.....	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
74	Other diseases of the nervous system.....	12	2	—	1	—	—	—	2	—	—	3	1	—	3	—	—	—	—
76	Diseases of the ears.....	4	1	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
SOUTH CAROLINA (COLORED)—Continued.																			
	III.—Diseases of the circulatory system.....	1,113	4	4	2		1	9	35	97	152	162	185	210	138	82	24	4	
77	Pericarditis.....	21		1				1	1	2	3	2	4	3	3	1			
78	Acute endocarditis.....	67							5	17	15	14	13	1	2				
79	Organic diseases of the heart.....	870	1	3	1		1	8	26	74	122	127	149	172	112	58	13	1	
80	Angina pectoris.....	11							2	1			4	3	1			2	
81	Diseases of the arteries, atheroma, aneurism, etc.....	121																	
82	Embolism and thrombosis.....	9								1	2	1	13	27	22	19	11	3	
84	Diseases of the lymphatic system (lymphangitis, etc.).....	2	1							1									
85	Hemorrhage; other diseases of the circulatory system.....	12	2							1	1	1	3		2				
	IV.—Diseases of the respiratory system.....	2,327	438	147	85	44	42	105	350	422	277	191	83	61	46	15	4	13	
86	Diseases of the nasal fossae.....	106	47	12	7	2	2	6	9	5	5	4	5		1			1	
87	Diseases of the larynx.....	5	2			1		1	1										
88	Diseases of the thyroid body.....	4									1	1	1						
89	Acute bronchitis.....	30	19	5	4	2				2	1	3	4	3	1	2	1		
90	Chronic bronchitis.....	18	1																
91	Bronchopneumonia.....	177	63	22	18	5	8	7	15	12	8	7	5	5	2				
92	Pneumonia (total).....	1,910	299	106	54	33	32	89	315	387	252	167	67	44	34	12	3	13	
	Lobar pneumonia.....	969	83	39	22	13	14	43	177	236	143	104	44	21	15	4	1	9	
	Pneumonia (undefined).....	941	216	67	32	20	18	46	138	151	109	63	23	23	19	8	2	4	
93	Pleurisy.....	19		1	2				1	3	4	1	2		1	1			
94	Pulmonary congestion, pulmonary apoplexy.....	6	4									2							
95	Gangrene of the lung.....	1																	
96	Asthma.....	24		1					1	3	3	2	2	1	4	5	1	1	
98	Other diseases of the respiratory system (tuberculosis excepted).....	27	3			1		1	2	8	5	2		4	1				
	V.—Diseases of the digestive system.....	1,576	635	340	111	41	23	52	61	62	64	47	34	51	34	18	2	1	
99	Diseases of the mouth and annexa.....	62	49	2	3	2		2	2	1			1						
100	Diseases of the pharynx.....	27	3	1	3		2	5	4	1	3	1	2						
101	Diseases of the esophagus.....	1								1									
102	Ulcer of the stomach.....	13										2	3	5	2	1			
103	Other diseases of the stomach (cancer excepted).....	300	104	32	15	11	4	14	14	13	23	15	11	20	16	6		1	
104	Diarrhea and enteritis (under 2 years).....	761	461	300			82	26	11	16	7	6	9	6	3	7	2	4	
105	Diarrhea and enteritis (2 years and over).....	180							1										
106	Ankylostomiasis.....	1																	
107	Intestinal parasites.....	24	4	5	4		1	4	6	1									
108	Appendicitis and typhlitis.....	57	9		2		1	1	4	20	15	11	4		1				
109	Hernia, intestinal obstruction (total).....	66	19						1	6	10	11	7	5	10				
	Hernia.....	47	9		2				1	5	10	8	4	3	6				
	Intestinal obstruction.....	14	2						1	3	2		2	1	1				
110	Other diseases of the intestines.....	14																	
111	Acute yellow atrophy of the liver.....	4	1						1	1	2	1	1						
113	Cirrhosis of the liver.....	21							1	1	1	1	5	2	3	5	1		
114	Biliary calculi.....	4											1		2	1			
115	Other diseases of the liver.....	22	1			1		1	1	4	1	3	2	1	5	2			
117	Simple peritonitis (nonpuerperal).....	19	1							5	5	1	1	1	3	2			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	982	11	16	9	12	4	20	23	76	136	142	146	178	132	51	15	1	
119	Acute nephritis.....	104	2	5	6	5	4	10	3	18	19	6	10	7	6	3			
120	Bright's disease.....	709	6	8	2	7		6	20	38	89	113	140	110	39	14	1		
122	Other diseases of the kidneys and annexa.....	69	1	3	1		4	3	6	6	10	.8	16	8	1	1			
123	Calculi of the urinary passages.....	4									1	1			1				
124	Diseases of the bladder.....	20	1						1	1		2	4	5	3	3			
125	Diseases of the urethra, urinary abscess, etc.....	2								2		1	1	6	4	4			
126	Diseases of the prostate.....	24																	
127	Nonvenereal diseases of the male genital organs.....	1																	
128	Uterine hemorrhage (nonpuerperal).....	2																	
129	Uterine tumor (nononcancerous).....	17								2	7	5	1	1		1			
130	Other diseases of the uterus.....	16								1	2	6	2	3	2				
131	Cysts and other tumors of the ovary.....	6								3	2		1						
132	Sarcoma and other diseases of the female genital organs.....	8								4	4								
	VII.—The puerperal state.....	367								71	153	114	29						
134	Accidents of pregnancy.....	40								5	16	17	2						
135	Puerperal hemorrhage.....	19								4	14	1							
136	Other accidents of labor.....	87								19	38	22	8						
137	Puerperal septicemia.....	113								20	50	34	9						
138	Puerperal albuminuria and convulsions.....	103								27	44	24	8						
139	Puerperal phlegmatis alba dolens, embolus sudden death.....	5									1	3	1						

CAUSES OF DEATH, BY AGE.

401

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.			
SOUTH CAROLINA (COLORED)—Continued.																				
	VIII.—Diseases of the skin and of the cellular tissue.....	42	5	2	1	1	2	4	3	7	4	6	6	1			
142	Gangrene.....	22	1	1	3	5	4	3	4	1			
143	Furuncle.....	3	1	2			
144	Acute abscess.....	10	2	1	1	2	3	1	1	2			
145	Other diseases of the skin and annexa.....	7	3	1	1	2			
	IX.—Diseases of the bones and of the organs of locomotion.....	5	2	2	1			
146	Diseases of the bones (tuberculosis excepted).....	3	1	1	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	2	1	1			
	X.—Malformations.....	59	45	5	3	1	2	1	1	1		
150	Congenital malformations (stillbirths not included) (total).....	59	45	5	3	1	2	1	1	1		
	Hydrocephalus.....	20	11	3	3	1	1	1	1		
	Congenital malformations of the heart.....	14	13	1	2		
	Other congenital malformations.....	25	21	1	1		
	XI.—Early infancy.....	1,458	1,458		
151	Congenital debility, icterus, and scle- renia, (total).....	1,365	1,365		
	Premature birth.....	971	971		
	Congenital debility, "atrophy," "merasmus," etc.....	394	394		
152	Other causes peculiar to early infancy (total).....	90	90		
	Injuries at birth.....	30	30		
	Other causes peculiar to early infancy ¹	60	60	3		
153	Lack of care.....	3	3	1	16	92	127	74	36	
	XII.—Old age.....	346	1	16	92	127	74	36	
154	Senility.....	346	673	34	38	36	22	34	65	136	110	64	60	20	17	15	9	2	5	6
	XIII.—External causes.....	1	1	1	1	1	1	1	
155	Suicide (total).....	14	2	6	1	2	1	1	1	
156	By poison.....	2	2	
157	By drowning.....	2	1	1	1	1	
158	By firearms.....	9	2	3	1	1	1	1	1	1	1	1	
159	By cutting or piercing instruments.....	1	1	
160	Accidental or undefined (total).....	533	33	38	36	22	34	64	108	55	40	40	17	14	13	9	2	5	3	
164	Poisoning by food.....	10	3	2	2	1	2	2	1	
165	Other acute poisonings.....	24	7	5	1	2	1	3	2	2	1	
166	Conflagration.....	20	1	2	4	2	4	2	1	1	1	1	1	1	1	1	1	1	1	
167	Burns (conflagration excepted).....	170	9	17	18	17	24	31	15	9	5	3	3	5	7	4	1	2	
168	Absorption of deleterious gases (conflagration excepted).....	13	8	3	1	1	1	1	1	1	1	1	1	
169	Accidental drowning.....	37	1	3	1	2	3	2	18	5	1	2	1	1	1	1	1	1	1	
170	Traumatism by firearms.....	57	1	2	3	2	3	5	29	5	5	1	1	1	1	1	1	1	1	
171	Traumatism by cutting or piercing instruments.....	1	1	1	1	1	1	1	1	1	1	1	
172	Traumatism by fall.....	37	5	2	1	2	1	1	5	6	4	5	1	2	2	1	1	1	1	
174	Traumatism by machines.....	23	1	1	6	6	3	4	1	1	1	1	1	1	1	
175	Traumatism by other crushing (total).....	81	3	1	13	18	14	11	13	3	2	2	1	1	1	1	1	
	Railroad accidents and injuries.....	31	2	1	7	4	5	8	1	1	1	1	1	1	1	1	1	
	Street-car accidents and injuries.....	4	1	1	1	3	2	1	1	1	1	1	1	1	1	1	
	Automobile accidents and injuries.....	25	1	1	7	7	2	4	2	2	1	1	1	1	1	1	1	
	Injuries by other vehicles.....	16	1	1	5	3	3	3	1	1	1	1	1	1	1	1	1	
	Landslide, other crushing.....	5	1	1	2	2	1	1	1	1	1	1	1	1	1	1	
176	Injuries by animals.....	6	2	2	2	1	1	1	1	1	1	1	1	2	1	1	
177	Starvation.....	1	2	
178	Excessive cold.....	6	
179	Effects of heat.....	4	2	2	2	1	1	1	1	1	1	1	1	1	1	1	
180	Lightning.....	7	2	2	2	2	1	1	1	1	1	1	1	1	1	1	
186	Other external violence.....	36	5	3	1	1	1	6	3	4	6	4	4	1	1	1	2	1	2	
182	Homicide (total).....	126	1	1	26	49	23	18	3	2	1	1	1	1	1	1	2	
183	By firearms.....	110	1	20	46	20	15	3	2	1	1	1	1	1	1	2	
183	By cutting or piercing instruments.....	9	4	2	2	2	1	1	1	1	1	1	1	1	1	1	
184	By other means.....	7	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	
	XIV.—Ill-defined diseases.....	802	205	122	26	17	13	29	61	55	41	53	44	50	51	21	7	1	6	
187	Ill-defined organic disease.....	133	3	4	1	2	2	10	9	9	22	17	16	23	11	3	1	1	
188	Sudden death.....	20	11	1	1	3	1	1	1	1	1	1	1	1	1	1	
189	Not specified or ill-defined (total).....	649	191	118	25	17	11	27	51	46	31	28	27	31	27	9	4	6	6	
	Ill-defined.....	505	149	102	20	15	9	18	38	29	21	16	22	27	24	9	4	2	2	
	Not specified or unknown.....	144	42	16	5	2	9	13	17	10	12	5	4	3	3	3	4	1	4	

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
TENNESSEE (TOTAL).																			
	All causes.....	37,134	4,761	1,793	921	624	463	1,352	3,327	4,905	4,104	3,150	2,899	3,332	3,202	1,526	233	40	502
	I.—General diseases.....	16,397	1,083	853	519	374	290	832	2,010	2,967	2,260	1,568	1,249	1,066	843	285	27	7	164
1	Typhoid fever.....	699	6	7	11	14	9	65	227	148	86	51	44	14	7	2			8
4	Malaria.....	325	29	14	13	11	10	23	49	32	29	27	27	29	16	11	3		2
5	Smallpox.....	16	2					1		2	1	3	3	2					1
6	Measles.....	407	72	62	35	25	8	42	46	28	19	25	23	9	11	1			1
7	Scarlet fever.....	44	6	4	5	4	7	9	7	1									
8	Whooping cough.....	557	227	134	73	33	26	48	13	1	1								1
9	Diphtheria and croup.....	277	46	63	37	28	42	42	12	3	1	2							
10	Influenza.....	6,281	455	394	260	198	146	456	908	1,193	939	489	251	215	222	94	7	4	70
13	Cholera nostras.....	9	2	1									2	2	2				
14	Dysentery.....	323	40	60	29	14	6	22	10	15	8	10	17	26	41	17	4		4
18	Erysipelas.....	66	16	1		1		2		3	3	3	8	14	12	2	1		
19	Other epidemic diseases.....	33	5	3	4	3	1	3	4	2	4	1	2	1					
20	Purulent infection and septicemia.....	49	2	4			1	2	3	3	5	6	6	5	7	4	1		
23	Rabies.....	7			1	1		3	1		1	3	1	1					
24	Tetanus.....	40	12			2		7	9	1	1	3	1	1	2	1			
25	Mycoses.....	2																	
26	Pellagra.....	676	1	1	2	1	4	5	29	94	121	123	120	93	58	16		1	7
28	Tuberculosis (total).....	4,777	79	79	34	30	26	84	633	1,333	884	578	427	303	210	47	2		48
29	Tuberculosis of the lungs.....	4,164	36	49	15	16	12	57	540	1,217	786	520	382	269	182	38	2		43
30	Acute miliary tuberculosis.....	139	3	2	3	1	2	2	30	43	22	10	9	6	3	1			2
31	Tuberculous meningitis.....	107	26	16	12	4	4	11	15	7	6	4	2						
32	Abdominal tuberculosis.....	211	4	7	3	4	2	6	19	36	29	29	27	20	19	4			2
33	Pott's disease.....	30			1		1	2	3	9	4	2	1	3	1				1
34	White swellings.....	25			1		1	3	4	5	5	2	1	1	2				
35	Tuberculosis of other organs.....	84	9	4	1	3	4	1	14	19	9	8	4	2	3				
36	Disseminated tuberculosis.....	17	1				1	2	2	5	3	1	2						
37	Rickets.....	12	5	6		1		7	38	42	28	22	15	3	2	1			4
38	Syphilis.....	214	39	5	3	2	1	2	7	4	2	1	1						
	Gonococcus infection.....	15																	
39	Cancer and other malignant tumors (total).....	1,021	1		1	3			8	26	81	181	216	247	187	58	4	1	7
40	Of the buccal cavity.....	35	1						1		4	4	11	9	5				
41	Of the stomach, liver, intestines, rectum.....	292							1	6	13	41	57	90	69	14	1		
42	Of the peritoneum, intestines, rectum.....																		
43	Of the female genital organs.....	246							2	6	34	67	64	46	18	7			2
44	Of the breast.....	132							4	20	30	30	22	19	2		1	4	
45	Of the skin.....	65							1	2	6	9	11	22	12	1		1	
46	Of other organs or of organs not specified.....	172			1	2			4	5	7	22	33	50	31	15	2		
47	Other tumors (tumors of the female genital organs excepted).....	10	3			1					3					1	1		1
48	Acute articular rheumatism.....	119	2			2		6	17	9	9	8	14	15	22	10	2	1	2
49	Chronic rheumatism and gout.....	38							1		3	13	8	8	4				1
50	Scurvy.....	2	1			2		3	15	14	19	18	19	32	23	9	1		1
51	Diabetes.....	158							2	5	5	6	6		1				
52	Exophthalmic goiter.....	19														1			
53	Addison's disease.....	4																	
54	Leukemia.....	23			2				1	2	2	3	3	8	2				
55	Anemia, chlorosis.....	70	8	2				1	3	3	3	5	8	15	17	3	2		
56	Other general diseases.....	71	24	13	7			1	6	2	3	3	3	2					2
59	Alcoholism (acute or chronic).....	20									2	7	4	2					3
	Other chronic poisonings.....	13									3	1	5	1		3			
	II.—Diseases of the nervous system and of the organs of special sense.....	2,229	170	59	34	25	19	74	114	101	133	201	256	402	427	167	30	2	15
60	Encephalitis.....	37	9	3	2			3	5	2	4	4	1	1	3				
61	Meningitis (total).....	307	70	27	19	15	13	37	59	31	12	11	6	3	3				1
	Simple meningitis.....	111	35	9	11	5	5	8	14	8	6	4	2	1	3				
	Cerebrospinal meningitis (undefined).....	119	22	14	7	4	7	19	19	14	3	5	4	1					
	Cerebrospinal fever.....	77	13	4	1	6	1	10	26	9	3	2							
62	Locomotor ataxia.....	27								1	1	3	2						
63	Other diseases of the spinal cord (total).....	129	9	9	4	3	3	4	4	9	6	9	18	20	28	2			
	Acute anterior poliomyelitis.....	33	8	7	4	2	4	2	4	1	3	6	6	9	17	20	28	2	
	Other diseases of the spinal cord ¹	96	1	2		1	1		3	6	6	9	17	20	28	2			
64	Cerebral hemorrhage, apoplexy.....	853	11	5	1	1	1	14	10	19	38	91	130	223	203	86	11	1	8
65	Softening of the brain.....	39								1	1	6	9	20	20	2			
66	Paralysis without specified cause.....	403	4					2	4	5	5	9	30	43	83	130	71	15	
67	General paralysis of the insane.....	66								2	10	14	13	18	7	7	1	1	
68	Other forms of mental alienation.....	57								4	3	13	7	9	8	7	4	2	
69	Epilepsy.....	112	7	3		3		2	17	17	25	15	7	11	4				
70	Convulsions (nonpuerperal).....	3						1			2								
71	Convulsions of infants.....	64	51	7	5	1													
72	Chorea.....	3																	
73	Neuralgia and neuritis.....	18	1	1	1	1			3	7	9	8	13	6	12	1	1		1
74	Other diseases of the nervous system.....	72	6	3	1	1			6	6	4	3	5	4	4	4	1		
75	Diseases of the eyes and their annexa.....	5	2	1	1	1			6	6	4	3	5	4	1		1		
76	Diseases of the ears.....	34	2	1	1	1			6	6	4	3	5	4	1				

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
TENNESSEE (TOTAL)—Continued.																			
	VIII.—Diseases of the skin and of the cellular tissue.....	86	9	2	1	2	6	5	3	5	8	11	5	17	9	2	1
142	Gangrene.....	49	3	1	1	3	2	2	4	4	5	3	13	6	2
143	Furuncle.....	9	1	1	1	1	3	2	2	2	2	2
144	Acute abscess.....	12	2	1	3	2	1	1	1	1	1	1	1	1	1
145	Other diseases of the skin and annexa.....	16	3	1	1	1	2	3	1	2	1	2	1	1
	IX.—Diseases of the bones and of the organs of locomotion.....	64	2	1	1	3	7	13	6	3	3	12	4	7	1	1
146	Diseases of the bones (tuberculosis excepted).....	49	2	1	1	3	7	11	5	2	2	7	1	5	1	1
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	10	1	1	1	4	2	1	1	1	1
149	Other diseases of the organs of locomotion.....	5	1	1	1	1	1	1	1	1
	X.—Malformations.....	167	153	6	1	2	4	1
150	Congenital malformations (stillbirths not included) (total).....	167	153	6	1	2	4	1
	Hydrocephalus.....	18	10	2	1	4	1
	Congenital malformations of the heart.....	82	76	4	1	1
	Other congenital malformations.....	67	67
	XI.—Early infancy.....	1,160	1,160
151	Congenital debility, icterus, and scierema (total).....	1,013	1,013
	Premature birth.....	728	728
	Congenital debility, "atrophy," "marasmus," etc.	285	285
152	Other causes peculiar to early infancy (total).....	145	145
	Injuries at birth.....	74	74
	Other causes peculiar to early infancy ¹	71	71
153	Lack of care.....	2	2	18	126	218	64
	XII.—Old age.....	448	18	126	218	64	15
154	Senility.....	448	18	126	218	64	15
	XIII.—External causes.....	1,770	58	32	44	38	23	87	252	284	265	212	146	119	96	72	12	1	29
	Suicide (total).....	120	7	20	26	18	21	16	6	5	1	
155	By poison.....	26	3	3	5	6	2	3	3	3	3	1	
157	By hanging or strangulation.....	16	1	3	1	5	5	1	1	1	1	
158	By drowning.....	10	2	1	2	2	1	2	1	2	2	1	
159	By firearms.....	52	2	13	13	5	10	6	3	3	3	1	
160	By cutting or piercing instruments.....	12	1	1	3	3	2	2	2	2	2	2	2	2	
163	Other suicides.....	4	1	2	1	
164	Accidental or undefined (total).....	1,390	53	32	44	38	23	87	213	187	173	152	109	91	89	67	12	1	19
165	Poisoning by food.....	30	1	2	4	1	6	2	6	3	3	2	2	2	2	2
166	Other acute poisonings.....	41	1	4	5	2	4	2	6	10	4	1	4	4	4	4
167	Conflagration.....	23	1	1	1	2	2	3	2	2	1	1	4	3	3	3	3	1
168	Burns (conflagration excepted).....	193	5	14	25	25	13	26	15	11	14	10	7	8	12	6	1	1	1
169	Absorption of deleterious gases (conflagration excepted).....	29	22	1	3	3
170	Accidental drowning.....	61	2	2	2	1	4	21	11	6	4	2	2	2	2	2	2	2
171	Traumatism by firearms.....	106	1	1	1	1	1	9	41	29	8	11	3	3	3	3	3	3	3
172	Traumatism by cutting or piercing instruments.....	8	1	2	2	12	7	1	1	1	1	1	1	1	1
173	Traumatism by fall.....	193	6	3	2	1	3	7	12	7	10	8	26	42	45	8	1	1	1
	Traumatism in mines and quarries (total).....	30	6	4	6	9	4	1	1	1	1	1	1	1
	Traumatism in mines.....	27	6	3	5	9	3	3	1	1	1	1	1	1
	Traumatism in quarries.....	3	1	1	1	1	1	1	1	1	1	1	1	1
174	Traumatism by machines.....	36	1	3	5	3	11	9	3	1	1	1	1	1	1	1
175	Traumatism by other crushing (total).....	413	2	1	3	2	16	59	86	66	67	52	25	13	5	1	1	1	15
	Railroad accidents and injuries.....	250	1	1	1	1	1	33	56	47	37	34	14	9	2	1	1	1	15
	Street-car accidents and injuries.....	22	1	3	4	2	7	2	1	1	1	1	1	1	1	1
	Automobile accidents and injuries.....	82	1	1	1	12	11	13	10	12	13	5	2	1	1	1	1	1
	Injuries by other vehicles.....	49	1	1	2	9	11	6	8	3	5	2	2	2	2	2	2
	Landslide, other crushing.....	10	1	3	2	1	3	2	1	3	2	1	1	1	1	1	1
176	Injuries by animals.....	25	1	2	1	2	7	3	3	2	2	1	2	1	2	1	1	1
177	Starvation.....	1	1	1	3	3	2	2	6	2	2	1	1	1
178	Excessive cold.....	19	1	1	3	3	2	3	1	1	1	1	1	1
179	Effects of heat.....	12	1	2	3	1	3	6	1	1	1	1	1	1	1	1
180	Lightning.....	17	3	2	2	2	1	1	1	1	1	1	1	1	1	1
181	Electricity (lightning excepted).....	6	3	3	2	2	1	1	1	1	1	1	1	1	1	1	1
185	Fractures (cause not specified).....	27	3	3	2	2	1	1	1	1	4	7	4	2	2	2	2
186	Other external violence.....	120	13	2	2	1	1	8	22	13	18	11	17	10	1	1	1	1	1
	Homicide (total).....	260	5	32	77	66	42	16	12	1	1	1	1	1	9
182	By firearms.....	199	22	63	46	38	13	9	1	1	1	1	1	1	7
183	By cutting or piercing instruments.....	33	2	3	9	11	2	3	2	2	2	2	2	2	2	1
184	By other means.....	28	3	7	5	9	2	1	1	1	1	1	1	1	1	1	1
	XIV.—Ill-defined diseases.....	1,737	765	96	34	24	14	30	48	59	63	88	68	158	148	97	19	3	23
187	III-defined organic disease.....	79	1	1	1	2	7	9	5	24	16	10	1	1	1	1	2
188	Sudden death.....	110	20	4	1	2	3	6	13	11	14	14	17	3	2	2	2	2
189	Not specified or ill-defined (total).....	1,548	744	91	34	23	14	29	46	54	50	66	52	120	118	70	15	3	19
	III-defined.....	407	136	37	12	3	2	9	14	13	24	19	52	51	20	15	3	1	2
	Not specified or unknown.....	1,141	608	54	22	20	12	20	37	40	37	42	33	68	67	50	12	2	17

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

405

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
TIENNESSEE (WHITE).																		
25,949	All causes.....	3,618	1,343	697	464	344	953	2,058	2,977	2,623	1,987	1,948	2,554	2,675	1,224	147	.8	324
11,448	I.—General diseases.....	822	643	397	283	211	586	1,201	1,852	1,533	1,068	911	864	721	229	21	3	103
1 Typhoid fever.....	499	3	6	8	6	6	46	162	102	68	35	33	11	5	2	—	—	6
4 Malaria.....	170	17	10	6	6	3	9	22	18	13	9	17	19	10	9	2	—	—
5 Smallpox.....	11	2	—	—	—	—	1	—	—	—	—	1	3	2	—	—	—	1
6 Measles.....	369	68	55	30	24	7	35	39	26	17	25	22	9	10	1	—	—	1
7 Scarlet fever.....	44	6	4	5	4	7	9	7	1	—	—	—	—	—	—	—	—	1
8 Whooping cough.....	404	178	90	57	21	17	30	10	—	1	—	2	—	—	—	—	—	—
9 Diphtheria and croup.....	247	34	60	33	27	40	37	10	3	1	—	—	—	—	—	—	—	—
10 Influenza.....	4,702	341	308	195	157	107	331	629	877	731	349	188	171	186	72	6	2	52
13 Cholera nostras.....	8	2	1	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—
14 Dysentery.....	256	33	50	28	12	5	22	7	11	2	6	7	19	35	14	2	—	3
18 Erysipelas.....	62	15	1	—	1	—	2	—	3	3	3	7	14	10	2	1	—	—
19 Other epidemic diseases.....	30	4	3	3	3	1	3	4	1	4	2	1	2	1	—	—	—	—
20 Purulent infection and septicemia.....	38	2	3	—	—	1	2	1	3	3	3	4	7	4	1	—	—	—
23 Rabies.....	6	—	—	1	1	—	3	—	—	—	—	—	1	—	—	—	—	—
24 Tetanus.....	24	10	—	—	2	—	6	4	—	—	—	—	1	—	1	—	—	—
25 Mycoses.....	2	—	—	2	1	2	5	13	52	69	75	80	69	41	10	1	2	—
26 Pellagra.....	422	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—
28 Tuberculosis (total).....	2,808	51	35	17	12	12	29	253	700	514	378	317	246	180	40	1	—	23
29 Tuberculosis of the lungs.....	2,477	20	16	6	6	3	16	215	653	476	345	288	217	155	33	1	—	22
30 Acute military tuberculosis.....	41	2	2	1	—	—	—	6	11	4	3	4	5	2	1	—	—	—
31 Tuberculous meningitis.....	77	21	11	9	3	4	6	10	5	5	2	1	—	—	—	—	—	—
32 Abdominal tuberculosis.....	117	2	3	—	3	—	2	7	12	14	17	19	18	17	3	—	—	—
33 Pott's disease.....	25	—	—	—	2	2	9	3	1	1	1	3	1	1	1	1	—	1
34 White swellings.....	9	—	—	—	—	—	2	—	1	3	—	1	2	—	—	—	—	—
35 Tuberculosis of other organs.....	48	5	3	1	—	3	—	5	9	7	7	3	3	2	—	—	—	—
36 Disseminated tuberculosis.....	14	1	—	—	—	1	1	1	4	3	1	—	—	—	—	—	—	—
37 Rickets.....	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
38 Syphilis.....	76	17	2	—	1	—	—	3	9	16	11	8	6	1	1	1	—	—
Gonococcus infection.....	9	—	—	—	—	—	—	1	5	2	—	—	1	—	—	—	—	—
Cancer and other malignant tumors (total).....	822	1	—	1	3	—	—	5	15	53	124	163	216	180	51	4	—	6
39 Of the buccal cavity.....	31	1	—	—	—	—	—	1	—	9	4	2	10	8	5	—	—	—
40 Of the stomach, liver.....	251	—	—	—	—	—	—	1	3	9	28	49	80	67	13	1	—	—
41 Of the peritoneum, intestines, rectum.....	68	—	—	1	—	—	—	—	3	4	9	15	15	18	3	—	—	—
42 Of the female genital organs.....	163	—	—	—	—	—	—	1	3	20	41	39	36	17	4	—	—	2
43 Of the breast.....	97	—	—	—	—	—	—	—	1	14	20	23	16	18	2	3	—	3
44 Of the skin.....	61	—	—	—	—	—	—	—	1	1	3	9	11	22	12	1	—	1
45 Of other organs or of organs not specified.....	151	—	—	1	2	—	—	2	4	5	19	26	48	30	12	2	—	—
46 Other tumors (tumors of the female genital organs excepted).....	8	3	—	1	—	—	—	—	1	—	—	—	—	1	1	1	—	1
47 Acute articular rheumatism.....	79	1	—	—	1	—	6	12	3	5	7	9	8	16	9	2	—	—
48 Chronic rheumatism and gout.....	23	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
49 Scurvy.....	1	1	—	—	—	—	2	3	17	14	15	27	22	7	—	—	—	1
50 Diabetes.....	134	—	2	—	2	3	11	13	17	14	15	27	22	7	—	—	—	1
51 Exophthalmic goiter.....	17	—	—	—	—	—	—	2	5	3	6	1	—	—	—	—	—	—
52 Addison's disease.....	4	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
53 Leukemia.....	21	—	2	—	—	—	—	1	1	1	3	3	8	2	—	—	—	—
54 Anemia, chlorosis.....	62	6	2	—	—	—	4	2	3	2	8	15	16	3	1	—	—	2
55 Other general diseases.....	59	24	12	7	—	1	3	5	—	2	1	—	2	—	—	—	—	—
56 Alcoholism (acute or chronic).....	16	—	—	—	—	—	—	—	1	6	4	2	—	—	—	—	—	3
59 Other chronic poisonings.....	11	—	—	—	—	—	—	—	2	1	4	1	—	3	—	—	—	—
II.—Diseases of the nervous system and of the organs of special sense.....	1,650	118	46	28	21	17	61	77	63	81	128	176	309	363	139	17	—	6
60 Encephalitis.....	27	7	2	1	—	—	3	3	—	3	3	1	1	3	—	—	—	—
61 Meningitis (total).....	248	62	23	18	13	11	31	39	22	10	8	6	2	3	—	—	—	—
62 Simple meningitis.....	98	32	8	10	4	5	7	11	7	6	3	2	—	3	—	—	—	—
63 Cerebrospinal meningitis (undefined).....	97	18	11	7	4	5	17	14	10	1	5	4	1	—	—	—	—	—
64 Cerebral hemorrhage, apoplexy.....	53	12	4	1	5	1	7	14	5	3	—	1	—	—	—	—	—	—
65 Softening of the brain.....	24	6	4	3	3	3	3	4	6	3	2	8	14	18	—	—	—	—
66 Paralysis without specified cause.....	82	6	6	4	2	2	3	1	2	1	7	12	22	56	111	62	7	—
67 General paralysis of the insane.....	25	5	5	4	2	2	3	1	2	1	7	10	12	12	6	2	—	—
68 Other forms of mental alienation.....	57	1	1	—	1	1	3	4	3	2	7	14	18	2	—	—	—	—
69 Epilepsy.....	656	5	4	1	1	1	11	6	9	18	61	93	185	180	68	8	—	5
70 Convulsions (nonpuerperal).....	33	—	—	—	2	3	4	1	—	1	7	12	22	56	111	62	7	—
71 Convulsions of infants.....	291	3	—	—	—	—	—	1	—	1	7	10	12	12	6	2	—	—
72 Chorea.....	28	21	4	2	1	—	—	1	—	2	8	5	7	4	6	3	1	—
73 Neuralgia and neuritis.....	3	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
74 Diseases of the nervous system.....	49	6	3	—	1	—	3	5	4	5	9	4	8	1	—	—	—	—
75 Diseases of the eyes and their annexa.....	3	32	2	1	1	1	6	5	4	3	5	—	3	1	—	—	—	—
76 Diseases of the ears.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

CAUSES OF DEATH, BY AGE.

407

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
TENNESSEE (WHITE)—Continued.																			
	VIII.—Diseases of the skin and of the cellular tissue.	46	6	2	1	4	2	2	1	2	6	3	11	5	1	
142	Gangrene.	22	3	1	1	2	1	1	1	2	1	7	3		
143	Furuncle.	8	1	3	1	1	1	3	1	2	1		
144	Acute abscess.	6	1	1	1	1	1	1	1	1		
145	Other diseases of the skin and annexa.	10	2	1	1	1	1	2	1	1	1	1		
	IX.—Diseases of the bones and of the organs of locomotion.	47	2	1	1	3	6	11	4	2	2	8	3	3	1	
146	Diseases of the bones (tuberculosis excepted).	35	2	1	1	3	6	9	3	1	1	4	1	2	1	
147	Diseases of the joints (tuberculosis and rheumatism excepted).	7	1	1	1	3	1		
149	Other diseases of the organs of locomotion.	5	1	1	1	1	1	1	1		
	X.—Malformations.	145	134	5	1	1	3	1		
150	Congenital malformations (stillbirths not included) (total).	145	134	5	1	1	3	1		
	Hydrocephalus.	11	5	2	3	1		
	Congenital malformations of the heart.	73	68	3	1	1		
	Other congenital malformations.	61	61		
	XI.—Early infancy.	958	958		
151	Congenital debility, icterus, and sclerema (total).	835	835		
	Premature birth.	617	617		
	Congenital debility, "atrophy," "marasmus," etc.	218	218		
152	Other causes peculiar to early infancy (total).	121	121		
	Injuries at birth.	62	62		
153	Other causes peculiar to early infancy ¹ .	59	59		
	Lack of care.	2	2		
	XII.—Old age.	325	11	96	167	44	2	
154	Senility.	325	11	96	167	44	2	
	XIII.—External causes.	1,176	35	23	31	21	20	63	164	161	165	132	101	98	78	64	9	11	
	Suicide (total).	114	6	18	24	18	21	16	5	5	1	
155	By poison.	25	3	2	5	6	2	3	3	1		
157	By hanging or strangulation.	16	1	3	1	5	5	1		
158	By drowning.	8	1	1	1	2	1	2		
159	By firearms.	50	2	12	12	5	10	6	3	3	2	1		
160	By cutting or piercing instruments.	11	1	1	3	3	1	2	1	2	1	1		
163	Other suicides.	4	1	2	1	2	1	2	1	2	1	1		
164	Accidental or undefined (total).	935	30	23	31	21	20	63	144	112	110	91	70	73	72	59	9	7	
165	Poisoning by food.	16	1	1	3	4	2	1	1	1	4	2	1	1	1	1	1		
166	Other acute poisonings.	30	1	3	4	2	4	4	4	4	4	4	4	4	4	4	4		
167	Conflagration.	11	1	1	1	1	2	2	2	1	1	3	1	1	1	1		
168	Burns (conflagration excepted).	113	4	11	14	12	10	17	8	7	6	5	2	5	8	3	3		
169	Absorption of deleterious gases (conflagration excepted).	19	14	1	2	1	1	3	1	1	2	1	2	2	1	1		
170	Accidental drowning.	44	2	2	1	1	1	3	16	5	4	3	2	2	2	2	1		
171	Traumatism by firearms.	67	1	1	1	1	1	4	29	17	4	6	3	3	3	3	3		
	Traumatism by cutting or piercing instruments.	6	2	10	6	9	6	4	23	38	42	6		
172	Traumatism by fall.	159	4	1	2	1	3	4	10	6	9	6	4	23	38	42	6		
173	Traumatism in mines and quarries (total).	22	4	4	5	6	2	1	1	1	1	1		
	Traumatism in mines.	20	4	3	4	6	2	1	1	1	1	1		
	Traumatism in quarries.	2	1	1	1	1	1	1	1	1	1	1		
174	Traumatism by machines.	27	1	2	3	2	2	8	2	1	1	1	1	1		
175	Traumatism by other crushing (total).	261	1	1	1	2	1	12	41	52	42	37	20	18	12	11	3	4	
	Railroad accidents and injuries.	144	1	1	1	1	1	1	20	32	26	20	15	1	1	1	1	1	
	Street-car accidents and injuries.	16	1	3	2	1	5	1	1	1	1	1	1	1		
	Automobile accidents and injuries.	57	1	1	1	1	8	7	6	5	4	3	2	1	1		
	Injuries by other vehicles.	37	1	1	1	1	3	2	1	1	1	1	1	1	1		
	Landslide, other crushing.	7	1	1	1	2	3	2	1	1	1	1	1	1	1		
176	Injuries by animals.	22	1	2	1	2	6	2	3	2	1	1	2	1	1	1		
178	Excessive cold.	6	1	1	1	1	1	2	1	2	1	1	1	1	1	1	2		
179	Effects of heat.	9	1	2	3	5	1	1	1	1	1	1	1		
180	Lightning.	13	1	2	2	2	1	1	1	1	1	1	1	1		
181	Electricity (lightning excepted).	5	1	2	2	2	1	1	1	1	1	1	1	1		
185	Fractures (cause not specified).	24	1	2	1	1	7	12	6	13	7	14	9	1	4	2		
186	Other external violence.	81	5	2	2	1	1	7	12	6	13	7	14	9	1	4	2		
	Homicide (total).	127	5	1	14	31	31	23	10	9	1	1	1	3		
182	By firearms.	102	1	1	9	28	25	22	7	7	1	1	1	3		
183	By cutting or piercing instruments.	13	2	2	1	1	1	2	1	2	3	3	1	1	1	1	1		
184	By other means.	12	3	3	1	1	1	7	8	8	8	15	16	43	46	17	2		
	XIV.—Ill-defined diseases.	1,143	533	56	20	14	10	21	24	26	25	48	42	113	121	70	11	9	
187	Ill-defined organic disease.	53	12	2	1	1	1	1	2	3	4	5	3	18	13	6	1		
188	Sudden death.	71	521	53	20	13	10	20	23	23	18	36	34	82	82	12	11	1	
189	Not specified or ill-defined (total).	1,019	106	24	10	2	2	7	8	8	8	15	16	43	46	17	2		
	Ill-defined.	315	106	29	10	11	8	13	15	15	10	21	18	39	50	36	7		
	Not specified or unknown.	704	415	29	10	11	8	13	15	15	10	21	18	39	50	36	7		

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
TENNESSEE (COLORED).																			
	All causes.....	11,185	1,143	450	224	160	119	394	1,269	1,928	1,481	1,163	951	778	527	302	86	32	178
	I.—General diseases.....	4,949	261	210	122	91	79	246	809	1,115	727	500	338	202	122	56	6	4	61
1	Typhoid fever.....	200	3	1	3	8	3	19	65	46	18	16	11	3	2				2
4	Malaria.....	155	12	4	7	5	7	14	27	14	16	18	10	6	2	1			2
5	Smallpox.....	5									2	1	2						
6	Measles.....	38	4	7	5	1	1	7	7	2	2		1						
8	Whooping cough.....	153	49	44	16	12	9	18	3	1									1
9	Diphtheria and croup.....	30	12	3	4	1	2	5	2										
10	Influenza.....	1,579	114	86	65	41	39	125	279	316	208	120	63	44	36	22	1	2	18
13	Cholera nostras.....	1														1			
14	Dysentery.....	67	7	10	1	2	1			3	4	6	4	10	7	6	3	2	1
18	Erysipelas.....	4	1													2			
19	Other epidemic diseases.....	3	1		1						1		2	3	2	1			
20	Purulent infection and septicemia.....	11		1							2		3	2	1				
23	Rabies.....	1									1								
24	Tetanus.....	16	2							1	5	1	3	1	2				5
26	Fellagra.....	254	1	1				2		16	42	52	48	40	24	17	6		
28	Tuberculosis (total).....	1,969	28	44	17	18	14	55	380	633	350	200	110	57	30	7	1		25
29	Tuberculosis of the lungs.....	1,687	16	33	9	10	9	41	325	559	310	175	94	52	27	5	1		21
30	Acute miliary tuberculosis.....	98	1		2	1	2	2	24	32	18	7	5	1	1				2
31	Abdominal tuberculosis.....	30	5	5	3	1		5	5	2	1	2	1						
32	Pott's disease.....	94	2	4	3	1	2	4	12	24	15	12	8	2	2	1			
33	White swellings.....	16		1		1		1		1	1	1							
34	Tuberculosis of other organs.....	36	4	1		3	1	1	9	10	2	1	1	2		1			
35	Disseminated tuberculosis.....	3							1	1	1								
36	Rickets.....	8	2	5	3	1													
37	Syphilis.....	138	22	3	3	1	1	2	4	29	26	17	14	9	2	1			4
38	Gonococcus infection.....	6							1	2	2								
39	Cancer and other malignant tumors (total).....	199								3	11	28	57	53	31	7	7	1	1
40	Of the buccal cavity.....	4									2	2	2	1	1				
41	Of the stomach, liver, &c.....	41								3	4	13	8	10	2	1			
42	Of the peritoneum, intestines, rectum.....	11								1	1	2	4	2	1				
43	Of the female genital organs.....	83							1	3	14	26	25	10	1	3			
44	Of the breast.....	35							3	6	10	7	6	1		1	1		
45	Of the skin.....	4								1	3								
46	Of other organs or of organs not specified.....	21							2	1	2	3	7	2	1	3			
47	Other tumors (tumors of the female genital organs excepted).....	2									2								
48	Acute articular rheumatism.....	40	1			1			5	6	4	1	5	7	6	1		1	2
49	Chronic rheumatism and gout.....	15										2	7	2	2				
50	Scurvy.....	1												1					
51	Diabetes.....	24							4	1	2	4	4	5	1	2	1		
52	Exophthalmic goiter.....	2										2							
53	Leukemia.....	2								1	1								
54	Anemia, chlorosis.....	8	2						1		3			1		1			
55	Other general diseases.....	12		1					1	2	1	2	3	1		2			
56	Alcoholism (acute or chronic).....	4								2	1	1							
59	Other chronic poisonings.....	2								1			1						
	II.—Diseases of the nervous system and of the organs of special sense.....	579	52	13	6	4	2	13	37	38	52	73	80	93	64	28	13	2	9
60	Encephalitis.....	10	2	1	1				2	2	1	1							
61	Meningitis (total).....	59	8	4	1	2	2	6	20	9	2	3		1					1
	Simple meningitis.....	13	3	1	1	1		1	3	1		1							
	Cerebrospinal meningitis (undifferentiated).....	22	4	3			2	2	5	4	2								
62	Locomotor ataxia.....	24	1			1		3	12	4		2							
63	Other diseases of the spinal cord (total).....	47	3	3	2			1		3	3	7	10	6	10				1
	Acute anterior poliomyelitis.....	8	3	2				1		1	3	4	3	6	1				
	Other diseases of the spinal cord.....	39		1					2	3	7	10	6	10					
64	Cerebral hemorrhage, apoplexy.....	197	6	1				3	4	10	20	30	37	38	23	18	3	1	3
65	Softening of the brain.....	6										1	3	2					
66	Paralysis without specified cause.....	112	1					1	1	4	2	18	21	27	19	9	8		1
67	General paralysis of the insane.....	20								1	3	4	3	6	1	1	1	1	
68	Other forms of mental alienation.....	21								4	1	5	2	2	4	1	1	1	
69	Epilepsy.....	33	2	1		2			5	6	8	3	1	2	2				1
70	Convulsions (nonpuerperal).....	1									1								
71	Convulsions of infants.....	36	30	3	3														
73	Neuralgia and neuritis.....	7																	
74	Other diseases of the nervous system.....	23		1						2	5	3	2	4	2	1		1	
75	Diseases of the eyes and their annexa.....	2						2		1									
76	Diseases of the ears.....	2								1						1			

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

409

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.

TENNESSEE (COLORED)—Continued.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
TENNESSEE (COLORED)—Continued.																			
	VIII.—Diseases of the skin and of the cellular tissue.....	40	3			1	1	2	3	1	4	6	5	2	6	4	2		
142	Gangrene.....	27				1		2		1	3	4	3	2	6	3		2	
143	Furuncle.....	1														1			
144	Acute abscess.....	6	2			1		2		1									
145	Other diseases of the skin and annexa.....	6	1					1				2	2						
	IX.—Diseases of the bones and of the organs of locomotion.....	17						1	2	2	1	1	4	1	4	1			
146	Diseases of the bones (tuberculosis excepted).....	14						1	2	2	1	1	3			3	1		
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	3											1	1	1				
	X.—Malformations.....	22	19	1		1		1											
150	Congenital malformations (stillbirths not included) (total).....	22	19	1		1		1											
	Hydrocephalus.....	7	5			1		1											
	Congenital malformations of the heart.....	9	8	1															
	Other congenital malformations.....	6	6																
	XI.—Early infancy.....	202	202																
151	Congenital debility, icterus, and sclerema (total).....	178	178																
	Premature birth.....	111	111																
	Congenital debility, "atrophy," "marasmus," etc.....	67	67																
152	Other causes peculiar to early infancy (total).....	24	24																
	Injuries at birth.....	12	12																
	Other causes peculiar to early infancy ¹	12	12																
	XII.—Old age.....	123													7	30	51	20	
154	Senility.....	123													7	30	51	20	
	XIII.—External causes.....	594	23	9	13	17	8	24	88	123	100	80	45	21	18	8	3	1	18
	Suicide (total).....	6								1	2					1			
155	By poison.....	1									1								
158	By drowning.....	2								1		1							
159	By firearms.....	2								1		1							
160	By cutting or piercing instruments.....	1														1			
164	Accidental or undefined (total).....	455	23	9	13	17	3	24	69	75	63	61	39	18	17	8	3	1	12
165	Poisoning by food.....	14	1	1					5	1	2	1	2	1					
166	Other acute poisonings.....	11	1	1	1					2	6		1						
167	Conflagration.....	12	1	1	1				1	2	1	1	1	1	2	3			
168	Burns (conflagration excepted).....	80	1	3	11	13	3	9	7	4	8	5	5	3	4	3		1	
169	Absorption of deleterious gases (conflagration excepted).....	10	8							2									
170	Accidental drowning.....	17																	
171	Traumatism by firearms.....	39	1						5	12	12	4	5						
172	Traumatism by cutting or piercing instruments.....	2																	
173	Traumatism by fall.....	34	2	2		1		3	2	1	3	4	4	3	4	3	2		
	Traumatism in mines and quarries (total).....	8								2		1	3	2					
	Traumatism in mines.....	7								2		1	3	1					
	Traumatism in quarries.....	1																	
174	Traumatism by machines.....	9								2	1	4	1	1					
175	Traumatism by other crushing (total).....	152		1		1		4	18	34	24	30	20	5	2	2			11
	Railroad accidents and injuries.....	106							13	24	21	17	16	2	1				
	Street-car accidents and injuries.....	6							2	1	2	1							
	Automobile accidents and injuries.....	25		1		1		3	4	4	2	5	3	2					
	Injuries by other vehicles.....	12						1	1	4		3		1	1	1			
	Landslide, other crushing.....	3											3						
176	Injuries by animals.....	3							1	1									
177	Starvation.....	1																	
178	Excessive cold.....	13							1		1	3		2	5		1		
179	Effects of heat.....	3									1	1	1						
180	Lightning.....	4							1	1	1								
181	Electricity (lightning excepted).....	1							1										
185	Fractures (cause not specified).....	3							1	1	1								
186	Other external violence.....	39	8						1	10	7	5	4	3	1				
	Homicide (total).....	133								18	46	35	19	6	3				6
182	By firearms.....	97								13	35	21	16	6	2				4
183	By cutting or piercing instruments.....	20								1	7	8	2		1				1
184	By other means.....	16								4	4	6	1						1
	XIV.—Ill-defined diseases.....	594	232	40	14	10	4	9	24	33	38	40	26	45	27	27	8	3	14
187	Ill-defined organic disease.....	26	1							1	3	4	2	6	3	4			2
188	Sudden death.....	39	8	2					1	1	3	6	6	1	2	6	2		1
189	Not specified or ill-defined (total).....	529	223	38	14	10	4	9	28	31	32	30	18	38	22	17	6	3	11
	Ill-defined.....	92	30	13	2	1			2	1	6	5	9	3	5	3	1	1	1
	Not specified or unknown.....	437	193	25	12	9	4	7	22	25	27	21	15	29	17	14	5	2	10

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

411

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
UTAH.																		
	All causes.....	6,172	926	186	112	73	51	239	524	955	892	496	468	504	418	286	40	1
	I.—General diseases.....	2,351	134	79	55	34	23	115	240	551	503	213	135	119	73	23	3	1
1	Typhoid fever.....	41			1	1	1	5	12	11	2	5	1	2				
5	Smallpox.....	10	2					1	1	1	1							
6	Measles.....	34	5	9	4	5	2	3	2	2								
7	Scarlet fever.....	50	2	1	7	4	4	18	6	6	1	1						
8	Whooping cough.....	59	33	18	1	1		1										
9	Diphtheria and croup.....	72	3	5	5	5	7	25	19	1	2							
10	Influenza.....	1,402	48	39	32	12	8	44	155	466	401	112	49	21	11	4	1	1
14	Dysentery.....	3	1													1		
18	Erysipelas.....	28	12	4		2					1		4			4	1	
19	Other epidemic diseases.....	4	1		1			2										
20	Purulent infection and septicemia.....	9	2					1		1	1	2			1			
23	Rabies.....	1										1						
24	Tetanus.....	4				1	2	1										
28	Tuberculosis (total).....	209	3		2	2	4	16	40	53	39	31	12	4	1			
29	Tuberculosis of the lungs.....	171		1	1	1	1	12	32	45	35	28	10	4	1			
30	Acute miliary tuberculosis.....	7						1	3	2		1						
31	Tuberculous meningitis.....	9		2		1	1	2	1	1	1							
32	Abdominal tuberculosis.....	10						1	1	2	2	3						
33	Pott's disease.....	6			1			1	1	1	1	1	1					
34	White swellings.....	4								1	1	1	1					
35	Tuberculosis of other organs.....	1								1								
37	Disseminated tuberculosis.....	1		1														
38	Syphilis.....	26	3							3	6	6	3	5				
	Gonococcus infection.....	4								2	1							
	Cancer and other malignant tumors (total).....	229	2	2	1	1			3	6	14	29	61	60	40	10		
39	Of the buccal cavity.....	4								1		1	1	2				
40	Of the stomach, liver.....	101	1			1			1	1	3	10	30	28	23	3		
41	Of the peritoneum, intestines, rectum.....									2	1	3	2	8	3	8	2	
42	Of the female genital organs.....	27							1		1	4	10	12	1			
43	Of the breast.....	32							1	3	6	7	6	2				
44	Of the skin.....	25							1		1	1	3	2		3		
45	Of other organs or of organs not specified.....	5																
46	Other tumors (tumors of the female genital organs excepted).....	35	1	2	1					3	2	6	5	9	4	2		
47	Acute articular rheumatism.....	31			1			9	9	3	.3	1	3	1	1	1		
48	Chronic rheumatism and gout.....	7								1	1	1	1	2	1			
50	Diabetes.....	64							11	4	4	4	4	18	10	11	2	
51	Exophthalmic goiter.....	10							1	1	2	2	2	1				
53	Leukemia.....	11			1				2	2	2	1	1	1	2			
54	Anemia, chlorosis.....	22	1					1	1	6	3	6	3	3	1			
55	Other general diseases.....	13	11	1								1						
56	Alcoholism (acute or chronic).....	3										1	2					
57	Chronic lead poisoning.....	1										1						
59	Other chronic poisonings.....	1																
	II.—Diseases of the nervous system and of the organs of special sense.....	318	11	8	2	3	5	7	18	14	21	22	44	71	62	27	3	
60	Encephalitis.....	3	1						1	1								
61	Meningitis (total).....	31	6	2	1	2	3	5	1	3	1	2						
	Simple meningitis.....	16	3	2	1	1	2	3		3	1	2						
	Cerebrospinal meningitis (undefined).....	7	1	1	1	1	1	1										
	Cerebrospinal fever.....	8	1	3	1		1	1										
62	Locomotor ataxia.....	2							2	2	1	1	2	4	2	3	1	
63	Other diseases of the spinal cord (total).....	18							1	1	1	1	2	4	2	3	1	
	Acute anterior poliomyelitis.....	2							1	1	1	1	2	4	2	3	1	
	Other diseases of the spinal cord ¹	16							1	1	1	1	2	4	2	3	1	
64	Cerebral hemorrhage, apoplexy.....	190		1						1	8	12	27	63	54	21	3	
66	Paralysis without specified cause.....	14									2	1	3	2	5	3		
67	General paralysis of the insane.....	7								1	1	1	1	3		1		
68	Other forms of mental alienation.....	5								1	3			1				
69	Epilepsy.....	17		1		1	4	3	2	1	4	1						
71	Convulsions of infants.....	6	5	1														
72	Chorea.....	1							1									
74	Other diseases of the nervous system.....	12							2	1	4	2	2			1		
75	Diseases of the eyes and their annexa.....	2				1	1	2	2	1		1			2			
76	Diseases of the ears.....	10				2	1	1	2	2	1							

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
UTAH—Continued.																		
III.—Diseases of the circulatory system.....	587	7				3	22	65	54	40	47	71	109	96	71	2		
77 Pericarditis.....	3					1	2	6	1	3		7	1	1				
78 Acute endocarditis.....	26	2				2	19	58	49	34	43	51	85	77	48			
79 Organic diseases of the heart.....	470	4							1	2	8	15						
80 Angina pectoris.....	28																	
81 Diseases of the arteries, atherosclerosis, etc.....	47								1	1	1	3	4	17	18	2		
82 Embolism and thrombosis.....	9								2	1	2	1	2		1			
83 Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	2								1				1					
84 Diseases of the lymphatic system (lymphangitis, etc.).....	1	1																
85 Hemorrhage; other diseases of the circulatory system.....	1											1						
IV.—Diseases of the respiratory system.....	885	153	32	26	14	8	21	74	157	149	71	34	64	41	35	6		
86 Diseases of the nasal fossae.....	2	2																
87 Diseases of the larynx.....	3	1		1										1				
88 Diseases of the thyroid body.....	1					1							1					
89 Acute bronchitis.....	20	14	1	1		1												
90 Chronic bronchitis.....	23	1											7	1	2			
91 Bronchopneumonia.....	202	100	22	11	5	2	3	9	6	6	3	1	9	8	13	4		
92 Pneumonia (total).....	589	35	7	12	8	5	15	64	148	140	58	25	39	20	13			
Lobar pneumonia.....	551	24	7	8	8	5	14	60	143	137	55	23	35	20	12			
Pneumonia (undefined).....	38	11		4			1	4	5	3	3	2	4		1			
93 Pleurisy.....	20		1	1	1		2	1	3	2	4		4					
94 Pulmonary congestion, pulmonary apoplexy.....	3												1	1				
96 Asthma.....	13		1								1	2	3	3	4			
97 Pulmonary emphysema.....	1											1						
98 Other diseases of the respiratory system (tuberculosis excepted).....	8											3	3	1	1			
V.—Diseases of the digestive system.....	429	95	35	12	11	6	31	31	32	33	28	46	28	24	16	1		
99 Diseases of the mouth and annexa.....	3				1		1					1						
100 Diseases of the pharynx.....	32		1		3	2	8	7	5	2	1		2	1				
101 Diseases of the esophagus.....	1								1	2	2	3	8	3	1	2		
102 Ulcer of the stomach.....	23				1				1	2	2	3	8					
103 Other diseases of the stomach (cancer excepted).....	18	6			1						1	1	1	4	2	2		
104 Diarrhea and enteritis (under 2 years).....	105	73	32	9	2	1	2	1	3	5	6		2	1				
105 Diarrhea and enteritis (2 years and over).....	32			3	2	15	20	18	13	9	11	4						
108 Appendicitis and typhlitis.....	95				1	3	1	2	7	3	6	2	11	5	1			
109 Hernia, intestinal obstruction (total).....	60	13	2	3		1	3	1	2	1	3	4	1	6	2	1		
Hernia.....	22	4								1	3	4	2	1	5	3		
Intestinal obstruction.....	38	9	2	3		1	3	1	2	6	2	1	1	2	2	2		
110 Other diseases of the intestines.....	12					1		1	1	1	1	2	2	2	2			
113 Cirrhosis of the liver.....	15						1			1	2	5	3	2	1			
114 Biliary calculi.....	16							1	2	2	2	6						
115 Other diseases of the liver.....	6											3	2	1				
117 Simple peritonitis (nonpuerperal).....	11	3						1	2	1		1	2	1				
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	329	4		3		1	6	9	14	32	33	47	72	66	37	5		
119 Acute nephritis.....	25			1			3	1	1	4	2	3	4	1	2			
120 Bright's disease.....	230	1		2		1	3	8	7	17	20	35	56	52	25	3		
122 Other diseases of the kidneys and annexa.....	10								1	2	1	3	3					
123 Calculi of the urinary passages.....	3								1		1			1				
124 Diseases of the bladder.....	4													3	1			
125 Diseases of the urethra, urinary abscess, etc.....	1													1				
126 Diseases of the prostate.....	25													1	8	2		
129 Uterine tumor (noncancerous).....	3												6	9	8	2		
130 Other diseases of the uterus.....	6												2	3	2	1		
131 Cysts and other tumors of the ovary.....	8									2	3	1	4	1				
132 Salpingitis and other diseases of the female genital organs.....	13								4	5	2	1	1					
133 Nonpuerperal diseases of the breast (cancer excepted).....	1									3	1	1			1			
VII.—The puerperal state.....	125						10	63	39	13								
134 Accidents of pregnancy.....	24							1	15	6	2							
135 Puerperal hemorrhage.....	9							1	2	5	1							
136 Other accidents of labor.....	25								1	12	10	2						
137 Puerperal septicemia.....	31							4	16	8	3							
138 Puerperal albuminuria and convulsions.....	29							3	14	8	4							
139 Puerperal phlegmonia alba dolens, embolus, sudden death.....	5								3	1	1							
140 Following childbirth (not otherwise defined).....	2								1	1								

CAUSES OF DEATH, BY AGE.

413

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.
UTAH—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue.....	14	4				1	1	1			2		1		1	3	1
142	Gangrene.....	4								1		1			1		1	
143	Furuncle.....	1													1			
144	Acute abscess.....	6		2			1	1			1				2			
145	Other diseases of the skin and annexa.....	3		2														
	IX.—Diseases of the bones and of the organs of locomotion.....	17	1	1	1			1	4	2		4	2		1			
146	Diseases of the bones (tuberculosis excepted).....	15		1	1				1	4	2		4	2				
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	2	1												1			
	X.—Malformations.....	86	79	3	2				2									
150	Congenital malformations (stillbirths not included) (total).....	86	79	3	2			2										
	Hydrocephalus.....	11	8	1	1			1										
	Congenital malformations of the heart.....	53	50	1	1			1										
	Other congenital malformations.....	22	21	1														
	XI.—Early infancy.....	385	335															
151	Congenital debility, icterus, and scolera (total).....	312	312															
	Premature birth.....	278	278															
	Congenital debility, "atrophy," "marasmus," etc.....	34	34															
152	Other causes peculiar to early infancy (total).....	73	73															
	Injuries at birth.....	31	31															
	Other causes peculiar to early infancy ¹	42	42															
	XII.—Old age.....	100													2	6	23	54
154	Senility.....	100													2	6	23	54
	XIII.—External causes.....	396	9	23	9	9	2	31	70	56	67	50	27	17	12	12	2	
	Suicide (total).....	29							1	7	8	6	5	1	1			
155	By poison.....	4							3				1					
157	By hanging or strangulation.....	3							1	1				1				
159	By firearms.....	17		1	7		1	2		1	2		2					
160	By cutting or piercing instruments.....	5										2	1	1				
164	Accidental or undefined (total).....	359	8	23	9	9	2	30	68	49	55	43	22	16	11	12	2	
165	Poisoning by food.....	8	1	1				1	1	3	1							
166	Other acute poisonings.....	16	1	7		1		2		1	2			2				
168	Conflagration.....	4							3						1			
167	Burns (conflagration excepted).....	24	1	6	3	1		2	2	3	4			2				
168	Absorption of deleterious gases (conflagration excepted).....	7	3		1				1		1	1						
169	Accidental drowning.....	22		5	3		1		4	6	1	1						
170	Traumatism by firearms.....	18			1				11	2	1	2						
171	Traumatism by cutting or piercing instruments.....	2				1						1						
172	Traumatism by fall.....	35	1					5	7		2	2	2	3	5	7	1	
173	Traumatism in mines and quarries (total).....	49							2	12	19	12	3	1				
174	Traumatism in mines.....	49							2	12	19	12	3	1				
175	Traumatism by machines.....	14							5	4	1	1	1	2				
	Traumatism by other crushing (total).....	104		3	3	1	8	24	14	12	20	6	6	5	1	1		
	Railroad accidents and injuries.....	25					1		7	5	7	2	1	1	1	1		
	Street-car accidents and injuries.....	10		1			1	3		1	2				1	1		
	Automobile accidents and injuries.....	46		2	1	1	4	14	4	5	8	2	3	2				
	Injuries by other vehicles.....	19		2	2	2	2	4	3	1	2	2	2	1				
	Landslide, other crushing.....	4						3	1		1	1			1			
176	Injuries by animals.....	7							1						1			
178	Excessive cold.....	3							1					1		1		
179	Effects of heat.....	1							1									
180	Lightning.....	8							2	2	2			1				
181	Electricity (lightning excepted).....	11							1	2	1	4	1	2				
185	Fractures (cause not specified).....	1							1									
186	Other external violence.....	25	1	4		1	1	2	1	4	4	3	2	1				
182	Homicide (total).....	8	1					1	1	4	4	1						
183	By firearms.....	5	1						1		3							
184	By cutting or piercing instruments.....	1									1							
	By other means.....	2							1			1						
	XIV.—Ill-defined diseases.....	150	44	5	2	1	2	3	3	10	8	14	10	17	17	10	4	
187	Ill-defined organic disease.....	2												1	1			
188	Sudden death.....	7	1						1	1			1	1	2			
189	Not specified or ill-defined (total).....	141	43	5	2	1	2	3	2	9	8	14	10	15	15	8	4	
	Ill-defined.....	119	30	5	1	1	2	3	2	6	8	12	9	14	15	7	4	
	Not specified or unknown.....	22	13		1				3		2	1	1		1			

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH,	All deaths.	DEATHS AT AGE OF—														Deaths at un known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
VERMONT.																			
	All causes.....	6,803	698	139	61	42	42	107	359	725	704	534	619	881	1,099	677	105	4	7
	I.—General diseases.....	2,432	114	62	29	24	23	64	207	481	445	259	221	235	172	76	12	1	7
1	Typhoid fever.....	30						1	2	5	8	4	4	3	2			1	
4	Malaria.....	1																	
6	Measles.....	16	5	3	3			1	2	1		1							
7	Scarlet fever.....	11	1			1	1	4	3						1				
8	Whooping cough.....	47	22	14	4	1	3	2	1										
9	Diphtheria and croup.....	26	1	5	4			6	6	3									
10	Influenza.....	1,352	66	33	13	19	9	37	146	384	340	131	57	43	38	26	5		5
13	Cholera nostras.....	2								1		1							
14	Dysentery.....	8	1							1					2	1	1	2	
18	Erysipelas.....	16	3							1	1		1		3	3	3	1	
19	Other epidemic diseases.....	2		1					1										
20	Purulent infection and septicemia.....	6	1							1					2	2			
24	Tetanus.....	1														1			
26	Pellagra.....	5																	
	Tuberculosis (total).....	368	10	6	3	3	2	6	33	74	67	62	46	37	16	2			1
28	Tuberculosis of the lungs.....	304	4					1	3	23	70	62	55	35	33	15	2		
29	Acute miliary tuberculosis.....	8							2	2	2	1	1						
30	Tuberculous meningitis.....	27	5	4	2	3	1	2	4		1	3	2						
31	Abdominal tuberculosis.....	18	1	2			1	2	1		2	2	5	2					
32	Pott's disease.....	4			1						1		1	1					
33	White swellings.....	2							1				1						
34	Tuberculosis of other organs.....	3							1	1			1						
35	Disseminated tuberculosis.....	2											1	1					
37	Syphilis.....	17	3		1			1	1	1	2	4	1	3					
	Cancer and other malignant tumors (total).....	365							2	1	5	18	34	77	100	86	36	4	1
39	Of the buccal cavity.....	11								1		1	4	2	2	1	1		
40	Of the stomach, liver.....	126							1		5	10	25	36	32	14	1		
41	Of the peritoneum, intestines, rectum.....	54								1	1	4	3	10	19	13	3		
42	Of the female genital organs.....	68								2	6	11	19	16	9	4	1		
43	Of the breast.....	31									5	11	7	8					
44	Of the skin.....	14									2	2	4	5	1				
45	Of other organs or of organs not specified.....	61							1		1	3	4	9	16	18	8	1	
47	Acute articular rheumatism.....	13							2	1		1	1	5	2		1		
48	Chronic rheumatism and gout.....	6								1		1	1	1	1	2	2		
50	Diabetes.....	78		1				2	6	2	4	7	17	22	13	3	1		
51	Exophthalmic goiter.....	5						1	2	2									
52	Addison's disease.....	4																	
53	Leukemia.....	3																	
54	Anemia, chlorosis.....	34	1								1	6	9	11	5	1			
55	Other general diseases.....	2									1		1						
56	Alcoholism (acute or chronic).....	11								1	1	3	5	1					
57	Chronic lead poisoning.....	1								1									
59	Other chronic poisonings.....	2													2				
	II.—Diseases of the nervous system and of the organs of special sense.....	663	16	3	2	2	1	3	13	14	19	41	89	138	199	108	15		
60	Encephalitis.....	4	1									2			1				
61	Meningitis (total).....	25	9	1	1	1		1	5	2	2			1	1	1			
	Simple meningitis.....	17	7	1	1	1			1	1	2			1	1	1			
	Cerebrospinal meningitis (undefined).....	2							1	2	1								
62	Locomotor ataxia.....	6	2						1	2	1								
63	Other diseases of the spinal cord (total).....	16																	
	Acute anterior poliomyelitis.....	33							2		3	2		6	6	7	5		
	Other diseases of the spinal cord.....	32									1			5	8	7	5		
64	Cerebral hemorrhage, apoplexy.....	475								2	7	15	72	108	167	90	14		
65	Softening of the brain.....	5												1	2	2			
66	Paralysis without specified cause.....	23									2		4		4	10	3		
67	General paralysis of the insane.....	26									1	2	6	3	4	5	5		
68	Other forms of mental alienation.....	14									1	4	1	3	2	3	3		
69	Epilepsy.....	13	1						1	1	2	4	3				1		
71	Convulsions of infants.....	5	3	1				1											
72	Chorea.....	1								1									
73	Neuralgia and neuritis.....	6																	
74	Other diseases of the nervous system.....	13	1	1		1		1	3			2		3	1	1	2	1	
76	Diseases of the ears.....	4	1		1					1					1				

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

415

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 and over.
VERMONT—Continued.																		
	III.—Diseases of the circulatory system.	1,113	11	3			1	3	17	21	26	56	123	236	360	234	22	
77	Pericarditis.	10										3	1	3	2	1		
78	Acute endocarditis.	27	1	1				1	2	15	18	3	6	1	3	1		
79	Organic diseases of the heart.	783	4	2			1	2	15	18	3	38	92	179	255	148	11	
80	Angina pectoris.	57										6	11	15	17	8		
81	Diseases of the arteries, atheroma, aneurism, etc.																	
82	Embolism and thrombosis.	191																
84	Diseases of the lymphatic system (lymphangitis, etc.).	39	1															
85	Hemorrhage; other diseases of the circulatory system.	4	4															
	IV.—Diseases of the respiratory system.	2	1															
		831	73	30	5	6	6	15	55	120	129	54	67	75	111	73	12	
86	Diseases of the nasal fossae.	2	1															
87	Diseases of the larynx.	5	1															
88	Diseases of the thyroid body.	6																
89	Acute bronchitis.	44	19	5	1	2		1				2						
90	Chronic bronchitis.	47																
91	Bronchopneumonia.	131	29	13	2	1	2	2	4	2	4	3	4	14	32	18	1	
92	Pneumonia (total).	570	23	12	2	3	4	8	49	114	118	48	54	51	50	31	3	
	Lobar pneumonia.	448	13	8	1	3	2	6	40	102	103	44	33	42	30	15	1	
93	Pneumonia (undefined).	122	10	4	1		2	2	9	12	15	4	16	9	20	16	2	
94	Pleurisy.	17										1	1	2	5	1		
95	Pulmonary congestion, pulmonary apoplexy.	2																
96	Gangrene of the lung.	3																
98	Asthma.	3																
	Other diseases of the respiratory system (tuberculosis excepted).	1																
	V.—Diseases of the digestive system.	443	142	35	14	5	4	6	18	22	16	36	38	42	37	25	3	
99	Diseases of the mouth and annexa.	2																
100	Diseases of the pharynx.	9	1		1		1		2	1	1	1						
102	Ulcer of the stomach.	19								1	2	6	2	4	3	1		
103	Other diseases of the stomach (cancer excepted).	30	16	2				1				2	3	1	2	3		
104	Diarrhea and enteritis (under 2 years).	152	120	32														
105	Diarrhea and enteritis (2 years and over).	51		10	5	1	2	1				4	2	6	6	11		
108	Appendicitis and typhlitis.	63	1			2	3	13	8	7	9	8	7	4	1			
109	Hernia, intestinal obstruction (total).	47	1			2			3	2	4	3	9	14	6	3		
	Hernia.	22				2				1	3	3	3	7	4	2		
	Intestinal obstruction.	25	1						2	1	1	3	6	7	2	2		
110	Other diseases of the intestines.	8	2		1					2	1		1		1			
111	Acute yellow atrophy of the liver.	2															1	
112	Cirrhosis of the liver.	16										3	5	4	2	1		
114	Biliary calculi.	16										2	6	2	4	1		
115	Other diseases of the liver.	19								1	4	3	4	5	1	1		
117	Simple peritonitis (nonpuerperal).	7	1	1								1	2	2				
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	2																
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	468		2		4	2	3	7	17	39	59	119	143	69	4		
119	Acute nephritis.	27				2		1	2	1	3	3	4	4	1	1		
120	Bright's disease.	375				4	1	1	4	11	24	48	107	124	54	1		
122	Other diseases of the kidneys and annexa.	7								1	2							
123	Calculi of the urinary passages.	1																
124	Diseases of the bladder.	12																
125	Diseases of the urethra, urinary abscess, etc.	1																
126	Diseases of the prostate.	20																
127	Nonvenereal diseases of the male genital organs.	1																
129	Uterine tumor (noncancerous).	11									2	3	3	2		1		
130	Other diseases of the uterus.	3									2	1						
131	Cysts and other tumors of the ovary.	7									2	2	1	1	1			
132	Salpingitis and other diseases of the female genital organs.	3									2	1						
	VII.—The puerperal state.	60						6	32	19	3							
134	Accidents of pregnancy.	18							3	8	6	1						
135	Puerperal hemorrhage.	4							2		2							
136	Other accidents of labor.	15								9	6							
137	Puerperal septicemia.	10							1	5	4							
138	Puerperal albuminuria and convulsions.	12							2	7	3							
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	1								1								

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
VERMONT—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue.....	21	5	1	1	1	2	3	6	1	1
142	Gangrene.....	14	1	1	1	2	3	5	1	1
143	Furuncle.....	1	1
144	Acute abscess.....	1	1
145	Other diseases of the skin and annexa.....	5	4	1
	IX.—Diseases of the bones and of the organs of locomotion.....	9	1	1	1	1	1	2	2
146	Diseases of the bones (tuberculosis excepted).....	5	1	1	1	1	1
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	3	1	1	1
149	Other diseases of the organs of locomotion.....	1	1
	X.—Malformations.....	51	49	1	1
150	Congenital malformations (stillbirths not included) (total).....	51	49	1	1
	Hydrocephalus.....	5	4	1
	Congenital malformations of the heart.....	30	29	1
	Other congenital malformations.....	16	16
	XI.—Early infancy.....	277	277
151	Congenital debility, icterus, and sclerema (total).....	240	240
	Premature birth.....	177	177
	Congenital debility, "atrophy," "marasmus," etc.....	63	63
152	Other causes peculiar to early infancy (total).....	37	37
	Injuries at birth.....	17	17
	Other causes peculiar to early infancy ¹	20	20
	XII.—Old age.....	109	1	2	23	58	23	2
154	Senility.....	109	1	2	23	58	23	2
	XIII.—External causes.....	320	6	4	9	5	3	13	38	27	32	43	20	32	49	26	13
	Suicide (total).....	46	1	4	4	9	8	9	8	3
155	By poison.....	3	1	1	1	1	1	1	1	1	1	1
156	By asphyxia.....	2	1	1	1	2	1	3	5	1	1	1
157	By hanging or strangulation.....	14	1	1	1	3	1	2	1	3	1	1
158	By drowning.....	6	1	3	1	2	6	1	1	1	1	1
159	By firearms.....	15	1	1	1	1	4	1	1	3	1	1
160	By cutting or piercing instruments.....	6	1
164	Accidental or undefined (total).....	267	6	4	9	5	3	13	37	23	27	33	11	22	38	23	13
165	Poisoning by food.....	4	1	1	1	2	1	1	1	1	1	1
166	Other acute poisonings.....	9	3	1	1	1	1	1	1	2	1	2	1	1	1	1	1
166	Conflagration.....	11	1	1	2	2	2	1	2	1	1	3	1	1
167	Burns (conflagration excepted).....	16	2	4	1	1	2	2	2	2	1	1	1	1	1	1	1
168	Absorption of deleterious gases (conflagration excepted).....	10	5	1	1	2	1	1	1	1	1	1	1	1	1	1
169	Accidental drowning.....	35	1	2	5	15	5	1	4	1	4	1	1	1	1	1	1
170	Traumatism by firearms.....	8	1	5	5	2	1	3	1	3	1	1	2	1	1	1
172	Traumatism by fall.....	63	1	1	1	3	1	3	1	4	21	19	18
173	Traumatism in mines and quarries (total).....	11	2	2	1	3	1	2	1	1	2	1	1	1	1
	Traumatism in quarries.....	11	1	2	2	1	3	1	2	1	1	1	2	1	1	1
174	Traumatism by machines.....	9	1	2	2	1	2	1	3	1	1	1	2	1	1	1
175	Traumatism by other crushing (total).....	58	1	5	6	6	16	7	6	4	6	4	6	1	1	1
	Railroad accidents and injuries.....	31	3	2	3	11	4	1	1	1	1	1	1	1	4	1	1
	Street-car accidents and injuries.....	13	1	2	2	1	4	1	1	1	1	1	1	1	1	1
	Automobile accidents and injuries.....	11	1	2	2	1	2	1	2	1	1	1	1	1	1	1
	Injuries by other vehicles.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1
	Landslide, other crushing.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1
176	Injuries by animals.....	6	4	1	1	1	1	1	1	1	1	1	2	2	1	1
178	Excessive cold.....	4	1	1	1	1	1	1	1	1	1	1	1	1	1
179	Effects of heat.....	1	1	1	1	1	1	1	1	1	1	1	1
180	Lightning.....	3	1	1	1	2	1	1	1	1	1	1	1
181	Electricity (lightning excepted).....	4	1	1	1	2	1	1	1	1	1	1	1
186	Other external violence.....	15	1	1	1	1	1	2	1	5	1	1	1	1	2	1	1	1
	Homicide (total).....	7	1	1	1	1	1	1	1	1	3	1	1
182	By firearms.....	2	1	1	1	1	1	1	1	1	1	1	1
183	By cutting or piercing instruments.....	2	1	1	1	1	1	1	1	1	3	1	1
184	By other means.....	3	1	1	1	1	1	1	1	1	1	1	1
	XIV.—Ill-defined diseases.....	6	4	1	1	1	1	1	1	1	1	1	1	1
189	Not specified or ill-defined (total).....	6	4	1	1	1	1	1	1	1	1	1	1	1
	Ill-defined.....	1	4	1	1	1	1	1	1	1	1	1	1	1
	Not specified or unknown.....	5	4	1	1	1	1	1	1	1	1	1	1	1

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

417

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
VIRGINIA (TOTAL).																		
1 All causes.....	41,272	6,491	1,877	987	586	402	1,231	3,134	5,450	4,636	3,365	3,268	3,841	3,723	1,799	337	62	83
I.—General diseases.....	16,665	1,357	884	528	363	263	.774	1,948	3,364	2,634	1,549	1,020	985	689	241	25	4	37
1 Typhoid fever.....	402	1	3	1	8	9	33	115	118	49	28	18	14	4	1			
2 Typhus fever.....	1										1							
4 Malaria.....	81	4	2	6	3	4	7	7	10	9	8	7	11	3				
5 Smallpox.....	4								1	1			1					
6 Measles.....	277	66	55	22	17	6	24	30	17	14	10	6	6	4				
7 Scarlet fever.....	23		1	4	3	1	5	4	3	1	1							
8 Whooping cough.....	719	328	169	76	41	27	58	11	5	2	1							1
9 Diphtheria and croup.....	216	46	35	36	19	12	33	23	3	3	2	1	1					2
10 Influenza.....	7,339	571	443	301	235	164	472	1,125	1,909	1,462	521	242	173	123	72	5	2	19
13 Cholera nostras.....	13	2	2	2				1	1		1		2					
14 Dysentery.....	371	91	76	29	5	8	15	13	10	9	21	18	21	27	24	3		1
15 Erysipelas.....	59	16	2		1	1		1	4	1	5	6	7	9	6			
19 Other epidemic diseases.....	15	3	3				1	3	3	1			1					
20 Purulent infection and septicemia.....	57	6	2	1			3	7	5	10	5	3	8	4	2	1		
21 Glanders.....	1							1										
23 Rabies.....	4							2		2								
24 Tetanus.....	48	11	1	1	1		7	9	4	5	5	1	2	1				
25 Mycoses.....	4								1	1			2					
26 Pellagra.....	327	2			1		1	11	35	82	66	49	52	23	4			1
Tuberculosis (total).....	4,093	90	63	35	15	24	85	526	1,122	797	547	325	258	155	40	4		7
28 Tuberculosis of the lungs.....	3,594	47	37	17	6	10	47	450	1,025	737	507	297	228	140	37	3		6
29 Acute miliary tuberculosis.....	134	4	1	2	2	2	3	35	41	26	9	6	3					
30 Tuberculous meningitis.....	126	30	21	13	4	7	18	10	11	7	3	1	1					
31 Abdominal tuberculosis.....	146	4	1	1		4	11	19	25	19	16	14	18	11	3			
32 Pott's disease.....	21	1		1			1	2	6	1	2	3	2	3	1			
33 White swellings.....	10								3	2	2	1	1	1				
34 Tuberculosis of other organs.....	50	3	1		2	1	4	10	9	3	6	3	4	2		1		1
35 Disseminated tuberculosis.....	12	1	2	1	1		1		2	2	1	1						
36 Rickets.....	31	13	8	7	2		1		2	3	28	23	21	7	3			
37 Syphilis.....	265	68	9	3	4		5	10	39	43								2
38 Gonococcus infection.....	9						1		2	3								
Cancer and other malignant tumors (total).....	1,223	1	1		4	2	3	12	23	91	215	236	294	280	66	11	1	3
39 Of the buccal cavity.....	43							1	1	6	10	4	16	4				
40 Of the stomach, liver.....	392	1			3			3	4	17	47	75	107	120	12	3		
41 Of the peritoneum, intestines, rectum.....	106							2	1	7	17	22	35	19	1	1		
42 Of the female genital organs.....	270							1	6	33	85	62	49	22	6			
43 Of the breast.....	148							1	18	35	27	36	19	8	3	1		
44 Of the skin.....	57							2	1	2	3	10	21	17	1			
45 Of other organs or of organs not specified.....	207	1			1	2	3	6	8	9	23	37	53	43	18	3		
46 Other tumors (tumors of the female genital organs excepted).....	11					1				3	2	2	1	1	1			
47 Acute articular rheumatism.....	118	3	1				5	17	13	7	11	19	20	13	7		1	1
48 Chronic rheumatism and gout.....	33								1	3	5	11	9	4				
49 Scurvy.....	2	1																
50 Diabetes.....	190	1		1	1	5	8	14	16	28	26	49	31	9	1			
51 Exophthalmic goiter.....	37						2	3	7	12	11	1	1					
52 Addison's disease.....	8	1			1				1	1	2	1	1					
53 Leukemia.....	37		1		1	1	2	5	7	6	4	3	2	2				
54 Anemia, chlorosis.....	69	7		1	1	2	1	2	3	3	8	11	12	15	5			
55 Other general diseases.....	56	26	5	3		1	2	2	4		2	2	2	5	4			
56 Alcoholism (acute or chronic).....	19								3	3	7	2	2	2				
57 Chronic lead poisoning.....	1										1		1					
59 Other chronic poisonings.....	2																	
II.—Diseases of the nervous system and of the organs of special sense.....	3,375	213	56	54	25	18	57	117	126	163	318	526	672	700	282	37	7	4
60 Encephalitis.....	34	6	6	2			1	6	3	4	3	2	1					
61 Meningitis (total).....	281	61	18	28	14	15	33	46	30	13	13	6	3	1				
62 Simple meningitis.....	100	27	8	15	8	7	12	9	4	2	3	3	2					
63 Cerebrospinal meningitis (undefined).....	99	20	7	11	4	2	16	16	13	5	3	1		1				
64 Cerebral hemorrhage, apoplexy.....	82	14	3	2	2	6	5	21	13	7	2	1						
65 Cerebral softening.....	32							1	2	3	6	3	7	9	1			
66 Locomotor ataxia.....	119	5	8	8	5		6	5	6	3	15	11	19	22	5	1		
67 Other diseases of the spinal cord (total).....	31	5	7	7	3		4	3	1	1	11	19	22	5	1			
68 Acute anterior poliomyelitis.....	88	1	1	2			2	2	6	2	14	11	19	22	5	1		
69 Other diseases of the spinal cord.....	1,790	3	2	3		3	14	31	64	178	354	480	447	179	25	5	2	
70 Convulsions (nonpuerperal).....	52							2	4	13	33	81	118	164	73	6	2	1
71 Convulsions of infants.....	505	5	1	2					2	17	27	22	3	19	4	1		
72 Chorea.....	138	105	21	10	2			1	1	1	1	1	1	1				
73 Neuralgia and neuritis.....	16							1	1	4	1	5	3	1				
74 Other diseases of the nervous system.....	100	10	2	2			6	14	10	10	7	15	14	6	2	1		
75 Diseases of the eyes and their annexa.....	3	1					1	1	3	1		3	2	2	1			
76 Diseases of the ears.....	22	6																

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

CAUSES OF DEATH, BY AGE.

419

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
VIRGINIA (TOTAL)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue.....	88	11	2	—	3	—	2	1	5	2	6	9	14	14	11	6	2
142	Gangrene.....	44	—	—	—	2	—	—	4	1	3	2	10	10	7	4	1	—
143	Furuncle.....	10	1	—	—	—	—	1	—	1	2	3	1	—	2	—	—	—
144	Acute abscess.....	9	1	1	—	1	—	1	1	1	1	1	1	—	—	—	—	—
145	Other diseases of the skin and annexa.....	25	9	1	—	—	—	1	—	—	—	3	2	4	2	2	1	—
	IX.—Diseases of the bones and of the organs of locomotion.....	44	3	—	2	1	1	3	5	9	4	2	7	4	3	—	—	—
146	Diseases of the bones (tuberculosis excepted).....	35	1	—	1	1	1	3	3	9	4	2	7	2	1	—	—	—
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	5	1	—	—	—	—	—	1	—	—	—	2	1	—	—	—	—
149	Other diseases of the organs of locomotion.....	4	1	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—
	X.—Malformations.....	275	256	4	6	1	—	3	3	1	—	1	—	—	—	—	—	—
150	Congenital malformations (stillbirths not included) (total).....	275	256	4	6	1	—	3	3	1	—	1	—	—	—	—	—	—
	Hydrocephalus.....	27	20	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	Congenital malformations of the heart.....	148	141	—	1	1	—	3	2	—	—	—	—	—	—	—	—	—
	Other congenital malformations.....	100	95	2	2	—	—	—	1	—	—	—	—	—	—	—	—	—
	XI.—Early infancy.....	2,018	2,018	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
151	Congenital debility, icterus, and scoloma (total).....	1,719	1,719	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Premature birth.....	1,182	1,182	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Congenital debility, "atrophy," "marasmus," etc.....	537	537	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
152	Other causes peculiar to early infancy (total).....	290	290	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Injuries at birth.....	157	157	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
153	Other causes peculiar to early infancy ¹	133	133	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Lack of care.....	9	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	XII.—Old age.....	606	—	—	—	—	—	—	—	—	—	—	8	29	150	279	111	28
154	Senility.....	606	—	—	—	—	—	—	—	—	—	—	8	29	150	279	111	28
	XIII.—External causes.....	1,994	85	49	58	46	33	103	285	353	296	207	155	117	108	73	16	1
	Suicide (total).....	163	—	—	—	—	—	—	8	40	25	36	22	19	11	—	—	2
	By poison.....	27	—	—	—	—	—	—	5	7	5	6	1	1	2	—	—	—
	By asphyxia.....	5	—	—	—	—	—	—	1	—	—	2	2	—	4	—	—	—
	By hanging or strangulation.....	16	—	—	—	—	—	—	1	—	1	6	2	2	1	—	1	—
	By drowning.....	10	—	—	—	—	—	—	2	1	2	1	2	1	2	1	—	1
	By firearms.....	90	—	—	—	—	—	3	27	16	14	14	14	2	—	—	—	1
	By cutting or piercing instruments.....	12	—	—	—	—	—	2	1	5	1	5	1	2	—	—	—	1
	By jumping from high places.....	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	By crushing.....	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	Accidental or undefined (total).....	1,579	83	49	58	46	33	103	240	225	201	135	120	92	97	73	16	1
164	Poisoning by food.....	20	3	1	1	1	2	4	1	2	1	2	2	1	2	1	—	—
165	Other acute poisonings.....	43	4	7	3	2	1	—	2	3	9	8	2	1	1	3	1	—
166	Conflagration.....	33	7	—	3	3	1	2	3	4	3	3	2	1	3	1	—	—
167	Burns (conflagration excepted).....	225	6	18	40	31	12	37	17	10	14	6	9	6	8	9	1	—
168	Absorption of deleterious gases (conflagration excepted).....	51	30	1	—	—	—	—	6	3	3	2	2	3	2	2	1	—
169	Accidental drowning.....	136	6	2	2	—	7	40	37	22	7	6	6	2	2	1	—	1
170	Traumatism by firearms.....	103	2	2	—	3	10	50	15	10	5	4	2	2	2	1	—	—
171	Traumatism by cutting or piercing instruments.....	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
172	Traumatism by fall.....	215	7	3	1	4	6	12	5	16	15	7	13	26	45	43	11	1
173	Traumatism in mines and quarries (total).....	62	—	—	—	—	—	—	9	13	17	14	6	2	—	—	—	1
	Traumatism in mines.....	58	—	—	—	—	—	—	9	12	16	13	5	2	—	—	—	1
174	Traumatism by machines.....	4	—	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—
175	Traumatism by other crushing (total).....	53	—	—	—	—	—	—	14	14	6	7	4	1	—	—	2	—
	Railroad accidents and injuries.....	382	2	5	2	6	23	59	74	70	46	43	27	17	6	—	—	—
	Street-car accidents and injuries.....	190	—	—	—	—	3	23	47	47	25	25	12	6	2	1	—	—
	Automobile accidents and injuries.....	32	—	—	—	1	2	4	4	3	3	5	5	2	1	—	—	1
	Injuries by other vehicles.....	98	1	3	1	5	13	20	14	15	9	7	5	3	2	—	—	—
	Landslide, other crushing.....	48	1	—	1	—	5	10	4	3	7	5	5	6	1	—	—	1
	Injuries by animals.....	14	—	—	—	—	—	2	5	2	2	1	1	3	3	—	—	—
177	Starvation.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
178	Excessive cold.....	22	—	—	—	—	—	—	2	1	2	4	3	5	4	4	1	—
179	Effects of heat.....	62	15	1	—	—	—	2	5	7	3	2	5	5	4	4	1	—
180	Lightning.....	22	—	—	—	—	—	—	7	5	2	—	—	1	—	—	—	—
181	Electricity (lightning excepted).....	14	—	—	—	—	—	—	1	—	1	1	1	1	1	1	1	—
185	Fractures (cause not specified).....	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
186	Other external violence.....	104	10	8	1	2	3	6	16	18	12	12	8	3	3	1	1	1
182	Homicide (total).....	252	2	—	—	—	—	—	37	88	70	36	13	6	—	—	—	—
183	By firearms.....	212	—	—	—	—	—	—	29	80	61	26	11	5	—	—	—	—
184	By cutting or piercing instruments.....	15	1	—	—	—	—	4	4	4	1	1	1	—	—	—	—	—
	By other means.....	25	1	—	—	—	—	4	4	5	9	1	1	—	—	—	—	—
	XIV.—Ill-defined diseases.....	1,403	680	95	33	16	4	25	26	35	38	60	88	106	115	57	18	2
187	Ill-defined organic disease.....	78	22	1	—	1	1	3	—	2	10	9	20	18	11	1	—	—
188	Sudden death.....	83	22	1	—	1	1	4	2	3	7	13	12	11	10	1	—	—
189	Not specified or ill-defined (total).....	1,237	658	94	31	15	3	23	19	33	33	43	66	74	56	16	2	5
	Ill-defined.....	460	122	67	12	6	1	10	11	22	19	27	44	44	54	13	6	2
	Not specified or unknown.....	777	536	27	19	9	2	13	8	11	14	16	22	30	32	23	10	2

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
VIRGINIA (WHITE).																			
	All causes.....	24,687	3,743	1,056	581	341	236	704	1,634	3,173	2,688	1,840	1,805	2,556	2,794	1,815	175	3	43
	I.—General diseases.....	10,274	757	538	328	220	158	456	1,014	2,025	1,682	944	667	707	553	188	19	18
1	Typhoid fever.....	246	1	1	1	3	7	10	67	75	31	22	12	13	3
2	Typhus fever.....	1	1
4	Malaria.....	29	3	1	3	1	3	4	5	1	5	3
5	Smallpox.....	1	1
6	Measles.....	225	46	44	19	14	6	23	21	14	14	9	6	5	4
7	Scarlet fever.....	21	1	3	3	5	4	3	1	1	1
8	Whooping cough.....	338	165	75	33	17	9	29	5	4	1	2
9	Diphtheria and croup.....	168	30	29	31	16	9	28	15	3	2	2	1	5	6	2
10	Influenza.....	5,282	332	286	194	148	108	295	702	1,394	1,051	337	161	119	88	53	4	10
13	Cholera nostras.....	10	1	2	2	1	1	2	1	1	1	1	1	1	1
14	Dysentery.....	250	46	55	19	4	7	12	8	7	5	12	14	14	22	21	3	1
18	Erysipelas.....	50	13	2	1	1	2	1	5	6	5	8	6
19	Other epidemic diseases.....	9	2	1	1	2	2	1	1	1	1	1	1	1	1
20	Purulent infection and septicemia.....	39	5	2	1	1	5	3	5	5	1	7	2	1	1	1	1
23	Rabies.....	2	1	1
24	Tetanus.....	23	5	1	1	3	4	2	2	3	2
25	Mycoses.....	3	1	2
26	Fellagra.....	179	1	1	4	14	37	35	32	33	20	2
	Tuberculosis (total).....	1,960	45	27	16	4	7	28	135	442	427	297	192	188	118	30	1	3
28	Tuberculosis of the lungs.....	1,726	16	11	4	2	2	9	114	414	401	276	177	162	108	27	3
29	Acute miliary tuberculosis.....	39	1	1	2	7	12	9	3	2	2
30	Tuberculous meningitis.....	31	22	13	8	2	3	12	7	5	5	2	1	1	1	1	1	1	1
31	Abdominal tuberculosis.....	67	2	1	2	4	4	5	7	8	7	16	8	3
32	Pott's disease.....	13	1	1	1	2	2	2	1	2	3	1	1	1	1	1
33	White swellings.....	6	2	2	1	1	1	1	1	1	1	1	1	1
34	Tuberculosis of other organs.....	22	2	1	3	2	1	1	2	1	3	1	1	1	1	1
35	Disseminated tuberculosis.....	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Rickets.....	8	4	4	8	13	9	8	8	8	3	3
37	Syphilis.....	92	35	1	2	2	2	2	2	2	1	1	1	1	1	1
38	Gonococcus infection.....	5
	Cancer and other malignant tumors (total).....	903	1	1	2	1	3	9	14	50	142	168	221	221	58	10	2
39	Of the buccal cavity.....	34	1	1	2	6	4	15	4	10	3	1	1	1
40	Of the stomach, liver.....	302	1	2	3	3	11	33	51	83	102	10	3
41	Of the peritoneum, intestines, rectum.....	89	2	5	13	19	30	18	1	1	1	1	1
42	Of the female genital organs.....	150	1	2	16	51	38	22	15	4	1	1	1	1	1
43	Of the breast.....	108	2	1	11	24	21	28	14	8	2	2	2	2
44	Of the skin.....	51	1	2	1	1	2	3	7	19	16	1	1	1	1
45	Of other organs or of organs not specified.....	169	1	1	3	3	6	5	17	30	47	38	15	3
46	Other tumors (tumors of the female genital organs excepted).....	8	1	2	2	1	1	1	1	1	1	1	1	1
47	Acute articular rheumatism.....	57	1	4	12	4	1	3	13	7	9	3	2	1	1	1	1
48	Chronic rheumatism and gout.....	25	1	4	7	12	15	17	18	41	28	7	8	2	2	2	2
50	Diabetes.....	151	1	1	4	7	1	1	7	9	10	1	1	1	1	1	1	1
51	Exophthalmic goiter.....	30	1	1	1	1	1	1	1	1	1	1	1	1	1	1
52	Addison's disease.....	7	1	1	4	7	6	3	4	3	1	1	1	1	1	1	1
53	Leukemia.....	31	1	1	4	7	6	3	4	3	1	2	1	1	1	1	1
54	Anemia, chlorosis.....	56	5	1	1	1	1	1	1	4	10	11	15	5	5	5	5	5
55	Other general diseases.....	47	19	5	3	1	2	2	4	2	2	2	2	2	3	4	4	4
56	Alcoholism (acute or chronic).....	17	2	2	7	2	2	2	2	2	2	2	2	2	2
59	Other chronic poisonings.....	1	1	1	1	1	1	1
	II.—Diseases of the nervous system and of the organs of special sense.....	2,061	112	31	33	18	16	44	76	65	78	149	254	412	530	218	24	1
60	Encephalitis.....	17	3	3	1	1	1	3	1	3	1	1	2	2	1	1	1	1
61	Menigitis (total).....	213	51	14	20	11	14	23	33	19	10	11	4	3	2	1	1	1	1
	Simple menigitis.....	75	23	6	9	6	7	8	7	1	2	2	3	3	1	1	1	1	1
	Cerebrospinal meningitis (undefined).....	76	16	6	9	3	1	12	11	9	5	3	1	1	1	1	1	1	1
	Cerebral poliomyelitis.....	62	12	2	2	6	3	15	9	3	6	1	1	1	1	1	1	1	1
62	Locomotor ataxia.....	21	4	3	6	5	4	1	10	7	12	21	3	1	1	1	1
63	Other diseases of the spinal cord (total).....	84	3	5	4	2	8	5	4	1	9	7	12	21	3	1	1	1
	Acute anterior poliomyelitis.....	22	3	5	4	2	4	3	2	1	1	1	1	1	1	1	1	1
	Other diseases of the spinal cord.....	62	1	2	2	4	1	9	7	12	21	3	1	1	1	1
64	Cerebral hemorrhage, apoplexy.....	1,090	3	1	3	2	7	13	18	72	167	295	346	146	17	1	1	1
65	Softening of the brain.....	33	1	2	5	11	33	65	111	50	5	5	1	1	1
66	Paralysis without specified cause.....	287	1	1	1	1	2	5	11	33	65	111	50	5	5	1	1
67	General paralysis of the insane.....	62	1	12	18	12	3	15	2	1	1	1	1	1
68	Other forms of mental alienation.....	24	1	3	5	4	5	4	4	1	1	1	1	1
69	Epilepsy.....	74	2	2	5	12	12	18	5	8	4	3	2	1	1	1	1
70	Convulsions (nonpuerperal).....	4	2	1	1	1	1	1	1	1	1
71	Convulsions of infants.....	49	37	7	4	1	1	1	1	1	1	1
73	Neuralgia and neuritis.....	10	6	11	7	5	6	8	12	6	2	2	1	1	1	1
74	Other diseases of the nervous system.....	72	6	1	2	1	3	1	3	2	2	2	2	1	1	1	1
75	Diseases of the eyes and their annexa.....	1	1	1	3	1	1	3	2	2	2	2	1	1	1	1	1
76	Diseases of the ears.....	20	5	1	3	1	1	3	2	2	2	2	1	1	1	1	1

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

421

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No. Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.
VIRGINIA (WHITE)—Continued.																		
	III.—Diseases of the circulatory system.....	2,188	15	6	4	2	1	23	55	81	106	157	288	519	636	269	23	3
77	Pericarditis.....	8				2			2	6	5	4	1		2	3		
78	Acute endocarditis.....	40							19	48	73	88	132	237	437	542	201	19
79	Organic diseases of the heart.....	1,818	11	6	1	2	1			1	5	7	16	33	26	9	1	2
80	Angina pectoris.....	98																
81	Diseases of the arteries, atherosclerosis, aneurism, etc.....	168								2		7	13	33	57	53	2	1
82	Embolism and thrombosis.....	38									1	7	10	11	6	3		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	6									3		1	1				
84	Diseases of the lymphatic system (lymphangitis, etc.).....	6																
85	Hemorrhage; other diseases of the circulatory system.....	6	3		1			2						2				
	IV.—Diseases of the respiratory system.....	2,485	344	134	66	28	17	51	203	455	343	150	135	196	216	124	17	1
86	Diseases of the nasal fossae.....	11	6	2	2					1			1		1	2	1	
87	Diseases of the larynx.....	15	2	1	2					2	2		1		1	1		
88	Diseases of the thyroid body.....	10	2							1	3	2			4	6	1	
89	Acute bronchitis.....	56	27	8	1					1	3	2		1	2	32	22	3
90	Chronic bronchitis.....	77	4	2	1					1	11	22	20	6	11	10	37	1
91	Bronchopneumonia.....	429	171	71	19	8	1	5	11					26	27	26	4	1
92	Pneumonia (total).....	1,762	127	46	41	16	15	43	174	419	304	129	110	135	135	56	7	5
	Lobar pneumonia.....	1,372	56	24	23	9	11	30	151	379	263	112	78	101	98	29	4	1
	Pneumonia (undefined).....	390	71	22	18	7	4	13	23	40	41	17	32	34	37	27	3	
93	Pleurisy.....	34	1	2			1		1	6	3	4	3	3	2	1	1	
94	Pulmonary congestion, pulmonary apoplexy.....	32	3				1	1		2	3	2	4	2	6	7	1	
95	Gangrene of the lung.....	6			1				1	2	1	1						
96	Asthma.....	27		1						2	4		4	9	4	3		
97	Pulmonary emphysema.....	1													1			
98	Other diseases of the respiratory system (tuberculosis excepted).....	25	1	1	1			1	2	2	4	5		5	1	2		
	V.—Diseases of the digestive system.....	1,746	597	264	38	36	17	49	55	57	68	107	99	134	111	57	5	2
99	Diseases of the mouth and annexa.....	13	5						1	1	2	1			1			
100	Diseases of the pharynx.....	32	2			1	4	5	3	2	2	1		2	1	2	2	
101	Diseases of the esophagus.....	2						1		1	2	3	8	5	4	3	2	
102	Ulcer of the stomach.....	29																
103	Other diseases of the stomach (cancer excepted).....	160	49	12	7	3	1	4	4	6	7	10	9	14	21	12	1	
104	Diarrhea and enteritis (under 2 years).....	760	525	244	75	21	10	17	7	6	8	11	18	29	19	22	2	2
105	Diarrhea and enteritis (2 years and over).....	242													1			
106	Ankylostomiasis.....	3																
107	Intestinal parasites.....	10	3	1	3	1	2											
108	Appendicitis and typhlitis.....	107			1	1	1	10	25	19	19	13	7	7	4			
109	Hernia, intestinal obstruction (total).....	129	10	2	4	4		3	6	9	5	16	14	24	23	8	1	
	Hernia.....	38	1								2	1	5	6	8	11	3	1
	Intestinal obstruction.....	91	9	2	4	4		3	6	7	4	11	8	16	12	5		
110	Other diseases of the intestines.....	28	3					1	1		5	4	4	4	3	3		
111	Acute yellow atrophy of the liver.....	8							1	1	2		2			2		
113	Cirrhosis of the liver.....	77		1					1	3	4	12	13	28	15	4	1	
114	Biliary calculi.....	41								2	2	9	10	11	7			
115	Other diseases of the liver.....	54	3			2		1	1	2	13	12	10	6	3			
116	Diseases of the spleen.....	1												1				
117	Simple peritonitis (nonpuerperal).....	30							4	3	5	7	2	4	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	11									2			4	2	2	1	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	1,633	9	10	7	2	4	6	16	44	84	129	209	423	486	180	20	4
119	Acute nephritis.....	97	3	2	2	2	1	4	4	9	11	16	10	13	12	8		4
120	Bright's disease.....	1,334	3	3	1		3	2	10	22	60	97	178	366	416	152	17	
122	Other diseases of the kidneys and annexa.....	58	3	4	4				2		3	5	11	10	12	4		
123	Calculi of the urinary passages.....	10								1	1	2	3	1	1	1	1	
124	Diseases of the bladder.....	29		1										6	15	5	2	
125	Diseases of the urethra, urinary abscess, etc.....	5								1	1	1	1	1	1	1		
126	Diseases of the prostate.....	58																
127	Nonvenereal diseases of the male genital organs.....	3								1	1		1					
128	Uterine hemorrhage (nonpuerperal).....	2										1						
129	Uterine tumor (noncancerous).....	5										1	1	1	3			
130	Other diseases of the uterus.....	12									4	2	3	1	1	2		
131	Cysts and other tumors of the ovary.....	8									1		1	3	2			
132	Salpingitis and other diseases of the female genital organs.....	12									5	5	1	1				
	VII.—The puerperal state.....	419							46	217	130	25	1					
134	Accidents of pregnancy.....	116								11	73	26	6					
135	Puerperal hemorrhage.....	23								2	10	8	3					
136	Other accidents of labor.....	86								8	48	26	4					
137	Puerperal septicemia.....	90								7	42	34	6	1				
138	Puerperal albuminuria and convulsions.....	95								18	40	34	3					
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	8									3	2	3					
140	Following childbirth (not otherwise defined).....	1									1							

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No. Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
VIRGINIA (WHITE)—Continued.																			
	VIII.—Diseases of the skin and of the cellular tissue.....	47	5	1		2		1		3	1	4	5	6	8	9	2		
142	Gangrene.....	20				2			2	1	1		3	5	5	1			
143	Furuncle.....	9						1			2	3	1		2				
144	Acute abscess.....	5		1					1		1	1	1						
145	Other diseases of the skin and annexa.....	13	5									1	1	3	2	.1			
	IX.—Diseases of the bones and of the organs of locomotion.....	26	2					1	1	3	7	4	1	4	2	1			
146	Diseases of the bones (tuberculosis excepted).....	21						1	1	2	7	4	1	4	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	4	1							1					1	1			
149	Other diseases of the organs of locomotion.....	1																	
	X.—Malformations.....	222	212	3	2	1		1	1	1			1						
150	Congenital malformations (stillbirths not included) (total).....	222	212	3	2	1		1	1	1			1						
	Hydrocephalus.....	18	14	1	1														
	Congenital malformations of the heart.....	123	120			1	1		1										
	Other congenital malformations.....	81	78	2							1								
	XI.—Early infancy.....	1,311	1,311																
151	Congenital debility, icterus, and sclerema (total).....	1,108	1,108																
	Premature birth.....	843	843																
	Congenital debility, "atrophy," "marasmus," etc.....	265	265																
152	Other causes peculiar to early infancy (total).....	199	199																
	Injuries at birth.....	124	124																
153	Other causes peculiar to early infancy ¹	75	75																
	Lack of care.....	4	4																
	XII.—Old age.....	333													2	10	93	178	49
154	Senility.....	333													2	10	93	178	49
	XIII.—External causes.....	1,255	43	32	44	27	21	62	155	205	177	148	105	83	79	56	10	1	7
	Suicide (total).....	146								8	34	21	33	22	16	10			2
155	By poison.....	27							5	7	5	6	1	1	2				
156	By asphyxia.....	5								1		2	2						
157	By hanging or strangulation.....	14							1	1	5	2	1	4					
158	By drowning.....	8							1	1	2	1	1	1	1				1
159	By firearms.....	78							3	22	12	13	14	13	1				
160	By cutting or piercing instruments.....	11							2	1	4	1	2						1
161	By jumping from high places.....	1								1									
162	By crushing.....	2																	
	Accidental or undefined (total).....	1,012	41	32	44	27	21	62	139	142	132	93	74	64	69	56	10	1	5
164	Poisoning by food.....	14	3	1	1			2	3	1				2	1				
165	Other acute poisonings.....	28	3	7	2	1			2	2	3	5	1	1					
166	Conflagration.....	12	1		3	2			1	2		2							
167	Burns (conflagration excepted).....	128	2	10	32	17	9	15	9	5	7	5	5	3	2	5	1	1	
168	Absorption of deleterious gases (conflagration excepted).....	31	16	1					3	2	2	2	2	2	2				1
169	Accidental drowning.....	84	5	1	1			5	24	22	12	6	6	2	1	1		2	
170	Traumatism by firearms.....	53		1	2			1	6	20	6	8	3	4	2				
171	Traumatism by cutting or piercing instruments.....	3																	
172	Traumatism by fall.....	169	5			2	4	10	4	10	11	5	1	6	20	43	41	8	
173	Traumatism in mines and quarries (total).....	46								6	10	16	9	3	2				
	Traumatism in mines.....	45								6	9	16	9	3	2				
	Traumatism in quarries.....	1									1								
174	Traumatism by machines.....	29								7	6	3	5	5	3				
175	Traumatism by other crushing (total).....	277		1	3	2	5	18	40	53	52	35	32	20	11	3		2	
	Railroad accidents and injuries.....	148							3	18	34	38	19	21	11	4			
	Street-car accidents and injuries.....	24							1	1	3	2	3	4	5	1	1		1
	Automobile accidents and injuries.....	74		1	2	1	4	12	14	10	11	8	5	2	2	2			
	Injuries by other vehicles.....	25						2	6	3	1	5	1	2	4				
	Landslide, other crushing.....	6							1	3									1
176	Injuries by animals.....	13							6	1									
177	Excessive cold.....	1																	
178	Effects of heat.....	28	4	1							3	6	4	3	4	2	1		
179	Lightning.....	18							1	5	6	2	1	2	1				
180	Electricity (lightning excepted).....	10								5	3	2							
181	Fractures (cause not specified).....	4	1																
182	Other external violence.....	64	6	5		2	2	5	8	13	8	7	5	2	1				
	Homicide (total).....	97	2							8	29	24	22	9	3				
183	By firearms.....	80								6	25	18	19	9	3				
184	By cutting or piercing instruments.....	6	1							1	2	2							
	By other means.....	11	1							1	2	4	3						
	XIV.—Ill-defined diseases.....	687	336	37	9	5	1	10	10	13	15	25	36	64	81	36	6		3
187	III-defined organic disease.....	39								1			3	4	10	14	7		
188	Sudden death.....	52	12							2		1	5	7	9	7	1		
189	Not specified or ill-defined (total).....	596	324	37	9	5	1	10	7	13	14	17	25	46	58	22	5		3
	III-defined.....	231	66	22	2	2			5	4	10	10	10	18	30	39	9	3	
	Not specified or unknown.....	365	258	15	7	3	1	5	3	3	4	7	7	16	19	13	2	2	2

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

423

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
VIRGINIA (COLORED).																			
	All causes.....	16,585	2,748	821	406	245	166	527	1,500	2,277	1,948	1,525	1,463	1,285	929	484	162	59	40
	I.—General diseases.....	6,391	600	346	200	143	105	318	934	1,339	952	605	353	278	136	53	6	4	19
1	Typhoid fever.....	156	2	5	2	2	23	48	43	18	6	6	1	1	1				
4	Malaria.....	52	4	2	3	2	4	4	6	5	3	6	1	1					
5	Smallpox.....	3						1		1									
6	Measles.....	52	20	11	3	3		1	9	3		1							
7	Scarlet fever.....	2				1													
8	Whooping cough.....	381	163	94	43	24	18	29	6	1	1		1						1
9	Diphtheria and croup.....	48	16	6	5	3	3	5	8										9
10	Influenza.....	2,557	239	157	107	87	56	177	423	515	411	184	81	54	35	19	1	2	
13	Cholera nostras.....	3	1							1									
14	Dysentery.....	121	45	21	10	1	1	3	5	3	4	9	4	7	5	3			
18	Erysipelas.....	9	3					1		2									
19	Other epidemic diseases.....	6	1	2					2	2	2		2	1	2	1			
20	Purulent infection and septicemia.....	18								1									
21	Glanders.....	1								1									
23	Rabies.....	2																	
24	Tetanus.....	25	6	1				4	5	2	3	2	1						
25	Mycoses.....	1																	1
26	Pellagra.....	148	1					1	7	21	45	31	17	19	3	2			3
	Tuberculosis (total).....	2,133	45	36	19	11	17	57	391	680	370	250	133	70	37	10	3		4
28	Tuberculosis of the lungs.....	1,868	31	26	13	4	8	38	336	611	336	231	120	66	32	10	3		3
29	Acute miliary tuberculosis.....	95	3			2	2	3	28	29	17	6	4	1					
30	Tuberculous meningitis.....	45	8	8	5	2	4	6	3	6	2	1							
31	Abdominal tuberculosis.....	79	2	1			2	7	15	20	12	8	7	2	3				
32	Fott's disease.....	8						1	1	4	1	1							
33	White swellings.....	4							8	8	1	2	1	1					1
34	Tuberculosis of other organs.....	28	1		2	1	1												
35	Disseminated tuberculosis.....	6	1	1	1														
36	Rickets.....	23	9	4	7	2		1	5	10	31	30	19	15	13	4			2
37	Syphilis.....	173	33	8	1	2			1	2	1								
38	Gonococcus infection.....	4																	
	Cancer and other malignant tumors (total).....	320				2	1		3	9	41	73	68	73	39	8	1	1	1
39	Of the buccal cavity.....	9										4	4	1					
40	Of the stomach, liver.....	90				1				1	6	14	24	24	18	2			
41	Of the peritoneum, intestines, rectum.....	17								1	2	4	3	5	1			1	
42	Of the female genital organs.....	120							4	22	34	24	27	7	2				
43	Of the breast.....	40							1	7	11	6	8	5	2	1	1		
44	Of the skin.....	6										3	2	1					
45	Of other organs or of organs not specified.....	38				1	1		3	2	4	6	7	6	5	3			
46	Other tumors (tumors of the female genital organs excepted).....	3									1	2							
47	Acute articular rheumatism.....	61	3					1	5	9	6	8	1	13	4	1	2		
48	Chronic rheumatism and gout.....	8		1	1			1	1	2	1	11	8	8	3	2	1		
49	Scurvy.....	2	1																
50	Diabetes.....	39				1		1	1	2		3	1						
51	Exophthalmic goiter.....	7																	
52	Addison's disease.....	1																	
53	Leukemia.....	6		1				1	2			1	2		1				
54	Anemia, chlorosis.....	13	2	1	1		1	1	2			4	1	1	2				
55	Other general diseases.....	9	7									1	1						
56	Alcoholism (acute or chronic).....	2																	
57	Chronic lead poisoning.....	1												1					
59	Other chronic poisonings.....	1																	
	II.—Diseases of the nervous system and of the organs of special sense.....	1,314	101	25	21	7	2	13	41	61	85	169	272	260	170	64	13	7	3
60	Encephalitis.....	17	3	3	1				5		3			1					
61	Meningitis (total).....	68	10	4	8	3	1	10	13	11	3	2	1						
	Simple meningitis.....	25	4	2	6	2		4	2	3									
	Cerebrospinal meningitis (undefined).....	23	4	1	2	1	1	4	5	4									
	Cerebrospinal fever.....	20	2	1				2	6	4	3	1	1						
62	Locomotor ataxia.....	11							1	2	1	2	1	4	7	1	2	1	
63	Other diseases of the spinal cord (total).....	35	2	3	4	2			2	1	5	4	7	1	2	1			
	Acute anterior poliomyelitis.....	9	2	2	3	1			1	2	8	22	48	53	53	23	1	2	
	Other diseases of the spinal cord ¹	26	1	1	1						5	4	6	3	1	1			
64	Cerebral hemorrhage, apoplexy.....	700				1		1	7	18	46	106	187	185	101	33	8	5	2
65	Softening of the brain.....	19										4	4	1	6	4			
66	Paralysis without specified cause.....	218	4		1				1	2	8	22	48	53	53	23	1	2	
67	General paralysis of the insane.....	33									2	5	9	10	1	1			
68	Other forms of mental alienation.....	20									5	4	6	3	1	1			
69	Epilepsy.....	55	9			1		2	1	2	1	6	8	5	3		1		
70	Convulsions (nonpuerperal).....	9																	
71	Convulsions of infants.....	89	68	14	6	1			1										
72	Chorea.....	2																	
73	Neuralgia and neuritis.....	6																	
74	Other diseases of the nervous system.....	28	4	1					3	3	5	1	7	2	2	1	1		1
75	Diseases of the eyes and their annexa.....	2	1					1							2				
76	Diseases of the ears.....	2																	

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.

VIRGINIA (COLORED)—Continued.

CAUSES OF DEATH, BY AGE.

425

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
VIRGINIA (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue.	41	6	1	1	1	1	2	1	2	4	8	6	2	4	2
142	Gangrene.	24	2	2	2	7	5	2	3	1
143	Furuncle.	1	1	1	1	1	1
144	Acute abscess.	4	1	1	1	1	1
145	Other diseases of the skin and annexa.	12	4	1	1	1	1	2	1	1	1	1	1
	IX.—Diseases of the bones and of the organs of locomotion.	18	1	2	1	2	2	2	1	3	2	2
146	Diseases of the bones (tuberculosis excepted).	14	1	1	1	2	1	2	1	3	1	1
147	Diseases of the joints (tuberculosis and rheumatism excepted).	1	1
149	Other diseases of the organs of locomotion.	3	1	1	1
	X.—Malformations.	53	44	1	4	2	2
150	Congenital malformations (stillbirths not included) (total).	53	44	1	4	2	2
	Hydrocephalus.	9	6	1	2	2	2
	Congenital malformations of the heart.	25	21	2	2
	Other congenital malformations.	19	17	2
	XI.—Early infancy.	707	707
151	Congenital debility, icterus, and scle- rema (total).	611	611
	Premature birth.	339	339
	Congenital debility, "atrophy" "marasmus," etc.	272	272
152	Other causes peculiar to early infancy (total).	91	91
	Injuries at birth.	33	33
	Other causes peculiar to early in- fancy.	58	58
153	Lack of care.	5	5	6	19	57	101	62	27
	XII.—Old age.	273	1
154	Senility.	273	6	19	57	101	62	27
	XIII.—External causes.	739	42	17	14	19	12	41	130	148	119	59	50	34	29	17	6	2
	Suicide (total).	17	6	4	3	3	1
157	By hanging or strangulation.	2	1	1	1	1	1	1	1	1	1
158	By drowning.	2	5	4	1	1	1	1	1	1	1	1
159	By firearms.	12	1	1	1	1	1	1	1	1	1
160	By cutting or piercing instruments.	1	1	1	1	1	1	1	1	1	1
	Accidental or undefined (total).	567	42	17	14	19	12	41	101	88	69	42	46	28	28	17	6	2
164	Poisoning by food.	6	1	1	1	1	1	1	2
165	Other acute poisonings.	15	1	1	1	1	1	1	1	6	3	1	1	1	1	1	1
166	Conflagration.	26	6	1	1	1	2	2	2	3	1	1	3	1	2	1	1
167	Burns (conflagration excepted).	97	4	8	8	14	3	22	8	5	7	1	4	3	6	4	4	1
168	Absorption of deleterious gases (con- flagration excepted).	20	14	3	1	1	1	1	1	1	1	1	1	1
169	Accidental drowning.	52	1	1	1	1	2	2	16	15	10	1	4	1	1	1	1	1
170	Traumatism by firearms.	50	1	2	4	30	9	2	2	2	2	2	2	2	2	2	2
171	Traumatism by cutting or piercing instruments.	2	1	2	2	2	1	1	6	4	2	7	6	2	2	3	1
172	Traumatism by fall.	46	2	3	1	2	2	2	1	1	6	4	2	7	6	2	2	1
173	Traumatism in mines and quarries (total).	16	3	3	1	5	3	3	3	3	3	1	1
	Traumatism in mines.	13	3	3	1	4	2	2	2	2	2	2	1
	Traumatism in quarries.	3	1	1	1	1	1	1	1	1	1	1	1
174	Traumatism by machines.	24	1	7	8	3	2	2	1	1	1	1	1	1
175	Traumatism by other crushing (total).	105	1	2	1	5	19	21	18	11	11	11	11	11	11	11	11
	Railroad accidents and injuries.	42	5	5	13	9	6	4	4	1	2	2	2	2
	Street-car accidents and injuries.	8	1	3	1	1	1	1	1	1	1	1	1	1
	Automobile accidents and inju- ries.	24	1	1	1	1	6	4	4	1	2	2	2	3	1	1	1
	Injuries by other vehicles.	23	1	3	1	1	4	1	1	2	2	2	4	3	2	1	1
	Landslide, other crushing.	8	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2
176	Injuries by animals.	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1
177	Starvation.	1	2	1	2	4	3	5	3	1	1	1
178	Excessive cold.	21	2	1	3	5	4	2	4	2	4	2	2
179	Effects of heat.	34	11	1	2	1	1	1	1	1	1	1	1	1	1
180	Lightning.	4	1	1	2	2	2	2	2	2	2	2	2	2	2
181	Electricity (lightning excepted).	4	1	1	2	2	2	2	2	2	2	2	2	2	2
185	Fractures (cause not specified).	1	1	1	8	5	4	5	3	1	2	1	1	1	1
186	Other external violence.	40	4	3	1	1	1	1	8	5	4	5	3	1	2	1	1	1
	Homicide (total).	155	29	59	46	14	4	3	1	1	1	1	1	1
182	By firearms.	132	23	55	43	7	2	2	2	2	2	2	2	2	2
183	By cutting or piercing instruments.	9	3	2	2	1	1	1	1	1	1	1	1	1	1
184	By other means.	14	3	2	1	1	6	1	1	1	1	1	1	1	1	1
	XIV.—Ill-defined diseases.	716	344	58	24	11	3	15	16	22	23	35	52	42	34	21	12	2
187	Ill-defined organic disease.	39	2	1	1	2	2	2	7	5	10	4	4	1	1	1
188	Sudden death.	36	10	1	1	1	1	1	2	2	2	2	6	4	3	2	2	2
189	Not specified or ill-defined (total).	641	334	57	22	10	2	13	12	20	19	26	41	28	28	14	11	2
	Ill-defined.	229	56	45	10	4	1	5	7	12	9	17	26	14	15	4	3	1
	Not specified or unknown.	412	278	12	12	6	1	8	5	8	10	9	15	14	13	10	8	2

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. Last No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
WASHINGTON.																			
1	All causes.....	16,837	1,769	327	172	149	113	435	1,127	2,323	2,433	1,636	1,761	1,917	1,673	815	117	3	67
	I.—General diseases.....	6,288	239	127	76	67	61	214	641	1,327	1,249	715	625	528	314	79	10		16
1	Typhoid fever.....	98			1	1			11	20	22	19	13	8	3				
4	Malaria.....	2										1		1					
5	Smallpox.....	4	1	12	4	7	1	10	13		1		1						
6	Measles.....	60	5	12	4	7	1	10	13	6	1	1							
7	Scarlet fever.....	55	2	3	4	2			18	13	11		2						
8	Whooping cough.....	71	34	18	5	7	1	5				1							
9	Diphtheria and croup.....	83	2	4	6	5	6	30	20	4	3	1	1						
10	Influenza.....	2,926	123	66	40	31	31	78	349	859	807	269	125	72	41	21	3		1
13	Cholera nostras.....	1				1													
14	Dysentery.....	15	3	1		1	1				1		3	1	2	1	1		
18	Erysipelas.....	34	9	1							3		6	5	4	2			
19	Other epidemic diseases.....	8		2					1	2	1	1		1					
20	Purulent infection and septicemia.....	19						1			3	5	4	3	2		1		
23	Rabies.....	1						1							1				
24	Tetanus.....	2							1										
27	Beriberi.....	4	2								1								
	Tuberculosis (total).....	1,341	31	15	11	8	15	39	182	365	292	157	123	69	29	3	1		1
28	Tuberculosis of the lungs.....	1,077	11	4	1	6	6	10	136	324	256	132	104	56	27	2	1		1
29	Acute miliary tuberculosis.....	46		1				2	17	8	8	6	1						
30	Tuberculous meningitis.....	104	16	9	6	2	9	22	20	8	5	2	4	1					
31	Abdominal tuberculosis.....	58	1		1				5	19	10	7	9	5	1				
32	Pott's disease.....	14						2			5	3	1	3					
33	White swellings.....	4							1		1	1							
34	Tuberculosis of other organs.....	31	2		1			2	2	5	5	6	3	1	1				
35	Disseminated tuberculosis.....	7	1	1				1	1	1	2								
36	Rickets.....	4	2	1	1														
37	Syphilis.....	87	10	2	1			1	2	7	14	16	20	9	4				1
38	Gonococcus infection.....	9							1	3	3	1	1						
	Cancer and other malignant tumors (total).....	994	3	1	1	3	3	5	3	13	49	179	238	276	174	41	3		2
39	Of the buccal cavity.....	40									1	5	9	14	9	2			
40	Of the stomach, liver.....	384			1				1	2	11	46	98	134	69	20	1		1
41	Of the peritoneum, intestines, rectum.....	126	1						2	7	22	30	31	28	5				
42	Of the female genital organs.....	147							1	10	55	42	20	17	1				
43	Of the breast.....	93							4	25	29	21	11	3					
44	Of the skin.....	28								5	3	6	8	6					
45	Of other organs or of organs not specified.....	176	2	1		3	3	5	2	8	16	21	27	50	32	4	2		
46	Other tumors (tumors of the female genital organs excepted).....	2								1					1				
47	Acute articular rheumatism.....	38					1	5	9	2		6	6	6	1	1			1
48	Chronic rheumatism and gout.....	12							1	1	2	2	2	4	1	1			
49	Scurvy.....	2		1									1						
50	Diabetes.....	222	1		2	1	1	5	15	13	21	22	48	48	40	4	1		
51	Exophthalmic goiter.....	38				1		3	3	7	11	8	4	1					
52	Addison's disease.....	6							2	1	2		1						
53	Leukemia.....	23	1						3	3	2	5	5	3	1				
54	Anemia, chlorosis.....	70							3	2	7	7	24	16	9	2			
55	Other general diseases.....	24	10				2	3	1	2			3	2	1				
56	Alcoholism (acute or chronic).....	30							1	12	9	3	4		1				
57	Chronic lead poisoning.....	1								1			1						
59	Other chronic poisonings.....	2								1			1						
	II.—Diseases of the nervous system and of the organs of special sense.....	1,399	53	11	6	9	5	14	36	59	85	126	223	290	326	139	13		4
60	Encephalitis.....	7	1						2	1	1	1	1						
61	Meningitis (total).....	82	19	6	3	4	3	6	12	9	10	4	5						
	Simple meningitis.....	40	11	5	1	3	2	3	4	2	2	3	3						
	Cerebrospinal meningitis (undefined).....	21	6						5	3	5	1	1						
	Cerebrospinal fever.....	21	2	1	2	1	1	3	3	4	3	1	1						
62	Locomotor ataxia.....	33							1	1	2	12	14	3					
63	Other diseases of the spinal cord (total).....	58	2	1	1	1		2	1	6	8	8	12	13	3				
	Acute anterior poliomyelitis.....	7		1		1		1	1	6		7	7	12	12	3			
	Other diseases of the spinal cord.....	51	2		1			1			6		7	12	12	3			
64	Cerebral hemorrhage, apoplexy.....	805	5	1	1			2	2	5	13	50	132	226	249	109	9		-1
65	Softening of the brain.....	6									3	4	11	9	33	20	1		
66	Paralysis without specified cause.....	85	1								3	4	11	9	33	20	4		
67	General paralysis of the insane.....	108								3	23	32	29	11	5	3			2
68	Other forms of mental alienation.....	65							1	14	13	10	9	7	9	1			
69	Epilepsy.....	59	2		1	1		2	9	12	9	5	7	4	6	1			
70	Convulsions (nonpuerperal).....	3							1		1			1					
71	Convulsions of infants.....	25	21	3		1													
72	Chorea.....	1									1								
73	Neuralgia and neuritis.....	5													1	3			
74	Other diseases of the nervous system.....	35	2			2	1		2	5	6	7	5	3	2				
76	Diseases of the ears.....	22					1	2	6	2	5	2	3	1		1			

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

427

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
WASHINGTON—Continued.																			
142	VIII.—Diseases of the skin and of the cellular tissue.....	50	3	2	1	1	2	5	3	8	10	14	1	
143	Gangrene.....	25	1	1	2	3	1	3	5	14	1	
144	Furuncle.....	12	1	1	1	2	2	1	1	2	3	1	
145	Acute abscess.....	6	2	1	2	1	1	2	2	2	2	2	
	Other diseases of the skin and annexa.....	7	
	IX.—Diseases of the bones and of the organs of locomotion.....	30	1	1	5	6	3	3	5	4	1	1	1	
146	Diseases of the bones (tuberculosis excepted).....	28	1	1	5	6	2	3	5	3	1	
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	2	1	1	1	1	1	1	
	X.—Malformations.....	204	188	4	3	3	1	1	3	1
150	Congenital malformations (stillbirths not included) (total).....	204	188	4	3	3	1	1	3	1
	Hydrocephalus.....	10	6	2	1	1	1	1
	Congenital malformations of the heart.....	146	136	2	3	2	1	1	1
	Other congenital malformations.....	48	46	1	1	1	1
	XI.—Early infancy.....	745	745
151	Congenital debility, icterus, and sclerema (total).....	600	600
	Premature birth.....	490	490
	Congenital debility, "atrophy," "marasmus," etc.....	110	110
152	Other causes peculiar to early infancy (total).....	145	145
	Injuries at birth.....	84	84
	Other causes peculiar to early infancy.....	61	61
	XII.—Old age.....	217	3	16	63	98	34	2	1
154	Senility.....	217	3	16	63	98	34	2	1
	XIII.—External causes.....	1,431	22	30	21	16	13	66	135	215	278	209	173	132	66	30	6	19
155	Suicide (total).....	176	6	24	41	37	23	31	9	2	3	
	By poison.....	32	2	4	7	8	3	7	1
	By asphyxia.....	2	1	1	1
	By hanging or strangulation.....	27	6	8	6	3	3	3	1
	By drowning.....	16	2	3	3	5	3	3	1
	By firearms.....	72	3	10	16	11	10	15	5	5	1	1	1	1	1	1
	By cutting or piercing instruments.....	20	1	1	7	5	2	2	3	2	1	1	1	1	1	1
	By jumping from high places.....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	By crushing.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Other suicides.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
164	Accidental or undefined (total).....	1,200	21	29	21	16	13	66	124	178	220	161	145	99	57	28	6	16	16
	Poisoning by food.....	21	1	1	3	1	2	2	2	3	2	1	4	1	1	1	1	1	1
	Other acute poisonings.....	22	4	2	1	1	1	2	2	1	4	3	1	1	1	1	1	1	1
	Conflagration.....	17	2	1	1	1	1	6	1	2	1	4	1	1	1	1
	Burns (conflagration excepted).....	72	1	14	5	7	2	10	6	4	6	2	4	7	1	3	1	1	1
	Absorption of deleterious gases (conflagration excepted).....	31	12	2	2	6	5	1	2	2	1	2	1	1	1	1	1
	Accidental drowning.....	136	6	7	5	3	15	22	18	20	11	14	7	3	3	1	1	5	5
	Traumatism by firearms.....	41	1	1	3	18	4	7	5	1	1	2	1	1	1	1	1	5
	Traumatism by cutting or piercing instruments.....	5	1	1	1	2	11	19	25	19	18	20	18	18	4	1	1	1
	Traumatism by fall.....	157	1	1	1	2	11	19	25	19	18	20	18	18	4	1	1	1
	Traumatism in mines and quarries (total).....	35	1	1	9	13	10	2	2	2	2	2	2	2	2	2
	Traumatism in mines.....	35	1	1	9	13	10	2	2	2	2	2	2	2	2	2
	Traumatism by machines.....	79	1	1	17	16	15	12	8	1	1	1	1	1	1	1
	Traumatism by other crushing (total).....	427	2	3	3	1	4	26	43	69	78	67	62	34	23	4	2	6	6
	Railroad accidents and injuries.....	122	1	1	3	1	2	1	13	20	28	24	13	8	8	1	1	4	4
	Street-car accidents and injuries.....	32	1	1	1	1	3	3	3	5	5	3	3	4	4	1	1	1	1
	Automobile accidents and injuries.....	151	2	1	1	1	1	16	19	23	16	17	27	14	9	3	1	1	1
	Injuries by other vehicles.....	46	1	1	2	5	6	5	6	7	6	6	6	6	2	2	2	2
	Landslide, other crushing.....	76	1	1	2	18	23	14	13	13	13	13	13	13	13	13	13	13
	Injuries by animals.....	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Excessive cold.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Effects of heat.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Lightning.....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Electricity (lightning excepted).....	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Fractures (cause not specified).....	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Other external violence.....	124	1	1	2	1	5	6	24	30	16	19	10	10	5	5	5	5	4
	Homicide (total).....	55	1	1	2	1	5	5	13	17	11	5	2	2	2	2	2	2	2
	By firearms.....	43	1	1	1	1	5	9	14	9	4	2	2	2	2	2	2	2
	By cutting or piercing instruments.....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	By other means.....	9	1	1	1	1	1	1	3	2	1	1	1	1	1	1	1	1	1
	XIV.—Ill-defined diseases.....	159	40	7	4	6	1	5	4	12	6	7	15	17	17	8	3	7	7
	III-defined organic disease.....	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Sudden death.....	10	2
	Not specified or ill-defined (total).....	145	38	7	4	6	1	5	4	12	6	5	14	14	14	13	6	3	7
	Ill-defined.....	42	3	3	1	2	1	1	1	3	2	2	5	9	4	1	3	2	2
	Not specified or unknown.....	103	35	4	3	4	1	4	3	9	4	3	9	5	9	5	5	5	2

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

429

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEASED: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
WISCONSIN.																			
	All causes.....	34,992	4,810	987	541	364	326	872	2,024	4,013	4,119	2,712	3,135	3,836	4,105	2,571	415	7	155.
	I.—General diseases.....	13,117	646	425	280	183	188	486	1,174	2,549	2,376	1,233	1,215	1,166	836	285	31	64
1	Typhoid fever.....	97	2	1	1	1	8	23	28	16	12	5	1	1	1	1	1	1	1
5	Smallpox.....	12	2	1	1	1	1	1	1	3	2	1	1	1	1	1	1	1	1
6	Measles.....	165	46	40	19	13	13	14	13	4	2	1	1	1	1	1	1	1	1
7	Scarlet fever.....	201	7	16	24	24	23	57	32	11	4	1	1	1	1	1	1	1	1
8	Whooping cough.....	197	113	42	12	10	5	12	1	1	1	1	1	1	1	1	1	1	2
9	Diphtheria and croup.....	272	10	26	22	26	29	85	46	7	11	4	2	1	1	1	1	1	2
10	Influenza.....	6,250	303	245	146	75	98	219	720	1,739	1,582	466	282	162	134	61	9	29	29
13	Cholera nostras.....	13	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
14	Dysentery.....	41	9	2	2	4	1	2	1	3	2	2	1	1	1	1	1	1	1
18	Erysipelas.....	74	18	1	1	1	1	1	2	8	9	11	8	9	8	1	1	1	1
19	Other epidemic diseases.....	8	3	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1
20	Purulent infection and septicemia.....	41	6	1	1	1	1	2	9	4	9	5	3	1	1	1	1	1	1
23	Rabies.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
24	Tetanus.....	28	3	1	1	1	1	5	8	1	1	4	2	2	1	1	1	1	1
25	Mycoses.....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
26	Pellagra.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Tuberculosis (total).....	2,431	46	30	21	18	11	43	243	646	518	334	286	166	68	10	11	11
28	Tuberculosis of the lungs.....	2,038	14	8	6	4	1	7	195	551	473	292	234	144	57	7	10	10
29	Acute miliary tuberculosis.....	55	1	1	1	1	1	2	9	16	10	7	5	1	1	1	1	1	1
30	Tuberculous meningitis.....	157	20	18	12	12	8	26	19	18	13	6	2	3
31	Abdominal tuberculosis.....	105	5	2	1	1	1	4	12	22	15	17	11	8	5	1	1	1	1
32	Pott's disease.....	28	2	1	1	1	1	1	2	3	1	6	7	4	3	1	1	1	1
33	White swellings.....	11	1	1	1	1	1	1	2	3	2	2	2	1	1	1	1	1	1
34	Tuberculosis of other organs.....	32	2	1	1	1	1	2	2	4	2	5	6	2	1	1	1	1	1
35	Disseminated tuberculosis.....	10	2	1	1	1	1	2	2	2	1	1	1	1	1	1	1	1	1
36	Rickets.....	24	14	7	2	1	1	1	1	7	16	9	15	5	2	1	1	1	1
37	Syphilis.....	93	27	1	4	1	1	1	1	5	1	1	1	1	1	1	1	1	1
38	Gonococcus infection.....	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Cancer and other malignant tumors (total).....	2,102	2	2	1	2	4	5	11	19	102	236	457	609	478	149	14	11	11
39	Of the buccal cavity.....	62	1	1	1	1	1	1	1	1	3	17	17	14	9	1	1	1	1
40	Of the stomach, liver.....	1,015	1	1	1	1	1	1	1	1	27	80	218	333	269	72	7	7	7
41	Of the peritoneum, intestines, rectum.....	271	1	1	1	1	1	1	3	2	19	35	49	79	63	17	1	1	1
42	Of the female genital organs.....	220	1	1	1	1	1	1	5	26	47	61	44	32	5	1	1	1	1
43	Of the breast.....	150	1	1	1	1	1	1	1	11	29	40	34	22	11	2	1	1	1
44	Of the skin.....	48	1	1	1	1	1	1	1	1	3	10	5	11	15	2	1	1	1
45	Of other organs or of organs not specified.....	336	2	2	1	1	4	2	8	10	18	39	62	97	67	20	1	2	2
46	Other tumors (tumors of the female genital organs excepted).....	4	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1
47	Acute articular rheumatism.....	126	1	1	1	2	17	25	12	10	14	11	12	12	8	1	1	1	1
48	Chronic rheumatism and gout.....	49	1	1	1	1	1	1	1	6	5	5	13	9	8	1	1	1	1
49	Scurvy.....	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
50	Diabetes.....	400	1	4	4	1	11	28	24	32	39	67	100	63	24	1	1	1	1
51	Exophthalmic goiter.....	50	1	1	1	1	1	3	10	5	12	13	5	1	1	1	1	1	1
52	Addison's disease.....	17	1	1	1	1	1	1	2	6	4	2	2	2	2	2	2	2	2
53	Leukemia.....	58	2	1	1	1	1	1	4	6	11	3	13	10	4	1	1	1	1
54	Anemia, chlorosis.....	200	2	1	1	1	1	1	2	7	17	27	53	54	27	4	3	3	3
55	Other general diseases.....	45	28	6	2	1	1	2	2	1	2	1	2	1	2	1	1	1	1
56	Alcoholism (acute or chronic).....	98	1	1	1	1	1	1	4	17	34	20	4	10	4	1	1	1	5
57	Chronic lead poisoning.....	3	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1
58	Other chronic occupation poisonings.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
59	Other chronic poisonings.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	II.—Diseases of the nervous system and of the organs of special sense.....	3,288	243	67	41	30	12	72	108	88	182	227	424	623	705	399	53	14	14
60	Encephalitis.....	22	3	1	1	1	1	3	2	4	2	3	2	1	1	1	1	1	1
61	Meningitis (total).....	221	45	23	19	6	4	22	42	14	18	7	11	4	3	2	1	1	1
	Simple meningitis.....	134	31	14	10	3	3	12	18	10	11	6	8	4	1	2	1	1	1
	Cerebrospinal meningitis (undefined).....	52	10	6	5	3	1	6	11	2	6	2	1	1	1	1	1	1	1
	Cerebrospinal fever.....	35	4	3	4	1	4	13	2	1	4	7	13	8	6	1	1	1	1
62	Locomotor ataxia.....	38	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
63	Other diseases of the spinal cord (total).....	204	14	11	10	9	5	24	19	5	13	11	17	35	21	6	3	1	1
	Acute anterior poliomyelitis.....	97	14	11	10	9	5	23	14	5	5	5	1	1	1	1	1	1	1
	Other diseases of the spinal cord ¹	107	1	1	1	1	1	1	5	8	11	16	35	21	6	3	1	1	1
64	Cerebral hemorrhage, apoplexy.....	1,904	6	1	1	1	1	4	14	40	100	287	472	584	346	41	9	9	9
65	Softening of the brain.....	21	1	1	2	1	1	1	2	3	5	21	31	53	26	3	3	3	3
66	Paralysis without specified cause.....	153	5	1	2	1	1	2	2	40	42	24	16	6	1	1	1	1	1
67	General paralysis of the insane.....	131	1	1	1	1	1	1	7	11	18	20	23	6	6	6	6	6	6
68	Other forms of mental alienation.....	93	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1
69	Epilepsy.....	116	4	1	1	5	19	23	24	12	7	9	5	4	4	4	4	4	4
70	Convulsions (nonpuerperal).....	5	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1
71	Convulsions of infants.....	199	161	26	6	5	1	2	1	1	1	1	1	1	1	1	1	1	1
72	Chorea.....	4	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
73	Neuritis and neuritis.....	16	1	1	1	1	1	1	2	2	2	2	5	4	1	1	1	1	1
7																			

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

WISCONSIN—Continued.

CAUSES OF DEATH, BY AGE.

431

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																	Deaths at un- known age
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.		
WISCONSIN—Continued.																				
142	VIII.—Diseases of the skin and of the cellular tissue.....	112	24	2	1		1		1	3	1	4	5	11	27	21	10		1	
143	Gangrene.....	64	2				1					2	2	6	22	20	9			
144	Furuncle.....	12	3	2					1	1	1		1	2	1	1		1		
145	Acute abscess.....	13	3		1					2	1	2	1	2	1					1
	Other diseases of the skin and annexa.....	23	16									1	1	3	1					
	IX.—Diseases of the bones and of the organs of locomotion.....	49	3	1		1		6	6	2	7	4	4	6	8	1				
146	Diseases of the bones (tuberculosis excepted).....	34	2	1		1		5	5	2	7	3	3	3	2					
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	10	1					1				1	1		5	1				
149	Other diseases of the organs of locomotion.....	5							1					3	1					
	X.—Malformations.....	339	317	14	1	1	1	2	2	1										
150	Congenital malformations (stillbirths not included) (total).....	339	317	14	1	1	1	2	2	1										
	Hydrocephalus.....	37	30	4					1	1										
	Congenital malformations of the heart.....	166	159	4	1			1	1											
	Other congenital malformations.....	136	128	6				1	1											
	XI.—Early infancy.....	1,926	1,926																	
151	Congenital debility, icterus, and scle- rema (total).....	1,568	1,568																	
	Premature birth.....	1,266	1,266																	
	Congenital debility, "atrophy," "marasmus," etc.....	302	302																	
152	Other causes peculiar to early infancy (total).....	352	352																	
	Injuries at birth.....	149	149																	
	Other causes peculiar to early infancy.....	203	203																	
153	Lack of care.....	6	6																	
	XII.—Old age.....	750																		
154	Senility.....	750																		
	XIII.—External causes.....	1,827	36	51	48	37	24	78	194	221	280	234	223	178	120	67	17		19	
	Suicide (total).....	321																		3
155	By poison.....	47																		
156	By asphyxia.....	15																		
157	By hanging or strangulation.....	118																		
158	By drowning.....	19																		
159	By firearms.....	87																		
160	By cutting or piercing instruments.....	26																		
161	By jumping from high places.....	5																		
162	By crushing.....	1																		
163	Other suicides.....	3																		
	Accidental or undefined (total).....	1,456	32	51	48	37	24	77	184	171	192	172	151	100	61	17		16		
164	Poisoning by food.....	15	2	2	1			1	1	1	1	4	2	1	1					
165	Other acute poisonings.....	21	2	4	5	1	2	2	1	1	1	1	1	1	1					
166	Conflagration.....	29	1	1	2	2	1	4	1	2	1	2	4	5	2	1		1		
167	Burns (conflagration excepted).....	111	2	18	21	13	8	9	5	7	5	6	7	5	4	4		1		
168	Absorption of deleterious gases (con- flagration excepted).....	57	13					2	6	6	9	4	4	8	3	2		4		
169	Accidental drowning.....	192	1	14	7	5		16	51	24	22	15	14	11	2	2		2		
170	Traumatism by firearms.....	57			1			3	29	6	2	2	5	5	5	5				
171	Traumatism by cutting or piercing instruments.....	5																		
172	Traumatism by fall.....	198	1	5	5	5		3	3	13	22	13	21	19	35	40	12		1	
173	Traumatism in mines and quarries (total).....	5																		
	Traumatism in mines.....	5																		
174	Traumatism by machines.....	69		1	1	1	1	3	7	12	11	15	11	5	9	1		8		
175	Traumatism by other crushing (total).....	475	3	5	4	6	10	28	51	66	82	79	56	39	30	9	2			
	Railroad accidents and injuries.....	186	2	1		1	1	5	17	28	43	41	22	12	6	6	1		2	
	Street-car accidents and injuries.....	49	2	1	1	1	3	2	5	5	9	5	4	4	2	2				
	Automobile accidents and injuries.....	154	1			2	5	17	21	22	15	20	11	11	4	2		1		
	Injuries by other vehicles.....	60		2	3	1	2	8	6	9	9	8	4	4	2					
	Landslide, other crushing.....	26		1		2	1	3	5	3	5	4	2	2						
176	Injuries by animals.....	30			1			5	1	1	2	7	2	2	3	3	3		1	
177	Excessive cold.....	9						1	1	3	1	3	1	3	3	3	3			
178	Effects of heat.....	15	1					4	5	7	4	5	1	1	1	1	1			
179	Lightning.....	13						5	7	4	5	1	1							
180	Electricity (lightning excepted).....	23						1	1	2	2	3	1	1						
181	Fractures (cause not specified).....	13						3	2	1	2	3	1	1	1	1	1			
182	Other external violence.....	119	6	4	1	3	2	4	12	14	19	17	13	13	7	3	1			
183	Homicide (total).....	50	4					1	2	14	15	3	7	3	1					
184	By firearms.....	32						1	2	10	12	2	5	1	1					
	By cutting or piercing instruments.....	3																		
	By other means.....	15	4																	
	XIV.—Ill-defined diseases.....	193	68	9	2	4	2	5	6	11	6	9	11	23	18	13	2		4	
187	Ill-defined organic disease.....	10						1				1	1		3	1	2	1		
188	Sudden death.....	26	5	1	2	4	2	3	5	10	4	7	7	15	14	9	1		3	
189	Not specified or ill-defined (total).....	157	63	8	2	4	2	3	5	10	4	7	7	15	14	9	1		3	
	Ill-defined.....	29	4	4	1	1	1	2	5	9	2	1	2	6	3	3	2			
	Not specified or unknown.....	128	59	4	1	3	1	2	5	9	2	6	5	9	11	7	1		3	

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEASED: 1918.

This table excludes the deaths of soldiers, sailors, and marines. The cities are arranged alphabetically by states; those in which the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910, are shown by color, except when the deaths for colored numbered less than 500.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

BIRMINGHAM, ALA. (TOTAL).

	All causes.....	4,346	480	198	87	63	49	154	337	800	707	531	365	268	193	71	14	7	22
✓ 1	Typhoid fever.....	62		1		1			5	17	21	7	5	3	1				1
✓ 2	Typhus fever.....																		
✓ 3	Malaria.....	21		1					1		3	7	6	1	1	1			
✓ 4	Smallpox.....	2							1	1									
5	Measles.....	28	1	10	3	4	4	3	2										
6	Scarlet fever.....	3			1	1		1											
7	Whooping cough.....	52	17	18	6	5	4	2											
8	Diphtheria and croup.....	9	1	1	1	1	1	1											
9	Influenza.....	617	48	27	22	11	9	30	53	163	125	65	33	18	9	1	1		2
10	Asiatic cholera.....																		
11	Cholera nostras.....	1																	
12	Other epidemic diseases.....	24	5	1					1	7	49	99	74	42	16	14	4	1	
13	Tuberculosis of the lungs.....	310		2		1			3	1	3	2	1						
14	Tuberculous meningitis.....	13	1	1	1			1	3	8	7	10	3	2		1			
15	Other forms of tuberculosis.....	39							1	6	18	22	22	16	11	1			
16	Cancer and other malignant tumors.....	100		1	2														
17	Meningitis.....	29	1		2			3	5	6	5	1	4	1					1
18	Cerebral hemorrhage and softening.....	146						1	1	4	14	18	34	32	26	14	2		
19	Organic diseases of the heart.....	273	4					2	3	20	35	55	56	47	30	13	5		3
20	Acute bronchitis.....	11	5	2	2						1	1							
21	Chronic bronchitis.....	3											1	2					
22	Pneumonia.....	699	23	9	8	11	5	31	73	203	151	94	36	24	17	5	1	2	6
23a	Bronchopneumonia.....	137	30	20	11	4	5	13	7	12	12	8	7	3	3	2			
23b	Other diseases of the respiratory system.....	34		2					3	5	4	3	6	4	1				
24	Diseases of the stomach.....	30	4	2	1		2	1		2	3	4	7	1	2				1
25(37)	Diarrhea and enteritis.....	186	65	73	8	9	4	4	4	4	2	2	3	2	3	3			
26	Appendicitis and typhlitis.....	69			1	1	1	4	11	17	11	12	6	3	2	2			1
27	Hernia, intestinal obstruction.....	28	4		1	1	1	1		5	6	5	2	2					
28	Cirrhosis of the liver.....	21	1																
29	Acute nephritis and Bright's disease.....	189	2	1	2				7	10	18	33	37	33	35	8	1	1	1
30	Diseases of the female genital organs.....	44								1	12	18	5	6	1	1			
31	Puerperal septicemia.....	25							3	12	9	1							
32	Other puerperal affections.....	53							6	35	12								
33	Congenital debility and malformations.....	200	196	1	2														
34	Senility.....	17							1										
35	Violent deaths (suicide excepted).....	322	8	7	8	6	5	16	39	75	72	43	18	9	9	5	1	1	
36	Suicide.....	16							1	4	4	4	2	1					
(37)	All other defined diseases.....	515	61	13	3	7	1	15	33	72	81	82	58	49	25	8	2		5
38	Unknown or ill-defined diseases.....	18	3	4	1			2			2	4	1	1		1			1

BIRMINGHAM, ALA. (WHITE).

	All causes.....	2,056	247	103	48	35	27	67	128	339	315	208	167	174	141	47	7		3
1	Typhoid fever.....	23				1			3	6	7	3	1	1	1				
2	Typhus fever.....											1	1	1					
3	Malaria.....	4																	
4	Smallpox.....	1																	
5	Measles.....	20	6	3	3	3	3	3	1										
6	Scarlet fever.....	3		1	1	1		1											
7	Whooping cough.....	31	12	9	5	2	3												
8	Diphtheria and croup.....	7	1		1	1	1	1											
9	Influenza.....	370	17	15	11	5	4	15	26	100	92	42	19	14	8	1	1		
10	Asiatic cholera.....																		
11	Cholera nostras.....	1																	
12	Other epidemic diseases.....	11	2			1			1	6	24	22	12	3	8	2	1		
13	Tuberculosis of the lungs.....	79		1					1		1	2	1	1	1	2			
14	Tuberculous meningitis.....	5	1	1					1		1	1							
15	Other forms of tuberculosis.....	7							3		1	1	1	1	1				
16	Cancer and other malignant tumors.....	79	1	2		1		2	3	1	5	13	16	17	13	10	1		
17	Meningitis.....	13	1		1	1		2	3	1	2	1	1	1	1				
18	Cerebral hemorrhage and softening.....	69							1	3	2	4	8	13	15	17	7	1	
19	Organic diseases of the heart.....	114	3						1	3	4	11	10	21	29	22	9	1	
20	Acute bronchitis.....	3	2		1														
21	Chronic bronchitis.....	3																	
22	Pneumonia.....	286	6	2	3	6	2	12	32	88	66	30	14	16	11	2			1
23a	Bronchopneumonia.....	50	13	10	6	2	3	1	1	2	4	3	1	1	2	1			1
23b	Other diseases of the respiratory system.....	15		2				2	2	1		2	4	1	4	1	1		
24	Diseases of the stomach.....	7						1		1	1	1	1	1	1	2			
25(37)	Diarrhea and enteritis.....	101	35	43	4	6	1	2	1	7	6	7	4	3	2	2	3	2	1
26	Appendicitis and typhlitis.....	44		1	1		4	8	7	6	7	6	7	4	3	2			1
27	Hernia, intestinal obstruction.....	18	3				1		1	3	6	2	1	2	1	2			
28	Cirrhosis of the liver.....	10	1						2	1			6	1	2				
29	Acute nephritis and Bright's disease.....	94			2				1	3	5	11	18	22	26	5	1		
30	Diseases of the female genital organs.....	18							1	5	3	3	3	3	1				
31	Puerperal septicemia.....	10							1	5	4								
32	Other puerperal affections.....	35							1	4	22	9							
33	Congenital debility and malformations.....	124	121	1	1				1										
34	Senility.....	10														3	5	2	
35	Violent deaths (suicide excepted).....	141	4	2	3	3	3	8	14	32	27	16	9	7	9	3	1		
36	Suicide.....	12			3	4	1	8	12	26	30	33	26	33	15	7			
(37)	All other defined diseases.....	230	25	7	3	4	1	8	12	26	30	33	26	33	15	7			
38	Unknown or ill-defined diseases.....	8	1	2	1			2		1	1		1		1				

CAUSES OF DEATH, BY AGE.

433

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEASED: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.

BIRMINGHAM, ALA. (COLORED).

	All causes.....	2,290	233	95	39	28	22	87	209	461	392	323	198	94	52	24	7	19
1	Typhoid fever.....	39	—	1	—	—	—	2	11	14	4	4	2	—	—	—	—	1
2	Typhus fever.....	—	—	1	—	—	—	—	—	—	3	6	5	—	1	—	—	—
3	Malaria.....	17	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
4	Smallpox.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles.....	8	—	4	—	1	1	—	—	—	—	—	—	—	—	—	—	—
6	Scarlet fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Whooping cough.....	21	5	9	1	3	1	2	—	—	—	—	—	—	—	—	—	—
8	Diphtheria and croup.....	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Influenza.....	247	31	12	11	6	5	15	27	63	33	23	14	4	1	—	—	2
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Other epidemic diseases.....	13	3	1	—	—	—	—	—	—	—	4	—	—	—	—	—	—
13	Tuberculosis of the lungs.....	231	—	1	—	1	1	—	—	75	52	30	13	6	2	—	—	—
14	Tuberculous meningitis.....	8	—	—	1	—	—	—	2	2	2	—	—	—	—	—	—	—
15	Other forms of tuberculosis.....	32	—	1	1	—	—	3	5	7	9	2	1	2	—	—	—	—
16	Cancer and other malignant tumors.....	21	—	—	—	—	—	—	—	1	5	6	5	3	1	—	—	—
17	Meningitis.....	16	—	—	—	—	—	—	2	5	3	3	—	—	—	—	—	1
18	Cerebral hemorrhage and softening.....	77	—	—	1	—	—	—	—	2	10	10	21	17	9	7	1	1
19	Organic diseases of the heart.....	159	1	—	—	—	—	—	—	16	24	45	35	18	8	4	4	3
20	Acute bronchitis.....	8	3	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—
21	Chronic bronchitis.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Pneumonia.....	413	17	7	5	5	3	9	41	120	85	64	22	8	6	3	1	5
23	Bronchopneumonia.....	87	17	10	5	2	2	12	6	10	8	5	6	2	1	1	—	—
24	Other diseases of the respiratory system.....	19	—	—	—	—	—	1	3	3	8	4	—	—	—	—	—	1
25(37)	Diseases of the stomach.....	23	4	2	1	—	1	—	—	1	2	3	6	1	—	—	—	1
26	Diarrhea and enteritis.....	85	30	30	4	3	3	2	3	4	2	2	1	—	1	—	—	—
27	Appendicitis and typhlitis.....	25	—	—	—	—	—	—	3	10	5	5	2	—	—	—	—	—
28	Hernia, intestinal obstruction.....	10	1	—	1	1	1	—	—	2	—	3	1	—	—	—	—	—
29	Cirrhosis of the liver.....	11	—	—	—	—	—	—	1	—	5	3	1	—	—	—	—	—
30	Acute nephritis and Bright's disease.....	95	2	1	—	—	—	—	6	7	13	22	19	11	9	3	—	1
31	Diseases of the female genital organs.....	26	—	—	—	—	—	—	1	6	13	2	3	1	—	—	—	—
32	Puerperal septicemia.....	15	—	—	—	—	—	—	2	7	5	1	—	—	—	—	—	—
33	Other puerperal affections.....	18	—	—	—	—	—	—	—	23	18	3	—	—	—	—	—	—
34	Congenital debility and malformations.....	76	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
35	Sanity.....	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36	Violent deaths (suicide excepted).....	181	4	5	5	3	2	8	25	43	45	27	9	2	—	2	1	1
37	Suicide.....	4	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—
38	All other defined diseases.....	285	36	6	—	3	—	7	21	46	51	49	32	16	10	1	—	5
	Unknown or ill-defined diseases.....	10	2	2	—	—	2	—	—	—	1	3	—	—	—	—	—	—

LOS ANGELES, CALIF. (TOTAL).

	All causes.....	9,348	683	150	97	79	63	182	402	1,298	1,571	1,130	1,057	1,112	980	487	51	3
1	Typhoid fever.....	21	—	—	—	—	—	2	5	6	6	2	—	—	—	—	—	—
2	Typhus fever.....	3	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—
3	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles.....	15	3	—	3	4	1	2	1	—	—	1	—	—	—	—	—	—
6	Scarlet fever.....	5	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	—
7	Whooping cough.....	30	12	8	2	3	2	—	7	—	—	—	—	—	—	—	—	—
8	Diphtheria and croup.....	55	2	3	6	4	6	23	7	2	—	—	1	—	—	—	—	—
9	Influenza.....	1,546	38	33	24	20	12	39	104	480	522	189	65	23	17	9	—	1
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Other epidemic diseases.....	24	4	2	1	—	1	1	1	—	—	2	3	3	4	2	—	—
13	Tuberculosis of the lungs.....	1,083	5	4	2	3	3	9	78	281	286	209	101	72	26	4	—	—
14	Tuberculous meningitis.....	48	11	6	5	4	3	7	1	1	4	4	1	1	—	—	—	—
15	Other forms of tuberculosis.....	53	2	—	—	—	3	2	2	11	9	8	7	6	3	—	—	—
16	Cancer and other malignant tumors.....	676	—	—	—	—	—	—	1	11	46	99	183	177	116	39	2	—
17	Meningitis.....	52	9	3	3	—	3	8	6	7	3	6	1	1	1	1	1	—
18	Cerebral hemorrhage and softening.....	456	1	1	—	—	—	—	4	4	9	30	78	122	132	71	3	1
19	Organic diseases of the heart.....	951	2	—	1	1	1	7	18	49	51	102	152	205	225	125	11	1
20	Acute bronchitis.....	22	6	2	2	1	1	—	1	—	—	1	1	1	3	3	—	—
21	Chronic bronchitis.....	21	1	—	—	—	—	—	1	—	—	1	1	3	5	9	—	—
22	Pneumonia.....	698	26	17	7	7	6	11	43	155	204	87	45	38	40	10	1	1
23	Bronchopneumonia.....	348	77	20	17	10	4	12	20	40	53	28	17	15	21	14	—	—
24	Other diseases of the respiratory system.....	45	3	2	1	—	—	—	1	9	6	6	3	6	3	4	1	—
25(37)	Diseases of the stomach.....	93	6	—	1	—	—	—	1	5	7	23	15	13	13	5	3	—
26	Diarrhea and enteritis.....	235	147	29	7	11	4	5	13	14	13	14	10	7	2	—	—	—
27	Appendicitis and typhlitis.....	78	—	—	—	—	—	5	—	3	6	15	16	22	10	5	1	—
28	Hernia, intestinal obstruction.....	68	9	2	—	1	—	1	—	10	16	19	17	6	6	—	—	—
29	Cirrhosis of the liver.....	68	—	—	—	—	—	—	11	17	45	74	120	149	150	41	3	—
30	Acute nephritis and Bright's disease.....	617	2	3	1	—	—	1	11	17	45	74	120	149	150	41	3	—
31	Diseases of the female genital organs.....	53	—	—	—	—	—	—	2	6	19	18	4	4	—	—	—	—
32	Puerperal septicemia.....	48	—	—	—	—	—	—	2	27	17	2	—	—	—	—	—	—

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDED: 1918—Continued.

[See note at head of this table, p. 432.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un-known age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

LOS ANGELES, CALIF. (WHITE).

	All causes.....	8,665	597	133	89	72	58	171	379	1,162	1,425	1,039	989	1,061	958	477	50	2	3
1	Typhoid fever.....	15						2	4	3	5	1							
2	Typhus fever.....																		
3	Malaria.....	3								1		1	1						
4	Smallpox.....																		
5	Measles.....	15	3		3	4	1	2	1			1							
6	Scarlet fever.....	5						2	1	1	1								
7	Whooping cough.....	27	11	8	2	1	2	2		1									
8	Diphtheria and croup.....	53	2	3	6	4	6	22	6	2									
9	Influenza.....	1,415	36	28	21	20	11	33	99	439	474	145	1	1					1
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	22	3	2			1	1	1			2	3	3	4	2			
13	Tuberculosis of the lungs.....	960	5	4	2	3	3	9	67	238	255	191	93	60	26	4			
14	Tuberculous meningitis.....	34	7	3	5	3			6	1		3	4	1	1				
15	Other forms of tuberculosis.....	47	2				3	2	2	8	8	8	7	4	3				
16	Cancer and other malignant tumors.....	649					2	1	11	43	90	177	170	114	39	2			
17	Meningitis.....	48	8	2	3		2	8	6	7	3	6	1	1		1			
18	Cerebral hemorrhage and softening.....	440	1	1				4	4	8	28	73	117	130	70	3	1		
19	Organic diseases of the heart.....	914	2			1	1	7	17	47	46	94	144	198	222	123	11		1
20	Acute bronchitis.....	20	5	2	2	1	1		1			1	1	1	3	3			
21	Chronic bronchitis.....	20	1						1			1	1	2	5	9			
22	Pneumonia.....	654	22	17	7	6	6	9	42	142	190	83	43	38	37	20	10	1	1
23a	Bronchopneumonia.....	313	64	19	16	9	4	12	19	39	43	26	14	14	20	14			
23b	Other diseases of the respiratory system.....	37		2	1				1	8	5	5	2	6	3	3	1		
24	Diseases of the stomach.....	86	5	1				1	1	4	5	21	14	13	13	5	3		
25(37)	Diarrhea and enteritis.....	203	124	24	6	10	4	5		2	1	5	5	4	6	7			
26	Appendicitis and typhlitis.....	71						5	12	13	11	13	8	7	2				
27	Hernia, intestinal obstruction.....	83	8	2		1		1		3	4	14	14	22	9	5			
28	Cirrhosis of the liver.....	62								9	15	16	16	16	6				
29	Acute nephritis and Bright's disease.....	532	2	3	1			1	11	15	43	65	114	141	145	38	3		
30	Diseases of the female genital organs.....	49							2	6	17	17	3	4					
31	Puerperal septicemia.....	42							2	25	13	2							
32	Other puerperal affections.....	66							3	34	27	2							
33	Congenital debility and malformations.....	186	180	1	1		2	2											
34	Senility.....	64																	
35	Violent deaths (suicide excepted).....	430	6	9	3	5	5	15	40	43	84	62	51	38	36	27	6		
36	Suicide.....	113							3	22	29	31	13	7	5	3			
(37)	All other defined diseases.....	928	100	3	9	3	4	26	29	44	95	104	127	164	134	79	7		
38	Unknown or ill-defined diseases.....	9				1				3	2		1	2					

LOS ANGELES, CALIF. (COLORED).

CAUSES OF DEATH, BY AGE.

435

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

OAKLAND, CALIF.

1	All causes.....	3,212	274	62	31	31	29	57	151	359	523	342	333	394	383	206	31	6
2	Typhoid fever.....	11	—	1	—	—	—	1	—	2	2	2	1	—	—	—	—	—
3	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Malaria.....	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
5	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Measles.....	3	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
7	Scarlet fever.....	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
8	Whooping cough.....	27	20	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—
9	Diphtheria and croup.....	11	1	—	1	—	—	6	2	—	—	—	—	—	—	—	—	—
10	Influenza.....	357	7	8	11	5	4	13	29	95	119	35	12	1	11	5	3	—
11	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Cholera nostras.....	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
13	Other epidemic diseases.....	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Tuberculosis of the lungs.....	199	—	2	—	—	1	2	19	47	52	32	18	17	8	1	—	—
15	Tuberculous meningitis.....	20	3	1	1	3	1	4	1	4	2	—	—	—	—	—	—	—
16	Other forms of tuberculosis.....	15	3	—	—	—	—	5	2	1	—	2	2	—	—	—	—	—
17	Cancer and other malignant tumors.....	194	—	—	—	—	—	1	3	14	28	57	44	31	14	2	—	—
18	Meningitis.....	14	2	2	—	1	—	1	4	2	1	1	—	—	—	—	—	—
19	Cerebral hemorrhage and softening.....	173	—	—	—	—	—	1	1	5	12	30	43	52	26	3	—	—
20	Organic diseases of the heart.....	460	—	—	—	—	—	2	4	6	21	41	59	120	126	67	11	3
21	Acute bronchitis.....	12	5	2	1	—	—	—	—	—	—	—	—	2	2	—	—	—
22	Chronic bronchitis.....	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23	Pneumonia.....	554	28	11	5	12	9	9	36	130	179	62	19	25	22	10	2	—
23a	Bronchopneumonia.....	110	33	19	7	—	3	1	1	3	8	7	2	6	7	12	1	—
23b	Other diseases of the respiratory system.....	22	—	—	1	—	—	—	2	1	3	3	3	3	5	—	1	—
24	Diseases of the stomach.....	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25(37)	Diarrhea and enteritis.....	55	40	6	—	1	—	1	8	2	7	6	3	1	1	—	—	—
26	Appendicitis and typhlitis.....	30	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
27	Hernia, intestinal obstruction.....	15	1	1	—	—	—	—	—	—	3	2	5	1	1	1	—	—
28	Cirrhosis of the liver.....	33	—	—	—	—	—	—	—	1	9	9	7	6	—	—	—	—
29	Acute nephritis and Bright's disease.....	187	1	—	—	1	—	1	2	8	13	27	28	39	44	20	3	—
30	Diseases of the female genital organs.....	12	—	—	—	—	—	—	—	—	3	5	3	1	—	—	—	—
31	Puerperal septicemia.....	12	—	—	—	—	—	—	—	2	5	5	—	—	—	—	—	—
32	Other puerperal affections.....	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33	Congenital debility and malformations.....	101	100	1	—	—	—	—	—	—	—	—	—	—	1	6	1	1
34	Senility.....	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35	Violent deaths (suicide excepted).....	168	3	2	—	1	5	5	17	16	29	20	26	19	14	6	1	1
36	Suicide.....	46	—	—	—	—	—	—	—	1	4	17	9	7	6	2	—	—
(37)	All other defined diseases.....	294	28	2	2	1	4	11	8	14	27	32	45	42	49	24	5	—
38	Unknown or ill-defined diseases.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

SAN FRANCISCO, CALIF. (TOTAL).

1	All causes.....	9,855	567	148	74	72	47	149	319	1,163	1,839	1,412	1,398	1,190	979	423	66	1	3
2	Typhoid fever.....	21	—	—	—	—	—	—	5	4	6	5	—	—	1	—	—	—	—
3	Typhus fever.....	3	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—
4	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Measles.....	10	3	3	1	—	—	1	—	—	1	1	—	—	—	—	—	—	—
7	Scarlet fever.....	11	—	3	1	1	1	2	—	3	—	1	1	—	—	—	—	—	—
8	Whooping cough.....	35	15	11	2	3	—	3	—	—	—	—	—	—	1	—	—	—	—
9	Diphtheria and croup.....	40	3	4	6	12	3	4	4	4	2	1	1	—	—	—	—	—	—
10	Influenza.....	1,767	24	30	22	18	11	32	92	461	683	231	90	43	19	10	1	—	—
11	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Other epidemic diseases.....	28	4	1	—	—	1	—	2	3	4	5	3	3	2	—	—	—	—
14	Tuberculosis of the lungs.....	831	3	4	3	3	2	7	37	170	282	195	111	52	10	2	—	—	—
15	Tuberculous meningitis.....	55	5	15	4	7	1	7	8	2	6	—	—	—	—	—	—	—	—
16	Other forms of tuberculosis.....	57	3	—	2	—	1	2	7	14	10	8	5	2	3	—	—	—	—
17	Cancer and other malignant tumors.....	704	—	1	1	1	2	1	5	11	51	130	190	186	101	22	2	—	—
18	Meningitis.....	33	6	1	2	1	3	3	4	3	3	5	6	1	1	—	—	—	—
19	Cerebral hemorrhage and softening.....	463	—	—	—	—	—	1	1	6	16	43	98	124	123	44	7	—	—
20	Organic diseases of the heart.....	1,177	2	3	—	—	1	3	15	31	80	131	204	261	297	132	20	—	—
21	Acute bronchitis.....	38	7	3	—	—	—	—	2	4	4	4	2	7	6	3	—	—	—
22	Chronic bronchitis.....	42	—	1	—	—	—	—	1	2	2	2	2	9	14	9	2	—	—
23	Pneumonia.....	1,074	29	19	8	10	6	15	58	206	304	152	123	87	42	12	2	—	—
23a	Bronchopneumonia.....	251	61	21	6	5	3	6	3	21	27	20	16	22	27	11	5	4	—
23b	Other diseases of the respiratory system.....	84	2	3	1	—	—	3	2	8	10	9	19	10	8	5	4	—	—
24	Diseases of the stomach.....	79	9	—	1	—	—	2	2	6	7	15	18	10	7	2	—	—	—
25(37)	Diarrhea and enteritis.....	114	57	14	1	1	1	4	—	—	5	13	6	6	5	1	—	—	—
26	Appendicitis and typhlitis.....	89	—	2	—	2	7	16	11	16	15	12	6	2	—	—	—	—	—
27	Hernia, intestinal obstruction.....	66	8	4	—	—	—	3	1	5	7	11	10	6	9	2	—	—	—
28	Cirrhosis of the liver.....	128	—	1	—	3	1	—	1	16	25	39	31	9	4	2	—	—	—
29	Acute nephritis and Bright's disease.....	573	4	1	3	1	1	4	4	19	57</td								

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
SAN FRANCISCO, CALIF. (WHITE).																		
1	All causes.....	9,278	516	135	65	63	40	140	298	1,077	1,745	1,321	1,301	1,133	953	422	65	1
1	Typhoid fever.....	19							5	2	6	5				1		
2	Typhus fever.....										1							
3	Malaria.....	3									1							
4	Smallpox.....																	
5	Measles.....	9	3	3	2	1	1	1			1	1						
6	Scarlet fever.....	10			2	1	1	2		3		1	1					
7	Whooping cough.....	32	14	9	2	3		3										
8	Diphtheria and croup.....	37	3	4	5	10	3	4	4		2	1	1					
9	Influenza.....	1,692	23	27	20	17	11	30	87	439	659	220	86	43	19	10	1	
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	25	3	1			1		2	3	4	4	2	3	2			
13	Tuberculosis of the lungs.....	734	3	4	3	1	1	5	33	149	212	172	93	48	8	2		
14	Tuberculous meningitis.....	45	4	14	4	5		5	6	2	5							
15	Other forms of tuberculosis.....	51	2		2		1	1	7	12	8	8	5	2	3			
16	Cancer and other malignant tumors.....	681		1	1	1	2	1	5	11	49	122	184	179	101	22	2	
17	Meningitis.....	30	6	1	2	1	3	3	4	2	3	3		1	1			
18	Cerebral hemorrhage and softening.....	449		1				1	1	6	15	42	94	120	119	44	7	
19	Organic diseases of the heart.....	1,132	2				1	3	14	26	78	125	192	250	290	132	19	
20	Acute bronchitis.....	34	5	3					2		2	4	2	7	6	3		
21	Chronic bronchitis.....	39		1					2		2	2	2	7	14	9		
22	Pneumonia.....	1,003	29	18	6	8	4	15	51	183	288	145	118	82	41	12	2	1
23a	Bronchopneumonia.....	226	51	18	6	5	1	5	3	18	24	19	16	21	11	5	2	
23b	Other diseases of the respiratory system.....	78	2	3	1				3	2	6	10	9	15	10	8	5	4
24	Diseases of the stomach.....	69	7		1			2	2	6	5	11	17	10	6	2		
25(37)	Diarrhea and enteritis.....	108	54	13	1	1		4			5	13	5	6	5	1		
26	Appendicitis and typhlitis.....	85			2		2	7	16	11	15	14	10	6	2			
27	Hernia, intestinal obstruction.....	64	8	3				3	1	5	7	11	9	6	9	2		
28	Cirrhosis of the liver.....	118							1	15	25	36	26	9	4	2		
29	Acute nephritis and Bright's disease.....	535	4	1	1	1	1	4	3	19	51	61	111	106	110	58	4	
30	Diseases of the female genital organs.....	26								5	12	8	1					
31	Puerperal septicemia.....	11							2	6	2	1						
32	Other puerperal affections.....	51							2	29	15	5						
33	Congenital debility and malformations.....	192	184	2	1	1		4						2	10	20	9	
34	Senility.....	41																
35	Violent deaths (suicide excepted).....	503	4	3	1	3	5	19	23	48	90	100	94	49	33	28	1	2
36	Suicide.....	188							1	25	60	44	34	14	7	3		
(37)	All other defined diseases.....	952	105	6	4	4	4	14	26	55	104	144	169	141	119	49	7	1
38	Unknown or ill-defined diseases.....	6					1		1	1	2			1				

SAN FRANCISCO, CALIF. (COLORED).

CAUSES OF DEATH, BY AGE.

437

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF--													Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.
DENVER, COLO.																		
1	All causes.....	5,199	418	70	44	40	26	90	289	971	914	586	588	506	439	189	21	8
1	Typhoid fever.....	23				1		2	6	8	3	1	1	1				
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	2	1															
6	Scarlet fever.....	7				2	2	1	2									
7	Whooping cough.....	29	14	9	5		1											
8	Diphtheria and croup.....	28	2		4	5	2	13	2									
9	Influenza.....	788	13	8	9	6	3	15	67	259	217	106	50	22	11	1	1	
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	14	7														2	
13	Tuberculosis of the lungs.....	775	2			1	1		38	302	235	121	55	12	7			1
14	Tuberculous meningitis.....	33	9	7	2	3			2	5	3	1						
15	Other forms of tuberculosis.....	19	1	1			1		1	3	5	2	2	2		1		
16	Cancer and other malignant tumors.....	292					1		2	6	19	38	94	43	15	2		
17	Meningitis.....	19	7	1	1		2	1	2	1	1	7	3					
18	Cerebral hemorrhage and softening.....	169							1	3	9	7	31	47	48	20	2	1
19	Organic diseases of the heart.....	367	1	1	1	1		12	26	22	35	38	57	69	73	27	4	
20	Acute bronchitis.....	13	8	2	2											1		
21	Chronic bronchitis.....	19								1		2	2	5	3	4		2
22	Pneumonia.....	806	19	8	6	5	5	8	63	207	180	94	72	75	41	20	1	2
23a	Bronchopneumonia.....	219	59	15	5	8	3	7	7	28	28	8	9	10	26	5	1	
23b	Other diseases of the respiratory system.....	73	1		1	1	1	1	3	5	10	13	16	5	11	5		
24	Diseases of the stomach.....	34	7	2	1			1	1	3	3	2	2	4	4	3	1	
25(37)	Diarrhea and enteritis.....	78	50	6	3	3		1		2	2	2	2	5	2			
26	Appendicitis and phlebitis.....	59			1	1	1	5	11	9	10	8	4	7	1	1		
27	Hernia, intestinal obstruction.....	44	6	1					1	4	5	5	5	8	8	5	1	
28	Cirrhosis of the liver.....	22									2	6	.7	4	3			
29	Acute nephritis and Bright's disease.....	255	4					2	5	5	20	31	47	.56	58	24	2	1
30	Diseases of the female genital organs.....	31							1	7	12	8	1					
31	Puerperal septicemia.....	34							2	16	14	2						
32	Other puerperal afflictions.....	31							1	17	10	2	1					
33	Congenital debility and malformations.....	156	155			1												
34	Senility.....	41												1	12	23	5	
35	Violent deaths (suicide excepted).....	167	3	1	2	1	2	14	16	20	30	19	23	21	11	4		
36	Suicide.....	52							4	10	14	10	9	3	2			
(37)	All other defined diseases.....	496	49	7	1	1	1	7	24	30	44	55	87	81	69	37	1	2
38	Unknown or ill-defined diseases.....	4							1		1	1						

BRIDGEPORT, CONN.

	All causes	2,981	492	141	69	38	31	69	126	461	462	295	297	242	168	73	10	7
1	Typhoid fever	6						1	2	1	1	1						
2	Typhus fever							1										
3	Malaria	1												1				
4	Smallpox																	
5	Measles	16	4	4	5	1	1			1								
6	Scarlet fever	3					1		2									
7	Whooping cough	40	18	15	4	1	1	1										
8	Diphtheria and croup	35	3	9	8	4	2	4	3	1								
9	Influenza	475	19	22	14	7	7	14	25	147	134	46	25	7	4	2		2
10	Asiatic cholera																	
11	Cholera nostras																	
12	Other epidemic diseases	6	5									1						
13	Tuberculosis of the lungs	188	2		1		3		18	57	51	32	16	6	1			1
14	Tuberculous meningitis	33	10	9		6		2	1	3	1	1						
15	Other forms of tuberculosis	6	1		1					2	2							
16	Cancer and other malignant tumors	122							1	1	23	45	29	18	3	1		
17	Meningitis	19	3		3	1	1	4	2	3		2						
18	Cerebral hemorrhage and softening	119								1	1	9	19	47	26	15	1	
19	Organic diseases of the heart	206	1				1		7	6	14	21	40	48	46	15	4	3
20	Acute bronchitis	15	8	1	1			1				1		1	1	2		
21	Chronic bronchitis	3												2		1		
22	Pneumonia	524	32	19	10	7		13	33	152	129	50	38	20	14	6	1	
23a	Bronchopneumonia	128	54	22	9	7	1	5		5	7	2	2	6	4	3		1
23b	Other diseases of the respiratory system	16	4		1		1		1	3		3	3					
24	Diseases of the stomach	16	2	2					1	2	3	2	3	2	3	1		
25(37)	Diarrhea and enteritis	119	90	27	2													
26	Appendicitis and typhilitis	19						2	3	5	5	1	2	1				
27	Hernia, intestinal obstruction	25	3	2					1	1	2	6	3	3	3	1		
28	Cirrhosis of the liver	10									1	1	5	1	2			
29	Acute nephritis and Bright's disease	142			1		2	1	1	8	17	23	36	23	25	5		
30	Diseases of the female genital organs	16							1	1	10	4						
31	Puerperal septicemia	8							1	3	3	1						
32	Other puerperal affections	33							1	16	14	2						
33	Congenital debility and malformations	169	168		1													
34	Senility	5												1	2	1	1	
35	Violent deaths (suicide excepted)	181	3	4	7	4	6	16	12	20	27	29	27	13	10	3		
36	Suicide	26								6	9	9	2					
(37)	All other defined diseases	231	61	3	1		4	5	9	17	24	16	28	32	13	17	1	
38	Unknown or ill-defined diseases	20	1	2					1	1	2	9	2	1	1			

CAUSES OF DEATH, BY AGE.

439

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDED: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 19 years	20 to 29 years	30 to 39 years	40 to 49 years	50 to 59 years	60 to 69 years	70 to 79 years	80 to 89 years	90 to 99 years

• WASHINGTON, D. C. (WHITE).

WASHINGTON, D. C. (COLORED).

	All causes.....	3,311	402	106	61	31	31	66	226	463	507	463	378	303	210	44	16	4
1	Typhoid fever.....	23				1	1	1	6	9	4		1					
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	5		2				2			1							
6	Scarlet fever.....																	
7	Whooping cough.....	28	10	6	6	1	4		1									
8	Diphtheria and croup.....	4					1		2									
9	Influenza.....	322	11	18	9	5	4	14	28	96	75	34	1	12	9	6	1	
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	6	1								1	2	1		1			
13	Tuberculosis of the lungs.....	370	2	5	2	3	1	5	61	103	96	55	24	10	2	1		
14	Tuberculous meningitis.....	11	1		2	2	2	1										
15	Other forms of tuberculosis.....	17	1	1	1			3		4	2	1						
16	Cancer and other malignant tumors.....	108						1	1	4	12	32	24	22	7	3		
17	Meningitis.....	13	1	1			1	1	4	1	1	1		1	1			
18	Cerebral hemorrhage and softening.....	178						1	4	10	29	46	53	30	4	1		
19	Organic diseases of the heart.....	299						1	4	15	39	61	49	69	44	10	4	3
20	Acute bronchitis.....	28		5	6		1	2			2			1				
21	Chronic bronchitis.....	7									1	2	1		1	2		
22	Pneumonia.....	463	18	6	9	6	4	12	42	111	97	73	45	24	14	2		
23	Bronchopneumonia.....	223	73	38	19	5	3	8	13	20	18	9	9	5	9	2	1	
23a	Other diseases of the respiratory system.....	26					1	1		1	2	8	5	5	3	2	1	
24	Diseases of the stomach.....	26	2	1	1			1	6			5	5	3	2			
25	Diarrhea and enteritis.....	137	95	13	2	3	2	3	1	2	2	3	7	3	1			
26	Appendicitis and typhlitis.....	14			1				6	3	2	1	1					
27	Hernia, intestinal obstruction.....	30	3					1	2	3	6	4	3	6	2			
28	Cirrhosis of the liver.....	4									1		1	1	1			
29	Acute nephritis and Bright's disease.....	272			1	1			3	9	38	57	54	53	46	5	5	
30	Diseases of the female genital organs.....	20							3	4	8	3		2				
31	Puerperal septicemia.....	11							1	5	4	1						
32	Other puerperal affections.....	16							2	10	4							
33	Congenital debility and malformations.....	113	112			1												
34	Scutuli.....	25											2		10	12	1	
35	Violent deaths (suicide excepted).....	137	7	2	1	3	3	9	21	21	26	16	13	9	5	12	1	
36	Suicide.....	10							3		1	4	2					
(37)	All other defined diseases.....	354	54	7	1		1	2	15	31	52	62	73	26	24	1	4	1
38	Unknown or ill-defined diseases.....	4	1	1							1	1						

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.

ATLANTA, GA. (TOTAL).

All causes.....	3,702	418	141	84	45	23	91	220	491	550	472	424	363	276	79	11	9	5
1 Typhoid fever.....	29						2		5	5	7	2	2	1				
2 Typhus fever.....	8																	
3 Malaria.....	5																	
4 Smallpox.....	1																	
5 Measles.....	16	2	6	4	2			2										
6 Scarlet fever.....	8						2	2	4									
7 Whooping cough.....	31	14	9	3	2			1	2									
8 Diphtheria and croup.....	12	1	2			3	1	4	1									
9 Influenza.....	338	18	10	11	6	4	18	27	66	79	44	16	15	19	3		2	
10 Asiatic cholera.....																		
11 Cholera nostras.....																		
12 Other epidemic diseases.....	28	5	2	1	1		1		3	1	3	4	2	2	3			
13 Tuberculosis of the lungs.....	214	2	2				1	2	24	69	56	31	12	8	7			
14 Tuberculous meningitis.....	11	1	1	2	3			2	1	1								
15 Other forms of tuberculosis.....	31	3							6	7	7	2	4	2				
16 Cancer and other malignant tumors.....	137								3	14	27	41	33	14	4	1		
17 Meningitis.....	43	2	1	2	2	3	12	7	4	5	3	2						
18 Cerebral hemorrhage and softening.....	182	3							1	10	18	36	52	35	27	8	1	
19 Organic diseases of the heart.....	234								3	1	1	62	58	47	39	9	1	2
20 Acute bronchitis.....	8	1	1												1			
21 Chronic bronchitis.....	7									2	3							
22 Pneumonia.....	388	17	14	7	3	3	10	44	95	93	37	23	26	11	3		2	
23a Bronchopneumonia.....	200	58	31	14	5	2	6	6	13	20	16	6	9	10	4			
23b Other diseases of the respiratory system.....	29	1	1		1		1	2	4	3	1	8	3	2	1	1		
24 Diseases of the stomach.....	43	3	1						8	7	11	4	7	2				
25(37) Diarrhea and enteritis.....	147	47	40	14	4	1	2	3	10	5	4	4	10	2				
26 Appendicitis and typhlitis.....	38						2	4	13	12	2	1	2	2				
27 Hernia, intestinal obstruction.....	41	5	1	1			2	4	3	5	6	9	3	2				
28 Cirrhosis of the liver.....	14								3		1	8	2					
29 Acute nephritis and Bright's disease.....	313	3		4			2	7	12	19	49	69	71	58	16	1	1	1
30 Diseases of the female genital organs.....	34								9	14	9	2						
31 Puerperal septicemia.....	29							3	14	10	2							
32 Other puerperal affections.....	41								4	20	16	1						
33 Congenital debility and malformations.....	140	138		1				1										
34 Senility.....	21																	
35 Violent deaths (suicide excepted).....	196	4	2	6	2	3	4	29	42	31	25	15	10	16	6	4	2	
36 Suicide.....	12								2	3	6	1						
(37) All other defined diseases.....	500	60	13	8	6	3	5	22	48	71	69	67	64	49	12	1	1	1
38 Unknown or ill-defined diseases.....	131	30	4	4	1	2	5	3	10	19	15	11	5	1				

ATLANTA, GA. (WHITE).

All causes.....	2,063	232	91	51	26	15	50	94	221	270	224	226	251	235	66	9		3
1 Typhoid fever.....	19						3	5	3	5	1	1	1					
2 Typhus fever.....	2																	
3 Malaria.....	2																	
4 Smallpox.....	1																	
5 Measles.....	12	1	4	4	1		2		4									
6 Scarlet fever.....	8						2		4									
7 Whooping cough.....	17	7	5	2	1			1	1									
8 Diphtheria and croup.....	9	1	2		2	1	3											
9 Influenza.....	214	11	8	8	3	3	11	15	39	50	27	12	8	17	2			
10 Asiatic cholera.....																		
11 Cholera nostras.....																		
12 Other epidemic diseases.....	16		1	1				1		3	1	2	2	2	2	3		
13 Tuberculosis of the lungs.....	107	1	1	1	2		1	1	5	28	30	20	7	6	7			
14 Tuberculous meningitis.....	5		1	1	2		1											
15 Other forms of tuberculosis.....	18	2							1	2	5	2	4	2				
16 Cancer and other malignant tumors.....	107									11	20	29	14	3	1			
17 Meningitis.....	25	1	1	2		1	6	4	4	2	2	2	2	2				
18 Cerebral hemorrhage and softening.....	95	3						1	2	3		4	2	2	1	1		2
19 Organic diseases of the heart.....	133								4	7	10	22	23	25	31	8	1	
20 Acute bronchitis.....	3		1							1					1			
21 Chronic bronchitis.....	2														1			
22 Pneumonia.....	173	8	8	3	3	2	6	16	35	42	20	6	13	9	2			
23a Bronchopneumonia.....	92	28	16	8	2	2	1		2	9	3	7	5	4				
23b Other diseases of the respiratory system.....	18	1	1					1	2	3		4	2	2	1	1		
24 Diseases of the stomach.....	15	1								5	6	2	5	1				
25(37) Diarrhea and enteritis.....	80	21	29	10	4		1	2	3	11	7	1	1	2	1			
26 Appendicitis and typhlitis.....	28						1	4	3	2	3	2	3	7	1	1		
27 Hernia, intestinal obstruction.....	28	4	1	1			1	4	3	2	3	2	3	7	1	1		
28 Cirrhosis of the liver.....	7								1				4	2				
29 Acute nephritis and Bright's disease.....	192	3		2			3	3	9	22	38	48	51	13				
30 Diseases of the female genital organs.....	15								5	6	2	2	5	1				
31 Puerperal septicemia.....	15								2	7	5	1						
32 Other puerperal affections.....	26								2	15	8	1						
33 Congenital debility and malformations.....	91	89		1				1										
34 Senility.....	17																	
35 Violent deaths (suicide excepted).....	102	3	1	1		3	2	11	18	14	13	9	7	14	5	4	1	
36 Suicide.....	11								2	3	5	1						
(37) All other defined diseases.....	304	32	8	4	4	2	1	13	22	37	41	37	52	41	9			
38 Unknown or ill-defined diseases.....	57	15	3	1	1		3	1	2	5	5	8	7	5	1			

CAUSES OF DEATH, BY AGE.

441

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEASED: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

ATLANTA, GA. (COLORED).

	All causes.....	1,639	186	50	33	20	8	41	126	270	280	248	198	112	41	13	2	9	2
1	Typhoid fever.....	10																	
2	Typhus fever.....																		
3	Malaria.....	3																	
4	Smallpox.....	1																	
5	Measles.....	4	1	2		1													
6	Scarlet fever.....																		
7	Whooping cough.....	14	7	4	1	1													
8	Diphtheria and croup.....	3																	
9	Influenza.....	124	7	2	3	3	1	7	12	27	29	17	4	7	2	1		2	
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	12	5	1		1													
13	Tuberculosis of the lungs.....	107	1	1															
14	Tuberculous meningitis.....	6	1		1	1													
15	Other forms of tuberculosis.....	13	1																
16	Cancer and other malignant tumors.....	30																	
17	Meningitis.....	18	1					2	6	3									
18	Cerebral hemorrhage and softening.....	87																	
19	Organic diseases of the heart.....	151																	
20	Acute bronchitis.....	5	1																
21	Chronic bronchitis.....																		
22	Pneumonia.....	215	9	6	4	3	1	4	28	60	51	17	17	13	2	1		2	
23	Bronchopneumonia.....	108	30	15	6	3		5	4	11	11	13	3	2	5				
23b	Other diseases of the respiratory system.....	11				1		1	2			1	4	1					
24	Diseases of the stomach.....	28	2	1															
25(37)	Diarrhea and enteritis.....	67	26	11	4		1	1	3	2	5	3	2	1					
26	Appendicitis and typhlitis.....	10							1	2	5	1							
27	Hernia, intestinal obstruction.....	13	1						1		3	3	2	1					
28	Cirrhosis of the liver.....	7								2		1	4						
29	Acute nephritis and Bright's disease.....	121			2				2	4	9	10	27	31	23	7	3	1	1
30	Diseases of the female genital organs.....	19								2	4	8	7						
31	Puerperal septicemia.....	14								1	7	5	1						
32	Other puerperal affections.....	15								2	5	8							
33	Congenital debility and malformations.....	49	49																
34	Senility.....	4																	
35	Violent deaths (suicide excepted).....	94	1	1	5	2		2	18	24	17	12	6	3	2	1		2	
36	Suicide.....	1										1							
(37)	All other defined diseases.....	196	28	5	4	2	1	4	9	26	34	28	30	12	8	3	1	1	
38	Unknown or ill-defined diseases.....	74	15	1	3		2	2	2	8	14	14	7	4					

CHICAGO, ILL. (TOTAL).

	All causes.....	44,069	6,597	1,982	994	680	470	1,368	1,936	5,958	6,173	4,557	4,709	4,282	2,860	1,300	176	17	15
1	Typhoid fever.....	40							2	6	15	8	4	5					
2	Typhus fever.....																		
3	Malaria.....	4	1									1	1	1					
4	Smallpox.....	4										2	1						
5	Measles.....	61	22	24	7	6			1										
6	Scarlet fever.....	57	1	13	10	8	4	9	4	5	3								
7	Whooping cough.....	180	78	46	18	12	12	11	2	1									
8	Diphtheria and croup.....	705	39	107	116	107	67	203	46	7	5	5	3						
9	Influenza.....	5,491	252	298	200	152	93	289	366	1,509	1,403	494	218	130	58	23	4	2	
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	92	34	5	5	2	1	4	3	4	4	11	7	2	3				
13	Tuberculosis of the lungs.....	3,347	32	19	9	8	8	34	305	1,000	941	561	286	110	29	3		2	
14	Tuberculous meningitis.....	217	36	33	20	11	13	22	25	27	12	9	5	3	1				
15	Other forms of tuberculosis.....	256	4	6	4	8	3	18	29	64	48	26	29	14	1	1		3	
16	Cancer and other malignant tumors.....	2,421	3	2	2	2	2	8	12	36	167	434	712	620	324	92	4		
17	Meningitis.....	197	46	18	14	10	7	24	23	19	20	9	3	3	1				
18	Cerebral hemorrhage and softening.....	1,290	2	1	1	4	8	6	59	185	295	385	341	298	121	17	2		
19	Organic diseases of the heart.....	1,423	8	7	1	1	6	6	10	10	12	20	19	8	15	6	2		
20	Acute bronchitis.....	378	193	61	32	14	16	10	3	2	4	2	8	13	6	12	2		
21	Chronic bronchitis.....	161	2	2	1	1	4	3	8	12	26	30	41	26	6				
22	Pneumonia.....	5,714	199	186	111	75	65	152	338	1,532	1,406	650	462	318,	166	49	3	1	1
23a	Bronchopneumonia.....	2,241	665	372	172	107	54	107	69	189	194	89	67	66	51	33	6		
23b	Other diseases of the respiratory system.....	319	18	9	10	2	3	17	18	35	38	46	32	35	33	20	2	1	
24	Diseases of the stomach.....	205	37	3	5	1	1	1	1	18	31	33	39	25	9	4	2		
25(37)	Diarrhea and enteritis.....	3,368	2,398	598	148	54	27	40	10	10	12	20	19	8	15	6	2		1
26	Appendicitis and typhlitis.....	374	1	5	3	8	7	39	68	71	70	54	31	10	5	2			
27	Hernia, intestinal obstruction.....	288	43	8	3	5	1	5	5	14	27	40	47	44	36	10			
28	Cirrhosis of the liver.....	329	1				1	1	2	4	37	69	89	81	33	11			
29	Acute nephritis and Bright's disease.....	2,835	28	15	15	11	7	31	48	145	234	399	559	637	444	224	36	1	1
30	Diseases of the female genital organs.....	203								3	54	64	49	17	10	6			
31	Puerperal septicemia.....	142								7	91	40	4						
32	Other puerperal affections.....	352								15	186	131	20						
33	Congenital debility and malformations.....	1,633	1,599	17	3	3	2	6	2	1									
34	Senility.....	48																	
35	Violent deaths (suicide excepted).....	2,051	42	57	47	50	47	164	154	251	338	280	286	185	90	50	9		
36	Suicide.....	446								8	64	100	88	107	54	21	4		
(37)	All other defined diseases.....	4,180	810	66															

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.

CHICAGO, ILL. (WHITE).

	All causes.....	41,608	6,350	1,880	931	658	447	1,290	1,782	5,530	5,714	4,163	4,449	4,131	2,800	1,284	171	15	13
1	Typhoid fever.....	38							2	6	14	8	3	5					
2	Typhus fever.....																		
3	Malaria.....	4	1									1	1		1				
4	Smallpox.....																		
5	Measles.....	61	22	24	7	6		2											
6	Scarlet fever.....	57	1	13	10	8	4	9	4	5	3								
7	Whooping cough.....	158	73	41	14	11	10	8	1										
8	Diphtheria and croup.....	687	39	106	114	107	65	196	43	6	3	5	3						
9	Influenza.....	5,278	234	290	188	150	87	276	344	1,464	1,355	471	209	126	68	23	4	1	
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	87	34	5	5	2		4	3	4	3	9	7	6	2	3			
13	Tuberculosis of the lungs.....	2,981	31	16	8	7	7	27	255	868	857	511	262	102	25			2	
14	Tuberculous meningitis.....	191	36	31	17	9	13	17	21	22	10	7	4	3	1				
15	Other forms of tuberculosis.....	213	4	4	1	8	3	16	22	50	40	23	26	14	1				
16	Cancer and other malignant tumors.....	2,349	3		2	2	7	12	35	152	412	693	607	324	91	4		3	
17	Meningitis.....	182	40	17	14	10	6	24	21	16	18	9	3	3	1				
18	Cerebral hemorrhage and softening.....	1,235	2	1	1			2	5	18	44	125	276	333	290	121	16	1	
19	Organic diseases of the heart.....	4,137	7	6	3	8	5	57	174	271	339	454	673	941	763	390	39	6	1
20	Acute bronchitis.....	351	179	54	30	12	15	10	3	2	4	2	7	13	6	12	2		
21	Chronic bronchitis.....	157	2	2	1			4		3	7	12	25	30	40	25	6		
22	Pneumonia.....	5,397	185	171	107	74	63	140	311	1,442	1,298	584	433	307	160	48			1
23	Bronchopneumonia.....	2,099	620	347	153	102	51	97	66	183	183	81	66	62	50	32	6		
24	Other diseases of the respiratory system.....	307	18	8	9	2	3	17	17	34	36	41	32	34	33	20	2	1	
25	Diseases of the stomach.....	195	36	3	1	1		1	1	17	27	32	37	25	9	4	1		
26	Diarrhea and enteritis.....	3,294	2,351	582	145	51	27	39	10	10	12	18	17	8	15	6	2		1
27	Appendicitis and typhlitis.....	358	1	5	3	8	7	38	67	66	65	52	30	9	5	2			
28	Hernia, intestinal obstruction.....	263	42	5	3	4	1	4	4	10	20	35	46	43	36	10			
29	Cirrhosis of the liver.....	323	1					1	2	4	37	68	85	81	32	11			
30	Acute nephritis and Bright's disease.....	2,657	24	13	14	10	7	30	46	135	212	349	518	605	434	222	36	1	1
31	Diseases of the female genital organs.....	173							3	43	52	42	17	10	6				
32	Puerperal septicemia.....	127							3	84	37	3							
33	Other puerperal affections.....	336							13	178	125	20							
34	Congenital debility and malformations.....	1,574	1,542	15	3	3	2	6	2	1									
35	Senility.....	48																	
36	Violent deaths (suicide excepted).....	1,941	38	55	44	49	45	158	146	224	311	271	277	179	88	47	8		1
37	Suicide.....	436							8	59	97	88	107	53	20	4			
38	All other defined diseases.....	3,967	781	60	36	13	24	97	170	260	355	433	591	529	384	191	36	5	2
	Unknown or ill-defined diseases.....	17	3	6				1		1	3	2				1			

CHICAGO, ILL. (COLORED).

	All causes.....	2,461	247	102	63	22	23	73	154	428	459	394	260	151	60	16	5	2	2
1	Typhoid fever.....	2							1			1							
2	Typhus fever.....																		
3	Malaria.....	4							1			2	1						
4	Smallpox.....																		
5	Measles.....																		
6	Scarlet fever.....																		
7	Whooping cough.....	22	5	5	4	1	2	3	2										
8	Diphtheria and croup.....	18		1	2		2	7	3	1	2								
9	Influenza.....	213	18	8	14	2	6	13	22	45	48	23	9	4					1
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	5						1			1	2			1				
13	Tuberculosis of the lungs.....	366	1	3	1	1	1	7	50	132	84	50	24	8	4				
14	Tuberculous meningitis.....	26		2	3	2		5	4	5	2	2	1						
15	Other forms of tuberculosis.....	43		2	3			2	7	14	8	3	3						1
16	Cancer and other malignant tumors.....	72						1		1	15	22	19	13					
17	Meningitis.....	15	6	1				1	2	3	2								
18	Cerebral hemorrhage and softening.....	55								2	3	13	19	8	8	1	1	1	
19	Organic diseases of the heart.....	286	1	1	1	1	1	2	11	24	46	75	56	42	18	6	2		
20	Acute bronchitis.....	27	14	7	2	2	1												
21	Chronic bronchitis.....	4																	
22	Pneumonia.....	387	14	15	4	1	2	12	27	90	108	66	29	11	6	1			1
23	Bronchopneumonia.....	142	45	25	19	5	3	10	3	6	11	8	1	4	1	1			1
24	Other diseases of the respiratory system.....	12		1		1			1	1	2	5							
25	Diseases of the stomach.....	10	1		1				1	2	10	22	50	41	32	10	2		
26	Diarrhea and enteritis.....	74	47	16	3	3		1		1	5	5	2	1	1				
27	Appendicitis and typhlitis.....	16							1	1	5	5	2	1	1				
28	Hernia, intestinal obstruction.....	25	1	3		1		1	1	4	7	3	1		1	1			
29	Cirrhosis of the liver.....	6								2	8	6							
30	Acute nephritis and Bright's disease.....	178	4	2	1	1		1	2	10	22	50	41	32	10	2			
31	Diseases of the female genital organs.....	30									11	12	7						
32	Puerperal septicemia.....	15								2	8	6							
33	Other puerperal affections.....	16	57	2															
34	Congenital debility and malformations.....	59																	
35	Violent deaths (suicide excepted).....	110	4	2	3	1	2	6	8	27	27	9	9	6	2	3	1		
36	Suicide.....	10							3	25	37	44							

CAUSES OF DEATH, BY AGE.

443.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDED: 1918—Continued.

[See note at head of this table, p. 432.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un-known age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.

INDIANAPOLIS, IND. (TOTAL).

INDIANAPOLIS, IND. (WHITE).

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

INDIANAPOLIS, IND. (COLORED).

LOUISVILLE, KY. (TOTAL).

	All causes.....	5,083	491	134	99	54	43	124	266	689	634	597	603	599	500	205	32	3	10
1	Typhoid fever.....	36							1	6	14	9	4	1	1				
2	Typhus fever.....										2								
3	Malaria.....	2																	
4	Smallpox.....																		
5	Measles.....	17	3	6	3	2				2				1					
6	Scarlet fever.....	1				1													
7	Whooping cough.....	40	22	6	5	5	2												
8	Diphtheria and croup.....	29	1	1	3	6	5	9	1	1	1		1						
9	Influenza.....	552	16	19	13	13	7	28	56	166	130	50	26	21	4	3			
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	36	4		1				2		3	5	3	10	4	1	2		
13	Tuberculosis of the lungs.....	445	3	1				5	51	183	101	77	34	30	7	1			2
14	Tuberculous meningitis.....	34	9	4	5	2	1	7	3	1	1	1							
15	Other forms of tuberculosis.....	30	2	1	1				5	5	3	3	5	4	1				
16	Cancer and other malignant tumors.....	217						1		6	17	34	50	61	38	9	1		
17	Meningitis.....	34	3	4	4	1	2	3	3	6	2	3	2		1				
18	Cerebral hemorrhage and softening.....	217								5	8	27	41	61	58	12	3		1
19	Organic diseases of the heart.....	474	4			1		2	15	16	39	72	87	123	88	24	3		
20	Acute bronchitis.....	24	6	4	3		1	1		1	2	1	1	1	1	2			
21	Chronic bronchitis.....	52						1	1	3	7	2	5	4	7	12	8	2	
22	Pneumonia.....	637	49	19	23	9	10	24	34	159	112	72	50	29	27	14	3	3	
23	Bronchopneumonia.....	239	68	31	25	7	4	9	3	26	14	14	10	10	10	5	1		
24	Other diseases of the respiratory system.....	64	3	2	1				1	4	8	6	10	14	8	5	1		
25(37)	Diseases of the stomach.....	33	4	1					2	2	2	7	3	6	3	2	2	1	
26	Diarrhea and enteritis.....	116	66	26	5	1				1	3	1	3	2	4	4			
27	Appendicitis and typhlitis.....	33						2	8	6	8	4	3						
28	Hernia, intestinal obstruction.....	45	3	1				1	2	2	3	5	7	11	7	3			
29	Cirrhosis of the liver.....	38		1					1	2	7	16	9	2					
30	Acute nephritis and Bright's disease.....	441	4		2		1	4	8	9	21	59	101	110	91	28	2		1
31	Diseases of the female genital organs.....	20								3	9	5	3						
32	Puerperal septicemia.....	20								4	7	8	1						
33	Other puerperal affections.....	19							2	11	5	1							
34	Congenital debility and malformations.....	156	156											1	2	24	36	4	2
35	Semifity.....	69																	
36	Violent deaths (suicide excepted).....	256	7	2	2	3	6	13	31	43	35	46	31	13	14	6	2	2	
(37)	Suicide.....	50								3	11	14	12	5	5				
38	All other defined diseases.....	599	57	3	2	2	3	12	20	46	71	72	84	76	95	48	6	1	
	Unknown or ill-defined diseases.....	9			2	1			1		1	1	2					1	

CAUSES OF DEATH, BY AGE.

445

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

LOUISVILLE, KY. (WHITE).

	All causes.....	3,822	373	105	76	38	34	102	194	523	438	406	425	480	415	188	21	1	3
1	Typhoid fever.....	24								4	9	6	3	1	1				
2	Typhus fever.....									1									
3	Malaria.....	1																	
4	Smallpox.....																		
5	Measles.....	16	3	6	3	2				1									
6	Scarlet fever.....	1				1													
7	Whooping cough.....	25	15	6	3	1													
8	Diphtheria and croup.....	27			3	6	5	9	1	1	1								
9	Influenza.....	473	14	16	11	10	5	25	49	147	113	37	22	19	2	3			
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	26	3		1				2	23	93	64	53	22	22	4	1	1	
13	Tuberculosis of the lungs.....	288	2	1				6	2	1	1	1							1
14	Tuberculous meningitis.....	27	9	2	3	2	1		2	4	1	3	3	4	1				
15	Other forms of tuberculosis.....	21	2	1					1	5	14	29	40	58	37	8	1		
16	Cancer and other malignant tumors.....	193							3	4	2	3	2						
17	Meningitis.....	28	3	2	3	1	1	3	3	4	2	6	16	33	50	53	11	2	
18	Cerebral hemorrhage and softening.....	174	1						2	12	14	24	43	48	86	66	21	1	
19	Organic diseases of the heart.....	322	4			1				1									
20	Acute bronchitis.....	13	2	2	3					1		1	1	1	1	2			
21	Chronic bronchitis.....	34								2	1	3	6	11	8	2			
22	Pneumonia.....	455	38	16	19	6	9	21	27	115	74	41	33	22	20	12			2
23a	Bronchopneumonia.....	161	40	23	19	4	4	8	3	18	11	10	6	8	4	2	1		
23b	Other diseases of the respiratory system.....	46	2	1	1			1	3	6	5	6	10	7	4	2	1		
24	Diseases of the stomach.....	18	2							2	3	2	2	2	2	1	1		
(37)	Diarrhea and enteritis.....	81	44	23	3					1	1	1	1	2	2	3			
26	Appendicitis and typhlitis.....	30						2	8	5	8	3	2	2					
27	Hernia, intestinal obstruction.....	35	3	1				1	1	1	2	3	6	7	7	3			
28	Cirrhosis of the liver.....	32			1				1	1	1	5	14	8	2				
29	Acute nephritis and Bright's disease.....	334	3		2		1	2	8	7	12	35	69	86	80	27	2		
30	Diseases of the female genital organs.....	15								2	7	3	3						
31	Puerperal septicemia.....	17								3	6	7	1						
32	Other puerperal affections.....	14								2	9	2	1						
33	Congenital debility and malformations.....	137	137																
34	Senility.....	61																	
35	Violent deaths (suicide excepted).....	181	5		1	2	4	11	23	29	17	35	24	12	13	34	5	1	
36	Suicide.....	47								3	10	13	12	4	5				
(37)	All other defined diseases.....	460	41	3	1	2	3	9	16	38	43	33	60	61	79	46	5		
38	Unknown or ill-defined diseases.....	5								1	1	1					1		

LOUISVILLE, KY. (COLORED).

	All causes.....	1,261	118	29	23	16	9	22	72	166	196	191	178	119	85	17	11	2	7
1	Typhoid fever.....	12						1	2	5	3	1							
2	Typhus fever.....																		
3	Malaria.....	1																	
4	Smallpox.....																		
5	Measles.....	1																	
6	Scarlet fever.....																		
7	Whooping cough.....	15	7		2	4	2												
8	Diphtheria and croup.....	2	1	1	2	3	2	3	7	19	17	13	4	2	2				
9	Influenza.....	79	2	3	2	3	2	3	7										
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	9	1							1	2	2	2	2	1				
13	Tuberculosis of the lungs.....	157	1		2				3	28	40	37	24	12	8	3			
14	Tuberculous meningitis.....	7						1	1	1									
15	Other forms of tuberculosis.....	9				1			3	1	2		2						
16	Cancer and other malignant tumors.....	24			2	1		1			1	3	5	10	3	1			
17	Meningitis.....	6						2			2								
18	Cerebral hemorrhage and softening.....	43							3	2	2	11	8	11	5	1			
19	Organic diseases of the heart.....	152							3	2	15	29	39	37	22	3	2		
20	Acute bronchitis.....	11	4	2			1	1			2	1	4	1	1				
21	Chronic bronchitis.....	18				1		1	3	5	1	4	1	1	1				
22	Pneumonia.....	182	11	3	4	3	1	3	7	44	38	31	17	7	2	3			
23a	Bronchopneumonia.....	78	28	8	6	3		1		8	3	4	8	2	6	1			
23b	Other diseases of the respiratory system.....	18	1	1					1	2	1	4	1	1	1				
24	Diseases of the stomach.....	15	2	1					2	2	5	1	1	1	1				
(25)	Diarrhea and enteritis.....	35	22	8	2	1				2	1	1	1	1	1	2			
26	Appendicitis and typhlitis.....	3																	
27	Hernia, intestinal obstruction.....	10							1	1	1	2	2	1	4				
28	Cirrhosis of the liver.....	6										1	2	2	1				
29	Acute nephritis and Bright's disease.....	107	1						2		2	9	24	32	24	11	1		
30	Diseases of the female genital organs.....	5								1	1	1							
31	Puerperal septicemia.....	3								1	1	1							
32	Other puerperal affections.....	5								2	3								
33	Congenital debility and malformations.....	19	19													5	2	1	2
34	Senility.....	8													1	1	1	2	1
35	Violent deaths (suicide excepted).....	75	2	2	1	1	2	2	8	14	18	11	7	1	1	1	2	1	1
36	Suicide.....	3									1	1	1	1	1				
(37)	All other defined diseases.....	139	16		1	1			3	4	8	28	19	24	15	16	2	1	1
38	Unknown or ill-defined diseases.....	4						1				1							

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

NEW ORLEANS, LA. (TOTAL).

1	All causes.....	9,756	946	251	152	94	51	184	558	1,497	1,521	1,272	1,137	1,043	672	302	51	7	18
2	Typhoid fever.....	76	1	—	—	1	2	—	2	22	23	9	9	5	1	1	—	—	—
3	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Malaria.....	17	—	—	—	—	—	—	1	4	5	2	2	2	1	—	—	—	—
5	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Measles.....	22	9	5	5	—	—	—	2	1	—	—	—	—	—	—	—	—	—
7	Scarlet fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Whooping cough.....	70	35	24	3	6	—	—	2	—	—	—	—	—	—	—	—	—	—
9	Diphtheria and croup.....	18	2	4	3	1	2	—	5	1	—	—	—	—	—	—	—	—	—
10	Influenza.....	1,158	49	35	38	17	16	26	101	331	312	105	55	38	19	13	—	3	—
11	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Other epidemic diseases.....	45	5	—	—	1	—	—	1	5	9	1	6	6	10	1	—	—	—
14	Tuberculosis of the lungs.....	1,088	4	4	1	4	1	7	73	311	260	208	136	62	12	2	—	3	—
15	Tuberculous meningitis.....	24	6	4	1	—	—	—	1	5	3	2	1	—	1	—	—	—	—
16	Other forms of tuberculosis.....	82	19	6	8	4	2	1	3	12	6	9	8	2	1	—	—	—	—
17	Cancer and other malignant tumors.....	389	—	—	—	1	—	—	2	14	34	79	104	103	40	12	—	—	—
18	Meningitis.....	45	9	2	1	3	—	—	5	7	11	3	2	1	1	—	—	—	—
19	Cerebral hemorrhage and softening.....	379	—	—	—	—	—	—	1	9	22	51	84	97	71	40	4	—	—
20	Organic diseases of the heart.....	932	1	—	1	—	—	—	3	18	41	85	140	157	215	178	73	18	2
21	Acute bronchitis.....	44	17	3	3	1	2	—	—	1	—	—	2	4	3	3	2	—	—
22	Chronic bronchitis.....	32	1	—	—	—	—	—	—	—	—	—	4	6	2	12	6	1	—
23	Pneumonia.....	1,408	82	47	37	19	9	—	52	126	363	327	157	86	57	25	13	4	4
23a	Bronchopneumonia.....	239	65	28	10	11	5	—	6	34	23	7	11	17	9	4	—	—	—
23b	Other diseases of the respiratory system.....	40	1	—	—	1	—	—	2	—	4	10	9	4	6	1	2	—	—
24	Diseases of the stomach.....	43	1	—	1	1	—	—	2	—	6	10	8	5	6	2	—	1	—
25(37)	Diarrhea and enteritis.....	410	218	71	21	6	1	12	5	10	15	12	9	13	13	3	—	—	—
26	Appendicitis and typhlitis.....	81	—	—	—	—	—	—	1	8	20	17	5	8	5	—	—	—	—
27	Hernia, intestinal obstruction.....	78	11	1	1	—	—	—	—	6	10	4	10	15	7	8	4	—	—
28	Cirrhosis of the liver.....	101	1	—	—	—	—	—	1	—	6	12	22	31	16	8	4	—	—
29	Acute nephritis and Bright's disease.....	896	3	3	2	2	2	5	19	52	91	145	187	197	97	46	3	1	1
30	Diseases of the female genital organs.....	59	—	—	—	—	—	—	3	18	21	9	3	3	1	—	—	—	—
31	Puerperal septicemia.....	46	—	—	—	—	—	—	—	5	23	15	3	—	—	—	—	—	—
32	Other puerperal affections.....	59	—	—	—	—	—	—	—	7	32	18	2	—	—	—	—	—	—
33	Congenital debility and malformations.....	284	280	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
34	Semiflty.....	31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35	Violent deaths (suicide excepted).....	420	4	4	9	10	6	15	70	56	79	78	29	28	17	11	2	1	2
36	Suicide.....	49	—	—	—	—	—	—	1	8	13	11	8	6	2	—	—	—	—
37(37)	All other defined diseases.....	1,128	122	11	4	4	3	19	50	92	122	181	173	150	133	49	10	3	2
38	Unknown or ill-defined diseases.....	3	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—

NEW ORLEANS, LA. (WHITE).

1	All causes.....	6,029	567	160	78	61	30	93	297	851	883	737	737	726	515	232	43	2	12
2	Typhoid fever.....	50	1	—	1	1	—	—	18	14	6	5	4	—	—	—	—	—	—
3	Typhus fever.....	9	—	—	—	—	—	—	1	2	3	—	1	1	1	—	—	—	—
4	Malaria.....	16	9	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Measles.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Scarlet fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Whooping cough.....	52	28	17	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Diphtheria and croup.....	15	1	3	3	1	2	5	—	—	—	—	—	—	—	—	—	—	—
10	Influenza.....	797	32	23	15	10	10	10	61	233	241	68	40	26	13	12	—	3	—
11	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Other epidemic diseases.....	31	3	4	1	2	1	4	22	145	122	99	45	10	—	—	—	—	2
14	Tuberculosis of the lungs.....	583	3	4	1	2	1	4	2	3	1	—	—	1	—	—	—	—	—
15	Tuberculous meningitis.....	20	6	3	1	2	1	—	1	4	3	—	—	—	—	—	—	—	—
16	Other forms of tuberculosis.....	31	4	1	2	1	—	—	1	3	4	7	6	2	—	—	—	—	—
17	Cancer and other malignant tumors.....	295	—	—	—	1	—	—	—	6	17	52	81	91	37	10	—	—	—
18	Meningitis.....	27	4	1	—	3	—	1	4	9	2	2	1	—	—	—	—	—	—
19	Cerebral hemorrhage and softening.....	269	—	—	—	—	—	—	1	2	12	31	57	73	59	30	4	—	—
20	Organic diseases of the heart.....	548	1	—	1	—	—	1	12	19	27	61	73	137	139	62	15	—	—
21	Acute bronchitis.....	25	7	3	—	—	—	1	—	1	2	3	6	4	6	2	—	—	—
22	Chronic bronchitis.....	27	—	—	—	—	—	—	1	5	17	10	8	4	8	5	—	—	—
23	Pneumonia.....	846	44	29	15	15	5	23	65	230	209	89	48	42	19	7	4	—	2
23a	Bronchopneumonia.....	143	43	13	6	8	2	7	3	21	11	2	9	12	9	2	—	—	—
23b	Other diseases of the respiratory system.....	23	1	—	—	1	—	—	1	3	5	3	4	1	2	—	—	—	—
24	Diseases of the stomach.....	28	1	—	—	1	—	—	3	5	10	3	2	2	—	—	—	—	—
25(37)	Diarrhea and enteritis.....	240	134	47	14	3	1	4	—	4	5	6	5	9	8	—	—	—	—
26	Appendicitis and typhlitis.....	58	—	—	—	1	5	17	10	8	2	5	10	4	8	4	—	—	—
27	Hernia, intestinal obstruction.....	48</																	

CAUSES OF DEATH, BY AGE.

447

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEASED: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.

NEW ORLEANS, LA. (COLORED).

	All causes.....	3,727	379	91	74	33	21	91	281	646	633	535	400	317	157	70	8	5	6
1	Typhoid fever.....	26				1		2	4	9	3	4	1	1	1				
2	Typhus fever.....								2	2	2	1	1						
3	Malaria.....	8																	
4	Smallpox.....																		
5	Measles.....	6		1	2			2	1										
6	Scarlet fever.....																		
7	Whooping cough.....	18	7	7		2		2											
8	Diphtheria and croup.....	3	1	1															
9	Influenza.....	361	17	12	23	7	6	16	40	98	71	37	15	12	6	1			
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	14	2																
13	Tuberculosis of the lungs.....	505	1			2		3	51	166	137	86	37	17	2	2			1
14	Tuberculous meningitis.....	4		1					1		1	1							
15	Other forms of tuberculosis.....	51	15	5	6	3	2	1	2	9	2	2	2						
16	Cancer and other malignant tumors.....	94							2	8	17	27	23	12	3	1	1	2	
17	Meningitis.....	18	5	1	1			4	3	2	1								
18	Cerebral hemorrhage and softening.....	110								7	10	20	27	24	12	10			
19	Organic diseases of the heart.....	384							2	6	22	58	79	84	78	39	11	3	2
20	Acute bronchitis.....	19	10		3	1	2					1	2						
21	Chronic bronchitis.....	5	1										1	1	1	1			
22	Pneumonia.....	562	38	18	22	4	4	29	61	133	118	68	38	15	6	6			2
23a	Bronchopneumonia.....	91	22	12	4	3	3	5	3	13	12	5	2	5					2
23b	Other diseases of the respiratory system.....	17								3	7	4	1						
24	Diseases of the stomach.....	15			1				1	5	3	7	2	1					
25(37)	Diarrhea and enteritis.....	170	84	24	7	3		8	5	6	10	6	4	4	5	3			1
26	Appendicitis and typhlitis.....	23						3	3	7	9	1							
27	Hernia, intestinal obstruction.....	30	2	1	1			3	8	2	5	5	3						
28	Cirrhosis of the liver.....	35	1						3	4	8	11	6	2					
29	Acute nephritis and Bright's disease.....	352		3	1	1		2	12	33	41	62	76	72	33	15			1
30	Diseases of the female genital organs.....	37							3	13	11	6	1	1					
31	Puerperal septicemia.....	20							3	9	7	1							
32	Other puerperal affections.....	21							4	12	4	1							
33	Congenital debility and malformations.....	121	120					1											
34	Senility.....	4																	
35	Violent deaths (suicide excepted).....	150	2	1	1	4	3	3	33	20	33	31	8	7	2	1			1
36	Suicide.....	5								1	2	2							
(37)	All other defined diseases.....	447	51	4	2	2	1	8	16	54	61	76	57	55	38	15	5	2	
38	Unknown or ill-defined diseases.....	1										1							

BALTIMORE, MD. (TOTAL).

	All causes.....	15,810	2,256	762	315	163	136	366	810	2,115	2,015	1,552	1,706	1,618	1,353	542	79	6	16
1	Typhoid fever.....	73		3	1			7	27	16	7	5	4	3					
2	Typhus fever.....																		
3	Malaria.....	1																	
4	Smallpox.....																		
5	Measles.....	76	19	22	14	7	5	5	3	1									
6	Scarlet fever.....	9	1	4	2	2		2											
7	Whooping cough.....	237	83	80	33	14	10	15	2										
8	Diphtheria and croup.....	66	9	15	7	12	9	10	2										
9	Influenza.....	1,739	103	109	60	33	31	92	136	520	386	87	83	51	34	11	1		2
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	39	9	2	1	2		1		2	4	6	4	2	2	3	1		
13	Tuberculosis of the lungs.....	1,331	11	16	12	4	12	25	151	323	315	211	142	75	28	6			
14	Tuberculous meningitis.....	70	13	8	8	1	10	9	5	8	3	2	2	1					
15	Other forms of tuberculosis.....	77	2	3	5	4	1	4	11	15	9	9	8	6					
16	Cancer and other malignant tumors.....	638	1			1		2	5	14	48	131	164	133	97	11	1		
17	Meningitis.....	88	18	9	6	5	3	6	15	11	6	5	4						
18	Cerebral hemorrhage and softening.....	809								8	24	89	165	241	185	83	13		1
19	Organic diseases of the heart.....	1,460	5	1		1	1	9	33	59	132	199	273	297	329	103	14	2	3
20	Acute bronchitis.....	150	73	24	14	1	1	2	5	1	3	2	8	7	6	1			1
21	Chronic bronchitis.....	66	1	1		1	1	2		4	2	2	12	9	13	16	2		
22	Pneumonia.....	2,367	69	72	26	16	20	41	203	715	589	249	185	99	57	24	1		1
23a	Bronchopneumonia.....	943	280	176	62	24	11	34	38	60	57	35	34	52	51	20	4		5
23b	Other diseases of the respiratory system.....	70	5	3	2	2		1	3	1	8	8	9	15	11	2			
24	Diseases of the stomach.....	50	3	1	1	2		1		2	9	11	10	11	10	4	3	3	
25(37)	Diarrhea and enteritis.....	925	634	161	29	9	5	8	6	4	10	11	10	15	13	7	2		1
26	Appendicitis and typhlitis.....	80			1		1	1	5	7	12	12	16	15	14	2			
27	Hernia, intestinal obstruction.....	105	10	7	3		1	1	5	7	12	12	16	15	14	2			
28	Cirrhosis of the liver.....	65			1					1	6	13	20	14	4	6			
29	Acute nephritis and Bright's disease.....	1,146	4	2	1	1	1	3	16	40	93	145	240	256	237	93	12	1	
30	Diseases of the female genital organs.....	32								7	8	7	2	3	5				
31	Puerperal septicemia.....	46								5	26	12	3						
32	Other puerperal affections.....	89								8	53	26	2						
33	Congenital debility and malformations.....	680	666	8	3	1			1	1				5	30	48	11	3	
34	Senility.....	97																	
35	Violent deaths (suicide excepted).....	755	16	11	12	13	10	62	72	104	111	102	86	68	61	21	6		
36	Suicide.....	97								3	23	19	20	17	12	3			
(37)	All other defined diseases.....	1,314	213	23	10	7	4	21	44	68	102	163	204	201	163	76	9		1
38	Unknown or ill-defined diseases.....	20	8	5					2	1		2	1		1				

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

BALTIMORE, MD. (WHITE).

	All causes.....	12,143	1,756	545	213	119	96	261	559	1,621	1,481	1,063	1,282	1,354	1,215	496	70	3	9
1	Typhoid fever.....	49	—	2	—	—	—	—	6	19	7	5	5	2	3	—	—	—	—
2	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Malaria.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
4	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles.....	61	18	18	8	7	5	2	2	1	—	—	—	—	—	—	—	—	—
6	Scarlet fever.....	7	1	3	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—
7	Whooping cough.....	147	56	49	23	8	4	6	1	—	—	—	—	—	—	—	—	—	—
8	Diphtheria and croup.....	65	9	14	7	12	9	10	2	—	—	—	—	—	—	—	—	—	—
9	Influenza.....	1,444	78	87	41	22	22	68	114	459	333	64	66	48	29	11	1	—	1
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Other epidemic diseases.....	30	6	1	1	2	—	—	2	3	6	1	2	2	3	1	—	—	—
13	Tuberculosis of the lungs.....	840	6	8	5	—	—	4	6	59	189	212	155	106	63	22	5	—	—
14	Tuberculous meningitis.....	54	11	6	7	1	—	7	4	5	2	1	2	—	1	—	—	—	—
15	Other forms of tuberculosis.....	41	1	1	2	2	1	—	2	10	3	7	7	5	—	—	—	—	—
16	Cancer and other malignant tumors.....	566	1	—	—	—	—	—	2	4	13	40	104	146	148	96	11	1	—
17	Meningitis.....	74	17	8	4	4	3	5	13	7	5	4	4	—	—	—	—	—	—
18	Cerebral hemorrhage and softening.....	633	—	—	—	—	—	—	5	14	51	115	191	170	74	12	1	—	—
19	Organic diseases of the heart.....	1,078	2	1	—	—	1	7	28	42	77	107	179	243	287	91	10	1	1
20	Acute bronchitis.....	97	49	14	6	1	—	—	1	3	1	—	2	7	5	10	—	2	—
21	Chronic bronchitis.....	52	1	—	—	—	—	—	1	3	1	1	8	6	12	16	2	—	—
22	Pneumonia.....	1,839	54	56	22	11	15	31	155	577	463	170	141	74	48	20	1	—	—
23a	Bronchopneumonia.....	692	192	118	41	17	8	24	25	51	46	27	27	48	43	20	4	—	—
23b	Other diseases of the respiratory system.....	50	3	3	2	—	—	1	1	—	5	3	4	14	11	—	—	—	—
24	Diseases of the stomach.....	34	2	—	1	2	—	1	4	3	7	7	4	3	3	3	—	—	—
25(37)	Diarrhea and enteritis.....	706	498	116	18	6	5	4	3	3	7	6	7	11	13	6	2	—	1
26	Appendicitis and typhlitis.....	62	—	—	—	—	—	—	3	10	12	9	13	7	3	3	1	—	—
27	Hernia, intestinal obstruction.....	85	9	7	3	—	—	1	1	4	6	6	9	15	9	13	2	—	—
28	Cirrhosis of the liver.....	55	—	—	—	—	—	—	—	1	5	9	16	13	4	6	—	—	—
29	Acute nephritis and Bright's disease.....	836	2	2	1	1	—	—	3	12	27	54	97	164	216	211	85	10	—
30	Diseases of the female genital organs.....	20	—	—	—	—	—	—	—	—	2	4	4	2	3	5	—	—	—
31	Puerperal septicemia.....	28	—	—	—	—	—	—	—	—	1	17	9	1	—	—	—	—	—
32	Other puerperal affections.....	78	—	—	—	—	—	—	—	—	5	47	24	2	—	—	—	—	—
33	Congenital debility and malformations.....	568	558	5	2	1	—	—	—	1	1	—	—	—	3	27	43	10	.2
34	Senility.....	85	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35	Violent deaths (suicide excepted).....	578	9	9	10	10	9	55	54	72	71	70	73	56	55	19	6	—	—
36	Suicide.....	91	—	—	—	—	—	—	—	—	20	16	20	17	12	3	—	—	—
(37)	All other defined diseases.....	1,031	166	15	5	6	2	17	36	38	61	119	164	171	148	74	8	—	1
38	Unknown or ill-defined diseases.....	16	7	5	—	—	—	—	1	1	—	—	1	1	—	—	—	—	—

BALTIMORE, MD. (COLORED).

	All causes.....	3,667	500	217	102	44	40	105	251	494	534	489	424	264	138	46	9	3	7
1	Typhoid fever.....	24	—	1	1	—	—	—	1	8	9	2	—	2	—	—	—	—	—
2	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles.....	15	1	4	6	—	—	—	3	1	—	—	—	—	—	—	—	—	—
6	Scarlet fever.....	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
7	Whooping cough.....	90	27	31	10	6	6	9	1	—	—	—	—	—	—	—	—	—	—
8	Diphtheria and croup.....	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Influenza.....	295	25	22	19	11	9	24	22	61	53	23	17	3	6	—	—	—	—
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Other epidemic diseases.....	9	3	1	—	—	—	—	1	—	—	—	—	3	—	—	—	—	—
13	Tuberculosis of the lungs.....	491	5	8	7	4	8	19	92	134	103	56	36	12	6	1	—	—	—
14	Tuberculous meningitis.....	16	2	2	1	—	—	3	2	1	3	1	1	—	—	—	—	—	—
15	Other forms of tuberculosis.....	36	1	2	3	2	—	—	4	9	5	6	2	1	1	—	—	—	—
16	Cancer and other malignant tumors.....	72	—	—	—	—	—	—	1	—	1	8	27	18	15	1	—	—	—
17	Meningitis.....	14	1	1	2	1	—	—	1	2	4	1	1	—	—	—	—	—	—
18	Cerebral hemorrhage and softening.....	176	—	—	—	—	—	—	2	5	17	55	92	94	54	42	12	4	1
19	Organic diseases of the heart.....	382	3	—	—	—	—	—	2	5	17	55	92	94	54	42	12	4	1
20	Acute bronchitis.....	53	24	10	8	—	—	1	1	1	2	—	3	—	—	1	—	—	—
21	Chronic bronchitis.....	14	—	—	—	—	—	1	1	1	—	1	1	4	3	1	—	—	—
22	Pneumonia.....	528	15	16	4	5	5	10	48	138	126	79	44	25	9	4	—	—	—
23a	Bronchopneumonia.....	251	88	58	21	7	3	10	13	9	11	8	7	4	8	—	—	—	4
23b	Other diseases of the respiratory system.....	20	2	—	—	—	—	—	2	1	1	8	5	5	1	—	—	—	—
24	Diseases of the stomach.....	16	1	1	—	—	—	—	2	5	4	4	3	3	4	3	—	—	—
25(37)	Diarrhea and enteritis.....	219	136	45	11	3	—	4	3	1	3	5	3	4	3	4	—	—	—
26	Appendicitis and typhlitis.....	18	—	—	—	—	—	1	4	3	6	3	1	—	—	—	—	—	—
27	Hernia, intestinal obstruction.....	20	1	—	—	—	—	—	1	1	6	3	3	1	6	1			

CAUSES OF DEATH, BY AGE.

449

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEASED: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
BOSTON, MASS. (TOTAL).																		
1	All causes ¹	17,267	2,298	738	339	228	151	410	758	2,197	2,488	1,910	1,847	1,838	1,403	562	94	2
1	Typhoid fever	19	1							5	4	4	3	1	1			
2	Typhus fever	1										1						
3	Malaria																	
4	Smallpox																	
5	Measles	116	31	54	14	9	2	4	2									
6	Scarlet fever	24	3	4	2	5	5	2	2	1								
7	Whooping cough	180	70	60	21	12	10	7										
8	Diphtheria and croup	214	23	29	28	31	17	54	17	7	3	2						
9	Influenza	2,536	84	118	78	54	22	91	182	713	721	252	128	68	19	7	4	
10	Asiatic cholera																	
11	Cholera nostras	1	1															
12	Other epidemic diseases	52	24	4	2	1				2	3	5	4	4	3			
13	Tuberculosis of the lungs	1,209	20	26	4	7	1	6	91	291	305	233	153	52	15	4	1	
14	Tuberculous meningitis	115	17	19	17	8	6	15	12	8	5	5	1	2				
15	Other forms of tuberculosis	73	4	3	1	4	2	6	12	8	11	8	8	4	2			
16	Cancer and other malignant tumors	956	1	1	2	2	4	7	13	60	168	255	244	153	38	7		
17	Meningitis	120	40	12	8	5	1	14	13	13	4	4	5	1				
18	Cerebral hemorrhage and softening	674	1							6	11	58	120	209	176	80	12	
19	Organic diseases of the heart	1,963	5	2	2	1	3	9	60	95	121	252	344	473	399	167	.30	
20	Acute bronchitis	80	46	14	6	1	1			1	1	1	1	4	2			
21	Chronic bronchitis	44		1						2	2	1	5	5	12	12	3	
22	Pneumonia	2,742	112	94	51	23	26	54	178	666	674	358	198	183	98	29	1	2
23a	Bronchopneumonia	840	306	163	46	18	12	19	14	25	48	27	21	42	56	37	6	
23b	Other diseases of the respiratory system	69	7	11	2			1	2	6	8	11	10	8	1	1		
24	Diseases of the stomach	61							2	4	10	11	15	4	5	3		
25(37)	Diarrhea and enteritis	536	404	71	14	10	5	4	1	2	3	7	2	7	4	2		
26	Appendicitis and typhlitis	133		1		2	5	18	31	23	23	10	12	5	2	1		
27	Hernia, intestinal obstruction	109	14	5		2		1	3	3	7	6	20	26	17	5		
28	Cirrhosis of the liver	62							1		9	16	21	11	3			
29	Acute nephritis and Bright's disease	642	10	2	1	3	1	3	11	21	52	90	126	140	135	43	4	
30	Diseases of the female genital organs	46								2	32	19	3					
31	Puerperal septicemia	56							6	75	85	10						
32	Other puerperal affections	176																
33	Congenital debility and malformations	754	738	9	1	2			5	1			1	2	6	2	1	2
34	Senility	12																
35	Violent deaths (suicide excepted)	803	22	16	19	21	21	59	60	71	108	135	98	76	67	24	4	
36	Suicide	114								7	17	31	13	25	14	5	2	
(37)	All other defined diseases	1,688	293	19	14	13	7	30	41	75	147	194	262	251	225	97	19	1
38	Unknown or ill-defined diseases	47	19	1	3					3	3	4	6	6	1	1		
BOSTON, MASS. (WHITE).																		2
1	All causes	16,731	2,226	712	324	222	148	406	742	2,133	2,393	1,834	1,781	1,786	1,372	555	92	3
1	Typhoid fever	19	1						5	4	4	3	1	1				
2	Typhus fever	1																
3	Malaria																	
4	Smallpox																	
5	Measles	112	31	51	14	8	2	4	2									
6	Scarlet fever	24	3	4	2	5	5	2	2	1								
7	Whooping cough	176	67	60	20	12	10	7		6	3	3	2					
8	Diphtheria and croup	211	21	29	28	31	17	54	17	6	3	3	2					
9	Influenza	2,473	80	114	73	54	22	91	179	702	701	243	122	62	19	7	4	
10	Asiatic cholera																	
11	Cholera nostras																	
12	Other epidemic diseases	49	22	3	2	1				2	3	5	4	3				
13	Tuberculosis of the lungs	1,144	20	25	4	6	1	6	84	277	283	221	143	49	15	4	1	
14	Tuberculous meningitis	112	17	18	16	7	6	15	12	8	5	5	1	2				
15	Other forms of tuberculosis	65	4	2	1	4	2	3	11	8	10	6	8	4	2			
16	Cancer and other malignant tumors	934	1	1	1	2	2	4	6	13	37	163	249	239	151	38	7	
17	Meningitis	117	39	12	8	5	1	14	12	13	4	4	4	1				
18	Cerebral hemorrhage and softening	656	1		1					6	11	55	115	204	172	79	12	
19	Organic diseases of the heart	1,895	5	2	2	1	2	9	60	94	113	236	333	456	388	165	29	
20	Acute bronchitis	80	46	14	6	1	1			1	1	1	1	4	2			
21	Chronic bronchitis	44		1						2	3	7	2	7	4	2		
22	Pneumonia	2,669	108	93	49	23	26	53	171	647	654	345	194	180	96	27	1	2
23a	Bronchopneumonia	802	291	151	41	17	11	19	14	25	48	26	21	41	35	36	6	
23b	Other diseases of the respiratory system	69	7	11	2			1	2	6	8	11	10	8	1	1		
24	Diseases of the stomach	59	7						2	3	10	10	15	4	5	3		
25(37)	Diarrhea and enteritis	525	395	69	14	10	5	4	1	2	3	7	2	7	4	2		
26	Appendicitis and typhlitis	131		1		2	5	18	31	23	21	10	12	5	2			
27	Hernia, intestinal obstruction	107	14	5		2	1	3	2	7	6	20	26	16	16	5		
28	Cirrhosis of the liver	61						1	1	8	16	21	11	3				
29	Acute nephritis and Bright's disease	617	10	2	1	3	1	3	11	21	48	86	120	136	129	42	4	
30	Diseases of the female genital organs	42								6	8	20	4	2	1			
31	Puerperal septicemia	53							2	31	17	3						
32	Other puerperal affections	170							6	72	82	10						
33	Congenital debility and malformations	737	720	9	1	1		5	1									
34	Senility	11																
35	Violent deaths (suicide excepted)	776	22	16	18	20	20	59	60	68	102	131	96	69	65	24	4	
36	Suicide	113		1	3				7	17	30	13	25	14	5	2		
(37)	All other defined diseases	1,631	279	19	14	13	7	30	40	68	141	189	247	246	223	97	18	
38	Unknown or ill-defined diseases	46	18	1	3				3	3	4	6	6	1	1			

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

BOSTON, MASS. (COLORED).

CAMBRIDGE, MASS.

CAUSES OF DEATH, BY AGE.

451

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
FALL RIVER, MASS.																		
1	All causes.....	2,858	657	192	53	34	41	67	121	316	364	215	234	253	224	74	10	3
1	Typhoid fever.....	18	—	—	—	—	—	1	2	3	9	1	2	—	—	—	—	—
2	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles.....	7	1	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Scarlet fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Whooping cough.....	29	16	9	3	—	—	1	—	—	—	—	—	—	—	—	—	—
8	Diphtheria and croup.....	27	4	4	2	6	4	5	2	—	—	—	—	—	—	—	—	—
9	Influenza.....	564	37	49	20	12	18	28	37	126	134	53	24	14	8	4	—	—
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Cholera nostras.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Other epidemic diseases.....	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
13	Tuberculosis of the lungs.....	228	4	5	1	1	1	5	32	59	59	29	25	6	1	—	—	—
14	Tuberculous meningitis.....	15	2	4	—	—	—	2	1	1	—	—	—	—	—	—	—	—
15	Other forms of tuberculosis.....	9	—	1	—	—	—	—	—	—	3	1	—	2	1	—	—	—
16	Cancer and other malignant tumors.....	105	—	—	—	—	—	—	2	1	6	23	22	32	15	4	—	—
17	Meningitis.....	10	2	2	—	—	—	1	3	—	—	—	1	—	—	—	—	—
18	Cerebral hemorrhage and softening.....	91	—	—	—	—	—	—	—	5	8	21	19	16	35	20	12	1
19	Organic diseases of the heart.....	256	5	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
20	Acute bronchitis.....	49	33	9	4	1	1	—	—	—	—	—	—	—	—	—	—	—
21	Chronic bronchitis.....	13	—	—	—	—	—	—	—	—	—	—	—	—	1	6	3	—
22	Pneumonia.....	261	16	11	8	2	7	2	20	80	64	15	18	8	7	3	—	—
23	Bronchopneumonia.....	135	57	25	3	2	3	2	1	8	6	4	8	1	3	—	—	—
23b	Other diseases of the respiratory system.....	15	2	—	—	—	—	—	1	1	3	2	2	1	1	—	—	—
24	Diseases of the stomach.....	17	6	—	1	—	—	—	1	—	2	—	2	1	3	1	—	—
25(37)	Diarrhea and enteritis.....	323	255	53	4	2	—	2	—	—	1	1	—	2	2	1	—	—
26	Appendicitis and typhlitis.....	19	—	—	—	—	—	—	5	1	8	4	—	1	—	—	—	—
27	Hernia, intestinal obstruction.....	14	1	—	—	—	—	—	—	—	—	1	5	2	4	1	—	—
28	Cirrhosis of the liver.....	9	—	—	—	—	—	—	—	—	2	1	1	4	—	1	—	—
29	Acute nephritis and Bright's disease.....	149	—	1	1	1	4	2	2	4	12	20	20	26	45	10	—	1
30	Diseases of the female genital organs.....	5	—	—	—	—	—	—	—	—	2	3	—	—	—	—	—	—
31	Puerperal septicemia.....	7	—	—	—	—	—	—	—	3	3	1	—	—	—	—	—	—
32	Other puerperal affections.....	13	—	—	—	—	—	—	—	4	8	1	—	—	—	—	—	—
33	Congenital deformity and malformations.....	144	144	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34	Senility.....	4	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—
35	Violent deaths (suicide excepted).....	70	5	2	3	3	—	8	8	1	6	10	9	5	7	1	—	1
36	Suicide.....	6	—	—	—	—	—	—	—	—	1	1	3	—	—	—	—	—
(37)	All other defined diseases.....	207	42	7	2	2	1	2	3	12	14	12	33	33	28	11	5	—
38	Unknown or ill-defined diseases.....	32	22	3	1	1	—	—	—	1	3	1	—	—	—	—	—	—

LOWELL, MASS.

	All causes.....	2,466	524	162	60	27	23	58	85	269	260	234	214	262	190	89	8	1
1	Typhoid fever.....	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
2	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles.....	16	6	6	2	1	—	1	—	—	1	—	—	—	—	—	—	—
6	Scarlet fever.....	4	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
7	Whooping cough.....	20	9	7	2	1	1	—	—	—	—	—	—	—	—	—	—	—
8	Diphtheria and croup.....	18	2	2	4	1	2	5	1	18	64	69	32	6	6	7	1	—
9	Influenza.....	288	25	24	13	8	5	10	—	—	—	—	—	—	—	—	—	—
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Cholera nostras.....	7	3	1	—	—	—	1	—	—	—	—	—	—	1	4	5	—
12	Other epidemic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Tuberculosis of the lungs.....	160	3	3	2	—	—	3	5	2	5	—	1	2	1	—	—	—
14	Tuberculous meningitis.....	29	8	3	2	—	—	—	—	—	—	3	1	1	1	—	—	—
15	Other forms of tuberculosis.....	12	3	—	—	1	—	—	—	—	—	1	3	19	33	33	13	8
16	Cancer and other malignant tumors.....	110	3	2	2	—	—	—	3	2	—	1	—	—	—	—	—	—
17	Meningitis.....	13	2	2	2	—	—	—	—	—	—	3	1	1	1	—	—	—
18	Cerebral hemorrhage and softening.....	126	—	—	—	—	—	1	—	—	4	12	28	40	26	13	2	—
19	Organic diseases of the heart.....	166	1	—	—	—	—	—	4	2	7	8	23	29	46	32	12	2
20	Acute bronchitis.....	62	37	15	5	1	—	2	—	—	—	—	1	2	4	4	4	—
21	Chronic bronchitis.....	16	1	—	—	—	—	—	—	—	—	—	1	2	4	4	4	—
22	Pneumonia.....	256	15	15	5	3	1	4	15	58	63	31	17	19	7	3	—	—
23	Bronchopneumonia.....	227	53	42	16	7	3	3	7	26	16	14	14	12	11	3	—	—
23b	Other diseases of the respiratory system.....	14	1	3	—	—	—	—	2	—	2	2	—	1	1	—	—	—
24	Diseases of the stomach.....	10	5	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—
25(37)	Diarrhea and enteritis.....	197	162	20	2	2	3	—	—	2	2	1	1	1	2	3	1	—
26	Appendicitis and typhlitis.....	11	—	—	—	—	—	1	3	2	2	1	1	1	2	1	—	—
27	Hernia, intestinal obstruction.....	6	2	—	—	—	—	—	—	—	2	—	2	—	3	2	—	—
28	Cirrhosis of the liver.....	15	—	—	—	—	—	—	—	—	2	—	4	3	3	2	—	—
29	Acute nephritis and Bright's disease.....	94	2	1	1	—	1	2	6	6	17	17	21	12	6	6	1	—
30	Diseases of the female genital organs.....	8	—	—	—	—	—	—	—	3	—	1	2	5	—	—	—	—
31	Puerperal septicemia.....	4	—	—	—	—	—	—	—	17	4	—	—	—	—	—	—	—
32	Other puerperal affections.....	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33	Congenital deformity and malformations.....	139	137	2	—	—	—	—	—	6	9	17	20	14	30			

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 19 years	20 to 29 years	30 to 39 years	40 to 49 years	50 to 59 years	60 to 69 years	70 to 79 years	80 to 89 years	90 to 99 years	

WORCESTER, MASS.

	All causes.....	3,758	507	120	47	35	30	74	143	476	500	428	402	422	393	159	23	1
1	Typhoid fever.....	6						1			1		2	2				
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	7		2	2			1	1					1				
6	Scarlet fever.....	2	1	5	1													
7	Whooping cough.....	6				2	3	5										
8	Diphtheria and croup.....	21	2	4														
9	Influenza.....	457	30	27	11	3	9	13	22	119	108	62	25	14	10	3	1	
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	7	3	1														
13	Tuberculosis of the lungs.....	206	2	1	2	2		2	13	60	48	46	14	10	5	1		
14	Tuberculous meningitis.....	21	5	5	3	6		2			5	8	4	4	1			
15	Other forms of tuberculosis.....	27	1	3		1					6	12	30	52	44	6		
16	Cancer and other malignant tumors.....	203			1													
17	Meningitis.....	20	2	3	3	2		2	2	3	2	1						
18	Cerebral hemorrhage and softening.....	177									1	7	11	36	51	45	24	2
19	Organic diseases of the heart.....	506									6	18	35	61	83	107	123	58
20	Acute bronchitis.....	29	15	3		1				1		1	2					1
21	Chronic bronchitis.....	16								2								
22	Pneumonia.....	616	8	22	6	3	4	12	38	176	150	71	44	40	32	9	1	
23a	Bronchopneumonia.....	192	54	17	6	6	3	6	1	11	22	14	9	17	19	6	1	
23b	Other diseases of the respiratory system.....	15			1	1		1			2	2	3		3	2		
24	Diseases of the stomach.....	19	2							1	1	2	5	3	2	3		
25(37)	Diarrhea and enteritis.....	165	114	18	7	2		2	2	2		5	1	4	3	3		
26	Appendicitis and typhlitis.....	28							2	8	5	4	3	4	1			
27	Hernia, intestinal obstruction.....	25	3	2					1		1	2	7	3	5	1		
28	Cirrhosis of the liver.....	10										1	1	3	3	1		
29	Acute nephritis and Bright's disease.....	110	1						1	3	5	13	13	21	20	26	7	
30	Diseases of the female genital organs.....	9									2	1	2	2	1	1		
31	Puerperal septicemia.....	9									1	4	4					
32	Other puerperal affections.....	38									3	17	16	2				
33	Congenital debility and malformations.....	184	183		1													
34	Senility.....	9														6	2	
35	Violent deaths (suicide excepted).....	154	4	6	2	3	4	13	20	17	19	16	17	14	12	5	2	
36	Suicide.....	22									1	4	3	5	3			
(37)	All other defined diseases.....	442	72	5	1	3	3	4	12	14	42	63	66	71	53	26	6	1
38	Unknown or ill-defined diseases.....																	

DETROIT, MICH.

	All causes.....	12,889	2,713	611	282	189	171	400	567	1,774	1,692	1,106	1,095	1,038	799	360	63	29
1	Typhoid fever.....	72		1		1	2	1	17	17	22	7	3		1			
2	Typhus fever.....																	
3	Malaria.....	1								1								
4	Smallpox.....	6	3	1														
5	Measles.....	129	49	41	11	8	3	14	1		1	1						
6	Scarlet fever.....	46	1	3	5	4	7	15	5	5	1							
7	Whooping cough.....	155	73	39	24	8	5	4	1		1							
8	Diphtheria and croup.....	273	28	26	46	47	28	65	15	8	7	2						
9	Influenza.....	1,385	108	101	53	34	24	73	70	411	319	92	47	28	16	5	1	3
10	Asiatic cholera.....																	
11	Cholera nostras.....	1													1			
12	Other epidemic diseases.....	44	24	1	1	1		1	1	2	1	4	3	2	2	1		
13	Tuberculosis of the lungs.....	969	9	7	2	5	3	8	91	336	248	133	87	27	10			3
14	Tuberculous meningitis.....	84	19	17	6	6	6	9	9	4	6	1						1
15	Other forms of tuberculosis.....	55	1	1	1	1	5	4	9	10	9	6	3	1	1			2
16	Cancer and other malignant tumors.....	553	2	1	1	1	5	4	9	7	47	99	170	126	68	22	3	
17	Meningitis.....	84	23	14	6	4	5	6	6	10	2	3	2	1	1	1		
18	Cerebral hemorrhage and softening.....	427	2	1				3	1	2	16	45	105	117	105	37	3	
19	Organic diseases of the heart.....	982	6	1	4	4	13	41	63	91	123	134	225	195	66	14	2	
20	Acute bronchitis.....	76	35	14	5		1	4			1	2	1	1	12	20	10	1
21	Chronic bronchitis.....	51	2								1	4	3	6	2	4	3	
22	Pneumonia.....	1,739	138	74	32	18	15	43	104	434	387	180	136	92	51	29	1	5
23a	Bronchopneumonia.....	638	274	94	30	10	16	24	14	46	36	21	15	21	26	8	2	1
23b	Other diseases of the respiratory system.....	92	3	4	1	1	2	5	8	6	18	13	8	13	6	4		
24	Diseases of the stomach.....	102	41	3	5			3	2	7	6	5	5	12	10	3		
25(37)	Diarrhea and enteritis.....	729	567	91	23	7	5	3	2	1	10	1	3	2	6	4	3	1
26	Appendicitis and typhlitis.....	125		1			4	11	24	28	29	9	10	7	1	1		
27	Hernia, intestinal obstruction.....	107	16	9		1			2	10	12	13	11	17	11	5		
28	Cirrhosis of the liver.....	74								1	7	13	19	17	13	3		
29	Acute nephritis and Bright's disease.....	455	9	3	1	2	1	6	11	26	37	69	80	104	78	25	3	
30	Diseases of the female genital organs.....	66								1	15	23	19	4	1	2	1	
31	Puerperal septicemia.....	74								5	35	32	2					
32	Other puerperal affections.....	152								9	90	42	10					
33	Congenital debility and malformations.....	947	936	4	2	1	2	1										
34	Senility.....	79								1	3	2	2	2	1			
35	Violent deaths (suicide excepted).....	709	24	24	17	18	23	57	63	99	114	88	67	51	42	23	2	2
36	Suicide.....	79								2	14	24	19	12	5	3		
(37)	All other defined diseases.....	1,303	320	30	10	8	10	26	47	84	137	130	167	143	107	68	11	5
38	Unknown or ill-defined diseases.....	16		5					1	3	2	2	2	1				

CAUSES OF DEATH, BY AGE.

453

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																		Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.			

GRAND RAPIDS, MICH.

MINNEAPOLIS, MINN.

	All causes	5,392	633	162	73	56	44	139	256	759	750	545	591	565	501	262	53	2	1
1	Typhoid fever	31							1	11	10	5	3	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox	4	2								1				1				
5	Measles	26	6	10	3	2	1	4		8	2	1	1						
6	Scarlet fever	33		4	3	4		10											
7	Whooping cough	79	29	30	7	7	1	5											
8	Diphtheria and croup	88	5	11	6	2	9	21	13	8	9	1	3						
9	Influenza	776	35	22	13	11	13	25	53	254	221	73	27	16	8	3	1	1	
10	Asiatic cholera																		
11	Cholera nostras	1											1						
12	Other epidemic diseases	22	5	1	2			1	2	4	1	1		2	1	2			
13	Tuberculosis of the lungs	426	7	4		3		1	34	145	105	55		37	29	5	1		
14	Tuberculous meningitis	31	5	1	5	6	1	3	3	3	3	1							
15	Other forms of tuberculosis	21		1	1			2	5	3	4	3	2						
16	Cancer and other malignant tumors	354						3		8	21	61	101	87	59	14			
17	Meningitis	19	3			2		3	1	2	2	2		2	1	1			
18	Cerebral hemorrhage and softening	208								1	3	23	37	52	53	32	7		
19	Organic diseases of the heart	483	2	1				6	22	34	38	49	77	109	93	44	.7		1
20	Acute bronchitis	9		2									2		3				
21	Chronic bronchitis	15										1	2		3	6	2		
22	Pneumonia	485	19	10	9	3	4	10	33	98	104	73	41	39	28	12	2		
23	Bronchopneumonia	144	61	16	4	1	2	6	1	6	9	2	5	7	13	9	2		
24	Other diseases of the respiratory system	34	3			1		1		5	5	6	7	1	3	2			
25(37)	Diseases of the stomach	46	5	2						7	5	10	10	8	4	2	3		
26	Diarrhea and enteritis	91	47	17	5	2	1	2		2	1	1	4	5					
27	Appendicitis and typhlitis	74		1	2	1	2	4	14	18	15	8	3	4	2				
28	Hernia, intestinal obstruction	51	6		2	1				7	10	5	8	7	4	1			
29	Cirrhosis of the liver	32								2	2	5	7	9	5	2			
30	Acute nephritis and Bright's disease	339						2	4	9	20	23	71	70	82	47	10	1	
31	Diseases of the female genital organs	37							2	7	13	10	3	1	1				
32	Puerperal septicemia	14								8	4	2							
33	Other puerperal affections	46							2	25	19								
34	Congenital debility and malformations	284	279	3					2										
35	Senility	22											1	1	7	9	4		
36	Violent deaths (suicide excepted)	276	3	12	5	6	6	13	27	28	44	22	37	20	27	20	6		
37	Suicide	59								1	12	13	15	10	6	1	1		
38	All other defined diseases	727	106	14	6	4	4	17	28	50	65	88	97	87	101	50	10		
	Unknown or ill-defined diseases	5	3							1			1						

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 482.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

ST. PAUL, MINN.

	All causes.....	3,602	449	94	55	39	31	92	205	506	536	329	390	391	302	164	19	
1	Typhoid fever.....	8							1	3	3		1					
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	4		1	3													
6	Scarlet fever.....	42		4	2	6	5	7	8	9	1							
7	Whooping cough.....	37	17	9	6	2	1	2										
8	Diphtheria and croup.....	58	1	2	7	4	6	22	9	6								
9	Influenza.....	644	25	23	15	8	6	16	47	219	190	50	19	13	10	3		
10	Asiatic cholera.....																	
11	Cholera nostras.....	1		1														
12	Other epidemic diseases.....	17	8	2														
13	Tuberculosis of the lungs.....	267	3	1														
14	Tuberculous meningitis.....	25	3	5	2	1	1	4										
15	Other forms of tuberculosis.....	26	1															
16	Cancer and other malignant tumors.....	238	1															
17	Meningitis.....	10	4															
18	Cerebral hemorrhage and softening.....	132	1															
19	Organic diseases of the heart.....	359	1															
20	Acute bronchitis.....	9	4	2														
21	Chronic bronchitis.....	13																
22	Pneumonia.....	304	14	8	5	2	2	5	22	67	72	22	25	31	17	12		
23a	Bronchopneumonia.....	81	36	9	2	1		1	1	2	3	4	2	9	5	4	2	
23b	Other diseases of the respiratory system.....	26	1	3				1	3	4	3	1	4	1	2	1		
24	Diseases of the stomach.....	22	7									5	4	1	2	2		
25(37)	Diarrhea and enteritis.....	94	63	14	1	2			2	2	4	2	1		2		1	
26	Appendicitis and typhlitis.....	51							4	13	6	9	7	3	3	2		
27	Hernia, intestinal obstruction.....	27	7					1		1	3	2	1	6	1			
28	Cirrhosis of the liver.....	17								2	1	1	5	7	1			
29	Acute nephritis and Bright's disease.....	202							2	4	13	35	37	54	31	22	3	
30	Diseases of the female genital organs.....	14								3	5	4	1	1				
31	Puerperal septicemia.....	22								1	11	10						
32	Other puerperal affections.....	27									18	8	1					
33	Congenital debility and malformations.....	183	182	1														
34	Senility.....	20																
35	Violent deaths (suicide excepted).....	166	1	4	4	2	2	9	26	16	18	28	17	16	15	7	1	
36	Suicide.....	32								1	2	8	9	2	2			
(37)	All other defined diseases.....	423	69	5	2	5	1	11	28	24	48	39	70	52	40	26	3	
38	Unknown or ill-defined diseases.....	1												1				

KANSAS CITY, MO. (TOTAL).

	All causes.....	6,608	635	157	99	75	37	168	398	1,085	1,054	824	652	666	479	246	24	1	
1	Typhoid fever.....	47	1						10	14	13	4	2	3					
2	Typhus fever.....																		
3	Malaria.....	7																	
4	Smallpox.....	17																	
5	Measles.....	57	10	8	6	3	1	1	4	12	12	2							
6	Scarlet fever.....	11	1		1	2		2	2										
7	Whooping cough.....	40	21	8	2	4	2	2											
8	Diphtheria and croup.....	61	3	1	7	9	6	21	12	2	2								
9	Influenza.....	855	36	21	26	18	7	34	83	282	211	76	28	18	11	3	1		
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	24	2	1		1			1	2	1	1	4	2	6	3			
13	Tuberculosis of the lungs.....	458	2	2	1				42	115	125	89	43	21	9	3			
14	Tuberculous meningitis.....	14	4	4		1	1	2		1	1								
15	Other forms of tuberculosis.....	31				1	1		1	5	8	8	2	2	4	1			
16	Cancer and other malignant tumors.....	303							1	2	13	26	45	76	86	35	19		
17	Meningitis.....	50	3	5	3	1			12	2	8	4	6	2	4				
18	Cerebral hemorrhage and softening.....	215								6	7	14	32	56	59	36	4		
19	Organic diseases of the heart.....	493	5						5	17	35	61	72	80	87	81	45	4	
20	Acute bronchitis.....	22	6	4	1	1			1		1	1	3	1	1	2			
21	Chronic bronchitis.....	16	1									1	4	3	6	1			
22	Pneumonia.....	1,060	46	17	10	9	4	27	84	309	239	135	69	57	38	15			
23a	Bronchopneumonia.....	285	70	30	14	7	4	15	13	26	29	9	17	22	11	15	3		
23b	Other diseases of the respiratory system.....	70	2	2	2	2			1	2	8	10	14	8	9	6	4		
24	Diseases of the stomach.....	34	1						1	1	1	6	4	4	7	6	2		
25(37)	Diarrhea and enteritis.....	162	87	37	7	4			1	2	9	15	18	13	6	5	1		
26	Appendicitis and typhlitis.....	71							2	4	2	7	10	6	11	3	1		
27	Hernia, intestinal obstruction.....	53	6						2	4	2	7	10	6	11	3	1		
28	Cirrhosis of the liver.....	45										4	11	16	9	4	1		
29	Acute nephritis and Bright's disease.....	454	5	1	1	1	1	1	8	23	35	74	84	95	81	37	6	1	
30	Diseases of the female genital organs.....	56								2	13	24	13	2	2				
31	Puerperal septicemia.....	32								4	16	11	1						
32	Other puerperal affections.....	51								2	30	15	4						
33	Congenital debility and malformations.....	218	212	1	3	1				1									
34	Senility.....	8																	
35	Violent deaths (suicide excepted).....	425	2	4	3	6	2	17	50	59	91	70	54	27	26	14			
36	Suicide.....	65								4	12	10	18	13	4	4			
(37)	All other defined diseases.....	786	108	11	8	3	4	13	25	66	81	119	91	130	85	38	3	1	
38	Unknown or ill-defined diseases.....	12	1		1				2		1	1	1	1				4	

CAUSES OF DEATH, BY AGE.

455

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
KANSAS CITY, MO. (WHITE).																		
1	All causes.....	5,682	564	137	82	71	34	152	340	936	843	645	559	609	444	238	21	7
1	Typhoid fever.....	39	1							8	12	9	4	2	3			
2	Typhus fever.....																	
3	Malaria.....	4																
4	Smallpox.....	15																
5	Measles.....	54	9	7	5	3		1	1		1	4	3	4	1			
6	Scarlet fever.....	11	1		1	2		2	2	2								1
7	Whooping cough.....	37	19	8	2	3	2	2										
8	Diphtheria and croup.....	59	3	1	7	9	5	21	11		2							
9	Influenza.....	827	32	18	25	18	7	31	80	272	208	75	28	18	11	3	1	
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	21	2				1				2	1	1	3	2	6	3	
13	Tuberculosis of the lungs.....	310	2	2			2	2	25	74	84	57	33	17	9	3		
14	Tuberculous meningitis.....	13	4	4		1	1			1								
15	Other forms of tuberculosis.....	17						1	4	7	3		1					1
16	Cancer and other malignant tumors.....	277						1	2	12	20	35	72	82	35	18		
17	Meningitis.....	44	2	5	3	1		11	2	8	2	5	1	4				4
18	Cerebral hemorrhage and softening.....	201				1				6	4	12	29	53	56	36		
19	Organic diseases of the heart.....	386	4					5	15	24	44	41	64	76	69	41	3	
20	Acute bronchitis.....	15	4	1		1				1	1	3	1	1		2		
21	Chronic bronchitis.....	15	1									1	3	3	6	1		
22	Pneumonia.....	900	40	14	6	9	4	23	74	270	187	113	60	52	33	14		1
23a	Bronchopneumonia.....	240	56	25	9	7	4	11	13	18	26	8	13	22	10	15	3	
23b	Other diseases of the respiratory system.....	58	1	2	2	1		1	2	8	8	8	7	8	6	4		
24	Diseases of the stomach.....	27	1		1		1	1			4	3	2	7	5	2		
25(37)	Diarrhea and enteritis.....	147	79	35	6	4		1		4	3	6	2	3	2	1	1	
26	Appendicitis and typhlitis.....	64				1		2	8	11	16	13	6	5	1	1		
27	Hernia, intestinal obstruction.....	49	6					2	4	2	5	9	6	10	3	1	1	
28	Cirrhosis of the liver.....	41								4	9	14	9	4	1			
29	Acute nephritis and Bright's disease.....	371	3	1	1	1	1	5	17	26	54	68	79	74	36	4		
30	Diseases of the female genital organs.....	49						2	11	20	12	2	2					
31	Puerperal septicemia.....	27							2	16	8	1						
32	Other puerperal affections.....	44							2	27	13	2						
33	Congenital debility and malformations.....	203	197	1	3	1				1					3	4	1	
34	Senility.....	8																
35	Violent deaths (suicide excepted).....	346	2	4	3	5	2	15	40	46	66	53	44	26	26	14		
36	Suicide.....	61							4	12	9	17	11	4	4			
(37)	All other defined diseases.....	691	95	9	6	3	4	12	21	59	63	95	82	121	37	3	1	
38	Unknown or ill-defined diseases.....	11				1			2		1	1	1	1				4

KANSAS CITY, MO. (COLORED).

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

(See note at head of this table, p. 432.)

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

ST. LOUIS, MO. (TOTAL).

	All causes.....	13,727	1,367	407	210	157	104	317	622	1,617	1,887	1,624	1,666	1,738	1,343	585	75	4	4
1	Typhoid fever.....	60	1	1	2	1	3	14	18	9	5	5	1
2	Typhus fever.....
3	Malaria.....	15	1	1	1	1	4	4	1	2
4	Smallpox.....
5	Measles.....	25	6	8	5	1	2	2	1
6	Scarlet fever.....	21	1	2	3	3	2	5	4	1
7	Whooping cough.....	170	68	40	31	14	5	8	2	2
8	Diphtheria and croup.....	128	17	18	16	11	12	40	11	1	1	1
9	Influenza.....	1,342	51	55	33	36	27	41	95	326	349	130	91	60	30	15	2	1
10	Asiatic cholera.....
11	Cholera nostras.....	1	1
12	Other epidemic diseases.....	43	6	1	2	1	5	5	2	3	7	2	2	6	1
13	Tuberculosis of the lungs.....	976	8	3	3	4	3	8	111	240	259	163	97	58	19
14	Tuberculous meningitis.....	42	5	3	4	7	2	4	8	2	3	2	1	1
15	Other forms of tuberculosis.....	76	4	3	3	3	3	7	8	11	16	11	6	5	2
16	Cancer and other malignant tumors.....	763	1	1	3	3	18	49	140	204	210	105	26	2	1
17	Meningitis.....	69	14	6	2	3	4	6	8	3	8	5	7	3
18	Cerebral hemorrhage and softening.....	532	3	1	2	3	9	16	49	108	152	138	45	6
19	Organic diseases of the heart.....	1,221	2	2	1	1	3	16	42	84	96	157	188	280	219	119	9	1	1
20	Acute bronchitis.....	88	36	14	3	1	4	1	2	1	3	2	3	11	6	1
21	Chronic bronchitis.....	81	1	1	2	1	3	6	11	16	19	15	6
22	Pneumonia.....	2,030	68	40	29	16	20	51	124	462	500	255	181	147	101	33	2	1
23a	Bronchopneumonia.....	691	173	112	36	20	7	26	14	37	55	37	38	51	50	31	4
23b	Other diseases of the respiratory system.....	99	3	4	1	1	4	12	9	14	12	17	17	4	1
24	Diseases of the stomach.....	91	15	2	3	5	13	11	17	9	7	2	1
25(37)	Diarrhea and enteritis.....	384	261	58	12	4	3	4	4	4	9	7	4	6	5	2	1
26	Appendicitis and typhlitis.....	115	2	1	7	30	22	18	16	8	5	5	1
27	Hernia, intestinal obstruction.....	106	13	2	3	1	2	3	7	13	16	13	14	14	5
28	Cirrhosis of the liver.....	168	1	1	9	22	30	48	33	18	6
29	Acute nephritis and Bright's disease.....	1,324	1	1	2	17	56	86	178	273	314	267	108	19	2
30	Diseases of the female genital organs.....	71	14	26	22	3	4	1	1
31	Puerperal septicemia.....	43	2	23	15	3
32	Other puerperal affections.....	65	7	32	25	1
33	Congenital debility and malformations.....	408	398	4	3	1	1
34	Senility.....	10	1
35	Violent deaths (suicide excepted).....	652	14	10	13	22	5	32	49	84	94	107	73	70	50	26	2	1	1
36	Suicide.....	136	5	21	26	35	21	20	6	2
(37)	All other defined diseases.....	1,678	197	14	6	7	6	37	42	103	163	212	246	255	253	121	16
38	Unknown or ill-defined diseases.....	3	1	1	1

ST. LOUIS, MO. (WHITE).

	All causes.....	11,731	1,170	326	150	121	85	250	518	1,321	1,545	1,333	1,442	1,580	1,288	555	65	2	4
1	Typhoid fever.....	49	1	1	1	12	16	7	5	5	1
2	Typhus fever.....	3	1	1	1	2
3	Malaria.....	9	1	1
4	Smallpox.....
5	Measles.....	13	3	5	3	1	1
6	Scarlet fever.....	21	1	2	3	3	2	5	4	1
7	Whooping cough.....	130	57	32	23	9	3	4	1	1	1	1	1	1	1	1	1	1	1
8	Diphtheria and croup.....	116	14	15	14	11	12	37	10	1	1	1	1	1	1	1	1	1	1
9	Influenza.....	1,230	42	47	28	30	21	33	92	299	333	119	81	58	29	15	2	1	1
10	Asiatic cholera.....
11	Cholera nostras.....	1	1
12	Other epidemic diseases.....	38	5	1	1	5	4	2	2	7	2	2	6	1
13	Tuberculosis of the lungs.....	731	7	1	2	1	2	3	75	173	191	127	78	54	17
14	Tuberculous meningitis.....	33	5	3	2	5	1	3	5	2	3	2	2	1	1	1	1	1	1
15	Other forms of tuberculosis.....	52	4	3	1	2	4	8	10	8	5	5	5	2	2	1	1	1
16	Cancer and other malignant tumors.....	704	1	1	1	1	4	6	8	3	7	4	7	2	24	1	1	1	1
17	Meningitis.....	59	9	6	2	1	4	6	8	3	7	4	7	2	2	1	1	1	1
18	Cerebral hemorrhage and softening.....	490	3	1	1	3	15	38	67	61	117	149	201	149	119	87	20	2	1
19	Organic diseases of the heart.....	1,036	2	2	1	1	3	15	38	67	61	117	149	205	220	115	8	1	1
20	Acute bronchitis.....	76	31	11	3	1	3	1	1	1	2	3	11	6	1	1	1	1
21	Chronic bronchitis.....	71	1	1	1	1	2	4	8	15	19	15	16	6	1	1	1
22	Pneumonia.....	1,679	60	35	20	13	16	40	102	387	417	201	149	119	87	20	2	1	1
23a	Bronchopneumonia.....	556	124	77	19	12	5	21	12	34	52	35	30	48	46	29	2	1	1
23b	Other diseases of the respiratory system.....	91	2	4	1	1	4	10	7	14	11	17	15	4	6	1	1	1
24	Diseases of the stomach.....	71	13	13	2	2	3	8	3	8	8	14	7	6	6	2	1	1
25(37)	Diarrhea and enteritis.....	345	238	52	9	3	3	3	4	3	9	3	4	5	2	1	1	1	1
26	Appendicitis and typhlitis.....</td																		

CAUSES OF DEATH, BY AGE.

457

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.

ST. LOUIS, MO. (COLORED).

	All causes.....	1,993	197	81	60	36	19	67	104	296	342	291	224	149	85	-30	10	2	
1	Typhoid fever.....	11	1	1	1	—	—	2	2	2	2	—	—	—	—	—	—	—	—
2	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Malaria.....	6	—	—	1	—	—	—	—	—	1	—	3	—	—	—	—	—	—
4	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles.....	12	3	3	2	1	—	2	1	—	—	—	—	—	—	—	—	—	—
6	Scarlet fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Whooping cough.....	40	11	8	8	5	2	4	1	1	—	—	—	—	—	—	—	—	—
8	Diphtheria and croup.....	12	3	3	2	—	—	3	1	—	—	—	—	—	—	—	—	—	—
9	Influenza.....	112	9	8	5	6	6	8	3	27	16	11	10	2	1	—	—	—	—
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Other epidemic diseases.....	5	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
13	Tuberculosis of the lungs.....	245	1	2	1	3	1	5	36	67	68	36	19	4	2	—	—	—	—
14	Tuberculous meningitis.....	9	—	—	2	2	1	1	3	—	—	—	—	—	—	—	—	—	—
15	Other forms of tuberculosis.....	24	—	—	—	—	—	5	4	—	3	6	3	1	—	—	—	—	—
16	Cancer and other malignant tumors.....	59	—	—	—	—	—	—	1	4	10	13	15	10	3	2	1	—	—
17	Meningitis.....	10	5	—	—	2	—	—	—	—	1	—	1	—	—	—	—	—	—
18	Cerebral hemorrhage and softening.....	42	—	—	—	—	—	1	1	—	2	7	9	11	5	2	1	—	—
19	Organic diseases of the heart.....	185	—	—	1	—	—	1	4	17	35	40	39	25	17	4	1	—	—
20	Acute bronchitis.....	12	5	3	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—
21	Chronic bronchitis.....	10	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
22	Pneumonia.....	351	8	5	9	3	4	11	22	75	83	54	32	28	14	3	—	—	—
23a	Bronchopneumonia.....	135	39	35	17	8	2	5	2	3	3	2	8	3	4	2	2	—	—
23b	Other diseases of the respiratory system.....	8	1	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—
24	Diseases of the stomach.....	20	2	—	—	—	—	1	—	2	5	3	2	1	—	—	—	—	—
25(37)	Diarrhea and enteritis.....	39	23	6	3	1	—	1	—	—	4	—	—	—	—	—	—	—	—
26	Appendicitis and typhlitis.....	13	—	—	—	—	—	—	3	—	5	3	—	—	—	—	—	—	—
27	Hernia, intestinal obstruction.....	11	—	—	1	—	—	—	—	2	1	3	—	—	—	—	—	—	—
28	Cirrhosis of the liver.....	17	—	—	—	—	—	1	—	2	4	2	5	3	—	—	—	—	—
29	Acute nephritis and Bright's disease.....	181	—	—	—	—	—	—	1	15	25	40	44	26	18	7	4	1	—
30	Diseases of the female genital organs.....	18	—	—	—	—	—	—	3	10	5	—	—	—	—	—	—	—	—
31	Puerperal septicemia.....	4	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—
32	Other puerperal affections.....	10	—	—	—	—	—	—	1	6	3	—	—	—	—	—	—	—	—
33	Congenital debility and malformations.....	51	50	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
34	Senility.....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35	Violent deaths (suicide excepted).....	100	2	1	3	2	—	6	8	24	22	16	6	8	1	1	—	—	—
36	Suicide.....	7	—	—	—	—	—	—	1	4	1	1	—	—	—	—	—	—	—
(37)	All other defined diseases.....	232	33	5	1	2	2	7	7	23	32	39	27	27	20	7	—	—	—
38	Unknown or ill-defined diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

OMAHA, NEBR.

	All causes.....	3,199	362	97	48	35	31	111	178	489	507	327	339	320	239	99	13	1	3
1	Typhoid fever.....	11	2	—	—	—	—	—	2	4	1	1	1	—	—	—	—	—	—
2	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles.....	11	3	1	1	—	—	3	2	1	—	—	—	—	—	—	—	—	—
6	Scarlet fever.....	8	2	—	1	—	—	1	2	1	—	—	—	—	—	—	—	—	—
7	Whooping cough.....	14	3	3	5	1	—	2	—	—	—	—	—	—	—	—	—	—	—
8	Diphtheria and croup.....	51	2	4	4	6	6	21	6	2	—	—	—	—	—	—	—	—	—
9	Influenza.....	633	40	30	20	11	15	35	44	172	182	39	28	10	4	3	—	—	—
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Cholera nostras.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Other epidemic diseases.....	16	4	2	—	1	—	1	1	—	—	2	1	3	—	1	—	—	—
13	Tuberculosis of the lungs.....	175	1	2	—	—	—	2	12	54	35	34	20	12	3	—	—	—	—
14	Tuberculous meningitis.....	11	2	3	—	1	1	2	1	—	1	—	—	—	—	—	—	—	—
15	Other forms of tuberculosis.....	26	2	—	—	—	—	—	2	4	5	4	3	4	1	1	1	—	—
16	Cancer and other malignant tumors.....	191	—	—	—	—	—	—	—	1	4	14	46	51	50	17	8	—	—
17	Meningitis.....	14	4	—	—	—	—	1	3	5	—	5	7	17	31	30	18	1	—
18	Cerebral hemorrhage and softening.....	107	1	—	—	—	—	2	3	7	—	7	17	31	30	18	1	—	—
19	Organic diseases of the heart.....	203	4	1	1	—	—	3	7	11	22	19	40	41	35	16	3	—	—
20	Acute bronchitis.....	8	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21	Chronic bronchitis.....	6	—	—	—	—	—	—	—	1	—	1	1	1	2	1	1	—	—
22	Pneumonia.....	431	17	10	2	6	9	22	132	99	51	28	26	24	24	—	—	—	1
23a	Bronchopneumonia.....	107	40	11	4	1	3	2	4	2	7	2	6	9	10	6	—	—	—
23b	Other diseases of the respiratory system.....	19	1	—	—	—	—	—	2	2	5	1	2	3	2	3	1	—	—
24	Diseases of the stomach.....	13	3	1	—	—	—	—	—	—	3	3	3	1	2	2	—	—	—
25(37)	Diarrhea and enteritis.....	82	51	18	5	2	1	5	17	16	11	8	4	2	5	7	5	1	—
26	Appendicitis and typhlitis.....	68	—	1	—	2	—	1	2	4	5	—	5	3	3	3	—	—	—
27	Hernia, intestinal obstruction.....	41	6	—	—	—	—	1	2	4	5	—	5	3	3	3	—	—	—
28	Cirrhosis of the liver.....	16	—	—	—	—	—	—	—	—	4	5	6	3	3	3	—	—	—
29	Acute nephritis and Bright's disease.....	131	2	—	1	—	2	—	1	4	13	10	32	28	29	9	—	—	—
30	Diseases of the female genital organs.....</																		

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

JERSEY CITY, N. J.

	All causes.....	6,081	893	284	156	79	65	187	311	852	811	638	645	562	386	182	28	2
1	Typhoid fever.....	16							1	4	5	4	1	1				
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	40	12	14	7	3	2	2										
6	Scarlet fever.....	10	2	2	3	2												
7	Whooping cough.....	58	22	17	10	3	2	4										
8	Diphtheria and croup.....	61	3	10	15	10	5	13	2	2								
9	Influenza.....	642	57	42	38	11	14	44	52	149	129	49	28	16	10	2	1	
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	14	7				1			1	1	2	1	1				
13	Tuberculosis of the lungs.....	399	1	1	1	1			46	103	103	80	42	14	6	1		
14	Tuberculous meningitis.....	22	4	4	5	1			4	1	2	1						
15	Other forms of tuberculosis.....	31	2		1	3		3	4	7	6	5						
16	Cancer and other malignant tumors.....	241				1				4	19	41	78	60	32	6		
17	Meningitis.....	51	11	10	2	4	1	8	9	2	2	1	1					
18	Cerebral hemorrhage and softening.....	224							1	1	5	23	44	59	55	31	5	
19	Organic diseases of the heart.....	543	1			1	1	8	17	37	38	65	91	127	102	48	7	
20	Acute bronchitis.....	61	40	13								1	3	3	1			
21	Chronic bronchitis.....	18	1									1	3	5	4			
22	Pneumonia.....	1,144	58	52	15	13	5	29	69	330	259	130	90	53	29	21	11	1
23a	Bronchopneumonia.....	426	97	52	35	13	11	17	18	61	62	20	13	10	11	6		
23b	Other diseases of the respiratory system.....	36	3		2		1	1	3				6	4	3	4		
24	Diseases of the stomach.....	23	2	1						1	5	4	6	6	2	3	1	
25(37)	Diarrhea and enteritis.....	306	216	48	10	7	3	7	2	2	2	1	1	4	2		1	
26	Appendicitis and typhlitis.....	46				1	1	5	16	8	5	7	1	1	1			
27	Hernia, intestinal obstruction.....	34	3	1					1		1	2	6	8	5	1		
28	Cirrhosis of the liver.....	41								2	4	10	13	11	1			
29	Acute nephritis and Bright's disease.....	401	4				1	3	9	21	40	58	104	81	59	20	1	
30	Diseases of the female genital organs.....	18								2	4	8	3	1				
31	Puerperal septicemia.....	13								6	6	1						
32	Other puerperal affections.....	60								29	27	4						
33	Congenital debility and malformations.....	250	248	1	1													
34	Senility.....	19																
35	Violent deaths (suicide excepted).....	333	15	10	7	3	9	29	37	45	46	49	31	24	15		5	
36	Suicide.....	25								1	4	3	4	7	5	1		
(37)	All other defined diseases.....	467	85	5	5	1	5	12	17	23	35	58	76	73	37	31	4	
38	Unknown or ill-defined diseases.....	8	1	1					2	1	1	1	1					

NEWARK, N. J.

	All causes.....	8,132	1,204	417	201	118	97	186	364	1,138	1,141	809	863	760	549	253	30	1
1	Typhoid fever.....	18				1		1	4	3	4	3	1			1		
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	118	31	44	20	11	7	3	1	1	1							
6	Scarlet fever.....	7				2	2	1	1		1							
7	Whooping cough.....	52	23	13	12	1	2	1										
8	Diphtheria and croup.....	47	2	9	7	7	9	10	1		1							
9	Influenza.....	750	41	42	33	21	11	34	66	189	182	52	33	30	12	4		
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	22	14						1		1	2	2	2				
13	Tuberculosis of the lungs.....	545	2	2	1	1	4	47	131	117	122	72	36	5	2	1		
14	Tuberculous meningitis.....	54	13	7	6	8	5	7	4	1	1							
15	Other forms of tuberculosis.....	45	4	2	2	1	2	4	9	5	3	5	4	3	1			
16	Cancer and other malignant tumors.....	346		2				2	1	11	26	59	99	84	47	13	2	
17	Meningitis.....	53	12	17	4	2	3	4	2	2	4	2	1					
18	Cerebral hemorrhage and softening.....	325				1		1		4	5	35	66	90	83	35	5	
19	Organic diseases of the heart.....	742	1	1	1	1	2	7	22	38	60	96	144	151	139	72	7	
20	Acute bronchitis.....	137	80	28	9	1	3	2	1		1	1	2	2	5	2		
21	Chronic bronchitis.....	33	1								1	1	4	6	12	7	1	
22	Pneumonia.....	1,564	62	66	40	18	12	26	102	493	392	156	106	59	25			
23a	Bronchopneumonia.....	429	94	96	24	19	14	12	14	61	38	13	6	18	11	8	1	
23b	Other diseases of the respiratory system.....	67	7	7	4	2	1	2	3	6	9	5	9	7	1	3	1	
24	Diseases of the stomach.....	47	13	2	2	1			2	3	5	4	4	3	2	6		
25(37)	Diarrhea and enteritis.....	390	294	47	15	5	2	3	1	14	18	7	13	6	1	1		
26	Appendicitis and typhlitis.....	70				1	2	9	14	18	7	13	6	1				
27	Hernia, intestinal obstruction.....	49	3	1			4		1	3	11	4	11	4	4	2	1	
28	Cirrhosis of the liver.....	50							1		8	13	12	12	4			
29	Acute nephritis and Bright's disease.....	515	4	1	1	1	2	5	5	19	45	62	124	115	93	35	3	
30	Diseases of the female genital organs.....	29							1	5	11	8	4					
31	Puerperal septicemia.....	26							1	11	12	2						
32	Other puerperal affections.....	62							1	29	30	2						
33	Congenital debility and malformations.....	354	349	3		2							1		4	7	1	1
34	Senility.....	14																
35	Violent deaths (suicide excepted).....	418	12	11	12	7	11	28	34	48	85	57	52	30	18	9	3	
36	Suicide.....	51							2	10	8	13	9	5	4			
(37)	All other defined diseases.....	699	141	15	7	4	2	18	22	47	70	77	88	95	70	39	4	
38	Unknown or ill-defined diseases.....	4	1	1			1					1						

CAUSES OF DEATH, BY AGE.

459

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
PATERSON, N. J.																		
1	All causes.....	2,686	325	90	38	29	20	55	150	371	375	251	304	301	254	106	17	
2	Typhoid fever.....	6	—	—	—	—	—	1	3	1	—	—	—	1	—	—	—	
3	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	Measles.....	21	3	13	3	1	1	—	—	—	—	—	—	—	—	—	—	
7	Scarlet fever.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	Whooping cough.....	19	8	7	3	1	—	—	—	—	—	—	—	—	—	—	—	
9	Diphtheria and croup.....	22	1	2	1	4	4	6	2	151	137	2	45	22	14	5	1	
10	Influenza.....	476	5	15	6	10	4	14	47	—	—	—	—	—	—	—	—	
11	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12	Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13	Other epidemic diseases.....	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14	Tuberculosis of the lungs.....	193	2	—	—	—	—	—	—	15	49	53	31	26	14	2	1	
15	Tuberculous meningitis.....	8	3	1	1	1	—	—	2	—	—	—	—	—	—	—	—	
16	Other forms of tuberculosis.....	4	1	2	—	—	—	1	—	—	—	—	—	—	—	—	—	
17	Cancer and other malignant tumors.....	135	—	1	—	—	—	—	—	4	10	22	39	31	22	6	—	
18	Meningitis.....	12	3	1	3	—	—	—	1	2	1	—	—	—	—	—	—	
19	Cerebral hemorrhage and softening.....	118	—	—	—	—	—	—	1	—	3	9	14	37	38	16	—	
20	Organic diseases of the heart.....	217	—	—	—	—	—	—	7	13	18	30	37	40	35	11	3	
21	Acute bronchitis.....	13	6	1	1	—	—	—	1	—	1	—	—	—	—	3	—	
22	Chronic bronchitis.....	8	—	—	—	—	—	—	—	—	—	—	2	3	2	1	—	
23	Pneumonia.....	334	23	12	7	5	1	7	28	76	65	32	34	25	12	6	1	
23a	Bronchopneumonia.....	105	38	12	3	3	1	4	6	6	10	7	4	4	6	4	2	1
23b	Other diseases of the respiratory system.....	16	1	1	1	—	—	—	—	3	2	1	1	2	1	1	1	
24	Diseases of the stomach.....	14	4	—	1	—	—	1	—	1	—	1	2	3	1	3	2	
25(37)	Diarrhea and enteritis.....	106	75	14	1	2	—	—	1	—	—	1	3	1	3	2	1	
26	Appendicitis and typhlitis.....	19	—	—	—	—	—	—	1	4	4	3	1	5	1	1	1	
27	Hernia, intestinal obstruction.....	25	3	—	—	—	—	—	—	2	2	1	7	7	1	—	—	
28	Cirrhosis of the liver.....	19	—	—	—	—	—	—	—	1	3	8	4	3	—	—	—	
29	Acute nephritis and Bright's disease.....	206	3	—	—	1	—	2	4	7	11	14	34	55	48	24	3	
30	Diseases of the female genital organs.....	5	—	—	—	—	—	—	—	—	—	3	1	1	—	—	—	
31	Puerperal septicemia.....	9	—	—	—	—	—	—	—	2	7	—	—	—	—	—	—	
32	Other puerperal affections.....	20	—	—	—	—	—	—	—	11	9	—	—	—	—	—	—	
33	Congenital debility and malformations.....	100	99	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
34	Senility.....	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
35	Violent deaths (suicide excepted).....	151	3	2	3	1	2	13	15	15	18	21	21	17	10	7	3	
36	Suicide.....	24	—	—	—	—	—	—	—	5	6	2	7	3	1	—	—	
(37)	All other defined diseases.....	263	42	3	3	—	—	2	5	12	14	19	28	44	39	32	18	2
38	Unknown or ill-defined diseases.....	5	1	2	—	—	—	—	—	—	—	—	2	—	—	—	—	
ALBANY, N. Y.																		
1	All causes.....	2,548	247	81	19	21	9	45	102	294	347	278	291	343	319	134	16	1
2	Typhoid fever.....	12	—	—	—	1	—	2	1	4	1	2	1	—	—	—	—	—
3	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	Measles.....	3	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
7	Scarlet fever.....	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
8	Whooping cough.....	16	7	5	3	—	1	—	—	—	—	—	—	—	—	—	—	
9	Diphtheria and croup.....	8	3	1	—	2	—	2	—	—	—	—	—	—	—	—	—	
10	Influenza.....	371	17	12	4	6	3	7	32	106	118	28	17	14	7	—	—	
11	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12	Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13	Other epidemic diseases.....	7	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	
14	Tuberculosis of the lungs.....	206	3	2	—	—	—	—	16	50	48	46	23	12	5	1	—	
15	Tuberculous meningitis.....	14	3	6	1	1	1	—	2	—	—	1	2	1	—	—	—	
16	Other forms of tuberculosis.....	10	—	2	—	1	—	1	—	—	—	1	2	1	2	—	—	
17	Cancer and other malignant tumors.....	153	4	2	2	1	1	1	4	5	1	1	1	2	—	—	—	
18	Meningitis.....	25	4	2	2	1	1	1	4	5	1	1	1	2	—	—	—	
19	Cerebral hemorrhage and softening.....	143	—	—	—	—	—	2	8	6	7	19	38	67	53	30	2	
20	Organic diseases of the heart.....	264	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21	Acute bronchitis.....	10	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	Chronic bronchitis.....	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
23	Pneumonia.....	275	14	15	2	2	2	9	16	55	64	35	22	19	12	6	—	
23a	Bronchopneumonia.....	99	30	15	5	2	—	1	3	6	16	5	3	5	6	2	—	
23b	Other diseases of the respiratory system.....	11	—	1	—	1	—	—	—	2	3	2	1	1	—	—	—	
24	Diseases of the stomach.....	16	3	1	—	—	—	—	—	2	2	4	2	—	1	1	—	
25(37)	Diarrhea and enteritis.....	45	27	7	3	—	—	1	—	1	—	2	2	2	2	2	—	
26	Appendicitis and typhlitis.....	25	—	—	—	—	—	3	4	3	5	4	4	4	2	2	—	
27	Hernia, intestinal obstruction.....	25	—	1	—	—	1	—	1	—	2	4	5	4	5	2	—	
28	Cirrhosis of the liver.....	19	—	—	—	—	—	—	—	—	1	5	6	4	2	1	—	
29	Acute nephritis and Bright's disease.....	199	—	—	—	—	—	4	1	7	20	18	33	48	48	17	3	
30	Diseases of the female genital organs.....	12	—	—	—	—	—	—	2	8	—	—	—	—	—	—	—	
31	Puerperal septicemia.....	6	—	—	—	—	—	—	4	2	—	—	—	—	—	—	—	
32	Other puerperal affections.....	17	—	—	—	—	—	—	11	6	—	—	—	—	—	—	—	
33	Congenital debility and malformations.....	80	79	1	—	2	1	7	10	5	13	19	17	11	11	5	1	
34	Senility.....	3	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	
35	Violent deaths (suicide excepted).....	104	1	1	—	2	1	7	10	5	13	19	17	11	11			

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDEDENT: 1918—Continued.

[See note at head of this table, p. 432]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
BUFFALO, N. Y.																		
1	All causes.....	10,112	1,690	486	189	119	98	259	474	1,370	1,295	948	1,066	1,016	737	308	54	1
1	Typhoid fever.....	38										5	7	12	5	6	2	1
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	42	10	19	7	3	1	2										
6	Scarlet fever.....	17	1	1	1	5	2	4	1	1								
7	Whooping cough.....	57	23	18	7	4	1	2	1									
8	Diphtheria and croup.....	114	8	28	18	15	14	25	3	1								
9	Influenza.....	1,273	83	92	38	22	24	57	105	385	284	92	56	21	12	2		
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	28	9	1	1	1	1					1	2	3	5	2	2	1
13	Tuberculosis of the lungs.....	732	9	5	1	2	2	6	69	241	198	111	76	21	8	3		
14	Tuberculous meningitis.....	55	10	9	9	4	1	5	12	2	3							
15	Other forms of tuberculosis.....	38	3			1	2	4	6	7	7	2	5	1				
16	Cancer and other malignant tumors.....	492			2			2	3	8	43	81	128	139	72	13	1	
17	Meningitis.....	29	8	2	2	3	2	3	3	3	1	1			1			
18	Cerebral hemorrhage and softening.....	438		1					2	2	13	48	93	125	111	37	6	
19	Organic diseases of the heart.....	783		3		1	1	6	31	30	54	87	104	183	188	86	9	
20	Acute bronchitis.....	64	33	8	2	1	1	1	1	1	1				1	3	4	2
21	Chronic bronchitis.....	28										2	5	4	6	6	4	
22	Pneumonia.....	1,334	59	39	11	10	11	34	92	384	324	144	103	68	37	16	2	
23a	Bronchopneumonia.....	523	163	92	35	16	14	24	14	23	37	17	27	26	21	11	3	
23b	Other diseases of the respiratory system.....	51	3	3	1	1		3		7	6	7	6	8	3			
24	Diseases of the stomach.....	57	16	2	1					3	4	5	14	6	6			
25(37)	Diarrhea and enteritis.....	722	516	129	26	8	1	4	1	4	5	8	7	7	3	1	2	
26	Appendicitis and typhlitis.....	88			1				7	30	19	11	10	8	2			
27	Hernia, intestinal obstruction.....	84	13	2	1	2		2	1	5	5	8	21	11	7	6		
28	Cirrhosis of the liver.....	72			1					1	9	15	20	15	8	3		
29	Acute nephritis and Bright's disease.....	673	4	4	3	2	1	5	6	25	51	73	140	170	123	55	10	1
30	Diseases of the female genital organs.....	27								6	3	8	7	1	1			
31	Puerperal septicemia.....	25								4	14	6	1					
32	Other puerperal affections.....	82								4	46	26	6					
33	Congenital debility and malformations.....	455	450	3	1	1												
34	Senility.....	13																
35	Violent deaths (suicide excepted).....	467	7	10	10	9	12	40	39	74	73	72	56	34	23	10	3	
36	Suicide.....	46								2	9	13	8	9	4	1		
(37)	All other defined diseases.....	1,142	264	12	9	8	8	18	37	56	109	129	175	158	100	45	13	
38	Unknown or ill-defined diseases.....	3	1						1			1						

NEW YORK, N. Y. (TOTAL).

	All causes.....	96,989	12,611	4,287	1,888	1,289	894	2,548	4,717	13,056	12,935	10,815	11,081	10,373	7,407	2,714	349	9	16
1	Typhoid fever.....	195	1	3	1	2	1	12	44	62	33	22	11	3					
2	Typhus fever.....																		
3	Malaria.....	18	1		1			1	2	4	1	5		2	1				
4	Smallpox.....	1										1							
5	Measles.....	844	201	389	114	60	25	37	8	6	1	1	1						
6	Scarlet fever.....	189	3	38	29	32	24	47	12	1	3								
7	Whooping cough.....	665	307	202	67	35	18	31	3	1	1								
8	Diphtheria and croup.....	1,213	88	276	199	164	110	291	56	14	7	2	6						
9	Influenza.....	8,258	389	396	240	154	119	323	646	2,567	2,014	716	357	207	99	27	3		1
10	Asiatic cholera.....																		
11	Cholera nostras.....	3	1									1							
12	Other epidemic diseases.....	256	124	7	3	3	2	3	3	19	23	18	21	23	5	2			
13	Tuberculosis of the lungs.....	8,951	66	39	27	23	13	54	772	2,224	2,150	1,884	1,108	461	113	13			4
14	Tuberculous meningitis.....	777	162	163	90	57	53	87	50	43	37	20	12	1	2				
15	Other forms of tuberculosis.....	388	26	11	11	16	6	24	72	60	56	41	35	26	3				1
16	Cancer and other malignant tumors.....	4,985	8	5	3	7	5	9	21	81	332	935	1,483	1,288	653	142	11	1	1
17	Meningitis.....	410	87	46	20	20	15	43	49	48	30	25	19	6	2				
18	Cerebral hemorrhage and softening.....	3,411	3	1	3	1		1	6	24	95	339	800	955	838	214	30	1	3
19	Organic diseases of the heart.....	10,073	21	11	16	13	17	122	400	587	712	1,172	1,587	2,420	2,071	814	106	1	3
20	Acute bronchitis.....	688	418	98	32	8	6	11	6	6	9	9	13	15	25	27	3		
21	Chronic bronchitis.....	284	6	1	3			3		1	6	10	23	47	58	73	48	5	
22	Pneumonia.....	16,841	765	768	346	226	146	439	1,220	4,303	3,817	1,815	1,280	954	578	166	16	1	1
23a	Bronchopneumonia.....	6,141	1,002	963	360	189	102	228	233	751	646	272	242	243	206	90	14		
23b	Other diseases of the respiratory system.....	604	44	55	17	21	9	24	27	61	66	81	69	55	45	26	3	1	
24	Diseases of the stomach.....	375	62	6	1			1	2	4	27	51	86	66	35	25	9		
25(37)	Diarrhea and enteritis.....	3,082	2,275	474	73	36	19	22	7	17	30	27	26	30	32	31	11	3	
26	Appendicitis and typhlitis.....	595	3	5	2	11	9	55	87	110	121	84	70	28	9	1			
27	Hernia, intestinal obstruction.....	642	89	16	10	2	4	10	14	20	50	61	122	123	86	22	4		
28	Cirrhosis of the liver.....	607	1	1		2		1	5	8	58	139	186	137	51	17	1		
29	Acute nephritis and Bright's disease.....	6,325	21	10	17	12	9	28	86	228	452	905	1,347	1,516	1,226	421	44	1	2
30	Diseases of the female genital organs.....	274		1					3	43	92	83	32	11	4	5			
31	Puerperal septicemia.....	272							33	395	249	42							
32	Other puerperal affections.....	739							9	145	98	20							
33	Congenital debility and malformations.....	4,046	3,967	28	13	7	1	14	10	4	1								
34	Senility.....	211																	

CAUSES OF DEATH, BY AGE.

461

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
NEW YORK, N. Y. (WHITE).																			
1	All causes.....	93,088	12,035	4,104	1,814	1,232	863	2,471	4,512	12,340	12,195	10,275	10,756	10,155	7,298	2,676	340	8	14
1	Typhoid fever.....	189	1	3	1	2	1	12	43	59	31	22	11	3	—	—	—	—	
2	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Malaria.....	18	1	—	1	—	—	1	2	4	1	5	—	2	1	—	—	—	
4	Smallpox.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Measles.....	831	197	384	111	60	24	37	8	6	1	1	1	1	—	—	—	—	
6	Scarlet fever.....	187	3	38	20	31	24	46	12	1	3	—	—	—	—	—	—	—	
7	Whooping cough.....	628	293	189	63	30	18	30	3	1	—	—	—	—	—	—	—	—	
8	Diphtheria and croup.....	1,184	85	272	198	160	106	281	54	14	6	2	6	—	—	—	—	—	
9	Influenza.....	7,986	372	387	284	151	117	316	626	2,486	1,936	688	346	201	97	27	3	1	
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11	Cholera nostras.....	3	1	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	
12	Other epidemic diseases.....	250	122	7	3	3	3	2	2	18	23	17	21	22	5	2	—	—	
13	Tuberculosis of the lungs.....	8,352	55	32	23	13	9	41	702	2,043	2,007	1,792	1,070	441	108	12	—	4	
14	Tuberculous meningitis.....	735	155	159	85	50	52	82	48	41	33	17	10	1	2	—	—	1	
15	Other forms of tuberculosis.....	362	26	9	10	15	4	23	65	57	51	40	32	26	3	—	—	—	
16	Cancer and other malignant tumors.....	4,889	8	5	3	7	5	8	21	79	314	903	1,462	1,272	648	141	11	1	
17	Meningitis.....	386	83	41	18	19	14	42	48	40	29	25	19	6	2	—	—	—	
18	Cerebral hemorrhage and softening.....	3,321	3	—	3	1	—	1	6	21	38	322	777	932	825	311	30	1	
19	Organic diseases of the heart.....	9,749	20	10	15	12	17	122	393	556	655	1,096	1,532	2,377	2,040	797	103	1	
20	Acute bronchitis.....	647	393	91	28	8	6	10	6	6	8	9	13	14	25	27	3	—	
21	Chronic bronchitis.....	278	6	1	2	—	3	—	1	6	8	23	46	57	73	47	5	—	
22	Pneumonia.....	16,015	731	742	336	217	139	431	1,172	4,050	3,581	1,706	1,229	933	569	162	16	1	
23a	Bronchopneumonia.....	5,872	1,508	398	340	181	99	222	230	720	628	263	236	241	203	89	14	—	
23b	Other diseases of the respiratory system.....	586	42	52	17	21	9	24	26	59	65	67	67	52	45	26	3	1	
24	Diseases of the stomach.....	366	59	6	1	—	1	2	4	27	49	84	65	35	24	9	—	—	
25(37)	Diarrhea and enteritis.....	2,963	2,185	456	70	35	18	22	7	17	29	27	26	30	32	11	3	—	
26	Appendicitis and typhlitis.....	580	3	5	1	11	8	55	85	107	117	81	70	27	9	1	—	—	
27	Hernia, intestinal obstruction.....	629	87	15	10	2	4	10	13	18	58	61	121	122	82	22	4	—	
28	Cirrhosis of the liver.....	597	—	1	—	2	—	1	5	7	58	135	184	135	51	17	1	—	
29	Acute nephritis and Bright's disease.....	6,092	21	10	16	11	9	28	83	217	415	832	1,288	1,478	1,204	414	44	1	
30	Diseases of the female genital organs.....	252	—	1	—	—	—	3	40	81	75	32	11	4	5	—	—	—	
31	Puerperal septicemia.....	259	—	—	—	—	—	—	7	138	95	19	—	—	—	—	—	—	
32	Other puerperal affections.....	713	—	—	—	—	—	—	28	381	262	42	—	—	—	—	—	—	
33	Congenital debility and malformations.....	3,895	3,820	27	12	6	1	14	10	4	1	—	—	17	71	76	34	3	
34	Senility.....	201	—	—	—	—	—	—	—	—	—	—	—	106	10	—	—	1	
35	Violent deaths (suicide excepted).....	4,374	84	119	103	120	118	410	445	479	587	604	511	431	246	3	1	—	
36	Suicide.....	697	—	—	—	—	—	—	20	118	159	179	128	53	36	3	1	—	
(37)	All other defined diseases.....	8,955	1,671	122	74	62	53	198	334	518	812	1,107	1,455	1,232	893	370	55	—	
38	Unknown or ill-defined diseases.....	41	—	22	7	2	1	—	—	2	3	1	—	—	1	—	—	—	
NEW YORK, N. Y. (COLORED).																			
1	All causes.....	3,901	576	183	74	57	31	77	205	716	740	540	325	218	109	38	9	1	2
1	Typhoid fever.....	6	—	—	—	—	—	—	—	1	3	2	—	—	—	—	—	—	—
2	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles.....	13	4	5	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—
6	Scarlet fever.....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Whooping cough.....	37	14	13	4	5	—	1	—	—	—	—	—	—	—	—	—	—	—
8	Diphtheria and croup.....	29	3	4	1	4	4	—	10	2	81	78	30	11	6	2	—	—	—
9	Influenza.....	272	17	9	6	3	2	7	20	—	—	—	—	—	—	—	—	—	—
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Cholera nostras.....	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Other epidemic diseases.....	599	11	7	4	10	4	13	70	181	143	92	38	20	5	1	—	—	—
13	Tuberculosis of the lungs.....	42	7	4	5	7	1	5	2	2	4	3	2	—	—	—	—	—	—
14	Tuberculous meningitis.....	26	—	2	1	1	2	1	7	3	5	1	3	—	—	—	—	—	—
15	Other forms of tuberculosis.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
16	Cancer and other malignant tumors.....	96	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17	Meningitis.....	24	4	5	2	1	1	1	1	—	—	—	—	—	—	—	—	—	—
18	Cerebral hemorrhage and softening.....	90	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19	Organic diseases of the heart.....	324	1	1	1	1	—	—	7	31	57	76	55	43	31	17	3	—	—
20	Acute bronchitis.....	39	25	7	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—
21	Chronic bronchitis.....	6	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Pneumonia.....	826	34	26	10	9	7	8	48	253	236	109	51	21	9	4	—	—	1
23a	Bronchopneumonia.....	269	94	65	20	8	3	6	3	31	18	9	6	2	3	1	—	—	1
23b	Other diseases of the respiratory system.....	18	2	3	—	—	—	1	—	2	1	4	2	3	1	—	—	—	—
24	Diseases of the stomach.....	9	3	3	—	—	—	—	—	—	—	—	2	2	1	—	—	—	—
25(37)	Diarrhea and enteritis.....	114	90	18	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—
26	Appendicitis and typhlitis.....	15	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27	Hernia, intestinal obstruction.....	13	2	1	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—
28	Cirrhosis of the liver.....	10	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29	Acute nephritis and Bright's disease.....	233	—	—	1	1	—	—											

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

NEW YORK, N. Y. (BRONX BOROUGH).

	All causes.....	10,607	1,262	380	177	113	97	291	602	1,659	1,455	1,120	1,220	1,105	808	284	30	4
1	Typhoid fever.....	17	1	1	—	—	—	3	2	4	6	—	—	—	—	—	—	—
2	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Malaria.....	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
4	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles.....	62	17	28	9	2	2	3	—	1	—	—	—	—	—	—	—	—
6	Scarlet fever.....	13	—	2	1	3	2	5	—	—	—	—	—	—	—	—	—	—
7	Whooping cough.....	70	30	20	9	4	3	4	—	—	—	—	—	—	—	—	—	—
8	Diphtheria and croup.....	133	7	32	22	17	13	34	6	2	—	—	—	—	—	—	—	—
9	Influenza.....	945	23	30	16	16	10	42	87	331	234	84	39	20	11	2	—	—
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Cholera nostras.....	40	22	—	—	1	1	1	—	3	5	1	3	3	—	—	—	—
12	Other epidemic diseases.....	1,022	5	3	4	—	—	—	2	2	106	291	219	213	111	53	11	2
13	Tuberculosis of the lungs.....	99	22	22	11	7	5	11	12	5	3	1	—	—	—	—	—	—
14	Tuberculous meningitis.....	38	1	1	2	—	—	1	7	7	7	4	4	2	—	—	—	—
15	Other forms of tuberculosis.....	606	4	1	—	1	2	—	1	8	46	105	171	170	79	16	1	1
16	Cancer and other malignant tumors.....	29	4	5	1	5	—	4	4	1	—	4	1	—	—	—	—	—
17	Meningitis.....	369	1	4	5	—	—	2	—	18	28	95	89	94	44	3	—	—
18	Cerebral hemorrhage and softening.....	1,049	3	3	3	1	1	15	53	57	80	118	102	227	229	92	5	—
19	Organic diseases of the heart.....	30	19	2	3	—	—	—	—	—	—	—	—	—	—	5	—	—
20	Acute bronchitis.....	27	2	—	—	—	—	—	—	—	—	—	—	—	6	7	6	—
21	Chronic bronchitis.....	2,016	69	72	33	18	16	48	160	627	462	195	153	93	51	16	2	1
22	Pneumonia.....	542	144	75	27	16	11	23	25	72	53	18	14	25	28	11	—	—
23a	Bronchopneumonia.....	53	5	6	1	—	—	2	2	5	4	3	6	7	6	—	—	—
23b	Other diseases of the respiratory system.....	53	11	—	—	—	—	1	1	2	4	11	9	5	6	3	—	—
24	Diseases of the stomach.....	220	153	32	5	2	4	2	1	3	2	5	1	5	4	1	—	—
25(37)	Diarrhea and enteritis.....	79	—	2	1	1	12	14	12	16	9	9	2	—	—	1	—	—
26	Appendicitis and typhlitis.....	88	17	3	3	—	—	2	2	5	6	4	20	16	8	1	1	—
27	Hernia, intestinal obstruction.....	63	—	—	—	1	—	—	—	1	8	15	16	16	4	2	—	2
28	Cirrhosis of the liver.....	733	2	—	—	2	1	—	9	30	58	102	173	181	142	34	2	—
29	Acute nephritis and Bright's disease.....	29	—	1	—	—	—	—	1	7	9	8	2	1	—	—	—	—
30	Diseases of the female genital organs.....	39	—	—	—	—	—	—	—	24	10	5	—	—	—	—	—	—
31	Puerperal septicemia.....	74	—	—	—	—	—	—	—	36	36	34	3	—	—	—	—	—
32	Other puerperal affections.....	473	458	4	3	—	—	3	3	2	—	—	—	—	—	—	—	—
33	Congenital debility and malformations.....	29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34	Senility.....	395	15	14	11	9	13	38	55	40	50	45	36	35	19	13	2	—
35	Violent deaths (suicide excepted).....	71	—	—	—	—	—	—	1	15	20	14	16	4	1	—	—	—
(37)	All other defined diseases.....	1,091	227	18	13	5	7	35	44	63	98	122	181	147	91	32	8	—
38	Unknown or ill-defined diseases.....	4	—	—	3	—	—	—	—	1	—	—	—	—	—	—	—	—

NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).

	All causes.....	34,010	4,463	1,609	735	491	334	907	1,732	4,496	4,288	3,585	3,771	3,670	2,761	1,029	136	3
1	Typhoid fever.....	78	—	1	—	—	—	1	5	18	23	12	12	5	1	—	—	—
2	Typhus fever.....	10	—	—	—	—	—	—	1	1	2	1	2	2	1	—	—	—
3	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Smallpox.....	346	79	155	50	22	14	19	4	—	1	1	1	1	1	—	—	—
5	Measles.....	61	2	13	10	8	8	16	3	—	1	—	—	—	—	—	—	—
6	Scarlet fever.....	173	73	59	16	9	4	10	—	1	1	—	—	—	—	—	—	—
7	Whooping cough.....	382	19	83	69	61	34	87	21	3	3	1	1	1	—	—	—	—
8	Diphtheria and croup.....	2,948	149	170	116	69	49	132	258	800	651	231	131	91	33	7	1	—
9	Influenza.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Cholera nostras.....	65	22	3	1	2	—	—	2	6	6	7	6	5	3	2	—	—
12	Other epidemic diseases.....	2,714	22	6	5	8	3	18	250	682	670	541	337	125	41	6	—	—
13	Tuberculosis of the lungs.....	223	54	51	26	11	16	27	9	13	9	3	3	1	—	—	—	—
14	Tuberculous meningitis.....	127	9	3	5	5	2	7	21	23	21	11	10	10	—	—	—	—
15	Other forms of tuberculosis.....	1,087	2	—	—	4	1	1	9	23	106	319	493	441	228	56	4	—
16	Cancer and other malignant tumors.....	139	37	13	10	4	7	15	20	14	7	6	4	1	1	—	—	—
17	Meningitis.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18	Cerebral hemorrhage and softening.....	1,183	—	1	1	2	—	1	1	6	22	106	246	343	325	117	13	1
19	Organic diseases of the heart.....	4,070	1	5	5	5	10	46	175	230	286	477	638	967	854	330	41	—
20	Acute bronchitis.....	289	166	43	14	7	3	9	1	4	4	3	8	7	5	14	1	—
21	Chronic bronchitis.....	99	2	1	1	2	—	2	—	1	4	8	14	16	27	21	2	—
22	Pneumonia.....	6,065	272	279	127	85	57	165	464	1,537	1,353	623	475	351	217	56	4	—
23a	Bronchopneumonia.....	2,439	640	422	161	89	40	99	101	288	246	92	84	79	65	28	5	—
23b	Other diseases of the respiratory system.....	228	10	14	12	6	4	12	29	23	24	29	21	23	10	1	1	—
24	Diseases of the stomach.....	111	15	1	—	—	—	1	1	10	10	31	26	10	3	3	3	—
25(37)	Diarrhea and enteritis.....	1,147	845	186	28	12	9	7	2	6	15	6	8	8	10	3	2	—
26	Appendicitis and typhlitis.....	196	3	—	—	7	5	20	29	43	27	29	20	10	3	—	—	—
27	Hernia, intestinal obstruction.....	210	25	4	5	—	2	2	3	4	23	14	40	45	32	10	1	—
28	Cirrhosis of the liver.....	212	—	1	—	—	—	—	1	2	23	49	71	42	17	5	1	—
29	Acute nephritis and Bright's disease.....	2,076	6	3	10	5	5	8	34</									

CAUSES OF DEATH, BY AGE.

463

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDED: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.

NEW YORK, N. Y.: (BROOKLYN BOROUGH, WHITE).

All causes	33,043	4,327	1,562	719	474	325	891	1,691	4,320	4,126	3,457	3,691	3,595	2,719	1,011	132	3
Typhoid fever	75		1			1	5	17	22	11	12	5	1				
Typhus fever																	
Malaria	10						1	1	2	1	2		2	1			
Smallpox																	
Measles	339	77	152	48	22	14	19	4		1	1		1				
Scarlet fever	61	2	13	10	8	8	16	3		1	1		1				
Whooping cough	167	72	56	16	7	4	10		1	1							
Diphtheria and croup	380	19	83	69	61	33	87	21	3	2	1	1					
Influenza	2,872	144	167	113	68	47	129	252	836	637	223	127	90	31	7	1	
Asiatic cholera																	
Cholera nostras																	
Other epidemic diseases	64	22	3	1	2		1	6	6	7	6	5	3	2			
Tuberculosis of the lungs	2,597	19	5	5	7	3	16	239	640	648	524	331	116	39	5		
Tuberculous meningitis	215	52	50	26	9	16	25	9	13	9	3	2		1			
Other forms of tuberculosis	119	9	3	4	4	1	7	19	22	20	11	9	10				
Cancer and other malignant tumors	1,665	2				4	1	1	9	23	101	310	492	436	227	55	4
Meningitis	137	36	12	10	4	7	15	20	14	7	6	4	1	1			
Cerebral hemorrhage and softening	1,161		1				1	1	6	21	104	241	335	320	117	13	1
Organic diseases of the heart	3,960	1	4	5	5	10	46	173	223	268	454	621	951	838	321	40	
Acute bronchitis	276	157	41	13	7	3	8	1	4	4	3	8	7	5	14	1	
Chronic bronchitis	98	2	1	1		2				8	14	16	27	20	2		
Pneumonia	5,852	266	267	125	80	55	164	452	1,468	1,298	598	461	344	215	55	4	
Bronchopneumonia	2,369	610	410	157	86	39	97	101	283	241	88	83	78	63	28	5	
Other diseases of the respiratory system	225	10	14	12	6	4	12	8	29	23	23	29	20	23	10	1	1
Diseases of the stomach	110	15	1				1	1	10	10	31	25	10	3	3		
Diarrhea and enteritis	1,117	823	181	27	11	9	7	2	6	14	6	8	8	10	3	2	
Appendicitis and typhlitis	189	3			7	5	20	28	41	26	27	20	9	3			
Hernia, intestinal obstruction	206	24	4	5		2	2	2	4	23	14	40	44	31	10	1	
Cirrhosis of the liver	211		1				1	2	23	49	70	42	17	5	1		
Acute nephritis and Bright's disease	2,011	6	3	9	4	5	8	34	74	120	294	421	467	404	143	19	
Diseases of the female genital organs	98							1	16	30	23	18	4	2	4		
Puerperal septicemia	90							3	48	33	6						
Other puerperal affections	259							14	147	84	14						
Congenital debility and malformations	1,389	1,367	10	3			4	3	1	1							
Senility	76										7	22	31	15	1		
Violent deaths (suicide excepted)	1,552	28	43	37	45	41	120	152	192	198	245	181	138	86	40	6	
Suicide	205							4	29	46	57	40	17	11	1		
All other defined diseases	2,873	561	30	19	25	15	70	115	154	213	313	434	435	336	136	17	
Unknown or ill-defined diseases	15		7	3	2					1		1		1		1	

NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEASED: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	Cause of Death.	All deaths.	Deaths at age of—																Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	

NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).

	All causes.....	42,859	5,720	1,941	811	564	366	1,053	1,851	5,585	5,915	5,153	5,039	4,593	3,032	1,075	148	5	8
1	Typhoid fever.....	87	—	—	1	1	2	—	3	23	31	12	9	3	2	—	—	—	—
2	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Malaria.....	4	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
4	Smallpox.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles.....	375	88	182	46	31	9	12	4	2	—	—	—	—	—	—	—	—	—
6	Scarlet fever.....	96	1	21	16	18	13	21	3	1	2	—	—	—	—	—	—	—	—
7	Whooping cough.....	314	148	94	33	16	7	14	2	—	—	—	—	—	—	—	—	—	—
8	Diphtheria and croup.....	585	55	149	99	71	45	129	19	8	4	1	5	—	—	—	—	—	—
9	Influenza.....	3,437	159	143	82	52	46	81	209	1,118	918	320	161	79	52	15	1	—	1
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Cholera nostras.....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Other epidemic diseases.....	138	76	4	2	—	—	—	—	1	9	10	7	11	12	2	—	—	—
13	Tuberculosis of the lungs.....	4,325	38	29	16	12	8	28	337	1,003	1,027	966	561	241	53	—	—	—	1
14	Tuberculous meningitis.....	394	76	79	50	30	29	42	24	19	23	15	6	1	—	—	—	—	—
15	Other forms of tuberculosis.....	191	12	6	4	9	3	15	36	24	28	19	13	2	—	—	—	—	1
16	Cancer and other malignant tumors.....	2,239	2	4	1	2	2	7	11	47	154	440	678	555	276	53	6	1	—
17	Meningitis.....	209	41	22	7	9	8	22	21	29	22	13	11	4	—	—	—	—	—
18	Cerebral hemorrhage and softening.....	1,422	2	—	1	1	—	—	5	16	52	165	357	410	304	96	13	—	—
19	Organic diseases of the heart.....	4,071	10	3	5	6	5	49	141	244	292	498	652	1,012	796	302	53	1	2
20	Acute bronchitis.....	326	208	48	14	1	2	—	4	1	4	4	4	7	13	12	2	—	—
21	Chronic bronchitis.....	139	2	—	2	—	—	—	1	4	4	10	28	34	32	19	2	—	—
22	Pneumonia.....	6,946	373	360	153	99	56	168	445	1,670	1,568	818	515	397	245	71	7	1	—
23a	Bronchopneumonia.....	2,718	688	390	135	75	41	88	92	351	316	144	129	123	96	46	4	—	—
23b	Other diseases of the respiratory system.....	278	24	33	3	11	1	8	12	25	33	49	29	23	13	13	1	—	—
24	Diseases of the stomach.....	169	32	4	1	—	—	—	—	11	24	33	28	16	14	6	—	—	—
25(37)	Diarrhea and enteritis.....	1,437	1,086	209	32	17	5	8	3	8	13	12	11	13	14	6	—	—	—
26	Appendicitis and typhlitis.....	254	—	2	1	3	2	15	31	38	64	40	38	14	6	—	—	—	—
27	Hernia, intestinal obstruction.....	279	39	6	2	2	—	5	8	10	24	33	53	48	39	8	2	—	—
28	Cirrhosis of the liver.....	260	1	—	—	—	—	1	4	5	23	61	77	63	19	6	—	—	—
29	Acute nephritis and Bright's disease.....	2,787	9	5	6	4	2	17	28	96	225	402	583	700	513	180	17	—	—
30	Diseases of the female genital organs.....	127	—	—	—	—	—	—	1	18	47	43	10	5	2	1	—	—	—
31	Puerperal septicemia.....	121	—	—	—	—	—	—	4	60	48	9	—	—	—	—	—	—	—
32	Other puerperal affections.....	323	—	—	—	—	—	—	15	163	123	22	—	—	—	—	—	—	—
33	Congenital debility and malformations.....	1,723	1,687	12	7	5	1	6	3	1	—	—	—	—	—	—	—	—	—
34	Senility.....	74	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35	Violent deaths (suicide excepted).....	2,119	37	54	51	59	51	227	204	210	301	285	256	216	121	43	2	—	2
36	Suicide.....	374	—	—	—	—	—	—	15	67	94	94	61	25	16	2	—	—	—
(37)	All other defined diseases.....	4,499	825	70	38	29	26	85	144	294	464	631	751	570	378	167	26	—	1
38	Unknown or ill-defined diseases.....	18	—	11	3	—	1	—	1	1	1	—	—	—	—	—	—	—	—

NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).

	All causes.....	40,237	5,311	1,818	760	527	346	908	1,715	5,112	5,389	4,774	4,824	4,469	2,980	1,060	143	4	7
1	Typhoid fever.....	84	—	1	1	2	—	3	23	29	11	9	.3	2	—	—	—	—	—
2	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Malaria.....	4	1	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—
4	Smallpox.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles.....	369	86	180	45	31	8	12	4	2	—	—	—	—	—	—	—	—	—
6	Scarlet fever.....	94	1	21	16	17	13	20	3	1	2	—	—	—	—	—	—	—	—
7	Whooping cough.....	287	135	87	30	13	7	13	2	—	—	—	—	—	—	—	—	—	—
8	Diphtheria and croup.....	559	52	146	98	67	42	119	17	8	4	1	5	—	—	—	—	—	—
9	Influenza.....	3,275	149	138	80	50	46	78	199	1,072	860	304	154	76	52	15	1	—	1
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Cholera nostras.....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Other epidemic diseases.....	131	74	4	2	—	2	—	1	8	10	6	11	2	—	—	—	—	—
13	Tuberculosis of the lungs.....	3,885	31	23	12	3	4	17	285	879	917	894	534	230	50	5	—	—	1
14	Tuberculous meningitis.....	363	71	77	45	25	28	39	22	18	19	13	5	1	—	—	—	—	—
15	Other forms of tuberculosis.....	174	12	4	4	9	2	14	32	22	19	23	17	13	2	—	—	—	1
16	Cancer and other malignant tumors.....	2,170	2	4	1	2	2	6	11	45	142	417	660	545	273	53	6	1	—
17	Meningitis.....	190	38	19	5	8	7	21	20	23	21	13	11	4	—	—	—	—	—
18	Cerebral hemorrhage and softening.....	1,364	2	—	1	1	—	—	5	13	47	151	342	397	298	94	13	—	—
19	Organic diseases of the heart.....	3,887	9	3	4	6	5	49	137	225	256	451	622	987	783	296	51	1	2
20	Acute bronchitis.....	301	192	43	11	1	2	2	4	1	3	4	4	7	13	12	2	—	—
21	Chronic bronchitis.....	134	2	—	1	—	—	—	1	4	2	10	27	33	32	19	2	—	—
22	Pneumonia.....	6,398	351	347	146	95	51	163	416	1,506	1,403	737	485	384	238	69	7	—	—
23a	Bronchopneumonia.....	2,535	628	340	121	71	40	85	90	327	303	140	124	122	95	45	4	—	—
23b	Other diseases of the respiratory system.....	265	22	30	3	11	1	8	12	24	32	46	21	13	13	1	—	—	—
24	Diseases of the stomach.....	163	29	4	1	—	—	—	11	23	31								

CAUSES OF DEATH, BY AGE.

465

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEASED: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).

1	All causes.....	2,622	409	123	51	37	20	55	136	473	526	379	215	124	52	15	5	1
2	Typhoid fever.....	3								2	1							
3	Typhus fever.....																	
4	Malaria.....																	
5	Smallpox.....																	
6	Measles.....	6	2	2	1		1		1									
7	Scarlet fever.....	2		7	3	3		1										
8	Whooping cough.....	27	13	7	3	3		1										
9	Diphtheria and croup.....	26	3	3	1	4	3	10	2									
10	Influenza.....	162	10	5	2	2		3	10	46	58	16	7	3				
11	Asiatic cholera.....																	
12	Cholera nostras.....																	
13	Other epidemic diseases.....	5																
14	Tuberculosis of the lungs.....	440	7	6	4	5	9	4	11	52	124	110	72	27	11	3		
15	Tuberculous meningitis.....	31	5	2	5	5	1	3	2	1	4	2	1					
16	Other forms of tuberculosis.....	17		2				1	1	4	2	4	1					
17	Cancer and other malignant tumors.....	69						1		2	12	23	18	10	3			
18	Meningitis.....	19	3	3	2	1	1	1	1	6	1							
19	Cerebral hemorrhage and softening.....	58							3	5	14	15	13	6	2			
20	Organic diseases of the heart.....	184	1		1				4	19	36	47	30	25	13	6	2	
21	Acute bronchitis.....	25	16	5	3						1							
22	Chronic bronchitis.....	5			1						2		1					
23	Pneumonia.....	543	22	13	7	4	5	5	29	164	165	81	30	13	7	2		1
24	Bronchopneumonia.....	183	60	50	14	4	1	3	2	24	13	4	5	1	1			
25	Other diseases of the respiratory system.....	13	2	3						1	1	3	1	2				
26	Diseases of the stomach.....	6	3								1	2						
27	Diarrhea and enteritis.....	75	62	11	1		1											
28	Appendicitis and typhlitis.....	8			1		1		1	1	3	1						
29	Hernia, intestinal obstruction.....	8	1	1						2	1		1		2			
30	Cirrhosis of the liver.....	8								1	4	27	39	39	22	11	3	
31	Acute nephritis and Bright's disease.....	147							2	4	27	39	39	22	11	3		
32	Diseases of the female genital organs.....	17							3	9	5							
33	Puerperal septicemia.....	11							2	5	3	1						
34	Other puerperal affections.....	21							5	11	5							
35	Congenital debility and malformations.....	103	104	1	1	1						1		2	1	2		1
36	Senility.....	8																
37	Violent deaths (suicide excepted).....	103	3	3	1	1		8	14	21	23	17	6	4	1			
38	Suicide.....	11								2	7	2						
	All other defined diseases.....	267	89	6	2	2	1	7	6	28	34	44	30	14	3		1	
	Unknown or ill-defined diseases.....	3				1												

NEW YORK, N. Y. (QUEENS BOROUGH).

1	All causes.....	7,011	882	273	135	90	71	236	402	933	928	713	779	754	576	218	19	1
2	Typhoid fever.....	8						1	1	2	1	1	2					
3	Typhus fever.....	2		1								1						
4	Malaria.....																	
5	Smallpox.....																	
6	Measles.....	49	14	21	7	3		1	5	6	3							
7	Scarlet fever.....	18	2	2	3	1		1	5	6								
8	Whooping cough.....	91	49	22	9	5	3	3										
9	Diphtheria and croup.....	94	6	12	9	12	15	32	7	1								
10	Influenza.....	720	37	36	20	9	10	58	73	199	169	64	24	14	3	3	1	
11	Asiatic cholera.....	1	1															
12	Cholera nostras.....	13	3					1	4	50	153	152	106	78	33	5		1
13	Other epidemic diseases.....																	
14	Tuberculosis of the lungs.....	589	1	1	2	3	5	2	6	5	5	2	1	3				
15	Tuberculous meningitis.....	48	8	8	3	5	2	1		5	5	5	1	1	1			
16	Other forms of tuberculosis.....	23	4					1										
17	Cancer and other malignant tumors.....	341			1			1	3	4		7	33	77	89	83	40	1
18	Meningitis.....	20	2	4		1		1	3	4		2	2	1	7	2	1	
19	Cerebral hemorrhage and softening.....	331			1						7	33	77	89	83	40	1	
20	Organic diseases of the heart.....	661	3		2	1	1	10	28	47	41	64	98	158	144	60	4	
21	Acute bronchitis.....	32	20	3	1	1		1		1	1	2		1	1			
22	Chronic bronchitis.....	16									1	2	2	1	7	2	1	
23	Pneumonia.....	1,269	37	42	25	17	8	40	111	318	305	141	93	78	41	12	1	
24	Bronchopneumonia.....	368	107	63	33	9	7	18	15	33	24	14	13	14	12	3	3	
25	Other diseases of the respiratory system.....	33	4	1	1	3	2	1	1	2	7	1	3	3	1	3		
26	Diseases of the stomach.....	31	3	1					1	4	3	4	13	5	3	3	1	
27	Diarrhea and enteritis.....	208	139	37	6	4	1	5	1	12	12	6	3	4	3	4	1	
28	Appendicitis and typhlitis.....	53			1			6	10	12	12	6	3	2				
29	Hernia, intestinal obstruction.....	53	5	3			2	1	1	1	4	8	7	13	6	2		
30	Cirrhosis of the liver.....	55									3	10	16	15	9	2		
31	Acute nephritis and Bright's disease.....	514	2	1		1		2	12	17	30	71	110	109	113	44	1	1
32	Diseases of the female genital organs.....	14								2	3	6	2	1				
33	Puerperal septicemia.....	15								1	8	6						
34	Other puerperal affections.....	67								3	42	20	2					
35	Congenital debility and malformations.....	309	306	1		1			1									
36	Senility.....	19																
37	Violent deaths (suicide excepted).....	305	6	6	5	7	12	28	35	38	47	31	35	35	13	7		
38	Suicide.....	47		8	5	5	4	12	33	30	55	63	88	72	63	24	4	
	All other defined diseases.....	591	125	8	5	5	4	12	33	30	55	7	1					
	Unknown or ill-defined diseases.....	3		1	1	1												

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un-known age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

NEW YORK, N. Y. (RICHMOND BOROUGH).

	All causes	2,502	284	84	30	31	26	61	130	383	349	244	272	251	230	108	16	3
1	Typhoid fever	5									2	2		1				
2	Typhus fever	1											1					
3	Malaria																	
4	Smallpox																	
5	Measles	12	3	3	2	2			2			1						
6	Scarlet fever	1																
7	Whooping cough	17	7	7		1	1		1									
8	Diphtheria and croup	19	1			3	3	9	3									
9	Influenza	208	21	17	6	8	4	10	19	59	42	17	2	3				
10	Asiatic cholera																	
11	Cholera nostras																	
12	Other epidemic diseases	2	1									1						
13	Tuberculosis of the lungs	301							2	29	95	82	58	21	9	3		2
14	Tuberculous meningitis	13	2	3		4	1	1	1	1					1			
15	Other forms of tuberculosis	9		1				1	3	1		1	1		1			
16	Cancer and other malignant tumors	112			1				1		5	19	38	25	17	7		
17	Meningitis	13	3	2	2	1		1	1		1	1	1	1				
18	Cerebral hemorrhage and softening	106							2	3	9	13	15	37	56	32	17	
19	Organic diseases of the heart	222	4		1									48	30	3		1
20	Acute bronchitis	9	5	2										1				
21	Chronic bronchitis	3												1	1	1		
22	Pneumonia	545	14	15	8	7	9	18	40	151	129	38	44	35	24	11	2	
23a	Bronchopneumonia	74	23	13	4		3			7	7	4	2	2	5	2	2	
23b	Other diseases of the respiratory system	12	1	1		1		1		1		1	1	2	1	2	1	
24	Diseases of the stomach	11	1							2	2		2	2				
25(37)	Diarrhea and enteritis	70	52	10	2	1						1	2	1			1	
26	Appendicitis and typhlitis	13		1				2	3	5	2							
27	Hernia, intestinal obstruction	12	3								2	2	2	1	1	1		
28	Cirrhosis of the liver	17				1					1	4	6	1	2	2		
29	Acute nephritis and Bright's disease	210	2	1	1		1	1	3	7	11	25	42	47	47	17	5	
30	Diseases of the female genital organs	1									1							
31	Puerperal septicemia	7								1	5	1						
32	Other puerperal affections	13									5	7	1					
33	Congenital deformity and malformations	115	112	1		1		1										
34	Semilary	12												1	3	7	1	
35	Violent deaths (suicide excepted)	123	2	5	1	1	2	7	16	21	17	18	9	13	8	3		
36	Suicide	14									4	1	3	3	3			
(37)	All other defined diseases	197	27	2	1			2	3	7	7	22	27	30	26	31	11	1
38	Unknown or ill-defined diseases	3								1				1				

ROCHESTER, N. Y.

CAUSES OF DEATH, BY AGE.

467

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

SYRACUSE, N. Y.

	All causes.....	3,278	518	144	55	32	22	64	121	388	389	295	341	395	345	151	18	
1	Typhoid fever.....	12	1	4	2	2	2	1	
2	Typhus fever.....	
3	Malaria.....	1	1	
4	Smallpox.....	
5	Measles.....	54	14	25	6	6	1	2	1	2	1	
6	Scarlet fever.....	4	
7	Whooping cough.....	27	16	5	2	3	1	2	1	2	1	
8	Diphtheria and croup.....	24	2	6	6	3	1	2	1	2	1	
9	Influenza.....	367	26	25	15	5	7	14	22	91	105	29	15	4	7	2	
10	Asiatic cholera.....	
11	Cholera nostras.....	
12	Other epidemic diseases.....	10	2	1	2	1	2	1	1	1	1	1	1	
13	Tuberculosis of the lungs.....	153	1	19	49	35	27	14	7	1	
14	Tuberculous meningitis.....	16	1	2	3	2	4	4	2	2	1	1	1	1	1	
15	Other forms of tuberculosis.....	16	2	1	2	1	4	2	2	1	1	1	1	1	
16	Cancer and other malignant tumors.....	167	3	2	9	22	42	43	33	12	1	1	
17	Meningitis.....	14	1	2	2	1	1	2	1	2	1	2	1	1	1	1	1	
18	Cerebral hemorrhage and softening.....	161	1	1	1	5	7	16	9	29	52	97	106	47	5	5	
19	Organic diseases of the heart.....	376	2	1	1	1	2	1	1	1	
20	Acute bronchitis.....	15	8	1	5	7	16	9	29	52	97	106	47	5	5	
21	Chronic bronchitis.....	8	1	1	1	1	2	2	1	1	1	
22	Pneumonia.....	465	21	12	5	3	2	7	19	129	117	56	37	36	13	8	
23	Bronchopneumonia.....	168	60	21	8	5	3	2	17	14	8	3	6	10	5	2	2	2	
24	Other diseases of the respiratory system.....	14	1	2	1	1	2	1	2	3	3	2	2	2	2	2	
25(37)	Diarrhea and enteritis.....	179	128	29	2	2	1	2	1	2	1	2	2	2	2	2	3	3	
26	Appendicitis and typhlitis.....	28	1	2	3	1	1	2	2	2	2	2	2	2	2	2	
27	Hernia, intestinal obstruction.....	30	6	1	1	1	1	1	1	3	3	7	4	2	2	2	2	
28	Cirrhosis of the liver.....	17	1	1	1	1	1	1	6	3	3	3	2	2	2	
29	Acute nephritis and Bright's disease.....	171	1	1	1	1	4	14	13	40	48	27	19	19	2	2	
30	Diseases of the female genital organs.....	8	1	1	1	1	1	4	2	1	1	1	1	1	1	
31	Puerperal septicemia.....	14	1	1	1	1	1	10	4	5	5	2	2	2	2	
32	Other puerperal affections.....	21	1	1	1	1	1	13	7	1	1	1	1	1	1	
33	Congenital debility and malformations.....	150	149	1	1	1	1	1	1	36	40	10	1	1	1	
34	Senility.....	10	1	1	1	1	1	1	1	4	3	2	2	2	2	
35	Violent deaths (suicide excepted).....	151	4	3	2	2	1	11	18	16	14	26	17	14	19	3	1	1	
36	Suicide.....	20	1	1	1	1	1	7	3	2	3	2	1	1	1	
(37)	All other defined diseases.....	382	69	6	1	1	8	7	1	16	28	32	63	72	52	27	1	1
38	Unknown or ill-defined diseases.....	4	2	1	1	1	1	1	32	1	1	1	1	1	1	

CINCINNATI, OHIO (TOTAL).

	All causes.....	8,591	823	211	112	71	48	148	366	1,112	1,241	982	1,024	1,070	908	411	60	2	2
1	Typhoid fever.....	19	1	1	5	6	2	3	2	
2	Typhus fever.....	1	1	1	2	1	
3	Malaria.....	6	1	1	1	1	1	1	1	1	1	1	1	1	
4	Smallpox.....	1	1	1	1	1	1	1	1	1	1	1	1	1	
5	Measles.....	18	5	4	2	2	2	2	1	1	1	1	1	1	1	1	1	1	
6	Scarlet fever.....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
7	Whooping cough.....	63	24	20	10	3	1	5	1	1	1	1	1	1	1	1	1	1	
8	Diphtheria and croup.....	44	1	4	8	9	5	14	3	2	2	2	2	2	2	2	2	2	
9	Influenza.....	1,233	41	36	18	15	7	27	86	354	379	138	45	36	40	10	1	1	
10	Asiatic cholera.....	1	1	1	1	1	1	1	1	1	1	1	1	1	
11	Cholera nostras.....	1	1	1	1	1	1	1	1	1	1	1	1	1	
12	Other epidemic diseases.....	19	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
13	Tuberculosis of the lungs.....	863	2	10	5	2	1	12	72	222	221	159	98	45	14	14	14	14	
14	Tuberculous meningitis.....	53	8	8	5	4	4	10	5	3	3	3	3	3	3	3	3	3	
15	Other forms of tuberculosis.....	46	2	1	1	2	2	2	2	11	8	4	5	5	4	4	4	4	
16	Cancer and other malignant tumors.....	533	1	1	1	1	1	1	6	12	26	86	134	136	108	21	1	
17	Meningitis.....	35	4	2	2	4	6	6	6	2	2	2	3	4	4	4	4	4	
18	Cerebral hemorrhage and softening.....	458	1	1	1	1	1	1	1	2	4	16	40	89	129	119	54	3	
19	Organic diseases of the heart.....	831	1	1	2	1	1	4	19	28	63	89	137	192	190	93	13	13	
20	Acute bronchitis.....	47	23	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
21	Chronic bronchitis.....	30	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
22	Pneumonia.....	927	31	29	14	6	7	16	54	230	215	112	73	71	44	23	1	1	
23a	Bronchopneumonia.....	236	79	34	15	2	4	10	2	8	16	8	9	11	26	11	1	1	
23b	Other diseases of the respiratory system.....	52	2	1	1	1	1	1	1	3	7	5	4	8	8	6	4	3	
24	Diseases of the stomach.....	54	7	2	1	1	1	1	5	10	9	7	4	6	1	1	1	1	
25(37)	Diarrhea and enteritis.....	214	134	39	10	4	1	4	1	1	4	1	2	3	5	4	1	1	
26	Appendicitis and typhlitis.....	62	1	1	7	12	9	5	9	10	8	1	1	1	1	1	
27	Hernia, intestinal obstruction.....	77	5	1	2	2	3	7	9	17	14	10	6	6	1	1	
28	Cirrhosis of the liver.....	78	1	1	1	4	1	1	5	16	27	9	4	1	1	1	
29	Acute nephritis and Bright's disease.....	672	2	1	2	3	22	38	84	143	142	142	62	9	1	1	1	
30	Diseases of the female genital organs.....	81	1	2	1	2	2	22	22	4	1	1	1	1	1	1	1	
31	Puerperal septicemia.....	41	1	2	1	2	1	1										

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	

CINCINNATI, OHIO (WHITE).

	All causes.....	7,582	700	174	91	61	42	123	311	948	1,051	820	914	1,016	878	398	53	1
1	Typhoid fever.....	16	1	—	—	—	—	—	2	6	2	3	2	—	—	—	—	—
2	Typhus fever.....	4	—	—	—	1	—	—	1	—	—	—	1	1	—	—	—	—
3	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles.....	15	4	3	2	1	2	2	1	—	—	—	—	—	—	—	—	—
6	Scarlet fever.....	3	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
7	Whooping cough.....	49	20	18	6	3	—	—	2	—	—	—	—	—	—	—	—	—
8	Diphtheria and croup.....	42	1	3	7	9	5	14	3	—	—	—	—	—	—	—	—	—
9	Influenza.....	1,163	34	32	17	14	7	21	81	341	362	127	43	34	39	10	1	—
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Other epidemic diseases.....	17	3	—	1	—	—	—	—	—	1	4	1	3	3	1	—	—
13	Tuberculosis of the lungs.....	689	1	5	4	1	—	9	49	174	173	132	86	42	13	—	—	—
14	Tuberculous meningitis.....	41	7	8	3	4	3	—	3	3	1	2	—	—	—	—	—	—
15	Other forms of tuberculosis.....	37	1	1	—	—	—	2	10	6	3	4	5	3	1	1	—	—
16	Cancer and other malignant tumors.....	505	—	—	1	1	—	6	7	22	80	128	132	105	21	1	—	—
17	Meningitis.....	33	3	2	—	—	4	6	6	2	1	3	4	—	—	—	—	—
18	Cerebral hemorrhage and softening.....	427	1	1	—	—	—	—	2	4	12	34	173	126	118	53	3	—
19	Organic diseases of the heart.....	746	1	—	—	2	—	2	17	26	47	70	117	179	186	90	9	—
20	Acute bronchitis.....	36	16	5	—	1	1	—	—	—	—	1	2	3	5	2	—	—
21	Chronic bronchitis.....	30	1	—	—	1	—	—	—	—	1	4	7	11	5	—	—	—
22	Pneumonia.....	772	20	24	19	4	7	12	47	192	180	79	64	68	40	23	1	—
23a	Bronchopneumonia.....	192	60	24	13	2	3	9	2	—	12	7	8	11	25	11	1	—
23b	Other diseases of the respiratory system.....	43	2	—	—	1	—	1	3	5	3	2	7	7	6	4	2	—
24	Diseases of the stomach.....	49	7	2	—	—	—	3	4	8	8	3	4	5	1	—	—	—
(37)	Diarrhea and enteritis.....	185	119	32	8	3	1	4	—	1	2	1	2	2	5	4	1	—
26	Appendicitis and typhlitis.....	59	—	—	1	—	—	7	11	8	5	8	10	8	—	1	—	—
27	Hernia, intestinal obstruction.....	74	5	—	—	1	—	2	1	3	7	8	17	14	10	6	—	—
28	Cirrhosis of the liver.....	72	—	—	—	—	—	—	1	3	1	14	15	26	8	4	—	—
29	Acute nephritis and Bright's disease.....	593	2	—	—	1	—	2	3	16	29	61	128	154	134	56	9	—
30	Diseases of the female genital organs.....	26	—	—	—	—	—	—	2	5	10	3	4	1	1	—	—	—
31	Puerperal septicemia.....	39	—	—	—	—	—	—	2	15	18	4	—	—	—	—	—	—
32	Other puerperal affections.....	45	—	—	—	—	—	—	2	18	22	3	—	—	—	—	—	—
33	Congenital debility and malformations.....	273	266	—	—	1	2	1	2	—	1	—	—	—	—	—	—	—
34	Senility.....	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
35	Violent deaths (suicide excepted).....	346	5	8	11	7	3	17	27	49	42	47	38	37	30	20	5	—
36	Suicide.....	69	—	—	—	—	—	—	2	10	17	10	19	7	3	1	—	—
(37)	All other defined diseases.....	874	117	6	4	3	2	2	23	49	73	98	134	144	130	71	17	1
38	Unknown or ill-defined diseases.....	5	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—

CINCINNATI, OHIO (COLORED).

	All causes.....	1,009	123	37	21	10	6	25	55	164	190	162	110	54	30	13	7	1
1	Typhoid fever.....	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
2	Typhus fever.....	2	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
3	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles.....	3	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—
6	Scarlet fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Whooping cough.....	14	4	2	4	—	—	1	3	—	—	—	—	—	—	—	—	—
8	Diphtheria and croup.....	2	—	1	1	—	—	—	—	1	2	1	1	—	—	—	—	—
9	Influenza.....	70	7	4	1	1	—	—	6	5	13	17	11	2	2	1	—	—
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Other epidemic diseases.....	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
13	Tuberculosis of the lungs.....	174	1	5	1	1	1	3	23	48	48	27	12	3	1	—	—	—
14	Tuberculous meningitis.....	12	1	—	2	—	—	1	3	2	2	1	—	—	—	—	—	—
15	Other forms of tuberculosis.....	9	1	—	—	2	—	—	1	2	1	1	—	—	—	—	—	—
16	Cancer and other malignant tumors.....	28	—	—	—	—	—	—	—	5	4	6	6	4	3	—	—	—
17	Meningitis.....	2	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
18	Cerebral hemorrhage and softening.....	31	—	—	—	—	—	—	2	2	2	16	19	20	13	4	3	4
19	Organic diseases of the heart.....	85	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
20	Acute bronchitis.....	11	7	1	—	—	—	1	—	—	—	—	1	1	—	—	—	—
21	Chronic bronchitis.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Pneumonia.....	155	11	5	4	2	—	4	7	38	35	33	9	3	4	—	—	—
23a	Bronchopneumonia.....	44	19	10	2	1	—	1	1	4	4	1	1	1	1	—	—	—
23b	Other diseases of the respiratory system.....	9	—	—	—	—	—	—	—	2	2	2	1	—	—	—	—	—
24	Diseases of the stomach.....	5	—	—	—	—	—	—	—	1	2	1	1	—	—	—	—	—
(25)	Diarrhea and enteritis.....	29	15	7	2	1	—	—	—	—	2	—	—	1	—	—	—	—
26	Appendicitis and typhlitis.....	3	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
27	Hernia, intestinal obstruction.....	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
28	Cirrhosis of the liver.....	6	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—
29	Acute nephritis and Bright's disease.....	79	—	—	—	—	—	—	—	6	9	23	17	10	8	6	—	—
30	Diseases of the female genital organs.....	5	—	—	—	—	—	—	—	1	3	1	—	—	—	—	—	—
31	Puerperal septicemia.....	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
32	Other puerperal affections.....	5	—	—	—	—	—	—	—	4	—	—	—	—	—</td			

CAUSES OF DEATH, BY AGE.

469

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

CLEVELAND, OHIO.

	All causes	13,043	2,026	479	245	134	102	360	531	1,988	2,125	1,458	1,232	1,108	854	344	53	2	2
1	Typhoid fever	41						2	8	13	11	5	2						
2	Typhus fever																		
3	Malaria	2								2									
4	Smallpox																		
5	Measles	16	4	8	2	1							1						
6	Scarlet fever	11	2	2	1	1	1	2	1	1									
7	Whooping cough	54	22	21	5	2	2	2											
8	Diphtheria and croup	107	4	17	21	14	12	28	4	2	3	1	1						
9	Influenza	1,926	87	81	48	38	24	86	110	581	560	174	78	37	12	7	1		2
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	22	9	1					1	1		3	2	1	2	1			
13	Tuberculosis of the lungs	1,050	9	11	10	2	2	11	89	312	268	192	97	35	10	2			
14	Tuberculous meningitis	73	21	9	11	4	3	5	5	5	6	4							
15	Other forms of tuberculosis	76	7	3		1	3	3	9	21	13	11	5						
16	Cancer and other malignant tumors	601	1	1		2			6	12	40	120	163	135	92	28	1		
17	Meningitis	61	18	5	4	2	4	11	5	3	5	3	1						
18	Cerebral hemorrhage and softening	444		1						7	15	47	97	106	124	41	6		
19	Organic diseases of the heart	872	2	2		5	3	10	32	56	71	100	141	213	177	56	9		
20	Acute bronchitis	81	31	17	5	3	1	2					3	1	4	9	4	1	
21	Chronic bronchitis	59	4	1	1						4	5	6	13	12	11	2		
22	Pneumonia	2,046	120	68	56	17	13	48	90	545	530	244	139	97	61	16	2		
23a	Bronchopneumonia	510	182	99	27	12	8	18	12	37	39	34	24	21	21	4	2		
23b	Other diseases of the respiratory system	68	8	4	2	1	2		5	6	1	9	10	9	6	5			
24	Diseases of the stomach	85	21	4					1		9	9	8	12	6	3	3		
25(37)	Diarrhea and enteritis	653	502	95	16	5	2	2		5	4	3	6	7	5	1			
26	Appendicitis and typhlitis	93		1	2	3	1	10	12	15	18	17	10	1	3				
27	Hernia, intestinal obstruction	80	12	5				1	3	4	8	10	13	10	10	4			
28	Cirrhosis of the liver	92								3	9	22	25	22	9	2			
29	Acute nephritis and Bright's disease	639	4	5		3	2	8	10	28	49	78	111	171	116	48	6		
30	Diseases of the female genital organs	50								2	2	15	24	5	1	1			
31	Puerperal septicemia	57								3	25	25	4						
32	Other puerperal affections	103								5	56	40	2						
33	Congenital debility and malformations	602	582	5	3		1	6	3	2									
34	Senility	39																	
35	Violent deaths (suicide excepted)	855	21	17	19	16	9	69	67	122	180	126	88	56	38	22	5		
36	Suicide	81							2	16	19	23	9	7	3	1			
37(37)	All other defined diseases	1,298	251	17	10	6	6	31	42	93	161	171	179	140	120	61	8		
38	Unknown or ill-defined diseases	198	102	9	2	1	1	4	6	4	19	14	12	7	10	6		1	

COLUMBUS, OHIO (TOTAL).

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDED: 1918—Continued.

[See note at head of this table, p. 432.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un-known age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

COLUMBUS, OHIO (WHITE).

COLUMBUS, OHIO (COLORED)

CAUSES OF DEATH, BY AGE.

471

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDED: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
DAYTON, OHIO.																		
	All causes...	2,544	286	61	32	30	17	64	111	347	374	291	273	272	284	135	16	1
1	Typhoid fever...	12	1						1	3	3	1	1		2			
2	Typhus fever...																	
3	Malaria...	1											1					
4	Smallpox...																	
5	Measles...	2							1	1								
6	Scarlet fever...	4		1				1		1	1							
7	Whooping cough...	9	6	1	1	1												
8	Diphtheria and croup...	12	1			1	4		5	1								
9	Influenza...	347	22	13	10	10	8	12	24	85	91	38	15	9	9	1		
10	Asiatic cholera...																	
11	Cholera nostras...															2	2	
12	Other epidemic diseases...	8	4															
13	Tuberculosis of the lungs...	188	1	1	1	2		1	14	49	52	26	18	13		9	1	
14	Tuberculous meningitis...	16	1	2	1	2	1	1	1	2	4		1					
15	Other forms of tuberculosis...	19	2						1	8	1	2	4	1				
16	Cancer and other malignant tumors...	152		1	1					2	10	23	39	41	25	10		
17	Meningitis...	15	1	1	2		1	1	4	1	1	1	1	1		16	2	
18	Cerebral hemorrhage and softening...	128							1	1	9	13	23	24	39			
19	Organic diseases of the heart...	273	1					1	6	18	13	39	41	59	55	36	4	
20	Acute bronchitis...	6	1	1				1			1			1				
21	Chronic bronchitis...	9	1								1	1	1	3	2			
22	Pneumonia...	282	11	4	6	1	1	8	15	72	78	32	25	14	9	5	1	
23a	Bronchopneumonia...	138	29	14	1	3	2	5	8	23	18	7	3	8	8	1		
23b	Other diseases of the respiratory system...	11								2	1	1	3	1				
24	Diseases of the stomach...	21	5	1				1			2	2	4	1	1	1	1	
25(37)	Diarrhea and enteritis...	62	44	6	2					2	2		1	1	1	3		
26	Appendicitis and typhlitis...	22						4	6	6	2	3		1				
27	Hernia, intestinal obstruction...	23		1	1				1		1	4	2	4	5	3		1
28	Cirrhosis of the liver...	14									1	1	1	1	5	2	2	
29	Acute nephritis and Bright's disease...	158		2		1		1	7	17	24	21	40	29	15	1		
30	Diseases of the female genital organs...	13								3	4	5						
31	Puerperal septicemia...	16								3	8	8						
32	Other puerperal affections...	28							2	18	8							
33	Congenital debility and malformations...	115	114					1							3	8	4	1
34	Senility...	16																
35	Violent deaths (suicide excepted)...	157	6	7	3	2	2	13	16	17	13	23	23	15	8	8	1	
36	Suicide...	22							1	4	5	10	2					
(37)	All other defined diseases...	241	33	3	3	1		6	6	16	26	30	44	29	27	16	1	
38	Unknown or ill-defined diseases...	4	1			1					2							

TOLEDO, OHIO.

	All causes.....	4,038	519	100	49	38	31	96	174	534	552	445	447	454	407	164	26	1
1	Typhoid fever.....	26				1		1	5	8	4	2	4		1			
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....	1											1					
5	Measles.....	5	2	1	1	1												
6	Scarlet fever.....	16		1	2	2	2	4	1		2	2						
7	Whooping cough.....	15	8		1	2		4										
8	Diphtheria and croup.....	28		3	4	7	2	8	3									
9	Influenza.....	475	39	33	16	8	7	21	30	142	117	23	14	12	11	2		
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	16	3						1		1	4		2	3	2		
13	Tuberculosis of the lungs.....	370	3	2	1	1		4	37	110	94	55	38	16	6	3		
14	Tuberculous meningitis.....	14	3	2	1	1		3	2	2								
15	Other forms of tuberculosis.....	24	1		2	1		2	3	4	4	2	3	1	1			
16	Cancer and other malignant tumors.....	199				1	1	1	1	4	15	35	48	52	35	7		
17	Meningitis.....	19	3	2	2	1	1	1	1	2	2	3	1					
18	Cerebral hemorrhage and softening.....	256	2	1						4	17	52	73	73	28	5		
19	Organic diseases of the heart.....	419	1	1				5	6	17	27	60	73	100	83	43	3	
20	Acute bronchitis.....	19	12	2							1	2		1	1			
21	Chronic bronchitis.....	10									1		2	3	3	1		
22	Pneumonia.....	332	18	9	3	3	5	10	21	72	88	38	22	21	16	6		
23a	Bronchopneumonia.....	118	32	10	4	1	4	4	2	13	12	8	7	10	7	2	1	1
23b	Other diseases of the respiratory system.....	15							1	2	1	3	1	3	4			
24	Diseases of the stomach.....	36	8					1		7	4	4	5	4	2			
25(27)	Diarrhea and enteritis.....	152	94	23	8	2	1		2	4	6	1	2	5	2	2	2	2
26	Appendicitis and typhlitis.....	50			1		2	4	11	8	8	4	5	4	2	1		
27	Hernia, intestinal obstruction.....	35	3	2				1	1	2	5	2	4	6	8	1		
28	Cirrhosis of the liver.....	37						1	1	1	1	9	7	11	3	4		
29	Acute nephritis and Bright's disease.....	184	4				1	1	1	7	13	31	30	43	43	9	1	
30	Diseases of the female genital organs.....	13							1	4	6	2						
31	Puerperal septicemia.....	32							1	16	15							
32	Other puerperal affections.....	38							3	20	12	3						
33	Congenital debility and malformations.....	211	211															
34	Senility.....	41												3	16	16	6	
35	Violent deaths (suicide excepted).....	237	4	3	3	4	3	16	25	47	34	26	38	16	11	4	3	
36	Suicide.....	46								10	14	10	7	3	2			
(37)	All other defined diseases.....	547	68	5		2	2	5	18	37	66	89	83	70	69	29	4	
38	Unknown or ill-defined diseases.....	2												2				

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

PORTLAND, OREG.

	All causes.....	3,760	363	82	42	43	18	89	181	513	558	415	449	482	324	181	14	6
1	Typhoid fever.....	15								2	4	4	3	2				
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	25	7	7	2	2	2	2		1		1	1					
6	Scarlet fever.....	4	10	4	1	2			2		1							
7	Whooping cough.....	17																
8	Diphtheria and croup.....	23																
9	Influenza.....	667	14	15	9	10	7	19	54	199	217	66	29	13	8	3	2	2
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	6	1					1		1								
13	Tuberculosis of the lungs.....	204		2	2	1		1	19	65	49	23	18	1	2			
14	Tuberculous meningitis.....	23	1	5		2		6		3	2	1						1
15	Other forms of tuberculosis.....	30	1					1	2	9	6	7		3	1			
16	Cancer and other malignant tumors.....	298			2				2	4	18	44	79	37	46	14	1	1
17	Meningitis.....	17	3	2	1	1		1		4	3	1	1					
18	Cerebral hemorrhage and softening.....	176							1	3	7	12	37	53	36	27		
19	Organic diseases of the heart.....	361		1	1	1		3	10	21	18	43	64	82	81	34	2	
20	Acute bronchitis.....	13	6	2	1	1				1	1							
21	Chronic bronchitis.....	11																
22	Pneumonia.....	367	21	10	6	6	1	12	17	90	88	42	32	29	12	5		
23a	Bronchopneumonia.....	86	29	8	3		1	1	6	8	8	6	2	5	1	7	1	
23b	Other diseases of the respiratory system.....	37			1			1	1	4	3	3	7	1	3	3	1	
24	Diseases of the stomach.....	27	6	1	1				1	2	4	7	1	3	1			
25(37)	Diarrhea and enteritis.....	70	39	10	3	2		2		7	6	5	8	2	6	2		
26	Appendicitis and typhlitis.....	47		3	1	1	1		1	3	3	3	7	11	3	1		
27	Hernia, intestinal obstruction.....	42								2	3	3	5	7				
28	Cirrhosis of the liver.....	12								2	3	6	1					
29	Acute nephritis and Bright's disease.....	175			1			1	5	7	10	22	38	52	25	13	1	
30	Diseases of the female genital organs.....	18								1	4	9	2		2			
31	Puerperal septicemia.....	24								3	9	8	4					
32	Other puerperal affections.....	29								16	11	2						
33	Congenital debility and malformations.....	159	156	3														
34	Senility.....	34																
35	Violent deaths (suicide excepted).....	217	8	3	4	3	1	11	17	27	31	38	19	29	11	26	2	1
36	Suicide.....	35							2	8	8	11	3	1	1	1		
(37)	All other defined diseases.....	489	58	7	3	4	2	9	25	14	50	56	86	88	57	29	1	
38	Unknown or ill-defined diseases.....	2								1		1						

PHILADELPHIA, PA. (TOTAL).

	All causes.....	42,479	5,380	1,755	886	517	449	1,074	2,123	6,409	6,206	4,366	4,161	4,257	3,213	1,484	191	4
1	Typhoid fever.....	85	1		1	1	1	6	22	23	15	11	3		1			
2	Typhus fever.....																	
3	Malaria.....	6							1	1	1		1	1	1			
4	Smallpox.....																	
5	Measles.....	136	32	54	21	10	7	12										
6	Scarlet fever.....	48	1	2	14	5	8	14	3	3								
7	Whooping cough.....	351	145	110	42	19	16	18		1								
8	Diphtheria and croup.....	381	29	53	79	57	41	94	21	2	1	1	2	1				
9	Influenza.....	7,024	291	297	185	106	111	309	593	2,215	1,761	592	298	165	77	21	2	1
10	Asiatic cholera.....	2	1													1		
11	Cholera nostras.....																	
12	Other epidemic diseases.....	70	12	4	2	3	2	4	3	6	5	8	6	6	8	1		
13	Tuberculosis of the lungs.....	3,392	25	28	9	8	6	23	258	889	807	667	390	220	52	10		
14	Tuberculous meningitis.....	204	55	36	26	7	9	21	22	15	5	6	2					
15	Other forms of tuberculosis.....	167	6	4	4	5	4	6	25	31	25	22	15	17	3			
16	Cancer and other malignant tumors.....	1,793	2	2		5	10	16	24	15	16	21	4	3	1			
17	Meningitis.....	185	40	18	12	5	10	16	24	15	16	21	4	3	1			
18	Cerebral hemorrhage and softening.....	1,292	4	2	1	2	1	5	39	121	217	351	411	948	815	415	45	
19	Organic diseases of the heart.....	3,999	21	8	9	4	5	39	121	217	351	411	948	815	415	45		
20	Acute bronchitis.....	312	147	48	22	9	9	7	2	6	8	6	5	14	12	5		
21	Chronic bronchitis.....	149	2	3					3	1	6	3	8	16	33	43	29	2
22	Pneumonia.....	6,438	271	261	147	68	67	143	476	1,687	1,546	721	471	329	185	58		1
23a	Bronchopneumonia.....	2,800	738	381	158	73	43	102	123	329	335	138	109	104	108	45	12	2
23b	Other diseases of the respiratory system.....	323	32	17	10	9	4	12	17	28	41	42	32	34	26	15	3	1
24	Diseases of the stomach.....	263	61	13	5	1		3	4	12	33	27	34	36	23	5	6	
25(37)	Diarrhea and enteritis.....	1,846	1,205	280	57	27	24	24	24	4	11	11	23	17	26	26	18	3
26	Appendicitis and typhlitis.....	183	2	1		5	1	10	37	35	28	32	21	6	4	1		
27	Hernia, intestinal obstruction.....	281	29	3	1	3	4	5	11	16	18	39	48	60	28	16	2	
28	Cirrhosis of the liver.....	227			1				9	22	46	56	65	20	7	1		
29	Acute nephritis and Bright's disease.....	2,915	17	7	8	4	4	18	42	107	228	350	560	708	587	253	21	1
30	Diseases of the female genital organs.....	134		1					5	29	37	40	14	3	4	1		
31	Puerperal septicemia.....	127							16	58	49	4						
32	Other puerperal affections.....	298							16	164	95	17	1					
33	Congenital debility and malformations.....	1,548	1,524	4	5	5		5	4	1			2	10	25	54	22	1
34	Senility.....	114																
35	Violent deaths (suicide excepted).....	1,752	62	50	38	57	46	123	150	213	232	239	181	168	123	62	8	
36	Suicide.....	230							104	209	341	403	520	468	386	199	29	1
(37)	All other defined diseases.....	3,378	531	61	25	24	23	54	1	1	2	2	3	1	2			

CAUSES OF DEATH, BY AGE.

473

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	

PHILADELPHIA, PA. (WHITE).

All causes.....	38,377	4,827	1,548	781	468	402	977	1,881	5,693	5,441	3,801	3,793	4,040	3,098	1,438	182	4	3
1 Typhoid fever.....	73	1	—	1	1	1	5	20	20	12	8	3	—	1	—	—	—	
2 Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Malaria.....	3	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	
4 Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Measles.....	133	30	53	21	10	7	12	—	—	—	—	—	—	—	—	—	—	
6 Scarlet fever.....	46	1	2	13	3	8	14	2	3	—	—	—	—	—	—	—	—	
7 Whooping cough.....	302	129	96	34	17	12	14	—	—	—	—	—	—	—	—	—	—	
8 Diphtheria and croup.....	366	27	51	77	57	41	88	19	1	1	1	2	—	1	—	—	—	
9 Influenza.....	6,590	271	278	169	99	100	289	552	2,099	1,645	556	283	152	74	20	2	1	
10 Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11 Cholera nostras.....	2	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
12 Other epidemic diseases.....	61	10	3	1	3	2	4	2	5	3	7	6	6	8	1	—	—	
13 Tuberculosis of the lungs.....	2,809	22	22	6	3	2	13	196	716	656	574	343	201	47	—	—	—	
14 Tuberculous meningitis.....	132	51	34	25	7	7	18	21	9	3	5	2	—	—	—	—	—	
15 Other forms of tuberculosis.....	132	5	4	2	4	2	5	16	22	18	13	16	3	—	—	—	—	
16 Cancer and other malignant tumors.....	1,702	2	2	—	—	4	2	10	24	105	302	450	434	275	87	5	—	
17 Meningitis.....	164	37	18	11	4	8	13	20	13	19	4	3	1	—	—	—	—	
18 Cerebral hemorrhage and softening.....	1,205	4	—	2	—	—	—	3	4	14	81	226	343	351	161	16	—	
19 Organic diseases of the heart.....	3,688	21	8	9	4	5	37	112	193	307	346	528	888	781	406	43	—	
20 Acute bronchitis.....	253	117	36	18	7	8	6	2	4	6	3	5	13	11	12	5	—	
21 Chronic bronchitis.....	144	1	3	—	—	—	—	3	1	5	2	7	16	33	42	29	2	
22 Pneumonia.....	5,721	243	224	126	59	58	126	423	1,495	1,359	620	423	313	177	58	7	—	
23a Bronchopneumonia.....	2,496	634	319	133	68	41	95	115	304	308	116	100	101	105	43	12	2	
23b Other diseases of the respiratory system.....	280	26	15	10	7	4	12	14	28	28	35	31	32	25	14	3	—	
24 Diseases of the stomach.....	232	55	9	4	1	—	2	4	11	25	23	30	35	22	5	6	—	
25(37) Diarrhea and enteritis.....	1,675	1,186	255	48	24	20	19	3	9	7	20	16	25	24	16	3	—	
26 Appendicitis and typhlitis.....	169	2	1	—	5	1	9	34	29	26	31	20	6	4	1	—	—	
27 Hernia, intestinal obstruction.....	254	27	3	—	3	3	4	9	12	11	35	44	57	28	16	2	—	
28 Cirrhosis of the liver.....	213	—	—	—	—	—	—	6	21	41	52	63	20	7	1	—	—	
29 Acute nephritis and Bright's disease.....	2,642	14	7	8	4	4	13	37	87	133	291	500	665	561	247	20	1	
30 Diseases of the female genital organs.....	103	—	1	—	—	—	—	4	20	29	32	11	3	2	1	—	—	
31 Puerperal septicemia.....	105	—	—	—	—	—	—	10	48	44	3	—	—	—	—	—	—	
32 Other puerperal affections.....	264	—	—	—	—	—	—	13	152	84	14	1	—	—	—	—	—	
33 Congenital debility and malformations.....	1,408	1,385	4	5	5	—	5	3	1	—	—	—	—	—	—	—	—	
34 Senility.....	109	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
35 Violent deaths (suicide excepted).....	1,563	52	45	34	51	42	118	133	178	191	210	163	115	60	8	—	—	
36 Suicide.....	221	—	—	—	—	—	—	4	34	55	56	24	20	16	2	—	—	
(37) Other defined diseases.....	3,040	469	47	22	20	22	51	92	166	280	345	476	454	378	191	26	1	
38 Unknown or ill-defined diseases.....	27	4	8	1	2	—	1	—	—	1	2	3	—	—	—	—	—	

PHILADELPHIA, PA. (COLORED).

All causes.....	4,102	553	207	105	49	47	97	242	716	765	565	368	217	115	46	9	1
1 Typhoid fever.....	12	—	—	—	—	—	—	1	2	3	3	3	—	—	—	—	—
2 Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Malaria.....	3	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—
4 Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Measles.....	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Scarlet fever.....	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
7 Whooping cough.....	49	16	14	8	2	4	4	—	—	1	—	—	—	—	—	—	—
8 Diphtheria and croup.....	15	2	2	2	—	—	—	6	2	1	—	—	—	—	—	—	—
9 Influenza.....	434	20	19	16	7	11	20	41	116	116	36	15	13	8	1	—	—
10 Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Other epidemic diseases.....	9	2	1	1	5	4	10	62	173	151	93	47	19	5	2	—	—
13 Tuberculosis of the lungs.....	583	3	6	3	5	4	2	2	3	1	6	2	1	—	—	—	—
14 Tuberculous meningitis.....	22	4	2	1	2	2	3	9	9	3	4	2	1	—	—	—	—
15 Other forms of tuberculosis.....	35	1	2	1	2	1	1	—	—	4	13	31	24	15	3	—	—
16 Cancer and other malignant tumors.....	91	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
17 Meningitis.....	21	3	—	1	1	2	3	4	2	3	2	3	2	—	—	—	—
18 Cerebral hemorrhage and softening.....	87	—	—	—	—	—	—	—	—	1	5	18	25	17	8	10	2
19 Organic diseases of the heart.....	311	—	—	—	—	1	—	2	9	24	44	65	62	60	34	9	2
20 Acute bronchitis.....	59	30	12	4	2	1	1	—	—	2	2	3	—	1	1	—	—
21 Chronic bronchitis.....	5	1	—	—	2	1	1	—	—	1	—	—	—	—	—	—	—
22 Pneumonia.....	717	28	37	21	9	9	17	48	192	187	101	43	16	8	10	9	2
23a Bronchopneumonia.....	304	104	62	25	5	2	7	8	25	27	22	9	3	2	2	1	1
23b Other diseases of the respiratory system.....	43	6	2	—	—	2	—	3	5	13	7	1	2	1	1	1	—
24 Diseases of the stomach.....	31	6	4	1	—	—	—	1	—	1	8	4	4	4	1	1	—
25(37) Diarrhea and enteritis.....	171	109	25	9	3	4	5	1	2	4	2	1	1	2	2	2	2
26 Appendicitis and typhlitis.....	14	—	—	—	—	1	1	2	—	4	5	4	4	4	3	—	—
27 Hernia, intestinal obstruction.....	27	2	—	1	—	1	1	2	—	3	1	5	3	3	2	—	—
28 Cirrhosis of the liver.....	14	—	—	—	—	—	—	—	—	3	1	5	3	3	2	—	—
29 Acute nephritis and Bright's disease.....	273	3	—	—	—	—	—	5	5	20	45	59	60	43	26	6	1
30 Diseases of the female genital organs.....	31	—	—	—	—	—	—	—	1	9	8	8	3	2	—	—	—
31 Puerperal septicemia.....	22	—	—	—	—	—	—	—	6	10	5	1	2	2	1	1	—</td

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.

PITTSBURGH, PA. (TOTAL).

	All causes	15,433	2,213	770	411	224	188	474	796	2,268	2,416	1,779	1,415	1,272	854	307	39	1	6
1	Typhoid fever	60				1	1	8	8	21	10	5	4	1	1				
2	Typhus fever								1										
3	Malaria	1																	
4	Smallpox																		
5	Measles	102	28	34	13	8	5	11	2			1							
6	Scarlet fever	11		1		1	2	2	1	3	1								
7	Whooping cough	142	56	47	19	11	5	4											
8	Diphtheria and croup	126	6	14	19	13	20	38	9	4	1	2							
9	Influenza	1,948	135	134	79	53	33	90	158	481	388	197	104	59	32	4		1	
10	Asiatic cholera																		
11	Cholera nostras	2											1	1					
12	Other epidemic diseases	44	12	5	1				2	3	4	4	6	5	2				
13	Tuberculosis of the lungs	798	20	12	3	1	2	9	56	221	206	151	76	33	7	1			
14	Tuberculous meningitis	80	10	15	13	8	1	11	10	4	6	2							
15	Other forms of tuberculosis	65	5	2	3		4	5	5	11	7	12	6	4	1				
16	Cancer and other malignant tumors	494	1		1	1	1			14	48	83	140	125	60	19	1		
17	Meningitis	78	13	8	6	5	6	7	12	7	6	5	2	1					
18	Cerebral hemorrhage and softening	432	1	2					1	1	2	19	47	70	137	114	34	3	
19	Organic diseases of the heart	869	6	6	3	1	2	10	41	40	81	125	162	195	140	54	3	1	
20	Acute bronchitis	145	50	24	15	4	3	4	2	2	3	6	6	11	7	6	2		
21	Chronic bronchitis	60	6	2	1	1			1	1	2	1	2	9	12	12	7	3	
22	Pneumonia	4,020	155	107	66	30	34	115	274	936	1,019	566	339	235	103	36	2	3	
23a	Bronchopneumonia	1,130	254	153	82	33	21	45	34	110	124	74	61	63	53	20	3		
23b	Other diseases of the respiratory system	110	11	6	2	2			3	3	8	14	17	16	12	10	3	2	
24	Diseases of the stomach	90	16	4	3	2	1	2	2	7	5	10	9	14	9	5	1		
25(37)	Diarrhea and enteritis	806	548	143	40	11	10	8	4	2	4	6	7	7	14	2			
26	Appendicitis and typhlitis	99				1		4	26	15	20	21	9	3					
27	Hernia, intestinal obstruction	85	20	2	2		1	1	4	6	13	10	6	13	5	2			
28	Cirrhosis of the liver	98	1					1	1	12	23	26	18	7	4				
29	Acute nephritis and Bright's disease	597	8	2	2	1	2	5	14	28	63	93	114	113	115	32	5		
30	Diseases of the female genital organs	48							1	7	14	17	4	3	2				
31	Puerperal septicemia	56							5	26	23	2							
32	Other puerperal affections	104							8	61	35								
33	Congenital debility and malformations	583	578	3		1	2	4		1									
34	Senility	39											4	9	19	7			
35	Violent deaths (suicide excepted)	897	23	18	21	24	24	58	80	139	148	152	103	44	42	18	3		
36	Suicide	73								17	20	17	9	8	2				
(37)	All other defined diseases	1,123	246	22	16	11	8	28	31	88	121	131	121	155	104	37	4		
38	Unknown or ill-defined diseases	17	4	4	1				1		3	1		2				1	

PITTSBURGH, PA. (WHITE).

	All causes.....	14,208	2,069	723	383	207	171	438	716	2,056	2,189	1,589	1,296	1,202	826	300	36	1	6
1	Typhoid fever.....	52					1	1	7	6	17	9	5	4	1	1			
2	Typhus fever.....																		
3	Malaria.....	1								1									
4	Smallpox.....																		
5	Measles.....	98	27	33	13	7	5	11	1										
6	Scarlet fever.....	11		1			1	2	2	1	3	1							
7	Whooping cough.....	120	47	41	17	8	3	4											
8	Diphtheria and croup.....	124	6	14	19	12	20	37	9	4	1	2							
9	Influenza.....	1,847	130	132	78	48	29	84	149	457	372	186	90	55	32	4			1
10	Asiatic cholera.....																		
11	Cholera nostras.....		2																
12	Other epidemic diseases.....	41	12	3	1				2	3	4	3	6		5	2			
13	Tuberculosis of the lungs.....	700	17	11	2	1	2	5	42	193	185	134	72	30	5	5	1		
14	Tuberculous meningitis.....	77	10	15	13	8	1	10	9	4	5	2							
15	Other forms of tuberculosis.....	55	5	2	3		2	4	3	8	6	11	6	4					
16	Cancer and other malignant tumors.....	479	1			1	1			12	48	79	136	124	58	17	1		
17	Meningitis.....	77	13	8	6	5	6	7	11	7	6	5	2	1					
18	Cerebral hemorrhage and softening.....	406	1	2					1	1	1	15	44	67	129	109	32	3	1
19	Organic diseases of the heart.....	797	6	6	2	1	2	10	39	38	72	111	138	182	134	53	3		
20	Acute bronchitis.....	131	43	22	15	4	3	4	2	1	2	4	6	10	7	6	2		
21	Chronic bronchitis.....	56	5	1	1			1	1	2	1	2	8	11	12	7	3		
22	Pneumonia.....	3,585	137	100	62	27	32	105	243	829	912	480	305	215	99	35	1		3
23	Bronchopneumonia.....	1,046	234	141	73	33	18	38	29	104	115	69	56	61	52	20	3		
24	Other diseases of the respiratory system.....	103	10	6	2	2		3	3	8	12	16	14	12	9	3	2		1
25(37)	Diseases of the stomach.....	85	16	4	2	2	1	2	2	7	3	9	8	14	9	5	1		
26	Diarrhea and enteritis.....	764	521	137	35	11	10	8	3	2	3	5	7	6	14	2			
27	Appendicitis and typhlitis.....	92				1		4	25	14	18	18	18	9	3				
28	Hernia, intestinal obstruction.....	81	19	2	2		1	1	4	6	12	8	6	13	5	2			
29	Cirrhosis of the liver.....	85							1	1	10	20	25	17	7	4			
30	Acute nephritis and Bright's disease.....	546	8	1	2	1	1	4	12	28	54	80	103	105	111	32	4		
31	Diseases of the female genital organs.....	42							1	6	13	15	2	3	2				
32	Puerperal septicemia.....	52							5	25	20	2							
33	Other puerperal affections.....	97							8	56	33								
34	Congenital debility and malformations.....	554	544	3		1	2	3	1										
35	Sensitily.....	39																	
36	Violent deaths (suicide excepted).....	816	20	16	21	21	55	74	123	126	140	95	43	42	17	2			
(37)	Suicide.....	70								17	19	15	9	8	2				
38	All other defined diseases.....	1,062	233	19	13	10	8	28	29	78	112	125	116	149	101	37	4		
39	Unknown or ill-defined diseases.....	15	4	3					1		3	1	1	2					1

CAUSES OF DEATH, BY AGE.

475

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEASED: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.

PITTSBURGH, PA. (COLORED).

1	All causes.....	1,225	144	47	28	17	17	36	80	212	227	190	119	70	28	7	3
2	Typhoid fever.....	8	—	—	—	—	—	1	2	4	1	—	—	—	—	—	—	—
3	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Measles.....	4	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
7	Scarlet fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	Whooping cough.....	22	9	6	2	3	2	—	—	—	—	—	—	—	—	—	—	—
9	Diphtheria and croup.....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Influenza.....	101	5	2	1	5	4	1	6	9	24	16	11	14	4	—	—	—
11	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Other epidemic diseases.....	3	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Tuberculosis of the lungs.....	93	3	1	1	—	—	4	14	28	21	17	4	3	2	—	—	—
15	Tuberculous meningitis.....	3	—	—	—	—	—	2	1	1	1	—	—	—	—	—	—	—
16	Other forms of tuberculosis.....	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17	Cancer and other malignant tumors.....	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18	Meningitis.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19	Cerebral hemorrhage and softening.....	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20	Organic diseases of the heart.....	72	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
21	Acute bronchitis.....	14	7	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Chronic bronchitis.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23	Pneumonia.....	435	18	7	4	3	2	10	31	107	107	86	34	20	4	1	1	—
24	Bronchopneumonia.....	84	20	12	9	3	7	5	6	9	5	5	2	1	—	—	—	—
25(37)	Other diseases of the respiratory system.....	7	1	—	—	—	—	—	—	—	2	1	2	—	—	—	—	—
26	Diseases of the stomach.....	5	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—
27	Diarrhea and enteritis.....	42	27	6	5	—	—	—	—	—	1	1	1	—	—	—	—	—
28	Appendicitis and typhlitis.....	7	—	—	—	—	—	—	—	—	1	2	3	—	—	—	—	—
29	Hernia, intestinal obstruction.....	4	—	1	—	—	—	—	—	—	1	2	—	—	—	—	—	—
30	Cirrhosis of the liver.....	8	1	—	—	—	—	—	—	—	2	3	1	1	—	—	—	—
31	Acute nephritis and Bright's disease.....	51	—	1	—	—	—	1	1	2	9	13	11	8	4	—	—	—
32	Diseases of the female genital organs.....	6	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—	—
33	Puerperal septicemia.....	4	—	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—
34	Other puerperal affections.....	7	—	—	—	—	—	—	—	—	5	2	—	—	—	—	—	—
35	Congenital debility and malformations.....	35	34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
36	Senility.....	81	3	2	—	3	3	3	6	16	22	12	8	1	—	1	1	—
(37)	Violent deaths (suicide excepted).....	3	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—
38	Suicide.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other defined diseases.....	61	13	3	3	1	—	—	—	2	10	9	6	5	6	3	—	—
	Unknown or ill-defined diseases.....	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—

SCRANTON, PA.

1	All causes.....	3,092	444	127	66	31	24	75	141	423	516	401	314	252	188	75	15
2	Typhoid fever.....	9	—	—	—	—	—	—	4	3	—	1	1	—	—	—	—	—
3	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Measles.....	2	—	—	2	—	—	—	3	2	—	—	—	—	—	—	—	—
7	Scarlet fever.....	7	—	—	1	1	—	—	2	—	—	—	—	—	—	—	—	—
8	Whooping cough.....	26	14	7	1	1	1	2	—	—	—	—	—	—	—	—	—	—
9	Diphtheria and croup.....	29	1	4	6	4	5	7	2	—	—	—	—	—	—	—	—	—
10	Influenza.....	707	27	20	10	9	5	14	46	178	246	97	40	9	6	—	—	—
11	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
12	Cholera nostras.....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Other epidemic diseases.....	8	3	1	—	—	—	—	1	—	—	—	1	2	5	—	—	—
14	Tuberculosis of the lungs.....	122	1	—	—	—	—	2	16	27	23	27	21	5	—	—	—	—
15	Tuberculous meningitis.....	8	2	1	—	—	—	1	2	2	2	—	—	—	—	—	—	—
16	Other forms of tuberculosis.....	16	1	2	—	—	—	1	2	2	5	2	.2	—	—	1	—	—
17	Cancer and other malignant tumors.....	111	—	—	—	—	—	—	3	7	27	27	23	17	6	1	—	—
18	Meningitis.....	19	3	3	4	1	—	4	2	1	1	—	—	—	—	—	—	—
19	Cerebral hemorrhage and softening.....	105	2	—	—	—	—	2	4	11	17	39	29	52	41	14	1	—
20	Organic diseases of the heart.....	211	1	—	—	—	—	2	4	—	—	—	—	—	—	—	—	—
21	Acute bronchitis.....	29	19	2	1	—	—	2	—	2	2	2	4	4	2	—	1	—
22	Chronic bronchitis.....	11	—	—	—	—	—	—	—	1	—	2	4	3	1	—	—	—
23	Pneumonia.....	474	33	15	15	3	4	5	24	91	108	71	56	30	32	11	2	—
24	Bronchopneumonia.....	163	49	24	8	3	1	1	2	15	13	16	7	8	11	4	1	—
25(37)	Other diseases of the respiratory system.....	36	—	4	3	—	—	—	1	3	2	9	4	6	2	2	—	—
26	Diseases of the stomach.....	24	3	4	—	—	—	—	2	2	2	4	4	2	—	—	1	—
27	Diarrhea and enteritis.....	179	125	31	7	1	2	2	1	2	2	2	2	1	1	2	—	—
28	Appendicitis and typhlitis.....	18	—	—	—	—	—	4	1	3	2	2	4	4	3	2	—	—
29	Hernia, intestinal obstruction.....	17	3	—	1	—	—	—	—	1	3	3	2	5	3	2	—	—
30	Cirrhosis of the liver.....	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31	Acute nephritis and Bright's disease.....	137	1	—	—	1	—	1	3	12	13	19	31	26	21	8	1	—
32	Diseases of the female genital organs.....	7	—	—	—	—	—	—	—	3	2	1	1	—	—	—	—	—
33	Puerperal septicemia.....	10	—	—	—	—	—	—	4	6	—	—	—	—	—	—	—	—
34	Other puerperal affections.....	28	—	—	—	—	—	1	1	14	8	5	—	—	—	—	—	—
35	Congenital debility and malformations.....	117	115	—	—	—	—	1	1	—	—	—</						

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

PROVIDENCE, R. I.

	All causes.....	5,210	788	233	135	69	47	137	211	630	667	577	515	579	382	197	34	4
1	Typhoid fever.....	12	—	—	1	—	—	—	2	6	2	1	—	—	—	—	—	—
2	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Smallpox.....	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
5	Measles.....	55	17	16	12	3	1	5	—	—	—	—	1	—	—	—	—	—
6	Scarlet fever.....	17	1	—	2	1	4	5	2	1	1	—	—	—	—	—	—	—
7	Whooping cough.....	68	30	16	10	9	1	2	—	—	—	—	—	—	—	—	—	—
8	Diphtheria and croup.....	58	5	7	4	6	24	2	—	—	—	—	3	—	1	—	—	—
9	Influenza.....	916	52	51	22	17	4	25	51	252	264	117	35	18	6	2	—	—
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12	Other epidemic diseases.....	23	12	2	1	—	—	—	—	—	—	1	1	3	2	1	—	—
13	Tuberculosis of the lungs.....	339	5	4	5	2	1	1	33	85	82	69	33	16	2	—	—	1
14	Tuberculous meningitis.....	48	4	15	7	3	2	8	4	5	—	—	—	—	—	—	—	—
15	Other forms of tuberculosis.....	44	6	2	6	2	1	4	—	8	3	3	5	1	—	2	—	1
16	Cancer and other malignant tumors.....	247	1	—	—	—	—	—	2	6	8	40	65	66	39	20	—	—
17	Meningitis.....	48	13	9	5	1	3	5	3	1	1	5	1	—	—	—	—	—
18	Cerebral hemorrhage and softening.....	258	1	—	—	—	—	—	—	1	6	20	41	88	63	33	5	—
19	Organic diseases of the heart.....	445	4	—	—	—	—	—	4	10	12	26	55	79	119	90	45	1
20	Acute bronchitis.....	20	9	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—
21	Chronic bronchitis.....	16	—	—	—	—	—	—	—	1	1	1	2	5	2	3	—	—
22	Pneumonia.....	643	53	41	18	9	6	16	46	126	105	80	58	48	24	10	3	—
23a	Bronchopneumonia.....	174	66	27	13	2	4	3	1	6	6	6	6	6	13	6	2	—
23b	Other diseases of the respiratory system.....	20	3	2	—	—	—	—	1	1	—	3	2	2	3	2	1	—
24	Diseases of the stomach.....	24	4	—	—	—	—	—	1	—	2	3	7	2	2	1	2	—
25(37)	Diarrhea and enteritis.....	175	123	25	6	2	1	—	3	9	5	3	3	4	1	3	2	—
26	Appendicitis and typhlitis.....	31	—	—	—	—	—	—	—	—	2	3	2	3	2	1	—	—
27	Hernia, intestinal obstruction.....	37	2	—	1	—	—	—	—	2	3	4	11	6	7	1	—	—
28	Cirrhosis of the liver.....	18	—	—	—	—	—	—	—	1	1	4	5	4	3	—	—	—
29	Acute nephritis and Bright's disease.....	271	1	—	—	—	—	—	1	3	13	25	38	47	73	47	19	4
30	Diseases of the female genital organs.....	22	—	—	—	—	—	—	2	3	6	7	1	2	1	—	—	—
31	Puerperal septicemia.....	18	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—
32	Other puerperal affections.....	59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33	Congenital debility and malformations.....	249	236	1	1	—	—	1	1	—	3	24	31	1	—	—	—	—
34	Senility.....	21	—	—	—	—	—	—	—	—	—	—	—	1	7	7	5	1
35	Violent deaths (suicide excepted).....	234	4	6	10	7	9	18	21	22	21	34	30	25	14	13	—	—
36	Suicide.....	35	—	—	—	—	—	—	3	8	10	8	3	2	1	—	—	—
(37)	All other defined diseases.....	555	123	7	6	5	3	8	12	25	38	64	71	77	52	30	13	1
38	Unknown or ill-defined diseases.....	38	13	4	2	—	—	1	—	4	1	5	5	3	—	—	—	—

MEMPHIS, TENN. (TOTAL).

	All causes.....	3,615	298	93	43	43	28	80	236	640	617	455	352	327	182	97	8	4	62
1	Typhoid fever.....	24	—	1	—	—	1	1	3	7	7	2	1	—	—	—	—	1	
2	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Malaria.....	55	3	4	1	—	2	3	10	11	7	6	4	3	—	—	—	1	
4	Smallpox.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Measles.....	19	3	2	—	4	—	1	3	2	1	1	—	2	—	—	—	—	
6	Scarlet fever.....	3	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
7	Whooping cough.....	21	9	6	3	2	1	—	—	—	—	—	—	—	—	—	—	—	
8	Diphtheria and croup.....	13	1	—	2	—	4	3	2	—	—	—	—	—	—	—	—	—	
9	Influenza.....	424	19	13	10	10	6	26	39	95	97	53	18	13	13	3	1	8	
10	Asiatic cholera.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11	Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12	Other epidemic diseases.....	43	2	4	1	5	1	—	—	2	5	1	9	9	1	1	1	1	
13	Tuberculosis of the lungs.....	406	4	2	—	1	—	4	52	150	94	49	26	13	5	1	1	4	
14	Tuberculous meningitis.....	9	1	2	1	—	—	—	1	1	2	—	—	—	—	—	—	—	
15	Other forms of tuberculosis.....	34	—	—	—	1	—	3	6	7	5	2	1	—	—	3	—	—	
16	Cancer and other malignant tumors.....	136	—	—	—	—	—	—	2	8	12	33	34	31	14	1	—	1	
17	Meningitis.....	16	—	2	—	1	—	—	6	3	3	—	—	—	—	—	—	1	
18	Cerebral hemorrhage and softening.....	70	—	—	—	—	—	—	—	2	4	16	16	14	10	6	2	2	
19	Organic diseases of the heart.....	202	—	—	—	—	—	—	1	4	20	26	36	35	37	28	12	1	
20	Acute bronchitis.....	14	3	1	1	—	1	2	1	—	—	3	—	—	1	—	1	2	
21	Chronic bronchitis.....	11	1	—	2	—	—	—	2	2	—	—	—	—	2	—	—	2	
22	Pneumonia.....	454	15	9	5	2	2	13	47	127	104	55	27	25	13	3	—	7	
23a	Bronchopneumonia.....	95	26	7	3	3	—	1	3	14	16	4	4	5	3	3	2	3	
23b	Other diseases of the respiratory system.....	30	4	—	—	2	2	—	3	1	5	3	1	4	3	2	—	3	
24	Diseases of the stomach.....	51	4	—	2	—	—	—	3	5	11	10	6	5	1	4	—	1	
25(37)	Diarrhea and enteritis.....	110	55	27	5	2	—	—	2	—	4	2	3	3	4	1	—	1	
26	Appendicitis and typhlitis.....	60	—	—	—	1	—	6	16	14	13	6	1	3	—	—	—	1	
27	Hernia, intestinal obstruction.....	44	6	—	1	1	—	3	5	6	3	5	6	4	3	—	—	1	
28	Cirrhosis of the liver.....	14	—	—	—	—	—	—	—	3	5	2	2	2	2	—	—	—	
29	Acute nephritis and Bright's disease.....	272	1	—	1	1	—	2	9	16	35	35	53	50	40	14	2	4	
30	Diseases of the female genital organs.....	47	—	—	—	—	—	—	4	14	17	7	4	—	1	—	—	—	
31	Puerperal septicemia.....	20	—	—	—	—	—	—	2	8	10	—	—	—	—	—	—	—	

CAUSES OF DEATH, BY AGE.

477

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	Cause of Death.	All deaths.	DEATHS AT AGE OF—													Deaths at un- known age.
			Under 1 year	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.

MEMPHIS, TENN. (WHITE).

	All causes.....	1,871	169	44	26	24	18	45	117	265	279	200	214	231	133	69	2	35
1	Typhoid fever.....	15						1	1	2	3	4	2	1				1
2	Typhus fever.....																	
3	Malaria.....	11	1	1					1	1	3	2	1	1				
4	Smallpox.....	17	3	2		4		1	2	1	1	1						
5	Measles.....	17																
6	Scarlet fever.....	3	1	1														
7	Whooping cough.....	17	9	4	2	1	1											
8	Diphtheria and croup.....	10			2		4	2		1		1						
9	Influenza.....	279	7	6	8	5	3	14	22	68	71	35	12	11	10	1		6
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	28		4	1	4	1											
13	Tuberculosis of the lungs.....	123	2						8	2	3	4	6	1	1			1
14	Tuberculous meningitis.....	5	1	1	1					42	19	16	9	2				
15	Other forms of tuberculosis.....	13							2	2	1	1	1					
16	Cancer and other malignant tumors.....	92							1	5	5	17	21	28	13	1		1
17	Meningitis.....	8								4	2							
18	Cerebral hemorrhage and softening.....	50								3	11	10	11	9	4			2
19	Organic diseases of the heart.....	103								7	5	9	24	25	20	11		1
20	Acute bronchitis.....	8	3		1				2	1	1		1					
21	Chronic bronchitis.....	7																
22	Pneumonia.....	232	9	2	1	1	1	10	19	61	60	21	15	16	9	2		5
23a	Bronchopneumonia.....	46	13	2	2	2		1	1	5	7	1	3	1	3	3		2
23b	Other diseases of the respiratory system.....	15	2					1		1	1	2	4	2				
24	Diseases of the stomach.....	16	1		1				1	3	1	4	2	1	2			
25(37)	Diarrhea and enteritis.....	71	37	16	3	2			2	9	5	6	4	1	3	4	1	
26	Appendicitis and typhilitis.....	30								5	6	4	1	3				
27	Hernia, intestinal obstruction.....	25	5						2	3	2	3	2	3	2			
28	Cirrhosis of the liver.....	11									2	1	2	3	2			
29	Acute nephritis and Bright's disease.....	147							6	4	15	11	30	42	28	7		2
30	Diseases of the female genital organs.....	17							3	1	5	4	4	4				
31	Puerperal septicemia.....	8							1	4	3							
32	Other puerperal affections.....	12							2	7	3							
33	Congenital debility and malformations.....	42	41						1									
34	Senility.....	9																
35	Violent deaths (suicide excepted).....	111	1	2	1	1	3	2	13	18	22	17	13	11	3	6	1	1
36	Suicide.....	17							1	2	5	2	3	2	1			1
(37)	All other defined diseases.....	231	24	2	2	2	1	5	12	15	20	24	42	43	17	13		2
38	Unknown or ill-defined diseases.....	42	9						3	3	7	5	4	6	3	3		2

MEMPHIS, TENN. (COLORED).

	All causes.....	1,744	129	49	17	19	10	35	169	375	338	255	138	96	49	28	6	4	27
1	Typhoid fever.....	9		1					1	4	3								
2	Typhus fever.....																		
3	Malaria.....	44	2	3	1		2	2	9	8	5	5	3	3					1
4	Smallpox.....	4							1	1									
5	Measles.....	2																	
6	Scarlet fever.....																		
7	Whooping cough.....	4		2	1	1													
8	Diphtheria and croup.....	3	1						1										
9	Influenza.....	145	12	7	2	5	3	12	17	27	26	18	6	2	3	2	1	2	
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	15	2	2		1		4	44	108	70	30	10	4	3	1			4
13	Tuberculosis of the lungs.....	283	2	2		1		4	44	108	70	30	10	4	3				
14	Tuberculous meningitis.....	4	1						1	1									
15	Other forms of tuberculosis.....	21				1		1	4	6	2	4		1					2
16	Cancer and other malignant tumors.....	44							1	3	7	16	13	3	1				
17	Meningitis.....	8		1					2	3	1								1
18	Cerebral hemorrhage and softening.....	20							1	3	13	21	27	11	12	8	1	1	1
19	Organic diseases of the heart.....	99							1	3	13	21	27	11	12	8	1	1	1
20	Acute bronchitis.....	6		1					1	1									
21	Chronic bronchitis.....	4	1																
22	Pneumonia.....	222	6	7	4	1	1	8	28	66	44	34	12	9	4	1			2
23a	Bronchopneumonia.....	49	13	5	1	1			2	9	3	1	4	1					1
23b	Other diseases of the respiratory system.....	15	2		2	1			3	2	4	1	1	1					
24	Diseases of the stomach.....	35	3	2	1				2	2	10	6	6	3					
25(37)	Diarrhea and enteritis.....	39	18	11	2			1	4	7	9	7	2	3	1				
26	Appendicitis and typhilitis.....	30							1	3	3	2	3	3	1				
27	Hernia, intestinal obstruction.....	19	1		1			1	3	3	2	3	3	2	3				
28	Cirrhosis of the liver.....	3							2	3	2	3	3	2	3				
29	Acute nephritis and Bright's disease.....	125							2	3	19	20	24	23	17	12	7	2	2
30	Diseases of the female genital organs.....	30							1	13	12	3							
31	Puerperal septicemia.....	12							1	4	7	1	1						
32	Other puerperal affections.....	13							3	5	3	1							
33	Congenital debility and malformations.....	34	34																
34	Senility.....	2																	
35	Violent deaths (suicide excepted).....	127		2	2	4	1	4	16	31	24	24	8	4	2	1	1	1	3
36	Suicide.....	4							2	7	9	8	1	1					
(37)	All other defined diseases.....	207	13	2	2	2			10	35	44	32	28	18	12	6	1	1	2
38	Unknown or ill-defined diseases.....	67	18	4					2	7	9	8	1	1	3	1		4	

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

NASHVILLE, TENN. (TOTAL).

	All causes.....	3,153	305	121	75	38	34	102	254	455	399	369	331	324	207	114	17	4
1	Typhoid fever.....	45				1	1	3	11	17	7	4	1					
2	Typhus fever.....																	
3	Malaria.....	7																
4	Smallpox.....																	
5	Measles.....	21	4	3	1	1	2	1	4	2	2	1						
6	Scarlet fever.....	3	1	1				1										
7	Whooping cough.....	11	2	3	3	2			1									
8	Diphtheria and croup.....	8		1	2	2	1	1										
9	Influenza.....	487	21	39	24	11	10	36	55	100	81	46	21	14	5	1	2	
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	14	2															
13	Tuberculosis of the lungs.....	238	3	2	1	1		2	42	84	38	26	24	11	4			
14	Tuberculous meningitis.....	9		1	1		1		2	1	1	1	1					
15	Other forms of tuberculosis.....	45	2	1	1	1		2	11	10	10	1	5	1				
16	Cancer and other malignant tumors.....	89							1	2	9	21	18	25	12	1		
17	Meningitis.....	22	2						5	4	7	2	1					
18	Cerebral hemorrhage and softening.....	86								3	4	20	15	18	15	10	1	
19	Organic diseases of the heart.....	298	1						7	11	31	43	69	65	39	23	7	
20	Acute bronchitis.....	7	5	1		1												
21	Chronic bronchitis.....	18																
22	Pneumonia.....	443	24	11	14	7	5	17	41	100	88	45	42	27	18	7	1	1
23a	Bronchopneumonia.....	130	33	12	8	4	10	8	7	13	5	4	5	8	5	2		
23b	Other diseases of the respiratory system.....	21	3						1	4	4	3	3	1	2			
24	Diseases of the stomach.....	47	9	1					1	3	7	11	5	4	1			
25(37)	Diarrhea and enteritis.....	109	50	28	7	3	1	2		3	3	3	3	3	1	5		
26	Appendicitis and typhlitis.....	38				1		4	12		3	6	5	4	3			
27	Hernia, intestinal obstruction.....	20	3							1	2	2	4	4	4			
28	Cirrhosis of the liver.....	20								1	5	4	8	1				
29	Acute nephritis and Bright's disease.....	166	1	2			1	1	4	9	8	25	32	47	21	14	1	
30	Diseases of the female genital organs.....	23							2	5	7	7	2					
31	Puerperal septicemia.....	9							1	3	2	3						
32	Other puerperal affections.....	23							3	14	4	2						
33	Congenital debility and malformations.....	101	100					1										
34	Semility.....	30																
35	Violent deaths (suicide excepted).....	175	4	3	4	3		4	21	32	32	26	19	11	8	6	2	
36	Suicide.....	16							1	1	8	3	2	1				
(37)	All other defined diseases.....	329	26	8	5	1	1	13	17	24	35	51	39	59	34	13	2	1
38	Unknown or ill-defined diseases.....	45	10	4	1			2	1		3	5	4	3	2	7		

NASHVILLE, TENN. (WHITE).

	All causes.....	1,933	202	86	47	27	26	73	149	252	233	186	168	216	167	88	10	1
1	Typhoid fever.....	34					1	3	9	12	6	3						
2	Typhus fever.....																	
3	Malaria.....	4														2		
4	Smallpox.....																	
5	Measles.....	17	4	3		1	1	1	3	2	1	1						
6	Scarlet fever.....	3	1	1			1											
7	Whooping cough.....	8	2	1	2	2		1										
8	Diphtheria and croup.....	6		1	1	2	1	1										
9	Influenza.....	353	13	31	15	9	9	27	44	69	66	29	12	12	12	4	1	
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	10	2							1	1	1	1	2	3			
13	Tuberculosis of the lungs.....	96	1	1	1	1			2	1	1	1	1	8	4			
14	Tuberculous meningitis.....	7		1			1		4	1								
15	Other forms of tuberculosis.....	15	2			1		1		1			2	1				
16	Cancer and other malignant tumors.....	62								1	6	11	12	20	12			
17	Meningitis.....	16	2					4	2	5	1	1	1					
18	Cerebral hemorrhage and softening.....	50						6	6	12	12	28	36	34	18	3		
19	Organic diseases of the heart.....	158	1			1		1										
20	Acute bronchitis.....	4	4															
21	Chronic bronchitis.....	11																
22	Pneumonia.....	248	16	10	7	4	4	10	19	49	43	26	21	20	13	5		1
23a	Bronchopneumonia.....	80	15	7	6	3	6	5	6	7	3	4	2	5	5	5		1
23b	Other diseases of the respiratory system.....	12	1						1	3	2	2	1	1	1			
24	Diseases of the stomach.....	22	7	1					2	3	3	2	2	3	1			
25(37)	Diarrhea and enteritis.....	70	30	20	5	3	1	2	4	11	1	2	4	4	3	1		
26	Appendicitis and typhlitis.....	30		1			4		11	1	2	4	4	3	1			
27	Hernia, intestinal obstruction.....	13	3							1	1	1	1	2	4			
28	Cirrhosis of the liver.....	7								1	1	1	1	3	1			
29	Acute nephritis and Bright's disease.....	92	1					1	2	6	6	10	10	31	15	10		
30	Diseases of the female genital organs.....	12							1	3	4	3	1					
31	Puerperal septicemia.....	3							3	12	4	1						
32	Other puerperal affections.....	20							1									
33	Congenital debility and malformations.....	76	75					1										
34	Semility.....	21																
35	Violent deaths (suicide excepted).....	107	3	2	2			3	12	21	18	12	11	10	8	5	12	1
36	Suicide.....	16							1	1	8	3	2	1				
(37)	All other defined diseases.....	224	16	6	5	1	1	10	12	10	21	30	29	45	24	12	2	
38	Unknown or ill-defined diseases.....	26	4	1				1	1	2	2	4	3	2	6			

CAUSES OF DEATH, BY AGE.

479

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	

NASHVILLE, TENN. (COLORED).

	All causes.....	1,220	103	35	28	11	8	29	105	203	166	183	163	108	40	26	7	3	2
1	Typhoid fever.....	11								2	5	1	1	1					
2	Typhus fever.....																		
3	Malaria.....	3											2					1	
4	Smallpox.....																		
5	Measles.....	4					1		1		1		1						
6	Scarlet fever.....																		
7	Whooping cough.....	3			2	1													
8	Diphtheria and croup.....	2					1			1									
9	Influenza.....	134	8	8	9	2	1	9	11	31	15	17	9	9	2	1			2
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	4													3		1		
13	Tuberculosis of the lungs.....	142	2	1	1				2	35	50	25	13	10	3				
14	Tuberculous meningitis.....	2											1	1					
15	Other forms of tuberculosis.....	30		1	1				2	7	9	6	1	3					
16	Cancer and other malignant tumors.....	27								1	1	3	10	6	5		1		
17	Meningitis.....	6							1	2	2	1							
18	Cerebral hemorrhage and softening.....	36									3	2	9	8	7	2	5	5	4
19	Organic diseases of the heart.....	140								1	5	19	31	41	29	5	5	5	4
20	Acute bronchitis.....	3		1	1		1												
21	Chronic bronchitis.....	7								1	3		2	1					
22	Pneumonia.....	195	8	1	7	3	1	7	22	51	40	19	21	7	5	2	1		
23a	Bronchopneumonia.....	50	18	5	2	1	4	3	1	6	2		3	3			2		
23b	Other diseases of the respiratory system.....	9		2							1	2	1	2	1		1		
24	Diseases of the stomach.....	25	2							1	1	4	8	3	5	1			
25(37)	Diarrhea and enteritis.....	39	20	8	2						1	2	1	2	3	1		2	
26	Appendicitis and typhilitis.....	8									1	4	1						
27	Hernia, intestinal obstruction.....	7										1	1	3	2				
28	Cirrhosis of the liver.....	13										4	3	5	1				
29	Acute nephritis and Bright's disease.....	74		2			1		2	3	2	15	22	16	6	4		1	
30	Diseases of the female genital organs.....	11								1	2	3	4	1					
31	Puerperal septicemia.....	6									1	1	1	3					
32	Other puerperal affections.....	3										2							
33	Congenital debility and malformations.....	25																	
34	Semity.....	9																	
35	Violent deaths (suicide excepted).....	68	1	1	2	3		1	9	11	14	14	8	2	4	2	1		
36	Suicide.....																		
(37)	All other defined diseases.....	105	10	2					3	5	14	14	21	10	14	10	1		1
38	Unknown or ill-defined diseases.....	19	6	3	1				1		1	3	1	1	1	1			

RICHMOND, VA. (TOTAL).

	All causes.....	3,812	563	134	80	40	22	64	225	518	534	376	375	387	347	134	13
1	Typhoid fever.....	12					1			8	2	1					
2	Typhus fever.....																
3	Malaria.....	2						1								1	
4	Smallpox.....																
5	Measles.....	8	3	1	2				2								
6	Scarlet fever.....																
7	Whooping cough.....	22	11	3	2	1	2	2		1							
8	Diphtheria and croup.....	13	3	2	2	1		4	1								
9	Influenza.....	608	39	29	23	11	7	20	68	170	148	47	22	12	5	6	1
10	Asiatic cholera.....																
11	Cholera nostras.....																
12	Other epidemic diseases.....	16	7				1			1	1	1	2	1	1		1
13	Tuberculosis of the lungs.....	298	1	2	2	2		4	40	91	67	51	16	13	8	1	
14	Tuberculous meningitis.....	23	6	1	3		2	3	2	3	3						
15	Other forms of tuberculosis.....	16	1		1		1	1		3	3	1	1	4			
16	Cancer and other malignant tumors.....	131							2	3	7	23	37	25	29	5	
17	Meningitis.....	14	4	1			1		3	1	2	1		1			
18	Cerebral hemorrhage and softening.....	234	1						1	4	8	26	46	71	52	24	1
19	Organic diseases of the heart.....	299	1					2	6	19	35	40	50	54	67	25	
20	Acute bronchitis.....	10	3	1	1	1		1						1	1	1	
21	Chronic bronchitis.....	24		2					1	2	3	2	2	4	7	1	
22	Pneumonia.....	360	22	15	10	6	2	8	30	83	86	39	27	21	8	3	
23a	Bronchopneumonia.....	137	56	32	8	4	2	1	5	7	9	3	4	2	2	2	
23b	Other diseases of the respiratory system.....	39	1	1		1		1	2	5	7	7	6	5	3		
24	Diseases of the stomach.....	38	6	4	1			1		5	1	5	6	5	3	1	
25(37)	Diarrhea and enteritis.....	130	71	15	5	2	3		1	4	4	9	7	4	2	3	
26	Appendicitis and typhlitis.....	34			1		1	2	9	7	8	3	2	1			
27	Hernia, intestinal obstruction.....	18.	1		1						7	3	1	5			
28	Cirrhosis of the liver.....	23							4	3	3	3	3	4	5	1	
29	Acute nephritis and Bright's disease.....	296	1	1	4	1			4	9	28	30	57	65	68	26	2
30	Diseases of the female genital organs.....	15							4	4	6	3	1	1			
31	Puerperal septicemia.....	15							3	7	5						
32	Other puerperal affections.....	37							4	18	12	3					
33	Congenital debility and malformations.....	222	222														
34	Semity.....	28												6	9	12	1
35	Violent deaths (suicide excepted).....	150	8	3	5		8	21	20	24	18	10	14	12	7		
36	Suicide.....	18							1	5	2	5	5				
(37)	All other defined diseases.....	485	83	12	11	4		4	17	34	51	48	67	67	65	18	4
38	Unknown or ill-defined diseases.....	37	12	9	3			1	2	1	1	4	3	1			

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.

RICHMOND, VA. (WHITE).

	All causes.....	2,225	276	59	35	18	12	38	119	287	295	189	205	262	300	120	10
1	Typhoid fever.....	7						1			3	2	1				
2	Typhus fever.....								1							1	
3	Malaria.....	2														1	
4	Smallpox.....																
5	Measles.....	5	2		1					2							
6	Scarlet fever.....																
7	Whooping cough.....	8	5	2	1												
8	Diphtheria and croup.....	9	1	1	2			4	1								
9	Influenza.....	454	21	18	14	5	4	16	52	138	115	39	12	10	4	5	1
10	Asiatic cholera.....																
11	Cholera nostras.....																
12	Other epidemic diseases.....	10	6			1						1			1		1
13	Tuberculosis of the lungs.....	139		1	2	1			8	35	38	23	13	9	8	1	
14	Tuberculous meningitis.....	17	5	1	2			2	2	1	2						
15	Other forms of tuberculosis.....	10	1					1		1	2	1		4			
16	Cancer and other malignant tumors.....	100							2	2	3	17	25	20	26	5	
17	Meningitis.....	12	4	1				1		2	1	2		1			
18	Cerebral hemorrhage and softening.....	146	1							2		8	22	40	48	24	1
19	Organic diseases of the heart.....	187	1						1	4	8	11	14	27	38	59	24
20	Acute bronchitis.....		4							1				1		1	1
21	Chronic bronchitis.....	13		1										3	7	1	
22	Pneumonia.....	132	4	4	2	2	1	1	12	35	29	9	13	11	6	3	
23a	Bronchopneumonia.....	45	15	5	1	1				1	8		3	2	2		2
23b	Other diseases of the respiratory system.....	21	1	1		1			1	2	2	1	3	3	3		
24	Diseases of the stomach.....	11	2							1		2	1	1	3	1	
25(37)	Diarrhea and enteritis.....	68	30	12	5	2	2			2	2	5	2	3	1	2	
26	Appendicitis and typhlitis.....	25			1		1	2	4	4	7	3	2	1			
27	Hernia, intestinal obstruction.....	10	1		1						2	1	1	4			
28	Cirrhosis of the liver.....	11									1	1	1	2	5	1	
29	Acute nephritis and Bright's disease.....	199								6	14	12	31	49	61	24	2
30	Diseases of the female genital organs.....	5								1	2	1		1			
31	Puerperal septicemia.....	6									2	4					
32	Other puerperal affections.....	21							2	10	6	3					
33	Congenital debility and malformations.....	124															
34	Senility.....	17												1	4	11	1
35	Violent deaths (suicide excepted).....	85	3	2		3		4	11	11	12	12	4	9	10	4	
36	Suicide.....	16							1	4	2	4	5				
(37)	All other defined diseases.....	298	47	7	3	2		4	12	12	30	27	40	49	51	13	1
38	Unknown or ill-defined diseases.....	8	2	3					1	1		1					

RICHMOND, VA. (COLORED).

	All causes.....	1,587	287	75	45	22	10	26	106	231	239	187	170	125	47	14	3	/
1	Typhoid fever.....	5									5							
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....	3	1	1	1													
5	Measles.....																	
6	Scarlet fever.....																	
7	Whooping cough.....	14	6	1	1	1	2	2			1							
8	Diphtheria and croup.....	4	2	1		1												
9	Influenza.....	154	18	11	9	6	3	4	16	32	33	8	10	2	1	1		
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	6	1								1	1	2	1				
13	Tuberculosis of the lungs.....	159	1	1		1		4	32	56	29	28	3	4				
14	Tuberculous meningitis.....	6	1		1			1		2	1							
15	Other forms of tuberculosis.....	6								2	1		1					
16	Cancer and other malignant tumors.....	31								1	4	6	12	5	3			
17	Meningitis.....	2								1		1						
18	Cerebral hemorrhage and softening.....	88								1	2	8	18	24	31	4		
19	Organic diseases of the heart.....	112							1	2	11	24	26	23	16	8	1	
20	Acute bronchitis.....	6	3	1	1	1												
21	Chronic bronchitis.....	11		1					1	2	3	1	2	1				
22	Pneumonia.....	228	18	11	8	4	1	7	18	48	57	30	14	10	2			
23a	Bronchopneumonia.....	92	41	27	7	3	2	1	4	2	1	3	1					
23b	Other diseases of the respiratory system.....	18								3	6	4	3	2				
24	Diseases of the stomach.....	27	4	4	1				1		4	1	3	5	4			
25(37)	Diarrhea and enteritis.....	62	41	3				1		1	2	2	4	5	1	1	1	
26	Appendicitis and typhlitis.....	9							5	3	1							
27	Hernia, intestinal obstruction.....	8									5	2		1				
28	Cirrhosis of the liver.....	12								4	2	2	2	2				
29	Acute nephritis and Bright's disease.....	97	1	1	4	1			4	3	14	18	26	16	7	2		
30	Diseases of the female genital organs.....	10								3	4	2	1					
31	Puerperal septicemia.....	9								3	5	1						
32	Other puerperal affections.....	16								2	8	6						
33	Congenital debility and malformations.....	98	98															
34	Senility.....	11													5	5	1	
35	Violent deaths (suicide excepted).....	65	5	1		2		4	10	9	12	6	6	5	2	3		
36	Suicide.....	2								1		1						
(37)	All other defined diseases.....	187	36	5	8	2			5	22	21	21	27	18	14	5	3	
38	Unknown or ill-defined diseases.....	29	10	6	3			1	1		1	3	3	1				

CAUSES OF DEATH, BY AGE.

481

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at un- known age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	

SEATTLE, WASH.

All causes.....	4,090	363	60	39	35	31	101	223	590	684	457	479	483	371	151	20	1	2
1 Typhoid fever.....	12								3	4	1	2	2					
2 Typhus fever.....																		
3 Malaria.....																		
4 Smallpox.....																		
5 Measles.....	15	1	3	2	2			5		2								
6 Scarlet fever.....	16	1	1	1	1			3	5	4								
7 Whooping cough.....	8	4	2	1	1			2										
8 Diphtheria and croup.....	24							2	10	6	2	1	1					
9 Influenza.....	732	19	10	6	5	8	15	65	234	239	73	33	14	7	2			2
10 Asiatic cholera.....																		
11 Cholera nostras.....																		
12 Other epidemic diseases.....	8	2																
13 Tuberculosis of the lungs.....	200	2																
14 Tuberculous meningitis.....	39	5	4	4		3	9	8	2	2	2							
15 Other forms of tuberculosis.....	35	1		2				2	3	6	7	9	4	1				
16 Cancer and other malignant tumors.....	288		1		1	1	4	3		5	20	61	72	75	41	7	1	
17 Meningitis.....	23	4	1	2	1		2	3		3	3	2	2					
18 Cerebral hemorrhage and softening.....	210	2								2	7	14	42	60	55	24	4	
19 Organic diseases of the heart.....	369	2						5	10	24	33	40	69	90	65	30	1	
20 Acute bronchitis.....	6	3						1										
21 Chronic bronchitis.....	12		1							2		1	1	3	2	2	2	
22 Pneumonia.....	441	18	6	1	5	4	10	26	96	130	52	36	29	22	6			
23a Bronchopneumonia.....	68	18	11	1	2	1	2	7	7	2	1	5	9	5	2			
23b Other diseases of the respiratory system.....	32	3		2	2			3	4	6	3	4	2	3				
24 Diseases of the stomach.....	33	2			1	1	1		5	7	1	1	8	4	1			
25(37) Diarrhea and enteritis.....	62	35	6	3	1	3	1	1	1	1	4	4	2	1	1			
26 Appendicitis and typhlitis.....	43	1		1	2	1	5	5	4	7	10	4	2	1				
27 Hernia, intestinal obstruction.....	32	5	1	1				1	3	7	1	5	4	2	2			
28 Cirrhosis of the liver.....	18										3	1	7	7				
29 Acute nephritis and Bright's disease.....	232	2	1		1	1	2	2	5	19	27	39	53	52	27	1		
30 Diseases of the female genital organs.....	20								1	3	5	7	1	3				
31 Puerperal septicemia.....	20								2	19	6	8	4					
32 Other puerperal affections.....	31								2	17	8	4						
33 Congenital debility and malformations.....	173	164	2	2	3		1		1					1	11	8	4	
34 Semility.....	24																	
35 Violent deaths (suicide excepted).....	253	5	7	5	3	3	15	23	29	56	42	31	21	9	4			
36 Suicide.....	47								2	8	14	6	9	6	1	1		
(37) All other defined diseases.....	543	57	2	4	1	3	9	21	37	48	71	100	87	72	26	4	1	
38 Unknown or ill-defined diseases.....	21	7	1	1	2		1		2	2	1	4						

SPOKANE, WASH.

All causes.....	1,528	168	25	11	10	8	49	113	135	237	173	176	181	128	61	1	2	
1 Typhoid fever.....	14						2	1		7	3	1						
2 Typhus fever.....																		
3 Malaria.....																		
4 Smallpox.....																		
5 Measles.....	2						1		1									
6 Scarlet fever.....	3						1		1									
7 Whooping cough.....	4	3					1		3									
8 Diphtheria and croup.....	5						1		1									
9 Influenza.....	282	14	9	5	1	4	11	36	66	82	30	14	5	4	1			
10 Asiatic cholera.....																		
11 Cholera nostras.....	1						1											
12 Other epidemic diseases.....	7	4																
13 Tuberculosis of the lungs.....	64	8	1	1			1	1	3	1	1	2	1	5	2			
14 Tuberculous meningitis.....	8																	
15 Other forms of tuberculosis.....	7																	
16 Cancer and other malignant tumors.....	117	1					1		1	1	1	28	21	25	30	5		
17 Meningitis.....	5	3																
18 Cerebral hemorrhage and softening.....	53																	
19 Organic diseases of the heart.....	102																	
20 Acute bronchitis.....	5	3	2															
21 Chronic bronchitis.....	2																	
22 Pneumonia.....	197	7	1	2	1	1	4	22	47	56	18	13	6	14	5			
23a Bronchopneumonia.....	29	16	1					1	1	1	2	2	3	1	2	3		
23b Other diseases of the respiratory system.....	12							1	1	1	2	2	2	1				
24 Diseases of the stomach.....	9																	
25(37) Diarrhea and enteritis.....	33	18	6	3	1		1	4	5	3	10	5	4	1	2	1		
26 Appendicitis and typhlitis.....	34							4	2	1	1	4	3	5	1			
27 Hernia, intestinal obstruction.....	16								2		1	2	2	3	1			
28 Cirrhosis of the liver.....	7								1	3	2	6	8	26	19	12	8	
29 Acute nephritis and Bright's disease.....	87	2						1	3	2	6	8	26	19	12	8		
30 Diseases of the female genital organs.....	10								2	2	3	3	3					
31 Puerperal septicemia.....	7								6	1	4	2	2	3				
32 Other puerperal affections.....	13								8	4	1							
33 Congenital debility and malformations.....	81	81																
34 Semility.....	3																	
35 Violent deaths (suicide excepted).....	70	1	3		1	1	7	9	8	9	9	7	8	4	2	1		
36 Suicide.....	12								1	4	2	2	3					
(37) All other defined diseases.....	226	14	2	1	1	1	1	11	17	12	23	32	33	35	28	16		1
38 Unknown or ill-defined diseases.....	1								2	2	1	4						

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR MORE IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1918—Continued.

[See note at head of this table, p. 432.]

Abridged Int'l. List No.	Cause of Death.	All deaths.	Deaths at age of—														Deaths at un- known age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		
MILWAUKEE, WIS.																			
1	All causes.....	6,550	1,174	301	142	93	74	177	295	829	849	519	619	651	547	242	34	2	2
2	Typhoid fever.....	28	—	2	—	—	—	1	6	13	3	3	—	—	—	—	—	—	—
3	Typhus fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Smallpox.....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Measles.....	57	18	20	8	3	2	5	1	—	—	1	1	—	—	—	—	—	—
7	Scarlet fever.....	49	—	5	8	6	6	13	6	3	2	—	—	—	—	—	—	—	—
8	Whooping cough.....	50	25	12	6	2	—	5	—	—	—	—	—	—	—	—	—	—	—
9	Diphtheria and croup.....	51	2	6	6	8	6	16	6	—	1	—	—	—	—	—	—	—	—
10	Influenza.....	938	46	38	33	14	18	33	62	285	262	58	44	25	16	2	1	—	1
11	Asiatic cholera.....	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
12	Cholera nostras.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13	Other epidemic diseases.....	13	6	—	—	1	—	—	3	38	126	84	48	47	28	7	1	—	—
14	Tuberculosis of the lungs.....	388	2	2	1	1	—	3	8	3	4	2	1	—	—	—	—	—	—
15	Tuberculous meningitis.....	43	6	9	1	6	—	3	1	3	6	4	8	6	4	3	—	—	—
16	Other forms of tuberculosis.....	42	4	1	1	1	—	1	—	3	5	20	50	97	107	60	23	2	—
17	Cancer and other malignant tumors.....	370	1	—	—	—	—	10	4	3	—	2	1	—	—	—	—	—	—
18	Meningitis.....	55	16	8	5	1	1	3	—	—	—	—	—	—	—	—	—	—	—
19	Cerebral hemorrhage and softening.....	221	2	—	—	—	—	—	1	3	8	13	50	52	67	23	2	—	—
20	Organic diseases of the heart.....	364	—	—	—	1	—	—	11	15	12	29	56	100	98	40	2	—	—
21	Acute bronchitis.....	83	46	10	2	—	1	1	1	1	2	2	3	3	8	2	—	1	—
22	Chronic bronchitis.....	47	1	3	—	—	—	2	—	—	2	1	1	8	15	13	2	—	—
23	Pneumonia.....	808	64	38	13	9	8	19	46	182	181	66	68	65	35	12	2	—	—
24	Bronchopneumonia.....	359	130	66	20	9	7	11	10	11	20	14	8	14	21	17	1	—	—
25(37)	Other diseases of the respiratory system.....	66	6	1	1	1	3	3	2	4	7	6	10	11	7	4	—	—	—
26	Diseases of the stomach.....	76	35	4	2	—	—	—	—	4	10	4	8	3	3	3	—	—	—
27	Diarrhea and enteritis.....	293	199	41	9	7	5	4	—	3	7	3	—	3	8	2	2	2	—
28	Appendicitis and typhlitis.....	57	—	—	2	1	1	2	11	17	10	6	5	1	1	—	—	—	—
29	Hernia, intestinal obstruction.....	59	4	—	1	1	—	—	2	4	8	7	11	6	9	6	—	—	—
30	Cirrhosis of the liver.....	47	—	—	—	—	—	—	2	2	6	8	12	11	7	1	—	—	—
31	Acute nephritis and Bright's disease.....	294	5	1	—	—	2	1	6	7	30	41	38	71	66	25	1	—	—
32	Diseases of the female genital organs.....	19	—	—	—	—	—	—	—	5	8	4	1	1	—	—	—	—	—
33	Puerperal septicemia.....	19	—	—	—	—	—	—	—	13	5	1	—	—	—	—	—	—	—
34	Other puerperal affections.....	37	—	—	—	—	—	—	1	19	15	2	—	—	—	—	—	—	—
35	Congenital debility and malformations.....	373	369	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
36	Semility.....	42	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
37	Violent deaths (suicide excepted).....	291	7	6	11	11	7	18	25	32	62	49	22	21	15	4	1	—	—
38	Suicide.....	68	—	—	—	—	—	—	1	6	17	12	14	13	4	1	—	—	—
(37)	All other defined diseases.....	831	176	23	12	10	3	28	39	55	57	79	115	99	89	37	7	1	—
38	Unknown or ill-defined diseases.....	7	2	1	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

483

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918.

[This table excludes the deaths of soldiers, sailors, and marines. The cities are arranged alphabetically by states; those in which the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910, are shown by color, except when the deaths for colored numbered less than 500.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
SUMMARY.														
	THE REGISTRATION AREA. (Exclusive of Hawaii.)													
	All causes	1,445,158	104,662	94,632	107,778	108,030	91,599	89,588	82,418	85,010	89,561	289,399	163,609	147,872
1	Typhoid fever	10,167	450	403	518	535	536	736	1,080	1,480	1,488	1,788	727	476
3	Malaria	2,534	74	86	112	190	233	310	326	481	348	263	84	77
5	Measles	8,223	807	1,057	1,484	1,553	1,346	758	424	213	121	208	154	98
6	Scarlet fever	2,335	313	251	308	346	271	140	109	90	72	171	124	140
7	Whooping cough	13,728	843	1,035	1,417	1,643	1,386	1,211	1,214	925	843	1,757	847	607
8	Diphtheria and croup	11,183	1,292	920	987	942	744	614	547	519	315	1,532	1,113	1,158
9	Influenza	234,290	1,678	1,548	1,593	2,067	911	297	200	162	4,448	117,255	58,688	45,468
13	Tuberculosis of the lungs	101,602	9,199	8,911	11,031	10,786	9,522	8,339	7,596	7,193	6,922	10,391	8,770	8,942
14-15	Other forms of tuberculosis	13,602	1,080	1,098	1,380	1,390	1,453	1,228	1,100	1,124	960	1,047	851	891
17	Meningitis	7,500	689	808	902	862	702	533	519	512	450	459	461	493
20-21	Bronchitis	12,760	1,597	1,402	1,557	1,389	947	615	527	378	542	1,872	988	1,146
22	Pneumonia	167,703	11,255	9,667	11,310	13,291	6,069	2,612	2,131	1,654	5,925	62,532	22,023	17,734
(23)	Bronchopneumonia	54,697	5,256	4,901	5,115	5,194	3,005	1,507	1,309	988	1,853	13,078	6,208	5,883
25	Diarrhea and enteritis (under 2 years)	47,753	1,775	1,712	2,040	2,192	2,712	4,027	6,811	8,822	8,128	4,458	2,394	1,682
(37)	Diarrhea and enteritis (2 years and over)	14,329	544	524	604	683	820	1,094	1,364	1,879	1,717	998	612	490
(33)	Congenital debility ¹	11,998	889	787	875	866	798	833	927	1,182	1,239	1,497	1,123	1,002
35	Violent deaths (suicide excepted)	71,364	6,234	5,228	5,424	5,339	5,735	5,978	6,735	7,391	5,448	6,037	6,028	5,787
36	Suicide	9,645	702	773	864	807	890	812	796	767	752	882	804	796
	All other causes	646,745	59,985	53,521	59,357	57,955	53,519	48,944	48,703	48,320	47,540	62,264	51,630	55,007
	REGISTRATION STATES. ²													
	All causes	1,404,116	101,305	91,746	104,897	104,664	88,718	77,881	80,001	82,645	87,283	281,699	159,757	143,520
1	Typhoid fever	9,684	430	389	494	513	502	661	999	1,412	1,390	1,727	703	464
3	Malaria	2,332	70	76	105	175	205	283	305	403	321	240	79	70
5	Measles	7,088	760	989	1,436	1,507	1,321	749	419	212	119	206	154	95
6	Scarlet fever	2,802	309	249	304	342	267	140	108	88	70	167	123	135
7	Whooping cough	13,464	827	1,021	1,384	1,617	1,352	1,181	1,192	906	829	1,718	842	595
8	Diphtheria and croup	10,987	1,268	905	979	926	735	605	534	512	799	1,493	1,095	1,136
9	Influenza	228,120	1,589	1,482	1,545	1,977	870	287	193	156	4,404	113,940	57,566	44,111
13	Tuberculosis of the lungs	104,256	8,883	8,623	10,892	10,486	9,214	8,056	7,359	6,988	6,718	10,097	8,502	8,658
14-15	Other forms of tuberculosis	12,250	1,051	1,065	1,350	1,345	1,422	1,187	1,068	1,097	940	1,025	827	873
17	Meningitis	12,258	654	755	867	843	685	520	502	445	558	446	481	
20-21	Bronchitis	12,472	1,588	1,370	1,531	1,353	925	595	517	368	528	1,652	959	1,121
22	Pneumonia	162,812	10,740	9,277	12,521	12,839	5,866	2,539	2,071	1,602	5,826	61,900	21,513	17,118
(23)	Bronchopneumonia	53,408	5,095	4,742	5,385	5,072	2,952	1,474	1,282	961	1,821	12,814	6,036	5,724
25	Diarrhea and enteritis (under 2 years)	46,035	1,714	1,634	1,941	1,978	2,461	3,764	6,624	9,658	7,996	4,359	2,284	1,622
(37)	Diarrhea and enteritis (2 years and over)	10,687	503	500	561	615	734	995	1,294	1,815	1,670	959	574	467
(33)	Congenital debility ¹	11,670	863	768	859	845	775	804	894	1,134	1,200	1,466	1,095	967
35	Violent deaths (suicide excepted)	69,246	5,989	5,065	5,268	5,156	5,574	5,811	6,555	7,210	5,292	5,879	5,855	5,582
36	Suicide	9,398	.682	745	* 832	782	878	791	778	745	736	861	787	781
	All other causes	628,767	58,340	52,091	57,843	56,293	51,980	47,439	47,297	48,876	46,184	60,638	50,267	53,519
	CITIES IN REGISTRATION STATES. ³													
	All causes	741,187	54,140	48,559	57,337	56,506	45,669	39,237	40,619	41,730	45,871	162,415	76,455	72,649
1	Typhoid fever	3,279	162	165	208	199	184	217	317	427	442	604	202	152
3	Malaria	325	15	8	18	25	30	34	45	53	46	29	11	13
5	Measles	3,846	374	461	694	710	662	397	223	102	58	76	38	51
6	Scarlet fever	1,184	166	115	170	179	122	72	72	44	33	88	52	67
7	Whooping cough	5,708	387	475	692	792	618	472	512	403	364	625	183	150
8	Diphtheria and croup	6,632	749	567	622	599	489	392	347	298	419	828	590	732
9	Influenza	100,583	626	583	704	918	380	112	79	61	3,163	61,388	22,265	18,824
13	Tuberculosis of the lungs	53,695	4,651	4,524	5,733	5,386	4,738	4,137	3,653	3,586	3,389	5,240	4,222	4,436
14-15	Other forms of tuberculosis	7,875	610	610	813	807	868	735	622	649	540	607	504	510
17	Meningitis	3,775	344	362	464	468	377	279	280	248	229	274	214	236
20-21	Bronchitis	7,201	899	748	884	773	513	339	274	205	287	1,050	566	663
22	Pneumonia	102,218	5,956	5,267	7,440	8,276	3,381	1,541	1,288	939	4,324	42,199	11,944	9,663
(23)	Bronchopneumonia	34,383	2,961	2,836	3,281	3,089	1,710	914	821	640	1,205	9,419	3,899	3,608
25	Diarrhea and enteritis (under 2 years)	25,857	1,103	1,031	2,150	2,106	1,246	1,741	3,862	5,468	4,016	2,494	1,382	1,058
(37)	Diarrhea and enteritis (2 years and over)	4,629	247	245	304	292	326	353	560	743	601	430	280	248
35	Congenital debility ¹	5,512	396	344	387	405	339	366	433	535	578	730	527	472
36	Violent deaths (suicide excepted)	36,817	3,355	2,799	2,847	2,841	2,842	2,961	3,153	3,703	2,757	3,067	3,366	3,126
36	Suicide	5,231	441	422	466	440	455	396	413	398	406	476	451	467
	All other causes	323,437	30,698	26,999	30,360	29,101	26,389	23,775	23,665	23,228	23,014	32,311	25,754	28,143
	RURAL PART OF REGISTRATION STATES.													
	All causes	662,929	47,165	43,187	47,560	48,158	43,049	38,644	39,382	40,915	41,412	119,284	83,302	70,871
1	Typhoid fever	6,405	268	224	286	314	318	444	682	985	948	1,123	501	312
3	Malaria	2,007	55	70	87	150	175	249	260	350	275	211	68	57
5	Measles	4,122	336	528	742	797	659	352	196	110	61	130	116	45
6	Scarlet fever	1,118	143	134	134	163	145	64	36	44	37	79	71	68
7	Whooping cough	7,756	440	546	622	825	734	709	680	503	465	1,093	654	415
8	Diphtheria and croup	4,355	519	338	357	327	246	213	187	137	120	380	665	404
9	Influenza	118,537	963	899	841	1,059	490	175	114	95	1,241	52,072	35,301	25,287
13	Tuberculosis of the lungs	50,561	4,212	4,099	4,959	5,100	4,476	3,919	3,706	3,402	3,329	4,357	4,280	4,222
14-15	Other forms of tuberculosis	5,375	441	455	537	538	554	452	446	448	400	418	323	363
17	Meningitis	3,483	310	393	403	375	308</td							

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
			SUMMARY—Continued.											
	REGISTRATION CITIES ¹ IN NONREGIS- TRATION STATES.													
	All causes.....	41,042	3,357	2,886	2,881	3,366	2,881	2,707	2,417	2,365	2,278	7,700	3,852	4,352
1	Typhoid fever.....	483	20	14	24	22	34	75	81	68	48	61	24	12
3	Malaria.....	202	4	10	7	15	28	27	21	28	27	23	5	7
5	Measles.....	255	47	68	48	46	25	9	5	1	2	2	2	2
6	Scarlet fever.....	33	4	2	4	4	4	1	2	2	4	1	5	5
7	Whooping cough.....	264	16	14	33	26	34	30	22	19	14	39	5	12
8	Diphtheria and croup.....	196	24	15	8	16	9	9	13	7	16	39	18	22
9	Influenza.....	6,170	89	66	48	90	41	10	7	6	44	3,315	1,102	1,352
13	Tuberculosis of the lungs.....	3,346	336	288	339	300	308	283	237	205	204	294	268	284
14-15	Other forms of tuberculosis.....	352	29	33	30	45	31	41	32	27	20	22	24	18
17	Meningitis.....	242	35	53	35	19	17	13	17	10	10	5	11	12
20-21	Bronchitis.....	288	39	32	26	36	22	20	10	10	10	20	29	25
22	Pneumonia.....	4,891	515	390	289	452	203	73	69	52	99	1,632	510	616
(23)	Bronchopneumonia.....	1,289	161	159	130	122	53	33	27	27	32	264	122	159
25	Diarrhea and enteritis (under 2 years).....	1,718	61	78	99	214	251	263	187	164	132	99	110	60
(37)	Diarrhea and enteritis (2 years and over).....	642	41	24	43	68	86	99	70	64	47	39	38	23
(33)	Congenital debility ²	328	26	19	16	21	23	29	33	28	31	31	28	35
35	Violent deaths (suicide excepted).....	2,118	245	163	156	183	161	167	179	181	156	158	178	205
36	Suicide.....	247	20	28	32	25	12	21	18	22	18	21	17	15
	All other causes.....	17,978	1,645	1,430	1,514	1,662	1,539	1,505	1,406	1,444	1,356	1,626	1,363	1,488
	ALL REGISTRATION CITIES ³ .													
	All causes.....	782,229	57,497	51,445	60,218	59,872	48,550	41,944	43,036	44,095	48,149	170,115	80,307	77,001
1	Typhoid fever.....	3,762	182	179	232	221	218	292	398	495	490	665	226	164
3	Malaria.....	527	19	16	25	40	58	61	66	81	73	52	16	20
5	Measles.....	4,101	421	529	742	756	687	406	228	103	60	78	38	53
6	Scarlet fever.....	1,217	170	117	174	183	126	76	73	46	35	92	53	72
7	Whooping cough.....	5,972	403	489	725	818	652	502	534	422	378	664	193	192
8	Diphtheria and croup.....	6,828	773	582	630	615	498	401	360	305	425	867	608	754
9	Influenza.....	115,753	715	649	752	1,008	421	122	86	67	3,207	65,188	23,367	20,176
13	Tuberculosis of the lungs.....	57,041	4,987	4,812	6,072	5,686	5,046	4,420	3,890	3,791	3,593	5,534	4,490	4,720
14-15	Other forms of tuberculosis.....	8,227	639	643	843	852	899	776	654	676	560	629	528	520
17	Meningitis.....	4,017	379	415	499	487	394	292	297	258	234	285	229	248
20-21	Bronchitis.....	7,489	938	780	910	809	535	359	284	215	306	1,070	695	688
22	Pneumonia.....	107,109	6,471	5,657	7,729	8,728	3,584	1,614	1,348	991	4,423	43,831	12,454	10,279
(23)	Bronchopneumonia.....	35,672	2,995	3,111	3,211	1,763	947	848	667	1,237	9,683	4,021	3,767	3,767
25	Diarrhea and enteritis (under 2 years).....	27,575	1,164	1,199	1,349	1,420	1,497	2,004	4,049	5,632	4,148	2,593	1,492	1,118
(37)	Diarrhea and enteritis (2 years and over).....	6,271	288	269	347	360	412	452	630	807	648	469	318	271
(33)	Congenital debility ²	5,840	422	363	403	426	362	395	466	563	617	761	555	507
35	Violent deaths (suicide excepted).....	38,935	3,600	2,962	3,093	3,024	3,003	3,128	3,323	3,884	2,913	3,225	3,539	3,331
36	Suicide.....	5,478	461	450	498	465	467	417	431	420	422	497	468	482
	All other causes.....	341,415	32,343	28,429	31,874	30,763	27,928	25,280	25,071	24,672	24,370	33,937	27,117	29,631
	REGISTRATION STATES.													
	CALIFORNIA.													
	All causes.....	56,488	3,737	3,577	3,915	3,807	3,647	3,441	3,104	3,134	3,063	8,686	9,558	6,819
1	Typhoid fever.....	196	10	16	14	15	16	18	21	22	19	26	10	9
3	Malaria.....	41	2	1	2	3	2	4	6	3	6	9	2	1
5	Measles.....	163	9	20	33	31	29	26	5	5	2	1	2	2
6	Scarlet fever.....	59	5	10	7	10	6	2	3	4	3	4	5	5
7	Whooping cough.....	307	12	27	22	32	45	44	35	26	19	18	21	6
8	Diphtheria and croup.....	231	26	18	19	18	19	19	13	10	19	21	23	26
9	Influenza.....	9,675	30	17	25	35	22	13	7	4	11	3,115	4,268	2,128
13	Tuberculosis of the lungs.....	5,429	409	428	501	514	448	390	372	379	362	532	533	561
14-15	Other forms of tuberculosis.....	617	31	46	71	60	70	48	40	47	54	55	38	57
17	Meningitis.....	252	20	20	26	27	18	13	24	24	26	17	19	20
20-21	Bronchitis.....	330	38	45	35	31	23	20	15	10	13	35	33	32
22	Pneumonia.....	5,405	279	253	292	269	192	125	97	94	117	1,726	1,337	624
(23)	Bronchopneumonia.....	1,603	155	125	153	104	80	65	40	49	65	239	355	263
25	Diarrhea and enteritis (under 2 years).....	1,063	52	53	47	80	86	129	137	110	83	131	103	52
(37)	Diarrhea and enteritis (2 years and over).....	368	26	23	26	29	39	41	37	21	41	35	29	21
(33)	Congenital debility ²	240	17	15	8	14	15	24	11	12	23	27	41	33
35	Violent deaths (suicide excepted).....	3,284	265	232	245	250	265	287	284	305	286	284	294	287
36	Suicide.....	774	65	55	71	65	64	68	53	61	54	82	67	69
	All other causes.....	26,361	2,286	2,173	2,318	2,220	2,210	2,105	1,904	1,948	1,868	2,330	2,379	2,625
	COLORADO.													
	All causes.....	17,546	979	968	1,125	1,220	1,040	968	924	919	864	2,575	3,361	2,003
1	Typhoid fever.....	140	4	2	7	2	4	8	8	15	33	27	18	12
3	Malaria.....	50	3	7	6	17	10	4	1	1	1	2	2	1
5	Measles.....	37	2	—	7	9	4	4	4	5	5	8	4	2
6	Scarlet fever.....	146	5	8	10	26	17	19	12	10	5	3	4	2
7	Whooping cough.....	81	4	5	7	14	11	13	5	5	2	5	3	2
8	Diphtheria and croup.....	4,126	15	17	19	27	15	3	5	2	1,065	1,704	1,249	1,249
13	Tuberculosis of the lungs.....	2,072	150	148	180	181	139	146	144	117	145	218	236	268
14-15	Other forms of tuberculosis.....	116	5	8	14	14	16	10	11	12	6	3	12	5
17	Meningitis.....	74	10	1	6	7	12	5	6	3	8	6	2	8
20-21	Bronchitis.....	121	10	18	15	17	11	7	8	10	4	8	10	3
22	Pneumonia.....	2,193	125	126	134	189	115	41	25	16	38	510	543	331
(23)	Bronchopneumonia.....	619	56	41	55	72	57	27	17	7	11	80	112	84
25	Diarrhea and enteritis (under 2 years).....	429	19	17	14	16	16	43	85	89	65	34	21	10
(37)	Diarrhea and enteritis (2 years and over).....	96	5	1	5	4	6	8	9	24	8	8	13	5
(33)	Congenital debility ²	115	10	6	13	7	8	10	9	7	9	20	5	11
35	Violent deaths (suicide excepted).....	803	55	48	54	58	68	97	76	93	66	75	63	50
36	Suicide.....	132	11	10	13	16	13	15	7	14	10	11	6	6
	All other causes.....	6,198	490	505	566	544	518	508	492	489	488	596	552	552

¹ A list of these cities will be found on p. 11. ² Excluding premature birth. ³ Includes District of Columbia and municipalities of 10,000 inhabitants or more in 1910.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

485

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION STATES—Continued.														
	CONNECTICUT.													
	All causes	27,240	1,877	1,723	2,004	1,823	1,484	1,284	1,413	1,434	1,780	7,463	2,547	2,408
1	Typhoid fever	72	5	3	4	4	1	4	4	9	17	15	2	4
3	Malaria	3	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles	89	13	7	13	11	10	6	4	4	4	6	6	5
6	Scarlet fever	37	1	3	6	11	4	3	1	2	—	4	—	2
7	Whooping cough	269	26	29	30	43	26	18	21	21	14	27	9	5
8	Diphtheria and croup	204	20	12	24	8	13	10	9	11	18	29	22	28
9	Influenza	5,604	30	47	38	44	9	6	2	3	186	3,365	781	593
13	Tuberculosis of the lungs	1,737	173	138	164	169	156	117	116	105	114	188	140	157
14-15	Other forms of tuberculosis	296	30	20	25	31	34	29	20	17	21	27	18	24
17	Meningitis	148	17	13	11	19	17	12	14	8	7	10	10	10
20-21	Bronchitis	246	31	41	29	31	12	13	7	6	9	33	16	18
22	Pneumonia	3,543	210	189	292	260	106	40	32	36	173	1,382	365	308
(23)	Bronchopneumonia	1,051	113	127	131	96	57	35	26	29	39	193	91	114
25	Diarrhea and enteritis (under 2 years)	893	32	35	35	33	33	53	154	201	173	86	34	24
(37)	Diarrhea and enteritis (2 years and over)	128	7	9	4	4	6	13	14	24	19	13	6	9
(33)	Congenital debility ¹	263	12	19	20	19	17	12	19	24	24	49	29	19
35	Violent deaths (suicide excepted)	1,289	142	85	112	87	92	110	120	122	95	111	94	119
36	Suicide	193	12	19	10	21	14	14	15	17	11	20	22	18
	All other causes	11,175	1,003	927	1,056	931	877	783	835	794	856	1,255	902	951
	ILLINOIS.													
	All causes	100,396	7,306	6,694	7,851	7,974	6,680	5,241	5,492	5,914	6,162	19,425	10,914	10,743
1	Typhoid fever	519	25	38	23	20	34	31	36	83	78	80	39	32
3	Malaria	81	3	4	3	6	8	7	12	14	11	8	2	3
5	Measles	317	22	22	42	60	74	30	14	6	5	17	12	13
6	Scarlet fever	149	28	17	22	23	11	8	5	4	2	10	13	6
7	Whooping cough	696	48	65	76	83	68	53	53	44	41	71	58	31
8	Diphtheria and croup	1,142	146	105	100	94	88	66	66	53	77	159	102	91
9	Influenza	15,169	97	85	98	144	57	17	11	9	119	7,306	3,673	3,543
13	Tuberculosis of the lungs	7,691	647	613	787	857	716	601	524	507	524	664	646	605
14-15	Other forms of tuberculosis	888	77	64	89	82	102	70	72	78	57	78	74	45
17	Meningitis	500	51	47	67	59	46	35	35	37	24	39	27	33
20-21	Bronchitis	1,009	93	104	133	121	88	43	35	34	36	158	82	84
22	Pneumonia	10,957	704	640	851	982	436	150	125	116	345	4,162	1,234	1,162
(23)	Bronchopneumonia	3,498	280	262	330	366	197	82	60	55	108	1,035	337	386
25	Diarrhea and enteritis (under 2 years)	4,284	239	225	294	275	234	139	415	775	630	515	287	196
(37)	Diarrhea and enteritis (2 years and over)	785	32	43	58	55	54	38	60	136	121	99	47	42
(33)	Congenital debility ¹	704	48	54	67	77	41	43	53	59	69	83	66	44
35	Violent deaths (suicide excepted)	5,056	403	387	392	373	441	399	507	482	382	438	451	401
36	Suicide	830	57	70	79	62	68	61	70	56	76	82	77	72
	All other causes	46,121	4,306	3,849	4,340	4,235	3,864	3,303	3,339	3,366	3,457	4,421	3,687	3,954
	INDIANA.													
	All causes	45,993	3,722	3,375	3,836	4,061	3,292	2,727	2,773	2,915	2,801	5,828	5,058	5,605
1	Typhoid fever	400	18	17	24	27	18	24	24	47	48	81	44	28
3	Malaria	33	1	1	1	1	—	4	7	2	5	—	4	4
5	Measles	144	12	13	30	34	30	13	4	—	2	4	2	2
6	Scarlet fever	125	25	17	18	18	11	8	2	4	3	4	8	7
7	Whooping cough	503	46	56	78	110	60	34	32	14	14	29	15	15
8	Diphtheria and croup	431	60	42	45	47	25	14	20	25	25	31	37	40
9	Influenza	5,553	67	61	55	100	55	10	3	7	36	1,684	1,624	1,851
13	Tuberculosis of the lungs	3,479	288	299	366	399	301	291	245	232	212	254	279	313
14-15	Other forms of tuberculosis	569	44	55	54	70	60	44	41	49	46	45	33	28
17	Meningitis	274	20	22	27	38	24	18	29	25	15	16	14	26
20-21	Bronchitis	324	49	35	43	39	35	16	14	11	11	30	16	25
22	Pneumonia	4,426	377	269	311	480	192	51	47	48	98	1,077	742	734
(23)	Bronchopneumonia	1,532	176	141	189	172	113	30	29	17	35	206	153	59
25	Diarrhea and enteritis (under 2 years)	1,344	61	80	102	76	63	56	143	244	261	153	59	46
(37)	Diarrhea and enteritis (2 years and over)	406	26	23	31	27	20	18	48	72	76	31	17	17
(33)	Congenital debility ¹	228	20	19	20	21	22	12	16	16	25	25	12	20
35	Violent deaths (suicide excepted)	2,417	175	186	222	196	190	252	244	249	182	184	175	162
36	Suicide	341	20	31	34	33	30	25	34	26	27	33	25	23
	All other causes	23,464	2,237	2,008	2,186	2,173	2,043	1,807	1,791	1,822	1,679	1,932	1,766	2,020
	KANSAS.													
	All causes	25,053	2,011	1,792	2,078	1,885	1,689	1,455	1,388	1,636	1,320	3,317	2,794	3,689
1	Typhoid fever	291	19	10	10	6	10	13	34	47	37	58	29	18
3	Malaria	21	1	1	1	3	2	2	3	2	2	1	2	1
5	Measles	256	12	44	66	65	48	12	1	1	1	2	3	3
6	Scarlet fever	71	8	12	14	13	5	5	2	1	1	5	3	2
7	Whooping cough	220	14	9	34	38	21	18	20	14	8	13	12	19
8	Diphtheria and croup	112	15	7	12	13	10	3	1	1	8	12	13	17
9	Influenza	4,073	58	47	57	58	23	12	6	2	7	1,240	1,014	1,569
13	Tuberculosis of the lungs	905	92	74	93	82	79	59	63	62	55	82	69	95
14-15	Other forms of tuberculosis	122	11	10	11	14	11	13	12	5	9	8	7	11
17	Meningitis	142	11	29	22	17	8	5	7	5	6	9	13	10
20-21	Bronchitis	166	21	16	13	26	15	11	5	1	4	19	17	18
22	Pneumonia	2,296	207	199	206	190	96	26	14	23	46	474	333	482
(23)	Bronchopneumonia	714	109	84	82	89	43	14	9	8	15	78	56	127
25	Diarrhea and enteritis (under 2 years)	534	22	18	26	27	33	58	84	112	60	46	27	21
(37)	Diarrhea and enteritis (2 years and over)	219	13	11	14	15	8	13	30	49	31	19	10	6
(33)	Congenital debility ¹	305	22	22	26	17	15	25	18	20	20	47	33	42
35	Violent deaths (suicide excepted)	1,303	129	90	106	98	122	123	108	135	96	105	111	85
36	Suicide	206	11	14	16	14	17	20	20	15	18	23	21	17
	All other causes	13,097	1,236	1,095	1,270	1,125	1,023	951	1,131	898	1,076	1,024	1,146	

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION STATES—Continued.														
	KENTUCKY (TOTAL).													
	All causes.....	39,532	2,962	2,821	3,088	2,914	2,325	2,079	2,308	2,521	2,350	6,739	5,585	3,840
1	Typhoid fever.....	649	30	17	29	35	31	41	58	104	118	92	63	31
3	Malaria.....	109	4	8	6	11	7	11	9	12	20	10	8	3
5	Measles.....	344	27	53	77	70	41	17	14	10	5	9	17	4
6	Scarlet fever.....	46	4	4	3	6	5	2	3	7	2	8	4	2
7	Whooping cough.....	891	58	85	68	64	48	53	65	65	55	154	110	66
8	Diphtheria and croup.....	325	42	26	31	14	9	9	8	20	42	57	46	21
9	Influenza.....	7,149	72	58	52	59	32	9	8	5	35	3,026	2,489	1,304
13	Tuberculosis of the lungs.....	4,234	384	377	472	435	374	349	275	298	230	379	341	320
14-15	Other forms of tuberculosis.....	510	41	52	46	47	57	44	40	40	51	36	20	36
17	Meningitis.....	422	36	52	60	50	32	27	25	31	22	32	35	20
20-21	Bronchitis.....	319	32	38	50	47	17	14	11	11	15	32	21	31
22	Pneumonia.....	3,565	299	298	289	321	116	39	44	36	63	954	674	432
(23)	Bronchopneumonia.....	1,138	125	158	143	119	37	22	29	21	30	176	158	120
25	Diarrhea and enteritis (under 2 years).....	1,041	28	25	30	31	39	95	195	264	171	113	37	23
(37)	Diarrhea and enteritis (2 years and over).....	381	18	17	15	13	15	45	55	81	51	31	24	16
(33)	Congenital debility ¹	353	24	27	31	19	21	20	30	36	47	35	27	36
35	Violent deaths (suicide excepted).....	1,738	160	141	171	133	155	152	134	169	124	119	135	145
36	Suicide.....	186	15	14	15	15	21	17	13	20	15	13	13	15
	All other causes.....	16,132	1,563	1,371	1,500	1,425	1,268	1,113	1,295	1,305	1,249	1,469	1,359	1,215
KENTUCKY (WHITE).														
	All causes.....	32,972	2,467	2,308	2,555	2,308	1,847	1,640	1,845	2,095	1,976	5,857	4,799	3,275
1	Typhoid fever.....	538	24	17	25	29	23	32	44	87	103	70	54	30
3	Malaria.....	82	3	6	6	6	6	10	5	9	14	8	6	3
5	Measles.....	329	25	52	75	64	40	16	13	9	5	9	17	4
6	Scarlet fever.....	45	4	4	3	6	5	2	3	3	7	2	7	2
7	Whooping cough.....	751	51	71	59	46	30	42	54	56	51	134	99	58
8	Diphtheria and croup.....	311	42	25	29	18	9	8	8	20	41	53	43	20
9	Influenza.....	6,388	65	44	40	42	26	6	8	4	31	2,729	2,227	1,166
13	Tuberculosis of the lungs.....	3,218	297	282	372	327	267	249	180	221	173	812	268	270
14-15	Other forms of tuberculosis.....	415	34	43	37	40	49	36	27	27	42	30	19	31
17	Meningitis.....	375	30	44	56	40	27	23	21	30	21	32	33	18
20-21	Bronchitis.....	231	24	28	36	34	10	6	7	6	11	26	20	23
22	Pneumonia.....	2,841	251	231	222	219	80	26	36	29	50	815	545	337
(23)	Bronchopneumonia.....	910	104	131	116	86	24	20	18	16	24	139	133	99
25	Diarrhea and enteritis (under 2 years).....	899	27	21	26	24	29	72	173	222	158	98	31	18
(37)	Diarrhea and enteritis (2 years and over).....	327	16	15	10	12	35	48	67	45	30	21	13	13
(33)	Congenital debility ¹	308	22	21	29	16	16	15	27	32	42	31	23	34
35	Violent deaths (suicide excepted).....	1,394	114	111	138	113	128	119	107	131	103	100	110	120
36	Suicide.....	172	15	14	14	13	19	17	13	17	13	12	10	15
	All other causes.....	13,438	1,319	1,148	1,257	1,180	1,047	906	1,056	1,109	1,042	1,227	1,133	1,014
KENTUCKY (COLORED).														
	All causes.....	6,560	495	513	533	606	478	439	463	426	374	882	786	565
1	Typhoid fever.....	111	6	4	6	8	9	14	17	15	22	9	1	1
3	Malaria.....	27	1	2	5	1	1	4	3	6	2	2	2	2
5	Measles.....	15	2	1	2	6	1	1	1	1	1	1	1	1
6	Scarlet fever.....	1	1	1	1	1	1	1	1	1	1	1	1	1
7	Whooping cough.....	140	7	14	9	18	18	11	11	9	4	20	11	8
8	Diphtheria and croup.....	14	1	1	2	1	1	1	1	1	4	3	1	1
9	Influenza.....	761	7	14	12	17	6	3	1	4	297	262	138	50
13	Tuberculosis of the lungs.....	1,016	87	95	100	108	107	100	95	77	57	67	73	50
14-15	Other forms of tuberculosis.....	95	7	9	9	7	8	8	13	13	9	6	1	5
17	Meningitis.....	47	6	4	4	10	5	4	4	5	4	6	2	2
20-21	Bronchitis.....	88	8	10	14	13	7	8	4	5	4	6	1	8
22	Pneumonia.....	724	48	67	67	102	36	13	8	7	13	139	129	95
(23)	Bronchopneumonia.....	228	21	27	27	33	13	2	11	5	6	37	25	21
25	Diarrhea and enteritis (under 2 years).....	142	1	4	4	7	10	23	22	32	13	15	6	5
(37)	Diarrhea and enteritis (2 years and over).....	54	2	2	3	3	3	10	7	14	6	1	3	3
(33)	Congenital debility ¹	45	2	6	2	3	5	5	3	4	5	4	4	2
35	Violent deaths (suicide excepted).....	344	46	30	33	20	27	33	27	38	21	19	25	25
36	Suicide.....	14	1	1	2	2	2	207	239	196	207	242	226	201
	All other causes.....	2,694	244	223	243	245	221	207	239	196	207	242	226	201
LOUISIANA (TOTAL).														
	All causes.....	32,201	2,639	2,111	2,068	2,333	2,338	2,473	2,245	1,952	1,762	6,354	3,605	2,321
1	Typhoid fever.....	709	24	27	30	33	61	102	114	127	69	71	33	18
3	Malaria.....	526	11	18	19	46	63	88	79	74	73	22	12	11
5	Measles.....	350	61	78	60	51	46	25	17	6	4	1	1	1
6	Scarlet fever.....	5	4	4	4	1	1	1	1	1	1	1	1	1
7	Whooping cough.....	356	14	19	20	33	30	47	50	38	22	43	33	7
8	Diphtheria and croup.....	97	14	11	5	17	1	5	4	5	9	8	14	4
9	Influenza.....	5,312	115	94	36	28	30	10	10	9	24	2,912	1,481	563
13	Tuberculosis of the lungs.....	3,078	284	242	279	331	277	267	247	213	205	279	227	227
14-15	Other forms of tuberculosis.....	216	12	13	20	17	23	20	24	17	9	27	19	15
17	Meningitis.....	158	31	30	18	13	8	9	13	9	3	8	8	8
20-21	Bronchitis.....	218	30	15	15	25	21	15	13	6	14	26	18	20
22	Pneumonia.....	3,443	361	291	161	173	128	66	51	50	52	1,369	473	268
(23)	Bronchopneumonia.....	665	93	81	56	63	43	23	18	12	23	132	74	47
25	Diarrhea and enteritis (under 2 years).....	1,264	53	31	60	105	189	249	184	136	77	77	76	27
(37)	Diarrhea and enteritis (2 years and over).....	404	14	13	18	38	55	68	48	33	29	40	15	23
(33)	Congenital debility ¹	277	17	17	17	32	32	30	31	25	16	18	23	19
35	Violent deaths (suicide excepted).....	1,580	161	110	130	124	121	155	144	159	122	115	116	123
36	Suicide.....	110	10	13	11	9	11	11	9	6	8	9	5	8
	All other causes.....	13,438	1,330	1,008	1,113	1,195	1,199	1,283	1,178	1,027	1,008	1,197	968	932

¹ Excluding premature birth.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

487

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION STATES—Continued.														
	LOUISIANA (WHITE).													
	All causes.	15,822	1,430	1,151	1,020	1,098	1,098	1,170	1,047	938	855	3,136	1,626	1,253
1	Typhoid fever.	380	13	12	14	15	32	62	49	68	36	42	22	15
3	Malaria.	240	6	12	13	21	25	34	38	32	42	9	4	4
5	Measles.	231	47	53	52	29	24	10	9	1	4	1	1	1
6	Scarlet fever.	5	4					1						
7	Whooping cough.	159	6	12	6	14	9	28	28	17	11	13	16	4
8	Diphtheria and croup.	63	9	9	2	8	1	3	3	3	5	9	3	3
9	Influenza.	2,506	60	64	23	7	12	6	4	6	9	1,396	612	307
13	Tuberculosis of the lungs.	1,070	116	103	102	112	77	82	55	67	74	106	87	89
14-15	Other forms of tuberculosis.	93	6	11	10	8	10	12	4	5	2	10	6	7
17	Meningitis.	106	27	25	9	7	3	7	6	5	1	7	4	5
20-21	Bronchitis.	112	17	11	6	9	7	8	7	5	7	8	10	17
22	Pneumonia.	1,755	205	187	73	75	54	24	27	28	22	752	178	150
(23)	Bronchopneumonia.	386	62	54	36	26	24	12	9	7	14	72	44	26
25	Diarrhea and enteritis (under 2 years).	728	30	15	23	68	110	155	103	76	43	38	43	16
(37)	Diarrhea and enteritis (2 years and over).	218	6	10	11	25	31	32	30	16	15	18	14	10
(33)	Congenital debility ¹ .	150	9	7	7	16	16	16	22	12	7	12	13	13
35	Violent deaths (suicide excepted).	794	76	55	57	61	61	72	81	88	59	58	58	68
36	Suicide.	95	10	13	10	5	10	9	6	4	8	8	5	7
	All other causes.	6,731	721	522	565	590	594	602	552	499	493	581	501	511
	LOUISIANA (COLORED).													
	All causes.	16,379	1,209	950	1,048	1,235	1,240	1,303	1,198	1,014	907	3,218	1,979	1,068
1	Typhoid fever.	329	11	15	16	18	20	40	65	59	33	29	11	3
3	Malaria.	286	5	6	6	25	38	54	51	42	31	13	8	7
5	Measles.	119	14	25	8	22	22	15	8	5				
6	Scarlet fever.													
7	Whooping cough.	197	8	7	14	19	21	24	22	21	11	30	17	3
8	Diphtheria and croup.	34	5	2	3	9	18	2	1	2	1	3	5	1
9	Influenza.	2,806	55	30	13	21	18	4	6	3	15	1,516	869	256
13	Tuberculosis of the lungs.	2,008	163	139	177	219	200	185	192	146	131	173	140	138
14-15	Other forms of tuberculosis.	123	6	6	9	7	15	10	12	13	7	17	13	8
17	Meningitis.	52	4	5	9	6	5	2	7	4	2	1	4	3
20-21	Bronchitis.	106	13	4	9	16	14	7	6	1	7	18	8	3
22	Pneumonia.	1,688	156	124	88	98	74	42	24	22	30	617	295	118
(23)	Bronchopneumonia.	279	31	27	20	37	19	11	9	5	9	60	30	21
25	Diarrhea and enteritis (under 2 years).	536	23	16	37	37	79	91	76	60	34	39	33	11
(37)	Diarrhea and enteritis (2 years and over).	186	8	3	7	13	24	36	18	17	14	22	11	13
(33)	Congenital debility ¹ .	127	8	10	10	16	16	14	9	13	9	6	10	6
35	Violent deaths (suicide excepted).	786	85	55	73	63	60	83	63	71	63	57	58	55
36	Suicide.	15			1	4	1	2	3	2	1	1	1	1
	All other causes.	6,702	609	486	548	605	605	631	626	528	510	616	467	421
	MAINE.													
	All causes.	14,499	1,057	965	1,141	1,145	962	836	802	817	1,067	2,736	1,386	1,585
1	Typhoid fever.	58	4	5	4	5	2	6	2	6	7	11	4	2
3	Malaria.	2										1		
5	Measles.	99	19	17	17	10	11	11	7	3	2	1	1	
6	Scarlet fever.	12	2	3	1	1	1	1						1
7	Whooping cough.	59	2	6	3	9	4	1	2	3	2	18	4	5
8	Diphtheria and croup.	61	10	7	4	6	1	4	6	3	15	3	2	
9	Influenza.	2,513	12	16	24	51	24	8	6	1	83	1,305	443	540
13	Tuberculosis of the lungs.	747	50	76	66	78	70	55	58	40	50	83	51	67
14-15	Other forms of tuberculosis.	176	23	13	20	13	18	21	10	14	15	14	7	8
17	Meningitis.	82	8	6	10	11	7	7	6	5	7	8	4	3
20-21	Bronchitis.	149	16	13	20	15	9	11	3	6	4	22	12	18
22	Pneumonia.	1,492	103	88	130	172	55	37	21	10	54	457	141	224
(23)	Bronchopneumonia.	407	37	42	60	51	27	23	13	4	17	54	35	44
25	Diarrhea and enteritis (under 2 years).	306	10	2	4	4	8	10	26	97	105	22	9	9
(37)	Diarrhea and enteritis (2 years and over).	97	7	5	6	4	8	5	6	23	25	6	5	5
(33)	Congenital debility ¹ .	173	12	12	18	15	8	10	7	14	24	22	14	17
35	Violent deaths (suicide excepted).	592	37	36	33	43	54	60	77	67	59	56	38	27
36	Suicide.	107	5	4	9	11	8	15	8	9	14	13	7	4
	All other causes.	7,367	700	614	707	646	656	552	545	509	596	625	608	609
	MARYLAND (TOTAL).													
	All causes.	32,134	2,345	2,175	2,331	2,103	1,922	1,614	1,909	2,031	1,823	9,030	2,470	2,331
1	Typhoid fever.	238	11	8	8	11	9	10	14	34	42	64	11	16
3	Malaria.	6						2	1	1	1	1		1
5	Measles.	135	10	10	30	28	38	13	7	2	2			
6	Scarlet fever.	20	3	1	2	2	4	2	1			4		1
7	Whooping cough.	464	24	43	58	57	48	45	51	23	20	74	13	8
8	Diphtheria and croup.	135	12	13	7	14	8	2	6	5	6	35	12	15
9	Influenza.	4,437	29	21	49	22	13	7	2	3	32	3,412	455	392
13	Tuberculosis of the lungs.	2,659	236	208	306	248	221	196	193	174	148	333	213	183
14-15	Other forms of tuberculosis.	268	17	21	28	25	37	27	24	20	15	20	20	14
17	Meningitis.	162	13	12	23	23	16	11	11	13	8	15	7	5
20-21	Bronchitis.	424	53	57	46	49	33	16	20	15	19	61	25	30
22	Pneumonia.	4,110	236	223	231	165	88	40	30	24	65	2,558	237	222
(23)	Bronchopneumonia.	1,607	160	183	146	132	81	43	36	16	57	524	117	112
25	Diarrhea and enteritis (under 2 years).	1,603	31	28	41	35	40	112	314	402	301	190	82	27
(37)	Diarrhea and enteritis (2 years and over).	271	20	11	15	11	21	23	36	45	38	22	15	14
(33)	Congenital debility ¹ .	326	22	21	21	13	19	17	28	30	49	51	36	19
35	Violent deaths (suicide excepted).	1,454	131	112	109	77	130	109	128	206	105	99	118	130
36	Suicide.	168	22	13	17	11	10	2	11	14	13	20	14	21
	All other causes.	13,635	1,315	1,190	1,244	1,180	1,106	937	996	1,001	903	1,547	1,035	1,121

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION STATES—Continued.														
	MARYLAND (WHITE).													
	All causes.....	24,329	1,748	1,652	1,710	1,517	1,405	1,167	1,419	1,443	1,350	7,195	1,885	1,838
1	Typhoid fever.....	154	4	5	6	6	8	5	9	23	24	44	7	13
3	Malaria.....	5												
5	Measles.....	107	8	10	26	22	29	9	3					
6	Scarlet fever.....	18	3	1		2	4	2	1					
7	Whooping cough.....	263	15	29	42	31	29	26	24	10	12	34	6	5
8	Diphtheria and croup.....	123	11	11	5	12	8	2	6	4	5	32	12	15
9	Influenza.....	3,531	22	14	31	12	9	3		2	28	2,769	333	308
13	Tuberculosis of the lungs.....	1,745	149	144	200	161	131	130	116	106	86	238	149	135
14-15	Other forms of tuberculosis.....	170	13	13	17	17	20	20	13	12	9	13	14	9
17	Meningitis.....	132	12	10	19	16	12	10	11	15	5	13	6	
20-21	Bronchitis.....	275	33	39	35	30	18	10	11	9	13	38	15	24
22	Pneumonia.....	3,140	169	159	132	111	52	21	20	15	46	2,086	168	171
(23)	Bronchopneumonia.....	1,182	115	139	100	86	53	33	22	8	31	415	38	92
25	Diarrhea and enteritis (under 2 years).....	1,173	25	23	25	23	27	72	228	277	236	142	72	23
(37)	Diarrhea and enteritis (2 years and over).....	197	14	11	10	8	12	15	26	34	34	43	27	17
(33)	Congenital debility 1.....	231	15	13	17	5	18	6	22	16	16	34	13	12
35	Violent deaths (suicide excepted).....	1,144	98	85	81	60	107	88	108	157	80	72	98	110
36	Suicide.....	156	20	13	14	11	9	2	11	13	12	17	13	21
	All other causes.....	10,583	1,022	933	950	904	861	711	787	741	701	1,220	874	879
	MARYLAND (COLORED).													
	All causes.....	7,805	597	523	671	586	517	447	490	538	473	1,835	585	493
1	Typhoid fever.....	84	7	3	2	5	1	5	5	11	18	20	4	3
3	Malaria.....	1												
5	Measles.....	31	2		4	6	9	4	4		2			
6	Scarlet fever.....	2			2									
7	Whooping cough.....	201	9	14	16	26	19	19	27	13	8	40	7	3
8	Diphtheria and croup.....	12	1	2	2	2				1	1	3		
9	Influenza.....	906	7	7	18	10	4	4	2	1	4	643	122	84
13	Tuberculosis of the lungs.....	914	87	64	106	87	90	66	77	68	62	95	64	48
14-15	Other forms of tuberculosis.....	98	4	8	11	8	17	7	11	8	6	7	6	5
17	Meningitis.....	30	1	2	4					3	3	2	1	2
20-21	Bronchitis.....	149	20	18	11	19	15	6	9	6	6	23	10	6
22	Pneumonia.....	979	67	64	99	54	36	19	10	9	19	472	79	51
(23)	Bronchopneumonia.....	425	45	44	46	46	28	10	14	8	26	109	29	20
25	Diarrhea and enteritis (under 2 years).....	430	6	5	16	12	13	40	86	125	65	48	10	4
(37)	Diarrhea and enteritis (2 years and over).....	74	6		5	3	9	8	10	11	10	8	2	2
(33)	Congenital debility 1.....	95	7	8	4	8	3	11	6	14	15	8	9	2
35	Violent deaths (suicide excepted).....	310	33	27	28	17	23	21	20	49	25	27	20	20
36	Suicide.....	12	2		3		1			1	1	3	1	
	All other causes.....	3,052	293	257	294	276	245	226	209	260	202	327	221	242
	MASSACHUSETTS.													
	All causes.....	77,248	5,374	5,180	5,456	5,529	4,427	3,971	4,216	4,205	9,099	17,020	5,553	7,218
1	Typhoid fever.....	153	8	8	6	8	8	12	11	17	25	35	8	7
3	Malaria.....	5	1		1			2				1		
5	Measles.....	508	39	47	64	80	102	77	48	17	12	18		4
6	Scarlet fever.....	73	14	8	10	9	3	6	3	4	4	4		5
7	Whooping cough.....	690	34	43	51	56	53	51	45	46	111	147	22	31
8	Diphtheria and croup.....	590	90	51	54	64	40	28	30	29	35	59	35	75
9	Influenza.....	12,494	35	61	86	69	24	11	5	4	2,383	7,298	913	1,605
13	Tuberculosis of the lungs.....	5,184	412	424	456	550	439	395	371	346	422	505	409	455
14-15	Other forms of tuberculosis.....	756	63	68	71	82	72	68	57	63	61	55	64	62
17	Meningitis.....	342	22	34	35	41	29	22	27	18	26	33	25	30
20-21	Bronchitis.....	905	119	118	106	88	55	45	32	24	48	144	43	83
22	Pneumonia.....	9,891	481	519	522	622	264	122	100	51	1,079	3,731	553	947
(23)	Bronchopneumonia.....	3,725	351	374	413	376	188	109	113	53	318	762	290	378
25	Diarrhea and enteritis (under 2 years).....	2,902	99	84	111	92	109	183	520	643	515	291	152	103
(37)	Diarrhea and enteritis (2 years and over).....	431	19	20	28	25	30	28	56	86	72	34	18	15
(33)	Congenital debility 1.....	580	45	34	28	46	34	35	52	54	61	97	51	43
35	Violent deaths (suicide excepted).....	2,951	293	209	227	206	226	231	271	276	231	255	267	259
36	Suicide.....	474	34	28	39	44	48	38	42	43	44	41	43	30
	All other causes.....	34,564	3,215	3,050	3,148	3,071	2,703	2,508	2,433	2,432	2,752	3,511	2,655	3,086
	MICHIGAN.													
	All causes.....	53,320	4,213	3,929	4,253	4,871	3,939	3,217	3,269	3,210	3,240	6,993	5,803	6,388
1	Typhoid fever.....	332	26	16	21	35	24	17	21	33	31	65	29	14
3	Malaria.....	8	1	1	1	1				2	1	1		1
5	Measles.....	252	17	29	30	40	58	33	17	6	1	7	10	4
6	Scarlet fever.....	178	25	26	18	34	25	11	5	6	2	8	11	7
7	Whooping cough.....	492	44	47	52	64	60	32	38	27	22	53	34	19
8	Diphtheria and croup.....	685	81	67	68	42	42	35	47	28	37	80	72	86
9	Influenza.....	6,382	55	59	38	131	61	15	14	6	19	2,073	1,866	2,045
13	Tuberculosis of the lungs.....	3,089	257	277	318	346	293	257	232	205	185	255	205	259
14-15	Other forms of tuberculosis.....	478	45	41	51	41	46	42	37	43	33	39	36	24
17	Meningitis.....	232	15	25	18	33	29	26	19	11	14	18	10	14
20-21	Bronchitis.....	693	90	73	81	81	46	37	30	17	24	70	65	79
22	Pneumonia.....	4,746	313	297	303	636	257	110	72	43	75	1,185	717	738
(23)	Bronchopneumonia.....	1,779	181	171	200	232	136	50	37	35	47	221	212	257
25	Diarrhea and enteritis (under 2 years).....	1,722	69	90	90	89	82	93	176	327	369	178	78	81
(37)	Diarrhea and enteritis (2 years and over).....	446	30	11	25	23	34	26	36	70	99	43	47	28
(33)	Congenital debility 1.....	502	43	31	35	44	43	39	31	45	43	58	47	43
35	Violent deaths (suicide excepted).....	2,711	214	204	258	219	212	238	298	293	182	206	196	191
36	Suicide.....	402	33	29	50	39	47	32	32	31	27	26	29	27
	All other causes.....	28,191	2,674	2,425	2,597	2,741	2,444	2,124	2,127	1,982	2,029	2,407	2,165	2,466

¹ Excluding premature birth.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

489

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION STATES—Continued.														
	MINNESOTA.													
	All causes.....	31,109	2,012	1,892	2,194	2,587	2,323	1,809	1,674	1,608	1,790	4,274	5,066	3,880
1	Typhoid fever.....	87	4	4	21	11	5	2	6	9	9	7	5	4
3	Malaria.....	1												
5	Measles.....	99	4	4	14	23	19	12	13	1	1	5	1	2
6	Scarlet fever.....	154	12	18	28	26	35	7	10	3	2	2	5	6
7	Whooping cough.....	310	10	15	34	54	46	24	19	28	12	26	22	20
8	Diphtheria and croup.....	288	19	17	27	18	29	23	19	16	23	41	32	24
9	Influenza.....	5,720	13	12	16	38	21	7	3	8	1,433	2,582	1,587	
13	Tuberculosis of the lungs.....	2,093	169	164	186	226	205	171	139	120	140	157	210	206
14-15	Other forms of tuberculosis.....	351	30	28	30	37	49	22	28	29	25	27	26	20
17	Meningitis.....	99	5	6	10	12	8	4	8	9	6	9	17	10
20-21	Bronchitis.....	232	31	29	30	20	20	12	7	1	15	28	22	
22	Pneumonia.....	2,549	159	141	175	352	139	63	53	25	54	508	543	337
(23)	Bronchopneumonia.....	666	67	65	63	114	85	50	19	11	22	59	51	60
25	Diarrhea and enteritis (under 2 years).....	522	37	33	41	34	33	42	36	59	90	44	42	31
(37)	Diarrhea and enteritis (2 year and over).....	216	16	7	14	8	10	13	16	33	46	31	14	8
(33)	Congenital debility ¹	273	18	14	28	34	27	22	14	22	25	21	23	25
35	Violent deaths (suicide excepted).....	1,924	104	110	89	109	151	181	165	176	124	446	140	129
36	Suicide.....	291	18	27	27	26	31	28	20	18	25	27	20	24
	All other causes.....	15,234	1,295	1,198	1,361	1,445	1,406	1,122	1,103	1,048	1,161	1,403	1,327	1,365
MISSOURI.														
	All causes.....	53,311	4,158	3,785	4,414	4,141	3,455	3,048	3,198	3,285	2,960	7,027	6,492	7,348
1	Typhoid fever.....	664	25	21	34	29	20	47	74	90	98	115	70	41
3	Malaria.....	278	11	8	17	21	20	20	20	36	36	28	12	10
5	Measles.....	374	34	75	86	72	55	30	7	5	4	5	1	
6	Scarlet fever.....	94	18	9	12	16	11	3	2	4	2	6	5	6
7	Whooping cough.....	523	22	40	64	88	60	45	44	34	15	45	33	33
8	Diphtheria and croup.....	465	57	39	48	50	23	18	17	13	37	66	53	44
9	Influenza.....	7,025	103	79	64	72	27	14	6	5	10	2,038	2,104	2,503
13	Tuberculosis of the lungs.....	4,447	385	398	465	451	390	373	306	294	262	383	341	399
14-15	Other forms of tuberculosis.....	433	32	38	52	44	56	37	30	42	27	25	23	
17	Meningitis.....	344	44	38	37	42	30	19	23	21	18	20	21	31
20-21	Bronchitis.....	476	73	51	70	37	42	17	12	14	15	54	46	45
22	Pneumonia.....	6,818	559	473	547	461	258	59	51	64	90	1,550	1,223	1,483
(23)	Bronchopneumonia.....	2,030	231	177	215	161	137	41	46	36	63	303	260	360
25	Diarrhea and enteritis (under 2 years).....	1,229	35	41	39	45	45	130	254	253	171	119	73	24
(37)	Diarrhea and enteritis (2 years and over).....	434	9	16	19	29	19	44	75	97	59	28	25	14
(33)	Congenital debility ¹	263	23	13	20	17	25	14	25	31	28	23	19	
35	Violent deaths (suicide excepted).....	2,526	227	196	190	214	210	248	221	245	206	157	204	208
36	Suicide.....	444	38	43	25	40	43	44	44	37	32	31	29	38
	All other causes.....	24,444	2,232	2,030	2,410	2,252	1,984	1,840	1,925	1,952	1,788	2,027	1,942	2,062
MONTANA.														
	All causes.....	8,985	494	428	593	612	529	433	420	399	443	1,538	1,958	1,138
1	Typhoid fever.....	53	3	2	6	2	4	2	3	6	5	18	-----	2
3	Malaria.....	2	1	1	1	1	5	2	3	4	2	4	3	
5	Measles.....	18	2	5	3	3	5	5	4	2	2	2	2	
6	Scarlet fever.....	71	16	5	9	9	7	5	3	4	2	4	3	
7	Whooping cough.....	64	1	8	7	8	10	12	6	1	5	2	2	
8	Diphtheria and croup.....	45	4	4	2	6	10	2	3	2	3	1	4	
9	Influenza.....	2,654	2	2	6	7	2	1	1	8	787	1,232	606	
13	Tuberculosis of the lungs.....	442	44	32	59	41	40	38	32	23	24	31	45	33
14-15	Other forms of tuberculosis.....	442	6	6	6	7	7	5	1	12	3	3	3	3
17	Meningitis.....	52	6	6	6	9	6	4	1	3	3	3	3	5
20-21	Bronchitis.....	29	4	3	4	5	4	1	1	3	1	4	4	
22	Pneumonia.....	1,085	60	34	96	133	31	24	18	19	25	286	247	112
(23)	Bronchopneumonia.....	218	19	19	20	26	21	5	7	6	6	31	30	23
25	Diarrhea and enteritis (under 2 years).....	156	4	3	9	7	10	11	7	26	31	32	8	8
(37)	Diarrhea and enteritis (2 years and over).....	65	1	1	3	4	2	3	10	13	19	4	3	2
(33)	Congenital debility ¹	77	10	8	2	5	6	7	2	2	7	9	8	11
35	Violent deaths (suicide excepted).....	683	48	41	47	49	53	81	72	72	66	45	56	53
36	Suicide.....	97	1	9	12	6	6	8	11	10	4	11	6	13
	All other causes.....	3,117	262	245	293	285	305	224	241	200	230	272	306	254
NEW HAMPSHIRE.														
	All causes.....	9,581	632	587	668	704	560	497	492	497	1,010	2,524	642	768
1	Typhoid fever.....	20	-----	3	2	2	1	1	1	2	5	1	2	1
3	Malaria.....	2	-----	1	1	1	1	1	1	2	3	-----	-----	-----
5	Measles.....	46	4	2	5	7	11	7	5	-----	2	3	1	
6	Scarlet fever.....	8	1	2	2	3	2	1	1	1	1	1	1	
7	Whooping cough.....	100	6	3	7	3	6	2	7	8	14	25	12	7
8	Diphtheria and croup.....	37	3	6	6	3	2	1	2	1	3	4	5	7
9	Influenza.....	1,999	29	12	12	11	6	2	1	2	282	1,362	123	177
13	Tuberculosis of the lungs.....	473	29	25	41	53	44	40	37	27	47	61	33	36
14-15	Other forms of tuberculosis.....	81	7	11	9	5	8	8	9	4	11	4	4	1
17	Meningitis.....	56	5	8	4	6	4	4	2	1	7	8	2	5
20-21	Bronchitis.....	103	9	12	10	11	11	1	4	5	5	16	7	12
22	Pneumonia.....	1,019	61	62	57	89	45	21	11	8	142	423	38	62
(23)	Bronchopneumonia.....	276	17	32	39	25	18	6	6	1	19	75	15	23
25	Diarrhea and enteritis (under 2 years).....	217	12	8	6	7	13	8	9	1	12	6	6	2
(37)	Diarrhea and enteritis (2 years and over).....	62	3	4	4	4	3	8	1	9	12	6	6	2
(33)	Congenital debility ¹	108	14	5	12	7	5	9	9	6	10	18	8	5
35	Violent deaths (suicide excepted).....	313	24	19	23	26	25	34	31	41	23	15	24	28
36	Suicide.....	68	2	4	5	6	6	2	4	9	4	8	8	2
	All other causes.....	4,593	426	372	430	438	348	342	343	322	.376	473	341	389

Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION STATES—Continued.														
	NEW JERSEY.													
	All causes.....	60,988	4,371	3,838	4,678	4,204	3,410	3,048	3,347	3,584	3,552	17,049	5,041	4,866
1	Typhoid fever.....	167	12	4	13	16	5	8	9	25	21	40	4	10
3	Malaria.....	11	1	2	1	2	2	2	1	1	2	4	2	2
5	Measles.....	542	75	54	104	116	82	62	29	10	4	4	4	2
6	Scarlet fever.....	52	4	6	8	10	4	5	4	1	3	7	7	2
7	Whooping cough.....	567	53	47	81	70	64	46	55	35	30	62	9	15
8	Diphtheria and croup.....	498	57	41	49	41	33	28	28	19	33	62	48	59
9	Influenza.....	8,377	53	52	78	54	24	3	5	3	126	6,232	1,011	736
13	Tuberculosis of the lungs.....	4,295	343	363	470	427	362	328	301	308	282	463	308	340
14-15	Other forms of tuberculosis.....	491	47	37	51	49	52	45	44	34	28	37	32	35
17	Meningitis.....	324	30	23	31	45	43	24	25	19	18	26	19	21
20-21	Bronchitis.....	647	83	59	69	67	28	26	30	18	18	131	52	66
22	Pneumonia.....	10,510	583	467	736	604	305	154	139	72	308	5,492	900	750
(23)	Bronchopneumonia.....	3,059	243	237	229	195	127	79	72	52	86	1,163	286	290
26	Diarrhea and enteritis (under 2 years).....	2,373	81	74	104	101	89	148	420	554	378	207	102	115
(37)	Diarrhea and enteritis (2 years and over).....	390	17	21	21	20	19	32	38	77	60	40	23	22
(38)	Congenital debility ¹	501	30	23	41	31	33	29	31	62	46	84	40	51
35	Violent deaths (suicide excepted).....	3,099	286	197	199	228	226	221	277	350	266	325	262	262
36	Suicide.....	358	28	24	42	28	32	20	28	33	32	43	22	26
	All other causes.....	24,727	2,345	2,109	2,350	2,101	1,882	1,788	1,812	1,911	1,814	2,635	1,914	2,066
	NEW YORK.													
	All causes.....	190,764	14,565	12,956	16,126	14,521	11,946	10,448	10,641	10,886	10,852	44,085	18,320	15,418
1	Typhoid fever.....	579	28	21	34	29	42	31	53	58	75	140	35	33
3	Malaria.....	35	4	1	4	1	7	1	4	5	3	3	2	2
5	Measles.....	1,339	142	185	267	269	188	131	73	37	18	25	12	12
6	Scarlet fever.....	311	49	33	39	39	41	28	20	6	7	21	9	19
7	Whooping cough.....	1,257	116	118	190	168	131	90	83	74	56	149	51	31
8	Diphtheria and croup.....	1,751	171	150	178	200	144	136	93	77	83	199	133	187
9	Influenza.....	21,903	140	135	232	185	78	30	19	18	194	14,694	3,957	2,221
13	Tuberculosis of the lungs.....	15,007	1,370	1,302	1,665	1,417	1,286	1,124	1,013	1,002	944	1,544	1,215	1,125
14-15	Other forms of tuberculosis.....	1,957	176	164	206	204	193	190	151	156	129	150	106	132
17	Meningitis.....	787	63	65	100	76	83	64	49	61	54	74	48	50
20-21	Bronchitis.....	1,882	255	222	214	195	141	79	82	55	75	257	147	160
22	Pneumonia.....	27,090	1,479	1,324	2,421	1,869	874	444	368	274	644	12,692	2,833	1,868
(23)	Bronchopneumonia.....	9,732	751	716	891	808	450	241	220	213	288	3,117	1,209	828
25	Diarrhea and enteritis (under 2 years).....	5,470	253	221	244	250	243	273	685	1,272	951	551	238	239
(37)	Diarrhea and enteritis (2 years and over).....	1,093	50	62	54	61	54	74	133	202	193	109	58	43
(38)	Congenital debility ¹	1,481	103	80	94	116	94	87	122	136	177	195	157	120
35	Violent deaths (suicide excepted).....	8,895	728	658	667	615	701	741	896	912	688	743	842	704
36	Suicide.....	1,295	105	106	121	102	118	97	108	95	103	120	115	105
	All other causes.....	88,900	8,582	7,413	8,505	7,917	7,078	6,587	6,469	6,233	6,170	9,302	7,105	7,639
	NORTH CAROLINA (TOTAL).													
	All causes.....	42,274	3,129	2,823	2,823	2,869	2,989	3,210	2,947	2,758	2,353	8,504	4,220	3,649
1	Typhoid fever.....	568	11	12	12	10	15	46	106	144	100	74	21	17
3	Malaria.....	189	5	9	11	13	14	16	18	45	28	19	5	6
5	Measles.....	308	49	66	72	51	31	16	8	5	2	4	2	2
6	Scarlet fever.....	23	1	1	1	2	2	2	3	3	3	3	4	4
7	Whooping cough.....	705	29	55	64	87	77	80	65	43	49	88	36	32
8	Diphtheria and croup.....	251	39	17	10	14	12	4	3	14	29	50	38	21
9	Influenza.....	7,948	75	81	54	68	18	9	9	7	64	4,519	1,666	1,378
13	Tuberculosis of the lungs.....	3,133	273	258	314	324	334	256	212	199	179	302	250	232
14-15	Other forms of tuberculosis.....	279	20	24	24	34	34	26	34	24	19	23	22	14
17	Meningitis.....	252	36	28	29	21	21	18	19	18	13	22	9	15
20-21	Bronchitis.....	270	43	38	34	28	17	24	18	6	13	20	13	16
22	Pneumonia.....	3,168	313	317	241	305	133	50	39	36	55	987	390	302
(23)	Bronchopneumonia.....	1,042	156	138	127	119	90	24	35	25	36	143	75	74
25	Diarrhea and enteritis (under 2 years).....	1,997	36	25	29	46	241	532	384	292	193	116	69	34
(37)	Diarrhea and enteritis (2 years and over).....	631	14	20	17	19	72	165	131	85	52	24	20	12
(38)	Congenital debility ¹	474	33	30	40	30	28	59	63	54	30	39	37	31
35	Violent deaths (suicide excepted).....	1,508	160	133	121	104	119	116	137	152	107	84	133	142
36	Suicide.....	99	6	11	8	2	11	15	10	9	5	7	6	9
	All other causes.....	19,429	1,830	1,560	1,615	1,592	1,727	1,746	1,664	1,602	1,380	1,980	1,425	1,308
	NORTH CAROLINA (WHITE).													
	All causes.....	24,907	1,930	1,736	1,649	1,610	1,722	1,881	1,689	1,574	1,361	4,949	2,532	2,274
1	Typhoid fever.....	305	5	6	8	6	7	17	51	77	50	51	16	11
3	Malaria.....	75	1	4	5	1	8	6	6	22	11	2	5	4
5	Measles.....	255	43	60	57	43	22	13	7	1	1	4	2	2
6	Scarlet fever.....	20	1	1	1	2	2	1	3	2	3	2	3	4
7	Whooping cough.....	355	19	40	32	41	34	42	29	19	20	46	11	22
8	Diphtheria and croup.....	202	30	14	8	8	10	2	2	9	23	45	32	19
9	Influenza.....	4,794	56	55	32	34	14	4	5	3	37	2,670	1,010	874
13	Tuberculosis of the lungs.....	1,470	134	127	158	141	149	114	85	80	87	153	122	120
14-15	Other forms of tuberculosis.....	145	10	14	14	14	9	18	11	11	10	11	15	8
17	Meningitis.....	187	28	19	20	14	20	20	16	11	15	12	7	9
20-21	Bronchitis.....	130	29	17	15	16	6	11	8	3	4	7	3	11
22	Pneumonia.....	1,731	180	178	128	137	68	26	17	18	33	569	211	171
(23)	Bronchopneumonia.....	601	102	87	80	59	47	9	21	13	18	75	49	41
25	Diarrhea and enteritis (under 2 years).....	1,246	23	14	15	25	144	324	251	182	136	75	39	18
(37)	Diarrhea and enteritis (2 years and over).....	442	8	16	12	14	57	124	85	60	31	15	14	6
(38)	Congenital debility ¹	283	20	23	19	17	16	29	42	32	18	23	26	18
35	Violent deaths (suicide excepted).....	880	93	64	63	67	71	71	82	94	72	58	73	82
36	Suicide.....	86	5	11	8	2	9	11	8	9	3	6	6	8
	All other causes.....	11,700	1,153	986	979	969	1,031	1,044	967	923	793	1,120	889	846

¹ Excluding premature birth.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

491

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION STATES—Continued.														
	NORTH CAROLINA (COLORED).													
	All causes.....	17,367	1,199	1,087	1,174	1,259	1,267	1,329	1,258	1,184	992	3,555	1,688	1,375
1	Typhoid fever.....	263	6	6	4	4	8	29	55	67	50	23	5	6
3	Malaria.....	114	4	5	6	12	6	10	12	23	17	17	2
5	Measles.....	53	6	6	15	8	9	3	1	4	1
6	Scarlet fever.....	3	1
7	Whooping cough.....	350	10	15	32	46	43	38	36	24	29	42	25	10
8	Diphtheria and croup.....	49	9	3	2	6	2	1	5	5	6	5	6	2
9	Influenza.....	3,154	19	26	22	34	4	5	4	4	27	1,849	666	504
13	Tuberculosis of the lungs.....	1,663	139	131	156	183	185	142	127	119	92	149	128	112
14-15	Other forms of tuberculosis.....	134	10	10	10	20	17	16	13	8	5	12	7	6
17	Meningitis.....	65	8	9	9	7	4	2	8	3	1	6	2	6
20-21	Bronchitis.....	140	14	21	19	12	11	13	10	3	9	13	10	5
22	Pneumonia.....	1,437	133	139	113	168	65	24	22	18	22	418	179	131
(23)	Bronchopneumonia.....	441	54	51	47	60	43	15	14	12	18	68	26	33
25	Diarrhea and enteritis (under 2 years).....	751	13	11	14	21	97	208	133	110	57	41	30	16
(37)	Diarrhea and enteritis (2 years and over).....	189	6	4	5	5	15	41	46	25	21	9	6	6
(33)	Congenital debility ¹	191	13	7	21	13	12	30	21	22	12	16	11	13
35	Violent deaths (suicide excepted).....	628	77	69	58	37	48	45	55	58	35	26	60	60
36	Suicide.....	13	1	2	4	2	2	1	1	1	1
	All other causes.....	7,729	677	574	636	623	696	702	697	679	587	860	536	462
	OHIO.													
	All causes.....	92,356	6,962	6,116	7,057	7,368	5,883	4,939	5,163	5,831	5,761	14,053	11,866	11,357
1	Typhoid fever.....	760	44	36	43	52	41	34	38	78	110	181	66	37
3	Malaria.....	24	3	4	1	4	1	5	3	1	2
5	Measles.....	244	7	21	30	67	41	36	15	8	3	5	4	7
6	Scarlet fever.....	165	16	15	24	15	20	8	7	4	7	22	10	17
7	Whooping cough.....	672	49	54	85	90	63	49	63	44	32	44	60	39
8	Diphtheria and croup.....	515	62	56	52	35	34	23	16	23	43	61	52	58
9	Influenza.....	13,542	109	96	94	192	71	12	17	14	34	4,705	4,412	3,786
13	Tuberculosis of the lungs.....	6,557	555	549	702	699	604	511	458	423	401	524	540	561
14-15	Other forms of tuberculosis.....	1,042	78	68	123	112	114	89	87	81	75	85	57	73
17	Meningitis.....	453	35	43	59	45	40	33	23	44	36	33	37	25
20-21	Bronchitis.....	716	91	52	81	84	48	31	36	26	32	106	59	70
22	Pneumonia.....	9,695	693	516	631	927	338	130	116	106	170	2,802	1,806	1,460
(23)	Bronchopneumonia.....	3,136	348	339	351	341	167	73	70	56	101	475	407	407
25	Diarrhea and enteritis (under 2 years).....	2,722	87	102	110	101	114	113	326	655	646	261	101	106
(37)	Diarrhea and enteritis (2 years and over).....	628	23	27	34	35	35	30	64	123	129	60	42	26
(33)	Congenital debility ¹	672	51	50	47	43	45	42	41	75	72	98	53	55
35	Violent deaths (suicide excepted).....	5,729	469	397	413	450	437	438	526	636	469	497	485	512
36	Suicide.....	699	43	56	60	59	73	64	52	47	53	61	69	62
	All other causes.....	44,385	4,171	3,639	4,115	4,017	3,597	3,219	3,207	3,833	3,345	4,032	3,604	4,056
	OREGON.													
	All causes.....	9,679	640	589	741	799	664	673	627	531	591	1,242	1,396	1,186
1	Typhoid fever.....	73	2	2	6	3	3	4	9	9	5	6	17	7
3	Malaria.....	1	1
5	Measles.....	53	2	10	16	9	9	3	1	1	1	1	1	2
6	Scarlet fever.....	15	1	2	2	2	1	2	1	3	1	6	2	2
7	Whooping cough.....	48	6	3	3	8	5	3	6	1	2	3	4	9
8	Diphtheria and croup.....	32	1	2	2	2	3	3	1	2	3	4	5	9
9	Influenza.....	1,564	7	8	7	8	8	7	1	1	2	398	652	466
13	Tuberculosis of the lungs.....	561	46	50	68	59	50	45	44	30	23	54	56	36
14-15	Other forms of tuberculosis.....	113	11	4	13	9	9	14	14	10	7	11	6	5
17	Meningitis.....	47	4	4	6	6	5	4	3	2	4	2	7	4
20-21	Bronchitis.....	48	3	4	11	3	1	2	1	1	1	4	3	10
22	Pneumonia.....	698	35	33	53	60	54	44	18	11	19	165	110	96
(23)	Bronchopneumonia.....	216	21	19	28	26	13	12	6	7	4	38	26	16
25	Diarrhea and enteritis (under 2 years).....	127	5	4	8	6	3	9	11	13	33	21	9	5
(37)	Diarrhea and enteritis (2 years and over).....	62	7	2	5	6	2	4	2	5	13	8	5	3
(33)	Congenital debility ¹	69	5	4	2	5	4	9	9	6	8	5	7	7
35	Violent deaths (suicide excepted).....	645	45	36	40	53	52	72	76	58	62	63	40	48
36	Suicide.....	100	9	5	9	6	8	8	9	8	9	10	4	9
	All other causes.....	5,207	430	407	470	521	434	418	415	363	397	451	440	461
	PENNSYLVANIA.													
	All causes.....	187,951	12,419	10,821	12,428	12,713	10,209	8,415	9,399	10,477	10,687	48,329	25,135	16,919
1	Typhoid fever.....	928	49	51	68	70	51	44	80	85	130	199	62	39
3	Malaria.....	18	3	1	3	1	1	1	1	3	3	1
5	Measles.....	831	55	60	119	148	168	68	59	43	15	37	45	14
6	Scarlet fever.....	174	19	23	20	23	17	3	8	4	5	20	13	19
7	Whooping cough.....	1,521	119	111	175	182	171	121	123	84	93	187	91	64
8	Diphtheria and croup.....	1,784	197	131	154	128	103	110	85	74	136	273	192	201
9	Influenza.....	39,301	178	164	173	295	102	33	15	16	281	22,238	10,794	5,012
13	Tuberculosis of the lungs.....	11,401	1,001	899	1,172	1,066	929	810	768	792	750	1,323	954	927
14-15	Other forms of tuberculosis.....	1,543	106	105	151	159	170	142	136	136	105	130	83	120
17	Meningitis.....	831	69	79	101	88	87	61	49	61	55	68	57	56
20-21	Bronchitis.....	1,745	211	181	241	185	125	72	70	48	58	256	152	146
22	Pneumonia.....	25,801	1,558	1,212	1,487	2,018	790	330	322	211	646	11,147	4,009	2,070
(23)	Bronchopneumonia.....	9,725	852	711	900	842	464	251	227	165	279	2,859	1,273	902
25	Diarrhea and enteritis (under 2 years).....	8,418	274	272	310	282	323	494	1,167	2,030	1,857	711	393	255
(37)	Diarrhea and enteritis (2 years and over).....	1,389	62	86	59	79	77	94	171	266	245	122	61	67
(33)	Congenital debility ¹	1,565	111	99	99	93	90	89	114	149	177	228	178	138
35	Violent deaths (suicide excepted).....	9,926	927	784	740	770	841	725	856	1,124	704	785	864	806
36	Suicide.....	966	64	76	74	87	88	86	80	74	70	88	97	87
	All other causes.....	70,084	6,564	5,776	6,382	6,196	5,602	4,881	5,068	5,065	5,078	7,660	5,816	5,996

¹ Excluding premature birth

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION STATES—Continued.														
	RHODE ISLAND.													
	All causes.....	12,407	867	774	942	967	698	662	743	725	912	3,045	979	1,093
1	Typhoid fever.....	34	1	4	3	3	1	1	1	4	6	5	1	4
3	Malaria.....	1												
5	Measles.....	125	2	12	15	20	25	21	12	8	5	4	1	2
6	Scarlet fever.....	25	4	2	3	2	4	4	1	3				
7	Whooping cough.....	157	2	7	5	10	14	12	12	18	24	31	11	11
8	Diphtheria and croup.....	102	14	8	11	13	8	10	3	3	4	7	9	12
9	Influenza.....	2,190	7	12	16	26	1	1			128	1,542	222	235
13	Tuberculosis of the lungs.....	910	79	75	87	95	72	62	61	68	67	96	78	70
14-15	Other forms of tuberculosis.....	168	15	12	18	18	11	13	10	19	14	18	9	11
17	Meningitis.....	74	4	8	10	7	6	8	6	2	7	9	6	1
20-21	Bronchitis.....	146	15	19	26	16	15	9	5	3	4	12	10	12
22	Pneumonia.....	1,456	96	78	118	133	58	30	22	17	112	573	89	130
(23)	Bronchopneumonia.....	400	37	30	49	51	20	17	15	8	15	83	31	44
25	Diarrhea and enteritis (under 2 years).....	440	11	5	14	14	6	37	79	134	73	34	18	15
(37)	Diarrhea and enteritis (2 years and over).....	84	9	4	5	7	5	3	11	17	13	4	5	1
(33)	Congenital debility ¹	189	15	9	25	11	13	13	12	25	19	25	14	8
35	Violent deaths (suicide excepted).....	479	65	43	42	41	29	36	41	33	27	44	48	30
36	Suicide.....	79	7	7	6	10	8	5	6	5	5	8	5	5
	All other causes.....	5,348	484	439	458	494	400	381	443	359	389	547	423	501
SOUTH CAROLINA (TOTAL).														
	All causes.....	30,761	2,048	1,820	1,882	2,069	2,465	2,277	2,013	1,992	1,882	6,113	3,629	2,571
1	Typhoid fever.....	583	5	7	14	15	27	69	106	136	86	77	25	16
3	Malaria.....	526	16	16	18	32	41	61	56	100	76	82	17	11
5	Measles.....	290	35	45	58	35	44	24	19	12	3	7	3	5
6	Scarlet fever.....	4	1											
7	Whooping cough.....	754	11	27	53	72	89	125	108	53	49	108	42	19
8	Diphtheria and croup.....	139	9	6	7	8	7	5	6	15	21	35	11	9
9	Influenza.....	5,964	55	58	33	44	23	5	5	4	28	3,021	1,727	961
13	Tuberculosis of the lungs.....	2,228	162	175	221	214	237	183	154	174	160	224	171	153
14-15	Other forms of tuberculosis.....	132	10	18	10	8	14	13	11	10	11	8	9	10
17	Meningitis.....	162	15	47	29	23	5	11	6	6	4	5	3	6
20-21	Bronchitis.....	95	16	8	12	13	3	5	6	3	12	11	11	6
22	Pneumonia.....	2,958	301	251	188	202	122	72	43	31	87	966	422	271
(23)	Bronchopneumonia.....	392	78	69	55	40	23	4	8	3	8	57	29	18
25	Diarrhea and enteritis (under 2 years).....	1,248	31	25	32	89	250	248	164	142	103	81	46	37
(37)	Diarrhea and enteritis (2 years and over).....	278	10	12	7	23	59	46	39	28	14	20	10	10
(33)	Congenital debility ¹	542	49	43	40	37	51	56	39	66	53	43	36	29
35	Violent deaths (suicide excepted).....	1,090	140	90	91	83	83	81	83	90	77	74	93	105
36	Suicide.....	56	8	3	3	4	7	4	6	2	8	3	1	7
	All other causes.....	13,322	1,096	920	1,011	1,127	1,380	1,265	1,153	1,115	1,082	1,293	984	896
SOUTH CAROLINA (WHITE).														
	All causes.....	11,152	855	767	688	729	880	742	679	689	693	2,259	1,187	984
1	Typhoid fever.....	204	3	3	2	3	8	23	35	48	27	34	11	7
3	Malaria.....	95	1	3	3	6	4	9	8	25	11	17	5	3
5	Measles.....	115	20	25	22	12	19	6	4	3	1	1	1	1
6	Scarlet fever.....	4	1											
7	Whooping cough.....	204	4	12	18	20	18	19	26	15	15	36	14	7
8	Diphtheria and croup.....	91	7	3	6	4	3	3	5	8	13	26	8	5
9	Influenza.....	2,045	17	19	11	17	8	1	1	2	10	1,112	491	356
13	Tuberculosis of the lungs.....	486	38	49	51	36	46	25	28	34	32	61	47	39
14-15	Other forms of tuberculosis.....	36	3	6	1	1	5	5	2	3	3	4	1	3
17	Meningitis.....	95	10	26	13	13	4	6	4	4	2	5	3	3
20-21	Bronchitis.....	47	13	4	5	5	2	2	2	2	4	4	4	6
22	Pneumonia.....	1,046	122	106	58	68	40	18	10	3	27	371	135	85
(23)	Bronchopneumonia.....	215	49	41	22	17	11	2	7	3	6	36	13	8
25	Diarrhea and enteritis (under 2 years).....	487	11	8	8	27	106	93	61	61	43	35	18	16
(37)	Diarrhea and enteritis (2 years and over).....	98	2	6	2	10	19	20	14	6	8	6	2	3
(33)	Congenital debility ¹	148	11	10	11	7	12	15	10	28	12	11	13	8
35	Violent deaths (suicide excepted).....	431	55	41	27	27	41	36	26	36	37	26	39	40
36	Suicide.....	42	6	2	3	4	3	3	6	2	4	3	1	5
	All other causes.....	5,263	482	403	426	452	533	456	429	404	438	471	385	384
SOUTH CAROLINA (COLORED).														
	All causes.....	19,609	1,193	1,053	1,194	1,340	1,585	1,535	1,334	1,303	1,189	3,854	2,442	1,587
1	Typhoid fever.....	879	2	4	12	12	19	46	71	88	59	43	14	9
3	Malaria.....	431	15	13	15	26	37	52	48	75	65	65	12	8
5	Measles.....	175	15	20	36	23	25	18	15	9	2	6	2	4
6	Scarlet fever.....	4												
7	Whooping cough.....	550	7	15	35	52	71	106	82	38	34	70	28	12
8	Diphtheria and croup.....	48	2	3	1	4	4	2	1	7	8	9	3	4
9	Influenza.....	3,919	38	39	22	27	15	4	4	2	18	1,909	1,236	605
13	Tuberculosis of the lungs.....	1,742	124	126	170	178	191	158	126	140	128	163	124	114
14-15	Other forms of tuberculosis.....	96	7	12	10	7	9	8	9	7	8	4	8	7
17	Meningitis.....	67	5	21	16	10	1	5	2	2	2	2	1	3
20-21	Bronchitis.....	48	3	4	7	8	3	3	4	1	8	7	7	3
22	Pneumonia.....	1,910	179	145	130	134	82	54	33	28	60	595	287	183
(23)	Bronchopneumonia.....	177	29	28	33	28	12	2	1	2	2	21	16	10
25	Diarrhea and enteritis (under 2 years).....	761	20	17	24	62	144	155	103	81	60	46	28	21
(37)	Diarrhea and enteritis (2 years and over).....	180	8	6	5	13	40	26	25	22	6	14	8	7
(33)	Congenital debility ¹	394	38	33	29	30	39	41	29	38	41	32	23	21
35	Violent deaths (suicide excepted).....	659	85	49	64	56	42	45	57	54	40	48	54	65
36	Suicide.....	14	2	1	1	4	1	4	1	4	4	822	599	512
	All other causes.....	8,059	614	517	585	675	847	809	724	711	644	822	599	512

¹ Excluding premature birth.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

493

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Septem- ber.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION STATES—Continued.														
	TENNESSEE (TOTAL).													
	All causes.	37,134	2,765	2,524	2,682	2,745	2,211	2,291	2,575	2,419	2,230	7,295	3,926	3,471
1	Typhoid fever.	699	27	20	21	29	28	36	91	125	114	128	53	27
3	Malaria.	325	3	6	13	23	30	42	49	63	42	36	8	10
5	Measles.	407	55	65	72	64	37	15	15	9	19	30	15	11
6	Scarlet fever.	44	9	2	5	2	4	2	1	3	5	7	2	2
7	Whooping cough.	557	34	45	38	42	26	44	59	40	32	117	48	32
8	Diphtheria and croup.	277	28	11	10	12	5	6	17	38	63	48	28	
9	Influenza.	6,281	87	78	50	65	38	14	11	11	36	3,171	1,532	1,188
13	Tuberculosis of the lungs.	4,303	353	363	439	430	386	355	354	291	254	376	372	330
14-15	Other forms of tuberculosis.	474	28	45	40	54	38	48	48	37	28	39	24	
17	Meningitis.	307	23	35	37	42	28	26	22	17	21	14	19	23
20-21	Bronchitis.	233	39	21	26	21	18	13	14	10	22	21	15	13
22	Pneumonia.	3,700	353	271	292	305	150	51	57	45	76	1,375	359	366
(23)	Bronchopneumonia.	1,004	116	93	100	101	42	30	23	18	32	252	81	116
25	Diarrhea and enteritis (under 2 years).	950	25	18	25	32	33	145	215	191	133	71	38	24
(37)	Diarrhea and enteritis (2 years and over).	394	20	20	21	15	29	64	54	49	47	39	21	15
(38)	Congenital debility ¹ .	285	23	18	26	18	15	21	21	38	20	23	30	32
35	Violent deaths (suicide excepted).	1,650	155	152	107	158	109	133	242	153	101	105	110	130
36	Suicide.	120	6	10	7	10	17	12	15	7	12	7	6	11
	All other causes.	15,124	1,381	1,251	1,347	1,343	1,155	1,245	1,278	1,284	1,189	1,432	1,130	1,089
	TENNESSEE (WHITE).													
	All causes.	25,949	1,960	1,748	1,885	1,815	1,463	1,493	1,710	1,661	1,575	5,207	2,882	2,550
1	Typhoid fever.	499	17	14	12	19	17	21	60	93	91	91	43	21
3	Malaria.	170	3	7	14	14	14	18	27	29	19	25	5	6
5	Measles.	369	52	61	66	55	32	14	11	8	19	27	14	10
6	Scarlet fever.	44	9	2	5	2	4	2	1	3	5	7	2	2
7	Whooping cough.	404	31	38	32	29	20	28	38	35	21	76	36	20
8	Diphtheria and croup.	247	23	9	11	8	11	5	5	16	32	58	44	25
9	Influenza.	4,702	76	56	33	35	23	9	8	8	30	2,318	1,187	919
13	Tuberculosis of the lungs.	2,518	218	223	250	247	209	178	200	155	158	222	244	214
14-15	Other forms of tuberculosis.	290	16	27	30	17	33	21	35	25	22	16	29	19
17	Meningitis.	248	18	24	31	30	24	24	19	14	17	12	16	19
20-21	Bronchitis.	161	29	16	17	16	10	7	7	8	16	12	13	10
22	Pneumonia.	2,430	239	169	199	152	77	31	37	24	56	951	238	257
(23)	Bronchopneumonia.	707	80	73	67	57	30	15	16	9	24	191	60	85
25	Diarrhea and enteritis (under 2 years).	740	18	16	20	26	20	99	165	156	113	58	30	19
(37)	Diarrhea and enteritis (2 years and over).	315	14	15	17	9	20	47	48	44	40	32	17	12
(38)	Congenital debility ¹ .	218	19	16	22	13	10	13	18	29	13	17	23	
35	Violent deaths (suicide excepted).	1,062	97	91	73	106	77	93	131	104	68	73	70	79
36	Suicide.	114	5	10	7	10	16	12	14	7	11	7	5	10
	All other causes.	10,711	996	885	986	970	816	856	870	894	820	1,014	806	798
	TENNESSEE (COLORED).													
	All causes.	11,185	805	776	797	930	748	798	865	758	655	2,088	1,044	921
1	Typhoid fever.	200	10	6	9	10	11	15	31	32	23	37	10	6
3	Malaria.	155	3	3	6	9	16	24	22	34	23	11	3	4
5	Measles.	38	3	4	6	9	5	1	4	1	3	1	1	
6	Scarlet fever.													
7	Whooping cough.	153	3	7	6	13	6	16	21	5	11	41	12	12
8	Diphtheria and croup.	30	5	2	2	1	1	5	3	6	5	4	3	
9	Influenza.	1,579	11	22	17	30	15	5	3	6	853	345	269	
13	Tuberculosis of the lungs.	1,785	135	140	189	183	177	177	154	136	96	154	128	116
14-15	Other forms of tuberculosis.	184	12	18	15	23	21	17	13	23	15	12	10	5
17	Meningitis.	59	5	11	6	12	4	2	3	3	4	2	3	
20-21	Bronchitis.	72	10	5	9	5	8	6	7	2	6	9	2	3
22	Pneumonia.	1,270	114	102	93	153	73	20	20	21	20	424	121	109
(2)	Bronchopneumonia.	297	36	20	33	44	12	15	7	9	8	61	21	31
25	Diarrhea and enteritis (under 2 years).	210	7	2	5	6	13	46	50	35	20	13	8	5
(37)	Diarrhea and enteritis (2 years and over).	79	6	5	4	6	9	17	6	5	7	7	4	3
(38)	Congenital debility ¹ .	67	4	2	4	5	5	8	3	9	7	6	7	7
35	Violent deaths (suicide excepted).	588	58	61	34	47	32	40	111	49	33	32	40	51
36	Suicide.	6	1	1	1	1	1	1	1	1	1	1	1	1
	All other causes.	4,413	385	366	361	373	339	389	408	390	369	418	324	291
	UTAH.													
	All causes.	6,172	421	394	436	449	413	345	295	335	284	924	1,104	772
1	Typhoid fever.	41	3	1	1	2	3	6	2	6	4	9	2	2
3	Malaria.	34	2	3	7	9	6	3	1	2	1	6	2	1
5	Measles.	50	6	6	4	11	3	4	2	4	1	6	2	
6	Scarlet fever.	59	1	4	4	12	12	2	6	5	6	4	3	
7	Whooping cough.	72	7	7	5	8	5	4	2	6	6	6	8	7
8	Diphtheria and croup.	1,402	7	3	7	13	13	6	2	1	2	3	386	613
9	Influenza.	178	14	13	18	21	11	11	13	12	10	22	19	14
13	Tuberculosis of the lungs.	31	1	2	7	3	4	3	4	2	4	1	1	5
14-15	Other forms of tuberculosis.	31	1	4	6	2	3	3	1	2	2	2	1	2
17	Meningitis.	43	4	6	4	11	4	1	1	2	3	3	3	2
20-21	Bronchitis.	589	58	41	30	57	39	12	7	9	10	161	106	59
22	Pneumonia.	202	22	13	23	27	31	18	5	3	6	13	23	18
(23)	Bronchopneumonia.	105	8	9	6	3	7	5	12	11	14	18	8	4
25	Diarrhea and enteritis (under 2 years).	32	1	1	2	2	4	1	1	1	3	7	1	2
(37)	Diarrhea and enteritis (2 years and over).	34	3	1	2	3	1	3	1	5	4	4	4	3
(38)	Congenital debility ¹ .	367	29	23	27	23	37	29	36	43	21	37	31	31
35	Violent deaths (suicide excepted).	29	2	2	6	1	2	1	2	2	2	2	8	31
36	Suicide.	2,873	252	255	277	241	239	236	196	215	185	247	270	260

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION STATES—Continued.														
	VERMONT.													
	All causes	6,803	500	426	491	482	458	398	391	377	524	1,697	516	543
1	Typhoid fever	30	2	—	2	2	2	1	2	4	7	5	2	1
3	Malaria	1	—	—	—	—	—	—	1	—	—	—	—	—
5	Measles	16	2	—	2	—	1	1	—	3	1	4	2	—
6	Scarlet fever	11	1	1	—	1	1	1	2	—	1	—	—	1
7	Whooping cough	47	3	2	10	4	7	1	3	4	2	7	2	2
8	Diphtheria and croup	26	4	1	2	1	3	2	2	2	2	3	2	2
9	Influenza	1,382	9	10	13	15	7	2	3	2	74	950	124	143
13	Tuberculosis of the lungs	312	27	23	23	32	37	28	24	18	26	32	23	19
14-15	Other forms of tuberculosis	56	7	3	9	7	4	1	2	3	3	3	3	4
17	Meningitis	25	2	2	2	1	4	1	2	2	2	2	3	4
20-21	Bronchitis	91	11	9	12	8	6	5	5	1	2	15	7	10
22	Pneumonia	570	40	33	44	58	24	10	13	3	25	246	29	50
(23)	Bronchopneumonia	131	21	15	16	15	13	7	5	5	6	18	4	8
25	Diarrhea and enteritis (under 2 years)	152	6	8	7	2	5	3	8	32	51	18	8	4
(37)	Diarrhea and enteritis (2 years and over)	51	3	2	1	2	1	4	4	10	14	5	3	2
(33)	Congenital debility ¹	63	4	8	2	4	8	—	2	8	7	9	4	7
35	Violent deaths (suicide excepted)	274	21	21	20	23	32	28	31	16	20	24	22	16
36	Suicide	46	1	3	2	5	1	7	9	4	4	4	1	5
	All other causes	3,549	336	285	323	307	301	289	273	260	275	354	277	269
VIRGINIA (TOTAL).														
	All causes	41,272	3,077	2,728	2,980	2,902	2,504	2,490	2,676	2,848	2,570	8,639	3,537	4,321
1	Typhoid fever	402	14	18	12	23	21	25	42	72	61	69	27	18
3	Malaria	81	2	—	1	6	8	10	10	12	13	9	4	6
5	Measles	277	36	49	59	56	38	15	6	6	4	6	2	—
6	Scarlet fever	23	2	2	5	4	1	—	1	3	2	1	2	—
7	Whooping cough	719	29	25	41	66	65	74	83	81	50	120	45	40
8	Diphtheria and croup	216	33	16	22	8	7	4	5	6	26	49	26	14
9	Influenza	7,839	63	54	57	64	24	5	10	10	107	4,517	1,241	1,687
13	Tuberculosis of the lungs	3,728	309	316	385	364	313	298	281	232	244	405	251	330
14-15	Other forms of tuberculosis	365	32	29	26	33	34	38	35	36	27	24	22	29
17	Meningitis	281	35	31	37	41	15	14	22	19	15	24	16	12
20-21	Bronchitis	267	33	27	37	27	25	15	14	11	15	18	18	27
22	Pneumonia	3,271	317	284	306	253	108	43	37	37	108	1,238	206	334
(23)	Bronchopneumonia	841	142	128	125	95	45	22	26	11	25	94	63	65
25	Diarrhea and enteritis (under 2 years)	1,351	28	22	28	24	46	216	281	320	201	114	43	28
(37)	Diarrhea and enteritis (2 years and over)	421	18	12	19	19	23	58	69	71	65	31	19	17
(33)	Congenital debility ¹	537	48	38	43	38	27	32	50	67	58	52	42	42
35	Violent deaths (suicide excepted)	1,831	181	123	143	109	151	131	151	238	126	152	184	162
36	Suicide	163	11	9	17	17	14	20	11	18	7	13	15	11
	All other causes	18,659	1,744	1,545	1,617	1,655	1,539	1,470	1,542	1,598	1,416	1,708	1,331	1,499
VIRGINIA (WHITE).														
	All causes	24,687	1,839	1,586	1,673	1,711	1,428	1,401	1,481	1,627	1,543	5,461	2,220	2,717
1	Typhoid fever	246	10	14	7	15	15	16	26	40	29	39	20	15
3	Malaria	29	1	—	2	4	3	3	3	4	2	3	4	4
5	Measles	225	28	39	48	49	32	12	5	5	1	4	2	—
6	Scarlet fever	21	2	2	5	4	1	—	1	3	1	1	1	—
7	Whooping cough	338	12	8	22	27	36	27	42	37	19	64	24	20
8	Diphtheria and croup	168	27	10	16	7	4	4	3	5	19	40	22	11
9	Influenza	5,282	39	33	29	40	9	2	6	6	83	3,050	861	1,124
13	Tuberculosis of the lungs	1,765	156	157	179	164	134	142	111	96	110	223	113	180
14-15	Other forms of tuberculosis	195	19	18	17	16	11	20	17	21	14	13	13	18
17	Meningitis	213	25	24	24	32	12	12	15	14	11	22	12	10
20-21	Bronchitis	133	22	13	17	12	12	9	4	4	8	7	11	14
22	Pneumonia	1,762	156	137	130	125	54	20	17	21	18	692	124	205
(23)	Bronchopneumonia	429	93	64	64	47	21	7	6	5	12	47	34	29
25	Diarrhea and enteritis (under 2 years)	769	17	12	17	13	15	115	147	199	135	61	26	12
(37)	Diarrhea and enteritis (2 years and over)	242	12	7	7	13	11	32	41	48	36	17	9	9
(33)	Congenital debility ¹	265	20	13	19	19	13	15	28	33	31	30	26	18
35	Violent deaths (suicide excepted)	1,109	106	73	86	63	96	92	98	147	80	89	101	78
36	Suicide	146	9	8	17	17	14	17	9	14	7	12	11	11
	All other causes	11,350	1,085	954	969	1,046	934	856	902	926	862	1,048	807	961
VIRGINIA (COLORED).														
	All causes	16,585	1,238	1,142	1,307	1,191	1,076	1,089	1,195	1,221	1,027	3,178	1,317	1,604
1	Typhoid fever	156	4	4	5	8	6	9	16	32	32	30	7	3
3	Malaria	52	1	—	1	4	4	7	9	9	7	1	2	2
5	Measles	52	8	10	11	7	6	3	1	1	3	2	—	—
6	Scarlet fever	2	—	—	—	—	—	—	—	1	—	—	—	—
7	Whooping cough	381	17	17	19	39	29	47	41	44	31	56	21	20
8	Diphtheria and croup	48	6	6	6	1	3	2	1	7	9	4	3	3
9	Influenza	2,557	24	21	28	24	15	3	4	4	24	1,467	380	563
13	Tuberculosis of the lungs	1,963	153	159	206	200	179	156	170	136	134	182	138	150
14-15	Other forms of tuberculosis	170	13	11	9	17	23	18	18	15	13	11	9	13
17	Meningitis	68	10	7	13	9	3	6	7	5	4	2	4	2
20-21	Bronchitis	134	11	14	20	15	13	6	10	7	7	11	7	13
22	Pneumonia	1,509	161	147	176	128	54	23	20	16	27	546	82	129
(23)	Bronchopneumonia	412	49	64	61	48	24	15	20	6	13	47	29	36
25	Diarrhea and enteritis (under 2 years)	582	11	10	11	11	31	101	134	121	66	53	17	16
(37)	Diarrhea and enteritis (2 years and over)	179	6	5	12	6	12	26	28	23	29	14	10	8
(33)	Congenital debility ¹	272	28	25	24	19	14	17	22	34	27	22	16	24
35	Violent deaths (suicide excepted)	722	75	50	57	46	55	39	53	91	46	63	63	84
36	Suicide	17	2	1	—	—	—	3	2	4	—	1	4	—
	All other causes	7,309	659	591	648	609	605	614	640	672	554	655	524	538

¹ Excluding premature birth.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

495

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION STATES—Continued.														
	WASHINGTON.													
	All causes.....	16,837	994	1,026	1,279	1,259	1,169	1,029	996	900	985	2,239	2,273	2,688
1	Typhoid fever.....	98	5	6	2	2	9	6	11	4	12	18	16	7
3	Malaria.....	2		1								1		
5	Measles.....	60	1	3	17	13	13	5	2		3	3		
6	Scarlet fever.....	55	1	2	6	10	9	9	3	3	1	6		5
7	Whooping cough.....	71	1	4	5	11	7	10	5	4	5	8	3	8
8	Diphtheria and croup.....	83	5	3	5	8	3	5	3	4	4	21	10	11
9	Influenza.....	2,926	8	8	15	14	10	8	2	2	2	703	985	1,219
13	Tuberculosis of the lungs.....	1,123	74	97	110	110	123	80	98	69	70	99	92	
14-15	Other forms of tuberculosis.....	218	13	24	23	18	31	19	14	15	19	13	16	13
17	Meningitis.....	82	9	4	13	7	14	4	7		4	7	6	7
20-21	Bronchitis.....	86	9	6	12	4	6	8	4		5	16	7	9
22	Pneumonia.....	1,596	86	65	100	131	69	55	33	22	38	439	287	261
(23)	Bronchopneumonia.....	357	25	41	36	43	31	13	11	10	12	51	31	53
25	Diarrhea and enteritis (under 2 years).....	230	12	15	10	10	13	16	20	22	46	38	16	12
(37)	Diarrhea and enteritis (2 years and over).....	103	4	6	10	7	9	2	12	20	15	7	4	
(33)	Congenital debility ¹	110	6	11	7	9	8	10	3	6	8	17	14	11
35	Violent deaths (suicide excepted).....	1,255	82	83	105	94	95	121	140	118	120	104	97	96
36	Suicide.....	176	14	15	10	8	22	14	14	25	13	14	12	15
	All other causes.....	8,206	639	632	793	760	697	644	614	575	608	674	714	856
WISCONSIN.														
	All causes.....	34,992	2,342	2,321	2,517	2,930	2,557	2,058	1,989	1,995	2,054	4,779	4,416	5,034
1	Typhoid fever.....	97	7	11	18	11	5	5	7	6	14	7	5	1
3	Malaria.....													
5	Measles.....	165	8	13	21	30	44	26	11	2	2	1	6	1
6	Scarlet fever.....	201	26	19	26	31	27	10	9	8	10	15	9	11
7	Whooping cough.....	197	8	14	14	24	16	17	12	14	21	28	16	13
8	Diphtheria and croup.....	272	33	22	19	22	32	16	24	20	17	25	24	18
9	Influenza.....	6,250	30	25	29	47	26	11	6	3	54	1,949	1,836	2,234
13	Tuberculosis of the lungs.....	2,088	158	170	201	211	204	167	168	166	142	161	151	189
14-15	Other forms of tuberculosis.....	343	27	30	40	53	41	28	25	27	23	20	14	15
17	Meningitis.....	221	11	23	19	26	28	19	21	21	10	16	9	18
20-21	Bronchitis.....	386	37	42	39	45	44	23	13	11	18	31	40	43
22	Pneumonia.....	3,082	197	207	168	275	206	88	57	54	76	644	506	504
(23)	Bronchopneumonia.....	1,107	72	71	107	128	87	45	40	18	32	182	143	182
25	Diarrhea and enteritis (under 2 years).....	724	48	57	59	54	50	40	42	99	139	53	39	44
(37)	Diarrhea and enteritis (2 years and over).....	248	14	5	17	22	16	15	20	37	30	45	28	15
(33)	Congenital debility ¹	302	21	33	22	14	19	22	24	30	37	30	30	20
35	Violent deaths (suicide excepted).....	1,506	95	97	113	123	120	152	164	163	130	107	141	101
36	Suicide.....	321	17	32	28	23	32	28	27	25	26	30	26	27
	All other causes.....	17,482	1,533	1,450	1,577	1,691	1,560	1,346	1,319	1,291	1,258	1,452	1,406	1,599
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.														
BIRMINGHAM, ALA. (TOTAL).														
	All causes.....	4,346	353	301	300	418	319	268	257	294	249	593	410	584
1	Typhoid fever.....	62	2	1	4	3	3	5	15	10	13	5	1	
3	Malaria.....	21	1		1	2	2	2	2	5	3	2		1
5	Measles.....	28	11	10	2	3	1	1						
6	Scarlet fever.....	3	1											1
7	Whooping cough.....	52	4	4	11	9	9	6	3	2	2	2		
8	Diphtheria and croup.....	9	2					1		1	1			
9	Influenza.....	617	18	13	5	12	5	1		2	219	118	225	
13	Tuberculosis of the lungs.....	310	31	15	35	28	31	21	29	29	21	28	18	24
14-15	Other forms of tuberculosis.....	52	3	6	7	6	4	6	7	2	3	3	2	3
17	Meningitis.....	29	2	4	8	2	4	2	1	2	1	1	1	1
20-21	Bronchitis.....	14	1	3	2	2	2	1		2	2			
22	Pneumonia.....	699	66	57	48	103	37	12	9	9	14	138	91	115
(23)	Bronchopneumonia.....	137	14	13	13	15	5	3	3	8	3	13	20	27
25	Diarrhea and enteritis (under 2 years).....	138	5	4	1	6	26	30	14	21	11	5	9	6
(37)	Diarrhea and enteritis (2 years and over).....	48	4	1	2	3	11	7	3	6	3	1	5	2
(33)	Congenital debility ¹	48	7	5	3	2	3	3	4	6	5	3	1	6
35	Violent deaths (suicide excepted).....	322	31	25	26	25	26	24	27	20	25	25	33	35
36	Suicide.....	16	2	3	2	2	1	2	1	1	1	1	1	
	All other causes.....	1,741	148	137	132	195	151	141	138	170	139	143	109	138
BIRMINGHAM, ALA. (WHITE).														
	All causes.....	2,056	163	136	134	162	137	113	97	119	114	352	212	317
1	Typhoid fever.....	23	1		3	3	1	1	3	6	4	1		
3	Malaria.....	4					1	1		1	1			
5	Measles.....	20	11	6	1	1	1							
6	Scarlet fever.....	3	1		2	8	7	5	2	1				1
7	Whooping cough.....	31	2	2	8	7	5	3	2	1				
8	Diphtheria and croup.....	7	2					1		1				
9	Influenza.....	370	9	5	2	3	6	6	6	5	5	147	83	139
13	Tuberculosis of the lungs.....	79	12	4	5	3	6	6	5	5	7	11	9	
14-15	Other forms of tuberculosis.....	12		2		1	1	2	1	2	2		3	
17	Meningitis.....	13		3	1	1	2	1	1	2	1			
20-21	Bronchitis.....	6		2		1				2				
22	Pneumonia.....	286	30	16	14	20	10	10	3	2	6	88	48	49
(23)	Bronchopneumonia.....	50	6	6	8	2	2	2	2	1	1	5	5	11
25	Diarrhea and enteritis (under 2 years).....	78	4	4	2	2	16	17	6	10	3	2	6	3
(37)	Diarrhea and enteritis (2 years and over).....	23	1	1	1	2	6	2	5	3	1	1	1	
(33)	Congenital debility ¹	17	3	1		2	1	10	11	11	10	12	15	4
35	Violent deaths (suicide excepted).....	141	12	12	10	11	8	10	10	11	10	12	15	20
36	Suicide.....	12	2	2	2	1	1	2	1	1	1	1	1	
	All other causes.....	881	67	70	80	103	76	68	64	68	69	79	59	78

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List. No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	BIRMINGHAM, ALA. (COLORED).													
	All causes.....	2,290	190	165	166	256	182	155	160	175	135	241	198	267
1	Typhoid fever.....	39	1	1	1	—	2	4	12	4	9	4	1	—
3	Malaria.....	17	1	—	1	2	1	1	2	4	2	2	—	1
5	Measles.....	8	—	4	1	2	—	1	—	—	—	—	—	—
6	Scarlet fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Whooping cough.....	21	2	2	3	2	4	3	1	1	2	1	—	—
8	Diphtheria and croup.....	2	—	—	—	—	—	1	—	1	—	—	—	—
9	Influenza.....	247	9	8	3	9	5	—	—	—	—	72	55	86
13	Tuberculosis of the lungs.....	231	19	11	30	25	25	15	23	24	16	21	7	15
14-15	Other forms of tuberculosis.....	40	3	4	7	5	3	4	7	1	3	1	2	—
17	Meningitis.....	16	2	1	7	1	2	2	—	—	—	—	—	1
20-21	Bronchitis.....	8	1	1	1	2	—	1	—	—	2	—	—	—
22	Pneumonia.....	413	36	41	34	83	27	12	6	7	8	50	43	66
(23)	Bronchopneumonia.....	87	8	7	5	13	3	1	3	6	2	8	15	16
25	Diarrhea and enteritis (under 2 years).....	60	1	—	1	4	10	13	8	11	3	3	3	3
(37)	Diarrhea and enteritis (2 years and over).....	25	3	—	1	1	5	5	3	1	—	4	2	2
(33)	Congenital debility ¹	31	4	4	3	—	2	3	4	4	3	2	2	2
35	Violent deaths (suicide excepted).....	181	19	13	16	14	18	14	17	9	15	13	18	15
36	Suicide.....	4	—	1	—	1	—	2	—	—	—	64	50	60
	All other causes.....	800	81	67	52	92	75	73	74	102	70	—	—	—
LOS ANGELES, CALIF. (TOTAL).														
	All causes.....	9,348	627	628	640	594	628	562	537	554	515	1,384	1,515	1,164
1	Typhoid fever.....	21	1	1	1	1	3	—	1	4	3	3	1	2
3	Malaria.....	3	—	—	—	—	—	—	—	—	1	—	—	1
5	Measles.....	15	1	1	2	—	5	4	2	—	—	—	—	—
6	Scarlet fever.....	5	—	—	—	2	1	—	—	—	1	1	—	—
7	Whooping cough.....	30	2	1	1	2	3	4	4	6	2	1	4	—
8	Diphtheria and croup.....	55	1	5	5	2	4	3	4	2	6	6	8	9
9	Influenza.....	1,546	2	4	1	3	2	2	1	1	1	451	708	370
13	Tuberculosis of the lungs.....	1,083	82	90	106	96	100	81	85	65	70	106	107	95
14-15	Other forms of tuberculosis.....	101	2	6	8	10	13	8	3	13	9	10	6	13
17	Meningitis.....	52	5	4	5	7	5	4	2	6	4	3	2	5
20-21	Bronchitis.....	43	4	6	6	3	1	2	3	—	2	7	5	4
22	Pneumonia.....	698	39	35	31	26	29	11	13	12	19	275	117	91
(23)	Bronchopneumonia.....	348	19	22	17	13	16	9	7	7	6	55	115	62
25	Diarrhea and enteritis (under 2 years).....	176	9	12	2	8	15	21	34	21	15	15	11	13
(37)	Diarrhea and enteritis (2 years and over).....	59	4	3	3	2	7	7	8	3	7	9	2	4
(33)	Congenital debility ¹	28	2	1	2	—	3	3	1	1	2	5	7	1
35	Violent deaths (suicide excepted).....	457	56	28	43	41	30	35	34	40	37	33	37	43
36	Suicide.....	122	12	11	5	10	15	11	14	11	4	14	7	8
	All other causes.....	4,506	386	398	402	368	376	357	321	362	327	389	377	443
LOS ANGELES, CALIF. (WHITE).														
	All causes.....	8,665	582	587	600	569	585	519	501	514	474	1,283	1,373	1,078
1	Typhoid fever.....	15	—	—	1	1	3	—	1	2	1	3	1	2
3	Malaria.....	3	—	—	—	—	—	—	—	—	1	—	—	1
5	Measles.....	15	1	1	2	—	5	4	2	—	—	—	—	—
6	Scarlet fever.....	5	—	—	—	2	1	—	—	—	1	1	—	—
7	Whooping cough.....	27	1	1	1	2	3	4	4	6	1	1	3	—
8	Diphtheria and croup.....	53	1	5	5	2	4	3	4	2	5	6	7	9
9	Influenza.....	1,415	2	4	1	3	2	2	1	1	1	412	644	342
13	Tuberculosis of the lungs.....	960	73	79	97	86	85	69	77	57	64	101	92	80
14-15	Other forms of tuberculosis.....	81	2	3	5	9	13	6	2	11	6	8	5	11
17	Meningitis.....	48	3	3	5	7	4	4	2	6	4	3	2	5
20-21	Bronchitis.....	40	4	5	5	3	1	2	3	—	2	7	4	4
22	Pneumonia.....	654	37	33	30	25	29	11	10	11	15	259	106	88
(23)	Bronchopneumonia.....	313	16	19	15	12	15	6	7	6	5	50	102	60
25	Diarrhea and enteritis (under 2 years).....	148	7	9	2	7	14	16	33	17	11	14	9	9
(37)	Diarrhea and enteritis (2 years and over).....	55	4	3	3	2	7	7	8	1	6	8	2	4
(33)	Congenital debility ¹	25	2	1	2	—	2	3	1	1	2	5	5	1
34	Violent deaths (suicide excepted).....	430	51	26	39	41	30	32	29	40	37	32	35	33
36	Suicide.....	113	12	9	5	10	15	10	14	11	4	10	6	7
	All other causes.....	4,265	366	386	382	357	352	340	303	342	309	362	349	417
LOS ANGELES, CALIF. (COLORED).														
	All causes.....	683	45	41	40	25	43	43	36	40	41	101	142	86
1	Typhoid fever.....	6	1	1	—	—	—	—	—	2	2	—	—	—
3	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles.....	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Scarlet fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Whooping cough.....	3	1	—	—	—	—	—	—	—	—	—	—	—
8	Diphtheria and croup.....	2	—	—	—	—	—	—	—	—	—	—	—	—
9	Influenza.....	131	—	—	—	—	—	—	—	—	—	39	64	29
13	Tuberculosis of the lungs.....	123	9	11	9	10	15	12	8	8	6	5	15	15
14-15	Other forms of tuberculosis.....	20	—	3	3	1	—	2	1	2	3	2	1	2
17	Meningitis.....	4	2	1	—	—	—	—	—	—	—	—	—	2
20-21	Bronchitis.....	3	—	1	1	—	—	—	—	—	—	—	—	—
22	Pneumonia.....	44	2	2	1	1	—	—	3	1	4	16	11	3
(23)	Bronchopneumonia.....	35	3	3	2	1	1	3	1	1	5	13	2	4
25	Diarrhea and enteritis (under 2 years).....	28	2	3	—	1	1	5	1	4	4	1	2	4
(37)	Diarrhea and enteritis (2 years and over).....	4	—	—	—	—	1	—	2	1	1	—	2	—
(33)	Congenital debility ¹	3	—	—	—	—	1	—	—	—	—	2	—	5
35	Violent deaths (suicide excepted).....	27	5	2	4	—	—	3	5	—	1	2	1	1
36	Suicide.....	9	—	2	—	—	—	1	—	—	—	4	1	1
	All other causes.....	241	20	12	20	11	24	17	18	20	18	27	28	26

¹ Excluding premature birth.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

497

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	OAKLAND, CALIF.													
	All causes.....	3,212	204	171	266	204	182	173	182	173	181	611	493	372
1	Typhoid fever.....	11		1			1	1	2	1	3	1	1
3	Malaria.....	1												
5	Measles.....	3			1									
6	Scarlet fever.....	2				1								
7	Whooping cough.....	27		6	3	2	4	1	3	1	2	3	2	1
8	Diphtheria and croup.....	11				1	1	2	1		1	1	2	2
9	Influenza.....	357	1	1	1	4	2				1	162	101	84
13	Tuberculosis of the lungs.....	199	16	14	18	19	16	15	12	12	10	25	22	20
14-15	Other forms of tuberculosis.....	35	3	2	5	8	4		1	2	2	4	2	2
17	Meningitis.....	14	2	1	1	1				1	2	2	1	2
20-21	Bronchitis.....	19	1	4	1	1			1	1		3	5	2
22	Pneumonia.....	554	12	12	32	25	10	6	8	8	6	221	167	47
(23)	Bronchopneumonia.....	110	12	6	20	6	3	4	4	2	5	21	15	12
25	Diarrhea and enteritis (under 2 years).....	46	4		4	3	1	6		4	4	6	12	2
(37)	Diarrhea and enteritis (2 years and over).....	9			1				1	2				
(33)	Congenital debility ¹	17	1	2	1	2			2		2	2	2	3
35	Violent deaths (suicide excepted).....	168	9	8	18	10	12	11	9	23	15	17	20	16
36	Suicide.....	46	2	3	4	4	1	1	4	4	4	7	6	6
	All other causes.....	1,533	141	111	156	116	127	122	134	112	122	136	135	171
	SAN FRANCISCO, CALIF. (TOTAL).													
	All causes.....	9,855	660	617	733	684	611	562	502	496	499	1,974	1,317	1,200
1	Typhoid fever.....	21	1	1	5	1		1	3	3	3	2	1
3	Malaria.....	3		1										
5	Measles.....	10		1	2	4		2		1				
6	Scarlet fever.....	11	2	1	2	1		1	1		1	1		3
7	Whooping cough.....	35	3	8	5	4	4	4	3	4	3	2	1	4
8	Diphtheria and croup.....	40	4	5	1	2	5	5	4	3	3	3	554	334
9	Influenza.....	1,787	1		2	3	3	2	1	1	559	554		
13	Tuberculosis of the lungs.....	831	58	75	79	86	61	66	52	53	54	86	66	95
14-15	Other forms of tuberculosis.....	112	8	14	12	8	9	8	6	6	10	10	9	12
17	Meningitis.....	33	3	1	4	3	3	3	4	3	1	1	1	2
20-21	Bronchitis.....	80	10	9	12	10	6	3	3	3	1	4	10	9
22	Pneumonia.....	1,074	49	49	67	72	37	33	19	18	23	429	161	117
(23)	Bronchopneumonia.....	251	24	18	34	21	11	16	11	5	11	41	29	30
25	Diarrhea and enteritis (under 2 years).....	71	4	6	5	7	5	4	7	4	3	13	7	6
(37)	Diarrhea and enteritis (2 years and over).....	43	4	5	3	4	7	5	4	4	1	1	1	4
(33)	Congenital debility ¹	17	1	1	2			2	1	1	1	1	4	3
35	Violent deaths (suicide excepted).....	526	56	49	35	35	44	35	45	50	37	42	43	55
36	Suicide.....	194	16	15	23	17	9	14	12	10	17	23	15	23
	All other causes.....	4,736	418	359	441	395	407	358	326	335	327	456	413	503
	SAN FRANCISCO, CALIF. (WHITE).													
	All causes.....	9,278	620	584	694	630	568	534	473	460	470	1,879	1,243	1,123
1	Typhoid fever.....	19	1	1	5			1	3	3	3	1	1	1
3	Malaria.....	3		1										
5	Measles.....	9		1	2	3		2		1				
6	Scarlet fever.....	10	1		1	2		1	1					3
7	Whooping cough.....	32	3	7	5	4	4	2	3		3	2	1	4
8	Diphtheria and croup.....	37	3	5	1	2	5	4	3	3	2	824	535	315
9	Influenza.....	1,692	1		2	7	3	2	1	49	48	76	55	87
13	Tuberculosis of the lungs.....	734	50	69	70	75	54	58	43	49	48	9	8	11
14-15	Other forms of tuberculosis.....	98	7	13	10	7	6	7	6	3	9	1	1	2
17	Meningitis.....	30	3	1	4	7	2	2	4	3	3	1	1	2
20-21	Bronchitis.....	73	10	12	10	6	3	3	3	3	1	4	7	6
22	Pneumonia.....	1,003	45	48	67	66	33	31	19	16	23	402	145	108
(23)	Bronchopneumonia.....	226	20	15	29	20	10	15	10	4	10	39	27	27
25	Diarrhea and enteritis (under 2 years).....	67	4	5	5	7	4	4	7	4	3	12	6	6
(37)	Diarrhea and enteritis (2 years and over).....	41	4	5	3	4	7	5	4	3	1	1	4	3
(33)	Congenital debility ¹	16	1	1	2			2	1	1	1	1	3	3
35	Violent deaths (suicide excepted).....	503	55	48	34	35	43	34	44	44	34	39	40	53
36	Suicide.....	188	15	15	23	17	9	14	12	9	16	23	13	22
	All other causes.....	4,499	397	343	419	364	382*	347	309	317	312	441	398	470
	SAN FRANCISCO, CALIF. (COLORED).													
	All causes.....	577	40	33	39	54	43	28	29	36	29	95	74	77
1	Typhoid fever.....	2				1						1		
3	Malaria.....	1				1								
5	Measles.....	1		1										
6	Scarlet fever.....	1		1										
7	Whooping cough.....	3		1				2	1					
8	Diphtheria and croup.....	3		1				1	1					
9	Influenza.....	75	8	6	9	11	7	8	9	4	6	35	19	19
13	Tuberculosis of the lungs.....	97	8	6	9	11	7	8	9	4	6	10	11	8
14-15	Other forms of tuberculosis.....	16	1	1	2	1	3	1	3	1	1	1	1	1
17	Meningitis.....	3			1		1							
20-21	Bronchitis.....	7		3									3	1
22	Pneumonia.....	71	4	1	5	1	4	2	1	2	1	27	16	9
(23)	Bronchopneumonia.....	25	4	3	1	1	1	1	1	1	1	2	2	3
25	Diarrhea and enteritis (under 2 years).....	4		1			1			1	1	1		
(37)	Diarrhea and enteritis (2 years and over).....	2							1	1				
(33)	Congenital debility ¹	1												
35	Violent deaths (suicide excepted).....	23	1	1	1		1	1	1	6	3	3	2	2
36	Suicide.....	6	1						1	1	1	2	1	1
	All other causes.....	237	19	16	22	31	25	11	17	18	15	15	15	33

* Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	DENVER, COLO.													
	All causes.....	5,199	287	317	378	413	303	302	288	285	255	728	755	888
1	Typhoid fever.....	23			1			1		3	5	6	3	4
3	Malaria.....													
5	Measles.....	2												
6	Scarlet fever.....	7	1		1	3		1	1					
7	Whooping cough.....	29		1	3	3	2	6	4	2		3	3	2
8	Diphtheria and croup.....	28	3		1	5	4	6	2	3	1	2	1	
9	Influenza.....	788	1	2	3	4	3		1		1	194	228	351
13	Tuberculosis of the lungs.....	775	53	50	76	72	43	51	53	39	47	94	89	108
14-15	Other forms of tuberculosis.....	52	2	5	7	6	6	4	4	6	3	1	5	3
17	Meningitis.....	19	2		5	2	1	3			1			
20-21	Bronchitis.....	32		2	4	6	5	1	6	2	1	3	2	
22	Pneumonia.....	806	36	42	46	68	38	13	8	6	18	212	173	146
(23)	Bronchopneumonia.....	219	9	13	18	18	15	5	6	2	3	33	49	48
25	Diarrhea and enteritis (under 2 years).....	56	1	4		5	2	2	7	19	7	1	6	2
(37)	Diarrhea and enteritis (2 years and over).....	22	1		3	1	1		1	4	2	3	5	1
(33)	Congenital debility ¹	18			1	2	2		3	1	1	5	1	
35	Violent deaths (suicide excepted).....	167	11	9	10	14	12	18	12	27	16	15	12	11
36	Suicide.....	52	3	3	5	5	5	8	5	7	2	3	3	3
	All other causes.....	2,104	164	186	194	199	163	183	171	164	147	151	176	206
BRIDGEPORT, CONN.														
	All causes.....	2,981	207	225	294	219	160	130	161	152	139	664	395	235
1	Typhoid fever.....	6						1			3	2		
3	Malaria.....	1												
5	Measles.....	16	2	2	1	2	1	3		1		2	2	
6	Scarlet fever.....	3		1	1	1								
7	Whooping cough.....	40	4	6	11	7	5	1	2		1	1	1	1
8	Diphtheria and croup.....	35	2	4	6	1	4	2	1	1	2	6	3	3
9	Influenza.....	475		1	2	3			1		5	276	127	60
13	Tuberculosis of the lungs.....	138	22	17	18	16	15	12	14	11	11	19	19	14
14-15	Other forms of tuberculosis.....	39	4	1	7	3	3	5	2	1	1	5	4	3
17	Meningitis.....	19	3	1	2	2			6	1	2	1		1
20-21	Bronchitis.....	18	2	2	2	3		2						
22	Pneumonia.....	524	20	28	65	35	13	7	8	7	189	112	36	
(23)	Bronchopneumonia.....	128	8	20	16	11	6	6	1	9	29	14	6	
25	Diarrhea and enteritis (under 2 years).....	117	1	5	7	2	6	7	32	27	19	5	4	2
(37)	Diarrhea and enteritis (2 years and over).....	2						1						
(33)	Congenital debility ¹	29	1	1	4	1	1	4	6	2	4	4	1	
35	Violent deaths (suicide excepted).....	181	25	10	22	12	10	22	8	13	9	17	16	17
36	Suicide.....	26	2	4	2	5		1		2	5	2	3	
	All other causes.....	1,134	111	122	128	115	96	60	81	73	72	102	89	85
NEW HAVEN, CONN.														
	All causes.....	3,343	246	217	236	260	220	169	184	148	178	788	375	322
1	Typhoid fever.....	7	1	1						1	1	2	1	
3	Malaria.....		1	1						2	3		1	1
5	Measles.....	9												
6	Scarlet fever.....	3			1					1				
7	Whooping cough.....	41		4	14	9	5	3	2	1		3		1
8	Diphtheria and croup.....	27	3	3	3		1		1	2		5	4	5
9	Influenza.....	694	3	2		4					10	429	142	104
13	Tuberculosis of the lungs.....	191	14	19	17	21	19	10	17	13	10	25	12	14
14-15	Other forms of tuberculosis.....	48	5	4	5	8	3	2	3	1	3	1	3	6
17	Meningitis.....	28	1	3	2	3	5	4	2	1		3	2	2
20-21	Bronchitis.....	31	4	5	4	3	3	1	1	2	1	5	1	
22	Pneumonia.....	361	36	26	35	51	21	1	3	2	8	118	26	31
(23)	Bronchopneumonia.....	153	15	14	18	10	11	4	5	1	3	23	22	27
25	Diarrhea and enteritis (under 2 years).....	81	3	4	5	6	4	7	13	12	11	11	3	2
(37)	Diarrhea and enteritis (2 years and over).....	8		1					1	3				
(33)	Congenital debility ¹	27	1	8	1	4		2	1	1	1	4	3	1
35	Violent deaths (suicide excepted).....	179	19	13	15	15	13	17	21	12	16	9	17	12
36	Suicide.....	24	3	2	1	1	3	1	1	1	1	3	5	2
	All other causes.....	1,431	137	111	125	123	111	114	91	107	148	130	111	
WASHINGTON, D. C. (TOTAL).														
	All causes.....	9,090	687	588	770	678	531	505	572	510	512	2,177	607	953
1	Typhoid fever.....	44	4	2	1	1		7	11	5	4	3		6
3	Malaria.....													
5	Measles.....	30	1	5	5	11	7	1						
6	Scarlet fever.....	10	1	3	3	1				1		1		
7	Whooping cough.....	43		2	2	3	3	4	9	3		12	2	3
8	Diphtheria and croup.....	40	5	4	1	3	4	4	1	1		3	4	14
9	Influenza.....	1,396	19	10	12	11	3		1		23	994	92	231
13	Tuberculosis of the lungs.....	673	60	47	78	56	64	50	56	62	41	68	44	47
14-15	Other forms of tuberculosis.....	69	6	6	7	9	3	4	8	7	3	9	4	3
17	Meningitis.....	42	2	10	8	6	4	5	1	1	2	2		1
20-21	Bronchitis.....	73	9	8	13	3	4	3	2	2	4	15	3	7
22	Pneumonia.....	1,083	97	76	109	52	28	12	9	11	36	471	51	131
(23)	Bronchopneumonia.....	451	40	40	53	43	29	13	14	7	16	103	32	61
25	Diarrhea and enteritis (under 2 years).....	219	6	4	6	8	5	14	61	62	27	11	7	8
(37)	Diarrhea and enteritis (2 years and over).....	74	5	5	4	5	7	9	8	6	12	5	6	2
(33)	Congenital debility ¹	59	4	4	3	6	1	3	7	10	3	6	5	7
35	Violent deaths (suicide excepted).....	368	38	22	27	30	27	30	29	34	25	25	41	40
36	Suicide.....	68	7	3	4	6	6	1	9	4	6	6	8	8
	All other causes.....	4,348	383	340	434	425	336	345	346	294	310	443	308	384

¹ Excluding premature birth.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

499

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	WASHINGTON, D. C. (WHITE).													
	All causes.	5,779	426	354	466	430	310	289	333	311	324	1,505	406	625
1	Typhoid fever.	21	4	1	1	—	—	1	2	3	3	2	—	4
3	Malaria.	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles.	25	—	4	3	11	6	1	—	—	—	—	—	—
6	Scarlet fever.	10	1	—	3	3	1	—	5	1	—	1	—	1
7	Whooping cough.	15	—	2	1	1	—	2	1	1	1	2	—	1
8	Diphtheria and croup.	36	2	4	1	—	8	4	1	1	—	3	4	11
9	Influenza.	1,074	10	6	6	9	1	—	—	—	21	748	75	198
13	Tuberculosis of the lungs.	303	29	17	40	22	25	19	20	32	18	34	26	21
14-15	Other forms of tuberculosis.	41	4	2	4	5	2	2	3	4	2	7	4	2
17	Meningitis.	29	2	8	4	3	3	3	1	1	2	1	—	1
20-21	Bronchitis.	38	6	4	7	1	3	1	1	1	2	7	3	2
22	Pneumonia.	620	54	35	48	28	12	5	3	6	24	310	27	68
(23)	Bronchopneumonia.	219	22	25	21	21	11	4	4	8	8	53	12	34
25	Diarrhea and enteritis (under 2 years).	111	4	2	2	5	3	3	33	27	16	6	5	3
(37)	Diarrhea and enteritis (2 years and over).	45	4	3	1	4	3	6	3	4	9	3	4	1
(33)	Congenital debility ¹ .	43	4	3	2	5	—	1	2	7	3	5	5	6
35	Violent deaths (suicide excepted).	281	26	11	17	17	20	17	20	20	15	15	25	28
36	Suicide.	58	7	3	4	6	6	8	3	4	4	6	7	7
	All other causes.	2,860	245	224	301	289	211	218	227	196	197	304	210	238
WASHINGTON, D. C. (COLORED).														
	All causes.	3,311	261	234	304	248	221	216	239	199	188	672	201	328
1	Typhoid fever.	23	—	1	—	1	—	6	9	2	1	—	—	2
3	Malaria.	5	1	1	2	—	1	—	—	—	—	—	—	—
5	Measles.	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Scarlet fever.	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Whooping cough.	28	—	—	1	2	3	2	4	2	—	10	2	2
8	Diphtheria and croup.	4	1	—	—	—	—	—	—	—	—	—	—	3
9	Influenza.	322	9	4	6	2	2	1	—	2	246	17	33	33
13	Tuberculosis of the lungs.	370	31	30	38	34	39	31	36	30	23	34	18	26
14-15	Other forms of tuberculosis.	28	2	4	3	4	1	2	5	3	1	2	—	1
17	Meningitis.	13	—	2	4	3	1	2	—	—	—	—	—	5
20-21	Bronchitis.	35	3	4	6	2	1	2	1	—	2	8	—	5
22	Pneumonia.	463	43	41	61	24	16	7	6	5	12	161	24	63
(23)	Bronchopneumonia.	232	18	15	32	22	18	9	10	3	8	50	20	27
25	Diarrhea and enteritis (under 2 years).	108	2	2	4	3	2	9	28	35	11	5	2	5
(37)	Diarrhea and enteritis (2 years and over).	29	1	2	3	1	4	3	5	2	3	2	2	1
(33)	Congenital debility ¹ .	16	—	1	1	1	—	2	5	3	1	—	1	1
35	Violent deaths (suicide excepted).	137	12	11	10	18	—	13	9	14	10	10	16	12
36	Suicide.	10	—	—	—	—	—	1	1	2	2	2	1	1
	All other causes.	1,488	138	116	133	136	125	127	119	98	113	139	98	146
ATLANTA, GA. (TOTAL).														
	All causes.	3,702	383	290	258	347	291	278	249	217	217	462	325	385
1	Typhoid fever.	29	1	1	—	—	—	2	8	3	5	4	2	3
3	Malaria.	5	—	—	—	—	1	—	2	—	—	—	—	—
5	Measles.	16	3	3	—	1	4	1	2	—	—	—	—	—
6	Scarlet fever.	8	1	1	—	1	—	—	—	—	—	—	—	3
7	Whooping cough.	31	4	2	1	—	3	6	2	2	2	8	—	1
8	Diphtheria and croup.	12	4	3	—	1	—	—	—	—	—	—	—	1
9	Influenza.	333	7	10	3	13	3	1	3	—	127	66	105	105
13	Tuberculosis of the lungs.	214	33	22	21	31	22	15	10	11	9	11	19	10
14-15	Other forms of tuberculosis.	42	5	4	3	6	4	4	3	2	2	4	2	1
17	Meningitis.	43	10	11	8	5	4	1	1	1	1	1	2	1
20-21	Bronchitis.	15	3	1	—	3	1	1	1	—	1	1	2	1
22	Pneumonia.	388	44	26	17	62	21	3	10	5	9	86	47	58
(23)	Bronchopneumonia.	200	35	25	28	17	3	6	5	4	7	31	22	17
25	Diarrhea and enteritis (under 2 years).	87	4	4	4	4	11	23	13	10	5	5	2	3
(37)	Diarrhea and enteritis (2 years and over).	60	6	2	3	4	5	15	6	9	3	2	2	3
(33)	Congenital debility ¹ .	28	—	—	—	2	4	6	4	3	3	2	2	5
35	Violent deaths (suicide excepted).	196	22	14	13	22	18	19	11	21	12	11	14	19
36	Suicide.	12	—	3	2	—	1	—	1	—	—	—	—	—
	All other causes.	1,978	201	158	155	175	186	170	171	144	159	165	140	154
ATLANTA, GA. (WHITE).														
	All causes.	2,063	206	170	144	169	170	152	139	108	101	274	192	238
1	Typhoid fever.	19	—	1	—	—	—	1	6	2	3	3	—	3
3	Malaria.	2	—	—	—	—	—	—	1	—	—	—	—	—
5	Measles.	12	3	2	—	1	4	—	—	—	—	—	—	1
6	Scarlet fever.	8	1	1	—	1	—	0	1	2	—	2	—	3
7	Whooping cough.	17	2	1	2	—	1	—	2	1	—	5	—	1
8	Diphtheria and croup.	9	4	2	—	1	—	—	—	—	—	—	—	1
9	Influenza.	214	2	6	1	4	1	—	1	—	83	43	73	73
13	Tuberculosis of the lungs.	107	11	13	10	13	15	8	5	3	8	5	12	7
14-15	Other forms of tuberculosis.	23	3	1	2	3	2	3	1	2	—	2	3	1
17	Meningitis.	25	4	5	7	4	2	1	—	—	—	—	—	1
20-21	Bronchitis.	5	1	1	—	2	—	1	—	—	—	—	—	1
22	Pneumonia.	173	18	10	5	20	7	4	1	2	46	22	29	29
(23)	Bronchopneumonia.	92	16	15	11	6	2	3	2	1	—	16	11	9
25	Diarrhea and enteritis (under 2 years).	50	3	4	4	2	8	10	7	3	2	4	2	3
(37)	Diarrhea and enteritis (2 years and over).	30	2	2	2	1	1	9	2	3	3	3	2	3
(33)	Congenital debility ¹ .	13	—	8	9	10	1	12	9	5	8	1	1	12
35	Violent deaths (suicide excepted).	102	13	8	9	10	1	12	9	5	8	6	4	6
36	Suicide.	11	—	3	2	—	1	4	4	1	—	—	—	12
	All other causes.	1,151	123	95	90	92	113	97	101	80	81	100	89	90

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	ATLANTA, GA. (COLORED).													
	All causes.....	1,639	177	120	114	178	121	126	110	109	116	188	133	147
1	Typhoid fever.....	10	1					1	2	1	2	1	2	
3	Malaria.....	3						1	2	1	1	1		
5	Measles.....	4		1										
6	Scarlet fever.....													
7	Whooping cough.....	14	2	1			2	3		1	2	3		
8	Diphtheria and croup.....	3		1								1	1	3
9	Influenza.....	124	5	4	2	9	2	7	1	2		44	23	32
13	Tuberculosis of the lungs.....	107	22	9	11	18	7	7	5	6	6	6	7	3
14-15	Other forms of tuberculosis.....	19	2	3	1	3	2	1	2	2	2		1	
17	Meningitis.....	18	6	6	1	1	2			1			1	
20-21	Bronchitis.....	10	2			1	1	1	1		1	1	2	
22	Pneumonia.....	215	26	16	12	33	14	3	6	4	7	40	25	29
(23)	Bronchopneumonia.....	108	19	10	17	11	1	3	3	3	7	15	11	8
25	Diarrhea and enteritis (under 2 years).....	37	1			2	3	13	6	7	3	1		1
(37)	Diarrhea and enteritis (2 years and over).....	30	4		1	3	4	6	4	6	2	1		3
(38)	Congenital debility ¹	15				2	3	2	1		2	1	1	3
35	Violent deaths (suicide excepted).....	94	9	6	4	12	6	10	6	13	6	7	8	7
36	Suicide.....	1												
	All other causes.....	827	78	63	65	83	73	73	70	64	78	65	51	64
CHICAGO, ILL. (TOTAL).														
	All causes.....	44,069	3,080	2,792	3,638	3,582	2,810	2,193	2,297	2,552	2,680	10,323	3,986	4,136
1	Typhoid fever.....	40	2	4	5	1	3	4	3	7	7	2	1	1
3	Malaria.....	4			1								2	
5	Measles.....	61	6	3	4	8	11	6	1	3	2	3	3	11
6	Scarlet fever.....	57	18	5	4	6	3	3	2	3	3	6	4	4
7	Whooping cough.....	180	14	19	31	27	9	7	12	13	15	24	4	5
8	Diphtheria and croup.....	705	93	64	60	57	55	45	41	33	41	103	56	57
9	Influenza.....	5,491	20	13	32	53	22	5	2	4	50	3,536	843	911
13	Tuberculosis of the lungs.....	3,347	266	271	340	389	322	264	219	223	243	300	256	254
14-15	Other forms of tuberculosis.....	473	35	35	54	42	56	46	33	40	35	44	31	22
17	Meningitis.....	197	25	15	28	26	18	17	19	6	13	12	7	11
20-21	Bronchitis.....	539	42	47	72	81	48	21	9	15	17	100	44	43
22	Pneumonia.....	5,714	244	241	497	477	179	62	71	44	192	2,710	494	503
(23)	Bronchopneumonia.....	2,241	128	131	211	234	102	48	31	36	65	789	218	251
25	Diarrhea and enteritis (under 2 years).....	2,996	184	166	236	223	161	123	264	521	381	371	204	162
(37)	Diarrhea and enteritis (2 years and over).....	372	17	23	33	29	21	12	22	58	41	55	35	26
(38)	Congenital debility ¹	181	9	16	20	23	10	14	19	13	14	20	12	11
35	Violent deaths (suicide excepted).....	2,051	172	164	162	151	183	154	167	183	157	197	208	153
36	Suicide.....	446	37	31	44	42	36	37	29	26	41	37	45	41
	All other causes.....	18,974	1,768	1,544	1,804	1,713	1,571	1,325	1,352	1,324	1,366	2,017	1,522	1,668
CHICAGO, ILL. (WHITE).														
	All causes.....	41,608	2,906	2,596	3,390	3,358	2,621	2,054	2,144	2,404	2,523	9,868	3,796	3,948
1	Typhoid fever.....	38	2	3	5	1	3	4	2	7	7	2	1	1
3	Malaria.....	4			1								2	
5	Measles.....	61	6	3	4	8	11	6	1	3	2	3	3	11
6	Scarlet fever.....	57	18	5	4	6	3	3	2	3	3	6	4	4
7	Whooping cough.....	158	11	15	28	23	8	6	11	10	13	24	4	5
8	Diphtheria and croup.....	687	91	62	58	57	53	43	36	33	41	102	55	56
9	Influenza.....	5,278	18	13	29	52	19	5	2	3	49	3,404	809	875
13	Tuberculosis of the lungs.....	2,981	248	239	309	350	291	238	183	198	207	263	224	233
14-15	Other forms of tuberculosis.....	404	29	29	42	38	48	38	31	33	29	39	28	20
17	Meningitis.....	182	24	14	24	24	17	16	19	5	10	12	7	10
20-21	Bronchitis.....	508	40	43	68	78	43	19	8	15	16	93	43	42
22	Pneumonia.....	5,327	214	203	438	424	149	58	65	42	184	2,594	475	481
(23)	Bronchopneumonia.....	2,099	119	117	192	215	90	47	31	33	58	747	211	239
25	Diarrhea and enteritis (under 2 years).....	2,933	181	184	231	220	157	113	257	508	373	367	202	160
(37)	Diarrhea and enteritis (2 years and over).....	361	16	23	32	27	20	11	21	57	40	54	35	25
(38)	Congenital debility ¹	174	9	16	20	23	9	13	18	13	14	18	11	10
35	Violent deaths (suicide excepted).....	1,941	167	152	151	144	171	149	154	174	151	190	196	142
36	Suicide.....	436	36	31	44	40	36	36	27	25	41	35	45	40
	All other causes.....	17,979	1,677	1,464	1,710	1,628	1,493	1,249	1,275	1,244	1,288	1,918	1,441	1,592
CHICAGO, ILL. (COLORED).														
	All causes.....	2,461	174	196	248	224	189	139	153	118	157	455	190	188
1	Typhoid fever.....	2		1					1					
3	Malaria.....													
5	Measles.....													
6	Scarlet fever.....													
7	Whooping cough.....	22	3	4	3	4	1	1	1	3	2	1	1	1
8	Diphtheria and croup.....	18	2	2	2	2	2	2	5					
9	Influenza.....	213	2		3	1	3			1	1	132	34	36
13	Tuberculosis of the lungs.....	366	18	32	31	39	31	26	36	27	38	37	32	21
14-15	Other forms of tuberculosis.....	69	6	6	12	4	8	8	2	7	6	5	3	2
17	Meningitis.....	15	1	1	4	2	1	1	1	3				
20-21	Bronchitis.....	31	2	4	4	3	5	3	2	1	1	7	1	1
22	Pneumonia.....	387	30	38	59	53	30	4	6	2	8	116	19	22
(23)	Bronchopneumonia.....	142	9	14	19	19	12	1	7	13	8	42	4	12
25	Diarrhea and enteritis (under 2 years).....	63	3	2	5	3	4	10	7	13	8	4	2	1
(37)	Diarrhea and enteritis (2 years and over).....	11	1		1	2	1	1	1	1	1	1	1	1
(38)	Congenital debility ¹	7						1	1	1	1	2	1	1
35	Violent deaths (suicide excepted).....	110	5	12	11	7	12	5	13	9	6	7	12	11
36	Suicide.....	10	1			2		1	2	1	1	2	1	1
	All other causes.....	995	91	80	94	85	78	76	77	80	78	99	81	76

¹ Excluding premature birth.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

501

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	INDIANAPOLIS, IND. (TOTAL).													
	All causes	5,241	451	355	436	523	409	298	323	322	317	705	588	514
1	Typhoid fever	20	1	2	1	—	1	2	5	3	2	2	1	—
3	Malaria	2	—	—	—	—	—	—	1	—	1	—	—	—
5	Measles	10	—	2	3	5	8	1	—	—	—	—	1	—
6	Scarlet fever	22	3	3	5	8	1	—	1	—	—	—	2	—
7	Whooping cough	46	2	5	11	10	8	1	4	1	1	1	5	7
8	Diphtheria and croup	90	11	6	4	9	11	6	7	9	4	11	39	82
9	Influenza	373	3	1	1	6	4	1	—	—	5	156	114	82
13	Tuberculosis of the lungs	449	33	28	47	53	45	33	26	36	31	39	39	39
14-15	Other forms of tuberculosis	78	9	10	6	11	12	5	7	5	3	5	3	2
17	Meningitis	29	1	2	4	6	4	2	4	1	—	1	2	2
20-21	Bronchitis	45	11	1	5	6	8	4	4	2	1	1	1	1
22	Pneumonia	679	47	32	38	68	30	12	4	6	17	184	137	104
(23)	Bronchopneumonia	296	29	24	29	34	17	7	6	4	9	38	45	54
25	Diarrhea and enteritis (under 2 years)	149	8	2	8	14	8	6	24	22	21	22	7	7
(37)	Diarrhea and enteritis (2 years and over)	50	5	4	7	3	3	4	7	5	6	3	2	1
(38)	Congenital debility	25	—	1	2	4	4	2	3	2	3	1	1	2
35	Violent deaths (suicide excepted)	242	29	23	21	20	15	21	23	24	16	18	12	20
36	Suicide	42	4	4	3	4	5	3	5	2	1	2	3	6
	All other causes	2,594	255	205	241	264	231	189	192	199	197	221	213	187
INDIANAPOLIS, IND. (WHITE).														
	All causes	4,435	380	286	366	434	324	244	281	256	274	626	524	440
1	Typhoid fever	20	1	2	1	—	1	2	5	3	2	2	1	—
3	Malaria	1	—	—	—	—	—	—	1	—	—	—	—	—
5	Measles	7	—	1	2	2	2	—	—	—	—	—	—	—
6	Scarlet fever	21	3	3	4	8	1	—	1	—	—	1	2	—
7	Whooping cough	39	1	5	10	8	7	1	2	1	1	1	5	7
8	Diphtheria and croup	87	11	5	4	8	11	5	7	9	4	11	106	73
9	Influenza	342	3	1	1	5	4	1	—	—	4	144	30	33
13	Tuberculosis of the lungs	322	23	19	36	36	28	25	19	20	25	28	30	33
14-15	Other forms of tuberculosis	58	3	6	6	9	9	4	2	2	3	5	3	2
17	Meningitis	25	—	2	4	4	4	2	4	1	—	1	1	1
20-21	Bronchitis	38	10	—	5	6	7	2	3	2	—	1	1	1
22	Pneumonia	556	40	20	27	56	21	8	3	5	13	158	121	84
(23)	Bronchopneumonia	248	28	19	23	27	12	6	4	3	9	32	41	44
25	Diarrhea and enteritis (under 2 years)	123	6	2	5	11	12	6	20	16	19	21	7	6
(37)	Diarrhea and enteritis (2 years and over)	41	5	2	7	2	2	7	3	5	3	2	1	1
(33)	Congenital debility	18	—	1	2	4	2	—	3	2	2	—	2	2
35	Violent deaths (suicide excepted)	208	26	16	20	18	14	19	20	19	15	16	9	16
36	Suicide	42	4	4	3	4	5	3	5	2	1	2	3	6
	All other causes	2,239	216	178	206	226	190	158	171	168	171	201	191	163
INDIANAPOLIS, IND. (COLORED).														
	All causes	806	71	69	70	89	85	54	42	66	43	79	64	74
1	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Malaria	1	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles	3	—	1	1	1	—	—	—	—	—	—	—	—
6	Scarlet fever	1	—	—	1	2	1	—	2	—	—	—	—	—
7	Whooping cough	7	1	—	1	1	1	—	—	—	—	—	—	—
8	Diphtheria and croup	3	—	1	—	1	—	—	—	—	—	—	—	—
9	Influenza	31	—	—	—	—	—	—	—	—	—	—	—	—
13	Tuberculosis of the lungs	127	10	9	11	17	17	8	7	16	6	11	9	6
14-15	Other forms of tuberculosis	20	6	4	—	2	3	1	1	3	—	—	1	—
17	Meningitis	4	1	—	—	2	—	—	—	—	—	—	—	—
20-21	Bronchitis	7	1	1	—	—	1	2	1	—	—	—	—	—
22	Pneumonia	123	7	12	11	12	9	4	1	1	4	26	16	20
(23)	Bronchopneumonia	48	1	5	6	7	5	1	2	1	—	6	4	10
25	Diarrhea and enteritis (under 2 years)	26	2	—	3	3	4	—	4	2	1	—	1	—
(37)	Diarrhea and enteritis (2 years and over)	9	—	2	—	1	1	2	—	2	1	—	1	—
(33)	Congenital debility	7	—	—	—	—	2	2	—	1	—	1	1	—
35	Violent deaths (suicide excepted)	34	3	7	1	2	1	2	3	5	1	2	3	4
36	Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—
	All other causes	355	39	27	35	38	41	31	21	31	26	20	22	24
LOUISVILLE, KY. (TOTAL).														
	All causes	5,083	420	425	413	426	332	255	297	309	283	895	492	536
1	Typhoid fever	36	—	1	2	1	1	4	6	3	8	8	2	—
3	Malaria	2	—	6	5	1	—	—	2	—	—	—	—	—
5	Measles	17	3	6	5	1	—	—	—	—	—	—	—	—
6	Scarlet fever	1	1	—	—	—	3	2	8	9	1	4	2	2
7	Whooping cough	40	4	5	4	3	3	1	1	—	1	4	4	1
8	Diphtheria and croup	29	5	2	4	3	3	5	1	—	7	312	99	99
9	Influenza	552	9	6	5	9	5	1	—	—	—	33	33	23
13	Tuberculosis of the lungs	445	37	47	49	45	41	42	28	28	14	53	33	33
14-15	Other forms of tuberculosis	64	8	1	4	9	10	5	3	6	4	6	5	3
17	Meningitis	34	3	6	4	5	1	6	1	2	4	14	5	9
20-21	Bronchitis	76	5	10	7	9	2	3	2	4	6	14	5	9
22	Pneumonia	637	52	52	37	72	18	7	13	1	15	174	84	112
(23)	Bronchopneumonia	239	22	34	20	19	9	3	10	2	2	43	32	43
25	Diarrhea and enteritis (under 2 years)	92	4	4	3	7	7	6	10	21	16	9	3	2
(37)	Diarrhea and enteritis (2 years and over)	24	1	2	1	2	2	—	3	5	3	2	3	4
(33)	Congenital debility	39	4	—	2	1	1	—	2	5	3	8	3	5
35	Violent deaths (suicide excepted)	256	33	15	22	14	23	15	14	23	19	21	32	25
36	Suicide	50	3	3	5	3	2	2	4	8	8	3	4	5
	All other causes	2,450	226	231	243	222	205	157	194	193	169	230	181	189

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Februa- ry.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	LOUISVILLE, KY. (WHITE).													
	All causes.....	3,822	332	305	303	283	245	188	216	219	216	724	378	413
1	Typhoid fever.....	24		1	1	1		2	4	3	7	3	2	
3	Malaria.....	1									1			
5	Measles.....	16	3	6	4	1								
6	Scarlet fever.....	1	1											
7	Whooping cough.....	25	2	3		1	1	2	4	7	1	3	1	
8	Diphtheria and croup.....	27	5	2	4	2	3	1	1		1	4	3	1
9	Influenza.....	473	8	3	3	4	4	1			4	272	88	86
13	Tuberculosis of the lungs.....	288	24	32	30	26	27	27	20	13	7	42	19	21
14-15	Other forms of tuberculosis.....	48	6	1	2	8	9	3	2	3	3	4	5	
17	Meningitis.....	28	3	5	4	3	1	4		1	1	2	2	2
20-21	Bronchitis.....	47	4	6	4	4	2	1	1	1	1	10	5	4
22	Pneumonia.....	455	35	34	26	43	12	5	10	1	10	137	61	81
(23)	Bronchopneumonia.....	161	18	17	15	10	3	2	6	1	1	28	26	34
25	Diarrhea and enteritis (under 2 years).....	67	4	2	3	4	3	6	8	13	12	8	2	2
(37)	Diarrhea and enteritis (2 years and over).....	14	1	2	1	1	1		2	1	1	1	1	1
(33)	Congenital debility ¹	35	4		1	1		2	4	7	8	3	4	
35	Violent deaths (suicide excepted).....	181	21	11	14	10	21	9	11	15	16	15	23	15
36	Suicide.....	47	3	3	5	1	2	2	4	8	8	3	3	5
	All other causes.....	1,884	190	177	186	163	155	123	139	148	132	183	134	154
LOUISVILLE, KY. (COLORED).														
	All causes.....	1,261	88	120	110	143	87	67	81	90	67	171	114	123
1	Typhoid fever.....	12			1		1	2	2		1	5		
3	Malaria.....	1			1									
5	Measles.....	1												
6	Scarlet fever.....													
7	Whooping cough.....	15	2	2		2	1	1	1	2		1	1	2
8	Diphtheria and croup.....	2				1								
9	Influenza.....	79	1	3	2	5	1				3	40	11	13
13	Tuberculosis of the lungs.....	157	13	15	19	19	14	15	8	15	7	11	14	1
14-15	Other forms of tuberculosis.....	16	2		2	1	1	2	1	3	1	2		
17	Meningitis.....	6		1		2		2			1			
20-21	Bronchitis.....	29	1	4	3	5		2	1	3	1	4		5
22	Pneumonia.....	182	17	18	11	29	6	2	3	5	5	37	23	31
(23)	Bronchopneumonia.....	78	4	17	5	9	6	1	4	1	1	15	6	9
25	Diarrhea and enteritis (under 2 years).....	25		2		3	4		2	8	4	1		
(37)	Diarrhea and enteritis (2 years and over).....	10				1			1	4	2	1		
(33)	Congenital debility ¹	4			1					1	1	1		
35	Violent deaths (suicide excepted).....	75	12	4	8	4	2	6	3	8	3	6	9	10
36	Suicide.....	3			2							1		
	All other causes.....	566	36	54	57	59	60	34	55	45	37	47	47	45
NEW ORLEANS, LA. (TOTAL).														
	All causes.....	9,756	852	657	615	678	682	652	603	557	507	2,309	822	822
1	Typhoid fever.....	76	2	2	2	3	12	9	14	17	4	7	3	1
3	Malaria.....	17		1		3	1	3	2	2	4	1		
5	Measles.....	22		4	1	1	7	3	1	3	1			
6	Scarlet fever.....													
7	Whooping cough.....	70	1	1	3	5	4	7	14	16	8	4	5	2
8	Diphtheria and croup.....	18	4	2		1	1	2	2	3	2			1
9	Influenza.....	1,158	30	32	11	7	13	3	5	1	3	797	147	109
13	Tuberculosis of the lungs.....	1,088	109	96	105	120	89	84	72	76	64	98	70	105
14-15	Other forms of tuberculosis.....	106	5	5	10	7	12	11	13	9	4	13	8	9
17	Meningitis.....	45	2	5	5	3	3	4	5	5	1	6	4	2
20-21	Bronchitis.....	76	10	8	3	7	3	4	3	1	4	10	6	17
22	Pneumonia.....	1,408	90	83	34	49	43	43	16	17	13	9	826	120
(23)	Bronchopneumonia.....	239	24	32	12	17	8	5	6	5	9	59	35	27
25	Diarrhea and enteritis (under 2 years).....	289	14	12	25	25	34	38	32	41	15	24	25	4
(37)	Diarrhea and enteritis (2 years and over).....	121	4	4	6	11	11	10	13	7	12	18	13	12
(33)	Congenital debility ¹	31	3		3	3	2	1	6	1	2	3	5	2
35	Violent deaths (suicide excepted).....	420	42	26	32	34	26	28	37	39	46	35	35	40
36	Suicide.....	49	7	6	6	3	4	3	4	2	4	3	2	5
	All other causes.....	4,523	505	339	356	382	407	423	356	318	317	399	343	378
NEW ORLEANS, LA. (WHITE).														
	All causes.....	6,029	550	408	379	379	391	374	339	313	313	1,518	524	541
1	Typhoid fever.....	50	2	2	1	2	9	6	7	10	3	5	2	1
3	Malaria.....	9			1		1		1	2	1	2	1	
5	Measles.....	16			1	1	7	3		3	1			
6	Scarlet fever.....													
7	Whooping cough.....	52	1	1	2	4	2	6	12	11	6	3	2	2
8	Diphtheria and croup.....	15	3	1		1	1	2	2	3				
9	Influenza.....	797	20	21	8	3	5	1	1	1	1	555	97	84
13	Tuberculosis of the lungs.....	583	62	59	64	56	37	47	30	33	38	63	42	52
14-15	Other forms of tuberculosis.....	51	4	4	6	5	4	7	7	2	1	3	2	6
17	Meningitis.....	27	2	5	2	2	1	3	1	2		5	3	1
20-21	Bronchitis.....	52	8	6	3	2	1	1	2	2	2		5	15
22	Pneumonia.....	846	55	50	16	18	18	18	4	6	6	4	533	65
(23)	Bronchopneumonia.....	148	17	23	8	10	2		2	2	2	4	37	26
25	Diarrhea and enteritis (under 2 years).....	181	11	4	12	17	24	26	21	28	9	12	14	3
(37)	Diarrhea and enteritis (2 years and over).....	59	2	3	4	7	8	5	7	1	6	7	5	4
(33)	Congenital debility ¹	22		2	3	2	2		4	1	1	2	3	2
35	Violent deaths (suicide excepted).....	270	29	15	25	19	19	16	24	23	29	23	20	28
36	Suicide.....	44	7	6	5	2	4	3	2	2	4	3	2	4
	All other causes.....	2,807	325	208	218	228	246	244	210	185	201	256	235	251

¹ Excluding premature birth.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

503

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	NEW ORLEANS, LA. (COLORED).													
	All causes	3,727	302	249	236	299	291	278	264	244	194	791	298	281
1	Typhoid fever	26			1	1	3	3	7	7	1	2	1	
3	Malaria	8			4		2	1	2	1	1	2		
5	Measles	6												
6	Scarlet fever													
7	Whooping cough	18			1	1	2	1	2	5	2	1	3	
8	Diphtheria and croup	3	1	1										1
9	Influenza	361	10	11	3	4	8	2	4	43	2	242	50	25
13	Tuberculosis of the lungs	505	47	37	41	64	52	37	42	26	35	35	28	53
14-15	Other forms of tuberculosis	55	1	1	4	2	8	4	6	7	3	10	6	3
17	Meningitis	18			3	1	2	1	4	3	1	1	1	1
20-21	Bronchitis	24	2	2			5	2	3	1	2	4		2
22	Pneumonia	562	35	33	18	31	25	12	11	7	5	293	55	37
(23)	Bronchopneumonia	91	7	9	4	7	6	5	4	3	5	22	9	10
25	Diarrhea and enteritis (under 2 years)	108	3	8	13	8	10	12	11	13	6	12	11	1
(37)	Diarrhea and enteritis (2 years and over)	62	2	1	2	4	3	5	6	6	6	11	8	8
(33)	Congenital debility ¹	9	1			1		1	2	1	1	1	2	
35	Violent deaths (suicide excepted)	150	13	11	7	15	7	12	13	16	17	12	15	12
36	Suicide	5			1	1								1
	All other causes	1,716	180	131	138	154	161	179	146	133	116	143	108	127
BALTIMORE, MD. (TOTAL).														
	All causes	15,810	1,198	1,160	1,296	1,110	990	799	971	926	799	4,537	1,032	992
1	Typhoid fever	73	2	3	2	5	3	2	5	14	11	19	1	6
3	Malaria	1								1				
5	Measles	76	4	5	18	14	19	9	5		2			
6	Scarlet fever	9	1		2		1				2			1
7	Whooping cough	237	12	25	42	28	27	25	34	9	9	23	2	1
8	Diphtheria and croup	66	6	7	5	8	6		5	1		12	7	9
9	Influenza	1,739	21	15	21	12	7	2	1	1	11	1,464	92	92
13	Tuberculosis of the lungs	1,331	115	107	164	141	131	98	89	89	67	159	88	83
14-15	Other forms of tuberculosis	147	9	10	13	10	22	18	13	13	7	11	13	8
17	Meningitis	88	6	6	16	16	12	7	6	7	3	6	1	2
20-21	Bronchitis	216	25	32	27	25	15	8	9	8	10	31	13	13
22	Pneumonia	2,367	127	130	132	88	36	25	15	12	30	1,566	100	106
(23)	Bronchopneumonia	943	80	117	85	84	47	28	23	11	23	326	59	60
25	Diarrhea and enteritis (under 2 years)	795	15	18	23	16	25	62	185	174	124	97	40	16
(37)	Diarrhea and enteritis (2 years and over)	130	9	4	10	6	12	12	18	18	18	10	5	8
(33)	Congenital debility ¹	118	8	10	10	4	11	6	14	7	12	18	12	6
35	Violent deaths (suicide excepted)	755	69	63	63	32	69	53	49	115	48	47	74	73
36	Suicide	97	11	11	11	9	3	2	6	6	7	13	7	11
	All other causes	6,622	678	597	652	612	544	440	494	440	417	733	518	497
BALTIMORE, MD. (WHITE).														
	All causes	12,143	889	881	924	804	717	593	725	671	604	3,737	805	793
1	Typhoid fever	49	1		2	1	3	2	3	10	5	16	1	5
3	Malaria	1								1				
5	Measles	61	3	5	17	12	15	6	3					
6	Scarlet fever	7	1			1	2				2			1
7	Whooping cough	147	9	16	29	16	18	18	15	4	9	11	2	
8	Diphtheria and croup	65	6	6	5	8	6		5	1	10	1,239	69	76
9	Influenza	1,444	16	10	11	7	5	1			23	108	63	63
13	Tuberculosis of the lungs	840	68	75	103	89	77	58	49	49	23			
14-15	Other forms of tuberculosis	95	6	7	10	7	11	14	7	7	4	8	9	5
17	Meningitis	74	6	5	15	12	8	6	6	6	2	6	1	1
20-21	Bronchitis	149	17	21	20	16	8	7	5	5	8	22	8	12
22	Pneumonia	1,839	88	89	67	62	19	15	11	6	20	1,305	74	83
(23)	Bronchopneumonia	692	53	83	56	51	32	23	12	6	15	264	49	48
25	Diarrhea and enteritis (under 2 years)	614	13	15	13	9	15	46	148	128	103	77	34	13
(37)	Diarrhea and enteritis (2 years and over)	92	6	4	7	4	6	7	12	13	13	10	4	6
(33)	Congenital debility ¹	94	5	7	8	1	10	3	12	5	10	18	9	6
35	Violent deaths (suicide excepted)	578	49	49	47	21	55	47	37	88	32	32	59	62
36	Suicide	91	10	11	8	9	3	2	6	5	6	13	7	11
	All other causes	5,211	532	478	506	479	425	336	394	337	329	594	409	392
BALTIMORE, MD. (COLORED).														
	All causes	3,667	309	279	372	306	273	206	246	255	195	800	227	199
1	Typhoid fever	24	1	3		4			2	4	6	3		1
3	Malaria	15	1		1	2	4	3	2		2			
5	Measles	2			2									
6	Scarlet fever	90	3	9	13	12	9	7	19	5		12		1
7	Whooping cough	1												
8	Diphtheria and croup	295	5	5	10	5	2	1	1	1	1	225	23	16
9	Influenza	491	47	32	61	52	54	40	40	40	29	51	25	20
13	Tuberculosis of the lungs	52	3	3	3	3	11	4	6	6	3	3	4	3
14-15	Other forms of tuberculosis	14		1	1	4	4	1		1	1	1		1
20-21	Bronchitis	67	8	11	7	9	7	4	4	3	2	9	5	1
22	Pneumonia	528	39	41	65	26	17	10	4	6	10	261	26	23
(23)	Bronchopneumonia	251	27	34	29	33	15	5	11	5	3	62	10	12
25	Diarrhea and enteritis (under 2 years)	181	2	3	10	7	10	16	37	46	21	20	6	3
(37)	Diarrhea and enteritis (2 years and over)	38	3		3	2	6	5	6	5	5	1	2	
(33)	Congenital debility ¹	24	3	3	2	3	1	3	2	2	2	3		
35	Violent deaths (suicide excepted)	177	20	14	16	11	14	6	12	27	16	15	15	11
36	Suicide	6	1		3					1	1			
	All other causes	1,411	146	119	146	133	119	104	100	103	88	139	109	105

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	BOSTON, MASS. (TOTAL).													
	All causes.....	17,267	1,304	1,269	1,236	1,178	1,008	865	914	835	2,658	3,375	1,033	1,592
1	Typhoid fever.....	19	3	2			2	1	3	1	2	4		1
3	Malaria.....													
5	Measles.....	116	11	9	20	27	23	10	12		1	2		1
6	Scarlet fever.....	24	8	4	1	2	2			1	1			1
7	Whooping cough.....	180	13	11	8	21	18	13	13	15	30	30	2	6
8	Diphtheria and croup.....	214	38	24	13	24	15	14	13	9	12	18	6	28
9	Influenza.....	2,536	4	6	8	6		2			748	1,331	100	331
13	Tuberculosis of the lungs.....	1,209	113	108	104	123	121	94	74	87	110	103	83	89
14-15	Other forms of tuberculosis.....	188	16	12	18	17	16	13	19	17	14	14	19	13
17	Meningitis.....	120	4	9	14	13	15	11	14	7	6	9	9	9
20-21	Bronchitis.....	124	23	14	13	9	7	3	5	2	15	22	4	7
22	Pneumonia.....	2,742	152	167	142	151	82	30	32	15	813	851	90	217
(23)	Bronchopneumonia.....	840	95	108	88	65	37	27	35	16	130	136	38	65
25	Diarrhea and enteritis (under 2 years).....	475	12	14	23	14	16	25	61	86	92	62	36	34
(37)	Diarrhea and enteritis (2 years and over).....	61	5	2	4	3	5	4	13	8	8	2	4	3
(33)	Congenital debility ¹	123	11	7	6	4	6	6	17	19	9	16	13	9
35	Violent deaths (suicide excepted).....	803	100	74	71	53	67	62	70	44	57	60	64	81
36	Suicide.....	114	9	9	11	9	14	10	11	10	9	9	6	7
	All other causes.....	7,379	687	689	689	638	562	535	522	498	602	705	559	690
	BOSTON, MASS. (WHITE).													
	All causes.....	16,731	1,265	1,225	1,189	1,128	974	835	878	809	2,574	3,299	999	1,556
1	Typhoid fever.....	19	3	2			2	1	3	1	2	4		1
3	Malaria.....													
5	Measles.....	112	11	8	20	27	22	8	12		1	2		1
6	Scarlet fever.....	24	8	4	4	1	2	2		1	1			1
7	Whooping cough.....	176	13	11	8	20	17	13	12	14	30	30	2	6
8	Diphtheria and croup.....	211	37	24	13	24	15	14	12	9	12	18	6	27
9	Influenza.....	2,473	4	6	8	6		2			728	1,301	98	320
13	Tuberculosis of the lungs.....	1,144	106	100	100	116	114	92	70	82	100	98	79	87
14-15	Other forms of tuberculosis.....	177	14	12	17	16	15	11	18	17	12	14	18	13
17	Meningitis.....	117	4	9	14	11	15	10	14	7	6	9	9	9
20-21	Bronchitis.....	124	23	14	13	9	7	3	5	2	15	22	4	7
22	Pneumonia.....	2,669	151	159	138	143	78	29	31	15	791	832	86	216
(23)	Bronchopneumonia.....	802	94	104	82	62	35	27	29	16	126	128	37	62
25	Diarrhea and enteritis (under 2 years).....	464	12	14	22	14	15	25	60	83	90	59	36	34
(37)	Diarrhea and enteritis (2 years and over).....	61	5	2	4	3	5	4	13	8	8	2	4	3
(33)	Congenital debility ¹	122	11	7	6	4	6	6	17	19	9	16	13	8
35	Violent deaths (suicide excepted).....	776	94	72	67	52	65	61	67	44	54	58	63	79
36	Suicide.....	113	9	9	11	9	13	10	11	10	9	9	6	7
	All other causes.....	7,147	666	668	662	611	548	517	504	481	581	696	538	675
	BOSTON, MASS. (COLORED).													
	All causes.....	536	39	44	47	50	34	30	36	26	84	76	34	36
1	Typhoid fever.....													
3	Malaria.....													
5	Measles.....	4		1			1	2						
6	Scarlet fever.....					1	1		1	1				
7	Whooping cough.....	4												
8	Diphtheria and croup.....	3	1											
9	Influenza.....	63												
13	Tuberculosis of the lungs.....	65	7	8	4	7	7	2	4	5	20	30	2	11
14-15	Other forms of tuberculosis.....	11	2		1	1	1	2	1		10	5	4	2
17	Meningitis.....	3			2			1			2		1	
20-21	Bronchitis.....													
22	Pneumonia.....	73	1	8	4	8	4	1	1		22	19	4	1
(23)	Bronchopneumonia.....	38	1	4	6	3	2		6	4	8	1	3	
25	Diarrhea and enteritis (under 2 years).....	11		1		1			1	3	2	3		
(37)	Diarrhea and enteritis (2 years and over).....													
(33)	Congenital debility ¹	1												
35	Violent deaths (suicide excepted).....	27	6	2	4	1	2	1	3		3	2	1	2
36	Suicide.....	1												
	All other causes.....	232	21	21	27	27	14	21	18	17	21	9	21	15
	CAMBRIDGE, MASS.													
	All causes.....	2,266	192	193	141	161	122	128	118	110	325	420	139	217
1	Typhoid fever.....	4						1	1			2		
3	Malaria.....	29	3	4	7	2	7	4	2					
5	Measles.....													
6	Scarlet fever.....													
7	Whooping cough.....	32	2	3	1		2	3	1	3	10	7	2	1
8	Diphtheria and croup.....	12	3		1			1	2		2	1	2	38
9	Influenza.....	299	1	3	2		1	1	2		103	139	12	
13	Tuberculosis of the lungs.....	223	23	26	15	22	19	18	18	15	14	16	14	23
14-15	Other forms of tuberculosis.....	24	4	1	5	1	3	1	2		2		2	
17	Meningitis.....	7		1		1	1			1				
20-21	Bronchitis.....													
22	Pneumonia.....	46	3	10	5	2	2	4	2	1	4	7	5	1
(23)	Bronchopneumonia.....	281	13	23	10	17	10	3	3	1	64	102	7	28
25	Diarrhea and enteritis (under 2 years).....	146	15	16	12	15	8	6	2	1	21	31	9	10
(37)	Diarrhea and enteritis (2 years and over).....	60	2	4	2	3	1	3	5	9	14	12	3	1
(33)	Congenital debility ¹	10		1	3		1	1	2	1				
35	Violent deaths (suicide excepted).....	84	14	6	8	4	3	5	6	11	8	6	5	8
36	Suicide.....	9	1	1	4	4	1		1	1				
	All other causes.....	993	112	91	74	85	65	74	73	64	80	93	80	102

¹ Excluding premature birth.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

505

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	FALL RIVER, MASS.													
	All causes.....	2,858	201	151	204	192	145	117	197	176	261	844	175	195
1	Typhoid fever.....	18	1		1	3			1	1	3	5	1	2
3	Malaria.....	7		1					1	1	1	1		1
5	Measles.....													
6	Scarlet fever.....													
7	Whooping cough.....	29	4	1	3		2		3	1	6	6		3
8	Diphtheria and croup.....	27	8	1	4		3		5	1	1	2		2
9	Influenza.....	564	3	2	5	2	1				45	426	39	41
13	Tuberculosis of the lungs.....	228	12	15	24	27	18	16	20	14	20	29	17	16
14-15	Other forms of tuberculosis.....	24	2	2	2	4	2	1	2	3	3		1	2
17	Meningitis.....	10	1	2	2	2				1		1		1
20-21	Bronchitis.....	62	11	11	3	6	5	5	2	2	37	162	9	12
22	Pneumonia.....	261	9	7	9	8	4		1	1	8	36	5	9
(23)	Bronchopneumonia.....	135	15	10	20	19	9	2	1	1	73	36	30	12
25	Diarrhea and enteritis (under 2 years).....	308	15	6	13	10	13	15	78	73				7
(37)	Diarrhea and enteritis (2 years and over).....	15						2		2	2	5	1	4
(33)	Congenital debility ¹	24	2			2	1	1		2	2	6	6	5
35	Violent deaths (suicide excepted).....	70	12	3	6	4	4	2	6	7	7	8		
36	Suicide.....	6				1	2		1	1	1	1		
	All other causes.....	1,070	106	90	108	104	79	74	69	67	87	119	80	87
	LOWELL, MASS.													
	All causes.....	2,466	153	176	175	203	159	136	136	162	251	587	127	201
1	Typhoid fever.....	2								1	1			
3	Malaria.....	16												
5	Measles.....	4		1			1	1	1	2	4	4	3	
6	Scarlet fever.....	20	2	2	5					1	3	6	1	2
7	Whooping cough.....	18	2	1	4	1	1	2		1	1	1	2	2
8	Diphtheria and croup.....	288	1	1	1	2	1		1	1	48	198	17	17
9	Influenza.....	160	10	11	8	24	15	12	12	12	8	21	7	20
13	Tuberculosis of the lungs.....	41		7	3	5	4	4	3	4	3	2	2	4
14-15	Other forms of tuberculosis.....													
17	Meningitis.....	13	1	1	5	1		2		2	2	15	2	7
20-21	Bronchitis.....	78	13	13	9	10	4	2	4	2	39	107	4	14
22	Pneumonia.....	256	13	19	24	17	8	6	5	2	10	87	13	17
(23)	Bronchopneumonia.....	227	11	22	25	17	14	3	6	5	32	27	16	7
25	Diarrhea and enteritis (under 2 years).....	182	8	3	8	9	7	8	33	54	5	3	2	1
(37)	Diarrhea and enteritis (2 years and over).....	15				3				5	3	8	4	6
(33)	Congenital debility ¹	55	5	2	4	4	5	3	1	5	11	12	5	11
35	Violent deaths (suicide excepted).....	108	6	6	9	10	8	13	6	11	1	1		
36	Suicide.....	7		1	2		1		1	1	58	79	108	61
	All other causes.....	976	85	86	68	99	90	80	62	58	79	108	61	100
	WORCESTER, MASS.													
	All causes.....	3,758	248	239	270	316	218	193	182	225	343	926	262	336
1	Typhoid fever.....	6								2		4		
3	Malaria.....													
5	Measles.....	7		1		1			1	1	1	1		1
6	Scarlet fever.....	2												2
7	Whooping cough.....	6												
8	Diphtheria and croup.....	21	3	2	2	3	2			1	3	3	1	1
9	Influenza.....	457		2	5	4	1	1			43	320	27	54
13	Tuberculosis of the lungs.....	206	12	11	22	20	18	15	18	16	13	18	21	22
14-15	Other forms of tuberculosis.....	48	4	3	9	4	5	4	3	2	1	6	5	1
17	Meningitis.....	20	2	2	1	9	3			2	9			7
20-21	Bronchitis.....	45	8	3	6	4	3	3		3	92	277	29	53
22	Pneumonia.....	616	23	28	26	54	19	8	4	3	3	57	9	18
(23)	Bronchopneumonia.....	192	15	11	16	25	12	7	7	3	12	23	11	7
25	Diarrhea and enteritis (under 2 years).....	132	4	4	4	3	8	25	2	32	9	4	2	2
(37)	Diarrhea and enteritis (2 years and over).....	33			2	2	2	4	4	4	1	5	4	3
(33)	Congenital debility ¹	27	1	2	1		1	2	3	4	1	5	4	3
35	Violent deaths (suicide excepted).....	154	13	9	12	15	10	7	9	25	13	14	14	13
36	Suicide.....	22	2	3		3	2	1	1	1	1	3	2	3
	All other causes.....	1,764	161	158	163	168	135	133	107	128	129	198	138	146
	DETROIT, MICH.													
	All causes.....	12,889	991	926	1,071	1,295	916	695	760	716	697	1,957	1,370	1,495
1	Typhoid fever.....	72	11	3	5	8	4	2	4	9	5	15	2	4
3	Malaria.....	1	1											
5	Measles.....	129	8	21	17	17	33	15	11	3	1	1	3	3
6	Scarlet fever.....	46	6	3	3	8	8	3	3	4	1	5	2	2
7	Whooping cough.....	155	10	16	22	18	16	11	16	8	12	19	15	43
8	Diphtheria and croup.....	273	28	31	23	18	19	8	17	8	17	39	22	43
9	Influenza.....	1,385	10	4	6	22	7	3	2	2	4	565	398	362
13	Tuberculosis of the lungs.....	969	62	89	120	110	94	75	74	58	50	88	59	90
14-15	Other forms of tuberculosis.....	139	13	9	17	12	13	15	8	15	14	10	8	5
17	Meningitis.....	84	5	8	5	14	15	10	6	3	3	4	4	7
20-21	Bronchitis.....	127	23	9	14	15	5	4	8	3	3	13	15	15
22	Pneumonia.....	1,739	108	113	129	286	61	32	24	10	25	478	231	242
(23)	Bronchopneumonia.....	638	82	61	73	74	47	13	10	19	16	88	77	78
25	Diarrhea and enteritis (under 2 years).....	658	22	35	34	23	29	49	100	120	117	65	33	31
(37)	Diarrhea and enteritis (2 years and over).....	71	2		4	3	8	5	10	12	10	6	3	8
(33)	Congenital debility ¹	116	10	6	11	8	12	8	7	10	10	9	16	9
35	Violent deaths (suicide excepted).....	709	64	68	68	47	58	56	74	41	59	52	57	57
36	Suicide.....	79	7	3	12	9	7	4	4	2	7	8	8	8
	All other causes.....	5,499	519	447	508	585	491	380	400	356	362	488	433	530

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	GRAND RAPIDS, MICH.													
	All causes.....	1,893	156	136	147	198	146	116	115	110	126	165	200	283
1	Typhoid fever.....	10	1	1	1	3		2	1		1			
3	Malaria.....													1
5	Measles.....	1												
6	Scarlet fever.....	2						1						1
7	Whooping cough.....	9	1	1	2	1	3							2
8	Diphtheria and croup.....	32	4	4	5	3	3	1	4	1	2	2	1	2
9	Influenza.....	173				4					1	25	52	89
13	Tuberculosis of the lungs.....	115	8	10	14	11	10	13	13	9	8	4	7	8
14-15	Other forms of tuberculosis.....	24		2	2	1	1	5	2	2	2	3	2	2
17	Meningitis.....	4	1	1				1					1	
20-21	Bronchitis.....	31	4	1	6	4	2		1		4	6	3	
22	Pneumonia.....	128	11	7	6	17	8	3	4	1	2	17	24	28
(23)	Bronchopneumonia.....	78	6	6	8	12	5					10	9	22
25	Diarrhea and enteritis (under 2 years).....	66	6	4		5		3	2	14	19	6	2	5
(37)	Diarrhea and enteritis (2 years and over).....	21	1	1	1	1	2	2	1	3	7	1		1
(33)	Congenital debility ¹	8	2			1	1	1		1	1		1	
35	Violent deaths (suicide excepted).....	77	5	3	4	11	3	7	8	7	6	8	7	8
36	Suicide.....	17	4	1		3	2		1	2	2	1		1
	All other causes.....	1,097	102	94	98	116	104	77	77	70	75	85	86	113
	MINNEAPOLIS, MINN.													
	All causes.....	5,392	371	361	418	584	437	337	294	254	311	739	599	687
1	Typhoid fever.....	31		3	11	7	1		2		3	3	1	
3	Malaria.....					1	7	6	7	4		1		
5	Measles.....	26				2	8	10	2	5				
6	Scarlet fever.....	33	1	3	2							1		1
7	Whooping cough.....	79	1	6	10	30	15	6	3	7				
8	Diphtheria and croup.....	88	6	6	10	5	9	3	7	4	8	15	12	3
9	Influenza.....	776		1	1	10	7	1			1	285	229	241
13	Tuberculosis of the lungs.....	426	32	36	37	57	46	35	31	20	29	29	29	45
14-15	Other forms of tuberculosis.....	52	6	3	5	3	7	3	8	4	5	4	2	2
17	Meningitis.....	19	2	1	4	1	3	1	1	2	3			
20-21	Bronchitis.....	24	5	1	3	3	1	1	1	1	1	3	2	3
22	Pneumonia.....	485	31	29	31	108	27	13	7	3	16	100	65	55
(23)	Bronchopneumonia.....	144	9	12	14	31	18	10	4	1	9	14	8	14
25	Diarrhea and enteritis (under 2 years).....	64	8	3	2	4	6	9	7	6	7	3	4	5
(37)	Diarrhea and enteritis (2 years and over).....	27	2	2	1		2	3	2	4	1	5	5	7
(33)	Congenital debility ¹	29	3	3	1	3	2	4		2	2	1	1	7
35	Violent deaths (suicide excepted).....	278	18	18	27	24	19	25	19	25	18	25	27	31
36	Suicide.....	59	3	6	5	4	9	3	4	5	5	6	9	6
	All other causes.....	2,754	244	228	253	279	249	211	194	172	203	243	208	270
	ST. PAUL, MINN.													
	All causes.....	3,602	249	191	287	293	275	204	213	186	206	415	635	448
1	Typhoid fever.....	8	1		3					1		2	1	
3	Malaria.....					1	1		1					1
5	Measles.....	4				1	1							
6	Scarlet fever.....	42	2	4	14	9	7		2	1		3		
7	Whooping cough.....	37		1	5	8	1	3	6	4	4	4	5	8
8	Diphtheria and croup.....	58	2	2	5	5	7	8		4	2	10	5	8
9	Influenza.....	644	1		1	2	3				118	334	185	
13	Tuberculosis of the lungs.....	267	32	23	24	27	20	19	18	12	17	23	30	22
14-15	Other forms of tuberculosis.....	51	3	6	4		6	3	6	6	5	4	5	3
17	Meningitis.....	10	1			1	2	1	1		2	1	1	1
20-21	Bronchitis.....	22	4	3	4	1	4	2	1			1	2	
22	Pneumonia.....	304	21	10	29	46	16	6	6	5	6	52	66	41
(23)	Bronchopneumonia.....	81	5	5	9	14	14	10	1			7	8	8
25	Diarrhea and enteritis (under 2 years).....	77	6	9	8	4	3	3	4	13	12	5	7	3
(37)	Diarrhea and enteritis (2 years and over).....	17	1	1	2		1	1	1	4	3	2	1	
(33)	Congenital debility ¹	21			3		1	3	3	2	4	1	3	1
35	Violent deaths (suicide excepted).....	166	15	12	9	17	11	15	20	6	18	16	16	11
36	Suicide.....	32	2	3	2	2	6	3	1	1	5	2	2	3
	All other causes.....	1,761	153	112	164	156	173	127	142	127	130	166	151	160
	KANSAS CITY, MO. (TOTAL).													
	All causes.....	6,608	502	450	588	488	413	395	394	323	305	1,001	736	1,013
1	Typhoid fever.....	47	2	1	5	1	3	2	6	6	6	6	5	4
3	Malaria.....	7			1		7	8	4		1	2	1	2
5	Measles.....	57	17	11	10	7	8	4						
6	Scarlet fever.....	11	3	1	1							1		1
7	Whooping cough.....	40	1	2	5	10	5	3	5	1	1	5	1	1
8	Diphtheria and croup.....	61	4	5	9	9	6	1	2		4	12	4	5
9	Influenza.....	855	10	5	7	10	4	1	2			233	195	388
13	Tuberculosis of the lungs.....	458	32	28	45	38	41	56	35	36	24	43	39	41
14-15	Other forms of tuberculosis.....	45	3	7	6	2	7	6	5	2	3	1		
17	Meningitis.....	50	8	8	8	7	3	3	2	5		4	1	1
20-21	Bronchitis.....	33	9	2	7	1	3	1	1			7	4	3
22	Pneumonia.....	1,060	66	53	117	66	29	10	3	4	18	349	182	182
(23)	Bronchopneumonia.....	285	30	26	29	13	15	5	6	4	13	44	38	62
25	Diarrhea and enteritis (under 2 years).....	124	4	4	4	7	3	14	27	29	13	11	5	3
(37)	Diarrhea and enteritis (2 years and over).....	33		1	5	6	2	3	7	8	5	1		
(33)	Congenital debility ¹	26	2	1	2	4	2	1	4	1	3	2	1	3
35	Violent deaths (suicide excepted).....	425	42	33	26	30	40	45	36	35	28	26	35	49
36	Suicide.....	65	6	6	4	2	8	5	6	4	4	6	6	8
	All other causes.....	2,916	263	256	297	277	228	235	247	186	182	250	239	256

¹ Excluding premature birth.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

507

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	KANSAS CITY, MO. (WHITE).													
	All causes	5,682	413	331	472	415	337	331	325	267	258	897	664	922
1	Typhoid fever	39	1	1	3	1	2	2	5	6	5	5	4	4
3	Malaria	4										2		2
5	Measles	54	17	11	10	6	6	4						
6	Scarlet fever	11	3	1	5	10	4	3	5	1	1	1		
7	Whooping cough	37	1	2	5	10	4	1	2			4		1
8	Diphtheria and croup	59	4	5	9	9	4	1	2			12	4	5
9	Influenza	827	10	4	5	7	4	24	15	25	15	27	189	379
13	Tuberculosis of the lungs	310	19	20	30	27	23	35	24	25	15	30	32	
14-15	Other forms of tuberculosis	30	1	6	4	1	4	2	4	2	2	1		3
17	Meningitis	44	8	6	6	7	2	3	2	4		4	1	1
20-21	Bronchitis	30	7	1	6		1	1	1			6	4	3
22	Pneumonia	900	52	44	84	59	23	7	2	3	15	316	139	156
(23)	Bronchopneumonia	240	23	22	19	11	14	3	5	2	12	38	38	53
25	Diarrhea and enteritis (under 2 years)	114	4	3	4	6	3	13	22	28	13	10	5	3
(37)	Diarrhea and enteritis (2 years and over)	33		1	5	4	2	3	6	7	4	1		
(33)	Congenital debility ¹	26	2	1	2	2	4	1	4	1	3	2	1	3
35	Violent deaths (suicide excepted)	346	29	27	21	23	34	39	26	27	22	23	31	44
36	Suicide	61	5	6	4	2	7	5	6	5	3	4	6	8
	All other causes	2,517	227	220	254	240	196	205	209	156	159	215	212	224
KANSAS CITY, MO. (COLORED).														
	All causes	926	89	69	116	73	76	64	69	56	47	104	72	91
1	Typhoid fever	8	1		2		1		1		1	1	1	
3	Malaria	3		1			2				1		1	
5	Measles	3												
6	Scarlet fever													
7	Whooping cough	3												
8	Diphtheria and croup	2												
9	Influenza	28		1	2	3								
13	Tuberculosis of the lungs	148	13	8	15	11	18	18	11	11	9	16	9	9
14-15	Other forms of tuberculosis	15	2	1	2	1	3	4	1		1			
17	Meningitis	6		2	2		1							
20-21	Bronchitis	8	2	1	1	1	2							
22	Pneumonia	160	14	9	33	7	6	3	1	1	3	33	23	27
(23)	Bronchopneumonia	45	7	4	10	2	1	2	1	2	1	6		9
25	Diarrhea and enteritis (under 2 years)	10		1		1		1	5	1		1		
(37)	Diarrhea and enteritis (2 years and over)	5				2		1	1	1				
(33)	Congenital debility ¹													
35	Violent deaths (suicide excepted)	79	13	6	5	7	6	6	10	8	6	3	4	5
36	Suicide	4	1				1			1	1			
	All other causes	399	36	36	43	37	32	30	38	30	23	35	27	32
ST. LOUIS, MO. (TOTAL).														
	All causes	13,727	1,083	1,003	1,172	1,112	925	763	805	860	728	1,525	1,711	2,040
1	Typhoid fever	60	1	2	1	3	2	4	8	9	10	4	12	4
3	Malaria	15				1		3	2	4	4			1
5	Measles	25	3	3	4	4	4	6	1					
6	Scarlet fever	21		2	2	4	1							
7	Whooping cough	170	6	12	22	42	34	23	13	10	1	4	1	2
8	Diphtheria and croup	128	16	13	14	16	4	7	8	7	8	15	7	13
9	Influenza	1,342	14	16	20	21	9	7	3	3	3	296	402	548
13	Tuberculosis of the lungs	976	83	98	104	97	89	76	65	63	63	76	73	89
14-15	Other forms of tuberculosis	118	8	9	13	16	21	7	5	13	4	6	8	8
17	Meningitis	69	5	5	8	9	6	6	9	3	5	4	5	4
20-21	Bronchitis	169	23	17	19	11	12	7	3	12	8	16	20	21
22	Pneumonia	2,030	134	133	141	162	68	24	25	26	32	358	412	515
(23)	Bronchopneumonia	691	81	.58	76	55	52	21	20	25	16	79	90	118
25	Diarrhea and enteritis (under 2 years)	319	9	12	12	15	19	26	62	70	37	25	22	10
(37)	Diarrhea and enteritis (2 years and over)	65	2		3	7	6	7	6	9	6	7	5	2
(33)	Congenital debility ¹	40	5	1	3	6	4	3	4	1	2	2	7	2
35	Violent deaths (suicide excepted)	652	58	60	63	57	40	54	50	65	45	45	63	52
36	Suicide	136	13	10	8	14	13	15	12	14	8	7	6	16
	All other causes	6,701	622	552	659	572	541	467	509	523	475	579	575	629
ST. LOUIS, MO. (WHITE).														
	All causes	11,734	919	815	965	949	780	619	696	723	613	1,278	1,532	1,845
1	Typhoid fever	49	1	2	1	3	1	3	4	7	9	4	11	3
3	Malaria	9				1		1	2	4				1
5	Measles	13		2	2	4	1							
6	Scarlet fever	21		2	2	4	1							
7	Whooping cough	130	4	6	17	33	25	18	10	9	1	4	1	2
8	Diphtheria and croup	116	15	11	12	15	3	4	7	7	8	15	6	13
9	Influenza	1,230	13	12	15	21	9	5	3	2	3	258	374	515
13	Tuberculosis of the lungs	731	69	69	71	75	67	51	50	40	48	56	61	74
14-15	Other forms of tuberculosis	85	5	8	8	12	18	5	4	6	3	3	5	8
17	Meningitis	59	5	3	6	8	6	4	8	2	4	4	4	4
20-21	Bronchitis	147	21	15	16	11	11	6	3	12	6	13	15	18
22	Pneumonia	1,679	103	96	103	125	49	21	19	18	22	293	367	463
(23)	Bronchopneumonia	556	63	42	53	47	41	13	15	20	16	59	83	104
25	Diarrhea and enteritis (under 2 years)	290	8	12	9	14	18	24	56	64	32	23	21	9
(37)	Diarrhea and enteritis (2 years and over)	55	2		3	5	6	5	3	7	6	7	6	5
(33)	Congenital debility ¹	32	5		2	6	2	3	4	1	1	2	5	1
35	Violent deaths (suicide excepted)	552	53	51	55	49	33	48	42	55	33	36	50	47
36	Suicide	129	13	9	8	14	12	15	11	12	8	7	6	14
	All other causes	5,851	539	475	582	503	475	391	456	456	408	492	513	561

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	ST. LOUIS, MO. (COLORED).													
	All causes	1,993	164	188	207	163	145	144	109	137	115	247	179	195
1	Typhoid fever	11												
3	Malaria	6												
5	Measles	12	3	1	2	1	1	3	1	2				
6	Scarlet fever													
7	Whooping cough	40	2	6	5	9	9	5	3	1				
8	Diphtheria and croup	12	1	2	1	1	1	3	1					
9	Influenza	112	1	4	5			2		1				
13	Tuberculosis of the lungs	245	14	29	33	22	22	25	15	23	15	38	28	33
14-15	Other forms of tuberculosis	33	3	1	5	4	3	2	1	7	1	20	12	15
17	Meningitis	10				1		2	1	1	1			
20-21	Bronchitis	22	2	2	3			1	1			3	5	3
22	Pneumonia	351	31	37	38	37	19	3	6	8	10	65	45	52
(23)	Bronchopneumonia	135	18	16	23	8	11	8	5	5		20	7	14
25	Diarrhea and enteritis (under 2 years)	29	1		3	1	1	2	6	6	5			
(37)	Diarrhea and enteritis (2 years and over)	10				2		2	3	2		1	1	
(33)	Congenital debility ¹	8		1	1		2							
35	Violent deaths (suicide excepted)	100	5	9	8	8	7	6	8	10	12	9	13	5
36	Suicide	7		1			1		1			2		
	All other causes	850	83	77	77	69	66	76	53	67	67	87	60	68
OMAHA, NEBR.														
	All causes	3,199	176	168	187	252	160	183	201	182	174	568	380	568
1	Typhoid fever	11			2		3	2			1	3		
3	Malaria													
5	Measles	11		3	3	2	1			2				
6	Scarlet fever	8	1		1	2	1			1			2	
7	Whooping cough	14			2	6	1		1	3	2	4	1	4
8	Diphtheria and croup	51	5	2	2	6	4	4	5	3	4	8	4	4
9	Influenza	633		2	2	3		1				245	132	248
13	Tuberculosis of the lungs	175	17	15	16	11	12	22	12	10	12	11	10	27
14-15	Other forms of tuberculosis	37	2	4	2	4		3	4	6	3	4	2	3
17	Meningitis	14	3	1	2	2	1					2	1	
20-21	Bronchitis	14			1	4	4	1				2	1	1
22	Pneumonia	431	14	19	23	46	11	8	3	2	8	134	65	98
(23)	Bronchopneumonia	107	5	12	14	17	12	1	1	1	3	19	7	13
25	Diarrhea and enteritis (under 2 years)	69	1	5	3		6	7	14	13	9	5	5	1
(37)	Diarrhea and enteritis (2 years and over)	13	1	1		1		2	1	2	4	1		
(33)	Congenital debility ¹	23	3	2	2	1		1	2	1	2	4	3	2
35	Violent deaths (suicide excepted)	167	19	4	5	11	11	13	19	17	16	13	19	20
36	Suicide	28	3	3	3	5	1	2	4	3	2			
	All other causes	1,395	102	94	105	137	92	116	131	121	107	111	130	149
JERSEY CITY, N. J.														
	All causes	6,081	427	366	558	415	344	314	296	357	350	1,874	538	442
1	Typhoid fever	16	1		3	3	1		2	1	1	2		2
3	Malaria													
5	Measles	40	10	7	8	6	8	1						
6	Scarlet fever	10	1	2	2	1			2					
7	Whooping cough	58	7	6	7	7	5	3	1	3	5	11	1	2
8	Diphtheria and croup	61	5	11	7	3	2	4	3	1	2	9	8	6
9	Influenza	642	3	4	11	5	2				7	478	94	38
13	Tuberculosis of the lungs	399	38	24	63	37	30	25	25	39	26	31	33	28
14-15	Other forms of tuberculosis	53	10	3	6	4	5	5	5	7	5	1	3	2
17	Meningitis	51	4	1	4	9	8	6	1	3	4	5	3	3
20-21	Bronchitis	79	10	10	10	10	2	3	3	1		16	10	4
22	Pneumonia	1,144	57	42	94	71	30	21	24	7	37	595	98	68
(23)	Bronchopneumonia	426	29	20	29	29	20	9	10	5	13	192	41	29
25	Diarrhea and enteritis (under 2 years)	264	5	12	14	10	10	20	46	57	43	28	12	12
(37)	Diarrhea and enteritis (2 years and over)	42	1	2	5	4	2	6	2	3	4	8	3	2
(33)	Congenital debility ¹	48	1	1	7	2	4	1			6	4	*8	6
34	Violent deaths (suicide excepted)	333	24	25	27	21	39	20	21	35	24	32	34	31
36	Suicide	25	1	2	5	4	3	2	2	1	2	1	2	2
	All other causes	2,390	220	194	256	189	173	188	149	189	178	259	188	207
NEWARK, N. J.														
	All causes	8,132	597	551	687	639	500	392	450	426	414	1,937	819	720
1	Typhoid fever	18	1			2	1	2		3	3	5		1
3	Malaria													
5	Measles	118	4	7	26	34	27	14	3	1		1		
6	Scarlet fever	7			1	2	2	1						
7	Whooping cough	52	6	5	3	6	6	3	5	6	2	5	3	2
8	Diphtheria and croup	47	2	7	4	5	3	2		2	7	5	4	6
9	Influenza	750	5	6	12	9	3			1	8	456	159	91
13	Tuberculosis of the lungs	545	54	68	61	58	51	41	32	23	25	54	39	39
14-15	Other forms of tuberculosis	99	4	10	5	17	9	12	14	3	4	9	5	7
17	Meningitis	53	4	3	5	9	8	2	4	6	2	2	5	3
20-21	Bronchitis	170	27	10	24	18	8	7	7	4	3	29	18	15
22	Pneumonia	1,564	55	48	139	79	50	29	19	7	17	777	191	183
(23)	Bronchopneumonia	429	30	41	38	31	10	15	11	6	12	148	33	54
25	Diarrhea and enteritis (under 2 years)	341	16	11	15	13	13	21	70	45	32	11	24	
(37)	Diarrhea and enteritis (2 years and over)	49	3	2	5	5	1	4	9	5	4	9	7	14
(33)	Congenital debility ¹	71	44	29	21	44	26	25	33	36	39	44	39	38
35	Violent deaths (suicide excepted)	418	44	4	7	5	3	2	3	2	3	5	4	9
36	Suicide	51	4	4	7	5	3	2	3	2	3	5	4	9
	All other causes	3,350	337	295	314	299	274	211	238	244	231	351	299	257

¹ Excluding premature birth.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

509

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	PATERSON, N. J.													
	All causes.....	2,686	231	169	193	177	156	134	121	185	162	645	262	251
1	Typhoid fever.....	6				1	1	1		1	1	1		
3	Malaria.....													
5	Measles.....	21	4	1	7	3	2	3	1					
6	Scarlet fever.....	1												
7	Whooping cough.....	19	2	1	3	5	3	2	1	2		2	2	3
8	Diphtheria and croup.....	22	2	1	2	1	3	2	2			319	84	67
9	Influenza.....	476	1	2	2		1							
13	Tuberculosis of the lungs.....	193	19	15	21	16	14	17	14	16	18	14	16	13
14-15	Other forms of tuberculosis.....	12	3		1			2	1	1	1	1		3
17	Meningitis.....	12				1	3	1	1	2	1	1	1	1
20-21	Bronchitis.....	21	1			1	1	3				8	2	4
22	Pneumonia.....	334	20	28	23	26	13	5	1	4	13	124	39	38
(23)	Bronchopneumonia.....	105	9	5	7	8	4	2	2	4	6	35	12	11
25	Diarrhea and enteritis (under 2 years).....	89	2	1		1	3	6	10	23	31	5	2	5
(37)	Diarrhea and enteritis (2 years and over).....	17	1				2	1	7	1	2	2	1	
(38)	Congenital debility ¹	23	2	1	1	1	1		1	8	3	2		
35	Violent deaths (suicide excepted).....	151	23	16	10	8	10	11	10	9	9	18	10	17
36	Suicide.....	24	4	1	2	3	3	1	1	2	3	2	2	
	All other causes.....	1,160	138	97	112	102	92	77	76	106	74	111	87	88
	ALBANY, N. Y.													
	All causes.....	2,548	191	165	202	202	159	144	152	134	125	673	207	194
1	Typhoid fever.....	12			1	3	1			1	1	4		1
3	Malaria.....					2								
5	Measles.....	3												
6	Scarlet fever.....	1												
7	Whooping cough.....	16	1	1	2	1	3	1		3	1	4	1	
8	Diphtheria and croup.....	8							1	1	3			
9	Influenza.....	371	2	1	1	1	1					304	42	19
13	Tuberculosis of the lungs.....	206	21	15	25	18	17	24	14	15	6	23	14	14
14-15	Other forms of tuberculosis.....	24	1	1	6	2	2	3	3	1	5			
17	Meningitis.....	25	2	2	4		4	2	4	3	2	2	1	
20-21	Bronchitis.....	15				2	2	2	2	2	2	2	1	
22	Pneumonia.....	275	15	15	18	15	6	5	1	4	9	147	22	18
(23)	Bronchopneumonia.....	99	3	10	11	17	2	3	1	4	5	30	8	10
25	Diarrhea and enteritis (under 2 years).....	34	3	1	3	1	5	1	5	4	5	3	2	1
(37)	Diarrhea and enteritis (2 years and over).....	11				1	2	1	1	4	1			
(38)	Congenital debility ¹	8	1		3	8	2							
35	Violent deaths (suicide excepted).....	104	12	6	7	8	8	9	12	9	6	8	9	10
36	Suicide.....	19	2	3	2	1		1	2		1	2	5	
	All other causes.....	1,317	128	110	116	133	104	92	104	86	91	136	102	115
	BUFFALO, N. Y.													
	All causes.....	10,112	684	619	705	733	632	553	587	679	631	2,640	846	798
1	Typhoid fever.....	38	2	1	4	3	4	1		1	4	14	3	1
3	Malaria.....													
5	Measles.....	42	4	5	3	7	7	2	5	1	6	2		
6	Scarlet fever.....	17	3	1	1	1	1	2	5	5	5	14	2	3
7	Whooping cough.....	57	1	4	5	4	7	5	4	6	9	18	11	20
8	Diphtheria and croup.....	114	6	11	8	11	5	5	4	3	2	980	182	104
9	Influenza.....	1,273	5	2	6	3		1	3	5	5	56		
13	Tuberculosis of the lungs.....	752	69	62	74	80	72	65	45	57	42	74	56	56
14-15	Other forms of tuberculosis.....	93	3	6	14	8	9	5	9	10	9	11	6	3
17	Meningitis.....	29	7	2	4	1	1	2	3	2	1	1	3	2
20-21	Bronchitis.....	92	12	13	13	16	1	5	4	2	2	9	8	7
22	Pneumonia.....	1,334	53	52	71	101	47	25	32	15	26	697	104	111
(23)	Bronchopneumonia.....	523	44	50	43	57	25	11	14	10	21	173	41	34
25	Diarrhea and enteritis (under 2 years).....	645	27	13	31	25	26	32	73	170	107	71	35	35
(37)	Diarrhea and enteritis (2 years and over).....	77	4	5	4	3	1	5	7	14	17	9	4	4
(38)	Congenital debility ¹	33	2	5	3	1	1	4	2	5	4	5	1	
35	Violent deaths (suicide excepted).....	467	35	44	28	31	49	36	39	47	26	39	48	45
36	Suicide.....	46	5	1	5	3	1	6	2	3	6	5	3	6
	All other causes.....	4,480	406	343	386	383	375	348	341	328	342	532	331	365
	NEW YORK, N. Y. (TOTAL).													
	All causes.....	96,989	7,951	6,841	9,167	7,536	5,949	5,137	5,112	5,122	5,096	22,328	9,261	7,489
1	Typhoid fever.....	195	6	8	13	6	8	14	32	34	30	22	14	8
3	Malaria.....	18	2		3		4		3	1	1	3		1
5	Measles.....	844	107	111	189	163	118	81	31	18	9	8	2	9
6	Scarlet fever.....	189	29	21	18	25	30	22	16	4	1	11	3	9
7	Whooping cough.....	665	73	66	132	108	73	47	42	29	15	55	16	9
8	Diphtheria and croup.....	1,213	110	101	138	156	106	108	69	49	46	129	81	120
9	Influenza.....	8,258	53	44	88	69	31	9	3	6	-106	5,715	1,431	698
13	Tuberculosis of the lungs.....	8,951	864	796	1,093	845	755	633	601	563	563	881	712	635
14-15	Other forms of tuberculosis.....	1,165	109	99	119	135	116	115	37	32	26	37	139	67
17	Meningitis.....	410	29	41	65	54	36	25	23	33	26	28	23	27
20-21	Bronchitis.....	970	146	121	115	87	80	37	32	26	37	139	67	83
22	Pneumonia.....	16,841	944	855	1,778	1,145	534	271	208	176	423	-7,690	1,770	1,046
(23)	Bronchopneumonia.....	6,141	438	370	520	447	247	147	120	135	160	2,157	863	537
25	Diarrhea and enteritis (under 2 years).....	2,749	157	120	133	139	137	145	145	360	584	383	293	134
(37)	Diarrhea and enteritis (2 years and over).....	333	17	22	21	18	21	25	49	53	37	34	21	15
(38)	Congenital debility ¹	943	60	52	60	75	57	56	72	86	103	126	111	85
35	Violent deaths (suicide excepted).....	4,542	440	372	370	322	335	345	361	436	345	365	435	366
36	Suicide.....	718	72	65	73	53	54	46	55	55	55	77	55	58
	All other causes.....	41,844	4,290	3,576	4,239	3,639	3,207	3,011	2,957	2,739	2,673	4,516	3,381	3,566

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	NEW YORK, N. Y. (WHITE).													
	All causes.....	98,088	7,642	6,557	8,716	7,256	5,724	4,925	4,875	4,901	4,879	21,509	8,895	7,209
1	Typhoid fever.....	189	5	8	13	6	8	14	31	33	28	22	13	8
3	Malaria.....	18	2		3		4		3	1	1	3	1	1
5	Measles.....	831	105	110	187	159	116	79	31	18	9	8	2	7
6	Scarlet fever.....	187	29	21	18	25	29	21	16	4	1	11	3	9
7	Whooping cough.....	628	68	61	128	107	70	46	39	27	9	50	15	8
8	Diphtheria and croup.....	1,184	107	99	133	153	105	105	64	47	44	129	80	118
9	Influenza.....	7,986	55	42	86	66	30	8	3	5	102	5,523	1,388	678
13	Tuberculosis of the lungs.....	8,352	810	752	1,018	799	723	598	547	522	521	830	649	583
14-15	Other forms of tuberculosis.....	1,097	106	94	114	135	107	101	69	86	74	72	59	80
17	Meningitis.....	386	29	37	62	48	36	23	22	30	24	25	23	27
20-21	Bronchitis.....	925	139	116	107	82	76	34	30	24	37	132	66	82
22	Pneumonia.....	16,015	903	802	1,635	1,073	499	254	192	165	390	7,411	1,694	997
(23)	Bronchopneumonia.....	5,872	414	353	495	428	235	137	114	124	154	2,075	828	515
25	Diarrhea and enteritis (under 2 years).....	2,641	152	117	129	134	134	137	346	553	370	283	158	128
(37)	Diarrhea and enteritis (2 years and over).....	327	17	22	21	18	21	24	47	53	37	31	21	15
(33)	Congenital debility ¹	899	59	47	60	71	55	54	68	84	98	122	103	78
35	Violent deaths (suicide excepted).....	4,374	423	356	357	306	319	335	361	419	335	353	466	354
36	Suicide.....	697	69	63	71	52	53	41	55	54	54	73	54	58
	All other causes.....	40,480	4,150	3,457	4,079	3,594	3,104	2,914	2,847	2,652	2,591	4,356	3,273	3,463
NEW YORK, N. Y. (COLORED).														
	All causes.....	3,901	309	284	451	280	225	212	287	221	217	819	366	280
1	Typhoid fever.....	6	1						1	1	2		1	
3	Malaria.....													
5	Measles.....	13	2	1	2	4	2	2						
6	Scarlet fever.....	2												
7	Whooping cough.....	37	5	5	4	1	3	1	3	2	2			
8	Diphtheria and croup.....	29	3	2	5	3	1	3	5	2	2			
9	Influenza.....	272	3	2	2	3	1	1	1	1	4	192	43	20
13	Tuberculosis of the lungs.....	599	54	44	75	46	32	35	54	46	47	51	63	52
14-15	Other forms of tuberculosis.....	68	3	5	75	9	9	14	9	4	4	7	3	5
17	Meningitis.....	24		4	3	6			1	1	2	3		
20-21	Bronchitis.....	45	7	5	8	5	4	2	2	2	7			
22	Pneumonia.....	826	41	54	143	72	35	17	16	11	33	279	76	49
(23)	Bronchopneumonia.....	269	24	17	25	19	12	10	6	11	6	82	35	22
(37)	Diarrhea and enteritis (under 2 years).....	108	5	3	4	5	3	8	14	31	13	10	6	6
(33)	Diarrhea and enteritis (2 years and over).....	6						1	2		3			
35	Congenital debility ¹	44	1	5		4	2	2	4	2	5	4	8	7
36	Violent deaths (suicide excepted).....	168	17	16	13	16	16	10	10	17	10	12	19	12
	Suicide.....	21	3	2	2	1	1	5	7	1	1	4	1	
	All other causes.....	1,304	140	119	160	95	103	97	110	87	82	160	108	103
NEW YORK, N. Y. (BRONX BOROUGH).														
	All causes.....	10,607	869	692	926	830	624	583	548	537	558	2,630	1,049	761
1	Typhoid fever.....	17		1	1	3			3	1	2	4	1	1
3	Malaria.....	1												
5	Measles.....	62	6	6	14	18	8	5	4	1				
6	Scarlet fever.....	13		2	1	4	2	1						
7	Whooping cough.....	70	7	5	13	14	8	6	6	5	2	7	2	
8	Diphtheria and croup.....	133	14	11	10	11	12	13	11	5	5	14	9	18
9	Influenza.....	945	5	3	9	9	1							
13	Tuberculosis of the lungs.....	1,022	105	91	99	101	87	71	68	66	77	108	80	75
14-15	Other forms of tuberculosis.....	137	11	10	21	18	9	17	8	14	9	7	5	8
17	Meningitis.....	29	2	2	8	5	3	1	1	1	1	1	2	2
20-21	Bronchitis.....	57	9	4	6	4	7	4	2	3	5	6	3	4
22	Pneumonia.....	2,016	89	84	181	121	53	26	15	18	37	1,092	199	101
(23)	Bronchopneumonia.....	542	35	32	48	40	19	10	13	15	13	181	96	40
25	Diarrhea and enteritis (under 2 years).....	185	12	11	8	7	9	2	15	41	39	22	8	11
(37)	Diarrhea and enteritis (2 years and over).....	35	2	5	2	4	3	2	4	5	4	1	1	2
(33)	Congenital debility ¹	88	6	2	3	6	1	13	7	5	11	44	19	33
35	Violent deaths (suicide excepted).....	395	41	17	37	30	32	41	36	31	37	30	33	30
36	Suicide.....	71	5	4	3	5	8	8	4	6	6	10	4	9
	All other causes.....	4,789	520	401	461	432	365	363	347	326	296	483	417	378
NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).														
	All causes.....	34,010	2,792	2,364	3,171	2,643	2,033	1,811	1,713	1,763	1,805	8,010	3,313	2,592
1	Typhoid fever.....	78	5	1	4	1	3	8	13	17	13	6	5	2
3	Malaria.....	10	2		1		2		1	1	1	2		
5	Measles.....	346	69	57	94	59	35	17	3	2	2	1	5	
6	Scarlet fever.....	61	9	10	7	6	5	7	3	1	1	6	2	4
7	Whooping cough.....	173	20	21	32	25	9	12	7	13	6	17	8	3
8	Diphtheria and croup.....	382	41	27	51	50	31	36	25	14	11	44	19	33
9	Influenza.....	2,948	31	23	39	27	14	2	1	3	51	1,997	538	222
13	Tuberculosis of the lungs.....	2,714	281	235	300	266	222	197	180	154	194	274	212	199
14-15	Other forms of tuberculosis.....	350	23	36	35	43	41	34	25	25	24	28	13	23
17	Meningitis.....	139	9	20	22	17	14	10	7	7	12	9	4	8
20-21	Bronchitis.....	388	61	43	46	27	35	11	12	10	23	67	26	27
22	Pneumonia.....	6,065	328	292	591	439	177	105	84	54	144	2,769	680	402
(23)	Bronchopneumonia.....	2,439	162	151	234	194	98	62	35	49	59	876	323	196
25	Diarrhea and enteritis (under 2 years).....	1,031	60	34	54	51	47	55	135	202	150	112	77	54
(37)	Diarrhea and enteritis (2 years and over).....	116	5	4	6	4	5	10	25	12	14	15	9	7
(33)	Congenital debility ¹	302	17	15	16	24	23	22	21	31	32	38	40	28
35	Violent deaths (suicide excepted).....	1,600	144	141	118	106	128	105	114	172	110	134	204	124
36	Suicide.....	212	16	22	23	16	20	13	16	22	19	20	11	14
	All other causes.....	14,656	1,509	1,232	1,498	1,288	1,124	1,105	1,006	974	939	1,594	1,141	1,246

¹ Excluding premature birth.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

511

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	Area and Cause of Death.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Februa- ry.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).													
	All causes.....	33,043	2,711	2,299	3,061	2,571	1,964	1,754	1,654	1,723	1,752	7,812	3,213	2,529
1	Typhoid fever.....	75	4	1	4	1	3	8	13	17	11	6	5	2
3	Malaria.....	10	2	1	1	2	2	1	1	1	1	2	1	5
5	Measles.....	339	67	57	93	57	34	16	3	2	2	2	1	4
6	Scarlet fever.....	61	9	10	7	6	5	7	3	1	1	6	2	4
7	Whooping cough.....	167	19	21	31	25	8	12	7	13	5	15	8	3
8	Diphtheria and croup.....	380	41	26	51	50	31	36	24	14	11	44	19	33
9	Influenza.....	2,872	30	21	37	27	13	1	1	2	49	1,943	525	218
13	Tuberculosis of the lungs.....	2,597	268	224	283	253	216	192	170	148	181	265	201	191
14-15	Other forms of tuberculosis.....	334	23	36	33	43	37	31	24	25	22	28	12	22
17	Meningitis.....	137	9	20	22	17	14	10	6	7	11	9	4	8
20-21	Bronchitis.....	374	59	42	45	26	33	10	10	8	23	65	26	27
22	Pneumonia.....	5,852	318	282	557	418	166	99	80	52	138	2,700	654	388
(23)	Bronchopneumonia.....	2,369	157	146	225	185	93	60	35	48	58	856	311	192
25	Diarrhea and enteritis (under 2 years).....	1,004	59	34	53	50	46	52	128	198	146	111	75	52
(37)	Diarrhea and enteritis (2 years and over).....	113	5	4	6	4	5	10	23	12	14	9	7	7
(33)	Congenital debility ¹	289	17	13	16	23	23	21	21	30	31	36	22	22
35	Violent deaths (suicide excepted).....	1,552	138	134	116	103	121	102	112	167	107	131	201	120
36	Suicide.....	205	15	21	22	15	20	12	16	21	19	20	10	14
	All other causes.....	14,313	1,471	1,207	1,454	1,265	1,094	1,075	977	957	922	1,556	1,114	1,221
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).														
	All causes.....	967	81	65	110	72	69	57	59	40	53	198	100	63
1	Typhoid fever.....	3	1	—	—	—	—	—	—	—	2	—	—	—
3	Malaria.....	7	2	—	1	2	1	1	—	—	—	—	—	—
5	Measles.....	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Scarlet fever.....	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Whooping cough.....	6	1	—	1	—	1	—	—	—	1	2	—	—
8	Diphtheria and croup.....	2	—	—	—	—	—	—	—	—	—	—	—	—
9	Influenza.....	76	1	2	2	—	1	1	—	1	2	49	13	4
13	Tuberculosis of the lungs.....	117	13	11	12	13	6	5	10	6	13	9	11	8
14-15	Other forms of tuberculosis.....	16	—	—	2	—	4	3	1	—	2	2	1	1
17	Meningitis.....	2	—	—	—	—	—	—	1	—	—	—	—	—
20-21	Bronchitis.....	14	2	1	1	1	2	1	2	2	2	2	—	—
22	Pneumonia.....	213	10	10	34	21	11	6	4	2	2	6	69	26
(23)	Bronchopneumonia.....	70	5	5	9	6	5	2	—	1	1	20	12	4
25	Diarrhea and enteritis (under 2 years).....	27	1	—	1	1	3	7	4	4	4	1	2	2
(37)	Diarrhea and enteritis (2 years and over).....	3	—	—	—	—	—	2	—	—	—	—	—	—
(33)	Congenital debility ¹	13	—	2	—	1	—	1	—	1	1	2	4	1
35	Violent deaths (suicide excepted).....	48	6	7	2	3	7	3	2	5	3	3	3	4
36	Suicide.....	7	1	1	1	1	—	—	1	—	—	1	—	—
	All other causes.....	343	38	25	44	23	30	30	29	17	17	38	27	25
NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).														
	All causes.....	42,859	3,514	3,086	4,183	3,387	2,748	2,276	2,338	2,314	2,264	9,382	3,951	3,416
1	Typhoid fever.....	87	1	4	7	1	5	5	13	15	12	11	8	5
3	Malaria.....	4	—	—	—	—	2	—	1	—	6	1	1	1
5	Measles.....	375	21	36	68	75	66	55	24	15	6	6	1	2
6	Scarlet fever.....	96	16	5	8	14	23	14	9	2	2	1	1	2
7	Whooping cough.....	314	34	31	73	49	40	24	21	11	5	17	5	4
8	Diphtheria and croup.....	585	48	54	72	84	57	55	26	23	22	51	42	51
9	Influenza.....	3,437	21	15	36	30	13	7	2	1	33	2,416	545	318
13	Tuberculosis of the lungs.....	4,325	383	367	560	409	387	305	299	290	255	409	356	305
14-15	Other forms of tuberculosis.....	585	66	49	52	62	57	52	42	44	43	38	37	43
17	Meningitis.....	209	15	18	30	26	18	12	15	24	9	14	14	14
20-21	Bronchitis.....	465	65	63	60	51	34	22	15	10	8	59	34	44
22	Pneumonia.....	6,946	420	410	846	486	249	114	95	83	197	2,955	675	416
(23)	Bronchopneumonia.....	2,718	192	142	197	182	112	67	65	61	79	971	384	266
25	Diarrhea and enteritis (under 2 years).....	1,295	70	65	64	68	68	67	187	297	166	136	64	63
(37)	Diarrhea and enteritis (2 years and over).....	142	8	9	10	10	9	10	18	28	11	15	10	4
(33)	Congenital debility ¹	452	30	27	33	38	23	16	35	39	51	68	47	45
35	Violent deaths (suicide excepted).....	2,119	219	176	183	159	140	167	169	191	157	163	212	183
36	Suicide.....	374	42	34	41	30	22	21	24	24	28	45	34	29
	All other causes.....	18,331	1,863	1,581	1,843	1,613	1,423	1,263	1,298	1,156	1,182	2,006	1,482	1,621
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).														
	All causes.....	40,237	3,318	2,888	3,863	3,198	2,603	2,135	2,177	2,149	2,122	8,844	3,715	3,225
1	Typhoid fever.....	84	1	4	7	1	5	5	12	14	12	11	7	5
3	Malaria.....	4	—	—	—	—	2	—	1	—	6	1	1	1
5	Measles.....	369	21	35	67	73	65	54	24	15	6	6	1	2
6	Scarlet fever.....	94	16	5	8	14	22	13	9	2	2	15	4	3
7	Whooping cough.....	287	30	27	70	45	38	23	18	9	20	51	41	49
8	Diphtheria and croup.....	559	45	53	67	81	56	52	23	21	20	31	22	49
9	Influenza.....	3,276	19	15	36	27	13	7	2	1	31	2,299	520	305
13	Tuberculosis of the lungs.....	3,885	345	338	500	378	361	277	261	253	224	371	308	269
14-15	Other forms of tuberculosis.....	537	64	45	50	62	52	41	34	40	41	34	35	39
17	Meningitis.....	190	15	15	27	21	18	10	15	21	8	12	14	14
20-21	Bronchitis.....	435	60	59	54	47	32	20	15	10	8	54	33	43
22	Pneumonia.....	6,398	393	368	743	439	229	105	84	75	173	2,773	631	385
(23)	Bronchopneumonia.....	2,535	175	131	181	171	105	60	59	51	74	916	363	249
25	Diarrhea and enteritis (under 2 years).....	1,222	67	62	61	64	67	63	180	273	159	127	60	59
(37)	Diarrhea and enteritis (2 years and over).....	140	8	9	10	10	9	9	18	28	11	14	10	4
(33)	Congenital debility ¹	425	29	24	33	35	22	16	31	39	47	66	43	40
35	Violent deaths (suicide excepted).....	2,016	210	170	173	149	131	162	162	179	152	155	197	176
36	Suicide.....	363	40	34	40	30	22	17	24	24	27	42	34	29
	All other causes.....	17,419	1,780	1,494	1,736	1,548	1,354	1,201	1,225	1,094	1,127	1,896	1,413	1,551

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).													
	All causes.	2,622	196	198	320	189	145	141	161	165	142	538	236	191
1	Typhoid fever.	3							1	1				
3	Malaria.													
5	Measles.	6		1	1	2	1	1						
6	Scarlet fever.	2												
7	Whooping cough.	27	4	4	3	1	2	1	3	2	3	2	1	1
8	Diphtheria and croup.	26	3	1	5	3	1	3	3	2	2	2	1	2
9	Influenza.	162	2											
13	Tuberculosis of the lungs.	440	38	29	60	31	26	28	38	37	31	38	48	36
14-15	Other forms of tuberculosis.	48	2	4	2		5	11	8	4	2	4	2	4
17	Meningitis.	19		3	3	5		2		3	1	2		
20-21	Bronchitis.	30	5	4	6	4	2	2				5	1	1
22	Pneumonia.	548	27	42	103	47	20	9	11	8	24	182	44	31
(23)	Bronchopneumonia.	183	17	11	16	11	7	7	6	10	5	55	21	17
25	Diarrhea and enteritis (under 2 years).	73	3	3	3	4	1	4	7	24	7	7	4	4
(37)	Diarrhea and enteritis (2 years and over).	2						1				1		
(33)	Congenital debility.	27	1	3		3	1		4		4	2	4	5
35	Violent deaths (suicide excepted).	103	9	6	10	9	5	7	12	5	8	15	7	
36	Suicide.	11	2		1		4		1	3				
	All other causes.	912	83	87	107	65	69	62	73	62	55	110	69	70
NEW YORK, N. Y. (QUEENS BOROUGH).														
	All causes.	7,011	571	478	630	506	419	344	385	366	352	1,653	742	565
1	Typhoid fever.	8		2	1	1			2	1		1		
3	Malaria.	2			1				1					
5	Measles.	49	8	10	9	11	7	3			1			
6	Scarlet fever.	18	4	4	2	1		4			2		1	
7	Whooping cough.	91	12	8	12	19	14	4	6	4	1	10		1
8	Diphtheria and croup.	94	5	5	5	7	6	4	7	6	7	14	10	18
9	Influenza.	720	1	2	4	1	2		1	2	2	494	140	73
13	Tuberculosis of the lungs.	589	53	60	70	48	43	47	44	40	27	61	50	46
14-15	Other forms of tuberculosis.	71	6	3	8	11	8	7	2	6	2	4	6	8
17	Meningitis.	20	2	1	3	2		1				2	3	2
20-21	Bronchitis.	48	9	6	3	4	3		2	2	1	6	8	3
22	Pneumonia.	1,269	80	51	114	72	39	21	11	17	26	578	187	93
(23)	Bronchopneumonia.	368	43	36	32	25	14	8	5	8	7	109	51	30
25	Diarrhea and enteritis (under 2 years).	176	13	8	6	8	12	16	27	31	21	18	11	5
(37)	Diarrhea and enteritis (2 years and over).	32	1	3	3		3	2	2	6	8	2		
(33)	Congenital debility.	70	6	6	5	4	9	2	8	3	6	9	8	4
35	Violent deaths (suicide excepted).	305	28	26	19	24	27	22	26	25	32	28	29	21
36	Suicide.	47	8	2	4	2	5	3	7	3	2	2	6	3
	All other causes.	3,084	294	245	329	266	227	204	231	213	205	313	257	250
NEW YORK, N. Y. (RICHMOND BOROUGH).														
	All causes.	2,502	205	221	257	170	125	123	128	142	117	653	206	155
1	Typhoid fever.	5						1	1		3			
3	Malaria.	1												
5	Measles.	12	3	2	4		2	1						
6	Scarlet fever.	1												
7	Whooping cough.	17	1	2	1	2	1	2	1	1	1	4	1	1
8	Diphtheria and croup.	19	2	4		4		1	1	1	1	6	1	
9	Influenza.	208	1		2	1	1				8	155	31	10
13	Tuberculosis of the lungs.	301	42	43	64	21	16	13	10	18	15	29	14	16
14-15	Other forms of tuberculosis.	22	3	1	3	1	1	5	1	1	1	2	1	3
17	Meningitis.	13	1		2	4		1				1		1
20-21	Bronchitis.	12	2	5	2	1	1		1	1		1		
22	Pneumonia.	545	27	19	46	27	16	5	3	4	19	296	49	34
(23)	Bronchopneumonia.	74	6	9	9	6	4		2	2	2	20	9	5
25	Diarrhea and enteritis (under 2 years).	62	2	2	1	5	1	5	16	13	7	5	4	1
(37)	Diarrhea and enteritis (2 years and over).	8	1	1			1	1		2		1	1	
(33)	Congenital debility.	31	1	2	3	3	1	3	1	8	1	2	4	2
35	Violent deaths (suicide excepted).	123	10	12	13	3	8	10	16	17	9	10	7	8
36	Suicide.	14	1	2	1	2	2	1	1	2	2		7	3
	All other causes.	1,034	104	117	108	90	68	76	75	70	51	120	84	71
ROCHESTER, N. Y.														
	All causes.	4,807	363	334	368	393	300	253	284	282	282	876	504	568
1	Typhoid fever.	5				1					1	1	1	1
3	Malaria.													
5	Measles.	28	4	2	3	3	5	2	7		1	1		
6	Scarlet fever.	9	1	1	1	3								3
7	Whooping cough.	56	2	4	9	13	4	5	4	4	6	2	1	2
8	Diphtheria and croup.	39	6	4	1	4	5		2	4	1	4	4	4
9	Influenza.	618	3	5	4	2	2		1	2	2	261	154	182
13	Tuberculosis of the lungs.	272	25	21	31	28	22	13	14	23	22	28	17	22
14-15	Other forms of tuberculosis.	48	5	7	3	4	4	6	2	1	3	4	9	6
17	Meningitis.	18	1	1		1	1	1	1	1	3	8	1	
20-21	Bronchitis.	66	9	4	11	6	3	2	3	1	3	9	6	3
22	Pneumonia.	617	20	22	41	61	17	11	6	4	10	249	83	93
(23)	Bronchopneumonia.	194	19	20	21	24	11	7	7	7	8	37	15	18
25	Diarrhea and enteritis (under 2 years).	154	10	9	5	8	4	5	28	32	21	19	5	8
(37)	Diarrhea and enteritis (2 years and over).	40	2		2	5	2	4	10	5	5	3	1	1
(33)	Congenital debility.	15	1			5	2			1		2	4	4
35	Violent deaths (suicide excepted).	166	10	16	15	14	11	11	16	15	15	16	11	16
36	Suicide.	27	2	3	3	2	4	2	4	1	4	5	5	1
	All other causes.	2,435	243	215	217	210	203	178	183	179	180	234	189	204

¹ Excluding premature birth.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

513

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH,	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	SYRACUSE, N. Y.													
	All causes.....	3,278	211	220	234	311	199	174	226	215	190	855	232	211
1	Typhoid fever.....	12	1	1	1	1	4	5
3	Malaria.....	1
5	Measles.....	54	6	22	9	12	5
6	Scarlet fever.....	4	1	1	1	1	2	4	1	1
7	Whooping cough.....	27	4	6	2	4	3	1	2	1	2	1
8	Diphtheria and croup.....	24	7	4	2	3	1	2	1	2	1	1	2	2
9	Influenza.....	367	1	1	4	1	1	2	1	5	310	31
13	Tuberculosis of the lungs.....	153	10	15	17	21	18	8	5	10	8	18	16	14
14-15	Other forms of tuberculosis.....	32	3	3	1	2	6	5	2	2	6	4	1
17	Meningitis.....	14	3	1	1	1	1	1	1	2	1	2	1	1
20-21	Bronchitis.....	23	2	2	2	3	2	1	1	1	1	5	3	2
22	Pneumonia.....	465	21	17	29	49	13	8	6	4	7	25	260	14
(23)	Bronchopneumonia.....	168	9	9	19	15	13	3	4	3	8	63	15	7
25	Diarrhea and enteritis (under 2 years).....	157	4	7	4	5	4	7	27	44	23	13	13	6
(37)	Diarrhea and enteritis (2 years and over).....	22	1	3	3	5	5	4	1	1
(33)	Congenital debility ¹	19	1	2	4	5	3	4	4	1
35	Violent deaths (suicide excepted).....	151	7	7	10	13	16	14	17	5	10	20	12	20
36	Suicide.....	20	3	2	1	1	3	1	4	1	3	1	1
	All other causes.....	1,565	135	132	136	172	110	117	150	131	96	145	117	124
CINCINNATI, OHIO (TOTAL).														
	All causes.....	8,591	737	612	728	728	561	466	425	505	468	1,334	938	1,089
1	Typhoid fever.....	19	1	2	1	1	1	1	1	3	3	5	2
3	Malaria.....	6	1	2	1	1	1	1	1
5	Measles.....	18	1	3	5	1	4	4
6	Scarlet fever.....	3	1	1	2	1	7	4	1	1
7	Whooping cough.....	63	7	9	14	9	5	4	3	2	1	4	2	3
8	Diphtheria and croup.....	44	4	6	5	2	2	3	1	3	2	3	6	6
9	Influenza.....	1,233	12	18	11	18	5	3	3	2	2	473	305	386
13	Tuberculosis of the lungs.....	863	92	72	104	106	64	70	61	53	57	69	50	65
14-15	Other forms of tuberculosis.....	99	5	6	14	7	14	5	2	11	8	11	7	9
17	Meningitis.....	35	3	2	8	5	5	2	6	5	1	3
20-21	Bronchitis.....	77	10	4	9	10	1	5	2	1	5	6	23	144
22	Pneumonia.....	927	76	49	70	93	27	13	9	6	23	256	161	161
(23)	Bronchopneumonia.....	236	35	25	31	24	11	4	1	4	6	32	29	34
25	Diarrhea and enteritis (under 2 years).....	173	5	7	12	11	9	8	27	31	25	20	5	13
(37)	Diarrhea and enteritis (2 years and over).....	41	1	5	3	1	5	4	7	3	2	3	2	2
(33)	Congenital debility ¹	17	4	2	1	1	1	1	1	1	1	5
35	Violent deaths (suicide excepted).....	416	49	36	35	30	47	34	27	45	27	35	24	27
36	Suicide.....	71	6	7	4	9	6	1	3	7	3	8	10	7
	All other causes.....	4,250	426	359	399	399	359	302	279	319	300	406	346	356
CINCINNATI, OHIO (WHITE).														
	All causes.....	7,582	636	533	620	633	481	398	354	445	407	1,220	849	1,006
1	Typhoid fever.....	16	1	1	1	1	1	1	1	3	2	4	2
3	Malaria.....	4	1	1	1	1	1	1	1
5	Measles.....	15	1	3	4	1	3	3	1
6	Scarlet fever.....	3	1	1	1	1	1	1	1	1
7	Whooping cough.....	49	6	9	11	9	3	3	1	1	1	1	1	3
8	Diphtheria and croup.....	42	4	6	5	2	2	3	1	3	6	2	3	5
9	Influenza.....	1,163	10	14	9	17	5	2	2	40	443	288	373
13	Tuberculosis of the lungs.....	689	74	55	89	91	47	53	41	40	40	59	45	55
14-15	Other forms of tuberculosis.....	78	5	5	7	5	10	4	2	10	7	9	5	9
17	Meningitis.....	33	2	2	7	5	5	2	5	1	1	3
20-21	Bronchitis.....	66	10	4	8	6	1	4	2	6	3	7	5	10
22	Pneumonia.....	772	57	41	44	69	17	8	5	4	20	237	127	143
(23)	Bronchopneumonia.....	192	27	23	26	19	6	3	1	5	28	23	30
25	Diarrhea and enteritis (under 2 years).....	151	4	5	7	10	8	7	24	29	21	20	4	12
(37)	Diarrhea and enteritis (2 years and over).....	34	1	5	2	1	5	4	4	2	2	2	2	2
(33)	Congenital debility ¹	13	4	1	1	1	1	1	1	1	1	3
35	Violent deaths (suicide excepted).....	346	41	31	33	24	42	27	22	37	21	25	20	23
36	Suicide.....	69	6	7	4	8	6	1	3	7	3	8	9	7
	All other causes.....	3,847	383	321	360	364	325	270	243	292	274	373	312	330
CINCINNATI, OHIO (COLORED).														
	All causes.....	1,009	101	79	108	95	80	68	71	60	61	114	89	83
1	Typhoid fever.....	3	1	1	1	1	1	1	1	1	1	1
3	Malaria.....	2	1	1	1	1	1	1	1	1	1	1
5	Measles.....	3	1	1	1	1	1	1	1	1	1	1
6	Scarlet fever.....	14	1	3	2	1	2	1	2	1	1	3	1	1
7	Whooping cough.....	2	2	1	1	1	1	1	1	1	1	1	1
8	Diphtheria and croup.....	2	2	1	1	1	1	1	1	1	1	1	1
9	Influenza.....	70	2	4	2	1	17	20	13	17	30	17	10	10
13	Tuberculosis of the lungs.....	174	18	17	15	15	17	17	20	13	17	10	5	10
14-15	Other forms of tuberculosis.....	21	1	1	7	2	4	1	1	1	1	2	2	2
17	Meningitis.....	2	1	1	1	1	1	1	1	1	1	1	1	1
20-21	Bronchitis.....	11	1	4	1	1	1	1	1	1	2	1	3
22	Pneumonia.....	155	19	8	26	24	10	5	4	2	3	19	17	18
(23)	Bronchopneumonia.....	44	8	2	5	5	5	1	3	1	4	6	4	4
25	Diarrhea and enteritis (under 2 years).....	22	1	2	5	1	1	1	3	2	4	1	1	1
(37)	Diarrhea and enteritis (2 years and over).....	7	1	1	1	1	3	1	1	1	1	1
(33)	Congenital debility ¹	4	1	5	7	5	8	6	10	1	4	4
35	Violent deaths (suicide excepted).....	70	8	5	2	6	5	7	5	8	6	10	1	4
36	Suicide.....	2	43	38	39	35	34	32	36	27	26	33	34	26

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	CLEVELAND, OHIO.													
	All causes.....	13,043	897	758	923	1,062	800	601	733	777	662	2,136	2,039	1,655
1	Typhoid fever.....	41	3	2	4	5	1	3	4	4	7	3	5
3	Malaria.....	2	1	3	3	1	1	2	2	1	1	1	2
5	Measles.....	16	2	1	1	2	1	1	2	2	2	1	1	1
6	Scarlet fever.....	11	5	8	4	11	4	5	7	4	1	1	1	3
7	Whooping cough.....	54	5	8	4	11	4	4	6	4	5	13	13	12
8	Diphtheria and croup.....	107	13	18	5	7	7	4	6	4	5	13	688	460
9	Influenza.....	1,926	9	8	10	24	10	1	1	1	714	688	460
13	Tuberculosis of the lungs.....	1,050	89	95	118	108	99	79	82	80	48	71	102	79
14-15	Other forms of tuberculosis.....	149	11	9	20	19	20	15	16	4	10	11	7	7
17	Meningitis.....	61	5	3	8	6	4	7	4	4	4	4	9	3
20-21	Bronchitis.....	140	15	12	12	13	9	5	4	4	5	29	17	15
22	Pneumonia.....	2,046	122	75	100	196	68	27	26	22	25	578	512	235
(23)	Bronchopneumonia.....	510	55	33	36	38	22	15	20	11	13	81	90	96
25	Diarrhea and enteritis (under 2 years).....	597	30	21	24	26	22	19	94	180	93	51	33	24
(37)	Diarrhea and enteritis (2 years and over).....	56	1	2	3	4	5	1	6	10	10	6	7	1
(33)	Congenital debility ¹	60	3	4	4	9	1	3	2	12	5	8	3	5
35	Violent deaths (suicide excepted).....	855	59	53	74	70	70	43	70	89	79	75	77	96
38	Suicide.....	81	7	7	6	4	7	7	12	5	2	6	10	8
	All other causes.....	5,281	468	407	495	518	445	367	378	361	353	480	466	543
COLUMBUS, OHIO (TOTAL).														
	All causes.....	4,164	332	288	338	334	279	234	249	286	245	559	501	519
1	Typhoid fever.....	20	3	2	1	3	8	3
3	Malaria.....	7	1	3	2	1
5	Measles.....	2	2	2	1	2	1	1
6	Scarlet fever.....	39	5	7	11	3	2	2	3	3	3	2	1	1
7	Whooping cough.....	422	1	1	1	6	1	1	1	116	148	147	147
8	Diphtheria and croup.....	315	25	27	42	30	26	25	14	20	16	27	31	32
9	Influenza.....	83	4	3	13	3	8	9	4	10	2	13	7	7
13	Tuberculosis of the lungs.....	12	4	1	2	2	1	1	1	1	1	1	1	1
14-15	Other forms of tuberculosis.....	20	3	2	1	1	1	2	3	3	3	4	1	1
17	Meningitis.....	20	3	2	1	1	1	1	1	1	1	1	1	1
20-21	Bronchitis.....	20	12	24	14	19	11	1	4	2	7	22	16	18
22	Pneumonia.....	891	30	22	22	42	14	4	4	5	9	117	59	63
(23)	Bronchopneumonia.....	150	12	24	14	19	11	1	4	2	7	22	16	18
25	Diarrhea and enteritis (under 2 years).....	67	2	3	2	3	3	1	1	7	14	7	3	5
(37)	Diarrhea and enteritis (2 years and over).....	25	1	2	1	2	1	5	8	4	4	4	4
(33)	Congenital debility ¹	55	3	2	5	2	4	2	6	8	7	7	4	5
35	Violent deaths (suicide excepted).....	268	23	20	20	25	13	13	30	29	17	22	27	29
36	Suicide.....	30	2	3	5	1	7	4	2	1	1	1	2	2
	All other causes.....	2,251	222	170	202	185	185	170	168	179	158	208	195	209
COLUMBUS, OHIO (WHITE).														
	All causes.....	3,659	290	255	299	274	243	200	218	246	218	498	451	467
1	Typhoid fever.....	17	2	2	3	8	2
3	Malaria.....	5	1	2	1	1
5	Measles.....	2	2	2	1	2	2	1	1
6	Scarlet fever.....	30	4	7	7	3	1	1	2	1	1	107	136	139
7	Whooping cough.....	7	1	1	1	6	1	1	1	1	107	136	139
8	Diphtheria and croup.....	393	1	1	1	6	1	1	1	1	107	136	139
9	Influenza.....	251	18	26	33	24	21	17	12	16	11	20	26	27
13	Tuberculosis of the lungs.....	73	3	2	12	2	6	7	4	9	2	12	7	7
14-15	Other forms of tuberculosis.....	73	4	1	2	2	1	1	2	1	1	1	1	1
17	Meningitis.....	12	4	1	2	2	1	1	2	1	1	1	1	1
20-21	Bronchitis.....	14	3	1	1	1	1	1	2	3	3	3	3	3
22	Pneumonia.....	314	25	20	16	22	10	4	3	4	7	101	51	51
(23)	Bronchopneumonia.....	120	10	22	10	18	8	4	6	1	5	14	13	15
25	Diarrhea and enteritis (under 2 years).....	57	2	3	1	2	3	1	6	11	13	7	3	5
(37)	Diarrhea and enteritis (2 years and over).....	21	2	2	4	7	4	4	4	4	4
(33)	Congenital debility ¹	52	3	2	5	2	4	2	6	7	7	6	4	4
35	Violent deaths (suicide excepted).....	215	18	14	14	20	10	13	26	22	15	20	24	19
36	Suicide.....	29	2	2	5	1	7	4	2	1	1	2	2	2
	All other causes.....	2,047	201	153	191	165	167	149	148	163	144	192	178	196
COLUMBUS, OHIO (COLORED).														
	All causes.....	505	42	33	39	60	36	34	31	40	27	61	50	52
1	Typhoid fever.....	3	1	1	1
3	Malaria.....	2	1	1	1	1	1	1	1	1	1	1
5	Measles.....	2	1	4	1	1	1	1	1	1	1
6	Scarlet fever.....	9	1	1	4	1	1	1	1	1	1	1	1
7	Whooping cough.....	7	1	1	6	5	8	2	4	5	5	9	12	8
8	Diphtheria and croup.....	29	1	1	1	1	1	1	1	1	1	1	1	1
9	Influenza.....	64	7	1	9	6	5	8	2	4	5	7	5	5
13	Tuberculosis of the lungs.....	10	1	1	1	1	2	2	1	1	1	1	1	1
14-15	Other forms of tuberculosis.....	6	1	1	1	1	1	1	1	1	1	1	1
17	Meningitis.....	6	1	1	1	1	1	1	1	1	1	1	1
20-21	Bronchitis.....	77	5	2	6	20	4	1	1	1	2	16	8	12
22	Pneumonia.....	30	2	2	4	1	3	1	1	1	2	8	3	3
(23)	Bronchopneumonia.....	10	1	1	1	1	1	1	1	1	1	1	1	1
25	Diarrhea and enteritis (under 2 years).....	4	1	1	1	1	1	1	1	1	1	1	1	1
(37)	Diarrhea and enteritis (2 years and over).....	3	1	1	1	1	1	1	1	1	1	1	1
(33)	Congenital debility ¹	53	5	6	6	5	3	4	7	2	2	2	3	10
35	Violent deaths (suicide excepted).....	1	1	1	1	1	1	1	1	1
36	Suicide.....	204	21	17	11	20	18	21	20	16	14	16	17	13

¹ Excluding premature birth.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

515

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—												
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.	
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.															
	DAYTON, OHIO.														
	All causes.....	2,544	201	173	191	195	163	125	139	168	149	577	219	244	
1	Typhoid fever.....	12	1	1	1	1	2	5	1	
3	Malaria.....	1	1	1	
5	Measles.....	2	2	
6	Scarlet fever.....	4	1	1	1	1	1	1	1	1	1	1	1	1	
7	Whooping cough.....	9	1	1	1	1	1	1	1	1	1	1	1	2	
8	Diphtheria and croup.....	12	4	1	1	1	1	1	1	1	1	2	1	3	
9	Influenza.....	347	1	1	3	10	4	1	1	1	1	209	58	60	
13	Tuberculosis of the lungs.....	188	19	13	29	16	20	12	15	14	14	17	10	9	
14-15	Other forms of tuberculosis.....	35	1	3	2	5	5	3	3	5	2	2	2	2	
17	Meningitis.....	15	3	4	2	2	1	1	1	3	3	
20-21	Bronchitis.....	15	4	1	1	3	1	2	2	2	2	2	2	1	
22	Pneumonia.....	282	19	12	17	23	9	8	3	1	4	134	30	28	
(23)	Bronchopneumonia.....	138	13	10	8	7	3	3	3	2	4	59	11	15	
25	Diarrhea and enteritis (under 2 years).....	50	2	2	1	2	2	4	3	12	14	3	4	1	
(37)	Diarrhea and enteritis (2 years and over).....	12	1	1	1	1	1	1	3	3	3	2	2	
(33)	Congenital debility ¹	19	2	1	1	1	1	1	4	5	1	4	4	
33	Violent deaths (suicide excepted).....	157	18	9	9	17	8	14	12	17	9	11	16	17	
36	Suicide.....	22	2	1	3	4	3	3	3	3	2	1	3	3	
	All other causes.....	1,224	108	115	117	105	106	80	92	105	98	120	81	97	
	TOLEDO, OHIO.														
	All causes.....	4,038	321	272	310	364	272	231	229	282	249	585	436	487	
1	Typhoid fever.....	26	1	1	1	2	1	5	2	4	1	8	
3	Malaria.....	5	1	1	1	1	2	
5	Measles.....	6	1	2	3	2	1	1	1	1	1	1	1	3	
6	Scarlet fever.....	16	1	2	3	2	1	1	2	2	2	1	1	3	
7	Whooping cough.....	15	2	2	1	1	1	2	2	2	2	1	1	3	
8	Diphtheria and croup.....	28	5	1	1	2	1	2	2	2	3	6	3	2	
9	Influenza.....	475	1	4	3	12	3	35	41	26	28	14	192	118	141
13	Tuberculosis of the lungs.....	370	36	17	34	44	35	41	26	28	14	37	30	28	
14-15	Other forms of tuberculosis.....	38	4	4	3	5	5	4	5	5	1	1	2	1	
17	Meningitis.....	19	3	2	1	1	2	2	2	4	1	1	3	2	
20-21	Bronchitis.....	29	3	2	6	4	1	1	2	2	1	6	2	2	
22	Pneumonia.....	332	14	19	20	50	9	3	2	3	4	96	57	55	
(23)	Bronchopneumonia.....	118	16	15	21	7	6	1	3	4	6	12	11	16	
25	Diarrhea and enteritis (under 2 years).....	117	3	13	9	3	5	2	4	27	32	14	2	3	
(37)	Diarrhea and enteritis (2 years and over).....	35	3	3	5	2	2	3	3	5	3	4	4	4	
(33)	Congenital debility ¹	27	2	2	3	2	3	1	4	5	3	1	1	1	
35	Violent deaths (suicide excepted).....	237	20	12	8	22	18	26	24	32	15	14	21	25	
36	Suicide.....	46	5	4	2	4	5	2	4	2	4	6	4	4	
	All other causes.....	2,105	207	170	193	199	172	135	148	166	155	185	174	201	
	PORLAND, OREG.														
	All causes.....	3,760	214	224	288	277	268	263	226	200	235	505	598	462	
1	Typhoid fever.....	15	1	2	4	3	3	2	
3	Malaria.....	25	1	8	9	2	4	1	
5	Measles.....	6	1	1	1	1	1	1	1	1	1	1	1	1	
6	Scarlet fever.....	4	1	1	1	1	1	2	2	2	2	2	2	2	
7	Whooping cough.....	17	1	1	1	3	1	2	2	2	2	1	1	9	
8	Diphtheria and croup.....	23	1	1	1	1	2	4	1	1	1	1	3	9	
9	Influenza.....	667	2	2	2	2	2	1	1	1	1	160	308	185	
13	Tuberculosis of the lungs.....	204	15	12	24	22	21	19	14	5	7	27	19	19	
14-15	Other forms of tuberculosis.....	53	3	1	7	6	5	6	9	3	5	5	1	1	
17	Meningitis.....	17	1	3	2	1	2	2	2	1	1	1	3	2	
20-21	Bronchitis.....	24	2	6	2	1	1	1	1	2	3	1	4	5	
22	Pneumonia.....	367	11	15	25	26	34	22	6	5	11	106	58	48	
(23)	Bronchopneumonia.....	86	2	6	16	9	7	5	3	2	1	17	11	7	
25	Diarrhea and enteritis (under 2 years).....	49	2	1	2	1	2	5	3	6	15	7	3	2	
(37)	Diarrhea and enteritis (2 years and over).....	21	1	1	3	3	2	1	1	5	2	2	2	
(33)	Congenital debility ¹	28	2	2	2	2	2	4	2	3	3	3	2	4	
35	Violent deaths (suicide excepted).....	217	12	18	16	13	18	23	17	21	26	17	18	16	
36	Suicide.....	35	5	1	2	4	4	3	3	4	5	4	1	3	
	All other causes.....	1,908	154	158	172	177	166	161	160	143	150	149	159	159	
	PHILADELPHIA, PA. (TOTAL).														
	All causes.....	42,479	3,314	2,667	3,143	2,595	2,404	2,011	2,294	2,136	2,364	14,697	2,410	2,444	
1	Typhoid fever.....	85	6	5	6	6	7	8	15	7	8	10	3	4	
3	Malaria.....	6	1	1	1	1	1	1	1	1	1	1	1	1	
5	Measles.....	136	6	13	13	30	40	16	6	3	5	3	1	1	
6	Scarlet fever.....	48	7	8	8	6	3	1	5	1	8	1	1	1	
7	Whooping cough.....	351	25	26	51	37	54	30	39	16	18	52	3	215	
8	Diphtheria and croup.....	381	52	28	46	32	28	37	15	10	23	49	33	28	
9	Influenza.....	7,024	38	40	30	30	14	5	5	4	177	6,321	240	120	
13	Tuberculosis of the lungs.....	3,392	333	288	388	305	258	256	242	243	204	394	221	260	
14-15	Other forms of tuberculosis.....	371	14	26	29	47	49	47	34	37	17	32	16	23	
17	Meningitis.....	185	23	15	28	20	22	8	9	12	14	16	7	11	
20-21	Bronchitis.....	461	64	40	66	34	33	18	17	8	16	94	31	40	
22	Pneumonia.....	6,438	439	340	452	270	167	90	70	54	322	3,867	152	215	
(23)	Bronchopneumonia.....	2,800	227	174	205	166	125	75	76	44	107	1,299	150	152	
25	Diarrhea and enteritis (under 2 years).....	1,575	69	78	72	55	62	137	327	293	174	149	105	54	
(37)	Diarrhea and enteritis (2 years and over).....	271	14	23	12	13	23	22	55	37	22	22	14	19	
(33)	Congenital debility ¹	313	28	15	24	16	13	27	27	30	34	56	24	19	
35	Violent deaths (suicide excepted).....	1,752	192	137	146	132	121	117	136	201	118	131	172	144	
36	Suicide.....	230	18	22	12	19	28	22	23	10	16	23	22	15	
	All other causes.....	16,660	1,758	1,388	1,555	1,376	1,356	1,095	1,192	1,126	1,089	2,170	1,216	1,339	

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	PHILADELPHIA, PA. (WHITE).													
	All causes.....	38,377	2,944	2,346	2,753	2,312	2,114	1,783	2,001	1,888	2,111	13,727	2,189	2,209
1	Typhoid fever.....	73	6	5	4	6	6	8	11	5	7	9	3	3
3	Malaria.....	3		1		1						1		
5	Measles.....	133	6	12	13	29	40	15	6	3	5	3	1	
6	Scarlet fever.....	46	7	8	8	4	3	1	5	1		8		1
7	Whooping cough.....	302	22	23	46	33	49	25	27	12	17	47	1	
8	Diphtheria and croup.....	366	51	26	45	29	25	37	13	10	23	47	32	28
9	Influenza.....	6,590	33	35	28	23	12	3	4	4	162	5,969	212	105
13	Tuberculosis of the lungs.....	2,809	279	232	311	255	205	208	196	192	165	345	197	224
14-15	Other forms of tuberculosis.....	314	11	21	22	44	38	41	30	31	12	29	15	20
17	Meningitis.....	164	17	14	27	17	19	6	7	11	13	16	6	11
20-21	Bronchitis.....	397	56	34	56	28	29	17	15	7	9	86	24	36
22	Pneumonia.....	5,721	865	269	345	236	143	73	55	43	286	3,580	137	189
(23)	Bronchopneumonia.....	2,496	198	149	176	139	100	62	59	34	89	1,216	132	142
25	Diarrhea and enteritis (under 2 years).....	1,441	67	70	68	52	56	124	239	268	161	136	101	49
(37)	Diarrhea and enteritis (2 years and over).....	234	10	22	11	12	18	18	49	30	18	19	13	14
(33)	Congenital debility ¹	266	25	12	20	13	9	23	22	27	29	46	21	19
35	Violent deaths (suicide excepted).....	1,563	167	122	136	123	104	106	120	175	108	115	154	133
36	Suicide.....	221	18	20	11	18	26	22	23	10	14	23	21	15
	All other causes.....	15,238	1,606	1,271	1,426	1,250	1,232	994	1,070	1,025	993	2,032	1,119	1,220
	PHILADELPHIA, PA. (COLORED).													
	All causes.....	4,102	370	321	390	283	290	228	293	248	253	970	221	235
1	Typhoid fever.....	12			2		1		4	2	1	1		1
3	Malaria.....	3	1			1		1						
5	Measles.....	3		1		1								
6	Scarlet fever.....	2			2									
7	Whooping cough.....	49	3	3	5	4	5	5	12	4	1	5	2	
8	Diphtheria and croup.....	15	1	2	1	3	3	2	2	1		1		
9	Influenza.....	434	5	5	2	7	2	2	1		15	352	28	15
13	Tuberculosis of the lungs.....	583	54	56	77	50	53	48	46	51	39	49	24	36
14-15	Other forms of tuberculosis.....	57	3	5	7	3	11	6	4	6	5	3	1	3
17	Meningitis.....	21	6	1	1	3	3	2	2	1	1			
20-21	Bronchitis.....	64	8	6	10	6	4	1	2	1	7	8	7	4
22	Pneumonia.....	717	74	71	107	34	24	17	15	11	36	287	15	26
(23)	Bronchopneumonia.....	304	29	25	29	27	25	13	17	10	18	83	18	10
25	Diarrhea and enteritis (under 2 years).....	134	2	8	4	3	6	6	13	38	25	13	13	5
(37)	Diarrhea and enteritis (2 years and over).....	37	4	1	1	1	5	4	6	7	4	3	1	
(33)	Congenital debility ¹	47	3	3	4	3	4	4	5	3	5	10	3	
35	Violent deaths (suicide excepted).....	189	25	15	10	9	17	11	16	26	10	16	18	16
36	Suicide.....	9		2	1	1	2				2		1	
	All other causes.....	1,422	152	117	129	126	124	101	122	101	96	138	97	119
	PITTSBURGH, PA. (TOTAL).													
	All causes.....	15,433	1,080	888	1,010	1,365	878	640	713	810	758	3,312	2,676	1,303
1	Typhoid fever.....	60	3	6	8	8	5	3	4	6	7	9		1
3	Malaria.....	1										1		
5	Measles.....	102	9	10	20	15	21	6	7	9		3	1	1
6	Scarlet fever.....	11			1	3			2		2			
7	Whooping cough.....	142	7	11	14	29	19	13	15	9	8	9	5	3
8	Diphtheria and croup.....	126	13	8	8	8	4	7	6	17	19	13	16	
9	Influenza.....	1,948	7	6	10	27	9	7	1	1	5	927	713	235
13	Tuberculosis of the lungs.....	798	75	51	85	73	80	53	47	61	60	88	71	59
14-15	Other forms of tuberculosis.....	145	11	9	24	14	12	14	8	9	10	12	12	10
17	Meningitis.....	78	8	5	6	13	12	6	7	7	4	3	4	3
20-21	Bronchitis.....	205	19	14	25	28	14	12	7	7	6	38	23	12
22	Pneumonia.....	4,020	264	168	186	466	124	53	57	31	51	1,317	982	321
(23)	Bronchopneumonia.....	1,130	72	60	88	105	43	28	27	18	30	303	256	100
25	Diarrhea and enteritis (under 2 years).....	691	31	19	34	41	46	43	100	133	113	71	28	32
(37)	Diarrhea and enteritis (2 years and over).....	115	7	9	7	4	5	14	12	13	13	15	6	10
(33)	Congenital debility ¹	72	6	5	6	2	7	7	2	4	11	7	9	6
35	Violent deaths (suicide excepted).....	897	74	66	66	77	74	55	73	118	62	60	105	67
36	Suicide.....	73	9	4	5	8	7	2	6	7	3	10	4	8
	All other causes.....	4,819	465	437	417	444	396	317	333	369	358	423	442	418
	PITTSBURGH, PA. (WHITE).													
	All causes.....	14,208	986	809	911	1,185	780	580	644	746	709	3,114	2,510	1,234
1	Typhoid fever.....	52	2	4	6	6	5	3	4	6	7	8		1
3	Malaria.....	1										1		
5	Measles.....	98	9	10	20	15	17	6	7	2		3	2	1
6	Scarlet fever.....	11			1	3						2		2
7	Whooping cough.....	120	7	9	13	25	14	10	12	6	8	9	5	2
8	Diphtheria and croup.....	124	13	8	8	8	4	6	7	6	17	19	12	16
9	Influenza.....	1,847	5	4	9	24	9	6	1	1	4	885	678	221
13	Tuberculosis of the lungs.....	700	65	44	78	58	72	45	42	48	54	75	65	54
14-15	Other forms of tuberculosis.....	132	11	8	23	13	11	13	7	9	9	10	8	3
17	Meningitis.....	77	8	4	6	13	12	6	7	7	5	36	22	11
20-21	Bronchitis.....	187	18	13	21	25	12	12	5	7	5	36	22	11
22	Pneumonia.....	3,555	223	141	143	370	103	46	45	27	45	1,233	906	303
(23)	Bronchopneumonia.....	1,046	66	56	82	91	39	23	23	15	28	280	244	99
25	Diarrhea and enteritis (under 2 years).....	658	31	18	31	40	44	40	95	127	107	66	28	31
(37)	Diarrhea and enteritis (2 years and over).....	106	7	8	7	3	5	13	12	12	12	18	6	8
(33)	Congenital debility ¹	67	6	5	6	2	6	6	2	3	10	7	8	6
35	Violent deaths (suicide excepted).....	816	68	58	61	68	61	55	65	106	57	57	99	61
36	Suicide.....	70	8	4	5	8	7	1	5	7	3	10	4	8
	All other causes.....	4,511	439	415	391	413	359	289	305	348	339	397	418	398

¹ Excluding premature birth.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

517

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	PITTSBURGH, PA. (COLORED).													
	All causes.....	1,225	94	79	99	180	98	60	69	64	49	198	166	69
1	Typhoid fever.....	8	1	2	2	2						1		
3	Malaria.....													
5	Measles.....	4					4							
6	Scarlet fever.....													
7	Whooping cough.....	22		2	1	4	5	3	3	3				1
8	Diphtheria and croup.....	2						1						
9	Influenza.....	101	2	2	1	3		1			1	42	35	14
13	Tuberculosis of the lungs.....	98	10	7	7	15	8	8	5	13	6	8	6	5
14-15	Other forms of tuberculosis.....	13		1	1	1	1	1	1		1	2	4	
17	Meningitis.....	1												
20-21	Bronchitis.....	18	1	1	4	3	2		2		1	2	1	1
22	Pneumonia.....	435	41	27	43	96	21	7	12	4	6	84	76	18
(23)	Bronchopneumonia.....	84	6	4	6	14	4	5	4	3	2	23	12	1
25	Diarrhea and enteritis (under 2 years).....	33		1	3	1	2	3	5	6	6	5		
(37)	Diarrhea and enteritis (2 years and over).....	9		1		1		1		1	1	2		2
(33)	Congenital debility ¹	5					1	1		1	1		1	
35	Violent deaths (suicide excepted).....	81	6	8	5	9	13		1	8	12	5	3	6
36	Suicide.....	3	1						1		1		6	
	All other causes.....	308	26	22	26	31	37	28	28	21	19	26	24	20
	SCRANTON, PA.													
	All causes.....	3,092	203	192	202	222	154	160	176	138	180	742	427	296
1	Typhoid fever.....	9		1		1	1	1	2		3			
3	Malaria.....													
5	Measles.....	2		1				1						
6	Scarlet fever.....	7	2	1					1		2	2	1	1
7	Whooping cough.....	26	5	2	3	2	2	2	2	2	1	3	2	5
8	Diphtheria and croup.....	29	5		2	4	4	1	1	1	1	5	2	5
9	Influenza.....	707	2	3		9					1	389	195	108
13	Tuberculosis of the lungs.....	122	13	10	22	8	7	12	10	2	8	13	9	8
14-15	Other forms of tuberculosis.....	24	1	3	3	3	2	2	2	2	1	3	2	2
17	Meningitis.....	19	1	3	2	1	1	2	3	1	1	3	2	1
20-21	Bronchitis.....	40	4	6	7	3	1			2	4	5	6	2
22	Pneumonia.....	474	21	29	32	55	29	15	6	6	6	154	76	45
(23)	Bronchopneumonia.....	163	17	16	18	15	8	7	11	17	36	39	14	17
25	Diarrhea and enteritis (under 2 years).....	156	4	9	7	3	8	11	17	5	4	2	1	5
(37)	Diarrhea and enteritis (2 years and over).....	23	2	1		3	4	2	1	4	6	2	1	1
(33)	Congenital debility ¹	16			1	1		1	22	13	15	19	15	19
35	Violent deaths (suicide excepted).....	196	21	12	15	12	15	18	13	1	1	1	1	2
36	Suicide.....	14		5	1	1	2		1	1	1			
	All other causes.....	1,065	105	90	89	101	70	88	99	61	89	97	95	81
	PROVIDENCE, R. I.													
	All causes.....	5,210	363	342	430	428	297	249	312	291	354	1,213	436	495
1	Typhoid fever.....	12	1	1	2	2			1		1	3		1
3	Malaria.....													
5	Measles.....	55	3	3	3	7	15	13	5	3	2	4		
6	Scarlet fever.....	17	3	1	2	2	2		2	1	3	2	1	1
7	Whooping cough.....	68		3	3	1	7	5	5	9	13	15	5	5
8	Diphtheria and croup.....	58	6	5	4	8	5	5	1	1	4	3	7	9
9	Influenza.....	916	2	1	6	8	21	22	21	25	21	45	117	112
13	Tuberculosis of the lungs.....	339	32	29	36	40	21	22	21	25	21	45	24	23
14-15	Other forms of tuberculosis.....	92	9	8	6	9	7	6	8	10	9	11	2	7
17	Meningitis.....	48	3	7	9	3	4	7	3	2	2	3	4	1
20-21	Bronchitis.....	36	2	9	9	7	3			1	1	1	2	1
22	Pneumonia.....	643	48	34	60	69	29	13	15	5	41	214	42	73
(23)	Bronchopneumonia.....	174	11	15	25	20	12	7	7	5	8	26	13	25
25	Diarrhea and enteritis (under 2 years).....	148	7	2	7	8	3	12	28	40	22	.8	5	6
(37)	Diarrhea and enteritis (2 years and over).....	27	3	2	3	3	1	1	4	8	2			
(33)	Congenital debility ¹	68		1	8	5	4	3	6	9	12	11	4	5
35	Violent deaths (suicide excepted).....	234	27	16	19	24	17	15	20	21	11	24	25	15
36	Suicide.....	35	4	2	3	3	3	5	4	1	3	2	2	3
	All other causes.....	2,240	205	206	225	209	164	134	181	150	167	207	184	208
	MEMPHIS, TENN. (TOTAL).													
	All causes.....	3,615	307	273	292	272	223	237	239	255	229	735	255	298
1	Typhoid fever.....	24	3		1	2	1	1	4	5	3	4	1	2
3	Malaria.....	55	1	11	1	2	5	10	9	13	8	5	1	
5	Measles.....	19	5	11	1	2								
6	Scarlet fever.....	3	1	5	1	3		1	3	2	3	1		
7	Whooping cough.....	21	3	5		3		1	3	2	3	1		
8	Diphtheria and croup.....	13		1	3	1	1		2	1	4			
9	Influenza.....	424	5	11	2	6	4	1	2	2	310	35	46	
13	Tuberculosis of the lungs.....	406	38	40	43	31	37	31	36	33	20	36	30	31
14-15	Other forms of tuberculosis.....	43	4	3	2	6	5	5	2	4	3	2	2	3
17	Meningitis.....	16	2	2	2	6	1		2	1				
20-21	Bronchitis.....	25	3	4	2	1	1	1	3	2	1			2
22	Pneumonia.....	454	47	24	37	27	18	6	9	4	4	197	33	48
(23)	Bronchopneumonia.....	95	16	6	8	14	4		4	5	4	18	10	6
25	Diarrhea and enteritis (under 2 years).....	82	4	2	3	1	6	12	18	12	15	4	4	2
(37)	Diarrhea and enteritis (2 years and over).....	28	2	1	2	1	1	5	1	3	2	1	2	2
(33)	Congenital debility ¹	21		1	25	14	23	12	19	27	17	15	16	22
35	Violent deaths (suicide excepted).....	238	29	25	14	23	12	19	19	27	17	15	16	22
36	Suicide.....	21	1	1	1	4	2	2	4	1	1	1	3	1
	All other causes.....	1,627	138	137	163	146	120	140	118	139	141	134	118	133

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Au- gust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	MEMPHIS, TENN. (WHITE).													
	All causes.....	1,871	155	129	147	132	104	98	119	117	113	472	136	149
1	Typhoid fever.....	15	2	1	1	1	1	2	3	1	3	3	1	2
3	Malaria.....	11	1	1	1	1	1	1	3	3	3	2	1	1
5	Measles.....	17	5	10	1	1	1	1	1	1	1	1	1	1
6	Scarlet fever.....	3	1	1	1	1	1	1	2	1	1	1	1	1
7	Whooping cough.....	17	3	5	3	2	2	1	2	1	1	1	1	1
8	Diphtheria and croup.....	10	1	1	3	2	2	1	1	1	1	221	20	30
9	Influenza.....	279	1	3	1	2	1	1	12	9	5	14	13	10
13	Tuberculosis of the lungs.....	123	9	13	103	10	9	9	12	9	1	1	1	1
14-15	Other forms of tuberculosis.....	18	2	2	3	2	2	1	3	3	1	1	1	1
17	Meningitis.....	8	1	1	2	1	1	1	2	1	2	2	1	1
20-21	Bronchitis.....	15	4	4	1	1	1	1	3	2	4	128	13	23
22	Pneumonia.....	232	23	6	14	5	9	2	3	2	3	12	5	2
(28)	Bronchopneumonia.....	46	7	2	5	6	1	1	3	3	3	12	5	2
25	Diarrhea and enteritis (under 2 years).....	53	2	2	3	2	2	5	9	10	12	4	2	2
(37)	Diarrhea and enteritis (2 years and over).....	18	1	2	3	3	4	3	2	1	1	2	1	2
(33)	Congenital debility ¹	8	1	1	1	1	1	1	1	1	1	1	1	1
35	Violent deaths (suicide excepted).....	111	11	10	5	17	3	12	10	13	9	8	7	6
36	Suicide.....	17	1	1	4	2	2	2	3	1	1	1	3	1
	All other causes.....	870	82	69	94	79	71	61	63	70	73	67	71	71
	MEMPHIS, TENN. (COLORED).													
	All causes.....	1,744	152	144	145	140	119	139	120	138	116	263	119	149
1	Typhoid fever.....	9	1	1	1	1	5	1	2	2	2	1	1	1
3	Malaria.....	44	1	1	1	1	1	9	6	10	8	3	1	1
5	Measles.....	2	1	1	1	1	1	1	1	1	1	1	1	1
6	Scarlet fever.....	4	1	1	1	1	1	1	1	1	1	1	1	1
7	Whooping cough.....	4	1	1	1	1	1	1	1	1	1	1	1	1
8	Diphtheria and croup.....	3	1	1	1	1	1	1	1	1	1	1	1	1
9	Influenza.....	145	4	8	1	4	4	1	2	24	15	89	15	16
13	Tuberculosis of the lungs.....	283	29	27	33	21	28	22	24	24	22	17	21	21
14-15	Other forms of tuberculosis.....	25	2	1	3	3	4	2	1	2	3	1	1	2
17	Meningitis.....	8	1	1	5	1	1	1	1	1	1	1	1	1
20-21	Bronchitis.....	10	4	1	1	1	1	1	2	2	1	1	1	1
22	Pneumonia.....	222	24	18	23	22	9	4	6	2	2	69	20	25
(28)	Bronchopneumonia.....	49	9	4	3	8	3	1	1	5	1	6	5	4
25	Diarrhea and enteritis (under 2 years).....	29	2	1	1	4	7	9	2	3	2	1	1	1
(37)	Diarrhea and enteritis (2 years and over).....	10	1	1	1	2	2	2	1	1	1	1	1	1
(33)	Congenital debility ¹	13	1	1	1	1	1	4	1	4	1	1	1	1
35	Violent deaths (suicide excepted).....	127	18	15	9	6	9	7	9	14	8	7	9	16
36	Suicide.....	4	1	1	1	1	1	1	1	1	1	1	1	1
	All other causes.....	757	56	68	69	67	49	79	55	69	71	61	51	62
	NASHVILLE, TENN. (TOTAL).													
	All causes.....	3,153	213	185	222	280	195	209	215	221	182	742	252	237
1	Typhoid fever.....	45	1	1	1	2	2	9	12	7	6	4	1	1
3	Malaria.....	7	1	1	1	1	1	1	1	1	2	1	1	1
5	Measles.....	21	3	2	5	1	2	1	1	2	1	4	1	1
6	Scarlet fever.....	3	1	1	1	2	2	1	1	2	2	1	1	1
7	Whooping cough.....	11	1	1	1	2	2	1	1	2	2	2	1	1
8	Diphtheria and croup.....	8	1	1	1	1	1	1	1	1	2	2	1	1
9	Influenza.....	487	5	4	2	8	5	3	19	17	346	49	63	63
13	Tuberculosis of the lungs.....	238	18	26	18	23	16	21	17	19	22	29	12	12
14-15	Other forms of tuberculosis.....	54	1	8	5	7	6	6	6	4	3	4	2	2
17	Meningitis.....	22	2	4	2	2	3	2	1	1	1	1	1	3
20-21	Bronchitis.....	25	7	1	4	3	3	3	2	1	1	1	1	1
22	Pneumonia.....	443	36	31	27	73	27	17	10	11	6	143	23	34
(28)	Bronchopneumonia.....	130	9	11	17	13	4	6	1	1	5	37	17	9
25	Diarrhea and enteritis (under 2 years).....	78	3	1	1	3	1	3	8	16	16	17	7	6
(37)	Diarrhea and enteritis (2 years and over).....	31	2	1	1	1	4	2	4	10	3	3	3	1
(33)	Congenital debility ¹	35	3	3	3	3	1	3	2	4	4	4	4	1
35	Violent deaths (suicide excepted).....	175	19	13	7	12	10	17	24	13	15	17	12	16
36	Suicide.....	16	1	3	2	1	1	1	2	1	2	1	1	2
	All other causes.....	1,324	105	78	128	125	107	115	120	124	96	140	98	88
	NASHVILLE, TENN. (WHITE).													
	All causes.....	1,933	137	105	131	138	111	120	117	133	124	524	146	147
1	Typhoid fever.....	34	1	1	1	1	1	1	6	10	5	4	4	1
3	Malaria.....	4	1	1	2	4	2	2	1	1	2	1	1	1
5	Measles.....	17	1	2	4	4	2	2	1	1	1	4	1	1
6	Scarlet fever.....	3	1	1	1	2	2	1	1	2	2	1	1	1
7	Whooping cough.....	8	1	1	1	1	2	1	1	2	2	2	1	1
8	Diphtheria and croup.....	6	1	1	1	1	3	3	1	1	1	1	1	1
9	Influenza.....	383	4	1	1	3	3	1	1	1	1	261	36	43
13	Tuberculosis of the lungs.....	96	9	14	5	9	4	9	5	5	11	13	10	2
14-15	Other forms of tuberculosis.....	22	1	4	3	3	2	2	1	1	3	1	1	1
17	Meningitis.....	16	2	3	2	2	2	2	2	1	1	1	1	2
20-21	Bronchitis.....	15	4	1	2	2	2	2	1	1	1	1	1	1
22	Pneumonia.....	248	27	14	17	29	8	9	4	3	4	96	16	21
(28)	Bronchopneumonia.....	80	7	7	9	2	2	1	1	1	4	28	14	6
25	Diarrhea and enteritis (under 2 years).....	50	1	1	1	3	3	2	10	9	14	6	3	1
(37)	Diarrhea and enteritis (2 years and over).....	20	1	3	2	1	3	1	2	8	2	2	3	1
(33)	Congenital debility ¹	21	1	3	3	7	10	12	11	10	9	9	13	5
35	Violent deaths (suicide excepted).....	107	11	8	3	2	1	1	2	1	2	1	1	1
36	Suicide.....	16	1	3	2	1	1	1	2	1	2	1	1	1
	All other causes.....	817	66	47	79	73	68	73	72	78	63	92	49	57

¹ Excluding premature birth.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE.

519

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	NASHVILLE, TENN. (COLORED).													
	All causes.....	1,220	76	80	91	142	84	89	93	88	58	218	106	90
1	Typhoid fever.....	11					1	1	3	2	2	2		
3	Malaria.....	3		1			1			1				
5	Measles.....	4	2			1	1							
6	Scarlet fever.....													
7	Whooping cough.....	3			1	1		1						
8	Diphtheria and croup.....	2												
9	Influenza.....	134	1	4	1	5	2	2						
13	Tuberculosis of the lungs.....	142	9	12	13	14	12	12	12	14	1	85	13	20
14-25	Other forms of tuberculosis.....	32		4	2	4	4	4	5	3	6	9	19	10
17	Meningitis.....	6		1			1				3	2	1	1
20-21	Bronchitis.....	10	3		2	1	1	1	1		1			
22	Pneumonia.....	195	9	17	10	44	19	8	6	8	2	52	7	13
(23)	Bronchopneumonia.....	50	2	4	8	11	2	5	1	1	1	9	3	3
25	Diarrhea and enteritis (under 2 years).....	28			1			6	6	7	3	1	3	1
(37)	Diarrhea and enteritis (2 years and over).....	11	1	1		2	1	1	2	1	1	1	1	1
(33)	Congenital debility ¹	14	2		1	2	1	1		1	1	3	1	1
35	Violent deaths (suicide excepted).....	68	8	5	4	5		5	13	3	6	4	7	8
36	Suicide.....													
	All other causes.....	507	39	31	49	52	39	42	48	46	33	48	49	31
RICHMOND, VA. (TOTAL).														
	All causes.....	3,812	289	269	272	246	245	247	265	260	207	775	293	444
1	Typhoid fever.....	12				1	1	3		5	1	1		
3	Malaria.....	2					2				1			
5	Measles.....	8	2	1	1	3								
6	Scarlet fever.....													
7	Whooping cough.....	22	2	1	2	1	1	2	1	2	1	3	2	4
8	Diphtheria and croup.....	13	2	1	2		2		2		1	3	1	1
9	Influenza.....	608	2	2	2	2	3	3	3	1	4	362	74	153
13	Tuberculosis of the lungs.....	298	31	24	34	21	23	29	20	23	16	31	15	31
14-15	Other forms of tuberculosis.....	39	2	1	4	1	6	6	3	7	2	1	1	5
17	Meningitis.....	14	1	1	2	2	2		2	1		1		2
20-21	Bronchitis.....	34	4	5	7	3	2	1		3	2		1	6
22	Pneumonia.....	360	21	33	30	17	11	6	3	3	10	159	20	47
(23)	Bronchopneumonia.....	137	15	23	15	12	3	5	7	3	5	15	18	16
25	Diarrhea and enteritis (under 2 years).....	86	2	2		2	5	13	29	15	9	3	3	3
(37)	Diarrhea and enteritis (2 years and over).....	44	3	3	3	4	3	9	9	8	4	1	1	1
(33)	Congenital debility ¹	76	7	6	7	1	4	5	4	10	7	15	5	5
35	Violent deaths (suicide excepted).....	150	19	10	9	8	9	6	15	25	12	9	17	11
36	Suicide.....	18	3	1	1	3	3	3			2	2	2	2
	All other causes.....	1,891	175	154	153	169	164	163	167	154	133	169	133	157
RICHMOND, VA. (WHITE).														
	All causes.....	2,225	163	146	159	149	143	144	144	146	102	455	175	299
1	Typhoid fever.....	7					1	1		4		1		
3	Malaria.....	2					2							
5	Measles.....	5	2	1	1	1								
6	Scarlet fever.....													
7	Whooping cough.....	8					1	2	1	1	1	1	1	1
8	Diphtheria and croup.....	9	2		1				2		1	1	1	1
9	Influenza.....	454	1	1	2	2	1		1	3	267	53	123	
13	Tuberculosis of the lungs.....	139	16	14	14	7	6	13	7	11	6	17	7	21
14-15	Other forms of tuberculosis.....	27		1	4	1	3	3	1	1	1	1	1	4
17	Meningitis.....	12	1	1	1	2	2		1	1		1		2
20-21	Bronchitis.....	17	1	2	3	2				2		1		5
22	Pneumonia.....	132	6	14	8	7	6	1	1	2	6	51	9	21
(23)	Bronchopneumonia.....	45	8	8	5	2		1		1	4	7	7	9
25	Diarrhea and enteritis (under 2 years).....	42	1		1	3	2	2	9	12	7	5	2	2
(37)	Diarrhea and enteritis (2 years and over).....	26	1	2	1	3	2	3	4	6	2	1	1	1
(33)	Congenital debility ¹	27	3		2	1	2	2	2	2	5	3	3	3
35	Violent deaths (suicide excepted).....	85	9	4	5	6	6	3	10	13	10	5	8	6
36	Suicide.....	16	2	1	1	3	3	2			2	2	2	2
	All other causes.....	1,172	112	96	111	112	105	104	101	87	62	101	79	102
RICHMOND, VA. (COLORED).														
	All causes.....	1,587	126	123	113	97	102	103	121	114	105	320	118	145
1	Typhoid fever.....	5				1		2		1	1			
3	Malaria.....	3					2				1			
5	Measles.....													
6	Scarlet fever.....													
7	Whooping cough.....	14	2	1	2	1				1		2	1	4
8	Diphtheria and croup.....	4	1		1							2		
9	Influenza.....	154	1	1		2		2	1	1	1	95	21	30
13	Tuberculosis of the lungs.....	159	15	10	20	14	17	16	13	12	10	14	8	10
14-15	Other forms of tuberculosis.....	12	2			3	3	1	1	1	1			1
17	Meningitis.....	2			1				1					
20-21	Bronchitis.....	17	3	3	4	1	2	1		1	1			1
22	Pneumonia.....	228	15	19	22	10	5	5	2	1	4	108	11	26
(23)	Bronchopneumonia.....	92	7	15	10	10	3	4	7	2	5	11	11	7
25	Diarrhea and enteritis (under 2 years).....	44	1	2		3	3	4	17	8	4	3	1	1
(37)	Diarrhea and enteritis (2 years and over).....	18	2	1	2	1	1	2	5	2	2	2		
(33)	Congenital debility ¹	49	4	6	5	5	2	3	2	5	3	12	2	5
35	Violent deaths (suicide excepted).....	65	10	6	4	2	3	3	5	12	2	4	9	5
36	Suicide.....	2	1					1						
	All other causes.....	719	63	58	42	57	59	59	66	67	71	68	54	55

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1918—Continued.

[See note at head of this table, p. 483.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Februa- ry.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.														
	SEATTLE, WASH.													
	All causes.....	4,090	245	244	312	313	252	233	245	214	263	627	482	660
1	Typhoid fever.....	12	—	1	—	—	2	2	3	1	1	2	—	—
3	Malaria.....	15	—	—	9	2	4	—	—	—	—	—	—	—
5	Measles.....	—	—	—	1	4	—	—	—	—	—	3	1	4
6	Scarlet fever.....	16	—	—	1	—	—	3	—	—	—	—	—	5
7	Whooping cough.....	8	—	—	1	—	—	—	1	—	—	—	—	4
8	Diphtheria and croup.....	24	1	—	1	—	1	2	—	2	—	—	—	9
9	Influenza.....	—	—	—	—	—	—	—	—	2	—	—	—	6
13	Tuberculosis of the lungs.....	732	1	3	—	—	4	2	1	—	—	—	—	6
14-15	Other forms of tuberculosis.....	200	17	19	17	19	19	14	16	—	18	226	177	317
17	Meningitis.....	23	3	5	6	9	9	7	4	8	8	18	18	17
20-21	Bronchitis.....	18	—	1	3	—	—	5	2	—	1	2	3	1
22	Pneumonia.....	441	18	17	27	47	22	12	15	10	15	148	65	45
(23)	Bronchopneumonia.....	68	6	5	5	11	7	3	2	1	2	13	3	10
25	Diarrhea and enteritis (under 2 years).....	41	—	4	4	3	1	2	3	3	8	6	1	6
(37)	Diarrhea and enteritis (2 years and over).....	21	2	3	3	1	2	1	3	1	3	—	—	—
(33)	Congenital debility ¹	17	1	1	1	1	1	1	2	—	2	—	1	1
35	Violent deaths (suicide excepted).....	253	18	18	24	21	13	24	24	20	27	2	1	6
36	Suicide.....	47	6	3	2	4	3	3	3	6	5	18	21	25
	All other causes.....	2,080	169	164	206	185	158	154	169	152	175	167	173	203
SPOKANE, WASH.														
	All causes.....	1,528	89	108	113	97	96	92	89	56	83	179	275	251
1	Typhoid fever.....	14	—	2	—	1	—	1	2	—	2	4	2	—
3	Malaria.....	—	—	1	—	—	—	—	—	—	—	—	—	—
5	Measles.....	2	—	—	—	—	—	—	—	—	—	1	—	—
6	Scarlet fever.....	3	—	1	—	—	—	—	—	—	—	—	—	—
7	Whooping cough.....	4	—	—	—	3	1	—	—	—	—	—	—	—
8	Diphtheria and croup.....	5	2	—	—	2	—	—	—	—	—	—	—	—
9	Influenza.....	282	1	2	—	3	—	1	—	—	—	—	—	—
13	Tuberculosis of the lungs.....	64	3	10	7	6	8	1	6	2	2	5	6	8
14-15	Other forms of tuberculosis.....	15	—	1	2	—	5	4	1	—	—	1	—	—
17	Meningitis.....	5	—	—	1	2	—	1	—	—	—	—	—	—
20-21	Bronchitis.....	7	1	1	1	—	1	1	—	—	—	—	—	1
22	Pneumonia.....	197	12	9	11	6	5	4	—	2	3	48	59	38
(23)	Bronchopneumonia.....	29	3	2	4	4	5	3	1	1	1	1	1	3
25	Diarrhea and enteritis (under 2 years).....	24	3	2	—	—	2	2	1	2	4	5	2	1
(37)	Diarrhea and enteritis (2 years and over).....	9	1	—	—	—	—	—	2	4	1	—	—	—
(33)	Congenital debility ¹	13	1	2	1	2	—	—	—	—	1	—	—	—
35	Violent deaths (suicide excepted).....	70	3	5	7	4	5	2	7	6	6	3	1	—
36	Suicide.....	12	—	1	1	1	3	—	3	2	1	6	8	7
	All other causes.....	773	59	69	78	63	61	65	66	36	61	67	74	74
MILWAUKEE, WIS.														
	All causes.....	6,550	404	411	501	631	457	366	342	381	423	870	631	1,083
1	Typhoid fever.....	28	1	2	6	8	1	3	1	1	1	4	—	—
3	Malaria.....	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Measles.....	57	1	2	11	15	16	6	3	1	1	—	—	—
6	Scarlet fever.....	49	9	3	6	5	7	6	4	2	1	2	3	5
7	Whooping cough.....	50	—	—	5	—	7	6	3	3	10	8	4	5
8	Diphtheria and croup.....	51	9	3	3	3	4	—	6	3	4	5	4	7
9	Influenza.....	938	2	1	3	10	3	1	3	1	13	383	185	383
13	Tuberculosis of the lungs.....	388	22	21	35	41	46	30	32	32	26	28	30	45
14-15	Other forms of tuberculosis.....	85	4	6	7	13	13	5	7	9	9	9	1	6
17	Meningitis.....	55	2	2	5	8	12	8	4	5	5	2	3	3
20-21	Bronchitis.....	130	6	8	13	16	17	9	7	5	9	12	13	15
22	Pneumonia.....	808	46	39	44	123	47	15	16	9	9	20	153	124
(23)	Bronchopneumonia.....	359	12	19	38	53	32	13	17	5	14	38	41	77
25	Diarrhea and enteritis (under 2 years).....	240	17	29	23	21	11	4	14	46	42	9	11	13
(37)	Diarrhea and enteritis (2 years and over).....	53	3	1	7	4	1	4	4	8	9	4	3	5
(33)	Congenital debility ¹	68	3	5	3	1	2	7	4	9	12	6	10	6
35	Violent deaths (suicide excepted).....	291	20	29	20	22	18	24	30	28	38	15	22	25
36	Suicide.....	68	4	6	5	6	7	6	7	2	3	10	5	7
	All other causes.....	2,832	243	235	272	277	215	224	181	213	208	236	220	308

¹ Excluding premature birth.

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

521

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1910.

[The cities included in this table are arranged alphabetically by states; those in which the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1910, are shown by color, except when the deaths for colored at all ages numbered less than 500.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	
SUMMARY.																
	THE REGISTRATION AREA (exclusive of Hawaii).															
	All causes.....	193,855	29,106	9,554	6,829	12,645	58,134	11,750	8,292	6,572	84,748	16,278	13,238	31,503	26,111	21,977
5	Measles.....	1,953	4	2	2	8	16	45	44	40	145	93	86	291	554	784
6	Scarlet fever.....	104						3	2		5	10	5	18	25	41
7	Whooping cough.....	6,562	5	5	3	15	28	52	106	240	426	874	695	1,612	1,531	1,424
8	Diphtheria and croup.....	860	3	3	2	17	25	42	21	23	111	77	57	145	181	259
9	Influenza.....	12,874	89	61	61	224	435	454	340	252	1,481	796	779	2,918	3,539	3,361
(12)	Dysentery.....	1,032		3	1	8	12	21	23	13	69	95	81	287	238	262
(12)	Erysipelas.....	771			1	9	10	43	90	97	240	222	82	106	83	38
(37)	Tetanus.....	351	3	4	12	102	121	184	24	7	336	4	4	2	2	3
13	Tuberculosis of the lungs.....	947	15	4	2	8	29	17	14	16	76	59	82	238	248	244
14	Tuberculous meningitis.....	1,153		2		6	8	10	8	5	31	44	52	256	382	338
15	Other forms of tuberculosis.....	401	2		1	5	4	7	14	30	51	51	114	82	73	
(37)	Syphilis.....	2,004	201	77	54	127	459	160	126	103	848	337	218	381	130	90
17	Meningitis.....	1,632	4	6	11	43	64	71	39	28	202	128	126	407	417	352
(37)	Convulsions.....	2,111	63	110	164	359	696	266	108	86	1,156	176	123	308	204	144
19	Organic diseases of the heart.....	630	12	2	7	42	63	76	27	36	212	85	76	117	74	66
20	Acute bronchitis.....	3,839	10	16	28	117	171	212	264	220	867	509	434	849	654	526
22	Pneumonia.....	10,073	45	49	75	253	422	369	347	309	1,447	897	856	2,287	2,436	2,150
(23)	Bronchopneumonia.....	16,436	38	61	108	353	560	536	695	628	2,419	1,750	1,424	3,797	3,756	3,290
24	Diseases of the stomach.....	2,731	4	9	33	131	177	186	188	156	707	402	389	667	361	205
25	Diarrhea and enteritis.....	36,807	33	57	102	439	631	917	1,130	1,187	3,865	4,027	4,161	10,922	7,957	5,875
(33)	Malformations.....	11,887	2,630	1,262	1,096	1,890	6,378	1,245	675	459	9,257	810	508	691	388	233
(33,37)	Premature birth.....	38,535	18,930	5,125	2,720	3,922	30,897	3,363	1,788	1,008	36,856	1,029	301	252	69	28
(37)	Congenital debility.....	17,566	2,927	1,228	1,109	2,266	7,530	1,809	1,204	868	11,411	1,871	1,311	1,884	668	361
35	Injuries at birth.....	6,149	2,947	913	699	991	5,550	368	117	54	6,089	39	16	3	1	1
38	External causes.....	2,065	137	55	72	130	394	92	76	78	640	233	189	386	310	307
	Unknown or ill-defined diseases.....	5,849	865	391	286	621	1,163	530	345	248	3,286	655	439	752	410	307
	All other causes.....	8,593	139	109	180	562	990	675	474	397	2,536	1,005	693	1,813	1,411	1,125
	REGISTRATION STATES. ¹	188,771	28,408	9,297	6,656	12,269	56,630	11,428	8,089	6,418	82,565	15,840	12,893	30,656	25,457	-21,360
5	Measles.....	1,911	4	2	2	8	16	45	44	39	144	91	85	280	548	763
6	Scarlet fever.....	102					3	2		5	10	5	18	24	40	
7	Whooping cough.....	6,451	4	5	3	15	27	52	103	239	421	864	680	1,587	1,501	1,398
8	Diphtheria and croup.....	851	3	3	2	17	25	40	21	22	108	77	56	142	181	287
9	Influenza.....	12,548	86	61	61	221	429	441	330	244	1,444	773	756	2,833	3,464	3,278
(12)	Dysentery.....	972		3	1	7	11	17	33	11	62	92	79	265	226	248
(12)	Erysipelas.....	754			1	9	10	42	88	95	235	217	79	105	80	38
(37)	Tetanus.....	303	3	4	11	83	101	159	21	7	288	4	4	2	3	
13	Tuberculosis of the lungs.....	929	15	4	2	8	29	16	12	16	73	57	79	237	244	239
14	Tuberculous meningitis.....	1,130		2		6	8	10	8	5	31	44	50	249	375	331
15	Other forms of tuberculosis.....	390	2		1	2	5	4	6	14	29	50	51	110	80	70
(37)	Syphilis.....	1,894	194	71	49	122	436	152	122	98	808	321	202	350	127	86
17	Meningitis.....	1,596	4	6	11	42	63	69	39	27	198	126	123	395	407	347
(37)	Convulsions.....	2,064	63	105	159	344	671	261	106	86	1,124	175	122	304	197	142
19	Organic diseases of the heart.....	615	12	2	6	39	59	74	36	36	205	84	74	114	73	65
20	Acute bronchitis.....	3,757	10	16	27	115	168	208	261	215	852	499	420	831	643	512
22	Pneumonia.....	9,778	41	47	75	242	405	358	345	299	1,407	874	834	2,213	2,372	2,078
(23)	Bronchopneumonia.....	16,102	37	59	106	345	547	524	681	616	2,365	1,705	1,389	3,719	3,679	3,242
24	Diseases of the stomach.....	2,689	4	8	32	130	174	184	184	153	695	397	384	655	355	203
25	Diarrhea and enteritis.....	35,667	33	55	98	419	605	898	1,108	1,156	3,767	3,894	4,059	10,603	7,696	5,648
(33)	Malformations.....	11,655	2,594	1,237	1,065	1,855	6,751	1,225	670	454	9,100	798	498	677	333	229
(33,37)	Premature birth.....	37,408	18,409	4,972	2,634	3,782	29,797	3,260	1,729	985	35,771	997	295	250	68	27
(37)	Congenital debility.....	17,065	2,859	1,199	1,092	2,200	7,350	1,176	1,162	843	11,122	1,823	1,270	1,849	651	350
35	Injuries at birth.....	6,046	2,908	891	686	979	5,464	356	114	53	5,987	38	16	3	1	1
38	External causes.....	2,004	134	54	71	129	388	90	72	73	623	225	181	374	304	297
	Unknown or ill-defined diseases.....	5,689	852	385	281	603	2,121	515	337	244	3,217	636	424	726	397	289
	All other causes.....	8,371	137	106	180	547	970	658	465	388	2,481	969	678	1,765	1,379	1,099
	CITIES ² IN REGISTRATION STATES.															
	All causes.....	97,745	13,875	4,889	3,445	6,075	28,284	5,470	4,085	3,229	41,068	7,978	6,809	16,227	13,949	11,714
5	Measles.....	991			1		1	3	6	8	18	23	24	118	319	489
6	Scarlet fever.....	43					2	1		3	5	1	5	13	16	
7	Whooping cough.....	2,581	2	2		6	10	14	24	70	118	271	241	612	689	650
8	Diphtheria and croup.....	415				2	4	7	7	9	27	18	19	60	108	183
9	Influenza.....	5,247	23	19	18	78	138	140	120	98	496	267	271	1,106	1,502	1,605
(12)	Dysentery.....	224		1	1	2	2	8	2	12	15	24	21	49	49	53
(12)	Erysipelas.....	431			2	2	24	53	55	134	130	45	59	43	20	
(37)	Tetanus.....	106	1	1	6	28	36	53	57	3	99	2	2	1	2	2
13	Tuberculosis of the lungs.....	461	7	2	2	4	15	5	4	8	32	24	34	131	128	112
14	Tuberculous meningitis.....	773	2	2	4	6	6	4	2	18	20	31	30	162	269	273
15	Other forms of tuberculosis.....	234			1	1	2	2	3	8	15	30	36	60	51	42
(37)	Syphilis.....	1,410	148	55	37	94	334	108	93	71	606	248	149	262	92	53
17	Meningitis.....	787	2	1	5	10	18	33	19	12	82	53	58	198	216	180
(37)	Convulsions.....	820	21	38	72	124	255	95	36	30	416	64	60	127	81	72
19	Organic diseases of the heart.....	279	5	12	14	70	101	126	162	128	517	316	266	531	396	326
20</td																

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
SUMMARY—Continued.																
	RURAL PART OF REGIS- TRATION STATES.															
All causes.....	91,026	14,533	4,408	3,211	6,194	28,346	5,958	4,004	3,180	41,497	7,862	6,084	14,429	11,508	9,646	
5 Measles.....	920	4	2	1	8	15	42	38	31	126	68	61	162	229	274	
6 Scarlet fever.....	59										5	4	13	11	24	
7 Whooping cough.....	3,870	2	3	3	9	17	38	79	169	303	593	439	975	812	748	
8 Diphtheria and croup.....	436	1	3	2	15	21	33	14	13	81	59	37	82	73	104	
9 Influenza.....	7,301	63	42	43	143	291	301	210	146	948	506	485	1,727	1,962	1,673	
(12) Dysentery.....	748		2		7	9	17	15	9	50	77	55	194	177	195	
(12) Erysipelas.....	323			1	7	8	35	40	101	87	34	46	37	18		
(37) Tetanus.....	197	2	3	5	55	65	106	14	4	189	4	2	1	1	1	
13 Tuberculosis of the lungs.....	468	8	2		4	14	11	8	3	41	33	45	106	116	127	
14 Tuberculous meningitis.....	357				2	2	4	4	3	13	24	19	87	106	108	
15 Other forms of tuberculosis.....	156	2			1	3	2	3	6	14	20	15	50	29	28	
(37) Syphilis.....	484	46	16	12	28	102	44	29	27	202	73	53	88	35	33	
17 Meningitis.....	809	2	5	6	32	45	36	20	15	116	73	65	197	191	167	
(37) Convulsions.....	1,244	42	67	87	220	416	166	70	56	708	111	62	177	116	70	
19 Organic diseases of the heart.....	336	10	2	4	25	41	44	22	21	128	42	30	72	38	26	
20 Acute bronchitis.....	1,405	5	4	13	45	67	82	99	87	335	183	154	300	247	186	
22 Pneumonia.....	4,648	24	27	40	134	225	224	185	161	795	474	442	1,070	1,025	842	
(23) Bronchopneumonia.....	6,094	20	18	42	149	229	233	280	265	997	730	552	1,451	1,281	1,083	
24 Diseases of the stomach.....	1,677	3	5	23	95	126	114	120	98	453	249	226	401	217	126	
25 Diarrhea and enteritis.....	14,646	20	23	42	195	280	391	457	455	1,583	1,511	1,580	4,241	3,182	2,549	
(33) Malformations.....	5,484	1,289	592	525	887	3,293	568	297	201	4,359	372	214	282	158	99	
(33,37) Premature birth.....	13,176	9,400	2,232	1,220	1,824	14,576	794	445	17,484	439	108	103	27	15		
(33,37) Congenital debility.....	8,497	1,479	586	520	1,097	3,682	917	623	445	5,667	895	576	874	307	178	
(37) Injuries at birth.....	2,345	1,177	351	258	341	2,127	137	35	23	2,322	16	5	1	1		
35 External causes.....	1,148	87	27	41	68	223	51	39	42	355	140	103	209	166	175	
38 Unknown or ill-defined diseases.....	5,087	780	349	251	545	1,925	478	300	217	2,920	569	368	629	344	257	
All other causes.....	4,111	67	47	72	258	444	341	213	202	1,200	509	350	892	620	540	
	REGISTRATION CITIES ¹ IN NONREGISTRATION STATES.															
All causes.....	5,084	698	257	173	376	1,504	322	203	154	2,183	438	345	847	654	617	
5 Measles.....	42								1	1	2	1	11	6	21	
6 Scarlet fever.....	2												1	1	1	
7 Whooping cough.....	111	1				1		3	1	5	10	15	25	30	26	
8 Diphtheria and croup.....	9						2		1	3	1	3	2	83	83	
(12) Influenza.....	326	3				3	6	13	10	8	37	23	28	85	75	
(12) Dysentery.....	60					1	1	4		2	7	3	22	12	14	
(12) Erysipelas.....	17							1	2	5	5	3	1			
(37) Tetanus.....	48			1	19		20	25	3	48						
13 Tuberculosis of the lungs.....	18							1	2	3	2	3	1	4	5	
14 Tuberculous meningitis.....	23										2	7	7	7	7	
15 Other forms of tuberculosis.....	11											4	2	3	3	
(37) Syphilis.....	110	7	6	5	5	23	8	4	5	40	16	16	31	3	4	
17 Meningitis.....	36					1	1	2		1	4	2	3	12	10	
(37) Convulsions.....	47		5	5	15	25	5	2		32	1	1	4	7	2	
19 Organic diseases of the heart.....	15			1	3	4	2	1		7	1	2	3	1	1	
20 Acute bronchitis.....	82				2	3	4	3	5	15	10	14	18	11	14	
22 Pneumonia.....	295	4	2		11	17	11	2	10	40	23	22	74	64	72	
(23) Bronchopneumonia.....	334	1	2	2	8	13	12	14	12	51	45	35	78	77	48	
24 Diseases of the stomach.....	42		1	1	1	3	2	4	3	12	5	5	12	6	2	
25 Diarrhea and enteritis.....	1,140	2	4	4	20	26	19	22	31	98	133	102	319	261	227	
(33) Malformations.....	202	36	25	31	35	127	20	5	5	157	12	10	14	5	4	
(33,37) Premature birth.....	1,127	521	153	86	140	900	103	59	23	1,085	32	6	2	1	1	
(37) Congenital debility.....	441	68	29	17	66	180	42	42	25	289	48	41	35	17	11	
(37) Injuries at birth.....	103	39	22	13	12	86	12	3	1	102	1					
35 External causes.....	61	3	1	1	1	6	2	4	5	17	8	8	12	6	10	
38 Unknown or ill-defined diseases.....	160	13	6	5	18	42	15	8	4	69	19	15	26	13	18	
All other causes.....	222	2	3		15	20	17	9	9	55	36	15	48	32	36	
	ALL REGISTRATION CITIES. ²															
All causes.....	102,829	14,573	5,146	3,618	6,451	29,788	5,792	4,288	3,383	43,251	8,416	7,154	17,074	14,603	12,331	
5 Measles.....	1,033				1		1	3	6	9	19	25	129	325	510	
6 Scarlet fever.....	45						2	1		3	5	1	5	14	17	
7 Whooping cough.....	2,692	3	2		6	11	14	27	71	123	281	256	637	719	676	
8 Diphtheria and croup.....	424	2				2	4	9	7	10	30	20	63	108	185	
9 Influenza.....	5,573	26	19 ³	18	81	144	153	130	106	533	290	294	1,191	1,577	1,688	
(12) Dysentery.....	284		1 ³	1	1	1	3	4	8	4	19	18	26	93	61	67
(12) Erysipelas.....	448					2	2	25	55	57	139	135	48	60	46	20
(37) Tetanus.....	154	1	1	7	47	56	78	10	3	147		2	2	1	2	
13 Tuberculosis of the lungs.....	479	7	2	2	4	15	6	6	8	35	26	37	132	132	117	
14 Tuberculous meningitis.....	796			2		4	6	4	2	18	20	33	169	276	280	
15 Other forms of tuberculosis.....	245					1	2	2	4	8	16	31	36	64	53	
(37) Syphilis.....	1,520	155	61	42	99	357	116	97	76	648	284	165	293	95	57	
17 Meningitis.....	823	2	18 ³	5	11	19	35	19	13	86	55	61	131	88	74	
(37) Convulsions.....	867	21	43	77	139	280	100	38	30	448	65	61	131	88	74	
19 Organic diseases of the heart.....	294	2			3	17	12	32	15	84	43	46	45	36	40	
20 Acute bronchitis.....	2,434	5	12 ³	15	72	104	130	165	133	532	326	280	549	407	340	
22 Pneumonia.....	5,425	21	22 ³	35	119	197	145	162	148	652	423	414	1,217	1,411	1,308	
(23) Bronchopneumonia.....	10,342	18	43	66	204	331	813	415	363	1,422	1,020	872	2,346	2,475	2,207	
24 Diseases of the stomach.....	11,054	1 ³	4	10	36	51 ⁴	72	68	58	249	153	163	266	144	79	
25 Diarrhea and enteritis.....	22,161	13	34 ³	60	244	351	526	678	732	2,282	2,516	2,581	6,681	4,773	3,326	
(33) Malformations.....	6,493	1,341	670	571	1,003	3,583	677	378	258	4,898	438	294	409	230	134	
(33,37) Premature birth.....	20,359	9,530	2,893	1,500	2,098	16,021	1,794	994	563	19,372	590	193	149	42	13	
(37) Congenital debility.....	9,009	1,448	642	589	1,169	3,848	892	541	423	5,744	976	735	1,010	361	183	
(37) Injuries at birth.....	3,804	1,770	562	441	650	3,423	231	82								

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

.523

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—														
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.	
REGISTRATION STATES.																	
	CALIFORNIA.																
	All causes.....	4,666	816	230	174	301	1,521	274	190	132	2,117	396	347	782	551	473	
5	Measles.....	36								1	1	1	1	3	15	15	
6	Scarlet fever.....	1														1	
7	Whooping cough.....	158							1	3	8	12	14	15	49	32	
8	Diphtheria and croup.....	13							9	9	5	34	9	22	79	36	
9	Influenza.....	282							11	9	5	34	3	3	3	6	
(12)	Dysentery.....	23							1	2	3	3	5	4	7	72	
(12)	Erysipelas.....	12							2	5	7	1	1	1	2	6	
(37)	Tetanus.....	8							2	5	1	2	2	3	2	1	
13	Tuberculosis of the lungs.....	31								1	1	2	5	9	10	4	
14	Tuberculous meningitis.....	45								2	2	2	3	9	13	13	
15	Other forms of tuberculosis.....	15												5	3	7	
(37)	Syphilis.....	70	9	3	1	4	17	6	7	1	31	5	7	20	3	4	
17	Meningitis.....	38								4	4	1	5	14	7	7	
(37)	Convulsions.....	28	2	2	3	5			12	2		14	1	3	3	4	
19	Organic diseases of the heart.....	12	1						1	4	4	2				4	
20	Acute bronchitis.....	59							1	2	4	2	12	13	7	2	
22	Pneumonia.....	277	4	1	2	10	17	15	8	9	49	33	28	77	52	38	
(23)	Bronchopneumonia.....	414							3	12	16	75	53	39	106	75	
24	Diseases of the stomach.....	69							6	3	4	1	12	9	21	8	
25	Diarrhea and enteritis.....	861							1	5	27	90	117	120	243	175	
(33)	Malformations.....	322	72	34	33	57	196	32	12	7	247	24	15	18	10	8	
(33, 37)	Premature birth.....	1,014	549	125	56	90	820	77	46	28	971	27	7	4	3	2	
(37)	Congenital debility.....	386	87	25	30	59	201	38	28	14	281	31	20	37	6	11	
35	Injuries at birth.....	170	79	30	24	23	156	5	3	2	166	3	1				
38	External causes.....	73	4	1	5	6	16	1		1	18	8	6	17	15	9	
	Unknown or ill-defined diseases.....	14			3				1	1	5	2	5	2			
	All other causes.....	235	4	3	5	16	28	21	11	18	73	31	28	43	29	31	
	COLORADO.																
	All causes.....	1,900	266	81	58	125	530	138	106	69	843	171	112	299	248	227	
5	Measles.....	9										3		1	2	3	
6	Scarlet fever.....	1														1	
7	Whooping cough.....	78							1	3	2	6	4	9	22	18	
8	Diphtheria and croup.....	4							3	6	1	12	11	8	36	29	
9	Influenza.....	134		1		2	3	6	1	2	12	11	8	1	2	38	
(12)	Dysentery.....	8							2	2	1	5	1	1	5	2	
(12)	Erysipelas.....	17							1		1				5	3	
(37)	Tetanus.....	1														3	
13	Tuberculosis of the lungs.....	6												1	1	4	
14	Tuberculous meningitis.....	15												5	1	5	
15	Other forms of tuberculosis.....	3													1	1	
(37)	Syphilis.....	29	2					1	3	1	3	8	2	7	8	4	
17	Meningitis.....	19						1	2	1	3	3	2	3	5	6	
(37)	Convulsions.....	8						1	1	2	4	1	7	1		6	
19	Organic diseases of the heart.....	8						1	1	1	1	3	1	1	1	2	
20	Acute bronchitis.....	39						1	1	2	8	1	12	4	6	10	
22	Pneumonia.....	84						2	5	4	4	4	17	9	14	20	
(23)	Bronchopneumonia.....	248	2	2				10	14	12	18	15	59	38	21	46	
24	Diseases of the stomach.....	39	1					3	4	3	3	1	11	5	2	2	
25	Diarrhea and enteritis.....	337						3	4	8	19	9	40	46	31	50	
(33)	Malformations.....	142	33	13	17	21	84	16	5	10	115	6	7	7	4	3	
(33, 37)	Premature birth.....	356	175	46	15	45	281	40	16	5	342	9	4	1	1	3	
(37)	Congenital debility.....	185	34	13	17	25	89	26	17	12	144	18	6	11	6		
35	Injuries at birth.....	34	17	3	6	3	29	4		1	34						
38	External causes.....	22				1	1	2	1	1	5	4	1	5	3	4	
	Unknown or ill-defined diseases.....	5							2	1	1	2	1				
	All other causes.....	69	2					4	6	3	4	2	15	5	9	17	
	CONNECTICUT.																
	All causes.....	3,964	583	253	140	216	1,192	218	208	140	1,758	313	278	652	524	439	
5	Measles.....	30								3		3	1		6	8	12
6	Scarlet fever.....	2													1	1	
7	Whooping cough.....	144									2	4	6	17	34	37	
8	Diphtheria and croup.....	19												6	2	10	
(9)	Influenza.....	312	3	3	1	8	10	13	16	7	46	17	16	68	86	79	
(12)	Dysentery.....	13								1	2	4	1	6	2	2	
(12)	Erysipelas.....	21							1	2	4	7	11	1	1	1	
(37)	Tetanus.....	1							1			1					
13	Tuberculosis of the lungs.....	17										2	1	6	6	2	
14	Tuberculous meningitis.....	38										1	2	5	15	17	
15	Other forms of tuberculosis.....	13										2	2	4	4	17	
(37)	Syphilis.....	35	6	2	1	3	12	2	2		16	6	4	2	2	1	
17	Meningitis.....	21						1	2	2	1	4	1	2	5	7	
(37)	Convulsions.....	30						2	4	2	3	3	12	5	1	3	
19	Organic diseases of the heart.....	6						1	1	1	2	2	1	2			
20	Acute bronchitis.....	96						2	4	6	9	21	14	10	23	15	
22	Pneumonia.....	194	1	1	1	3	57	7	5	4	21	19	18	43	51	42	
(23)	Bronchopneumonia.....	367	1	1	1	5	81	11	20	12	51	40	45	90	76	65	
24	Diseases of the stomach.....	54						1	4	3	35	11	9	10	14	6	
(33)	Diarrhea and enteritis.....	735						7	19	30	25	31	78	86	236	151	
(33, 37)	Malformations.....	241	41	29	19	36	125	25	21	9	180	15	12	17	9	8	
(33, 37)	Premature birth.....	808	356	150	65	78	649	67	38	26	780	18	3	5	2	1	
(37)	Congenital debility.....	382	61	31	16	48	156	40	38	21	255	32	32	38	16	9	
35	Injuries at birth.....	183	103	30	21	18	172	4	4	3	183						
38	External causes.....	28	3	2	3	1	9	2	2	1	12	2	2	6	2	6	
	Unknown or ill-defined diseases.....	19	4	2	2	1	7	2	1	2	12	1	1	1	3	1	
	All other causes.....	155	4	1	7	10	22	14	11	6	53	19	10	27	22	24	

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
	ILLINOIS.															
	All causes.....	13,109	2,079	646	465	869	4,059	789	566	483	5,897	1,024	798	2,143	1,759	1,488
5	Measles.....	67						2	2	1	5	6	2	14	15	25
6	Scarlet fever.....	4						1	1	3	18	51	41	74	64	81
7	Whooping cough.....	329	1					1	1	2	3	4	1	10	12	20
8	Diphtheria and croup.....	56						1	1	2	3	4	1	10	12	20
9	Influenza.....	668	8	2	3	11	24	12	14	15	65	27	31	158	199	188
(12)	Dysentery.....	44		1			1		2	1	4	3	4	13	12	8
(12)	Erysipelas.....	41						1	3	3	7	14	4	8	5	3
(37)	Tetanus.....	16	1	1	2	3		7	7	2	16					
13	Tuberculosis of the lungs.....	75		1		1		1		1	3	3	11	13	20	25
14	Tuberculous meningitis.....	56									1	1	2	11	12	30
15	Other forms of tuberculosis.....	18	1					1	1	1	3	1	3	6	1	4
(37)	Syphilis.....	109	18	11	2	7	38	13	5	3	59	17	5	19	5	4
17	Meningitis.....	110				6	8	5	2	2	17	7	7	26	36	17
(37)	Convulsions.....	106	5	11	8	21	45	16	3	4	68	8	5	14	4	7
19	Organic diseases of the heart.....	43					5	5	2	3	1	11	7	5	14	5
20	Acute bronchitis.....	300			3	10	13	20	15	16	64	39	21	77	49	50
22	Pneumonia.....	669	3	5	8	14	30	21	26	31	108	64	55	136	165	141
(23)	Bronchopneumonia.....	1,064	4	10	5	23	42	36	40	40	158	86	89	267	230	234
24	Diseases of the stomach.....	173	2	1	1	10	14	18	11	10	53	22	20	40	26	12
25	Diarrhea and enteritis.....	3,395	5	11	22	56	94	117	149	145	505	408	330	958	716	483
(33)	Malformations.....	913	233	105	80	136	554	89	46	37	726	50	36	46	35	20
(33,37)	Premature birth.....	2,357	1,199	310	144	245	1,898	208	104	66	2,276	47	14	15	1	4
(33,37)	Congenital debility.....	1,112	238	88	103	172	601	120	84	51	856	77	60	82	24	13
(37)	Injuries at birth.....	585	324	73	51	89	537	32	10	4	583	2				
35	External causes.....	99	2	2	4	3	11	3	4	4	22	10	14	17	25	11
38	Unknown or ill-defined diseases.....	85	26	4	5	11	46	7	7	4	64	9	5	5	2	2
	All other causes.....	615	9	10	22	46	87	57	31	27	202	66	33	125	96	93
	INDIANA.															
	All causes.....	5,603	937	264	233	410	1,944	382	244	188	2,758	445	336	843	692	529
5	Measles.....	28						2	2		4	2	2	4	10	6
6	Scarlet fever.....	5						5	6	11	22	48	36	62	54	42
7	Whooping cough.....	264						1	1	1	1	1	3	6	8	8
8	Diphtheria and croup.....	23						2	10	13	9	8	8	21	83	92
9	Influenza.....	332	1					4	5	8	38	21	21	83	92	77
(12)	Dysentery.....	21						5	5	1	1	3	3	4	7	6
(12)	Erysipelas.....	23						1	1	2	7	9	1	2	2	2
(37)	Tetanus.....	11		1		3	4	5	1	1	11	4	2	10	7	7
13	Tuberculosis of the lungs.....	31						1	1	1	1	1	2	1	5	11
14	Tuberculous meningitis.....	30						1	1	1	3	2	1	7	6	11
15	Other forms of tuberculosis.....	7												5	1	1
(37)	Syphilis.....	46	3	3			1	7	3	3	6	19	8	6	8	2
17	Meningitis.....	56						1	3	4	2	2	1	12	14	15
(37)	Convulsions.....	31	1	4	5	8	18	3	1	3	25	1	1	2	1	2
19	Organic diseases of the heart.....	41			3	2	5	4	1	5	15	6	1	9	7	3
20	Acute bronchitis.....	57		1	1	3	5	4	5	1	15	7	3	13	15	4
22	Pneumonia.....	290		2	4	9	15	16	13	9	53	24	23	73	74	43
(23)	Bronchopneumonia.....	467	3	1	8	13	25	15	25	22	87	53	47	105	95	80
24	Diseases of the stomach.....	132			5	3	6	10	14	8	38	15	20	29	21	9
25	Diarrhea and enteritis.....	25					22	28	38	31	117	110	100	307	215	157
(33)	Malformations.....	1,006	2					22	28	38	31	1,232	24	18	31	1
(33)	Premature birth.....	509	135	70	48	80	333	58	19	18	428	26	18	19	12	6
(33,37)	Congenital debility.....	1,261	609	190	85	150	1,034	113	58	27	1,232	24	4	31	8	7
(37)	Injuries at birth.....	177	86	26	22	27	161	12	3	1	177					
35	External causes.....	68	3	3	2	3	11	3	3	2	19	19	13	7	10	6
38	Unknown or ill-defined diseases.....	27	5	9	2	3	17	3	2	19	19	13	2	4	1	13
	All other causes.....	236	3	2	6	20	31	26	13	14	84	26	27	40	35	24
	KANSAS.															
	All causes.....	3,111	665	214	120	247	1,246	226	151	93	1,716	222	177	380	331	285
5	Measles.....	54						1	4	6	11	4	5	8	8	18
6	Scarlet fever.....	5						1	1	4	10	16	18	31	24	20
7	Whooping cough.....	125						1	1	1	1	1	1	1	1	1
8	Diphtheria and croup.....	3						5	8	4	3	15	8	33	48	42
9	Influenza.....	166		1	1	3		1	1	3	20	15	2	2	5	1
(12)	Dysentery.....	17						5	8	3	1	1	1	3	1	1
(12)	Erysipelas.....	16						1	1	1	6	5	5	3	2	1
(37)	Tetanus.....	4						3	1	4	4	2	2	1	1	1
13	Tuberculosis of the lungs.....	3														1
14	Tuberculous meningitis.....	7													3	4
(37)	Other forms of tuberculosis.....															
(37)	Syphilis.....	15	1				1	1	3	1	6	1	1	3	2	2
17	Meningitis.....	15		1	1	2	2	1	1	1	3	1	2	6	1	2
(37)	Convulsions.....	41	3	4	5	8	20	7	2	1	30	1	1	3	4	2
19	Organic diseases of the heart.....	18	1			2	3	1	1	1	4	2	2	5	4	1
20	Acute bronchitis.....	17			1	2	5	1	1	2	5	1	1	1	1	2
22	Pneumonia.....	171		2	2	5	9	7	8	7	31	13	14	40	32	41
(23)	Bronchopneumonia.....	174	1	2		7	10	9	8	5	32	23	17	42	35	25
24	Diseases of the stomach.....	79		1	2	10	13	9	6	5	33	10	1	20	11	4
25	Diarrhea and enteritis.....	295	1	1	1	9	12	16	14	8	50	40	45	101	86	73
(33)	Malformations.....	267	80	35	17	46	178	30	7	11	220	18	10	9	4	6
(33)	Premature birth.....	702	404	92	37	53	586	58	27	11	682	7	5	7	3	6
(33,37)	Congenital debility.....	408	116	42	29	51	238	45	26	15	324	27	17	23	9	8
(37)	Injuries at birth.....	102	46	23	10	16	95	2	6	4	101					
35	External causes.....	47	2	1	1	2	6	2	6	4	18	4	3	8	8	6
38	Unknown or ill-defined diseases.....	86	9	8	5	18	40	4	11	3	58	5	5	4	9	3
	All other causes.....	174	1	1	8	16	26	20	9	5	60	24	9	28	32	21

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

525

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
	KENTUCKY (TOTAL).															
	All causes	5,816	1,052	264	183	356	1,855	379	262	178	2,674	497	346	829	773	697
5	Measles	86		1	1	1	3	5	6	4	18	10	8	16	21	13
6	Scarlet fever	7									1	2	1		3	
7	Whooping cough	385					1	1	6	12	13	32	62	37	97	79
8	Diphtheria and croup	59					4	5	7	2	14	10	4	12	6	13
9	Influenza	523	6	3	3	11	23	29	9	17	78	42	29	92	162	120
(12)	Dysentery	45		1				1	1		2	4	2	12	8	17
(12)	Erysipelas	26							3	5	1	9	7	2	4	4
(37)	Tetanus	5				1	2	3	2		5					
13	Tuberculosis of the lungs	68	5			1	6	4	1	3	14	6	4	18	14	12
14	Tuberculous meningitis	47							1		1	5	2	13	14	12
15	Other forms of tuberculosis	14										1	3	2	4	4
(37)	Syphilis	51	5	2	3	3	13	2	2	1	18	13	3	9	5	3
17	Meningitis	110	1	1	1	4	7	5	4	2	18	16	5	8	20	19
(37)	Convulsions	54	8	4	7	8	27	7	2		36	5	3	1	6	3
19	Organic diseases of the heart	15	2	1		2	5	1	1		7	2	1	3	2	
20	Acute bronchitis	68	1			2	3	5	7	4	19	9	7	11	11	
22	Pneumonia	317	5	1	2	8	16	10	25	12	63	26	35	66	61	
(23)	Bronchopneumonia	357		1	2	4		7	13	12	14	46	47	36	64	76
24	Diseases of the stomach	75					5	4	6	4	19	12	9	17	6	12
25	Diarrhea and enteritis	649	1		1	10	12	15	12	13	52	61	53	177	144	162
(33)	Malformations	219	66	20	17	25	128	27	13	11	179	13	9	12	5	1
(33,37)	Premature birth	1,356	753	152	91	125	1,121	104	56	20	1,301	28	10	14	2	
(37)	Congenital debility	469	80	35	27	68	210	54	43	19	326	38	35	45	16	9
35	Injuries at birth	89	43	11	13	13	80	4	2	1	87	1	1			
38	External causes	82	8	3		5	16	5	3	4	28	11	4	13	12	14
	Unknown or ill-defined diseases	412	61	24	11	39	135	45	25	22	227	40	26	66	30	23
	All other causes	228	7	4	2	15	28	19	16	11	74	25	16	44	40	29
	KENTUCKY (WHITE).															
	All causes	5,057	964	233	158	306	1,661	334	233	156	2,384	440	291	689	653	600
5	Measles	81		1	1	1	3	5	6	4	18	10	8	14	19	12
6	Scarlet fever	7									1	2	1		3	
7	Whooping cough	329									5	11	29	31	83	63
8	Diphtheria and croup	55		1	4	5	7	2	14	10	3	11	4	13		
9	Influenza	477	6	3	3	11	23	29	8	15	75	36	26	81	146	133
(12)	Dysentery	44		1			1	1	2	5	1	2	2	11	8	17
(12)	Erysipelas	25						2	5	1	8	7	2	4	4	
(37)	Tetanus	4			1	1	2	2	1	2	10	6	4	13	11	5
13	Tuberculosis of the lungs	49	4		1	5	2	1	2	1	1	4	2	12	14	12
14	Tuberculous meningitis	45					1				1	3	2	1	4	4
15	Other forms of tuberculosis	13						1				1	2	1	3	4
(37)	Syphilis	31	3	2	1	1	7	2	1	1	10	8	2	7	2	2
17	Meningitis	100	1	1	1	4	7	3	3	2	15	16	7	15	28	19
(37)	Convulsions	39	8	4	7	7	26	4	1		31	6	1	1	2	
19	Organic diseases of the heart	14	2	1		1	4	1	1		6	2	1	3	2	
20	Acute bronchitis	50				1	1	4	5	4	14	7	6	7	8	8
22	Pneumonia	256	5	1		8	14	9	24	12	59	23	22	52	51	49
(23)	Bronchopneumonia	234		1	2	2	5	13	11	11	40	42	30	44	67	61
24	Diseases of the stomach	66				5	3	6	3	3	17	11	8	15	5	10
25	Diarrhea and enteritis	548	1		1	8	10	12	9	10	41	50	49	147	122	139
(33)	Malformations	206	66	19	16	22	123	26	10	9	168	13	8	11	5	1
(33)	Premature birth	1,222	692	136	81	102	1,011	94	52	17	1,174	24	9	13	1	1
(33,37)	Congenital debility	404	74	29	22	58	183	39	39	16	277	34	32	40	13	8
(37)	Injuries at birth	79	41	9	10	12	72	4	1	1	78	1				
35	External causes	65	5	2		5	12	4	2	3	21	11	3	9	9	12
38	Unknown or ill-defined diseases	365	51	20	9	38	118	44	23	21	206	34	20	59	26	20
	All other causes	199	5	3	2	14	24	17	14	10	65	20	13	36	39	26
	KENTUCKY (COLORED).															
	All causes	759	88	31	25	50	194	45	29	22	290	57	55	140	120	97
5	Measles	5											2	2	1	
6	Scarlet fever															
7	Whooping cough	56				1	1	1	1		3	3	6	14	14	16
8	Diphtheria and croup	4									1	1	2			
9	Influenza	46									1	2	3	11	16	7
(12)	Dysentery	1												1		
(12)	Erysipelas	1												1		
(37)	Tetanus	1				1	1	1			1			5	3	7
13	Tuberculosis of the lungs	19	1			1	2		1	1	4		1	1		
14	Tuberculous meningitis	2												5	1	
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	20	2		2	2	6		1	1	8	5	1	2	3	1
17	Menengitis	10						2	1	1	3	3	1	5	1	
(37)	Convulsions	15				1	1	3	1		5	1	2	1	5	1
19	Organic diseases of the heart	1				1	1				1					
20	Acute bronchitis	18	1			1	2	1	2		5	2	1	4	3	3
22	Pneumonia	61		2		2		1	1		4	3	3	13	14	12
(23)	Bronchopneumonia	73			2	2		1	1		6	5	6	20	21	15
24	Diseases of the stomach	9						1			1	2	1	2	1	2
25	Diarrhea and enteritis	101									11	11	4	30	22	23
(33)	Malformations	13									127	4	4	1	1	
(33,37)	Premature birth	134	61	16	10	23	110	10	4	3	49	4	4	3	5	3
(37)	Congenital debility	65	6	6	5	10	27	15	4	3	127	4	4	3	5	3
35	Injuries at birth	10	2	2	3	1	8		1	1	9	1	1	5	3	1
38	External causes	17	3	1		1	4	1	1	1	7	1	1	4	3	2
	Unknown or ill-defined diseases	47	10	4	2	1	1	4	2	2	1	21	6	6	7	4
	All other causes	29	2	1		1	4	2	2	1	9	5	3	8	1	3

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
	LOUISIANA (TOTAL).															
	All causes.....	4,415	505	162	125	257	1,049	269	164	126	1,608	376	331	874	667	559
5	Measles.....	73	2				2	3	4	6	15	3	5	14	18	18
6	Scarlet fever.....	1									1					
7	Whooping cough.....	183									2	6	8	25	52	37
8	Diphtheria and croup.....	23									1	1	2	4	4	3
9	Influenza.....	324	1	4	4	9	18	19	15	8	60	31	21	69	76	67
(12)	Dysentery.....	53					1	2			2		6	14	12	14
(12)	Erysipelas.....	9									1	2	2	3		1
(37)	Tetanus.....	70	1	1	5	25	32	34	1		67	2	1			
13	Tuberculosis of the lungs.....	15				1	1	1		1	3	2	3	3	4	
14	Tuberculous meningitis.....	6												3	3	
15	Other forms of tuberculosis.....	24												6	3	
(37)	Syphilis.....	69	1	1	1	5	8	5	6	2	21	10	8	20	7	3
17	Meningitis.....	27					1				1	2		9	11	5
(37)	Convulsions.....	41	2	2	1	8	13	4	3	1	21	3	2	5	6	4
19	Organic diseases of the heart.....	12					1	3			4	1	2	3	1	
20	Acute bronchitis.....	78	1	3	2	2	8	4	5	4	21	5	9	19	12	10
22	Pneumonia.....	330	1	1	5	5	12	8	15	8	43	40	31	93	73	50
(23)	Bronchopneumonia.....	222	1		2	4	7	5	3	6	21	26	20	66	49	40
24	Diseases of the stomach.....	53				2	3	3	2	3	11	5	10	9	14	4
25	Diarrhea and enteritis.....	893	1	3	2	12	18	13	15	17	63	66	94	265	206	199
(33)	Malformations.....	176	26	16	17	20	79	20	12	8	119	21	10	13	7	6
(33)	Premature birth.....	648	343	87	38	56	524	54	19	17	614	22	34	51	26	8
(33, 37)	Congenital debility.....	356	52	21	18	34	125	30	31	17	203	34				
(37)	Injuries at birth.....	64	31	7	6	12	56	4	2	1	63	1				
35	External causes.....	47	1	1	1	4	7	1	2	1	11	11	4	8	5	8
38	Unknown or ill-defined diseases.....	335	40	11	19	34	104	32	12	7	155	37	17	64	38	24
	All other causes.....	285	1	4	3	20	28	22	12	9	71	23	14	79	52	46
	LOUISIANA (WHITE).															
	All causes.....	2,271	306	95	66	102	569	125	77	72	843	196	164	439	323	306
5	Measles.....	50	2				2	2	3	5	12	3	4	8	9	14
6	Scarlet fever.....	1									1					
7	Whooping cough.....	81									1	2	12	21	18	15
8	Diphtheria and croup.....	8									1	2	2	1	2	
9	Influenza.....	142	1	1	1	7	10	4	11	2	27	16	5	24	35	35
(12)	Dysentery.....	26									1	1	3	9	2	11
(12)	Erysipelas.....	8									1	2	2	3		
(37)	Tetanus.....	27		1	2	3	6	18			1	24	2	1		
13	Tuberculosis of the lungs.....	5									1	1	1	2		1
14	Tuberculous meningitis.....	6									1	1	3	3	3	
15	Other forms of tuberculosis.....	6									1	1	5	1		
(37)	Syphilis.....	17					3	3	1	2	6	4	1			
17	Meningitis.....	18					1	1			1	1	6	7	4	
(37)	Convulsions.....	10		1	1	2	4	1			5	1	1	2	1	
19	Organic diseases of the heart.....	6					1	1			2	1	5	3	5	
20	Acute bronchitis.....	33	1	1	1		3	4	2	4	13	2	5	5	3	
22	Pneumonia.....	166		3	1	1	1	4	6	8	6	24	25	14	44	30
(23)	Bronchopneumonia.....	139			1	2	3	3	5	3	5	16	14	33	26	29
24	Diseases of the stomach.....	25				1	1	1	2	2	3	8	3	4	5	
25	Diarrhea and enteritis.....	502	1		1	3	5	4	6	5	5	20	35	48	160	124
(33)	Malformations.....	99	18	11	11	12	52	8	5	5	50	70	12	4	8	2
(33, 37)	Premature birth.....	389	216	57	22	21	316	30	11	10	367	14	14	4	4	4
(37)	Congenital debility.....	189	26	13	11	14	64	14	9	12	99	19	20	34	13	4
35	External causes.....	23	23	4	5	10	42	2	1	1	46	1				
38	Unknown or ill-defined diseases.....	105		4	5	12	38	9	4	3	55	9	7	6	8	
	All other causes.....	143		2	2	6	10	14	7	7	38	12	7	38	29	19
	LOUISIANA (COLORED).															
	All causes.....	2,144	199	67	59	155	480	144	87	54	765	180	167	435	344	253
5	Measles.....	23						1	1	1	3		1	6	9	4
6	Scarlet fever.....															
7	Whooping cough.....	102									1	5	6	12	11	19
8	Diphtheria and croup.....	15									1	2	4	4	3	1
9	Influenza.....	182		3	3	2	8	15	4	6	33	15	16	45	41	32
(12)	Dysentery.....	27					1	2		1	4	2	3	5	10	3
(12)	Erysipelas.....	1														
(37)	Tetanus.....	43	1		3	22	26	16	1		43					
13	Tuberculosis of the lungs.....	10			1	1	1	1			2		1	1	3	3
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....	18				1	1	2	5	3	3	2	3	2	6	2
(37)	Syphilis.....	52	1	1	1	2	5	4	4	2	15	6	7	15	7	2
17	Meningitis.....	9									1	1	3	4	4	1
(37)	Convulsions.....	31	2	1		6	9	3	3	1	16	2	1	5	4	3
19	Organic diseases of the heart.....	6						2			2		1	1	1	1
20	Acute bronchitis.....	43	2	1	1	2	5	2	3	8	3	3	4	14	9	5
22	Pneumonia.....	164	1	1	2	4	8	2	7	2	19	15	17	49	43	21
(23)	Bronchopneumonia.....	83	1		1	2	4			1	5	10	6	28	23	11
24	Diseases of the stomach.....	28				1	1	2	1		3	2	5	5	9	4
25	Diarrhea and enteritis.....	391	3	1	1	9	13	9	9	12	43	31	46	105	82	84
(33)	Malformations.....	77	8	5	6	8	27	12	7	3	49	9	6	5	5	3
(33, 37)	Premature birth.....	259	127	30	18	35	203	24	8	7	247	8	1	14	17	13
(37)	Congenital debility.....	167	26	8	7	20	61	16	22	5	104	15	14	17	13	4
35	Injuries at birth.....	17	8	3	1	2	14	2	1		17					
38	External causes.....	24	1	1	1	1	4	1	2	1	8	7	3	2	2	2
	Unknown or ill-defined diseases.....	230	22	7	14	22	65	23	8	5	100	28	10	49	27	16
	All other causes.....	142	1	2	1	14	18	8	5	2	33	11	7	41	23	27

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

527

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
	MAINE.															
	All causes	1,700	151	162	74	108	495	97	67	55	714	165	141	295	205	180
5	Measles	29				1	1				1		4	4	7	13
6	Scarlet fever	2										5	1	6	10	7
7	Whooping cough	29										2	1	2	1	1
8	Diphtheria and croup	7										18	14	10	39	44
9	Influenza	162	1		1	2	4	6	5	3		14	10	39	44	37
(12)	Dysentery	2												2		
(12)	Erysipelas	5										3		2		
(37)	Tetanus															
13	Tuberculosis of the lungs	4											1	1	1	1
14	Tuberculous meningitis	15										4	1	6	1	3
15	Other forms of tuberculosis	3											1	1	1	
(37)	Syphilis	14	2	2			4	2		1	7	3	1	3		
17	Meningitis	24					2				2		2	4	4	7
(37)	Convulsions	17			1	1	2	4	3	1	9	3	2	3		
19	Organic diseases of the heart	6						1			1		1	1	1	1
20	Acute bronchitis	27	1	1	1		4		4	2	10	4	3	3	1	6
22	Pneumonia	96	1			3	4	3	3	5	15	10	9	20	23	19
(23)	Bronchopneumonia	126						3	7	1	11	22	11	33	26	23
24	Diseases of the stomach	27				2		2		2	7	6	4	7	1	2
25	Diarrhea and enteritis	264				3	3	5	5	9	22	25	35	87	59	36
(33)	Malformations	88	12	18	12	11	53	11	4	3	71	2	2	8	7	1
(33)	Premature birth	336	86	104	30	36	256	28	18	13	315	13	8	28	30	7
(37)	Congenital debility	222	26	16	15	21	78	21	11	10	120	33				
35	Injuries at birth	55	17	13	8	9	47	4	2	1	54	1				
38	External causes	17					2	3			3	2	2	6	3	1
	Unknown or ill-defined diseases	48	4	6	4	5	19	6	1	1	27	4	2	9	3	3
	All other causes	77	1		1	9	11	3	4	1	19	3	11	19	10	15
MARYLAND (TOTAL).																
	All causes	4,790	621	220	123	237	1,201	239	164	120	1,724	407	334	961	765	599
5	Measles	32							1	1	2	2	2	1	11	14
6	Scarlet fever	2										1	1	1		
7	Whooping cough	191	1				1	1	2	6	10	23	14	52	48	44
8	Diphtheria and croup	16									1		2	4	9	
9	Influenza	268	4		2	4	10	5	4	2	21	14	11	63	77	82
(12)	Dysentery	13							3	1	1		1	2	8	1
(12)	Erysipelas	4									3		1			
(37)	Tetanus	7							2		5	1				
13	Tuberculosis of the lungs	20						3	3		1		1	9	3	6
14	Tuberculous meningitis	21						1					1	8	5	6
15	Other forms of tuberculosis	7											5	1	1	1
(37)	Syphilis	34	2	1	1		1	5	4	1	5	15	4	3	7	1
17	Meningitis	41					1	1	1	1	4	2	2	12	16	5
(37)	Convulsions	56	2	3			9	14	4	1	33	5	3	4	6	5
19	Organic diseases of the heart	16	1				4	5	3		8		3	1	1	3
20	Acute bronchitis	141	1				1	2	6	5	23	11	20	36	27	24
22	Pneumonia	175					2	2	5	3	15	18	10	34	51	47
(23)	Bronchopneumonia	463	2	5	2		5	14	7	15	11	47	50	33	106	120
24	Diseases of the stomach	43					2	2	2	4	3	9	12	8	8	1
25	Diarrhea and enteritis	1,300	4				2	6	16	28	28	78	123	152	463	287
(33)	Malformations	230	50	39	21	40	150	30	20	14	214	28	10	15	7	6
(33)	Premature birth	775	394	107	54	71	626	70	30	14	740	23	3	7	2	
(33, 37)	Congenital debility	466	83	37	19	46	185	53	20	15	273	65	33	62	21	12
(37)	Injuries at birth	111	58	15	11	20	104	2	1	2	109	1	1			
35	External causes	47	6		3	4	13	1	1	2	16	5	4	11	8	3
38	Unknown or ill-defined diseases	83	13	8	6	9	36	5	5	1	47	9	5	10	8	4
	All other causes	178		4	4	13	21	12	11	6	50	15	10	42	41	20
MARYLAND (WHITE).																
	All causes	3,468	500	151	93	177	921	179	121	79	1,300	295	231	656	560	426
5	Measles	29							1		1	2	1	1	10	14
6	Scarlet fever	2										1	1	1		
7	Whooping cough	117	1				1		2	5	8	16	8	28	29	28
8	Diphtheria and croup	13									1			3	9	
9	Influenza	180	3		1	4	8	3	3	1	15	9	8	30	59	59
(12)	Dysentery	8											2	5	1	1
(12)	Erysipelas	3							3							
(37)	Tetanus	4					1	1	2		3					
13	Tuberculosis of the lungs	7											1	4	1	2
14	Tuberculous meningitis	17											7	5	5	4
15	Other forms of tuberculosis	6											1	3	1	1
(37)	Syphilis	10					1	1	1	1	5	4	2	1	14	4
17	Meningitis	36	1	2			5	3	4	2	11	2	21	3	2	3
(37)	Convulsions	36	1	2			3	3	4	2	11	2	6	2	1	2
19	Organic diseases of the heart	11	1	1			1	1	1	1	3	2	1	11	14	4
20	Acute bronchitis	83	1				1	2	5	7	4	18	8	10	20	17
22	Pneumonia	118	1	3	1		1	1	4	4	1	10	4	23	35	33
(23)	Bronchopneumonia	326	1	3	1		2	2	2	7	12	5	34	39	25	72
24	Diseases of the stomach	30							2		1	5	3	9	6	7
25	Diarrhea and enteritis	961	2				2	4	9	18	18	49	92	112	340	220
(33)	Malformations	225	43	26	18	33	122	26	17	9	174	22	7	13	5	4
(33, 37)	Premature birth	619	319	80	44	53	496	55	24	12	587	20	3	7	2	4
(33, 37)	Congenital debility	334	71	21	10	32	134	39	13	10	196	49	24	43	16	6
35	Injuries at birth	97	50	13	11	16	90	2	1	2	95	1	1			
38	External causes	28	4		1	1	6		1	2	9	3	2	2	5	2
	Unknown or ill-defined diseases	39	3	2	4	7	18	4	4	4	34	9	7	28	34	17
	All other causes	129	2	2	2	8	12	9	9	4						

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—											
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.

REGISTRATION STATES—Continued.

MARYLAND (COLORED).																
	All causes.....	1,322	121	69	30	60	280	60	43	41	424	112	103	305	205	173
5	Measles.....	3								1	1		1		1	
6	Scarlet fever.....														1	
7	Whooping cough.....	74							1	1	2	7	6	24	19	16
8	Diphtheria and croup.....	3												2	1	
9	Influenza.....	88	1		1			2	2	1	1	6	5	3	33	18
(12)	Dysentery.....	5								1		1	1		3	
(12)	Erysipelas.....	1														
(37)	Tetanus.....	3					2	2								
13	Tuberculosis of the lungs.....	13					1									
14	Tuberculous meningitis.....	4						1								
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	24	2	1			1	4	3	1	2	10	4	2	4	3
17	Meningitis.....	5											1	1	2	
(37)	Convulsions.....	20	1	1			4	6	3	2	1	12	2		2	1
19	Organic diseases of the heart.....	5					1	1				2		3	2	1
20	Acute bronchitis.....	58							1	3	1	5	3	10	16	14
22	Pneumonia.....	57					1	1	1	1	2	5	5	6	11	16
(23)	Bronchopneumonia.....	137	1	2	1			4		3	6	13	11	8	34	40
24	Diseases of the stomach.....	13							2	2	4	2	3	2	1	1
25	Diarrhea and enteritis.....	339	2					2	7	10	10	29	31	40	123	67
(33)	Malformations.....	55	7	13	3	5	28	4	3	5	40	6	3	2	2	2
(33)	Premature birth.....	156	75	27	10	18	130	15	6	2	153	3				
(33,37)	Congenital debility.....	132	12	16	9	14	51	14	7	5	77	16	9	19	5	6
(37)	Injuries at birth.....	14	2				4	14			14					
35	External causes.....	19		2			2	3			7	2	2	6	1	1
38	Unknown or ill-defined diseases.....	44	10	4	2	2	18	5	1		24	6	3	6	3	2
	All other causes.....	49		2	2	5	9	3	2	2	16	6	3	14	7	3
MASSACHUSETTS.																
	All causes.....	10,780	1,447	484	353	661	2,945	517	446	391	4,299	934	768	1,854	1,534	1,341
5	Measles.....	134										1		11	43	79
6	Scarlet fever.....	3												2		
7	Whooping cough.....	306					1	1	1	1	17	32	34	60	76	87
8	Diphtheria and croup.....	48						3	1	3	7	6	2	5	9	19
9	Influenza.....	604	1	1	3	7	12	13	14	12	51	29	25	120	173	197
(12)	Dysentery.....	16							3	10	12	1	1	6	4	4
(12)	Erysipelas.....	61						2	4	1	25	17	8	6	3	2
(37)	Tetanus.....	7														
13	Tuberculosis of the lungs.....	55										2	1	14	18	20
14	Tuberculous meningitis.....	82										2	5	4	19	26
15	Other forms of tuberculosis.....	18										1	2	1	4	7
(37)	Syphilis.....	77	6	1	2	4	13	10	3	4	30	12	12	11	6	6
17	Meningitis.....	100	2	1	8	13	24	5	3	3	8	9	4	31	25	23
(37)	Convulsions.....	76						1	2	2	2	35	2	7	11	9
19	Organic diseases of the heart.....	32							2	2	1	6	1	5	7	6
20	Acute bronchitis.....	329					6	6	9	16	20	51	32	30	72	68
22	Pneumonia.....	381	1	1			4	6	5	5	10	26	25	29	86	114
(23)	Bronchopneumonia.....	1,136	1		6	14	21	26	33	39	119	118	84	258	306	251
24	Diseases of the stomach.....	101							11	9	6	26	20	10	28	11
25	Diarrhea and enteritis.....	2,500	1	4			14	19	43	63	80	205	323	328	808	505
(33)	Malformations.....	718	126	62	55	127	370	70	51	39	530	65	35	47	30	11
(33)	Premature birth.....	2,012	931	276	150	225	1,582	166	113	57	1,918	58	21	12	3	
(33,37)	Congenital debility.....	903	151	69	61	118	399	84	58	52	593	101	71	94	34	10
(37)	Injuries at birth.....	427	203	56	48	84	391	22	8	2	423	3				
35	External causes.....	86	3	3	2	3	11	5	5	4	25	12	11	16	8	14
38	Unknown or ill-defined diseases.....	104	12	3	3	5	23	4	8	4	39	18	10	22	12	3
	All other causes.....	464	10	10	10	32	62	28	37	26	153	41	35	94	79	62
MICHIGAN.																
	All causes.....	8,105	1,495	420	312	607	2,834	513	352	264	3,963	584	547	1,288	976	747
5	Measles.....	79	1					1		3	3	7	4	17	16	35
6	Scarlet fever.....	7										1	1	2	3	
7	Whooping cough.....	265							4	6	5	15	37	26	65	58
8	Diphtheria and croup.....	43								2	2	4	1	8	14	16
9	Influenza.....	392	2	3	1	6	12	15	12	5	44	18	18	98	110	104
(12)	Dysentery.....	34							1	1	3	3	4	4	10	4
(12)	Erysipelas.....	35					3	3	1	3	10	13	1	6	3	2
(37)	Tetanus.....	3							3		3					
13	Tuberculosis of the lungs.....	22														
14	Tuberculous meningitis.....	38														
15	Other forms of tuberculosis.....	10														
(37)	Syphilis.....	66	4	3	1	7	15	4	2	7	28	11	5	8	7	2
17	Meningitis.....	47	1				1	2	6	1	9	4	3	8	10	13
(37)	Convulsions.....	117	6	7	10	21	44	10	7	8	69	8	3	11	13	13
19	Organic diseases of the heart.....	40					1	2	3	5	4	17	7	6	1	1
20	Acute bronchitis.....	202	1				5	6	8	13	17	44	24	20	47	43
22	Pneumonia.....	335	4		4	10	18	15	15	10	58	33	27	73	76	24
(23)	Bronchopneumonia.....	620	2	5	5	11	23	17	26	28	92	59	67	153	136	113
24	Diseases of the stomach.....	188					1	8	9	21	16	4	50	25	23	31
25	Diarrhea and enteritis.....	1,415	1	4	3	24	32	41	49	53	175	135	183	456	292	174
(33)	Malformations.....	663	151	68	71	113	403	58	39	19	519	35	23	37	30	19
(33)	Premature birth.....	1,874	1,018	221	109	187	1,535	159	64	42	1,800	39	21	8	5	1
(33,37)	Congenital debility.....	767	143	49	57	118	367	91	55	33	546	63	56	77	20	5
(37)	Injuries at birth.....	280	133	40	35	52	260	16	3	1	280	7	35	11	24	17
35	External causes.....	106	3	5	3	7	18	4	6	7	35	2	54	10	5	1
38	Unknown or ill-defined diseases.....	85	18	7	7	8	40	8	4	2	101	47	32	84	61	47
	All other causes.....	372	7	8	4	24	43	26	21	11						

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

529

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
	MINNESOTA.															
	All causes.....	3,968	913	199	156	334	1,602	282	183	152	2,219	328	226	490	388	317
5	Measles.....	32				1	1	1	2		4	4	1	5	7	11
6	Scarlet fever.....	4											1	1	2	
7	Whooping cough.....	160				1	1	2	3	5	11	22	18	51	30	28
8	Diphtheria and croup.....	11						1	1		2	1	1	2	4	2
9	Influenza.....	314	3		2	6	11	11	10	10	42	18	26	64	89	75
(12)	Dysentery.....	11				1	1				1	1	1	6	2	1
(12)	Erysipelas.....	36			1		1	3	6	6	16	10	1	4	4	1
(37)	Tetanus.....	5				2	2				4	1				
13	Tuberculosis of the lungs.....	20											4	6	10	
14	Tuberculous meningitis.....	27										1	7	2	8	10
15	Other forms of tuberculosis.....	3											1	6	3	5
(37)	Syphilis.....	39	5	1	1	5	12		2	1	15	10	6	7		1
17	Meningitis.....	23				2	2	2	1	1	7	1	1	6	3	5
(37)	Convulsions.....	79	3	3	9	11	26	11	2	3	42	6	6	15	5	5
19	Organic diseases of the heart.....	8									2	2	2	2	2	2
20	Acute bronchitis.....	44	1			3	4	3	1	2	10	7	6	6	9	6
22	Pneumonia.....	123	1			3	4	5	7	6	22	22	9	27	28	20
(23)	Bronchopneumonia.....	295	1	2	5	7	15	4	14	13	46	54	32	68	54	46
24	Diseases of the stomach.....	44			1	3	4	2	4	3	13	9	9	5	1	
25	Diarrhea and enteritis.....	415	1		2	10	13	21	13	28	75	57	36	127	71	49
(33)	Malformations.....	310	59	24	31	54	168	41	22	13	244	16	14	16	11	9
(33)	Premature birth.....	1,080	638	115	50	84	887	81	41	29	1,038	33	5	4		
(33)	Congenital debility.....	413	91	26	22	81	220	52	33	17	322	28	29	24	6	4
(37)	Injuries at birth.....	160	69	22	18	33	142	12	3	2	159	1				
35	External causes.....	35	4	1		2	7		2	1	10	7	4	3	6	5
38	Unknown or ill-defined diseases.....	101	31	5	10	11	57	9	2	4	72	2	10	7	5	5
	All other causes.....	176	6		4	14	24	19	13	6	62	17	12	30	36	19
	MISSOURI.															
	All causes.....	5,937	973	347	238	437	1,995	438	269	200	2,902	488	397	813	707	630
5	Measles.....	73						2	1	5	8	4	2	15	20	24
6	Scarlet fever.....	11											2	6	3	
7	Whooping cough.....	232				1	1	2	7	6	16	44	22	47	55	48
8	Diphtheria and croup.....	41										4	5	4	13	15
9	Influenza.....	382	3	5	4	9	21	21	6	4	52	20	30	81	89	110
(12)	Dysentery.....	43			2		2	1	3		6	8	4	12	4	2
(12)	Erysipelas.....	21						2	3		5	4	2	4		
(37)	Tetanus.....	11									10			1		
13	Tuberculosis of the lungs.....	33	2			4	4	6	1	2	7	2	1	10	7	6
14	Tuberculous meningitis.....	26				2	2	1	2	7	3		4	12	7	7
15	Other forms of tuberculosis.....	11									1	1	2	3	3	
(37)	Syphilis.....	100	10	5	4	5	24	8	6	4	42	22	13	11	5	7
17	Meningitis.....	72		1	1	1	3	4	4	1	12	7	8	11	20	14
(37)	Convulsions.....	34	2	4	2	7	15	8	3	2	28			3	2	2
19	Organic diseases of the heart.....	27	1			3	4	3	2	1	10	4	5	3	2	3
20	Acute bronchitis.....	96				6	6	9	9	4	28	15	12	20	12	9
22	Pneumonia.....	305	2		3	9	14	14	12	7	47	28	24	77	66	63
(23)	Bronchopneumonia.....	518	4	1	5	23	33	29	21	24	107	61	47	118	101	84
24	Diseases of the stomach.....	86			2	7	9	6	5	11	31	15	13	13	11	3
25	Diarrhea and enteritis.....	866	1	2	17	20	38	22	35	35	110	90	96	231	180	159
(33)	Malformations.....	393	74	52	42	53	221	41	31	17	310	24	19	19	14	7
(33)	Premature birth.....	1,295	678	173	81	130	1,062	119	46	20	1,247	26	16	5	1	2
(33)	Congenital debility.....	445	81	39	39	70	229	64	39	21	353	28	23	24	15	2
(37)	Injuries at birth.....	177	61	45	21	33	160	8	5	2	175	1	1			
35	External causes.....	78	6	3	1	2	12	8	4	4	28	7	7	12	14	10
38	Unknown or ill-defined diseases.....	254	41	18	23	38	120	30	18	10	178	21	9	22	13	11
	All other causes.....	307	8		8	17	33	20	21	16	90	50	37	63	35	32
	MONTANA.															
	All causes.....	1,027	198	74	37	84	393	77	45	41	556	104	72	114	111	70
5	Measles.....	5											1	2	1	1
6	Scarlet fever.....	3											1	2	1	2
7	Whooping cough.....	48											5	9	4	4
8	Diphtheria and croup.....	1											1	1	1	1
9	Influenza.....	73		1			1	4	3	2	10	4	10	15	17	17
(12)	Dysentery.....	2											2			
(12)	Erysipelas.....	7											1			
(37)	Tetanus.....	1				1	1									
13	Tuberculosis of the lungs.....	4											1	2	2	
14	Tuberculous meningitis.....	2											1	2	2	
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	13	1	1			2		2	1	5	2	1	4	1	1
17	Meningitis.....	6				2	2	1	1	1	1	1	1	1	3	1
(37)	Convulsions.....	7				2	2	1	1	1	1	5	2			
19	Organic diseases of the heart.....	4											3	1	1	1
20	Acute bronchitis.....	9				1	1	1	1	1	3	5	3	9	9	4
22	Pneumonia.....	45				6	6	2	2	2	15	5	11	13	13	9
(23)	Bronchopneumonia.....	78	2			1	3	4	4	7	18	14	11	13	13	9
24	Diseases of the stomach.....	12									3	3	1	2	3	
25	Diarrhea and enteritis.....	126				1	1	6	4	6	6	17	16	12	28	35
(33)	Malformations.....	77	23	9	9	13	54	27	12	6	17	16	12	28	35	18
(33)	Premature birth.....	253	122	37	16	23	203	27	12	6	248	4	1			
(33)	Congenital debility.....	113	25	11	8	17	61	8	7	4	80	9	11	10	3	
(37)	Injuries at birth.....	52	20	13	3	8	44	6	1	1	50	1	1	1	3	5
35	External causes.....	22	1			2	3	1	1	1	5	1	1	3	5	3
38	Unknown or ill-defined diseases.....	15	4	2		1	3	4	4	3	14	11	5	5	6	6
	All other causes.....	49														

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.

REGISTRATION STATES—Continued.

NEW HAMPSHIRE.															
All causes.....															
5	Measles.....	8													
6	Scarlet fever.....														
7	Whooping cough.....	47													
8	Diphtheria and croup.....	1													
9	Influenza.....	97	1	1		1	3	1		2	6	7	5	23	31
(12)	Dysentery.....	3									1		1		25
(12)	Erysipelas.....														
(37)	Tetanus.....														
13	Tuberculosis of the lungs.....	5									1		1	1	1
14	Tuberculous meningitis.....	7									1	1	3	2	1
15	Other forms of tuberculosis.....	7									1	2	1		3
(37)	Syphilis.....	8									1	4	1	2	
17	Meningitis.....	16									1	3	2	4	3
(37)	Convulsions.....	11		1		1	2		1		3	1	1	4	2
19	Organic diseases of the heart.....	3	1		1		2				2			1	
20	Acute bronchitis.....	26									2	1	3	5	3
22	Pneumonia.....	43	2	1			3		2	2	7	3	5	8	12
(23)	Bronchopneumonia.....	82					1	1	1	1	3	4	8	15	19
24	Diseases of the stomach.....	17					1	1		1	2	1	4	5	2
25	Diarrhea and enteritis.....	192					1	1	3	6	8	18	27	37	49
(33)	Malformations.....	68	15	6	9	8	38	7	4	1	50	6	6	5	1
(33,37)	Premature birth.....	233	103	36	15	20	184	18	12	8	222	6	1	3	
(37)	Congenital debility.....	147	15	10	10	14	49	15	11	1	76	31	14	20	3
35	Injuries at birth.....	21	12	3	2	3	20				21				
38	External causes.....	5										1	1	1	2
All other causes.....		2		1		1					2				
		45	2		4	2	8	5		1	14	4	3	10	8
NEW JERSEY.															
All causes.....															
5	Measles.....	145						3		1	4	2	8	15	54
6	Scarlet fever.....	2									1		1		62
7	Whooping cough.....	244						1	2	10	13	18	35	63	50
8	Diphtheria and croup.....	24						1			1	4	6	12	
9	Influenza.....	429	1	3	1	4	9	12	11	9	41	25	32	93	121
(12)	Dysentery.....	17									1	1	5	4	117
(12)	Erysipelas.....	30									11	7	3	2	1
(37)	Tetanus.....	10					2	7	1	10					
13	Tuberculosis of the lungs.....	38		1			1		1		2	4	6	10	5
14	Tuberculous meningitis.....	51					1	1	1		3	2	9	20	16
15	Other forms of tuberculosis.....	14									2	1	2	4	5
(37)	Syphilis.....	62	5		7	5	17	3	6	4	30	10	5	14	3
17	Meningitis.....	82						5	4	2	11	3	7	25	17
(37)	Convulsions.....	52	1	1	1	4	7	6	3	3	19	8	7	9	3
19	Organic diseases of the heart.....	16		1		1	2	1		1	4	5	2	3	
20	Acute bronchitis.....	265		3		10	13	19	17	18	67	26	41	55	39
22	Pneumonia.....	669	3	1	2	12	18	17	17	14	.66	49	57	147	174
(23)	Bronchopneumonia.....	810	2	1	8	9	20	23	32	37	112	72	59	193	196
24	Diseases of the stomach.....	84					2	7	4	6	6	19	9	25	8
25	Diarrhea and enteritis.....	1,980	3	2	2	15	22	40	62	59	183	179	256	635	424
(33)	Malformations.....	486	102	45	36	35	268	71	37	23	399	29	20	20	2
(33,37)	Premature birth.....	1,452	642	181	122	178	1,123	141	80	37	1,381	46	10	13	2
(37)	Congenital debility.....	718	107	46	30	92	275	54	44	36	409	85	68	106	18
35	Injuries at birth.....	249	132	39	26	27	224	16	5	3	248		1		
38	External causes.....	83	7	2	7	7	23	4	1	2	30	8	4	21	12
All other causes.....		33	7	4	1	5	17	3	2	3	25	3	4	1	
		328	5	2	6	22	35	26	19	15	95	40	26	63	55
NEW YORK.															
All causes.....															
5	Measles.....	307					1	1	3	2	6	8	4	31	101
6	Scarlet fever.....	7					4	5	1	7	30	71	68	140	3
7	Whooping cough.....	617		1			1		3	2	6	2	2	18	144
8	Diphtheria and croup.....	120					1				111	63	57	236	63
9	Influenza.....	1,127	12	4	3	14	33	37	22	19	111	63	57	331	329
(12)	Dysentery.....	28						1	1		2	3		11	7
(12)	Erysipelas.....	148					2	2	5	14	44	42	18	25	6
(37)	Tetanus.....	13	1	1		1	3	9	1	13					
13	Tuberculosis of the lungs.....	100	4				1	5	1	2	10	3	7	22	30
14	Tuberculous meningitis.....	235					2	2	3	2	7	4	10	52	74
15	Other forms of tuberculosis.....	34									1	3	3	13	8
(37)	Syphilis.....	371	45	19	6	27	97	25	27	23	172	63	31	69	15
17	Meningitis.....	167		1		1	2	8	4	3	17	12	14	43	42
(37)	Convulsions.....	155	1	3	15	32	51	19	7	2	79	14	12	27	10
19	Organic diseases of the heart.....	59	1				2	3	3	1	14	4	8	12	14
20	Acute bronchitis.....	658	1	1	6	20	28	42	57	32	159	115	84	130	69
22	Pneumonia.....	1,173	4	5	2	25	36	28	31	19	114	73	79	240	303
(23)	Bronchopneumonia.....	2,592	2	8	13	51	74	75	93	73	315	260	204	581	611
24	Diseases of the stomach.....	208					5	6	11	17	20	13	61	40	19
25	Diarrhea and enteritis.....	4,499	3	2	11	34	50	111	145	151	457	550	439	1,327	1,002
(33)	Malformations.....	1,417	345	137	113	210	805	114	93	50	1,082	107	62	96	51
(33,37)	Premature birth.....	4,721	2,214	576	384	489	3,643	406	240	157	4,446	167	48	42	4
(37)	Congenital debility.....	2,291	359	121	120	254	854	206	137	117	1,314	293	212	310	62
35	Injuries at birth.....	1,105	567	126	117	195	1,005	60	17	8	1,090	8	7		
38	External causes.....	205	19	8	5	6	33	15	3	2	8	64	24	20	28
All other causes.....		53	14	3	7	2	28	3	2	4	35	6	4	6	1
		1,042	22	17	23	73	135	36	65	45	331	108	75	217	183

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

581

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—											
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.

REGISTRATION STATES—Continued.

	NORTH CAROLINA (TOTAL).															
	All causes	7,686	1,156	353	212	488	2,209	486	329	287	3,311	720	480	1,199	1,009	967
5	Measles	57				1	1	1	2	3	7	5	3	6	16	20
6	Scarlet fever															
7	Whooping cough	356		1			1	4	3	17	25	64	37	78	87	65
8	Diphtheria and croup	66		1	1	2	3	6	4	16	7	6	22	6	9	9
9	Influenza	667	8	4	2	13	22	30	22	12	36	53	46	149	176	157
(12)	Dysentery	124						4	1	2	7	15	8	26	28	40
(12)	Erysipelas	22							1	2	3	5	5	3	4	2
(37)	Tetanus	47						12	12	27	6	2	47			
13	Tuberculosis of the lungs	19												7	8	4
14	Tuberculous meningitis	13												6	1	6
15	Other forms of tuberculosis	3												2		1
(37)	Syphilis	42	5	1		1	7	2	4	2	15	5	6	11	2	3
17	Meningitis	74	1				1	4	4	2	11	5	4	22	18	14
(37)	Convulsions	94	3	5	4	19	31	22	2	6	61	12	14	6	1	1
- 19	Organic diseases of the heart	21					1	1	2	1	4	4	1	5	6	1
20	Acute bronchitis	96						1	2	3	7	7	24	14	21	20
22	Pneumonia	317	1	2	1	5	9	10	11	8	38	31	26	87	71	64
(23)	Bronchopneumonia	391	1		5	4	10	12	12	12	46	40	33	104	89	79
24	Diseases of the stomach	95					1	2	6	3	12	20	10	27	13	14
25	Diarrhea and enteritis	1,013	1	2	5	11	19	21	23	24	87	87	83	232	241	283
(33)	Malformations	237	44	25	16	32	117	24	16	15	172	23	14	17	3	8
(33, 37)	Premature birth	1,272	675	140	82	126	1,023	107	56	36	1,222	32	12		1	1
(33, 37)	Congenital debility	619	107	31	28	74	240	56	43	36	375	70	45	76	28	25
(37)	Injuries at birth	93	40	20	10	7	77	10	3	1	91	1	1			
35	External causes	97	6	2	2	3	13	2	1	4	20	12	10	16	18	21
38	Unknown or ill-defined diseases	1,525	265	115	54	156	590	114	86	68	858	134	106	187	106	84
	All other causes	325	4	4	2	18	28	19	20	84	31	26	69	62	53	
	NORTH CAROLINA (WHITE).															
	All causes	4,424	821	220	132	236	1,409	250	202	189	2,050	394	275	631	518	556
5	Measles	47				1	1	1	2	3	7	5	3	3	14	15
6	Scarlet fever															
7	Whooping cough	188		1			1	2	2	13	18	41	23	32	39	32
8	Diphtheria and croup	45		1	1	1	1	4	2	3	10	5	3	16	5	6
(9)	Influenza	358	1	3	1	5	10	16	9	11	46	23	24	76	96	93
(12)	Dysentery	48						3		1	4	3	1	12	9	19
(12)	Erysipelas	20							1	2	3	4	5	2	4	2
(37)	Tetanus	13					2	2	7	4	13					
13	Tuberculosis of the lungs	4												1	3	
14	Tuberculous meningitis	11												5	2	6
15	Other forms of tuberculosis	2												2		
(37)	Syphilis	16	3	1		1	5	4	2	1	8	2	2	2		2
17	Meningitis	64	1				1	4	4	2	11	5	4	17	15	12
(37)	Convulsions	33	1	4	4	12	21	6	1	3	31	3	3	5	1	
19	Organic diseases of the heart	16					1	1	1		2	1	1	9	8	2
20	Acute bronchitis	38					1	1	2	4	10	8	1	1	8	2
22	Pneumonia	159	1	1	1	2	5	4	5	4	18	18	17	44	26	36
(23)	Bronchopneumonia	215			3	3	6	5	10	10	31	27	24	53	42	38
24	Diseases of the stomach	66				1	1	2	2	3	8	16	6	18	8	10
25	Diarrhea and enteritis	616	1	1	3	1	6	5	6	9	14	35	51	48	131	154
(33)	Malformations	197	40	24	14	25	103	20	13	14	150	15	13	13	2	4
(33, 37)	Premature birth	924	537	94	57	60	748	69	44	27	888	25	3	8		
(33, 37)	Congenital debility	365	72	16	14	42	144	32	27	24	227	38	23	49	14	14
(37)	Injuries at birth	68	28	16	8	4	56	8	1	1	66	1	1			
35	External causes	42	2	1	1		4	1	3	3	413	82	51	87	32	26
38	Unknown or ill-defined diseases	691	132	56	24	66	275	48	49	38	413	14	15	37	35	32
	All other causes	176	2	1	2	9	14	9	11	9	43					
	NORTH CAROLINA (COLORED).															
	All causes	3,262	335	133	80	252	800	236	127	98	1,261	326	205	568	491	411
5	Measles	10												3	2	5
6	Scarlet fever															
7	Whooping cough	171					2	2	1	4	7	23	14	46	48	33
8	Diphtheria and croup	21					2	2	1	1	6	2	3	6	1	3
9	Influenza	309	2	1	1	8	12	14	13	1	40	30	22	73	80	64
(12)	Dysentery	76					1	1	1	1	3	12	7	14	19	21
(12)	Erysipelas	2									1					
(37)	Tetanus	34					10	10	20	2	34					
13	Tuberculosis of the lungs	15												6	5	4
14	Tuberculous meningitis	2											1	1		
15	Other forms of tuberculosis	1														
(37)	Syphilis	26	2				2	2	2	1	7	3	4	9	2	1
17	Meningitis	10					7	10	16	1	30	9		11	5	2
(37)	Convulsions	56	2	1		7	10	16	1	3	14	6	4	12	12	10
19	Organic diseases of the heart	5					1	2	5	3	2			2	1	
20	Acute bronchitis	58					1	2	6	6	20	13	9	43	45	28
22	Pneumonia	158		1		3	4	6	6	4	15	13	9	51	47	41
(23)	Bronchopneumonia	176	1		2	1	4	7	2	2	15	13	9	5	4	4
24	Diseases of the stomach	30							4	4	4	4	4	4	5	4
25	Diarrhea and enteritis	397					10	13	15	14	52	36	35	101	87	86
(33)	Malformations	40	4		2	2	7	14	4	3	22	8	1	4	1	4
(33, 37)	Premature birth	348	138	46	25	66	275	38	12	9	334	7	2	4	1	1
(33, 37)	Congenital debility	254	35	15	14	32	96	24	16	12	148	32	22	27	14	11
(37)	Injuries at birth	25	12	4	2	3	21	2	2	25						
35	External causes	55	4	1	1	3	9	1	1	1	12	8	3	8	12	12
38	Unknown or ill-defined diseases	834	133	59	30	90	312	66	37	30	445	102	55	100	74	58
	All other causes	149	2	3		9	14	10	6	11	41	17	11	32	27	21

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	8 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
	OHIO.															
	All causes.....	11,727	1,819	636	516	846	3,817	719	517	415	5,468	909	797	1,853	1,534	1,166
5	Measles.....	64						1	1		2	9	5	8	17	23
6	Scarlet fever.....	6												2		4
7	Whooping cough.....	333	1		1			2	3	5	16	26	40	31	80	75
8	Diphtheria and croup.....	20	2					2	2			4	3	1	3	4
9	Influenza.....	749	5	1	4	11	21	26	21	8	76	39	41	167	212	214
(12)	Dysentery.....	27								3		3	3	10	4	4
(12)	Erysipelas.....	49								9	6	18	9	5	6	8
(37)	Tetanus.....	8			1	2		3	3	1		7	1			3
13	Tuberculosis of the lungs.....	44						1	1	1	1	3	2	4	16	11
14	Tuberculous meningitis.....	81		1					1	1	2	4	1	4	15	22
15	Other forms of tuberculosis.....	35														35
(37)	Syphilis.....	144	15	5	3	11	34	12	14	8	68	32	16	12	10	6
17	Meningitis.....	100	1				1	2	4	1	7	10	9	24	28	22
(37)	Convulsions.....	133	5	10	18	24	57	14	6	4	82	11	4	18	14	4
19	Organic diseases of the heart.....	36	1		1	2	4	6	4	1	15	7	4	6	1	3
20	Acute bronchitis.....	152	1	2	3	6	12	6	9	10	37	23	17	36	26	13
22	Pneumonia.....	577	2	1	8	21	32	23	24	22	101	51	48	141	124	112
(23)	Bronchopneumonia.....	1,017	2	6	5	20	33	43	43	54	173	101	92	250	235	166
24	Diseases of the stomach.....	205			1	11	12	13	11	11	47	26	54	40	12	
25	Diarrhea and enteritis.....	2,176	1	2	3	25	31	44	67	77	219	193	273	639	523	329
(33)	Malformations.....	923	204	92	105	153	554	89	48	33	724	52	38	64	33	13
(33,37)	Premature birth.....	2,479	1,203	330	174	245	1,952	213	125	61	2,351	70	28	26	3	1
(33,37)	Congenital debility.....	1,011	141	73	85	145	444	117	70	49	680	112	67	105	34	13
(37)	Injuries at birth.....	453	186	81	60	85	412	28	9	1	450	3				
35	External causes.....	162	7	6	11	18	42	7	4	6	59	18	17	25	25	18
38	Unknown or ill-defined diseases.....	251	32	16	17	35	100	20	13	12	145	27	19	18	7	
	All other causes.....	492	10	10	16	31	67	41	28	30	166	60	34	106	64	62
	OREGON.															
	All causes.....	907	183	61	49	91	384	66	34	31	515	77	47	115	90	63
5	Measles.....	9								2		2	1	4		2
6	Scarlet fever.....													2		
7	Whooping cough.....	23								2	2	7	3	5	2	4
8	Diphtheria and croup.....	1										1	1	1		
9	Influenza.....	41	2				2	1		2	5	2	1	12	13	8
(12)	Dysentery.....	4									1	1	1	1		
(12)	Erysipelas.....	4														
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	3												1	2	
14	Tuberculous meningitis.....	3												1	1	
15	Other forms of tuberculosis.....	1												1		
(37)	Syphilis.....	4												1	4	4
17	Meningitis.....	9												3	2	1
(37)	Convulsions.....	17		2	1	5	8			2	10	1	1			
19	Organic diseases of the heart.....	2	1				1				2	2	1	3	2	1
20	Acute bronchitis.....	10					1	1	1		2	2	1	3	2	
22	Pneumonia.....	51			1	2	3	2	1	4	10	5	5	12	13	6
(23)	Bronchopneumonia.....	62			1	4	5	4	2	2	13	14	1	16	8	10
24	Diseases of the stomach.....	16				1	1	2		2	5	2	3	5	2	1
25	Diarrhea and enteritis.....	96								4	4	12	7	9	24	28
(33)	Malformations.....	83	12	8	10	23	53	14	2	1	70	5	4	3		1
(33)	Premature birth.....	235	134	29	11	19	193	17	11	6	227	4	1	2		
(33,37)	Congenital debility.....	106	17	11	12	18	58	10	10	4	82	12	4	4	3	1
(37)	Injuries at birth.....	42	14	7	8	8	36	3	1		40	1	1			
35	External causes.....	16		1	1	5	7	1			8	2	2	2		2
38	Unknown or ill-defined diseases.....	14	2	2	4	1	9			1	10	1	2	1		
	All other causes.....	55	1		2	4	7	5		1	13	7	5	13	10	7
	PENNSYLVANIA.															
	All causes.....	28,299	3,210	1,255	922	1,820	7,007	1,692	1,241	934	10,874	2,511	2,145	5,003	4,217	3,549
5	Measles.....	227				2	2	5	2	2	11	7	4	32	71	102
6	Scarlet fever.....	10						1			2	1	2	1	3	
7	Whooping cough.....	707			1	1	2	4	7	25	38	75	55	169	183	187
8	Diphtheria and croup.....	105				1	1	2	2	6	4	9	16	24	46	
9	Influenza.....	2,193	10	11	10	33	64	80	53	38	235	122	130	478	630	598
(12)	Dysentery.....	54			1		1	1	3	1	5	5	2	16	12	14
(12)	Erysipelas.....	74						6	8	11	26	20	9	9	7	3
(37)	Tetanus.....	17				1	1	6	7	4	3	1	15			
13	Tuberculosis of the lungs.....	151	1	1	1	3	6	3	2	4	15	13	20	41	27	35
14	Tuberculous meningitis.....	162		1	2	2	3	1		1	5	11	7	31	61	47
15	Other forms of tuberculosis.....	97			1		1				6	16	19	31	17	8
(37)	Syphilis.....	227	26	6	7	16	55	27	8	13	103	41	23	39	16	5
17	Meningitis.....	179	26	6	7	16	55	35	31	18	181	39	31	84	43	37
(37)	Convulsions.....	415	11	19	16	51	97	35	31	18	181	39	31	84	43	37
19	Organic diseases of the heart.....	119	1	4	3	8	9	19	8	45	17	12	21	15	9	
20	Acute bronchitis.....	613	1		3	17	25	33	44	32	134	80	72	144	97	86
22	Pneumonia.....	1,642	1	13	20	44	78	69	50	55	252	149	146	361	404	330
(23)	Bronchopneumonia.....	2,997	4	8	17	77	106	106	142	113	467	299	280	644	687	640
24	Diseases of the stomach.....	333	1		8	16	25	26	28	19	98	66	65	92	36	26
25	Diarrhea and enteritis.....	6,804	5	11	20	89	125	155	215	192	687	790	826	2,031	1,413	1,057
(33)	Malformations.....	1,864	373	204	170	311	1,058	225	105	70	1,458	135	75	112	60	24
(33,37)	Premature birth.....	4,694	2,101	693	385	462	3,641	456	260	126	4,483	125	42	24	14	6
(33,37)	Congenital debility.....	2,251	295	149	124	252	820	250	167	121	1,358	283	175	270	107	58
(37)	Injuries at birth.....	730	329	108	88	114	639	60	14	9	722	7		1		
35	External causes.....	279	20	3	10	18	51	15	11	5	82	25	23	47	49	53
38	Unknown or ill-defined diseases.....	246	23	14	15	19	71	33	16	13	133	29	30	32	17	5
	All other causes.....	1,059	8	9	22	70	109	72	56	50	287	138	93	232	182	127

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

533

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.		
REGISTRATION STATES—Continued.																
	RHODE ISLAND.															
	All causes	1,947	234	99	65	95	493	80	72	70	715	152	163	342	317	253
5	Measles	39												2	15	22
6	Scarlet fever	2												1		
7	Whooping cough	79	1	2			3	1	1	2	7	3	8	23	24	14
8	Diphtheria and croup	8				1	1	1	1		3		1	2	2	
9	Influenza	139		1	2	4	7	2		3	12	6	8	26	41	46
(12)	Dysentery	13							2	2		1	2	3	2	5
(12)	Erysipelas	13								2	6	5		1		
(37)	Tetanus	2						1	1		2					
13	Tuberculosis of the lungs	12	1				1				1			2	3	6
14	Tuberculous meningitis	15											3	6	6	
15	Other forms of tuberculosis	9										3	2	2		
(37)	Syphilis	30	5		3	2	10	1		1	11	6	4	6	2	1
17	Meningitis	20								1	1	1	3	5	6	5
(27)	Convulsions	19			4	2	6	4	1		11	2		3	2	1
19	Organic diseases of the heart	4						2			2		1		1	
20	Acute bronchitis	59		1		3	4	1	4	1	10	9	10	14	8	8
22	Pneumonia	145		3	1	1	4	3	3	3	14	8	10	37	43	33
(23)	Bronchopneumonia	139			2		2	2	7	4	15	16	11	31	34	32
24	Diseases of the stomach	24				1	1	1	2	2	6	2	4	6	1	5
25	Diarrhea and enteritis	373	1			1	2	7	12	13	34	37	52	115	84	51
(33)	Malformations	99	24	9	11	15	59	12	2	8	81	4	4	6	2	2
(33, 37)	Premature birth	276	113	55	19	24	211	22	13	11	257	10	4	3	2	
(37)	Congenital debility	244	24	17	10	27	78	14	18	13	123	31	37	27	19	7
35	Injuries at birth	94	62	13	7	8	90	1	1		92	1	1			
38	External causes	12			1	2	3			1	4		1	5	1	1
38	Unknown or ill-defined diseases	20	3		2	2	7			2	9	3	1	3	1	
	All other causes	58	1	1		2	4	2	3	3	12	7	3	16	13	7
SOUTH CAROLINA (TOTAL).																
	All causes	6,031	779	294	202	452	1,727	422	237	207	2,593	556	416	1,016	825	625
5	Measles	87		1			1	5	3	2	11	7	8	17	26	18
6	Scarlet fever	1													1	
7	Whooping cough	368		1		4	5	3	11	12	31	54	35	104	86	58
8	Diphtheria and croup	31		1	4	5	5	1	1	1	12	3	1	2	11	2
9	Influenza	572	3	3	22	28	22	16	10	76	55	53	161	130	97	
(12)	Dysentery	210		1	2	4	3	1	1	10	20	22	47	56	55	
(12)	Erysipelas	6									1	2	1			2
(37)	Tetanus	29			6	6	21	2		29						
13	Tuberculosis of the lungs	30				2				2	1	1	11	7	8	
14	Tuberculous meningitis	3											1	2		
15	Other forms of tuberculosis	3														
(37)	Syphilis	67	9	1	1	2	13	8	5	1	27	6	9	12	5	
17	Meningitis	25		1		1	1			1	1	5	1	9	4	5
(37)	Convulsions	93	1	4	7	17	29	17	2	5	53	10	4	12	10	4
19	Organic diseases of the heart	7			1	3	4	1		1	1	3	3	1		
20	Acute bronchitis	35		1		3	4	1		1	6	7	5	8	6	3
(23)	Bronchopneumonia	133				5	5	4	5	6	20	19	16	33	106	50
24	Diseases of the stomach	137		1	1	13	15	1	3	5	24	15	21	32	23	
25	Diarrhea and enteritis	716	1	4	1	16	22	24	10	23	79	62	61	179	185	150
(33)	Malformations	117	19	10	13	13	55	10	5	7	77	12	7	9	7	5
(33)	Premature birth	1,544	636	208	121	212	1,177	154	91	52	1,474	53	5	7	3	2
(37)	Congenital debility	651	69	40	35	81	225	68	31	36	360	90	48	100	29	24
35	Injuries at birth	51	24	9	5	7	45	5	1		51					
38	External causes	63	5		2	7	2	1	2	12	8	6	10	14	13	
38	Unknown or ill-defined diseases	270	18	8	8	21	50	17	19	9	95	35	30	47	26	27
	All other causes	376	1	2	4	14	21	29	11	22	83	49	43	98	59	44
SOUTH CAROLINA (WHITE).																
	All causes	1,959	341	93	73	131	638	126	81	76	921	181	131	279	241	206
5	Measles	23					3				3	2	3	6	6	
6	Scarlet fever	1													1	
7	Whooping cough	107					2	7	4		13	23	15	21	21	14
8	Diphtheria and croup	13			2	2	1	1	1		5	1	1	5	1	
9	Influenza	143		1	3	4	1	5	2		12	14	5	38	41	33
(12)	Dysentery	56		1	1	2	1			1	4	7	4	13	11	17
(12)	Erysipelas	5									1	1	1			2
(37)	Tetanus	7			1	1	6			7						
13	Tuberculosis of the lungs	8				1	1		1		1	1		2	2	2
14	Tuberculous meningitis	1											1			
15	Other forms of tuberculosis															
(37)	Syphilis	6	2			2	1	2		5						1
17	Meningitis	17		1	2	2	5	10	3	1	15	2	1	5	3	2
(37)	Convulsions	21	1	2	2	5	10	3	1	1	15	2	1	3	2	1
19	Organic diseases of the heart	6			1	3	4	2		1	1	3	2	2		
20	Acute bronchitis	16			1	3	4	2		1	5	3	2	2	4	
(23)	Bronchopneumonia	107		1		4	5	5	6	4	20	11	10	30	21	15
24	Diseases of the stomach	70				5	2	4	5	5	16	11	9	14	9	11
25	Diarrhea and enteritis	33			3	3	3		1	1	5	7	7	6	7	
(33)	Malformations	255		1		4	5	5	1	8	19	18	21	62	74	61
(33, 37)	Premature birth	72	9	7	11	9	36	5	5	5	51	9	6	5		1
(33, 37)	Congenital debility	573	284	65	42	55	446	55	30	21	552	16	1	3	2	1
(37)	Injuries at birth	21	9	3	1	6	19	2		12	107	28	22	24	7	6
35	External causes	29	2			1	3			1	4	2	4	5	6	8
38	Unknown or ill-defined diseases	65	6	3	4	6	19	5	4	6	30	13	13	13	3	1
	All other causes	110	1		1	4	6	6	4	6	22	11	13	29	20	15

MORTALITY STATISTICS.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—											
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.

REGISTRATION STATES—Continued.

	SOUTH CAROLINA (COLORED).																
	All causes.....	4,072	438	201	129	321	1,089	296	156	131	1,672	375	285	737	584	419	
5	Measles.....	64					1	2	3	2	8	5	5	14	20	12	
6	Scarlet fever.....						1										
7	Whooping cough.....	261					4	5	1	4	8	18	31	20	83	65	
8	Diphtheria and croup.....	18					2	3	4			7	2	2	6	1	
9	Influenza.....	429					24	21	11	8	64	41	48	123	89	64	
(12)	Dysentery.....	154					3	3			6	13	18	34	45	38	
(12)	Erysipelas.....	1											1				
(37)	Tetanus.....	22					5	5	15	2		22	1	1	9	5	6
13	Tuberculosis of the lungs.....	22												1	2	2	
14	Tuberculous meningitis.....	2												19	19	6	
15	Other forms of tuberculosis.....	3												25	16	16	
(37)	Syphilis.....	61	7	1	1	2	11	7	3	1	22	6	9	12	8	4	
17	Meningitis.....	8											4	1	3	3	
(37)	Convulsions.....	72					2	5	12	19	14	1	4	12	8	3	
19	Organic diseases of the heart.....	1											1				
20	Acute bronchitis.....	19										1	4	3	2	3	
22	Pneumonia.....	299	1				5	6	13	11	7	37	30	28	84	85	
(23)	Bronchopneumonia.....	63							2	1	1	4	8	7	19	19	
24	Diseases of the stomach.....	104					10	12	1	2	4	19	14	14	25	16	
25	Diarrhea and enteritis.....	461	1	3	1	2	12	17	19	9	15	60	44	40	117	111	
(33)	Malformations.....	45	10	3	2	4	19	5			2	26	3	1	4	7	
(33,37)	Premature birth.....	971	352	143	79	157	731	99	61	31	922	37	37	4	3	1	
(37)	Congenital debility.....	457	42	30	26	62	160	48	21	24	253	62	26	76	22	18	
35	Injuries at birth.....	30	15	6	4	1	26	3	1		30		2	5	8	5	
38	External causes.....	34	3				1	4	2	1	1	8	6	25	34	23	
	Unknown or ill-defined diseases.....	205	7	5	4	15	31	12	15	7	65	22	25	34	23	36	
	All other causes.....	266			3	10	15	23	7	16	61	38	30	69	39	29	
	TENNESSEE (TOTAL).																
	All causes.....	4,761	599	250	147	303	1,299	328	213	198	2,038	427	325	765	659	547	
5	Measles.....	72	1				1	2	7	3	2	14	4	7	12	16	19
6	Scarlet fever.....	6							1		1		1	1	1	3	
7	Whooping cough.....	227							5	6	11	22	29	18	58	56	44
8	Diphtheria and croup.....	46	1	4	3	7	2	3	3	2	1	9	8	6	5	12	
9	Influenza.....	455	3	4	3	7	17	13	17	12	59	33	32	112	125	94	
(12)	Dysentery.....	40					1				3	1	3	2	12	17	
(12)	Erysipelas.....	16							1	1	1	3	6	2	1	3	
(37)	Tetanus.....	12					1	3	4	4	3	11	2	5	3	7	
13	Tuberculosis of the lungs.....	39	1				1	1				2	5	3	7	4	
14	Tuberculous meningitis.....	26										1	3	8	7	7	
15	Other forms of tuberculosis.....	14	1					1	1			2	3	2	4	3	
(37)	Syphilis.....	39	1	1	2	3	3	7	1	1	3	12	6	7	5	2	
17	Meningitis.....	70					4	4	3	2	1	10	7	6	16	14	
(37)	Convulsions.....	51	1	2	2	9	14	11	3	1	29	4	3	9	4	2	
19	Organic diseases of the heart.....	7					1	1	3	1	5	1	1				
20	Acute bronchitis.....	46					3	3	1	3	6	13	6	3	14	6	
22	Pneumonia.....	286	1	2	2	8	13	14	17	7	51	23	27	60	74	51	
(23)	Bronchopneumonia.....	265					2	4	7	9	18	14	48	29	22	57	
24	Diseases of the stomach.....	97			2	3	3	8	3	6	9	26	14	12	27	10	
25	Diarrhea and enteritis.....	542	1	3	1	8	13	23	11	16	63	51	50	145	116	117	
(33)	Malformations.....	153	40	20	10	24	94	71	585	74	26	20	705	17	2	6	
(33,37)	Premature birth.....	728	361	104	49	71	585	74	26	20	118	10	8	6	6	5	
(37)	Congenital debility.....	358	69	28	23	42	162	40	23	22	247	36	14	33	17	11	
35	Injuries at birth.....	74	29	16	7	9	61	7	3	2	73					1	
38	External causes.....	58	5	4	1	4	14	1	1	4	20	7	3	11	14	3	
	Unknown or ill-defined diseases.....	765	77	60	39	83	259	72	50	44	425	96	68	96	45	35	
	All other causes.....	269	7	3	2	13	25	22	7	13	67	30	23	62	46	41	
	TENNESSEE (WHITE).																
	All causes.....	3,618	521	190	115	222	1,048	265	165	159	1,637	331	233	532	472	413	
5	Measles.....	68	1				1	7	3	2	13	4	7	11	16	17	
6	Scarlet fever.....	6							1		1	1	1	1	1	3	
7	Whooping cough.....	178							3	5	9	17	26	16	43	39	37
8	Diphtheria and croup.....	34	1	4	3	6	14	13	14	10	51	24	26	77	94	69	
9	Influenza.....	341	1	4	3	6	14	13	14	10	51	24	26	77	94	69	
(12)	Dysentery.....	33					1	1			2	1	2	7	4	17	
(12)	Erysipelas.....	15							1	1	3	5	2	1	3	1	
(37)	Tetanus.....	10					1	3	4	3	3	10					
13	Tuberculosis of the lungs.....	22							1		1	1	1	1	4	3	
14	Tuberculous meningitis.....	21							2	1	2	2	1	1	3	5	
15	Other forms of tuberculosis.....	8							1	2	1	1	1	1	2	3	
(37)	Syphilis.....	17					1	1	2	1	2	5	3	4	6	5	
17	Meningitis.....	62					4	4	2	2	1	9	4	6	15	12	
19	Convulsions.....	21	1	2	1	2	2	6	6	1	14	4	1	3	3	3	
19	Organic diseases of the heart.....	6					1	2	1	2	6	11	4	2	12	3	
20	Acute bronchitis.....	36						2	1	2	1	6	11	4	2	3	
22	Pneumonia.....	203	1				2	5	8	11	10	7	36	17	14	41	
(23)	Bronchopneumonia.....	191					1	2	3	9	15	13	40	19	19	35	
24	Diseases of the stomach.....	77					2	2	5	2	3	7	17	13	20	9	
25	Diarrhea and enteritis.....	411	1	2		4	7	17	9	10	43	43	39	108	84	94	
(33)	Malformations.....	134	38	17	9	22	86	8	7	9	110	9	4	3	5	3	
(33)	Premature birth.....	617	323	80	42	57	502	62	19	15	598	14	2	1	2	2	
(33,37)	Congenital debility.....	279	57	19	18	31	125	37	19	18	199	27	11	24	12	6	
(37)	Injuries at birth.....	62	26	13	7	6	52	7	2	1	62						
35	External causes.....	35	4	3	1	1	9	1			4	14	5	1	5	2	
38	Unknown or ill-defined diseases.....	533	63	47	25	59	194	53	39	34	320	70	44	57	22	20	
	All other causes.....	198	3	2	2	11	18	15	7	9	49	28	16	44	31	30	

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

535

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.		
REGISTRATION STATES—Continued.																
	TENNESSEE (COLORED).															
	All causes.....	1,143	78	60	32	81	251	63	48	39	401	96	92	233	187	134
5	Measles.....	4				1	1				1			1		2
6	Scarlet fever.....	2														1
7	Whooping cough.....	49						2	1	2	5	3	2	15	17	7
8	Diphtheria and croup.....	12				1	3	1	2	2	1	3	2	3	1	1
9	Influenza.....	114	2							8	9	6	35	31	25	
(12)	Dysentery.....	7						1			1		1			
(12)	Erysipelas.....	1									1					
(37)	Tetanus.....	2						1			1		1			
13	Tuberculosis of the lungs.....	17						1			1		1			
14	Tuberculous meningitis.....	5											1	2	1	1
15	Other forms of tuberculosis.....	6	1	1	2	5			1		1	2	2	1	2	
(37)	Syphilis.....	22	1	1	2	5			1		1	7	3	6	1	2
17	Meningitis.....	8									1	3	1	2	1	1
(37)	Convulsions.....	30				6	7	8	5	2	15	4	2	6	1	2
19	Organic diseases of the heart.....	1						1			1					
20	Acute bronchitis.....	10						1			2		1	2	1	1
22	Pneumonia.....	83	2			3	5	3	7		15	6	13	19	14	16
(23)	Bronchopneumonia.....	74	1	1	2	4		3		1	8	10	3	16	21	16
24	Diseases of the stomach.....	20		1	1	3	1	3	2	9	1	2	7	1		
25	Diarrhea and enteritis.....	131	1	1	4	6	6	2	6	20	8	11	37	32	23	
(33)	Malformations.....	19	2	3	2	8				8	1	4	3	1	2	
(33)	Premature birth.....	111	38	24	7	14	83	12	7	5	107	3				
(33,37)	Congenital debility.....	79	12	9	5	11	37	3	4	4	48	9	3	9	5	
(37)	Injuries at birth.....	12	3	3		3	9		1	1	11					1
35	External causes.....	23	1	1		3	5		1		6	2	2	6	6	1
38	Unknown or ill-defined diseases.....	232	14	13	14	24	65	19	11	10	105	26	24	39	23	15
	All other causes.....	71	4	1		2	7		4		18	2	7	18	15	11
UTAH.																
	All causes.....	926	251	48	36	71	406	66	49	47	568	76	49	91	85	57
5	Measles.....	5												2	3	
6	Scarlet fever.....	2											1	1	1	
7	Whooping cough.....	38						1	1	2	2	7	5	10	10	2
8	Diphtheria and croup.....	3										2		1		
9	Influenza.....	48	2			1	3	2	1	3	9	5	4	10	11	9
(12)	Dysentery.....	1												1		
(12)	Erysipelas.....	12										2	1	1		
(37)	Tetanus.....	13												2		
13	Tuberculosis of the lungs.....	2												1		
14	Tuberculous meningitis.....	1												1		
15	Other forms of tuberculosis.....	1												1		
(37)	Syphilis.....	3	1					1					1	1	1	3
17	Meningitis.....	5				1							1	1	1	3
(37)	Convulsions.....	5		1		2	3						3	1		
19	Organic diseases of the heart.....	4						1					1	1	1	1
20	Acute bronchitis.....	14						1	2	1	4	8	1	3	1	1
22	Pneumonia.....	35	1			1	1	3	1	4	2	3	4	7	6	11
(23)	Bronchopneumonia.....	100	1			4	4	6	14	13	37	13	8	16	16	10
24	Diseases of the stomach.....	6		1				1	2		1	4	1	1		
(33)	Malformations.....	73				1		1	4	5	4	14	8	8	18	17
(33)	Premature birth.....	278	22	10	8	9	49	9	3	2	2	63	8	3	5	
(33,37)	Congenital debility.....	76	23	7	4	14	48	9	3	4	64	2	5	5		
(37)	Injuries at birth.....	31	14	6	4	3	27	3	1		31					
35	External causes.....	9	1			3	3	1	1	1	6	1	1	1	1	
38	Unknown or ill-defined diseases.....	44	7	3	1	3	14	5	4	3	26	5	5	3	6	3
	All other causes.....	52	1			1	5	7	5	3	22	7	5	9	5	4
VERMONT.																
	All causes.....	698	126	42	24	43	235	39	30	32	336	67	52	97	78	68
5	Measles.....	5										1			1	3
6	Scarlet fever.....	1													1	
7	Whooping cough.....	22										1	5	4	2	5
8	Diphtheria and croup.....	1												1		
9	Influenza.....	66				1	1	3	1	1	8	4	2	15	18	19
(12)	Dysentery.....	1												1		
(12)	Erysipelas.....	3											1	1		
(37)	Tetanus.....	13											1	1	1	2
13	Tuberculosis of the lungs.....	4											1	1	1	2
14	Tuberculous meningitis.....	5											1	2	2	2
15	Other forms of tuberculosis.....	1											1	1		
(37)	Syphilis.....	3		1		1						1	2	1	1	1
17	Meningitis.....	9				1						1	1	2	3	1
(37)	Convulsions.....	3										1	1	1	2	
19	Organic diseases of the heart.....	4						1	1	2		5	3	4	2	3
20	Acute bronchitis.....	19						1	1	1	2	5	3	4	2	3
22	Pneumonia.....	23	1			1	2	1			1	3	3	2	7	10
(23)	Bronchopneumonia.....	29						1	1	1	1	6	5	9	5	3
24	Diseases of the stomach.....	18				1	1	1	1	1	3	2	2	3	3	
25	Diarrhea and enteritis.....	120	15	6	5	6	32	6	3	5	13	19	16	32	24	16
(33)	Malformations.....	49	15	6	5	6	32	6	3	5	13	19	16	32	24	16
(33,37)	Premature birth.....	177	91	27	9	14	141	16	11	11	165	7	11	9	1	
(37)	Congenital debility.....	83	11	5	5	10	31	6	7	11	55	7	11	9	1	
(37)	Injuries at birth.....	17	7	2	2	3	14	1	1	1	17					
35	External causes.....	6	1		1	2	4		1		5			1		
38	Unknown or ill-defined diseases.....	4	1		1	2	2	3	5	2	13	4	1	2	2	4
	All other causes.....	27				1	2	3	3	5	2	13	4	3	2	4

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.

REGISTRATION STATES—Continued.

	VIRGINIA (TOTAL).															
	All causes.....	6,491	1,014	288	245	432	1,979	382	253	204	2,818	510	442	1,070	891	760
5	Measles.....	66			1		1	3	2		6	4	2	16	12	26
6	Scarlet fever.....															
7	Whooping cough.....	328			1	1	2	1	3	15	21	39	36	82	67	83
8	Diphtheria and croup.....	46		1		3	4	6	3		13	7	7	4	8	
9	Influenza.....	571	3	1	4	14	22	17	19	12	70	43	33	137	156	132
(12)	Dysentery.....	91				1	1	2	1		4	9	7	26	23	22
(12)	Erysipelas.....	16				1	1	2			3	5	2	2	3	1
(37)	Tetanus.....	11				3	3	7			10					
13	Tuberculosis of the lungs.....	51	1		1		2		1		3	2	2	6	20	18
14	Tuberculous meningitis.....	30										3	9	11	7	
15	Other forms of tuberculosis.....	9											2	3	2	
(37)	Syphilis.....	68	2	1	1	4	8	6	5	3	22	5	16	14	7	4
17	Meningitis.....	61				1	1	2	1		4	3	4	17	23	10
(37)	Convulsions.....	105	1	3	8	16	28	14	4	2	48	11	7	17	15	7
19	Organic diseases of the heart.....	16	1				1	1			3	5	1	1	4	4
20	Acute bronchitis.....	74				2	3	4	3	5	15	9	10	11	18	11
22	Pneumonia.....	276	1	3		10	14	14	7	9	44	29	30	57	66	50
(28)	Bronchopneumonia.....	329	1		2	3	6	10	10	11	37	29	25	88	89	61
24	Diseases of the stomach.....	87				5	5	6	2	8	21	9	12	22	12	11
25	Diarrhea and enteritis.....	954			1	6	7	17	22	29	75	80	85	286	225	203
(33)	Malformations.....	256	58	22	17	54	151	27	13	5	196	19	12	15	7	7
(33)	Premature birth.....	1,182	618	139	99	117	973	81	56	30	1,140	27	5	10		
(33), (37)	Congenital debility.....	679	118	46	45	73	282	51	41	38	412	64	64	83	39	17
(37)	Injuries at birth.....	157	79	16	28	21	144	9	3		156	1				
35	External causes.....	85	11	1	1	8	21	5	6	2	34	8	5	21	8	9
38	Unknown or ill-defined diseases.....	680	114	46	32	79	271	83	38	21	413	74	50	76	39	28
	All other causes.....	263	6	7	5	9	27	16	11	11	65	31	24	61	43	39
	VIRGINIA (WHITE).															
	All causes.....	3,743	709	160	155	247	1,280	215	144	113	1,752	301	242	564	465	419
5	Measles.....	46						3	2		5	2	2	6	10	21
6	Scarlet fever.....															
7	Whooping cough.....	165			1		1	1	1	9	12	25	26	41	27	34
8	Diphtheria and croup.....	30	1		2		3	2	1		6	6	5	5	1	7
9	Influenza.....	332	2	1	3	9	15	13	12	5	45	17	19	79	91	81
(12)	Dysentery.....	46									6	4	11	10	15	
(12)	Erysipelas.....	13									5	2	2	3	1	
(37)	Tetanus.....	5				1	1	4			5					
13	Tuberculosis of the lungs.....	17										2	2	8	5	
14	Tuberculous meningitis.....	22										3	6	10	3	
15	Other forms of tuberculosis.....	6											2	1	1	
(37)	Syphilis.....	35	1		1	2	4	1	3	3	11	3	11	5	4	1
17	Meningitis.....	51						2	1		3	3	4	10	22	9
(37)	Convulsions.....	37		1	7	4	12	3	4		19	5	1	8	3	1
19	Organic diseases of the heart.....	11					1		2		3	1		3	1	3
20	Acute bronchitis.....	27						3	2	4	23	15	14	22	31	22
22	Pneumonia.....	127	1	2		2	5	8	6	4	23	15	14	22	31	22
(23)	Bronchopneumonia.....	171			1	1	2	6	8	6	22	20	12	48	42	27
24	Diseases of the stomach.....	49				1	1	4			4	9	7	16	7	5
25	Diarrhea and enteritis.....	525						4	8	12	24	43	48	159	125	126
(33)	Malformations.....	212	47	18	14	45	124	23	12	4	163	14	10	13	5	7
(33)	Premature birth.....	843	465	87	66	84	702	54	40	19	815	18	1	9		
(33), (37)	Congenital debility.....	344	59	20	24	33	136	25	18	22	201	42	37	40	14	10
(37)	Injuries at birth.....	124	62	11	23	17	113	8	3		124	4	4	8	5	4
35	External causes.....	43	6	1		5	12	4	1	1	18	4	4	8	5	4
38	Unknown or ill-defined diseases.....	336	65	24	13	35	137	40	16	11	204	43	23	35	19	12
	All other causes.....	126	1	3	2	5	11	6	6	8	31	14	9	29	20	23
	VIRGINIA (COLORED).															
	All causes.....	2,748	305	119	90	185	699	167	109	91	1,066	209	200	506	426	341
5	Measles.....	20				1		1			1	2		10	2	5
6	Scarlet fever.....															
7	Whooping cough.....	163				1	1	2	6	9	14	10	41	40	49	
8	Diphtheria and croup.....	16				1	1	4	2	7	1	2	3	1		
9	Influenza.....	239	1		1	5	7	4	7	7	25	26	14	58	65	51
(12)	Dysentery.....	45				1	1	2	1		4	3	3	15	13	7
(12)	Erysipelas.....	3				1	1	2			3					
(37)	Tetanus.....	6				2	2	3			5			1		
13	Tuberculosis of the lungs.....	34	1		1		2		1		3	2	4	12	13	
14	Tuberculous meningitis.....	8											3	1	4	
15	Other forms of tuberculosis.....	3											2		1	
(37)	Syphilis.....	33	1	1		2	4	5	2		11	2	5	9	3	3
17	Meningitis.....	10				1		1			7	1	1	1	1	1
(37)	Convulsions.....	68	1	2	1	12	16	11	2		29	6	6	9	12	6
19	Organic diseases of the heart.....	5	1				1		1	2	7	4	8	6	12	10
20	Acute bronchitis.....	47				2	3	1	1	2	7	4	8	6	12	10
22	Pneumonia.....	149		1		8	9	6	1	5	21	14	16	35	35	28
(23)	Bronchopneumonia.....	153	1		1	2	4	4	2	5	15	9	13	40	47	34
24	Diseases of the stomach.....	38				4	4	2	2	4	12	2	7	6	5	6
25	Diarrhea and enteritis.....	429			1	6	7	13	14	17	51	37	37	127	100	77
(33)	Malformations.....	44	11	4	3	9	27	4	1	1	33	5	2	2	2	
(33), (37)	Premature birth.....	339	153	52	33	33	271	27	16	11	325	9	4	1	25	7
(37)	Congenital debility.....	335	59	26	21	40	146	26	23	16	211	22	27	43	25	
35	Injuries at birth.....	33	17	5	5	4	31	1			32	1				
38	External causes.....	42	5		1	3	9	1	5	1	16	4	1	13	3	5
	Unknown or ill-defined diseases.....	344	49	22	19	44	134	43	22	10	209	31	27	41	20	16
	All other causes.....	137	5	4	3	4	16	10	5	3	34	17	15	32	23	16

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

537

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—											
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.

REGISTRATION STATES—Continued.

WASHINGTON.		REGISTRATION STATES—Continued.														
	All causes.....	1,769	396	99	86	167	748	135	88	63	1,034	131	103	208	156	137
5	Measles.....	5												3	2	
6	Scarlet fever.....	2													2	
7	Whooping cough.....	34						1	1	1	3	5	6	4	8	
8	Diphtheria and croup.....	2						6	4	1	2	7	7	29	32	
9	Influenza.....	123	1	1		4	6	4	4	2	16	7	7	2	1	
(12)	Dysentery.....	3													1	
(12)	Erysipelas.....	9												1	1	
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	11												4	1	
14	Tuberculous meningitis.....	16												4	6	
15	Other forms of tuberculosis.....	4												1	1	
(37)	Syphilis.....	10						2	2		4	2	1	1	1	
17	Meningitis.....	19		1	1	3	4	9	2	1	3	3	2	3	1	
(37)	Convulsions.....	21			4	5						2	1	2	2	
19	Organic diseases of the heart.....	6											3		1	
20	Acute bronchitis.....	17						1	1	4	4	1	3	2	2	
22	Pneumonia.....	80						1	1	4	3	5	17	12	12	
(23)	Bronchopneumonia.....	130	1		2	7	10	4	10	6	30	18	16	23	15	
24	Diseases of the stomach.....	23					1	1	5	1	8	3	4	3	1	
25	Diarrhea and enteritis.....	177				5	6	4	9	10	29	22	18	55	24	
(33)	Malformations.....	188	43	22	17	37	119	17	8	5	149	6	10	16	6	
(33)	Premature birth.....	490	276	43	34	45	398	52	12	14	476	9	2	2	1	
(33,37)	Congenital debility.....	171	33	16	12	25	86	28	16	8	138	13	6	9	2	
(37)	Injuries at birth.....	84	31	14	9	21	75	5	3	1	84					
35	External causes.....	22	3		2	2	7	1			8	3	5	2	4	
33	Unknown or ill-defined diseases.....	40	7		2	5	14	2	3	1	20	6	2	1	4	
	All other causes.....	82	1	1	3	4	9	4	5	6	24	14	7	12	9	
WISCONSIN.																
	All causes.....	4,810	1,008	258	207	373	1,846	328	196	176	2,546	396	298	674	487	409
5	Measles.....	46						1	1		2	3	5	11	10	15
6	Scarlet fever.....	7						1	1	4	1	2	1	1	2	
7	Whooping cough.....	113						1	1	4	6	21	13	40	15	18
8	Diphtheria and croup.....	10						1	1	2	1	2	3	1	3	
9	Influenza.....	303	5	1	2	4	12	10	11	8	41	16	16	72	74	84
(12)	Dysentery.....	9									1	1	4	1	2	
(12)	Erysipelas.....	18						1	2	3	6	5	1	4	1	
(37)	Tetanus.....	3						2			2	1	1	5	4	
13	Tuberculosis of the lungs.....	15					1	1			2	2	1	3	8	
14	Tuberculous meningitis.....	20									2	2	3	1	3	
15	Other forms of tuberculosis.....	11									2	2	3	1	3	
(37)	Syphilis.....	27	2		1	1	4	2	3	1	10	10	9	4	7	
17	Meningitis.....	45						1	1	4	1	9	11	7	13	
(37)	Convulsions.....	161	3	8	17	31	59	18	10	8	95	13	12	19	17	
19	Organic diseases of the heart.....	18						1	1	4	2	4	3	3	6	
20	Acute bronchitis.....	101					2	8	5	7	22	12	11	25	16	
22	Pneumonia.....	229	1	1	4	8	14	13	7	13	47	18	26	39	54	
(23)	Bronchopneumonia.....	357		1	5	12	18	15	17	14	64	33	22	25	79	
24	Diseases of the stomach.....	112				10	11	6	7	30	16	15	29	14	8	
25	Diarrhea and enteritis.....	607	2	3	3	17	25	29	26	24	104	70	75	193	105	
(33)	Malformations.....	317	87	23	35	38	183	36	18	11	248	25	9	16	10	
(33,37)	Premature birth.....	1,266	705	155	73	114	1,047	97	41	32	1,217	23	11	10	5	
(33,37)	Congenital debility.....	511	101	36	44	85	266	47	22	24	359	67	29	35	16	
(37)	Injuries at birth.....	149	76	19	14	23	132	10	1	4	147	1	1			
35	External causes.....	36	3	1	3	2	9	1			12	4	7	5	8	
33	Unknown or ill-defined diseases.....	68	19	6	2	S	35	5	3	3	48	7	5	2	3	
	All other causes.....	251	4	3	4	17	28	24	15	9	76	33	19	49	38	

REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.

BIRMINGHAM, ALA. (TOTAL).		REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910.														
	All causes.....	480	94	33	11	28	166	31	24	16	237	40	31	70	54	48
5	Measles.....	1											1			
6	Scarlet fever.....												5	3	7	
7	Whooping cough.....	17									2					
8	Diphtheria and croup.....	1						1	2		3	5	1	18	10	11
9	Influenza.....	48									1					
(12)	Dysentery.....	1									1					
(12)	Erysipelas.....	3									1		1			
(37)	Tetanus.....	1						1			1					
13	Tuberculosis of the lungs.....												1			
14	Tuberculous meningitis.....	1														
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	20	4	1		1	6	1	1	1	9	2	3	6		
17	Meningitis.....	1									1					
(37)	Convulsions.....	5		2		1	3		1	4						
19	Organic diseases of the heart.....	4						1		1	1		1	1		
20	Acute bronchitis.....	5						2	1	1	2		2	1		
22	Pneumonia.....	23						2	1	1	3	2	2	6	4	
(23)	Bronchopneumonia.....	30						1	2	1	6	3	5	5	3	
24	Diseases of the stomach.....	4						1	1	1	4	8	8	15	15	
25	Diarrhea and enteritis.....	65	4	4		1	4	12	3	5	15	1	1	1	2	
(33)	Malformations.....	20	4	4							124	4				
(33,37)	Premature birth.....	128	70	19	8	9	106	7	6	5	41	4	5	4	4	
(33,37)	Congenital debility.....	58	7	5	2	8	22	7	8	4	12	1	1			
(37)	Injuries at birth.....	13	8	2			10	2			1	2	2	2		
35	External causes.....	8						1	1	1	3	4	2	2		
33	Unknown or ill-defined diseases.....	3	1			1	2	2	3	1	7	4	2	3		
	All other causes.....	20				2	2	3	1	1	7	4	2	3		

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.		
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																
	BIRMINGHAM, ALA. (WHITE).															
	All causes.....	247	63	16	7	11	97	15	16	9	137	21	19	23	21	26
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	12										2		2	1	7
8	Diphtheria and croup.....															
9	Influenza.....	17										2	1	4	5	5
(12)	Dysentery.....															
(12)	Erysipelas.....	2										1		1		
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	1														
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	3														
17	Meningitis.....	1														
(37)	Convulsions.....	3														
19	Organic diseases of the heart.....	3														
20	Acute bronchitis.....	2														
22	Pneumonia.....	6														
(23)	Bronchopneumonia.....	13														
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	35														
(33)	Malformations.....	18	4	3		4	11	2			13	1	1	9	7	
(33)	Premature birth.....	86	53	10	4	3	70	6	4	3	83	3			2	
(33, 37)	Congenital debility.....	21	1	1	2	1	5	3	5	2	15	1	4	1		
(37)	Injuries at birth.....	7	5	1			6				6	1				
35	External causes.....	4									1	2	1			
38	Unknown or ill-defined diseases.....	1									1					
	All other causes.....	12					2	2	1		4	2	2	2	2	
	BIRMINGHAM, ALA. (COLORED).															
	All causes.....	233	31	17	4	17	69	16	8	7	100	19	12	47	33	22
5	Measles.....	1												1		
6	Scarlet fever.....													3	2	
7	Whooping cough.....	5														
8	Diphtheria and croup.....	1														
9	Influenza.....	31														
(12)	Dysentery.....	1														
(12)	Erysipelas.....	1														
(37)	Tetanus.....	1														
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	17	4	1		1	6	1	1	1	9	1	2	5		
17	Meningitis.....															
(37)	Convulsions.....	2		1							1			1		
19	Organic diseases of the heart.....	1														
20	Acute bronchitis.....	3														
22	Pneumonia.....	17														
(23)	Bronchopneumonia.....	17														
24	Diseases of the stomach.....	4														
25	Diarrhea and enteritis.....	30														
(33)	Malformations.....	2														
(33)	Premature birth.....	42	17	9	4	6	36	1	2	2	41	1				
(33, 37)	Congenital debility.....	37	6	4		7	17	4	3	2	26	3	1	3	4	
(37)	Injuries at birth.....	6	3	1			4				6					
35	External causes.....	4									1					
38	Unknown or ill-defined diseases.....	2		1			1	2			2					
	All other causes.....	8							2	1		3	2		2	1
	LOS ANGELES, CALIF. (TOTAL).															
	All causes.....	683	109	36	23	49	217	38	25	16	296	49	48	113	95	82
5	Measles.....	3												2	1	
6	Scarlet fever.....															
7	Whooping cough.....	12												3	2	
8	Diphtheria and croup.....	2													1	
9	Influenza.....	38		1												
(12)	Dysentery.....	3														
(12)	Erysipelas.....	1														
(37)	Tetanus.....	1														
13	Tuberculosis of the lungs.....	5														
14	Tuberculous meningitis.....	11														
15	Other forms of tuberculosis.....	2														
(37)	Syphilis.....	20	4		1	1	6	1			7		1	8	2	2
17	Meningitis.....	9		1				1			1		4	2	2	2
(37)	Convulsions.....	4		1				1			1		4	2	2	2
19	Organic diseases of the heart.....	2														
20	Acute bronchitis.....	6														
22	Pneumonia.....	26														
(23)	Bronchopneumonia.....	77														
24	Diseases of the stomach.....	6														
25	Diarrhea and enteritis.....	147														
(33)	Malformations.....	37	5	4	6	7	22	6	2	4	11	20	18	39	34	25
(33)	Premature birth.....	135	69	19	10	9	107	14	6	4	131	3			1	2
(37)	Congenital debility.....	58	17	1	4	12	37	2	4	1	44	3	4	4	1	2
(37)	Injuries at birth.....	28	12	8	1	7	28				28		2	1	2	1
35	External causes.....	6														
38	Unknown or ill-defined diseases.....															
	All other causes.....	43	1		1	4	6	6	2	1	15	4	4	5	7	8

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

539

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—														
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.	
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																	
LOS ANGELES, CALIF. (WHITE).	All causes.....	597	100	31	21	45	197	34	22	13	266	36	45	95	84	71	
5 Measles.....	3															2	1
6 Scarlet fever.....																	
7 Whooping cough.....	11									1	1	1	1	4	1	3	
8 Diphtheria and croup.....	2			1											1	1	
9 Influenza.....	36						1		1	1	3	2	4	8	9	10	
(12) Dysentery.....	2														1	1	
(12) Erysipelas.....	1															1	
(37) Tetanus.....	2							1		1							
13 Tuberculosis of the lungs.....	5									1				1	1	2	
14 Tuberculous meningitis.....	7							1						2	2	2	
15 Other forms of tuberculosis.....	2													1	1	1	
(37) Syphilis.....	16	3		1	1		5					5	1	7	1	2	
17 Meningitis.....	8							1				1	3	2	2	2	
(37) Convulsions.....	4	1					1					1	2	1			
19 Organic diseases of the heart.....	2											1				1	
20 Acute bronchitis.....	5												1	1	3		
22 Pneumonia.....	22						2	2		6	1	3	2	8	6	3	
(23) Bronchopneumonia.....	64						4	2			13	8	6	18	11	8	
24 Diseases of the stomach.....	5							1				1	1	3			
25 Diarrhea and enteritis.....	124						3	1	2	4	10	13	17	29	32	23	
(33) Malformations.....	37	5	4	6	7	3	22	6	2	4	30	2	2		1	2	
(33) Premature birth.....	118	62	15	9	7	93	14	6	3	116	2						
(33,37) Congenital debility.....	51	16	4	3	10	33	1	3	1	38	2	4	4	1	2		
(37) Injuries at birth.....	27	12	7	1	7	27				27							
35 External causes.....	6										2	1		2	1		
38 Unknown or ill-defined diseases.....																	
All other causes.....	37	1		1	4		6	6	1	1	14	3	2	5	6	7	
LOS ANGELES, CALIF. (COLORED).	All causes.....	86	9	5	2	4	20	4	3	3	30	13	3	18	11	11	
5 Measles.....																	
6 Scarlet fever.....															1		
7 Whooping cough.....	1															1	
8 Diphtheria and croup.....																	
9 Influenza.....	2													1	1	1	
(12) Dysentery.....	1																
(12) Erysipelas.....																	
(37) Tetanus.....																	
13 Tuberculosis of the lungs.....																	
14 Tuberculous meningitis.....	4													2		2	
15 Other forms of tuberculosis.....																	
(37) Syphilis.....	4	1												1	1		
17 Meningitis.....	1													1	1		
(37) Convulsions.....																	
19 Organic diseases of the heart.....																	
20 Acute bronchitis.....	1																
22 Pneumonia.....	4													1	1	1	
(23) Bronchopneumonia.....	13													4	1	3	
24 Diseases of the stomach.....	1													1	1	1	
25 Diarrhea and enteritis.....	23													1	7	10	
(33) Malformations.....																	
(33) Premature birth.....	17	7	4	1	2	14	4	1	1	1	15	1				1	
(33,37) Congenital debility.....	7	1	1	1	2	4	1	1	1	6	1					1	
(37) Injuries at birth.....	1					1					1						
35 External causes.....																	
38 Unknown or ill-defined diseases.....	6										1	1	2		1	1	
All other causes.....	6																
OAKLAND, CALIF.	All causes.....	274	43	10	13	21	87	12	13	12	124	13	23	60	28	26	
5 Measles.....	1												1				
6 Scarlet fever.....																	
7 Whooping cough.....	20													8	5	4	
8 Diphtheria and croup.....	1													2	3	1	
9 Influenza.....	7													2	1	1	
(12) Dysentery.....																	
(12) Erysipelas.....																	
(37) Tetanus.....	1																
13 Tuberculosis of the lungs.....																	
14 Tuberculous meningitis.....	3													1	2	1	
15 Other forms of tuberculosis.....	3													4	1	1	
(37) Syphilis.....	6													1	1		
17 Meningitis.....	2													4	1		
(37) Convulsions.....																	
19 Organic diseases of the heart.....																	
20 Acute bronchitis.....	5															1	
22 Pneumonia.....	23	1													8	5	
(23) Bronchopneumonia.....	33	1												5	9	3	
24 Diseases of the stomach.....	3		1											1		1	
25 Diarrhea and enteritis.....	40	2	1	4	6	13	3	2			18	4	8	15	4	5	
(33) Malformations.....	21	2	1	4	6	52	3	1	3	3	59	2	1	2	1	5	
(33) Premature birth.....	62	34	5	4	9	11	2			3	16	2	4	1			
(33,37) Congenital debility.....	23	2	2	2	5	5					5						
(37) Injuries at birth.....	5	3	1	1	1	2					2						
35 External causes.....	3															1	
38 Unknown or ill-defined diseases.....																	
All other causes.....	12										2	2	3	4	1	2	

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.		
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																
	SAN FRANCISCO, CALIF. (TOTAL).															
	All causes.....	567	118	29	20	40	207	27	33	20	287	48	47	84	51	50
5	Measles.....	3										1				
6	Scarlet fever.....													2		
7	Whooping cough.....	15														
8	Diphtheria and croup.....	3				1	1									
9	Influenza.....	24														
(12)	Dysentery.....	1														
(12)	Erysipelas.....	2														
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	3														
14	Tuberculous meningitis.....	5														
15	Other forms of tuberculosis.....	3														
(37)	Syphilis.....	16	2			3	5		3	1	9	3	2			
17	Meningitis.....	6														
(37)	Convulsions.....	8			1	1	2		1							
19	Organic diseases of the heart.....	2														
20	Acute bronchitis.....	7														
22	Pneumonia.....	29			1	1	2		2	2	6	5	2	7	5	4
(23)	Bronchopneumonia.....	61		1		1	2	1	4	3	10	7	7	20	11	6
24	Diseases of the stomach.....	9				1	1				1	2	2	1	3	1
25	Diarrhea and enteritis.....	57				1	1	1			5	7	10	9	17	7
(33)	Malformations.....	47	8	2	6	5	21	1	4		26	10	4	9	7	4
(33)	Premature birth.....	139	79	18	4	12	113	9	9	2	133	4	1	1		
(33, 37)	Congenital debility.....	46	11	3	3	7	24	7	5	2	38	2	4		1	1
(37)	Injuries at birth.....	36	17	5	5	4	31	3	1		35					
35	External causes.....	4	1				1					1	1		2	
38	Unknown or ill-defined diseases.....															
	All other causes.....	41				3	3	3	4	2	12	5	6	8	4	6
	SAN FRANCISCO, CALIF. (WHITE).															
	All causes.....	516	110	29	16	36	191	25	23	20	264	42	43	75	45	47
5	Measles.....	3										1			2	
6	Scarlet fever.....															
7	Whooping cough.....	14														
8	Diphtheria and croup.....	3														
9	Influenza.....	23				1	1					1	2	5	6	8
(12)	Dysentery.....	1														
(12)	Erysipelas.....	2														
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	3				2	3		2	1	6	3	2	1	1	2
14	Tuberculous meningitis.....	4											2	2	1	1
15	Other forms of tuberculosis.....	2											1	1		
(37)	Syphilis.....	13	1			2	3		2	1	6	3	2	1	1	2
17	Meningitis.....	6				1	1						2	2	1	1
(37)	Convulsions.....	6			1		1	1					1	1	2	
19	Organic diseases of the heart.....	2						1								
20	Acute bronchitis.....	5														
22	Pneumonia.....	29		1	1	2		2	2		6	5	2	7	5	4
(23)	Bronchopneumonia.....	51	1		1	2	1	4	3	10	6	5	15	9	6	
24	Diseases of the stomach.....	7				1	1				1	2	2	1	1	
25	Diarrhea and enteritis.....	54				1	1	1			5	7	9	9	16	7
(33)	Malformations.....	43	8	2	4	5	19	1	4		24	4	3	7	1	4
(33, 37)	Premature birth.....	125	72	18	3	12	105	8	6	2	121	2	1	1		
(33, 37)	Congenital debility.....	44	11	3	2	7	23	7	5	2	37	2	3			
35	Injuries at birth.....	34	17	5	5	3	30	2	1		33		1			
38	External causes.....	4	1				1					1	1		2	
	Unknown or ill-defined diseases.....															
	All other causes.....	38				2	2	3	3	2	10	5	6	8	4	5
	SAN FRANCISCO, CALIF. (COLORED).															
	All causes.....	51	8		4	4	16	2	5		23	6	4	9	8	3
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	1														
8	Diphtheria and croup.....															
9	Influenza.....	1														
(12)	Dysentery.....	1														
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	1														
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	3	1			1	2		1		3					
17	Meningitis.....	1														
(37)	Convulsions.....	2				1	1				1			1		
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	2														
22	Pneumonia.....	10											1	2	5	2
(23)	Bronchopneumonia.....	2											2	2		
24	Diseases of the stomach.....	2														
25	Diarrhea and enteritis.....	3				2										
(33)	Malformations.....	4			2		2					2	1	1	1	1
(33, 37)	Premature birth.....	14	7		1	1	8	1	3		12	2	1	1		
(37)	Congenital debility.....	2			1	1	1				2					
35	External causes.....															
38	Unknown or ill-defined diseases.....															
	All other causes.....	3				1	1	1		1		2	1			1

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

541

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abbr'd Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—											
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.

REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.

	DENVER, COLO.														
All causes.....	418	54	31	15	29	129	37	21	12	199	37	22	65	48	47
5 Measles.....	1														1
6 Scarlet fever.....															
7 Whooping cough.....	14										2		3	4	5
8 Diphtheria and croup.....	2											1		1	1
9 Influenza.....	13							1			1	1	3	1	4
(12) Dysentery.....	1													1	
(12) Erysipelas.....	6										1	1	3	1	
(37) Tetanus.....															
13 Tuberculosis of the lungs.....	2														2
14 Tuberculous meningitis.....	9												3	2	4
15 Other forms of tuberculosis.....	1												1		
(37) Syphilis.....	9														1
17 Meningitis.....	7							2	1		3	2	4		2
(37) Convulsions.....	1												1		
19 Organic diseases of the heart.....	1														1
20 Acute bronchitis.....	8						1	1	1	1	4	1	1	1	1
22 Pneumonia.....	19							2	2	2	4	3	1	4	2
(23) Bronchopneumonia.....	59	1				3	4	5	3	3	15	9	3	5	15
24 Diseases of the stomach.....	7							1			1	2		2	1
25 Diarrhea and enteritis.....	50						1	3	1	5	7	4	22	7	5
(33) Malformations.....	40	8	5	3	7	23	5	2	2	30	1	3	1	3	2
(33, 37) Premature birth.....	97	35	20	6	9	70	16	3	2	91	3	2	1		
Congenital debility.....	37	6	4	4	5	19	2	8	1	30	3		4		
Injuries at birth.....	9	3	2	2	1	8	1			9					
External causes.....	3												2		1
Unknown or ill-defined diseases.....															
All other causes.....	22	1			3	4		2		6	2	1	5	5	3
	BRIDGEPORT, CONN.														
All causes.....	492	54	39	18	34	145	25	25	16	211	37	30	78	70	66
5 Measles.....	4							1		1			1	1	1
6 Scarlet fever.....											1		1		
7 Whooping cough.....	18								1		1		8	1	7
8 Diphtheria and croup.....	3											1	1	1	1
9 Influenza.....	19		1			1					1	2		6	7
(12) Dysentery.....	2												1		1
(12) Erysipelas.....	3								2	3					
(37) Tetanus.....															
13 Tuberculosis of the lungs.....	2												1		1
14 Tuberculous meningitis.....	10												1		5
15 Other forms of tuberculosis.....	1														
(37) Syphilis.....	7		1			2	3		1		4	1	1	1	
17 Meningitis.....	3					1	1				1	1			
(37) Convulsions.....	4					1	1				1	2	1		
19 Organic diseases of the heart.....	1														1
20 Acute bronchitis.....	8										1	2	1		1
22 Pneumonia.....	32					1	1	1	1	1	4	3	2	8	7
(23) Bronchopneumonia.....	54		1	1		2	2	1	1	1	6	5	4	9	13
24 Diseases of the stomach.....	2										1			1	
25 Diarrhea and enteritis.....	90							2	3	2	7	9	10	23	16
(33) Malformations.....	40	5	4	4	8	21	4	6	1	32	3	1	2	2	
(33, 37) Premature birth.....	99	37	25	8	10	80	5	7	2	94	3	1	1		
Congenital debility.....	45	4	5	6	15	6	2	2	2	25	5	8	5	2	
Injuries at birth.....	19	8	3	5	2	18		1		19			1		
External causes.....	3								1				1		
Unknown or ill-defined diseases.....	1												1		
All other causes.....	22					2	2	4	1	1	8	3	1	6	2
	NEW HAVEN, CONN.														
All causes.....	440	58	27	12	24	121	29	21	18	189	40	31	69	57	54
5 Measles.....	3												1		2
6 Scarlet fever.....													5	3	3
7 Whooping cough.....	19												2	1	2
8 Diphtheria and croup.....	5												3	4	11
9 Influenza.....	23							2	1		3	1	1		
(12) Dysentery.....	1												1		
(12) Erysipelas.....	4														
(37) Tetanus.....	1														
13 Tuberculosis of the lungs.....	5					1	1							3	2
14 Tuberculous meningitis.....	7													2	2
15 Other forms of tuberculosis.....	1													1	
(37) Syphilis.....	11	3				1	4		1		5	1	2	1	
17 Meningitis.....	3							1	1		1	1		1	
(37) Convulsions.....	5								1	1	2			2	1
19 Organic diseases of the heart.....															
20 Acute bronchitis.....	10											2	2	2	4
22 Pneumonia.....	33							1	1	2	4	2	5	3	9
(23) Bronchopneumonia.....	39							3	4	1	8	3	2	9	10
24 Diseases of the stomach.....	3												1	1	
25 Diarrhea and enteritis.....	62		2	1	3	7	2		1	10	3	7	8	17	6
(33) Malformations.....	18	1	2	1	3	7	2		1	10	3	7	8	17	6
(33, 37) Premature birth.....	100	38	20	7	8	73	15	2	6	96	4	2	9	2	2
Congenital debility.....	42	9	1	1	2	13	3	3	4	23	4	2	9	2	2
Injuries at birth.....	16	7	3	1	4	15		1		16					
External causes.....	2		1												1
Unknown or ill-defined diseases.....	3												1		3
All other causes.....	24			2	3	5	1	1	1	3	4	2	6	1	3

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																
	WASHINGTON, D. C. (TOTAL).															
	All causes.....	911	150	72	31	62	315	50	25	23	413	78	47	161	122	90
5	Measles.....	2													1	1
6	Scarlet fever.....											3	1	5	5	4
7	Whooping cough.....	18														
8	Diphtheria and croup.....															
9	Influenza.....	32		1			1	1				2	3	3	6	6
(12)	Dysentery.....	2												2		12
(12)	Erysipelas.....															
(37)	Tetanus.....	1														
13	Tuberculosis of the lungs.....	3														
14	Tuberculous meningitis.....	6														
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	22	3			3	6		1		7	4	2	6	2	1
17	Meningitis.....	6				1	1				1	1	1	3	1	1
(37)	Convulsions.....	4						1			1	3				2
19	Organic diseases of the heart.....	5									1	3				
20	Acute bronchitis.....	12	1	1		2	4	1	1		6	1	1			3
22	Pneumonia.....	34				1	1		2		3	2	2	6	15	6
(23)	Bronchopneumonia.....	120		1		5	6	4	4	4	18	8	8	40	25	21
24	Diseases of the stomach.....	3												2	1	
25	Diarrhea and enteritis.....	188									13	22	20	59	43	31
(33)	Malformations.....	31	10	4		1	5	20	2	2	26	2	2			
(33, 37)	Premature birth.....	254	103	51	20	27	201	22	7	3	233	15	2	4		
(33, 37)	Congenital debility.....	98	16	9	6	10	41	9	4	6	60	12	3	18	4	1
35	Injuries at birth.....	30	16	5	3	5	29	1			30					
38	External causes.....	9				1	1	2		1	4		1	2	1	1
	Unknown or ill-defined diseases.....	1														
	All other causes.....	29	1			2	3	3	1	1	8	3	3	5	8	2
WASHINGTON, D. C. (WHITE).																
	All causes.....	509	104	50	23	21	198	33	16	10	257	51	27	79	59	36
5	Measles.....	2													1	1
6	Scarlet fever.....											1	1	2	2	2
7	Whooping cough.....	8														
8	Diphtheria and croup.....															
9	Influenza.....	21		1				1	1			2	3	2	4	3
(12)	Dysentery.....	1														7
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1														
14	Tuberculous meningitis.....	5												2	1	1
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	4	1					1	1	1		2	1	1		
17	Meningitis.....	5				1	1				1	1		3	1	
(37)	Convulsions.....	1						1								
19	Organic diseases of the heart.....	5							1			1	3		1	
20	Acute bronchitis.....	2							1			1				
22	Pneumonia.....	16							1			1				
(23)	Bronchopneumonia.....	47							4	2	3	9	4	4	18	7
24	Diseases of the stomach.....	1												1		
25	Diarrhea and enteritis.....	93						1	3	1		5	12	12	26	25
(33)	Malformations.....	25	9	3	1	2	15	2	2	2	21	1		2	1	13
(33)	Premature birth.....	164	72	37	14	9	132	11	6	1	150	10	1	3		
(33, 37)	Congenital debility.....	65	12	4	4	3	23	6	2	3	34	12	3	14	2	
(37)	Injuries at birth.....	22	9	5	3	4	21	1			22					
35	External causes.....	2				1					1					
38	Unknown or ill-defined diseases.....															
	All other causes.....	19	1			1	2	3	1		6	3	2	4	4	
WASHINGTON, D. C. (COLORED).																
	All causes.....	402	46	22	8	41	117	17	9	13	156	27	20	82	63	54
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	10										2		3	3	2
8	Diphtheria and croup.....															
9	Influenza.....	11											1	2	3	5
(12)	Dysentery.....	1														
(12)	Erysipelas.....															
(37)	Tetanus.....	1														
13	Tuberculosis of the lungs.....	2														
14	Tuberculous meningitis.....	1														
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	18	2			3	5				5	3	1	6	2	1
17	Meningitis.....	1														
(37)	Convulsions.....	3														2
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	10	1	1		2	4	1			5	1	1		1	2
22	Pneumonia.....	18				1	1	1			2	1	1	4	7	3
(23)	Bronchopneumonia.....	73		1		5	6	2	1		9	4	4	22	20	14
24	Diseases of the stomach.....	2						1	2	5	8	10	8	33	18	18
(33)	Malformations.....	6	1	1		3	5		2		5	1				
(33)	Premature birth.....	90	31	14	6	18	69	11	1	2	83	5	1	1	4	2
(33, 37)	Congenital debility.....	33	4	5	2	7	18	3	2	3	26					
(37)	Injuries at birth.....	8	7			1	8		2		8					
35	External causes.....	7									3		1	2		1
38	Unknown or ill-defined diseases.....	1									2	1	1	4	1	1
	All other causes.....	10				1	1				2	1	1	4	1	2

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

543

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																
	ATLANTA, GA. (TOTAL).															
	All causes.....	418	73	22	17	32	144	31	11	16	202	35	33	71	44	33
5	Measles.....	2								1	1			1		
6	Scarlet fever.....													5		
7	Whooping cough.....	14								1	1				7	
8	Diphtheria and croup.....	1													1	
9	Influenza.....	18								2	3	1	1	4	5	4
(12)	Dysentery.....	3						1		1	2			1		
(12)	Erysipelas.....															
(37)	Tetanus.....	3									3					
13	Tuberculosis of the lungs.....	2												1	1	
14	Tuberculous meningitis.....	1												1		
15	Other forms of tuberculosis.....	3														
(37)	Syphilis.....	10		2			1	3								
17	Meningitis.....	2														
(37)	Convulsions.....	6						1	1	1				2		
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	1														
22	Pneumonia.....	17													4	4
(23)	Bronchopneumonia.....	58		1			1	2	3		2	6	8	21	12	4
24	Diseases of the stomach.....	3														
25	Diarrhea and enteritis.....	47														
(33)	Malformations.....	15	4	2	1	4	5	2	1	2	10	2	2	20	9	4
(33)	Premature birth.....	95	48	11	8	9	76	9	2	4	91	1	2			
(33,37)	Congenital debility.....	38	9	3		4	16	5	5	1	27	3	3	3	2	
(37)	Injuries at birth.....	14	4	3	4	2	13	1			14					
35	External causes.....	4														
38	Unknown or ill-defined diseases.....	30														
	All other causes.....	31		2		3	1	5	3	1	10	5	4	6	3	3
	ATLANTA, GA. (WHITE).															
	All causes.....	232	46	14	11	20	91	19	3	7	120	16	23	37	20	16
5	Measles.....	1												1		
6	Scarlet fever.....													2	3	
7	Whooping cough.....	7														
8	Diphtheria and croup.....	1														
9	Influenza.....	11														
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1														
14	Tuberculous meningitis.....	1														
15	Other forms of tuberculosis.....	2														
(37)	Syphilis.....	3														
17	Meningitis.....	1														
(37)	Convulsions.....	5														
19	Organic diseases of the heart.....															
20	Acute bronchitis.....															
22	Pneumonia.....	8														
(23)	Bronchopneumonia.....	28		1			1	1	2		1	4	3	5	8	2
24	Diseases of the stomach.....	1														
25	Diarrhea and enteritis.....	1														
(33)	Malformations.....	15	4	2	1	4	11	1	1		12	1	2			
(33)	Premature birth.....	61	28	7	6	6	47	6	1	4	58	3				
(33,37)	Congenital debility.....	18	7	2		1	10	2	1		13		3	1	1	
(37)	Injuries at birth.....	10	2	2	3	2	9	1			10					
35	External causes.....	3														
38	Unknown or ill-defined diseases.....	15	5			1	7	1			8	1	2	1	2	1
	All other causes.....	20					3	3		1	7	5	3	4	1	
	ATLANTA, GA. (COLORED).															
	All causes.....	186	27	8	6	12	53	12	8	9	82	19	10	34	24	17
5	Measles.....	1									1	1				
6	Scarlet fever.....													3	4	
7	Whooping cough.....	7														
8	Diphtheria and croup.....															
9	Influenza.....	7														
(12)	Dysentery.....	3														
(12)	Erysipelas.....															
(37)	Tetanus.....	3														
13	Tuberculosis of the lungs.....	1														
14	Tuberculous meningitis.....	1														
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	7	2			1	3				3	1		3		
17	Meningitis.....	1														
(37)	Convulsions.....	1														
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	1														
22	Pneumonia.....	9														
(23)	Bronchopneumonia.....	30					1	1	1		1	3	3	3	13	6
24	Diseases of the stomach.....	2														
25	Diarrhea and enteritis.....	26				1	3	4	1		2	7	2	1	8	6
(33)	Malformations.....															
(33)	Premature birth.....	34	20	4	2	3	29	3	1	1	33	1				
(33,37)	Congenital debility.....	20	2	1		3	6	3	4	1	14	3		2	1	
(37)	Injuries at birth.....	4	2	1	1		4				4					
35	External causes.....	1														
38	Unknown or ill-defined diseases.....	15	1		2		3		2	1	5	4	2	1	1	2
	All other causes.....	11		2			2		1		3	2	2	2	2	2

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																
	CHICAGO, ILL. (TOTAL).															
	All causes	6,597	846	310	223	415	1,794	370	287	220	2,671	524	398	1,178	1,012	814
5	Measles	22						1		1	2	1		3	5	11
6	Scarlet fever	1														1
7	Whooping cough	78								3	3	7	5	10	23	30
8	Diphtheria and croup	39									1	2	1	7	9	19
9	Influenza	252				4	4	3	4	4	15	10	6	58	90	73
(12)	Dysentery	14							1		1	1	1	6	3	3
(12)	Erysipelas	18							2	1		4	1	4	4	2
(37)	Tetanus	4	1				1	3				4				
13	Tuberculosis of the lungs	32				1	1					2	3	6	8	12
14	Tuberculous meningitis	36						1				1		9	7	19
15	Other forms of tuberculosis	4												1		2
(37)	Syphilis	49	11	3	2	5	21	3	2	1	27	7	3	9	2	1
17	Meningitis	46					2	1		2	5	3	2	9	21	6
(37)	Convulsions	28	1	4	1	7	13	5			18	3	1	4		2
19	Organic diseases of the heart	8					1				2		3	1		2
20	Acute bronchitis	193				8	9	13	8	7	37	27	9	57	26	37
22	Pneumonia	199	1	2	3	6	3	10	11	11	30	15	11	30	57	56
(23)	Bronchopneumonia	665	3	4	3	11	21	18	26	22	87	50	49	176	144	159
24	Diseases of the stomach	37				4	5	5	2	3	15	4	3	6	5	4
25	Diarrhea and enteritis	2,398	5	8	14	37	64	86	105	100	355	293	246	669	518	317
(33)	Malformations	420	95	50	34	66	245	43	17	17	322	18	24	30	19	7
(33)	Premature birth	908	453	149	61	109	777	93	60	23	953	32	6	7		
(33,37)	Congenital debility	402	96	38	53	77	264	47	27	11	349	12	13	19	4	5
(37)	Injuries at birth	338	168	45	36	55	304	22	8	2	336	2				
35	External causes	42	1	2	3	1	7	1	1	1	10	5	4	6	13	4
38	Unknown or ill-defined diseases	3												2	1	
	All other causes	271	7	6	11	25	49	20	14	10	93	26	8	51	52	41
	CHICAGO, ILL. (WHITE).															
	All causes	6,350	809	298	216	403	1,726	360	281	217	2,584	501	385	1,124	969	787
5	Measles	22						1		1	2	1		3	5	11
6	Scarlet fever	1														1
7	Whooping cough	73								3	3	6	5	10	21	28
8	Diphtheria and croup	39						1			1	2	1	7	9	19
9	Influenza	234				3	3	3	3	4	13	10	6	51	85	69
(12)	Dysentery	14							1		1	1	1	6	3	3
(12)	Erysipelas	18							2	1	3	4	1	4	4	2
(37)	Tetanus	4	1				1	3			4					
13	Tuberculosis of the lungs	31				1	1				1	2	3	6	8	11
14	Tuberculous meningitis	36						1			1		1	9	7	19
15	Other forms of tuberculosis	4												1		2
(37)	Syphilis	41	8	3	1	5	17	3	1	1	22	5	3	8	2	1
17	Meningitis	40				1	1	2	1	2	5	1	2	8	19	5
(37)	Convulsions	26	1	4	1	6	12	5	5	2	17	3	1	3		2
19	Organic diseases of the heart	7					1	1			2		2	1		
20	Acute bronchitis	179				8	9	13	8	7	37	25	8	51	24	34
22	Pneumonia	185	1	2	3	6	3	10	10	10	29	14	11	27	52	52
(23)	Bronchopneumonia	620	3	4	3	10	20	18	24	22	84	47	47	161	132	149
24	Diseases of the stomach	36				1	4	5	5	2	15	4	3	6	5	3
25	Diarrhea and enteritis	2,351	5	8	14	36	63	84	104	99	350	284	240	655	506	316
(33)	Malformations	406	90	48	33	65	236	41	17	17	311	18	23	29	18	7
(33)	Premature birth	962	436	142	59	107	744	90	60	23	917	32	6	7		
(33,37)	Congenital debility	389	91	37	51	77	256	45	27	11	339	11	11	19	4	5
(37)	Injuries at birth	333	166	44	35	54	299	22	8	2	331	2				
35	External causes	38	1	2	3	1	7	1	1	1	10	4	4	4	12	4
38	Unknown or ill-defined diseases	3									85	25	8	48	51	41
	All other causes	258	7	5	11	21	44	19	18	9						
	CHICAGO, ILL. (COLORED).															
	All causes	247	37	12	7	12	68	10	6	3	87	23	13	54	43	27
5	Measles															
6	Scarlet fever															
7	Whooping cough	5													2	2
8	Diphtheria and croup															
9	Influenza	18				1	1			1		2		7	5	4
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1														
15	Other forms of tuberculosis															
(37)	Syphilis	8	3		1		4		1		5	2		1		
17	Meningitis	6				1	1				1	2	1	6	2	1
(37)	Convulsions	2				1					1		1			
19	Organic diseases of the heart	1														
20	Acute bronchitis	14														
22	Pneumonia	14				1										
(23)	Bronchopneumonia	45				1	1		2		3	3	2	15	12	10
24	Diseases of the stomach	47				1	1	2	1	1	5	9	6	14	12	1
(33)	Diarrhea and enteritis	47	5	2	1	1	9	2			11		1	1		
(33)	Malformations	14	22	7	2	2	33	3			36					
(33,37)	Premature birth	36	22	5	1	2	8	2			10	1	2			
(33,37)	Congenital debility	13	5	2	1	1	5				5					
35	External causes	4									1		2		1	
38	Unknown or ill-defined diseases	13		1		4	5	1	1	1	8	1		3	1	

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

545

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Inf. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																
	INDIANAPOLIS, IND. (TOTAL).															
	All causes.....	575	97	29	25	43	194	35	21	26	276	50	41	88	62	58
5	Measles.....	6											1	3	1	1
6	Scarlet fever.....															
7	Whooping cough.....	23														6
8	Diphtheria and croup.....	3														
9	Influenza.....	19														5
(12)	Dysentery.....															
(12)	Erysipelas.....	3														1
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	3														
14	Tuberculous meningitis.....	3														
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	9														
(37)	Meningitis.....	7		1	1											2
(37)	Convulsions.....	1														
19	Organic diseases of the heart.....	4														
20	Acute bronchitis.....	5		1												
22	Pneumonia.....	14		7	3	8	32	7	1	1	2	2				
(23)	Bronchopneumonia.....	74				3	3	1	2	1	7	8	10	21	12	16
24	Diseases of the stomach.....	5														
25	Diarrhea and enteritis.....	123														15
(33)	Malformations.....	52	14	7	3	8	32	7	1	1	4	5	45	14	14	38
(33)	Premature birth.....	133	67	11	15	17	110	12	7	3	3	132	1	2	1	3
3.3	Congenital debility.....	57	12	7	6	9	34	7	3	5	49	4	2			2
(37)	Injuries at birth.....	8	3	1	1	1	6	2								
35	External causes.....	6														3
38	Unknown or ill-defined diseases.....	1														
	All other causes.....	16				3	3		1	1	5	2	5	4		
	INDIANAPOLIS, IND. (WHITE).															
	All causes.....	490	89	26	23	35	173	31	15	22	241	41	36	72	52	48
5	Measles.....	3														1
6	Scarlet fever.....															1
7	Whooping cough.....	22														6
8	Diphtheria and croup.....	3														1
9	Influenza.....	16														5
(12)	Dysentery.....															
(12)	Erysipelas.....	3														1
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	3														
14	Tuberculous meningitis.....	3														
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	7	1	1			2									
(37)	Meningitis.....	6														2
(37)	Convulsions.....	1				1	1									
19	Organic diseases of the heart.....	4						1								
20	Acute bronchitis.....	4		1			1									
22	Pneumonia.....	10				2	2		1		1	2				2
(23)	Bronchopneumonia.....	60							2	2	1	5	5	10	18	13
25	Diseases of the stomach.....	5														
(33)	Diarrhea and enteritis.....	102						1	1							11
(33)	Malformations.....	50	14	7	2	8	31	7	1	4	43	2	1	1	3	
(33)	Premature birth.....	115	61	8	14	13	96	10	6	2	114	1				
(33, 37)	Congenital debility.....	48	11	7	6	7	31	6	1	4	42	3	1			2
(37)	Injuries at birth.....	7	2	1	1	1	5		2		7					
35	External causes.....	5														2
38	Unknown or ill-defined diseases.....	1														
	All other causes.....	12					2	2				1	3	2	3	4
	INDIANAPOLIS, IND. (COLORED).															
	All causes.....	85	8	3	2	8	21	4	6	4	35	9	5	16	10	10
5	Measles.....	3														
6	Scarlet fever.....															
7	Whooping cough.....	1														1
8	Diphtheria and croup.....															
9	Influenza.....	3														
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	2														
(37)	Meningitis.....	1														
(37)	Convulsions.....															
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	1														
22	Pneumonia.....	4														
(23)	Bronchopneumonia.....	14						1	1	1		2	3	3	3	3
25	Diseases of the stomach.....	21									1	1	2	2	8	5
(33)	Diarrhea and enteritis.....	2														4
(33)	Malformations.....	2														
(33, 37)	Premature birth.....	18	6	3	1	4	14	2	1	1	18					
(33, 37)	Congenital debility.....	9	1			2	3	1	2	1	7	1				
(37)	Injuries at birth.....	1														
35	External causes.....	1														
38	Unknown or ill-defined diseases.....															
	All other causes.....	4	1			1	1	1	1	1	2		2			

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.		
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																
	LOUISVILLE, KY. (TOTAL).															
	All causes.....	491	73	11	18	30	132	25	20	7	184	44	41	92	72	58
5	Measles.....	3										1		2		
6	Scarlet fever.....											2	7	6	5	
7	Whooping cough.....	22						1		1	2		1			
8	Diphtheria and croup.....	1										2	2	10	2	
9	Influenza.....	16										1	1			
(12)	Dysentery.....	2														
(12)	Erysipelas.....	2														
(37)	Tetanus.....	1														
13	Tuberculosis of the lungs.....	3						1		1	1		1	1		
14	Tuberculous meningitis.....	9										2	3	1	4	
15	Other forms of tuberculosis.....	2														
(37)	Syphilis.....	10						1	1	1	1	4	1	3	2	
17	Meningitis.....	3														
(37)	Convulsions.....	5						1	1	2	1	3	1	1		
19	Organic diseases of the heart.....	4										1	1	3	1	
20	Acute bronchitis.....	6	1									2	8	8	1	
22	Pneumonia.....	49						1	1	2	5	6	9	18	12	
(23)	Bronchopneumonia.....	68							2	2	1	1	2	1		
24	Diseases of the stomach.....	4										4	3	26	12	
25	Diarrhea and enteritis.....	66						1	1	2	1	6	4	15		
(33)	Malformations.....	21	3	2	2	3	10	3	2	1	16	1	2	1		
(33)	Premature birth.....	96	56	7	11	11	85	6	2	93	2	9	6	13		
(33, 37)	Congenital debility.....	60	11	2	1	6	20	6	3	29	9	6	13	2	1	
(37)	Injuries at birth.....	5	1			3	5			5						
35	External causes.....	7								1	2	1	2	2		
38	Unknown or ill-defined diseases.....															
	All other causes.....	26				3	3	2	3	1	9	5	3	2	4	
	LOUISVILLE, KY. (WHITE).															
	All causes.....	373	64	8	13	22	107	19	15	4	145	34	29	67	53	45
5	Measles.....	3										1		2		
6	Scarlet fever.....											1	6	3	4	
7	Whooping cough.....	15										2	2	8	2	
8	Diphtheria and croup.....											1				
9	Influenza.....	14														
(12)	Dysentery.....	1														
(12)	Erysipelas.....	2														
(37)	Tetanus.....	1				1		1								
13	Tuberculosis of the lungs.....	2														
14	Tuberculous meningitis.....	9											2	3	4	
15	Other forms of tuberculosis.....	2											1	1	1	
(37)	Syphilis.....	7											2	3	1	
17	Meningitis.....	3													2	
(37)	Convulsions.....	3						1	1	2	1	1	1	1	1	
19	Organic diseases of the heart.....	4														
20	Acute bronchitis.....	2														
22	Pneumonia.....	38						1		4	5	5	7	8	10	
(23)	Bronchopneumonia.....	40							2	1	3	7	4	9	8	
24	Diseases of the stomach.....	2										2			7	
25	Diarrhea and enteritis.....	44						1	1	2	4	3	18	10		
(33)	Malformations.....	19	3	2	1	2	8	3	2	1	14	1	2	1		
(33)	Premature birth.....	83	51	5	8	9	73	6	2	81	1	1	1			
(33, 37)	Congenital debility.....	49	8	1		2	14	4	3	21	6	12	1	1	1	
(37)	Injuries at birth.....	4								4			1	2		
35	External causes.....	5								1	1		1	2		
38	Unknown or ill-defined diseases.....															
	All other causes.....	21				2	2	2	1		7	4	2	2	4	
	LOUISVILLE, KY. (COLORED).															
	All causes.....	118	9	3	5	8	25	6	5	3	39	10	12	25	19	13
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	7														
8	Diphtheria and croup.....	1														
9	Influenza.....	2														
(12)	Dysentery.....	1														
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1														
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	3						1	1							
17	Meningitis.....															
(37)	Convulsions.....	2														
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	4	1					1	1			2		1	3	
22	Pneumonia.....	11										1	1	5	3	
(23)	Bronchopneumonia.....	28										2	3	5	6	
24	Diseases of the stomach.....	2										1		1	3	
25	Diarrhea and enteritis.....	22						1	1	1	4		8	5	5	
(33)	Malformations.....	2						1	1	2						
(33)	Premature birth.....	13	5	2	3	2	12				12	1				
(33, 37)	Congenital debility.....	11	3	1	1	1	6	2			8	1		1	1	
(37)	Injuries at birth.....	1						1			1					
35	External causes.....	2														
38	Unknown or ill-defined diseases.....															
	All other causes.....	5				1	1				2	1	1	1		

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

547

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																
	NEW ORLEANS, LA. (TOTAL):															
	All causes.....	946	106	40	34	53	233	40	40	27	340	86	89	195	138	98
5	Measles.....	9										2	2	2	2	1
6	Scarlet fever.....															
7	Whooping cough.....	35														9
8	Diphtheria and croup.....	2														1
9	Influenza.....	49														13
(12)	Dysentery.....	2														
(12)	Erysipelas.....	3														
(37)	Tetanus.....	17														
13	Tuberculosis of the lungs.....	4														
14	Tuberculous meningitis.....	6														3
15	Other forms of tuberculosis.....	19														1
(37)	Syphilis.....	30														2
17	Meningitis.....	9														1
(37)	Convulsions.....	7														1
19	Organic diseases of the heart.....	1														
20	Acute bronchitis.....	17	1	2	2											1
22	Pneumonia.....	82														11
(23)	Bronchopneumonia.....	65														14
24	Diseases of the stomach.....	1														
25	Diarrhea and enteritis.....	218														32
(33)	Malformations.....	77														
(33)	Premature birth.....	172	84	25	11	17	137	12	6	7	162	7	2	1		
(33, 37)	Congenital deformity.....	58	6	3	6	7	22	2	4	5	33	7	5	5	6	2
(37)	Injuries at birth.....	17	5	3		5	13	1	2		16	1				
35	External causes.....	4														
38	Unknown or ill-defined diseases.....															
	All other causes.....	42	1		1	1	3	2	1	2	8	4	2	10	13	5
	NEW ORLEANS, LA. (WHITE):															
	All causes.....	567	67	25	21	22	135	20	23	18	196	48	43	129	84	67
5	Measles.....	9														1
6	Scarlet fever.....															
7	Whooping cough.....	28														6
8	Diphtheria and croup.....	1														1
9	Influenza.....	32														9
(12)	Dysentery.....	1														
(12)	Erysipelas.....	2														
(37)	Tetanus.....	7														
13	Tuberculosis of the lungs.....	3														3
14	Tuberculous meningitis.....	6														3
15	Other forms of tuberculosis.....	4														
(37)	Syphilis.....	11														1
17	Meningitis.....	4														1
(37)	Convulsions.....	4														1
19	Organic diseases of the heart.....	1														
20	Acute bronchitis.....	7	1													1
22	Pneumonia.....	44														1
(23)	Bronchopneumonia.....	43														12
24	Diseases of the stomach.....	1														
25	Diarrhea and enteritis.....	134														19
(33)	Malformations.....	36	7	4	4	5	20	1	3	1	25	3	3	2		
(33)	Premature birth.....	102	49	16	6	4	75	8	5	5	93	6	2	1		
(33, 37)	Congenital deformity.....	39	6	2	5	3	16	1	4	4	21	5	4	4	4	1
(37)	Injuries at birth.....	14	4	2		5	11	1	1		13	1				
35	External causes.....	2														
38	Unknown or ill-defined diseases.....															
	All other causes.....	32														5
	NEW ORLEANS, LA. (COLORED):															
	All causes.....	379	39	15	13	31	98	20	17	9	144	38	46	66	54	31
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	7														3
8	Diphtheria and croup.....	1														
9	Influenza.....	17														
(12)	Dysentery.....	1														
(12)	Erysipelas.....	1														
(37)	Tetanus.....	10														
13	Tuberculosis of the lungs.....	1														
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....	15														
(37)	Syphilis.....	19														
17	Meningitis.....	5														
(37)	Convulsions.....	3														
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	10														
22	Pneumonia.....	38														4
(23)	Bronchopneumonia.....	22														
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	84														18
(33)	Malformations.....	41	2	2	4	4	12	7	5	3	27	7	3	2		
(33)	Premature birth.....	70	35	9	5	13	62	4	1	2	69	1				
(33, 37)	Congenital deformity.....	19	1	1	4	6	1	4	1	3	12	2	1	1	2	
(37)	Injuries at birth.....	3	1	1		2					3					
35	External causes.....	2														
38	Unknown or ill-defined diseases.....															
	All other causes.....	10	1								1	2		2	5	

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—														
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months	
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																	
	BALTIMORE, MD. (TOTAL).																
	All causes.....	2,256	318	114	57	99	588	101	69	48	806	174	146	443	395	292	
5	Measles.....	19											1		9	9	
6	Scarlet fever.....	1											1				
7	Whooping cough.....	83	1				1		1	1	3	8	2	23	25	22	
8	Diphtheria and croup.....	9											3		6		
9	Influenza.....	103										10	6	3	24	29	31
(12)	Dysentery.....	6										1	1	1	2	1	
(12)	Erysipelas.....	3										2	1				
(37)	Tetanus.....	1										1					
13	Tuberculosis of the lungs.....	11											6	2		3	
14	Tuberculous meningitis.....	13											5	4	4	4	
15	Other forms of tuberculosis.....	2											1		1		
(37)	Syphilis.....	15											6	2	4	4	
17	Meningitis.....	18											6	8	3		
(37)	Convulsions.....	10											2	1	2	2	
19	Organic diseases of the heart.....	5											2		1		
20	Acute bronchitis.....	73											6	9	16	19	15
22	Pneumonia.....	69											2	2	17	28	19
(23)	Bronchopneumonia.....	280	1	4	1	3	9	4	12	9	34	26	19	67	74	60	
24	Diseases of the stomach.....	3											2				
25	Diarrhea and enteritis.....	634	1										1				
(33)	Malformations.....	146	27	17	10	15	69	13	9	8	27	63	77	213	155	99	
(33)	Premature birth.....	402	213	53	28	36	330	34	11	7	382	13	2	4	1		
(33, 37)	Congenital debility.....	194	48	23	8	22	101	23	7	3	134	20	11	22	4		3
(37)	Injuries at birth.....	59	23	13	6	12	54	2			57	1	1				
35	External causes.....	16	2		1	1	4				5	2	2	2	4	1	
38	Unknown or ill-defined diseases.....	8	1	2		1	4				5		2	1			
	All other causes.....	73	1	2	2	5	10	3	4	3	20	4	2	20	20	7	
	BALTIMORE, MD. (WHITE).																
	All causes.....	1,756	278	83	44	82	487	85	54	34	660	141	106	331	293	225	
5	Measles.....	18												9	9		
6	Scarlet fever.....	1											1				
7	Whooping cough.....	56	1										15	18			
8	Diphtheria and croup.....	9											3	6			
9	Influenza.....	78											6	4	23	26	
(12)	Dysentery.....	4											2	17	1	2	1
(12)	Erysipelas.....	2											2				
(37)	Tetanus.....	1											1				
13	Tuberculosis of the lungs.....	6											4		2		
14	Tuberculous meningitis.....	11											4	4	3		
15	Other forms of tuberculosis.....	1											1				
(37)	Syphilis.....	6											1	2			
17	Meningitis.....	17											6	7	2	3	
(37)	Convulsions.....	9											2	1	2	1	
19	Organic diseases of the heart.....	2											1				
20	Acute bronchitis.....	49											7	6	13	12	6
22	Pneumonia.....	54											2	1	14	18	15
(23)	Bronchopneumonia.....	192		2		3	5	4	10	5	24	20	14	43	50	41	
24	Diseases of the stomach.....	2											1				
25	Diarrhea and enteritis.....	498	1										1				
(33)	Malformations.....	116	23	11	8	14	56	10	7	5	78	17	5	9	3	4	
(33)	Premature birth.....	348	187	41	24	31	283	29	11	6	329	12	2	4	1		
(33, 37)	Congenital debility.....	151	42	14	5	16	77	21	5	3	106	17	7	16	3	2	
(37)	Injuries at birth.....	54	22	12	6	9	49	2			52	1	1				
35	External causes.....	9	1		1	2					3	1	1		3	1	
38	Unknown or ill-defined diseases.....	7	1	2		1	4	6	2	4	2	14	2	15	1	16	6
	All other causes.....	55		1	1	1	4	6	2	4	2						
	BALTIMORE, MD. (COLORED).																
	All causes.....	500	40	31	13	17	101	16	15	14	146	33	40	112	102	67	
5	Measles.....	1												1			
6	Scarlet fever.....																
7	Whooping cough.....	27											1	1	11	10	4
8	Diphtheria and croup.....																
9	Influenza.....	25											1	7	6	5	
(12)	Dysentery.....	2											2	1			
(12)	Erysipelas.....	1											1				
(37)	Tetanus.....																
13	Tuberculosis of the lungs.....	5												2	2	1	
14	Tuberculous meningitis.....	2											1			1	
15	Other forms of tuberculosis.....	1															1
(37)	Syphilis.....	9												3			
17	Meningitis.....	1												1			
(37)	Convulsions.....	1															1
19	Organic diseases of the heart.....	3											1	3	7	9	
20	Acute bronchitis.....	24											1	1	3	5	4
22	Pneumonia.....	15											2	1	3	5	4
(23)	Bronchopneumonia.....	88	1	2	1		4		2	4	10	6	5	24	24	19	
24	Diseases of the stomach.....	1											1				
25	Diarrhea and enteritis.....	136											7	12	18	45	36
(33)	Malformations.....	30	4	6	2	1	13	3	2	4	22	1	2	2	1	2	2
(33)	Premature birth.....	54	28	12	4	5	47	5	2	1	53	1	2	2	1	1	2
(33, 37)	Congenital debility.....	43	6	9	3	6	24	2	2		28	3	4	6	1	1	1
(37)	Injuries at birth.....	5	1	1	3	5					2	1	1	2	1	1	1
35	External causes.....	7	1		1		2				2	1	1	2	1	1	
38	Unknown or ill-defined diseases.....	1											1				
	All other causes.....	18	1	1	1	1	1	4	1	1	6	2		5	4	1	1

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

549

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.															
	BOSTON, MASS. (TOTAL).														
All causes.....	2,298	294	117	80	155	646	104	97	84	931	184	168	379	316	320
5 Measles.....	31										1			9	21
6 Scarlet fever.....															
7 Whooping cough.....	70														
8 Diphtheria and croup.....	23														
9 Influenza.....	84														
(12) Dysentery.....															
(12) Erysipelas.....	24														
(37) Tetanus.....															
13 Tuberculosis of the lungs.....	20														
14 Tuberculous meningitis.....	17														
15 Other forms of tuberculosis.....	4														
(37) Syphilis.....	21	4	1	1	1	7		1	1	9	5	2	3	2	1
17 Meningitis.....	40					1		1		2	4	2	14	8	10
(37) Convulsions.....	7					3				3		1	1	2	
19 Organic diseases of the heart.....	5							1			1		1	1	2
20 Acute bronchitis.....	46						1	3	5	8	17	5	5	7	5
22 Pneumonia.....	112		1		1	2		2	1	9	6	10	28	33	35
(23) Bronchopneumonia.....	306			3	5	8		5	10	9	32	25	14	67	81
24 Diseases of the stomach.....	7							1			1	1	2		
25 Diarrhea and enteritis.....	404		1	1	1	3		4	4	13	24	47	56	141	74
(38) Malformations.....	141	22	11	10	25	70	13	9	3	95	22	8	8	5	3
(33) Premature birth.....	472	193	69	35	61	358	41	33	12	444	16	7	5		
(33-37) Congenital debility.....	192	24	16	12	22	74	17	7	10	108	15	22	34	10	3
(37) Injuries at birth.....	112	45	16	16	22	99	7	5	1	112					
35 External causes.....	22	1				2		3	1	3	8	3	4	2	3
38 Unknown or ill-defined diseases.....	19					1		1		3	4	5	2	2	1
All other causes.....	119	3	2	2	8	15		6	10	8	39	10	13	24	13
BOSTON, MASS. (WHITE).															
All causes.....	2,226	288	113	80	148	629	101	93	81	904	181	166	367	302	306
5 Measles.....	31										1			9	21
6 Scarlet fever.....															
7 Whooping cough.....	67														
8 Diphtheria and croup.....	21														
9 Influenza.....	80														
(12) Dysentery.....															
(12) Erysipelas.....	22														
(37) Tetanus.....															
13 Tuberculosis of the lungs.....	20														
14 Tuberculous meningitis.....	17														
15 Other forms of tuberculosis.....	4														
(37) Syphilis.....	17	3	1	1	1	5		1		5	5	2	3	5	4
17 Meningitis.....	39					1		1		2	4	2	13	8	10
(37) Convulsions.....	7					3		3		3		1	1	2	2
19 Organic diseases of the heart.....	5							1		1		1	1	7	5
20 Acute bronchitis.....	46						1	3	5	8	17	7	5	7	5
22 Pneumonia.....	108		1	1	1	2		2	1	9	5	6	10	22	34
(23) Bronchopneumonia.....	291			3	5	8		5	10	8	31	23	14	64	77
24 Diseases of the stomach.....	7							1			1	1	1	2	
25 Diarrhea and enteritis.....	395		1	1	1	3		4	4	13	24	46	56	139	69
(33) Malformations.....	140	24	11	10	25	70	13	9	3	22	14	64	82	77	2
(33) Premature birth.....	458	189	68	35	55	347	40	31	12	430	16	7	5		
(33-37) Congenital debility.....	188	24	14	12	22	72	16	7	10	105	15	21	34	10	3
(37) Injuries at birth.....	111	44	16	16	22	98	7	5	1	111					
35 External causes.....	22	1				2		3	1	3	8	3	4	2	3
38 Unknown or ill-defined diseases.....	18					1		1		2	3	5	2	2	1
All other causes.....	112	3	2	2	7	14		5	10	8	37	10	13	22	17
BOSTON, MASS. (COLORED).															
All causes.....	72	6	4		7	17	3	4	3	27	3	2	12	14	14
5 Measles.....															
6 Scarlet fever.....															
7 Whooping cough.....	3														
8 Diphtheria and croup.....	2														
9 Influenza.....	4														
(12) Dysentery.....															
(12) Erysipelas.....	2														
(37) Tetanus.....															
13 Tuberculosis of the lungs.....	4		1	1		2		1	1	4					
14 Tuberculous meningitis.....															
15 Other forms of tuberculosis.....															
(37) Syphilis.....															
17 Meningitis.....	1														
(37) Convulsions.....															
19 Organic diseases of the heart.....															
20 Acute bronchitis.....															
22 Pneumonia.....	4														
(23) Bronchopneumonia.....	15														
24 Diseases of the stomach.....															
25 Diarrhea and enteritis.....	9														
(33) Malformations.....	1														
(33-37) Premature birth.....	14	4	1	2	6	11	1	2		14	3		1		
(33-37) Congenital debility.....	4					1									
(37) Injuries at birth.....	1					1									
35 External causes.....															
38 Unknown or ill-defined diseases.....	1					1									
All other causes.....	7					1		1		1		2		2	3

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—											
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.

REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

551

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—											
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.

REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.

WORCESTER, MASS.																
All causes		507	93	29	20	37	179	34	26	16	255	38	41	66	65	42
5 Measles								1			1					
6 Scarlet fever		1										2		1	2	
7 Whooping cough		5								1	1			1	1	
8 Diphtheria and croup		2							2	2	4	2		7	3	14
9 Influenza		30														
(12) Dysentery																
(12) Erysipelas		3														1
(37) Tetanus		2														
13 Tuberculosis of the lungs		2														2
14 Tuberculous meningitis		5														2
15 Other forms of tuberculosis		1													1	
(37) Syphilis		4													1	
17 Meningitis		2													1	
(37) Convulsions																
19 Organic diseases of the heart																
20 Acute bronchitis		15						1	1	2	5	2	2	2	2	2
22 Pneumonia		8										1	2	4	4	
(23) Bronchopneumonia		54							6	2	1	9	3	7	16	3
24 Diseases of the stomach		2								1	1	2				
25 Diarrhea and enteritis		114							4	6	2	12	19	19	27	23
(33) Malformations		31	2	2	4	6	14	3	2	2	21	2	2	2	4	
(33) Premature birth		125	62	18	9	14	103	12	5	2	122	2	1			
38,37 Congenital debility		49	13	3	3	8	27	3	4	2	36	5	3	3	2	
(37) Injuries at birth		31	16	3	3	7	29	1			31					
35 External causes		4									1		1	2		
38 Unknown or ill-defined diseases																
All other causes		17			2	1	1	4	1		2	7	2	1	2	5
DETROIT, MICH.																
All causes		2,713	452	145	99	216	912	157	111	73	1,253	156	171	459	397	277
5 Measles		49							1		1		11	16		21
6 Scarlet fever		1											1			
7 Whooping cough		73							1	1	3	5	2	3	15	22
8 Diphtheria and croup		28		1		2		4	4	1	1	10	1	4	24	31
9 Influenza		108											1	2	3	5
(12) Dysentery		12								2		2	5		1	
(12) Erysipelas		9											1			
(37) Tetanus		1							1				1	3	4	1
13 Tuberculosis of the lungs		9											1	3	8	7
14 Tuberculous meningitis		19											1			
15 Other forms of tuberculosis		1											1			
(37) Syphilis		31	2	1		4	7	2	1	1	11	6	3	9	1	1
17 Meningitis		23							5		5	2	2	6		
(37) Convulsions		21	1	2	1	2	6	4		1	11		1	3	3	3
19 Organic diseases of the heart		6			1	1	1	1		1	6	3	2	9	10	5
20 Acute bronchitis		35							1	1	3	1	2	9	11	
22 Pneumonia		188	1					2	3	6	5	4	18	12	42	33
(23) Bronchopneumonia		274	4	2	6	12	8	12	8	11	43	22	32	69	58	50
24 Diseases of the stomach		41				3	3	6	3		12	1	7	8	9	4
25 Diarrhea and enteritis		587	2	3	15	20	11	18	17	66	52	67	191	181	60	
(33) Malformations		184	44	18	16	39	117	12	11	6	146	10	4	10	10	4
(33) Premature birth		636	322	86	41	74	523	52	22	14	611	10	9	3	2	1
(33,37) Congenital debility		207	34	15	20	32	101	24	19	10	154	14	11	20	5	3
(37) Injuries at birth		106	45	11	13	27	96	8	2		106					
35 External causes		24	1	3		3	7		1	1	9	3	1	3	4	4
38 Unknown or ill-defined diseases																
All other causes		110	1	3	1	5	10	11	7	2	30	11	9	24	20	16
GRAND RAPIDS, MICH.																
All causes		245	27	20	11	19	77	12	8	9	106	19	30	40	24	26
5 Measles																
6 Scarlet fever																2
7 Whooping cough		4														
8 Diphtheria and croup		9														6
9 Influenza		9														
(12) Dysentery		3														
(12) Erysipelas		2														
(37) Tetanus																
13 Tuberculosis of the lungs		1														
14 Tuberculous meningitis		3														
15 Other forms of tuberculosis		3														
(37) Syphilis		4														
17 Meningitis																
(37) Convulsions																
19 Organic diseases of the heart		3														
20 Acute bronchitis		7														
22 Pneumonia		7														
(23) Bronchopneumonia		24						1		2	1	4	3	2	5	7
24 Diseases of the stomach		8							3	2	1	6	7	10	15	6
25 Diarrhea and enteritis		49	3	6	4	6	19	1	1	2	28	7	10	15	5	6
(33) Malformations		28	19	8	4	7	38	6	2	1	47	1	4	2	1	
(33,37) Premature birth		52	19	8	4	7	11	2	1		14	1	2	1	1	
(37) Congenital debility		19	5	2	2	2	6				6					
(37) Injuries at birth		6		3	1	2	1			1	2	1	1	1	1	
35 External causes		6				1										
38 Unknown or ill-defined diseases																
All other causes		7						1				1	1	2	1	2

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—											
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.

REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.

	MINNEAPOLIS, MINN.																
	All causes.....	633	175	30	22	39	266	32	28	23	349	54	38	71	59	62	
5	Measles.....	6													2	4	
6	Scarlet fever.....																
7	Whooping cough.....	29						2			2	4	.4	9	5	5	
8	Diphtheria and croup.....	5							1		1	1	4	1	1		
9	Influenza.....	35							1		1	1	4	6	10	13	
(12)	Dysentery.....																
(12)	Erysipelas.....	4							1	1	2	1	1				
(37)	Tetanus.....																
13	Tuberculosis of the lungs.....	7												2	3	2	
14	Tuberculous meningitis.....	5												2	2	3	
15	Other forms of tuberculosis.....																
(37)	Syphilis.....	19	4	1		3	8		1		9	6	2	2			
17	Meningitis.....	3										1	1	1			
(37)	Convulsions.....	14	1	1		2	4		1		5	1	1	4	1	2	
19	Organic diseases of the heart.....	2								1	1				1		
20	Acute bronchitis.....	2															
22	Pneumonia.....	19										1	1				
(23)	Bronchopneumonia.....	61															
24	Diseases of the stomach.....	5															
25	Diarrhea and enteritis.....	47															
(33)	Malformations.....	53	17	2	5	6	30	7	2	1	4	8	6	4	16	5	
(33)	Premature birth.....	192	126	19	6	8	159	12	6	7	184	5	1	2	3	8	
(33)	Congenital debility.....	48	14	3	3	7	27	5	5		37	1	4	4	2		
(37)	Injuries at birth.....	27	12	3	4	6	25	2			27						
35	External causes.....	3															
38	Unknown or ill-defined diseases.....	3													1		
	All other causes.....	39	1		1	1	3	5	2	1	1	9	3	3	7	11	6
	ST. PAUL, MINN.																
	All causes.....	449	86	18	16	37	157	36	20	24	237	36	25	57	55	39	
5	Measles.....																
6	Scarlet fever.....													5	5		
7	Whooping cough.....	17												1	1	7	
8	Diphtheria and croup.....	1															
9	Influenza.....	25															
(12)	Dysentery.....																
(12)	Erysipelas.....	7															
(37)	Tetanus.....	1															
13	Tuberculosis of the lungs.....	3															
13	Tuberculous meningitis.....	3															
15	Other forms of tuberculosis.....	1															
(37)	Syphilis.....	6															
17	Meningitis.....	4															
(37)	Convulsions.....	5	1		3	4		1	1		2		1	1	1		
19	Organic diseases of the heart.....	1															
20	Acute bronchitis.....	4															
22	Pneumonia.....	14															
(23)	Bronchopneumonia.....	36															
24	Diseases of the stomach.....	7															
25	Diarrhea and enteritis.....	63															
(33)	Malformations.....	31	6		5	3	14	3	1	5	9	10	6	17	12	9	
(33)	Premature birth.....	30	66	12	5	4	94	13	8	6	121	3	3	1	1	2	
(33)	Congenital debility.....	43	10	3	4	9	26	6	1		33	3	2	4		1	
(37)	Injuries at birth.....	17	3	2	2	6	13	3		1	17						
35	External causes.....	1															
38	Unknown or ill-defined diseases.....																
	All other causes.....	29	1			2	3	5	4	3	15		2	7	4	1	
	KANSAS CITY, MO. (TOTAL).																
	All causes.....	635	85	53	28	40	206	45	36	17	304	64	48	90	71	58	
5	Measles.....	10												1	5	4	
6	Scarlet fever.....	1												1			
7	Whooping cough.....	21												6			
8	Diphtheria and croup.....	3												1	1	1	
9	Influenza.....	36	1			2	1	1	1	1	5	3	1	9	9	9	
(12)	Dysentery.....	2												1			
(12)	Erysipelas.....																
(37)	Tetanus.....																
13	Tuberculosis of the lungs.....	2															
14	Tuberculous meningitis.....	4															
15	Other forms of tuberculosis.....																
(37)	Syphilis.....	27	1	2	1	2	6	1	1	2	9	10	2	2	3	1	
17	Meningitis.....	3												1	1		
(37)	Convulsions.....	1															
19	Organic diseases of the heart.....	5															
20	Acute bronchitis.....	6															
22	Pneumonia.....	46															
(23)	Bronchopneumonia.....	70															
24	Diseases of the stomach.....	1															
25	Diarrhea and enteritis.....	87	1		3	4	5	5	3	17	13	13	18	14	12		
(33)	Malformations.....	57	7	12	5	4	28	6	6	3	43	6	4	1	2	1	
(33)	Premature birth.....	129	59	21	8	13	101	9	9	1	120	3	5	1			
(33)	Congenital debility.....	48	5	6	6	9	26	8	2	2	33	6	3	1			
(37)	Injuries at birth.....	34	12	10	4	3	29	1	2		32	1	1				
35	External causes.....	2		1													
38	Unknown or ill-defined diseases.....	1															
	All other causes.....	39				2	4	3	2		11	4	4	12	5	3	

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

553

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																
	KANSAS CITY, MO. (WHITE).															
	All causes.....	564	82	43	22	35	182	39	34	17	272	60	43	76	63	50
5	Measles.....	9												1	5	3
6	Scarlet fever.....	1												1		
7	Whooping cough.....	19												3		6
8	Diphtheria and croup.....	3												1		1
9	Influenza.....	32	1				2	1	1	1	5	3	1	9	6	8
(12)	Dysentery.....	2												1		
(2)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	2												1	1	
14	Tuberculous meningitis.....	4												3		1
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	26	1	2	1	2	6		1	2	9	10	2	2	2	1
(37)	Meningitis.....	2									1					
(37)	Convulsions.....	1												1		
19	Organic diseases of the heart.....	4														
20	Acute bronchitis.....	4														
22	Pneumonia.....	40														
(23)	Bronchopneumonia.....	56														
24	Diseases of the stomach.....	1														
25	Diarrhea and enteritis.....	79														
(33)	Malformations.....	53	7	10	3	4	24	6	6	3	15	12	11	17	12	12
(33)	Premature birth.....	118	57	16	7	12	92	8	9	1	110	3	4	1		1
(33,37)	Congenital debility.....	43	5	4	5	7	21	2	2	2	33	6	3	1		
(37)	Injuries at birth.....	31	11	10	4	3	28	1	1		30		1			
35	External causes.....	2														
38	Unknown or ill-defined diseases.....															
	All other causes.....	32					2		3	2	9	4	4	9	4	2
	KANSAS CITY, MO. (COLORED).															
	All causes.....	71	3	10	6	5	24	6	2		32	4	5	14	8	8
5	Measles.....	1														1
6	Scarlet fever.....															
7	Whooping cough.....	2												1	1	
8	Diphtheria and croup.....													3	1	
9	Influenza.....															
(12)	Dysentery.....	4														
(2)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	1														
(37)	Meningitis.....	1												1		
(37)	Convulsions.....															
19	Organic diseases of the heart.....	1														
20	Acute bronchitis.....	2														
22	Pneumonia.....	6														
(23)	Bronchopneumonia.....	173	1	2	2	8	11	4	3	2	22	17	19	40	40	35
24	Diseases of the stomach.....	15														
25	Diarrhea and enteritis.....	261														
(33)	Malformations.....	71	14	11	11	9	45	4	4	4	35	27	37	68	57	37
(33)	Premature birth.....	287	134	49	18	33	234	28	6	6	274	8	3	2	2	17
(33,37)	Congenital debility.....	101	29	10	9	15	63	8	7	3	81	3	5	8	4	35
(37)	Injuries at birth.....	41	17	10	4	7	33	1	1	1	41					
35	External causes.....	14	3				1	4		1	5	1	3	3	2	
38	Unknown or ill-defined diseases.....															
	All other causes.....	59					3	3	1	6	4	14	6	11	14	5

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—														
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.			
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																	
	ST. LOUIS, MO. (WHITE).																
	All causes.....	1,170	175	70	43	71	359	69	45	41	514	94	94	187	156	125	
5	Measles.....	3												1	2	1	
6	Scarlet fever.....	1														1	
7	Whooping cough.....	57							2	1	3	9	5	14	17	9	
8	Diphtheria and croup.....	14							4	1	5	1	3	1	6	3	
9	Influenza.....	42									1	1	4	5	13	14	
(12)	Dysentery.....	1															
(12)	Erysipelas.....	3								1		1		1			
(37)	Tetanus.....	4					2	2	2								
13	Tuberculosis of the lungs.....	7	1				1	1						3	1	1	
14	Tuberculous meningitis.....	5											2	1	2	1	
15	Other forms of tuberculosis.....	4															
(37)	Syphilis.....	34	1	1	1		3	3	2	2	10	10	7	5	2	2	
17	Meningitis.....	9									1	4		2	4	2	
(37)	Convulsions.....	5					1	1	2								
19	Organic diseases of the heart.....	2											1				
20	Acute bronchitis.....	31											4	7	3	4	
22	Pneumonia.....	60					1	2	2	2	7	5	2	21	10	15	
(23)	Bronchopneumonia.....	134	1		2	7	10	4	2	2	18	14	14	31	29	28	
24	Diseases of the stomach.....	13					1	1			3	5	1	3	1		
25	Diarrhea and enteritis.....	238					1	2	8	7	13	30	26	33	64	36	
(33)	Malformations.....	68	12	11	11	9	43	5	4	4	56	1	3	4	2	2	
(33)	Premature birth.....	248	114	40	16	29	199	28	6	5	238	5	3	2			
(33)	Congenital debility.....	81	26	8	8	11	53	6	7	3	69	2	3	4	3		
(37)	Injuries at birth.....	39	17	10	3	6	36	1	1	1	39						
35	External causes.....	12	3			1	4			1	5		2	3	2		
38	Unknown or ill-defined diseases.....																
	All other causes.....	55					2	2	1	6	4	13	6	8	14	9	5
	ST. LOUIS, MO. (COLORED).																
	All causes.....	197	29	18	5	14	61	7	3	8	79	14	21	26	35	22	
5	Measles.....	3											1	1	1	1	
6	Scarlet fever.....																
7	Whooping cough.....	11										1	1	4	3	2	
8	Diphtheria and croup.....	3											2	2	2	3	
9	Influenza.....	9														1	
(12)	Dysentery.....	1															
(12)	Erysipelas.....																
(37)	Tetanus.....	1															
13	Tuberculosis of the lungs.....	1							1								
14	Tuberculous meningitis.....																
15	Other forms of tuberculosis.....																
(37)	Syphilis.....	16	4	2	1	2	9	3				12	1	1	1	1	
17	Meningitis.....	5										1		3	1	1	
(37)	Convulsions.....																
19	Organic diseases of the heart.....																
20	Acute bronchitis.....	5										1	1	1	2	2	
22	Pneumonia.....	8					1	1			2		2	9	2	2	
(23)	Bronchopneumonia.....	39					1	1			4	3	5	11	7		
24	Diseases of the stomach.....	2							1		1	1	1	4	8	1	
25	Diarrhea and enteritis.....	23							1		4	5	1	4	8	1	
(33)	Malformations.....	3	2				2				2	1	2	1			
(33)	Premature birth.....	39	20	9	2	4	35			1	36	3	12	1	2	4	
(33)	Congenital debility.....	20	3	2	1	4	10	2			2	12	1	2	4	1	
(37)	Injuries at birth.....	2					1	1									
35	External causes.....																
38	Unknown or ill-defined diseases.....																
	All other causes.....	4					1	1				1		3			
	OMAHA, NEBR.																
	All causes.....	362	55	20	13	20	108	21	13	18	160	24	24	67	47	40	
5	Measles.....	3											2			1	
6	Scarlet fever.....	2											1			1	
7	Whooping cough.....	3											3				
8	Diphtheria and croup.....	2											1			1	
9	Influenza.....	40											9	13	8		
(12)	Dysentery.....	2											1				
(12)	Erysipelas.....	2															
(37)	Tetanus.....																
13	Tuberculosis of the lungs.....	1							1								
14	Tuberculous meningitis.....	2															
15	Other forms of tuberculosis.....	2															
(37)	Syphilis.....	6					1		1			1					
17	Meningitis.....	4					1		1			1		1			
(37)	Convulsions.....	3					1		1			1		1			
19	Organic diseases of the heart.....	4					1		1			2		1	3		
20	Acute bronchitis.....	7							1		2	3		4	5		
22	Pneumonia.....	17	1				1	2	1	1		4	1	2	1	5	
(23)	Bronchopneumonia.....	40							1	2	3	6	5	3	13	6	
24	Diseases of the stomach.....	3										1	1	1			
25	Diarrhea and enteritis.....	51							2	1	2	5	5	4	18	9	
(33)	Malformations.....	21	4	5	5	1	15	1	1	2	17	2	2	1	1		
(33)	Premature birth.....	75	42	9	4	11	66	4	1	1	72	2	3	2	4	1	
(33)	Congenital debility.....	37	5	5	1	6	17	4	2	3	26	3	2	4	1	1	
(37)	Injuries at birth.....	5	2	1			3	1	1		5						
35	External causes.....	6							2	1	3	2					
38	Unknown or ill-defined diseases.....	1							1		1	1		4	6	6	
	All other causes.....	23	1						1	2	1	2	6	1	4	6	

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

555

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—											
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.

REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.

JERSEY CITY, N. J.															
All causes	893	119	26	25	41	211	53	38	31	333	69	74	161	145	111
5 Measles	12												1	1	5
6 Scarlet fever															5
7 Whooping cough	22														
8 Diphtheria and croup	3														
9 Influenza	57														
(12) Dysentery	2														
(12) Erysipelas	5														
(37) Tetanus	1														
13 Tuberculosis of the lungs	1														
14 Tuberculous meningitis	4														
15 Other forms of tuberculosis	2														
(37) Syphilis	2														
17 Meningitis	11														
(37) Convulsions	7	1	1					2	1	1	2	5	1	4	2
19 Organic diseases of the heart	1														
20 Acute bronchitis	40							1	5	4	14	5	6	7	2
22 Pneumonia	58							2	1	3	7	3	5	11	16
(23) Bronchopneumonia	97							2	3	5	3	13	10	7	25
24 Diseases of the stomach	2														22
25 Diarrhea and enteritis	216														20
(33) Malformations	47	8	4	1	11	24	10	3	6	4	13	23	28	67	36
(33) Premature birth	153	77	13	15	17	122	15	8	2	147	2	1	3	3	1
(33, 37) Congenital debility	70	13	4	2	5	24	4	2	8	38	8	9	10	5	
(37) Injuries at birth	37	20	3	3	2	28	8	1		37					
35 External causes	15										2	2		4	3
38 Unknown or ill-defined diseases	1										1				4
All other causes	27			1	1	2	1	1	1	5	5	3	6	7	1
NEWARK, N. J.															
All causes	1,204	141	43	37	78	299	79	51	31	460	89	93	215	183	164
5 Measles	31												1	4	10
6 Scarlet fever													10	7	16
7 Whooping cough	23														
8 Diphtheria and croup	2														
9 Influenza	41														
(12) Dysentery	6														
(12) Erysipelas	8														
(37) Tetanus	1														
13 Tuberculosis of the lungs	2														
14 Tuberculous meningitis	13														
15 Other forms of tuberculosis	13														
(37) Syphilis	9														
17 Meningitis	12			1				2		3	1	1	4	2	3
(37) Convulsions	4							1	1	2		1			
19 Organic diseases of the heart	1														
20 Acute bronchitis	80							3	3	7	5	6	21	22	13
22 Pneumonia	62										1	4	3	12	19
(23) Bronchopneumonia	94	1									1	2	5	25	24
24 Diseases of the stomach	13														1
25 Diarrhea and enteritis	294							3	3	9	1	1	24	32	87
(33) Malformations	53	9	8	1	11	29	9	4	3	45	3	2	2	1	
(33) Premature birth	225	93	22	21	31	167	29	15	6	217	8				
(33, 37) Congenital debility	113	21	6	5	14	46	7	7	2	62	16	12	13	5	5
(37) Injuries at birth	37	14	6	6	6	32	2	2	1	37	7	2	1	2	
35 External causes	12	2				5	1			7					
38 Unknown or ill-defined diseases	1					1				1					
All other causes	63	1	1			8	10	5	2	2	19	10	3	14	10
PATERSON, N. J.															
All causes	325	45	13	10	23	91	22	11	7	131	29	16	54	46	49
5 Measles	3														
6 Scarlet fever															
7 Whooping cough	8														
8 Diphtheria and croup	1														
9 Influenza	5														
(12) Dysentery	1														
(12) Erysipelas	1														
(37) Tetanus															
13 Tuberculosis of the lungs	2														
14 Tuberculous meningitis	3														
15 Other forms of tuberculosis	1														
(37) Syphilis	7														
17 Meningitis	3														
(37) Convulsions	1														
19 Organic diseases of the heart															
20 Acute bronchitis	6							1	1	1	1	1	3	1	1
22 Pneumonia	23							1	1	1	2	2	2	4	7
(23) Bronchopneumonia	38							1	1	3	4	4	6	6	18
24 Diseases of the stomach	4							1							
25 Diarrhea and enteritis	75	1	1	2	1	1	5	3	1	1	9	2	6	26	18
(33) Malformations	11	1	1	2	1	1	5	3	1	1	7	6	6	18	12
(33, 37) Premature birth	65	32	8	3	8	51	8	1	1	61	4				
(33) Congenital debility	33	3	1	2	7	13	4	2	1	20	5	3	3	1	1
(37) Injuries at birth	13	9	2	1	1	13				13					
35 External causes	3	1				2				2					
38 Unknown or ill-defined diseases	1					1				1					
All other causes	18					1		1	2	1	4	1	1	5	4

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—											
		Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.

REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.

ALBANY, N. Y.																
	All causes.....	247	41	9	14	14	78	13	8	11	110	16	15	34	39	33
5	Measles.....	1													1	
6	Scarlet fever.....															
7	Whooping cough.....	7														
8	Diphtheria and croup.....	3														
9	Influenza.....	17														
(12)	Dysentery.....	1														
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	3														
14	Tuberculous meningitis.....	3														
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	8														
17	Meningitis.....	4														
(37)	Convulsions.....															
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	5														
22	Pneumonia.....	14														
(23)	Bronchopneumonia.....	30														
24	Diseases of the stomach.....	3														
25	Diarrhea and enteritis.....	27														
(33)	Malformations.....	20														
(33)	Premature birth.....	51														
(33)	Congenital debility.....	17														
(33,37)	Injuries at birth.....	20														
35	External causes.....	1														
38	Unknown or ill-defined diseases.....	1														
	All other causes.....	11														
BUFFALO, N. Y.																
	All causes.....	1,690	293	68	46	90	497	81	73	60	711	147	110	272	258	192
5	Measles.....	10													3	1
6	Scarlet fever.....	1													1	
7	Whooping cough.....	23													6	7
8	Diphtheria and croup.....	8													2	4
9	Influenza.....	83													1	29
(12)	Dysentery.....	4													1	2
(12)	Erysipelas.....	5													1	2
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	9													4	3
14	Tuberculous meningitis.....	10													2	1
15	Other forms of tuberculosis.....														5	1
(37)	Syphilis.....	42		3											1	1
17	Meningitis.....	8													3	1
(37)	Convulsions.....	13													1	1
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	33													6	1
22	Pneumonia.....	59													16	13
(23)	Bronchopneumonia.....	163													43	37
24	Diseases of the stomach.....	16													3	
25	Diarrhea and enteritis.....	516													135	73
(33)	Malformations.....	95													7	4
(33)	Premature birth.....	322		186	40	23	28	277	18	13	316	5	1	1	1	37
(37)	Congenital debility.....	76		11	9	2	17	39	10	5	56	7	6	4	2	1
(37)	Injuries at birth.....	99		64	9	10	9	92	6	1	99					
35	External causes.....	7													1	3
38	Unknown or ill-defined diseases.....	1													1	
	All other causes.....	87		3	2	2	7	14	4	11	4	33	11	10	15	8
NEW YORK, N. Y. (TOTAL).																
	All causes.....	12,611	1,684	572	440	758	3,454	689	562	402	5,107	1,099	842	2,021	1,842	1,700
5	Measles.....	201													13	108
6	Scarlet fever.....	3													2	1
7	Whooping cough.....	307													68	76
8	Diphtheria and croup.....	88													24	49
9	Influenza.....	389		3											116	129
(12)	Dysentery.....	9													4	1
(12)	Erysipelas.....	111													17	4
(37)	Tetanus.....	4		1											10	4
13	Tuberculosis of the lungs.....	66		4											22	18
14	Tuberculous meningitis.....	162													65	51
15	Other forms of tuberculosis.....	26													10	6
(37)	Syphilis.....	223		38	16	4	17	75	17	18	121	33	15	35	12	7
17	Meningitis.....	87													23	23
(37)	Convulsions.....	64													5	3
19	Organic diseases of the heart.....	21													6	6
20	Acute bronchitis.....	418		1	3	11	16	26	39	16	97	74	55	89	58	45
22	Pneumonia.....	765		4	2	17	24	16	18	11	69	37	41	139	212	267
(23)	Bronchopneumonia.....	1,602		5	11	33	49	47	62	41	199	149	120	352	382	400
24	Diseases of the stomach.....	62													7	4
25	Diarrhea and enteritis.....	2,275		2	4	21	27	45	69	70	211	295	244	668	511	346
(33)	Malformations.....	628		126	59	54	92	331	53	43	21	448	41	36	54	25
(33)	Premature birth.....	2,396	1,003	325	201	247	1,776	231	142	93	821	187	188	224	76	24
(37)	Congenital debility.....	1,491		219	85	79	149	532	132	86	71				45	
(37)	Injuries at birth.....	557		257	65	60	115	497	33	12	5	547	5	5	8	11
35	External causes.....	89		11		4	1	16	7	2	3	28	13	8	18	11
38	Unknown or ill-defined diseases.....															
	All other causes.....	567		18	11	13	36	78	43	35	21	177	46	39	122	108

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

557

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																
	NEW YORK, N. Y. (WHITE).															
	All causes.	12,035	1,615	545	426	720	3,306	656	536	384	4,882	1,060	815	1,913	1,755	1,610
5	Measles.	197								2	2	2		11	74	108
6	Scarlet fever.	3												2	2	1
7	Whooping cough.	293					2	2		5	9	32	35	65	80	72
8	Diphtheria and croup.	85							1	1	2	1	1	11	21	49
9	Influenza.	372	3				6	9	15	7	6	37	19	16	63	112
(12)	Dysentery.	9								1		1	1			128
(12)	Erysipelas.	109					1	1	3	11	14	29	34	4	2	1
(37)	Tetanus.	4		1				1	2	1				15	17	10
13	Tuberculosis of the lungs.	55	2					2		2	1	5	1	2	21	14
14	Tuberculous meningitis.	155					1	1	2		3	3	5	33	63	48
15	Other forms of tuberculosis.	26									1	1	1	10	6	5
(37)	Syphilis.	183	28	12	4	13	57	14	15	7	93	29	14	31	10	6
17	Meningitis.	83						2	2	1	5	9	8	22	16	3
(37)	Convulsions.	61					5	6	11	8	3	1	2	14	5	3
19	Organic diseases of the heart.	20						1	1	2	1	2	8	2	6	3
20	Acute bronchitis.	393	1	1	2	10	14	25	39	15	93	74	51	83	51	49
22	Pneumonia.	731	4	2		16	22	15	17	10	64	37	41	131	205	255
(23)	Bronchopneumonia.	1,508		5	11	32	48	46	58	40	192	144	116	323	357	376
24	Diseases of the stomach.	59			1	2	3	4	2	3	12	11	11	16	5	4
25	Diarrhea and enteritis.	2,185	2	4	20	26	45	66	68	205	282	240	688	497	323	22
(33)	Malformations.	617	124	58	54	89	325	52	42	21	440	41	36	52	25	22
(33,37)	Premature birth.	2,304	972	310	194	236	1,712	216	138	90	2,156	85	29	25	7	43
(37)	Congenital debility.	1,417	210	82	75	141	508	123	79	67	777	182	132	212	71	43
35	Injuries at birth.	535	243	61	59	112	475	33	12	5	525	5	5			
38	External causes.	84	10		4	1	15	7	2	3	27	12	8	17	10	10
	Unknown or ill-defined diseases.															
	All other causes.	547	18	11	13	31	73	42	35	21	171	43	39	121	103	70
	NEW YORK, N. Y. (COLORED).															
	All causes.	576	69	27	14	38	148	33	26	18	225	39	27	108	87	90
5	Measles.	4											1	1	2	
6	Scarlet fever.												1	3	6	4
7	Whooping cough.	14											1	3	3	3
8	Diphtheria and croup.	3											1	4	4	4
9	Influenza.	17														
(12)	Dysentery.															
(12)	Erysipelas.	2														
(37)	Tetanus.															
13	Tuberculosis of the lungs.	11	2					2		1	3		1	2	1	4
14	Tuberculous meningitis.	7											1	2	2	3
15	Other forms of tuberculosis.															
(37)	Syphilis.	40	10	4		4	18	3	3	4	28	4	1	4	2	1
17	Meningitis.	4											1	1	1	1
(37)	Convulsions.	3											1	1	1	1
19	Organic diseases of the heart.	1														
20	Acute bronchitis.	25					1	1	2	1			4	6	7	4
22	Pneumonia.	34					1	1	2	1			5	8	7	12
(23)	Bronchopneumonia.	94					1	1	1	4			7	5	29	25
24	Diseases of the stomach.	3											1		2	24
25	Diarrhea and enteritis.	90											6	13	4	30
(33)	Malformations.	11	2	1		3	1	6	1	3	8	3	2	4	2	23
(33,37)	Premature birth.	92	31	15	7	11	64	15	4	7	3	86	3	2	1	1
(33,37)	Congenital debility.	74	9	3	4	8	24	9	7	4	44	5	6	12	5	5
35	Injuries at birth.	22	14	4	1	3	22				22					
38	External causes.	5	1									1		1		
	Unknown or ill-defined diseases.															
	All other causes.	20					5	5	1			6	3		1	5
	NEW YORK, N. Y. (BRONX BOROUGH).															
	All causes.	1,262	193	76	57	98	424	91	69	47	631	99	83	162	151	130
5	Measles.	17												2	5	10
6	Scarlet fever.															
7	Whooping cough.	80												7	7	
8	Diphtheria and croup.	7														
9	Influenza.	23					3	3	1	1			6	2	1	7
(12)	Dysentery.															
(12)	Erysipelas.	22														
(37)	Tetanus.															
13	Tuberculosis of the lungs.	5					1	1		1			1	1	1	9
14	Tuberculous meningitis.	22											1	5	9	0
15	Other forms of tuberculosis.	1					3	8	3	1			1			
(37)	Syphilis.	26	2	3		3	8	3	3	1	15	3	1	4	1	
17	Meningitis.	4											1	1	2	
(37)	Convulsions.	5											2	1		
19	Organic diseases of the heart.	3											1		2	
20	Acute bronchitis.	19					1	1	1	2			4	4	2	2
22	Pneumonia.	69					3	3	4	4			5	3	11	16
(23)	Bronchopneumonia.	144		2		5	7	6	7	3	23	11	17	29	32	33
24	Diseases of the stomach.	11											2	2	2	
25	Diarrhea and enteritis.	153		2		3	5	2	6	1	22	13	21	47	40	10
(33)	Malformations.	85	26	11	5	10	52	5	9	3	69	2	5	3	2	
(33,37)	Premature birth.	285	111	35	29	27	202	35	21	9	267	9	4	2	1	
(33,37)	Congenital debility.	162	21	14	7	17	59	24	7	7	97	20	11	21	8	
35	Injuries at birth.	80	27	11	12	18	68	6	1	2	77	2	1	3	2	4
38	External causes.	15	3			3	1				4	1	3	2	4	4
	Unknown or ill-defined diseases.												5	12	11	11
	All other causes.	74	3		2	7	12	3	5	3	23	10	5	12	11	11

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—														
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.			
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																	
	NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).																
	All causes.....	4,463	573	174	173	302	1,227	252	200	130	1,809	386	261	718	647	642	
5	Measles.....	79								1	1	1		7	31	39	
6	Scarlet fever.....	2												1	1	1	
7	Whooping cough.....	73				2	2			2	4	7	5	14	21	22	
8	Diphtheria and croup.....	19												1	6	12	
9	Influenza.....	149												29	44	46	
(12)	Dysentery.....	3												2			
(12)	Erysipelas.....	18												2		1	
(37)	Tetanus.....	1															
13	Tuberculosis of the lungs.....	22												4	9	8	
14	Tuberculous meningitis.....	54												1	14	19	
15	Other forms of tuberculosis.....	9												2	2	2	
(37)	Syphilis.....	51	8	4		7	19	5	5	2	31			8	5	2	
17	Meningitis.....	37						2	1		3			9	8	10	
(37)	Convulsions.....	33				5	4	9	6	1		16	2	11	2	1	
19	Organic diseases of the heart.....	1												1			
20	Acute bronchitis.....	166						6	9	15	7	37	35	20	28	22	
22	Pneumonia.....	272	1	1				9	11	7	4	3	25	12	13	80	
(23)	Bronchopneumonia.....	640					4	16	20	19	25	20	84	59	40	141	
24	Diseases of the stomach.....	15					1	1	2	1	1	5		2	4		
25	Diarrhea and enteritis.....	845						7	7	17	24	22	70	115	89	254	
(33)	Malformations.....	240	43	18	18	39	118	24	14	8	164	23	12	22	10	9	
(33, 37)	Premature birth.....	862	372	106	81	98	657	84	45	27	813	32	7	10			
(37)	Congenital debility.....	479	71	24	31	60	186	40	33	21	280	54	37	64	27	17	
35	Injuries at birth.....	171	76	17	20	38	151	10	6	2	169	1	1				
38	External causes.....	29	1			4		5		1	2	8	6	2	8	2	
	Unknown or ill-defined diseases.....																
	All other causes.....	193		6	4	8	14		32	18	19	7	76	12	13	42	30
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).																	
	All causes.....	4,327	560	172	169	291	1,192	248	197	126	1,763	376	255	690	633	610	
5	Measles.....	77									1	1	1	5	31	39	
6	Scarlet fever.....	2												1	1	1	
7	Whooping cough.....	72						2	2		2	4	7	5	14	21	
8	Diphtheria and croup.....	19							2	8	2	2	6	1	6	12	
9	Influenza.....	144							2	2	2	14	6	9	28	44	
(12)	Dysentery.....	3												2			
(12)	Erysipelas.....	18								1	3	3	7	3	5	2	
(37)	Tetanus.....	1								1		1					
13	Tuberculosis of the lungs.....	19												1	4	5	
14	Tuberculous meningitis.....	52												1	13	19	
15	Other forms of tuberculosis.....	9												3	2	2	
(37)	Syphilis.....	48	8	3		6	17	5	5	2	29	5		7	5	2	
17	Meningitis.....	36							2	1	3	4		2	9	10	
(37)	Convulsions.....	32				5	4	9	6	1		16	2	1	10	2	
19	Organic diseases of the heart.....	1												1			
20	Acute bronchitis.....	157						1	5	6	9	15	7	37	35	26	
22	Pneumonia.....	266	1	1				9	11	7	4	3	25	12	13	41	
(23)	Bronchopneumonia.....	610					4	15	19	18	25	19	81	58	38	131	
24	Diseases of the stomach.....	15					1	2	1	1	1	5	4	2	4		
25	Diarrhea and enteritis.....	823						7	7	22	22	68	111	88	250	130	
(33)	Malformations.....	236	42	18	18	36	114	24	14	8	160	23	12	22	10	9	
(33, 37)	Premature birth.....	842	361	105	79	96	641	83	45	27	796	30	6	10			
(37)	Congenital debility.....	464	70	24	29	60	183	38	32	18	271	54	36	61	25	17	
35	Injuries at birth.....	165	71	17	20	37	145	10	6	2	163	1	1	7	2	3	
38	External causes.....	28	1			4		5		1	2	8	6	2	7	2	
	Unknown or ill-defined diseases.....																
	All other causes.....	188		6	4	8	11	29	18	19	7	73	11	13	42	29	
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).																	
	All causes.....	136	18	2	4	11	35	4	3	4	46	10	6	28	14	32	
5	Measles.....	2												2			
6	Scarlet fever.....															1	
7	Whooping cough.....	1															
8	Diphtheria and croup.....																
9	Influenza.....	5												1		3	
(12)	Dysentery.....																
(12)	Erysipelas.....																
(37)	Tetanus.....																
13	Tuberculosis of the lungs.....	3														3	
14	Tuberculous meningitis.....	2												1		1	
15	Other forms of tuberculosis.....																
(37)	Syphilis.....	3		1		1	2					2	1				
17	Meningitis.....	1												1			
(37)	Convulsions.....	1												1			
19	Organic diseases of the heart.....																
20	Acute bronchitis.....	9												1	2	3	
22	Pneumonia.....	6												2	4	3	
(23)	Bronchopneumonia.....	30						1	1	1	1	3	1	2	10	4	
24	Diseases of the stomach.....	22												4		9	
(33)	Malformations.....	4		1		2	3	4					17	2	1	3	
(33, 37)	Premature birth.....	20	11	1	2	2	16	1				9		1	3	2	
(37)	Congenital debility.....	15	1			1	3	2		1	3	6					
35	Injuries at birth.....	6	5			1	6										
38	External causes.....	1												1			
	Unknown or ill-defined diseases.....													1			
	All other causes.....	5					3	3				3	1			1	

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

559

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.		
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																
	NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).	5,720	721	271	162	291	1,445	286	232	180	2,143	534	417	960	895	771
5	Measles.	88										2	1	4	32	49
6	Scarlet fever.	1												1		
7	Whooping cough.	148										12	19	32	44	39
8	Diphtheria and croup.	55										1	1	8	17	27
9	Influenza.	159	3									11	10	6	27	55
(12)	Dysentery.	5										1	2	1		
(12)	Erysipelas.	68										8	18	21	5	1
(37)	Tetanus.	3										18	21	9	14	5
13	Tuberculosis of the lungs.	38	4	1								1	2	7	8	8
14	Tuberculous meningitis.	76										1	3	3	34	22
15	Other forms of tuberculosis.	12										1	1	3	4	3
(37)	Syphilis.	139	25	9	4	7	45	9	10	8	72	24	14	20	6	3
17	Meningitis.	41										1	1	2	5	11
(37)	Convulsions.	22					2	2	1	1	1	6	5	5	4	2
19	Organic diseases of the heart.	10										1	1	1	1	6
20	Acute bronchitis.	208	1	1	2	5	9	15	19	7	50	32	31	52	28	15
22	Pneumonia.	373	3	1	1	5	10	6	9	5	30	18	20	77	103	125
(23)	Bronchopneumonia.	688		2	6	10	13	20	19	13	70	66	52	157	179	164
24	Diseases of the stomach.	32					1	1	1	2	5	5	5	9	6	2
25	Diarrhea and enteritis.	1,086		1	1	8	10	21	31	31	93	144	108	321	251	169
(33)	Malformations.	232	43	24	20	33	120	17	16	8	161	13	16	20	11	12
(33)	Premature birth.	1,002	406	155	72	94	727	95	55	46	923	43	19	12	5	
(37)	Congenital debility.	719	116	40	33	64	253	59	36	34	332	102	77	106	34	18
35	Injuries at birth.	227	105	30	21	48	204	14	4	1	223	1	3	2		
38	External causes.	37	6				1	7	4	1	13	4	2	8	3	7
	All unknown or ill-defined diseases.															
	All other causes.	250	9	7	2	12	30	16	11	10	67	21	18	52	60	32
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).																
	All causes.	5,311	674	247	152	265	1,338	257	210	167	1,972	507	399	889	825	719
5	Measles.	86										1		4	32	49
6	Scarlet fever.	1												1		
7	Whooping cough.	135										12	18	29	38	36
8	Diphtheria and croup.	52										1	1	8	14	27
9	Influenza.	149	3									9	5	25	46	55
(12)	Dysentery.	5										1	2	1	1	
(12)	Erysipelas.	66										17	20	9	14	1
(37)	Tetanus.	3		1			1	1	1	7	8	3	2	3	5	1
13	Tuberculosis of the lungs.	31	2				2	1	1	1	4	1	3	12	32	7
14	Tuberculous meningitis.	71										1	1	3	2	20
15	Other forms of tuberculosis.	12										1	1	3	4	3
(37)	Syphilis.	102	15	6	4	4	29	6	7	4	46	20	13	17	4	2
17	Meningitis.	38										2	5	4	6	11
(37)	Convulsions.	20					2	1	1	1	5	5	4	4	2	
19	Organic diseases of the heart.	9										2	1			6
20	Acute bronchitis.	192	1	1	1	4	7	14	19	6	46	32	28	48	24	14
22	Pneumonia.	351	3	1	4	4	8	5	8	4	25	18	20	73	100	115
(23)	Bronchopneumonia.	628	2	6	10	18	20	16	13	67	63	51	51	139	158	150
24	Diseases of the stomach.	29					1	1	1	1	4	5	5	9	4	2
25	Diarrhea and enteritis.	1,024	1	1	7	9	21	30	29	89	135	106	298	239	157	
(33)	Malformations.	226	42	23	20	33	118	16	15	8	157	13	16	18	11	11
(33)	Premature birth.	932	387	141	67	85	680	81	51	44	856	42	18	12	4	
(37)	Congenital debility.	664	108	37	31	56	232	52	30	33	347	97	73	98	32	17
35	Injuries at birth.	215	99	27	20	46	192	14	4	1	211	1	3	2		
38	External causes.	34	5				1	6	4	1	12	4	2	8	2	6
	All unknown or ill-defined diseases.															
	All other causes.	236	9	7	2	11	29	15	11	10	65	19	18	51	56	27
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).																
	All causes.	409	47	24	10	26	107	29	22	13	171	27	18	71	70	52
5	Measles.	2										1	1			
6	Scarlet fever.											1	3	6	3	
7	Whooping cough.	13										1	1	2	3	
8	Diphtheria and croup.	3										2	1	1	4	
9	Influenza.	10										1	1	2	4	
(12)	Dysentery.											2	1	1	2	
(12)	Erysipelas.	2										1	1			
(37)	Tetanus.											1	1			
13	Tuberculosis of the lungs.	7	2				2					1	3	1	1	1
14	Tuberculous meningitis.	5										1	1	2	2	
15	Other forms of tuberculosis.											1	1	1	2	
(37)	Syphilis.	37	10	3		3	16	3	3	4	26	4	1	3	2	1
17	Meningitis.	3										1	1	1	1	
(37)	Convulsions.	2										1	1			
19	Organic diseases of the heart.	1													1	
20	Acute bronchitis.	16										4	3	4	4	1
22	Pneumonia.	22										5	4	4	3	10
(23)	Bronchopneumonia.	60										3	3	1	18	14
24	Diseases of the stomach.	3										1	1	2	2	
25	Diarrhea and enteritis.	62										4	4	2	2	12
(33)	Malformations.	7	1	1			1	1	1	2	4	4	2	2	1	
(33)	Premature birth.	70	19	14	5	9	47	14	4	2	67	1	1	1	1	1
(37)	Congenital debility.	55	8	3	2	8	21	7	6	1	35	5	4	8	2	1
35	Injuries at birth.	12	6	3	1	2	12				12					
38	External causes.	3	1				1				1				1	1
	All unknown or ill-defined diseases.															
	All other causes.	14					1	1	1		2	2	1	1	4	5

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 months
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																
	NEW YORK, N. Y. (QUEENS BOROUGH).															
	All causes.....	882	145	29	39	57	270	49	43	34	396	63	63	128	117	115
5	Measles.....	14								1	1				5	8
6	Scarlet fever.....															
7	Whooping cough.....	49								1	1	7	9	13	13	6
8	Diphtheria and croup.....	6						1	1	2	1	5	2	2	1	4
9	Influenza.....	37							1	1	5	2	2	3	10	15
(12)	Dysentery.....	1													1	
(12)	Erysipelas.....	2														
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1												1		
14	Tuberculous meningitis.....	8												2	2	4
15	Other forms of tuberculosis.....	4												3		
(37)	Syphilis.....	6	3					3				1	3	1	2	
17	Meningitis.....	2												1		
(37)	Convulsions.....	3												3		
19	Organic diseases of the heart.....	3														
20	Acute bronchitis.....	20							1	2	2	5	3	2	5	3
22	Pneumonia.....	37							2		2	2	3	6	11	13
(23)	Bronchopneumonia.....	107					1	2	3	2	9	5	19	11	21	25
24	Diseases of the stomach.....	3												2		
25	Diarrhea and enteritis.....	139									7	5	18	18	20	27
(33)	Malformations.....	56	10	4	8	10	32	7	3	1	43	3	4	4	1	1
(33, 37)	Premature birth.....	180	83	15	17	23	138	14	14	8	174	2	1	2		
(33, 37)	Congenital debility.....	94	9	4	6	6	25	9	7	6	47	7	9	23	5	3
(37)	Injuries at birth.....	65	39	6	6	11	62	2				64	1			
35	External causes.....	6	1					1	2			3	1	1		
38	Unknown or ill-defined diseases.....														1	
	All other causes.....	39						1	3	4	2		7	3	2	12
	NEW YORK, N. Y. (RICHMOND BOROUGH).															
	All causes.....	284	47	22	9	10	88	11	18	11	128	17	18	53	32	36
5	Measles.....	3												1	2	
6	Scarlet fever.....													2		
7	Whooping cough.....	7												1		2
8	Diphtheria and croup.....	1											7	5	6	
9	Influenza.....	21														
(12)	Dysentery.....															
(12)	Erysipelas.....	1														
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	2												1	1	
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	1												1		
17	Meningitis.....	3												1		
(37)	Convulsions.....	1												2		
19	Organic diseases of the heart.....	4					1	1				1	1		2	
20	Acute bronchitis.....	5												3	1	
22	Pneumonia.....	14												2	2	6
(23)	Bronchopneumonia.....	23					1							3	4	7
24	Diseases of the stomach.....	1												1		
25	Diarrhea and enteritis.....	52		1	1	2	4				3	8	5	6	13	9
(33)	Malformations.....	14	4	2	3	5	52	3	7	3	1	11	2	3		
(33, 37)	Premature birth.....	67	31	14	2	5	9	3	7	3	3	65	4	4	10	2
(33, 37)	Congenital debility.....	37	2	3	2	2	9	3	3	3	15	4	4	10	2	2
(37)	Injuries at birth.....	14	10	1	1	12	1	1			14		1			
35	External causes.....	2												1		
38	Unknown or ill-defined diseases.....														1	
	All other causes.....	11												1	1	1
ROCHESTER, N. Y.																
	All causes.....	633	113	29	29	36	207	37	25	30	299	41	40	104	88	61
5	Measles.....	5												2	1	2
6	Scarlet fever.....	1												10	10	3
7	Whooping cough.....	30												1		
8	Diphtheria and croup.....	2												10	14	10
9	Influenza.....	40												1		
(12)	Dysentery.....	1														
(12)	Erysipelas.....	1														
(37)	Tetanus.....	1														
13	Tuberculosis of the lungs.....	1													1	
14	Tuberculous meningitis.....	9												3	2	3
15	Other forms of tuberculosis.....	1												1		
(37)	Syphilis.....	3												2		
17	Meningitis.....	3												1	2	
(37)	Convulsions.....															
19	Organic diseases of the heart.....	2												1	1	
20	Acute bronchitis.....	22					1	1	4	1	5	11	2	2	2	3
22	Pneumonia.....	20					2	2	1	3	2	2	3	5	6	4
(23)	Bronchopneumonia.....	59														
24	Diseases of the stomach.....	1												1		
25	Diarrhea and enteritis.....	132		15	5	4	5	29	3	4	1	37	5	37	2	2
(33)	Malformations.....	44	15	5	4	5	15	121	14	10	1	149	3	2	1	
(33, 37)	Premature birth.....	155	75	17	14	15	121	14	10	2	2	25	2	1	1	
(33, 37)	Congenital debility.....	29	7	2	5	5	19	2	2			31	1			
(37)	Injuries at birth.....	32	16	3	4	6	29	2				1		1	2	1
35	External causes.....	5					1							1		
38	Unknown or ill-defined diseases.....													8	7	3
	All other causes.....	34					1	1	2	5	2	4	13	3	8	7

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

561

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																
	SYRACUSE, N. Y.															
	All causes.....	518	72	22	14	18	126	36	24	22	208	50	34	91	72	63
5	Measles.....	14										1	1	3	9	
6	Scarlet fever.....											6	6			
7	Whooping cough.....	16					1		1	1		6	6		2	
8	Diphtheria and croup.....	2													1	
9	Influenza.....	26	1					1	2		5	1	3	5	9	
(12)	Dysentery.....															
(12)	Erysipelas.....	2													1	
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1													1	
14	Tuberculous meningitis.....	1													1	
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	10														
17	Meningitis.....	1														
(37)	Convulsions.....	3														
19	Organic diseases of the heart.....	2														
20	Acute bronchitis.....	8													2	
22	Pneumonia.....	21					1	1				1	3	1	2	
(23)	Bronchopneumonia.....	60					1	1	2		1	4	4	6	7	
24	Diseases of the stomach.....	6										10	6	13	9	
25	Diarrhea and enteritis.....	128										17	13	9	44	
(32)	Malformations.....	28	3	4	3	3	13	3	1	4	21	2	1	3	19	
(33)	Premature birth.....	102	50	10	4	6	70	14	6	3	93	5	3	1	1	
(33,37)	Congenital debility.....	32	6		2	3	11	5	2		18	5	5	2		
(37)	Injuries at birth.....	30	12	6	4	2	24	4	2		30					
35	External causes.....	4					1	1			2			1		
38	Unknown or ill-defined diseases.....															
	All other causes.....	21					1	1	1	3	4	2	2	3	1	
CINCINNATI, OHIO (TOTAL).																
	All causes.....	823	152	45	40	46	283	53	26	21	383	84	59	118	94	85
5	Measles.....	5													2	3
6	Scarlet fever.....															
7	Whooping cough.....	24													2	9
8	Diphtheria and croup.....	1													1	
9	Influenza.....	41					1	1			1	2	2	1	7	15
(12)	Dysentery.....															
(12)	Erysipelas.....	3										1	1	1		
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	2													2	
14	Tuberculous meningitis.....	8													4	4
15	Other forms of tuberculosis.....	2													1	1
(37)	Syphilis.....	24	4		1	5	2	2	2	2	11	3	3	3	4	
17	Meningitis.....	4									4	2			2	
(37)	Convulsions.....	8			2	2	2	2	2							
19	Organic diseases of the heart.....	1														
20	Acute bronchitis.....	23			1	1	2		1		3	5	2	7	5	1
22	Pneumonia.....	31					2	2	2		1	5	5	7	3	
(23)	Bronchopneumonia.....	79	1		1	2	2	2	3	3	10	16	7	18	15	13
24	Diseases of the stomach.....	7										1	2	1	1	1
25	Diarrhea and enteritis.....	134									4	2	4	21	19	
(33)	Malformations.....	78	9	5	11	9	34	13	2	2	10	18	20	46	21	
(33)	Premature birth.....	196	103	22	10	16	151	18	9	3	52	9	4	5	4	4
(33,37)	Congenital debility.....	39	8	5	3	7	23	2	2	2	131	6	2	2	1	1
(37)	Injuries at birth.....	54	24	10	7	6	47	5	1	1	54	4	1	2	2	1
35	External causes.....	7					2	2			2	2	1	2		
38	Unknown or ill-defined diseases.....	3	1	1			2	1			3					
	All other causes.....	49	2	2	5	1	10	2	1	1	14	8	1	11	9	6
CINCINNATI, OHIO (WHITE).																
	All causes.....	700	131	39	37	40	247	51	20	20	388	73	51	91	73	74
5	Measles.....	4													1	3
6	Scarlet fever.....															
7	Whooping cough.....	20										1	2	2	5	7
8	Diphtheria and croup.....	1													1	
9	Influenza.....	34					1	1			1	2	1	3	18	14
(12)	Dysentery.....															
(12)	Erysipelas.....	3										1	1	1		
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1														
14	Tuberculous meningitis.....	7													3	4
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	16	1				1	2	1	1	6	2	3	2	3	
17	Meningitis.....	3										4	2		2	
(37)	Convulsions.....	8					2	2								
19	Organic diseases of the heart.....	1														
20	Acute bronchitis.....	16		1	1	2					2	5	2	4	1	
22	Pneumonia.....	20					2	2	2	1	5	3	5	2	4	1
(23)	Bronchopneumonia.....	60		1	2	3	3	2	3	9	14	4	4	12	10	11
24	Diseases of the stomach.....	7									1	2	2	1	1	
25	Diarrhea and enteritis.....	119									4	2	4	18	42	18
(33)	Malformations.....	75	9	5	11	8	33	13	2	2	10	15	18	42	18	16
(33)	Premature birth.....	178	92	20	9	15	136	17	8	3	50	9	4	5	3	4
(33,37)	Congenital debility.....	30	8	4	2	4	18	2	1	1	164	6	5	2	1	1
(37)	Injuries at birth.....	46	18	8	7	6	39	5	1	1	22	3	1	2	1	1
35	External causes.....	5					1	1			1	1	1	1	2	
38	Unknown or ill-defined diseases.....	3	1	1			2	1			3	1	1	1	2	
	All other causes.....	42	2	1	4	1	8	2	1	1	11	8	1	9	7	6

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—											
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.

REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.

CINCINNATI, OHIO (COLORED).		123	21	6	3	6	36	2	6	1	45	11	8	27	21	11
All causes.....		123	21	6	3	6	36	2	6	1	45	11	8	27	21	11
5 Measles.....	1														1	
6 Scarlet fever.....															2	2
7 Whooping cough.....	4															
8 Diphtheria and croup.....																
9 Influenza.....	7															
(12) Dysentery.....																
(12) Erysipelas.....																
(37) Tetanus.....																
13 Tuberculosis of the lungs.....	1															1
14 Tuberculous meningitis.....	1														1	1
15 Other forms of tuberculosis.....	1															1
(37) Syphilis.....	8	3						3	1	1	5	1	1	1	1	
17 Meningitis.....	1															
(37) Convulsions.....																
19 Organic diseases of the heart.....																
20 Acute bronchitis.....	7								1		1			5	1	
22 Pneumonia.....	11													2	2	2
(23) Bronchopneumonia.....	19	1						1			1	2	3	6	5	2
24 Diseases of the stomach.....																
25 Diarrhea and enteritis.....	15													3	2	4
(33) Malformations.....	3													1		
(33) Premature birth.....	18	11	2	1	1	1	15	1	1	1	17		1			
(33,37) Congenital debility.....	9		1	1	3		5		1		7		1			
(37) Injuries at birth.....	8	6	2				1	1			8		1			
35 External causes.....	2											1	1			
38 Unknown or ill-defined diseases.....																
All other causes.....	7			1	1		2		1		3			2	2	
CLEVELAND, OHIO.																
All causes.....	2,026	279	128	89	133	629	111	87	68	895	141	117	333	311	229	
5 Measles.....	4													1		3
6 Scarlet fever.....	2													2		
7 Whooping cough.....	22													6		
8 Diphtheria and croup.....	4	1						1	2	1	2	1	1	1	1	
9 Influenza.....	87													3	18	34
(12) Dysentery.....	2													1		
(12) Erysipelas.....	5													1		
(37) Tetanus.....	1													1		
13 Tuberculosis of the lungs.....	9													1	4	3
14 Tuberculous meningitis.....	21		1					1						3	8	8
15 Other forms of tuberculosis.....	7													2	3	2
(37) Syphilis.....	28	1	2	1	3	7	2	2	3	14	4			2	2	
17 Meningitis.....	18													6	8	4
(37) Convulsions.....	28	1	2	1	7	11	3	1	2	17	2	1		4	3	1
19 Organic diseases of the heart.....	2													1		
20 Acute bronchitis.....	31							2	3	3	9	4	2	10	2	
22 Pneumonia.....	120			1	1	1	3	4	6	5	18	9	9	36	25	
(23) Bronchopneumonia.....	120		3	2	2	7	6	4	4	21	13	14	48	47	35	
24 Diseases of the stomach.....	21							1	1	1	3	3	2	4	6	
25 Diarrhea and enteritis.....	502						9	9	15	16	19	59	47	52	135	131
(33) Malformations.....	107	23	12	11	12	57	7	9	3	76	6	6	6	10	7	1
(33) Premature birth.....	415	191	69	32	40	332	36	20	8	396	13	1	5	6	5	1
(37) Congenital debility.....	106	14	8	13	18	53	15	8	6	82	7	5	6			
Injuries at birth.....	95	38	20	13	13	89	4	2		95						
External causes.....	21						1	3		4	2	1	3	4	7	
Unknown or ill-defined diseases.....	102	10	7	11	14	42	4	6	4	56	8	9	9	17	9	
All other causes.....	84	1	2	3	6	12	9	7	6	34	9	2	14	7	18	
COLUMBUS, OHIO (TOTAL)																
All causes.....	449	72	19	17	38	146	28	15	23	212	48	38	68	49	34	
5 Measles.....	2													1		
6 Scarlet fever.....														2	2	6
7 Whooping cough.....	17													3		
8 Diphtheria and croup.....																
9 Influenza.....	14					1	2	3						1	2	3
(12) Dysentery.....																
(12) Erysipelas.....	1															
(37) Tetanus.....																
13 Tuberculosis of the lungs.....	2													1		
14 Tuberculous meningitis.....	5													5	2	1
15 Other forms of tuberculosis.....	12													1	1	1
(37) Syphilis.....	5	1						1						1	2	1
17 Meningitis.....	2													1		
(37) Convulsions.....	9	2	1	1	1		4	1	1					5	2	2
19 Organic diseases of the heart.....	3													1		
20 Acute bronchitis.....	2													1		
22 Pneumonia.....	20						1	1	2	2	3	2		4	8	
(23) Bronchopneumonia.....	43						1	1	1	2	6	5	3	12	9	
24 Diseases of the stomach.....	3													1	1	
25 Diarrhea and enteritis.....	56													18	12	
(33) Malformations.....	37	5	2	3	7	17	7	1	2	2	3	2	3	2	2	2
(33,37) Premature birth.....	106	47	8	8	13	79	10	8	7	101	12	3	2	1	1	
(37) Congenital debility.....	74	12	5	4	10	31	6	2	5	44	11	2	3	14		
Injuries at birth.....	11	5	3		2	10	1									
External causes.....	8					2	2									
Unknown or ill-defined diseases.....																
All other causes.....	17													6	2	

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

563

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Inf. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—											
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	.2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.

REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.

	COLUMBUS, OHIO (WHITE).															
	All causes.....	392	67	18	15	35	135	25	13	21	194	45	35	51	37	30
5	Measles.....	1														1
6	Scarlet fever.....															
7	Whooping cough.....	12														3
8	Diphtheria and croup.....															
9	Influenza.....	14														
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	2														
14	Tuberculous meningitis.....	5														
15	Other forms of tuberculosis.....	11														
(37)	Syphilis.....	4	1													
17	Meningitis.....	2														
(37)	Convulsions.....	7	2	1												
19	Organic diseases of the heart.....	3														
20	Acute bronchitis.....	1														
22	Pneumonia.....	14														
(23)	Bronchopneumonia.....	31														
24	Diseases of the stomach.....	2														
25	Diarrhea and enteritis.....	49														
(33)	Malformations.....	35	5	2	3	7	17	7	1	2	2	3	2	3	5	1
(33)	Premature birth.....	98	44	8	7	13	72	8	7	6	5	3	6	5	8	
(33, 37)	Congenital debility.....	68	10	5	4	8	27	6	5	40	11	3	13			
(37)	Injuries at birth.....	10	5	2		2	9	1		10						
35	External causes.....	8				2	2			2	2			2	2	
38	Unknown or ill-defined diseases.....															
	All other causes.....	15								2	2	1	2	6	2	2
	COLUMBUS, OHIO (COLORED).															
	All causes.....	57	5	1	2	3	11	3	2	2	18	3	3	17	12	4
5	Measles.....	1														
6	Scarlet fever.....															
7	Whooping cough.....	5														
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....	1														
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	1														
17	Meningitis.....															
(37)	Convulsions.....	2			1		1									
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	1														
22	Pneumonia.....	6														
(23)	Bronchopneumonia.....	12														
24	Diseases of the stomach.....	1														
25	Diarrhea and enteritis.....	7														
(33)	Malformations.....	2														
(33, 37)	Premature birth.....	8	3		1		4	2	1	1	8	4	1	1		
(37)	Congenital debility.....	6	2			2	4				4	1				
(37)	Injuries at birth.....	1		1		2	1				1					
35	External causes.....															
38	Unknown or ill-defined diseases.....															
	All other causes.....	2									1	1				
	DAYTON, OHIO.															
	All causes.....	236	57	22	17	14	110	13	10	8	141	19	14	53	37	22
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	6														
8	Diphtheria and croup.....	1														
9	Influenza.....	22	1				1					1	3	1	6	7
(12)	Dysentery.....	3														
(12)	Erysipelas.....	1														
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1														
14	Tuberculous meningitis.....	1														
15	Other forms of tuberculosis.....	2														
(37)	Syphilis.....	3		1			1					1	1			
17	Meningitis.....	1														
(37)	Convulsions.....	1			1		1					1				
19	Organic diseases of the heart.....	1														
20	Acute bronchitis.....	1														
22	Pneumonia.....	11	1				1	2		1	3	3	2	3	2	3
(23)	Bronchopneumonia.....	29					1	1	1	2	4	2	1	11	7	4
24	Diseases of the stomach.....	5					1	1			1	1	2	2	1	1
25	Diarrhea and enteritis.....	44	7	2	5	3	17	3	2	2	22	1	4	15	14	2
(33)	Malformations.....	24	7	2	5	3	17	3	2	5	4	4	4	1		
(33, 37)	Premature birth.....	71	36	12	5	2	55	8	3	2	68	1	1	1		
(37)	Congenital debility.....	26	5	2	2		9	1	4		14	4	4	3	1	
(37)	Injuries at birth.....	14	7	1	3	3	14				14					
35	External causes.....	6		1		1	2				2			3	1	
38	Unknown or ill-defined diseases.....	1										1				
	All other causes.....	11					3		1	1	5		1	4	1	

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.

REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.

	TOLEDO, OHIO.															
	All causes.....	519	116	20	15	34	185	41	23	19	268	42	36	81	48	44
5	Measles.....	2												1	1	
6	Scarlet fever.....													1	2	2
7	Whooping cough.....	8														
8	Diphtheria and croup.....															
9	Influenza.....	39	1				1	1				2		2	9	12
(12)	Dysentery.....	1										1				
(12)	Erysipelas.....	2										1				
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	3														1
14	Tuberculous meningitis.....	3														1
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	14														
17	Meningitis.....	3														
(37)	Convulsions.....	2														
19	Organic diseases of the heart.....	1														
20	Acute bronchitis.....	12														
22	Pneumonia.....	18														
(23)	Bronchopneumonia.....	32														
24	Diseases of the stomach.....	8														
25	Diarrhea and enteritis.....	94														
(33)	Malformations.....	58	23	4	4	5	36	7	3	1	47	3	2	4	2	
(33)	Premature birth.....	126	69	10	4	16	99	12	6	3	120	1	2	9	6	7
(33, 37)	Congenital debility.....	44	13	3	2	2	20	4	2	3	29	6	1	7		1
(37)	Injuries at birth.....	20	10	1	4	1	16	3	1		20					
35	External causes.....	4													2	
38	Unknown or ill-defined diseases.....															
	All other causes.....	24													3	1
	PORLAND, OREG.															
	All causes.....	363	61	27	21	39	148	23	16	11	198	35	22	44	33	31
5	Measles.....	7												4		2
6	Scarlet fever.....															
7	Whooping cough.....	10														
8	Diphtheria and croup.....															
9	Influenza.....	14	1				1	1	1	3			1	3	4	3
(12)	Dysentery.....															
(12)	Erysipelas.....	1														
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	1														
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	4														
17	Meningitis.....	3														
(37)	Convulsions.....	5														
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	6														
22	Pneumonia.....	21														
(23)	Bronchopneumonia.....	29														
24	Diseases of the stomach.....	6														
25	Diarrhea and enteritis.....	39														
(33)	Malformations.....	31	3	3	5	6	17	7			24	2	3	2		
(33)	Premature birth.....	97	49	14	4	10	77	4	6	4	91	3	1	1		
(33, 37)	Congenital debility.....	46	4	6	8	8	26	3	3	1	33	6	2	3	1	1
(37)	Injuries at birth.....	17	4	3	2	5	14	1	1		16					
35	External causes.....	8														
38	Unknown or ill-defined diseases.....															
	All other causes.....	17														
	PHILADELPHIA, PA. (TOTAL).															
	All causes.....	5,380	528	236	180	303	1,247	297	223	161	1,928	459	397	975	850	771
5	Measles.....	32										1		4	9	18
6	Scarlet fever.....	1											1			
7	Whooping cough.....	145											10	32	36	48
8	Diphtheria and croup.....	29											1	3	9	16
9	Influenza.....	291	1	2	2	4	9	9	5	6	29	15	7	62	75	103
(12)	Dysentery.....	3											2			
(12)	Erysipelas.....	8											1			
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	25	1				1	2	1	3	38	11	7	18	6	6
14	Tuberculous meningitis.....	55		1		1	2	1	1	2	4	3	1	9	10	13
15	Other forms of tuberculosis.....	6					5	6	1	2	14	4	2	9	2	2
(37)	Syphilis.....	79	7	5	2	6	20	12	3	3	38	11	7	18	4	1
17	Meningitis.....	40					1	2	1	2	4	3	1	9	10	13
(37)	Convulsions.....	44					2	3	5	6	1	2	4	2	9	10
19	Organic diseases of the heart.....	21					2	2	1		5	3	3	2	3	5
20	Acute bronchitis.....	147					6	7	5	9	10	31	17	36	22	24
22	Pneumonia.....	271					3	6	13	21	31	7	32	16	64	76
(23)	Bronchopneumonia.....	738					2	14	19	21	32	7	17	12	21	23
24	Diseases of the stomach.....	61					1	1	4	2	1	8	7	12	10	3
(33)	Malformations.....	1,295					13	20	34	39	39	132	150	163	375	280
(33)	Premature birth.....	362	66	33	25	59	188	39	29	11	267	27	23	27	13	5
(33, 37)	Congenital debility.....	849	333	132	91	89	645	83	50	24	802	23	12	7	5	
(37)	Injuries at birth.....	435	49	22	21	44	136	46	27	18	227	56	45	65	31	11
35	External causes.....	161	68	23	17	32	140	12	6	2	160	1	5	4	12	13
38	Unknown or ill-defined diseases.....	62	2	1	2	4	9	2	1	3	15	5	4	1	13	13
	All other causes.....	4	1				1	1	9	11	60	34	11	48	35	2

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

565

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—											
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.

REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.

	PHILADELPHIA, PA. (WHITE).																
	All causes.....	4,827	485	214	161	281	1,141	271	202	152	1,766	427	360	845	747	682	
5	Measles.....	30									1		4	8		17	
6	Scarlet fever.....	1										1					
7	Whooping cough.....	129						1		3	4	13	10	25	34	43	
8	Diphtheria and croup.....	27			1	4		8	9	5	6	28	14	7	2	15	
9	Influenza.....	271											7	57	69	96	
(12)	Dysentery.....	1												1			
(12)	Erysipelas.....	8											2				
(37)	Tetanus.....																
13	Tuberculosis of the lungs.....	22														6	
14	Tuberculous meningitis.....	51													16	21	
15	Other forms of tuberculosis.....	5												2			
(37)	Syphilis.....	54			4	1	4	13	10	3	2	28	9	5	10	1	
17	Meningitis.....	37					1	2	1	1	2	4	2	1	9	12	
(37)	Convulsions.....	41				2	3	5	6	1	2	14	4	2	9	8	
19	Organic diseases of the heart.....	21					2	2	1	1	1	5	3	2	3	5	
20	Acute bronchitis.....	117					5	6	4	8	8	26	17	14	24	19	
22	Pneumonia.....	243			4	3	6	13	4	6	7	30	14	10	58	68	
(23)	Bronchopneumonia.....	634		3	1	12	16	19	29	18	82	61	55	135	159	142	
24	Diseases of the stomach.....	55					1	4	2	1	8	7	11	19	8	2	
25	Diarrhea and enteritis.....	1,186		2	4	12	18	33	36	39	126	141	147	343	254	175	
(38)	Malformations.....	354		55	36	25	58	184	39	28	11	262	26	23	26	12	
(38, 37)	Premature birth.....	765	304	118	77	80	579	74	45	23	721	22	11	6			
(37)	Congenital debility.....	374	42	22	20	40	124	37	21	17	199	49	40	51	28	7	
35	Injuries at birth.....	152	65	19	17	31	132	12	5	2	151	1					
38	External causes.....	52	2	1	1	4	8	2	1	3	14	5	2	10	9	12	
38	Unknown or ill-defined diseases.....	4	1				1	1			2	1	1				
	All other causes.....	193			1	8	17	26	12	8	54	32	10	40	31	26	
	PHILADELPHIA, PA. (COLORED).																
	All causes.....	553	43	22	19	22	106	26	21	9	162	32	37	130	103	89	
5	Measles.....	2												1		1	
6	Scarlet fever.....												7	2		5	
7	Whooping cough.....	16											1	6	1		
8	Diphtheria and croup.....	2											5	2			
9	Influenza.....	20											2				
(12)	Dysentery.....	2											2				
(12)	Erysipelas.....																
(37)	Tetanus.....																
13	Tuberculosis of the lungs.....	3											2	1			
14	Tuberculous meningitis.....	4											2	2			
15	Other forms of tuberculosis.....	1											1				
(37)	Syphilis.....	25		3	1	1	2	7	2		1	10	2	8	1	1	
17	Meningitis.....	3											1				
(37)	Convulsions.....	3												1		2	
19	Organic diseases of the heart.....																
20	Acute bronchitis.....	30						1	1	1	2	5	3	12	5	5	
22	Pneumonia.....	28										2	2	6	8	8	
(23)	Bronchopneumonia.....	104						1	2	2	1	8	4	24	32	32	
24	Diseases of the stomach.....	6											1	2	2	1	
25	Diarrhea and enteritis.....	109						1	2	1	3	6	9	16	32	20	
(33)	Malformations.....	8	1	2				4	1			5	1	1	1	1	
(33, 37)	Premature birth.....	84	29	14	14	9	66	9	5	1	81	1	1	1	1	4	
(37)	Congenital debility.....	61	7	1	4	12	9	6	1	28	7	5	14	3			
35	Injuries at birth.....	9	3	4	1	8	1				9	1	2	2	1		
38	External causes.....	10			1		1				1		2	2	4		
38	Unknown or ill-defined diseases.....																
	All other causes.....	23						1	1	1	3	6	2	1	9	4	
	PITTSBURGH, PA. (TOTAL).																
	All causes.....	2,213	306	77	67	96	546	84	84	70	784	212	172	384	352	309	
5	Measles.....	28									1		4	9	14		
6	Scarlet fever.....																
7	Whooping cough.....	56									5	5	3	16	16		
8	Diphtheria and croup.....	6										1	2	1	1		
9	Influenza.....	135		1	1	1	4	3	4	1	12	9	7	26	39	42	
(12)	Dysentery.....	6									1		1	2	1		
(12)	Erysipelas.....	6									2	1	1	1	1		
(37)	Tetanus.....	2									2	2	3	6	4		
13	Tuberculosis of the lungs.....	20					1	1	1		2	1	1	2	4	4	
14	Tuberculous meningitis.....	10									2	1	1	2	2		
15	Other forms of tuberculosis.....	5									16	10	4	5	6	1	
(37)	Syphilis.....	42		5	1	2	8	5	1	3	16	10	4	5	6	1	
17	Meningitis.....	13					1	2	1	2	5	1	1	3	2	6	
(37)	Convulsions.....	16		1		1	2	1		2	5	1	1	3	4	2	
19	Organic diseases of the heart.....	6									2	2	2	2	1	1	
20	Acute bronchitis.....	50					1	1	2	4	1	8	5	8	12	11	
22	Pneumonia.....	155		1	1	1	2	5	2	4	3	14	13	11	27	49	41
(23)	Bronchopneumonia.....	254		1	4	7	12	10	8	6	36	27	25	50	55	61	
24	Diseases of the stomach.....	16					1	1	2		4	4	2	3	3		
25	Diarrhea and enteritis.....	548		1	7	9	4	15	10	10	38	74	76	171	110	79	
(33)	Malformations.....	141	41	7	9	14	71	14	7	6	103	11	6	10	9	2	
(33, 37)	Premature birth.....	365	191	43	23	24	281	26	28	14	349	9	4	20	5	4	
(37)	Congenital debility.....	144	35	11	13	14	73	7	6	5	91	19	5	20	5	4	
35	Injuries at birth.....	72	29	12	9	12	62	4	2	3	71	1					
38	External causes.....	23	2		1	3	6	6	1	1	8		2	5	5	3	
38	Unknown or ill-defined diseases.....	4					1			1	2	1	1	1	1		
	All other causes.....	90					3	6	9	1	3	16	17	10	16	19	12

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF--											
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	*3 to 5 months.

REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.

PITTSBURGH, PA. (WHITE).																	
	All causes.....	2,069	285	74	61	89	509	79	77	63	728	208	162	361	329	286	
5	Measles.....	27												1	3	9	14
6	Scarlet fever.....																
7	Whooping cough.....	47															
8	Diphtheria and croup.....	6															
9	Influenza.....	130	1	1	1	1	4	3	4	1	12	9	6	26	36	41	
(12)	Dysentery.....	6															
(12)	Erysipelas.....	6						1		1	1	2	1	2	1	1	
(37)	Tetanus.....	2															
13	Tuberculosis of the lungs.....	17					1	1				1	2	2	6	3	2
14	Tuberculous meningitis.....	10										1		1	4	4	4
15	Other forms of tuberculosis.....	5															
(37)	Syphilis.....	41	5		1	1	7	5		3	15	10	4	5	6	1	
17	Meningitis.....	13							1		1	1	1	3	2	6	6
19	Convulsions.....	16		1		1	2	1		2	5	1	3	4	1	2	2
19	Organic diseases of the heart.....	6										2		2	1	1	1
20	Acute bronchitis.....	43					1	1	2	3	1	7	5	6	10	10	10
22	Pneumonia.....	137	1		1	2	4	2	4	3	13	12	10	23	44	36	
(23)	Bronchopneumonia.....	234		1	2	6	9	8	7	6	30	25	25	48	52	54	
24	Diseases of the stomach.....	16					1	1	2			4	4	2	3	3	
25	Diarrhea and enteritis.....	521	1		1	7	9	4	14	9	36	70	72	162	105	76	
(33)	Malformations.....	135	39	6	9	14	68	14	6	10	98	11	6	10	8	2	
(33)	Premature birth.....	342	180	43	20	21	264	24	25	14	327	9	3	2	1		
(33,37)	Congenital debility.....	133	31	10	12	13	66	7	6	3	82	18					
(37)	Injuries at birth.....	68	26	12	9	11	58	4	2	3	67	1			20	5	4
35	External causes.....	20	1		1	3	5		1	1	7		2	5	3	3	
38	Unknown or ill-defined diseases.....	4					1			1		1	1	1			
	All other causes.....	84			3	6	9	3	1	2	15	16	10	15	18	10	
PITTSBURGH, PA. (COLORED).																	
	All causes.....	144	21	3	6	7	37	5	7	7	56	9	10	23	23	23	
5	Measles.....	1													1		
6	Scarlet fever.....													4	1	2	
7	Whooping cough.....	9										2	2				
8	Diphtheria and croup.....																
9	Influenza.....	5												1	3	1	
(12)	Dysentery.....																
(12)	Erysipelas.....																
(37)	Tetanus.....																
13	Tuberculosis of the lungs.....	3															
14	Tuberculous meningitis.....																
15	Other forms of tuberculosis.....																
(37)	Syphilis.....	1															
17	Meningitis.....																
(37)	Convulsions.....																
19	Organic diseases of the heart.....	7															
20	Acute bronchitis.....	7															
22	Pneumonia.....	18															
(23)	Bronchopneumonia.....	20	1		2	1	3	2	1								
24	Diseases of the stomach.....																
25	Diarrhea and enteritis.....	27															
(33)	Malformations.....	6	2	1													
(33)	Premature birth.....	23	11	3	3	3	17	2	3								
(33,37)	Congenital debility.....	11	4	1	1	1	7										
(37)	Injuries at birth.....	4	3				1	4									
35	External causes.....	3	1				1										
38	Unknown or ill-defined diseases.....																
	All other causes.....	6													1	1	
SCRANTON, PA.																	
	All causes.....	444	46	23	13	28	110	21	17	12	160	38	38	87	71	50	
5	Measles.....																
6	Scarlet fever.....																
7	Whooping cough.....	14															
8	Diphtheria and croup.....	1															
9	Influenza.....	27			1		1		1								
(12)	Dysentery.....	1				1											
(12)	Erysipelas.....	2															
(37)	Tetanus.....	1															
13	Tuberculosis of the lungs.....	1															
14	Tuberculous meningitis.....	2															
15	Other forms of tuberculosis.....	1															
(37)	Syphilis.....																
17	Meningitis.....	3															
(37)	Convulsions.....	11	2		2		4										
19	Organic diseases of the heart.....	1															
20	Acute bronchitis.....	19		1			1	2	2	2	1	7	3	2	5	2	
22	Pneumonia.....	33					2	2	1	1	4	6	4	2	8	6	4
(23)	Bronchopneumonia.....	49								1	1	4	6	8	13	9	2
24	Diseases of the stomach.....	3					1	1		1		2					
25	Diarrhea and enteritis.....	125			1	5	4	5	3	4	16	12	12	35	29	21	
(33)	Malformations.....	17			1	5	6	3	3	1	13	3					
(33)	Premature birth.....	82	37	17	7	7	68	4	3	1	76	3	1	1	6	1	
(33,37)	Congenital debility.....	23	2	1	1	3	7	2	1	1	11	1	2	6	2	1	
(37)	Injuries at birth.....	14	5	3			4	12	1	1	14						
35	External causes.....	1					1				1						
38	Unknown or ill-defined diseases.....																
	All other causes.....	13					1	1	1		2	2		6	1	2	

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

567

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																
	PROVIDENCE, R. I.															
	All causes.....	788	138	29	26	29	222	26	17	30	295	60	60	128	136	109
5	Measles.....	17							1						6	11
6	Scarlet fever.....	1													1	
7	Whooping cough.....	30						1	1	2		3	1	2	12	7
8	Diphtheria and croup.....	5					1	1			1	1		1	2	
9	Influenza.....	52									1	2	3	6	19	21
(12)	Dysentery.....	3												1	1	1
(12)	Erysipelas.....	9												1		
(37)	Tetanus.....	1														
13	Tuberculosis of the lungs.....	5												2	1	2
14	Tuberculous meningitis.....	4												1	1	2
15	Other forms of tuberculosis.....	6												2	2	2
(37)	Syphilis.....	18	5		1		6					6	3	3	3	1
17	Meningitis.....	13									1	1		5	4	3
(37)	Convulsions.....	4					2		1			3	1			
19	Organic diseases of the heart.....	4										2		1		1
20	Acute bronchitis.....	9						1			1	2	3	1	1	
22	Pneumonia.....	53							2		3	5	2	12	18	14
(23)	Bronchopneumonia.....	66						1	1	1	2	5	8	17	14	13
24	Diseases of the stomach.....	4									1	1		2		
25	Diarrhea and enteritis.....	123		1			1	2	2	4	9	13	17	39	26	19
(33)	Malformations.....	43	16	2	4	8	30		1	5	36	1	2	1	1	2
(33,37)	Premature birth.....	125	63	18	5	8	94	9	5	6	114	6	3	2		
(33,37)	Congenital debility.....	92	10	4	5	7	26	6	2	2	36	11	13	17	14	1
(37)	Injuries at birth.....	55	42	3	5	2	52		1		53	1	1			
35	External causes.....	4					1				1	2		2		
38	Unknown or ill-defined diseases.....	13	2		1	2					1	6	2	1	2	1
	All other causes.....	29		1			1	1	2	1	5	1	2	8	8	5
MEMPHIS, TENN. (TOTAL).																
	All causes.....	298	27	18	5	16	66	16	15	10	107	28	24	65	37	37
5	Measles.....	3												1	2	
6	Scarlet fever.....	1										1	2	3	1	1
7	Whooping cough.....	9											1	1	2	
8	Diphtheria and croup.....	1												1		
9	Influenza.....	19							2			2		11	2	4
(12)	Dysentery.....	1														
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	4												1	3	
14	Tuberculous meningitis.....	1													1	
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	10										2	3	3		
17	Meningitis.....	5					1	1	1			2	3	3		
(37)	Convulsions.....	5											1	1	1	
19	Organic diseases of the heart.....	19														
20	Acute bronchitis.....	3														
22	Pneumonia.....	15					1	1	1	1	1	3	2	5	2	3
(23)	Bronchopneumonia.....	28										3	5	3	6	4
24	Diseases of the stomach.....	4										2		2		
25	Diarrhea and enteritis.....	55										4	6	6	19	13
(33)	Malformations.....	14	2	3	2	3	10	1	1	1	12			1		
(33)	Premature birth.....	40	17	9	2	5	33	2	2	2	39	1				
(33,37)	Congenital debility.....	30	2	4		3	9	2	4	2	15	5	3	3	2	2
(37)	Injuries at birth.....	4	2	1			3	1			4					
35	External causes.....	1					1				1					
38	Unknown or ill-defined diseases.....	27	3	1		2	6	1	3	2	12	4	2	2	5	4
	All other causes.....	25	1				1	3	1		5	2	2	7	5	4
MEMPHIS, TENN. (WHITE).																
	All causes.....	169	16	5	3	10	34	11	8	7	60	16	14	38	19	22
5	Measles.....	3												1	2	
6	Scarlet fever.....	1												1	1	
7	Whooping cough.....	9											1	2	3	2
8	Diphtheria and croup.....	7												5		1
9	Influenza.....	7														
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	2												2		
14	Tuberculous meningitis.....	1												1		
15	Other forms of tuberculosis.....	6														
(37)	Syphilis.....	6														
17	Meningitis.....	1														
(37)	Convulsions.....	1														
19	Organic diseases of the heart.....	1														
20	Acute bronchitis.....	3												1	3	3
22	Pneumonia.....	9												3	1	3
(23)	Bronchopneumonia.....	13												4	1	1
24	Diseases of the stomach.....	1												1		
25	Diarrhea and enteritis.....	37		2	1	3	6	1			1	4	4	13	8	7
(33)	Malformations.....	9		2	1	2	3	19	2	1	1	8	4			
(33)	Premature birth.....	24	13	1	2	2	3	3	2	2	23	7	3	1	1	
(33,37)	Congenital debility.....	13	1				3	1			7					
(37)	Injuries at birth.....	4	2	1			3	1			4					
35	External causes.....	1					1				1					
38	Unknown or ill-defined diseases.....	9		1		1	2	1	1	2	6	1	1	2	4	3
	All other causes.....	16						2	1	1	3	1	1	4		

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																
	MEMPHIS, TENN. (COLORED).															
	All causes.....	129	11	13	2	6	32	5	7	3	47	12	10	27	18	15
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....															
8	Diphtheria and croup.....	1														
9	Influenza.....	12														
(12)	Dysentery.....	1														
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	2														
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	4														
17	Meningitis.....															
(37)	Convulsions.....	4														
19	Organic diseases of the heart.....															
20	Acute bronchitis.....															
22	Pneumonia.....	6														
(23)	Bronchopneumonia.....	13														
24	Diseases of the stomach.....	3														
25	Diarrhea and enteritis.....	18														
(33)	Malformations.....	5														
(33, 37)	Premature birth.....	16	2	8	1	2	14	4	2	1	16	2	6	5		1
(33, 37)	Congenital debility.....	17	1	4		1	6		2		8	2	2	2	2	1
(37)	Injuries at birth.....															
35	External causes.....															
38	Unknown or ill-defined diseases.....	18	3			1	4		2		6	4	1	3	1	3
	All other causes.....	9	1				1	1			2	1	1	3	1	1
NASHVILLE, TENN. (TOTAL).																
	All causes.....	305	38	14	8	18	78	16	10	6	110	29	22	53	47	44
5	Measles.....	4												1	1	2
6	Scarlet fever.....													2		
7	Whooping cough.....	2														
8	Diphtheria and croup.....															
9	Influenza.....	21														
(12)	Dysentery.....	2														
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	3														
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....	2														
(37)	Syphilis.....	2														
17	Meningitis.....	2														
(37)	Convulsions.....	3														
19	Organic diseases of the heart.....	1														
20	Acute bronchitis.....	5														
22	Pneumonia.....	24														
(23)	Bronchopneumonia.....	33														
24	Diseases of the stomach.....	9														
25	Diarrhea and enteritis.....	50														
(33)	Malformations.....	7	1	1	1	1	4		1		5		1			
(33, 37)	Premature birth.....	58	28	8	3	6	45	8	1	54	2	1	1			
(33, 37)	Congenital debility.....	39	7	3	2	4	16	1	2	22	5	4	4	2	2	2
(37)	Injuries at birth.....	2				1	2			2						
35	External causes.....	4														
38	Unknown or ill-defined diseases.....	10	2			1	3	1								
	All other causes.....	17				3	3	1		1	5		2	3	3	4
NASHVILLE, TENN. (WHITE).																
	All causes.....	202	31	11	5	12	59	10	7	2	78	18	12	29	33	32
5	Measles.....	4												1	1	2
6	Scarlet fever.....													2		
7	Whooping cough.....	2														
8	Diphtheria and croup.....															
9	Influenza.....	13														
(12)	Dysentery.....	2														
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1														
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....	2														
(37)	Syphilis.....	4		••												
17	Meningitis.....	2														
(37)	Convulsions.....															
19	Organic diseases of the heart.....	1				1	1									
20	Acute bronchitis.....	4														
22	Pneumonia.....	16														
(23)	Bronchopneumonia.....	15														
24	Diseases of the stomach.....	7														
25	Diarrhea and enteritis.....	30														
(33)	Malformations.....	6	1	1	1	1	4		1		5		1			
(33, 37)	Premature birth.....	48	25	6	3	6	40	4	1	4	45	1	1	1		
(33, 37)	Congenital debility.....	24	4	2	1	2	9	1	2	1	13	4	4	2		
(37)	Injuries at birth.....	1					1				1					
35	External causes.....	3		1			1				1					
38	Unknown or ill-defined diseases.....	4	1			2	2	1			2	1				
	All other causes.....	13				2					3		2	2	3	3

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

569

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																
	NASHVILLE, TENN., (COLORED).															
	All causes.....	108	7	3	3	6	19	6	3	4	32	11	10	24	14	1
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....															
8	Diphtheria and croup.....															
9	Influenza.....	8														
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	2							1			1			1	
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....															
17	Meningitis.....	3							1			1				
(37)	Convulsions.....	3										1			1	
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	1					1	1			1				1	
22	Pneumonia.....	8							1		2		1	6	2	
(23)	Bronchopneumonia.....	18					1	1				2	1	1	5	
24	Diseases of the stomach.....	2													5	
25	Diarrhea and enteritis.....	20										2	2	8	5	
(33)	Malformations.....	1														
(33,37)	Premature birth.....	10	3	2	1	2	5	4		2	9	1				
(33,37)	Congenital debility.....	15	3	1	1	2	7	4		2	9	1	2	2	1	
(37)	Injuries at birth.....	1				1	1			1						
35	External causes.....	1												1		
38	Unknown or ill-defined diseases.....	6	1		1		2			1		2	1	1		
	All other causes.....	4														
RICHMOND, VA. (TOTAL).																
	All causes.....	563	76	24	29	30	159	23	23	19	224	41	37	99	98	64
5	Measles.....	3					1		1			1				2
6	Scarlet fever.....											1	1	2	3	
7	Whooping cough.....	11							1			1	1		3	
8	Diphtheria and croup.....	3							1	2	1	4	3	8	10	
9	Influenza.....	39										3	3	1	11	
(12)	Dysentery.....	2							1		1	2			1	
(12)	Erysipelas.....	5													1	
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1					1		1			1		1	1	
14	Tuberculous meningitis.....	6										1	1	3	1	
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	20		1		1	2		1		3	1	4	6	1	
17	Meningitis.....	4										1	2		2	
(37)	Convulsions.....	5					1	1								
19	Organic diseases of the heart.....	1														
20	Acute bronchitis.....	3										1	1	3	10	
22	Pneumonia.....	22										2	1	3	6	
(23)	Bronchopneumonia.....	56							1	3	4	6	3	13	24	
24	Diseases of the stomach.....	6										3	1	2	18	
25	Diarrhea and enteritis.....	71							2	1	3	6	5	4	1	
(33)	Malformations.....	26	4	2	3	7	16	2	2	1	21	1		2	1	
(33)	Premature birth.....	120	52	14	15	9	90	11	10	6	117	2	1		1	
(33,37)	Congenital debility.....	87	8	5	3	8	24	3	4	3	34	11	11	21	8	
(37)	Injuries at birth.....	23	12	2	5	3	22	1			23					
35	External causes.....	8										1	5	2		
38	Unknown or ill-defined diseases.....	12										2	3	2	1	
	All other causes.....	28					1	1	2	1	5		2	6	6	
RICHMOND, VA. (WHITE).																
	All causes.....	276	53	13	14	16	96	12	11	9	128	19	12	45	43	29
5	Measles.....	2														2
6	Scarlet fever.....															
7	Whooping cough.....	5										1	1	1	1	1
8	Diphtheria and croup.....	1														6
9	Influenza.....	21														
(12)	Dysentery.....	2														
(12)	Erysipelas.....	4														1
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1														
14	Tuberculous meningitis.....	5														
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	10														
17	Meningitis.....	4														
(37)	Convulsions.....															
19	Organic diseases of the heart.....	1														
20	Acute bronchitis.....															
(23)	Pneumonia.....	4														2
(23)	Bronchopneumonia.....	15														2
24	Diseases of the stomach.....	2														8
25	Diarrhea and enteritis.....	30														
(33)	Malformations.....	23	4	1	2	6	13	2	2	1	18	1	1	13	7	1
(33)	Premature birth.....	74	38	9	6	4	57	6	5	4	72	1	1	10	9	1
(33,37)	Congenital debility.....	35	1	1	2	4	7	1	2	1	10	9	3	8	3	2
(37)	Injuries at birth.....	19	10	1	2	4	18	1			19					
35	External causes.....	3										1		1		
38	Unknown or ill-defined diseases.....	2										1		1		
	All other causes.....	13					1	1	1	3			3	4	3	

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.																
	RICHMOND, VA; (COLORED).															
	All causes.....	287	23	11	15	14	63	11	12	10	96	22	25	54	55	35
5	Measles.....	1			1		1				1					
6	Scarlet fever.....	1									1		1	2	2	2
7	Whooping cough.....	6														
8	Diphtheria and croup.....	2														
9	Influenza.....	18							2		2	3	1	4	3	5
(12)	Dysentery.....								1		1					
(12)	Erysipelas.....	1														
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1			1		1				1					
14	Tuberculous meningitis.....	1														
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	10			1		1	2			2	1	1	3	2	1
17	Meningitis.....															
(37)	Convulsions.....	5									1	2				
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	3										1	1	1		
22	Pneumonia.....	18										1	3	5	8	
(23)	Bronchopneumonia.....	41										4	3	10	17	4
24	Diseases of the stomach.....	4										2	1			
25	Diarrhea and enteritis.....	41										5	3			
(33)	Malformations.....	3										3				
(33)	Premature birth.....	46	14	5	9	5	33	5	5	2	45	1				
(33)	Congenital debility.....	52	7	4	2	4	17	2	2	3	24	2	8	13	5	
(37)	Injuries at birth.....	4	2		1	1	4				4					
35	External causes.....	5											4	1		
38	Unknown or ill-defined diseases.....	10										2	1	2	1	
	All other causes.....	15						1	1	1		2	2	3	5	3
SEATTLE, WASH.																
	All causes.....	363	89	20	22	32	163	24	14	16	217	27	20	45	29	25
5	Measles.....	1												1		
6	Scarlet fever.....	1										2	1			1
7	Whooping cough.....	4														
8	Diphtheria and croup.....															
9	Influenza.....	19					1	1		1		2	4	1	4	2
(12)	Dysentery.....											1				
(12)	Erysipelas.....	2										1				
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	2														
14	Tuberculous meningitis.....	5											1	1	1	2
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	1														
17	Meningitis.....	2										1	1	1	1	1
(37)	Convulsions.....	4										1	1		1	
19	Organic diseases of the heart.....	2												1		1
20	Acute bronchitis.....	3														
22	Pneumonia.....	18					1	1	3		1	5	4	1	6	1
(23)	Bronchopneumonia.....	18			1		1	1			1	3	2	5	3	3
24	Diseases of the stomach.....	2														
25	Diarrhea and enteritis.....	35					1	1	2	1	5	5	3	12	6	4
(33)	Malformations.....	43	13	4	7	4	28	2	1	1	32	2	3	3	3	3
(33)	Premature birth.....	104	61	7	7	10	85	9	1	4	99	3	1	1		
(33)	Congenital debility.....	34	8	4	2	5	19	2	3	4	28	2	1			1
(37)	Injuries at birth.....	25	6	5	3	8	22	2	1		25					
35	External causes.....	5	1				1	1			2		3			
38	Unknown or ill-defined diseases.....	7						1	2	1	4	1				2
	All other causes.....	26					2	2	4	1	3	1	9	4	2	8
SPOKANE, WASH.																
	All causes.....	168	38	9	8	18	73	8	8	6	95	12	17	24	12	8
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	3														
8	Diphtheria and croup.....															
9	Influenza.....	14					1	1		1		2				
(12)	Dysentery.....	1														
(12)	Erysipelas.....	3										2				
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	1														
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	1														
17	Meningitis.....	3			1		1					1			2	
(37)	Convulsions.....	3														
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	3														
22	Pneumonia.....	7										1	1	2	2	1
(23)	Bronchopneumonia.....	16					1	2	3		1	4	2	5	2	1
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	18					1	1		1		2	3	1	6	4
(33)	Malformations.....	20	5	4	1	5	15	1	1	1	17					2
(33)	Premature birth.....	48	28	4	3	4	39	3	2	2	46	2				
(37)	Congenital debility.....	16	4		1	3	8	4	2		14					
35	Injuries at birth.....	4	1		1	1	3		1		4					
38	External causes.....	1													1	
	All other causes.....	9					1	1	2			2	2	1	2	1

DEATHS OF INFANTS BY DAYS, WEEKS, AND MONTHS.

571

TABLE 11.—DEATHS EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR MORE IN 1910, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918—Continued.

[See note at head of this table, p. 521.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—											
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.

REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1910—Continued.

	MILWAUKEE, WIS.																	
	All causes.....	1,174	183	60	53	86	382	52	36	40	510	80	83	211	159	131		
5	Measles.....	18												1	3	5	9	
6	Scarlet fever.....													1	10	6	4	
7	Whooping cough.....	25												4			2	
8	Diphtheria and croup.....	2																
9	Influenza.....	46												1	2	8	16	13
(12)	Dysentery.....	4												2			2	
(12)	Erysipelas.....	2													1			
(37)	Tetanus.....																	
13	Tuberculosis of the lungs.....	2													1	1	1	
14	Tuberculous meningitis.....	6												1	1	2	2	
15	Other forms of tuberculosis.....	4																
(37)	Syphilis.....	10												2	1			
17	Meningitis.....	16												1	3	5	5	
(37)	Convulsions.....	26	1	3	1	5	10	2	3		15	1		4	4	4	2	
19	Organic diseases of the heart.....																	
20	Acute bronchitis.....	46					1	1	1	1	3	6	3	8	15	6	8	
22	Pneumonia.....	64					2	2	2	1	6	9	6	11	17	13		
(23)	Bronchopneumonia.....	130	1	3	2	6	3	6	4	19	7	6	6	33	36	29		
24	Diseases of the stomach.....	35				2	2	1	1	3	7	5	7	9	6	1		
25	Diarrhea and enteritis.....	199	1		6	7	6	3	3	19	17	28	78	37	20			
(33)	Malformations.....	57	18	4	6	7	35	7	1	4	47	2	1	2	3	2	2	
(33)	Premature birth.....	244	117	35	23	28	203	18	6	7	234	5	1					
(33, 37)	Congenital debility.....	140	36	10	14	22	82	7	8	3	100	15	10	12	3			
(37)	Injuries at birth.....	25	10	4	4	5	23			1	24	1						
35	External causes.....	7		1	1		2	1			3			1			3	
38	Unknown or ill-defined diseases.....	2	1			1		4	2	2	15	7	3	12	11	16		
	All other causes.....	64		1	1	5	7	4	2	2								

SUPPLEMENT

HAWAII

SOLDIERS, SAILORS, AND MARINES
ADDITIONAL DEATHS

HAWAII.

In Hawaii the number of deaths from all causes (exclusive of deaths of soldiers, sailors, and marines) during the year 1918 is 3,885 and the population as estimated by the Bureau of the Census is 223,419, making the death rate 17.4 per 1,000 population in 1918 as against a rate of 16.9 in 1917. The deaths are tabulated by sex, age, race, cause of death, and month of death.

The small number of deaths for each of the last four months of 1918 as compared with the corresponding months of 1917 is in striking contrast with figures for the rest of the registration area where the pandemic of influenza was raging in the latter part of 1918.

The total increase in the number of deaths in 1918 is only 175, accounted for principally by increased mortality from pneumonia (all forms), influenza, and whooping cough. Most of this increase occurred among children under 5 years of age, the age periods 15 to 44 actually showing fewer deaths in 1918 than in 1917, although the mortality from pneumonia (all forms) in these age periods is considerably greater than in 1917.

TABLE 1.—POPULATION OF THE TERRITORY OF HAWAII, BY RACE AND COUNTY, ACCORDING TO THE CENSUS OF 1910.

RACE.	POPULATION APR. 15, 1910.							
	Hawaii Territory.	Hono-lulu city.	Hono-lulu County (exclusive of Honolulu city).	Hawaii County.	Kala-wao County.	Kauai County.	Maui County.	
	Total.....	191,909	52,183	29,845	55,382	785	23,952	29,762
Hawaiian.....	26,041	7,910	2,657	7,156	520	2,208	5,590	
Part Hawaiian.....	12,506	5,613	1,103	2,768	104	798	2,120	
Caucasian-Hawaiian.....	8,772	4,233	752	1,802	79	556	1,350	
Asiatic-Hawaiian.....	3,734	1,380	351	966	25	242	770	
Caucasian.....	44,048	15,992	5,620	12,104	81	4,663	5,588	
Portuguese.....	22,301	6,147	2,632	7,100	25	2,643	3,754	
Porto Rican.....	4,890	387	963	2,060	2	743	735	
Other Caucasian.....	16,857	9,498	2,025	2,944	54	1,277	1,099	
Chinese.....	21,674	9,574	4,150	2,995	46	2,312	2,597	
Japanese.....	79,675	12,093	15,035	27,237	26	12,541	12,743	
Korean.....	4,533	460	696	1,619	3	969	786	
Filipino.....	2,361	87	477	1,251	1	372	173	
All others.....	1,071	454	107	252	4	89	165	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY RACE: 1918.

[This table excludes the deaths of soldiers, sailors, and marines.]

RACE.	NUMBER OF DEATHS (EXCLUSIVE OF STILLBIRTHS) DURING THE YEAR 1918.						
	Hawaii Territory.	Hono-lulu city.	Hono-lulu County (exclusive of Honolulu city).	Hawaii County.	Kala-wao County.	Kauai County.	Maui County.
Total.....	3,885	1,419	503	956	66	367	574
Hawaiian.....	886	338	85	201	45	62	157
Part Hawaiian.....	272	173	18	24	13	9	35
Caucasian-Hawaiian.....	186	128	13	13	10	6	16
Asiatic Hawaiian.....	86	45	5	11	3	3	19
Caucasian.....	593	233	57	151	5	47	100
Portuguese.....	305	87	26	99	4	25	64
Porto Rican.....	89	15	17	29	-----	9	19
Other Caucasian.....	199	131	14	23	1	13	17
Chinese.....	332	217	34	25	1	21	34
Japanese.....	1,363	356	230	427	2	154	194
Korean.....	61	21	11	11	-----	8	10
Filipino.....	362	73	68	114	-----	65	42
All others.....	16	10	-----	3	-----	1	1

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY SEX AND BY MONTH OF DEATH: 1918.

[This table excludes the deaths of soldiers, sailors, and marines.]

AREA AND SEX.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Total for the territory.....	3,885	386	346	359	370	348	295	369	286	273	264	283	308
Male.....	2,259	215	195	213	220	209	176	214	169	156	150	168	174
Female.....	1,626	171	151	146	150	139	119	155	117	117	114	115	132
Honolulu city.....	(M.) 867	70	82	71	79	70	64	91	76	60	67	70	67
	(F.) 552	62	44	53	44	44	38	55	40	37	41	44	50
Honolulu County (exclusive of Honolulu city).....	(M.) 278	27	20	34	22	21	29	21	19	21	14	21	29
	(F.) 225	17	16	20	26	19	23	21	19	17	14	9	24
Hawaii County.....	(M.) 547	53	43	54	51	52	43	56	35	46	35	37	42
	(F.) 409	40	41	32	36	29	29	43	30	28	26	37	38
Kalawao County.....	(M.) 39	3	2	4	4	5	3	3	4	2	4	2	3
	(F.) 27	3	-----	1	1	4	3	1	5	4	3	2	2
Kauai County.....	(M.) 189	17	11	15	21	24	10	23	12	11	11	18	16
	(F.) 178	19	17	24	13	18	17	16	12	12	12	12	6
Maui County.....	(M.) 339	45	37	35	43	37	27	20	23	16	19	20	17
	(F.) 235	30	33	16	30	25	12	17	15	18	17	10	12

HAWAII.

575

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY CAUSE OF DEATH: 1918.

[This table excludes the deaths of soldiers, sailors, and marines. Numbers under causes of death correspond to those of the abridged International List (see p. 19).]

AREA.	DEATHS FROM—										
	All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.
Total for the territory.....	3,885	45	3	4	5	6	7	8	9	(12)	13
Honolulu city.....	1,419	14	5	5	5	19	18	7	41	2	217
Honolulu County (exclusive of Honolulu city).....	503	2	3	3	3	18	18	1	29	—	33
Hawai County.....	956	17	—	—	—	25	25	6	20	—	72
Kalawao County.....	66	—	—	—	—	—	—	—	—	—	—
Kauai County.....	367	3	—	—	—	—	11	2	5	—	28
Maui County.....	374	6	—	—	1	22	22	2	14	7	53
AREA.	DEATHS FROM—										
	Tuber-cu- loous menin- gitis.	Other forms of tuber- culosis.	Rheuma- tism.	Cancer and other malignant tumors.	Diabetes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory diseases.
Total for the territory.....	14	-15	(37)	16	(37)	17	18	19	20, 21	22, (23)	(23)
Honolulu city.....	9	25	1	65	13	11	56	78	49	154	15
Honolulu County (exclusive of Honolulu city).....	1	2	2	19	4	2	13	8	15	87	7
Hawai County.....	9	8	2	35	1	15	35	45	48	114	8
Kalawao County.....	3	6	1	17	1	1	20	17	9	42	1
Kauai County.....	3	1	1	16	1	3	18	21	7	109	8
Maui County.....	3	—	—	—	—	—	—	—	—	—	10
AREA.	DEATHS FROM—										
	Diarrhea and enteritis (under 2 years).	Appen- dicitis and typhi- litis.	Hernia, intesti- nal obstruc- tion.	Cirrhosis of the liver.	Acute nephri- tis and Bright's disease.	Puer- peral septi- cemia.	Other puer- peral affec- tions.	Con- gen- ital debility and malfor- mations.	Violent deaths (suicide excepted).	Suicide.	All other defined diseases.
Total for the territory.....	25	26	27	28	29	31	32	33	35	36	(37)
Honolulu city.....	475	29	34	35	155	30	48	196	193	46	674
Honolulu County (exclusive of Honolulu city).....	115	13	14	19	62	12	16	74	55	21	235
Hawai County.....	87	1	3	1	19	—	5	27	34	5	73
Kalawao County.....	146	9	5	5	28	10	18	53	56	6	156
Kauai County.....	3	—	—	—	1	—	—	2	2	—	55
Maui County.....	48	2	7	2	19	5	6	20	25	5	54
	76	4	5	8	26	3	3	20	21	9	101

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND AGE OF DECEDENT: 1918.

[This table excludes the deaths of soldiers, sailors, and marines.]

RACE.	All ages.	DEATHS AT AGE OF—												
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	30 to 34 years.	35 to 39 years.
Total for the territory.....	3,885	1,280	195	98	62	49	1,684	95	66	121	170	182	163	175
Hawaiian.....	886	191	33	15	7	9	255	24	23	39	33	50	44	49
Part Hawaiian.....	272	122	13	8	6	2	151	3	6	11	16	12	10	14
Caucasian-Hawaiian.....	186	76	6	6	6	2	96	2	3	8	11	8	7	11
Asiatic-Hawaiian.....	86	46	7	2	—	—	55	1	3	3	5	4	3	3
Caucasian.....	593	175	27	16	5	7	230	17	8	16	14	25	23	20
Portuguese.....	305	112	16	6	3	5	142	9	3	11	6	14	13	8
Porto Rican.....	89	30	6	1	1	2	44	1	1	3	3	5	3	7
Other Caucasian.....	199	33	5	5	1	—	44	7	4	2	5	6	7	5
Chinese.....	332	60	8	3	2	2	75	7	6	6	10	9	5	7
Japanese.....	1,363	538	95	45	30	24	732	37	22	42	40	52	51	70
Korean.....	61	18	1	1	1	—	21	—	—	1	1	4	11	6
Filipino.....	362	175	17	10	11	5	218	7	1	6	56	28	18	8
All others.....	16	1	1	—	—	—	2	—	—	—	—	2	1	1

RACE.	DEATHS AT AGE OF—													Deaths at unknown age.
	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
Total for the territory.....	186	184	183	188	162	107	61	60	44	28	10	9	4	3
Hawaiian.....	38	47	40	50	64	34	22	22	23	11	8	6	4	—
Part Hawaiian.....	5	11	8	11	4	3	2	3	—	—	—	2	—	—
Caucasian-Hawaiian.....	4	9	7	8	2	3	2	3	—	—	—	2	—	—
Asiatic-Hawaiian.....	1	2	1	3	2	—	—	—	—	—	—	—	—	—
Caucasian.....	20	28	19	33	35	35	16	24	13	14	2	1	—	—
Portuguese.....	9	7	5	14	14	20	6	11	5	6	2	—	—	—
Porto Rican.....	3	3	3	4	3	3	1	1	—	1	—	—	—	—
Other Caucasian.....	8	18	11	15	18	12	9	12	8	7	—	1	—	—
Chinese.....	20	31	32	45	27	21	14	10	5	1	—	—	—	1
Japanese.....	91	59	77	47	27	11	4	—	—	—	1	—	—	1
Korean.....	4	5	2	—	3	1	1	—	—	—	1	—	—	1
Filipino.....	7	3	3	3	1	1	2	1	—	2	1	—	—	1
All others.....	1	—	2	1	1	—	—	—	—	—	1	—	—	—

HAWAII.

577

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND CAUSE OF DEATH: 1918.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	RACE.												
			Part Hawaiian.			Caucasian.				Chi- nese.	Japa- nese.	Ko- rean.	Fil- ipino.	All others.	
			Hawa- ian.	Total.	Cauca- sian-Ha- waiian.	Asiatic- Ha- waiian.	Total.	Portuguese.	Porto Rican.	Other Cauca- sian.					
	All causes.....	3,885	886	272	186	86	593	305	89	199	332	1,363	61	362	16
	I.—General diseases.....	1,230	312	94	65	29	157	64	22	71	115	416	26	104	6
1	Typhoid fever.....	45	13	1	1		2	1			1	1	25	3	
6	Measles.....	9	4				1	7	5	6	1	4			
8	Whooping cough.....	95	22	13	8	5	18	7	5	6	1	24	2	15	
9	Diphtheria and croup.....	18					8	3	1	4	2	8			
10	Influenza.....	109	40	7	3	4	11	9	1	1	10	31		10	
14	Dysentery.....	12	5				2	2			1	1	3	1	
15	Plague.....	2					1				1		1		
17	Leprosy.....	62	40	10	8	2	7	6			1	2	3		
18	Erysipelas.....	9	1				1				1		6		2
19	Other epidemic diseases.....	5										3		1	
20	Purulent infection and septicemia.....	9		1	1		3	2			1	2	2		1
22	Anthrax.....	1					1	1							
24	Tetanus.....	14	1				1		1		1	11			
26	Pellagra.....	1		1	1										
27	Beriberi.....	80										64	3	13	
28	Tuberculosis (total).....	475	124	36	23	13	38	14	6	18	67	140	16	50	4
	Tuberculosis of the lungs.....	403	108	31	20	11	31	12	5	14	60	109	16	45	3
29	Acute miliary tuberculosis.....	5	1	1	1						1	2			
30	Tuberculous meningitis.....	25	3	1	1		2	1		1	4	15			
31	Abdominal tuberculosis.....	32	10	3	2	1	2	1	1	1	2	11		4	
32	Pott's disease.....	4					1			1	1	1		1	1
33	White swellings.....	2					2			2		2			
34	Tuberculosis of other organs.....	4	2												
36	Rickets.....	3									3				
37	Syphilis.....	63	22	12	9	3	6	2	1	3	3	15	1	3	1
38	Gonococcus infection.....	7	2							1	4				
39	Cancer and other malignant tumors (total).....	153	35	5	4	1	41	13	4	24	10	55	2	4	1
	Of the buccal cavity.....	4	1								1	2			
40	Of the stomach, liver.....	91	21	1	1		21	9	1	11	9	35	1	2	1
41	Of the peritonium, intestines, rectum.....	19	8	1	1		7	2	1	4	3				
42	Of the female genital organs.....	20	1	2	1	1	6	2		2		11			
43	Of the breast.....	4	2				2			2					
45	Of other organs or of organs not specified.....	15	2	1	1		5		2	3	4	1	2		
47	Acute articular rheumatism.....	4					1		1			1	1	1	
48	Chronic rheumatism and gout.....	1													
50	Diabetes.....	18	3	4	4		6	1		5	1	4			
51	Exophthalmic goiter.....	2		1	1		1					1			
53	Leukemia.....	5					1			1		3			
54	Anemia, chlorosis.....	7					5	2	1	2	1	1			
55	Other general diseases.....	5		3	2	1						2			
56	Alcoholism (acute or chronic).....	4					2	1	1		1	1			
59	Other chronic poisonings.....	12									11	1			
	II.—Diseases of the nervous system and of the organs of special sense.....	224	60	16	16		47	21	7	19	32	.58	2	8	1
60	Encephalitis.....	2		1	1							1			
61	Meningitis (total).....	32	2	4	4		4	1		3	2	20			
	Simple meningitis.....	22	2	2	2		2	1		1	2	16			
	Cerebrospinal meningitis (undefined).....	1										1			
	Cerebrospinal fever.....	9	2	2	2		2			2		3			
62	Locomotor ataxia.....	3									1	2			
63	Other diseases of the spinal cord (total).....	12	3	1	1		2	1		1	3	2	1		
	Acute anterior poliomyelitis.....	1									1				
	Other diseases of the spinal cord.....	11	3	1	1		2	1		1	2	2	1		
64	Cerebral hemorrhage, apoplexy.....	142	47	6	6		37	18	6	13	23	23	1	4	1
66	Paralysis without specified cause.....	4	1				1			1	1	1			
67	General paralysis of the insane.....	5	2	1	1		2	1		1					
68	Other forms of mental alienation.....	1											1		
69	Epilepsy.....	4	1	1	1							1	1		
71	Convulsions of infants.....	5					1		1			3		1	
72	Chorea.....	1										2	2		
74	Other diseases of the nervous system.....	5									2		1		
76	Diseases of the ears.....	8	3	2	2						3		3		

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND CAUSE OF DEATH: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	RACE.												
			Part Hawaiian.			Caucasian.									
			Hawaiian.	Total.	Caucasian-Hawaiian.	Asiatic-Hawaiian.	Total.	Portuguese.	Porto Rican.	Other Caucasian.	Chinese.	Japanese.	Korean.	Filipino.	All others.
	III.—Diseases of the circulatory system.	233	83	12	10	2	49	29	1	19	33	46	1	6	3
77	Pericarditis.	3	1	2	2	1					1	1			
78	Acute endocarditis.	18	6	2	2	1					2	6		1	
79	Organic diseases of the heart.	170	61	7	5	2	40	24	1	15	22	32	1	4	3
80	Angina pectoris.	7	1	1	1		2			2		3			
81	Diseases of the arteries, atheroma, aneurism, etc.	30	13	2	2		5	3		2	8	2			
82	Embolism and thrombosis.	2	1				1	1							
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	1												1	
84	Diseases of the lymphatic system (lymphangitis, etc.).	2										2			
	IV.—Diseases of the respiratory system.	683	182	47	26	21	81	43	18	20	48	237	10	76	2
87	Diseases of the larynx.	6	2				2	2				2			
88	Diseases of the thyroid body.	1	1												
89	Acute bronchitis.	117	20	4	3	1	7	4	1	2	15	63		8	
90	Chronic bronchitis.	11	1	1	1		3	2	1	1	3	3			
91	Bronchopneumonia.	298	66	26	13	13	33	17	9	7	14	115	7	36	1
92	Pneumonia (total).	208	80	14	7	7	33	15	8	10	11	39	2	28	1
	Lobar pneumonia.	204	77	14	7	7	33	15	8	10	11	38	2	28	1
93	Pleurisy.	4	3					*				1			
94	Pulmonary congestion, pulmonary apoplexy.	23	4				2	2			1	12	1	3	
95	Gangrene of the lung.	1										1			
96	Asthma.	13	8								4	1			
97	Pulmonary emphysema.	2					1	1				1			
98	Other diseases of the respiratory system (tuberculosis excepted).	2		2	2										
	V.—Diseases of the digestive system.	730	128	46	28	18	129	79	24	26	40	276	12	97	2
99	Diseases of the mouth and annexa.	4					2	1	1			1			
100	Diseases of the pharynx.	5					1	1				4			
102	Ulcer of the stomach.	19	3				3		2		2	11			
103	Other diseases of the stomach (cancer excepted).	19	3	1		1	1	1			3	8		3	
104	Diarrhea and enteritis (under 2 years).	475	81	36	22	14	89	60	16	13	19	168	7	73	2
105	Diarrhea and enteritis (2 years and over).	75	16	5	3	2	8	6	1	1	4	28	1	13	
107	Intestinal parasites.	2						2							
108	Appendicitis and typhilitis.	29	2	2	2		5	2		3	1	18		1	
109	Hernia, intestinal obstruction (total).	34	9	1		1	6	2	1	3	4	11	1	2	
	Hernia.	9	5				1			1	2	1			
	Intestinal obstruction.	25	4	1		1	5	2	1	2	2	10	1	2	
110	Other diseases of the intestines.	4	1				2			2		1			
111	Acute yellow atrophy of the liver.	6						1	1			5			
113	Cirrhosis of the liver.	35	12	1	1		8	3	3	2	5	6	1	2	
114	Biliary calculi.	4										4			
115	Other diseases of the liver.	14	1				1		1		1	7	1	3	
117	Simple peritonitis (nonpuerperal).	4									1	3			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	1										1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	164	41	4	2	2	33	16	5	12	26	54	1	5	
119	Acute nephritis.	21	5				2	1		1		13		1	
120	Bright's disease.	134	35	3	2	1	29	13	5	11	25	37	1	4	
122	Other diseases of the kidneys and annexa.	3	1					2			1				
126	Diseases of the prostate.	2													
129	Uterine tumor (noncancerous).	1		1		1								2	
130	Other diseases of the uterus.	2												1	
132	Salpingitis and other diseases of the female genital organs.	1													
	VII.—The puerperal state.	78	14	7	5	2	12	6	4	2	5	33	1	6	
134	Accidents of pregnancy.	7	3								1	3			
135	Puerperal hemorrhage.	10	3					2	1		1	4		1	
136	Other accidents of labor.	8	1					1	1		1	4		1	
137	Puerperal septicemia.	30	4	5	4	1	1	2	1	1	2	16		1	
138	Puerperal albuminuria and convulsions.	21	3	2	1	1	5	2	3	1	1	6	1	3	
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	1						1	1		1				
140	Following childbirth (not otherwise defined).	1						1			1				

HAWAII.

579

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND CAUSE OF DEATH: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed List No.	Cause of Death	All deaths	Race.												
			Hawaiian	Part Hawaiian			Caucasian				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	VIII.—Diseases of the skin and of the cellular tissue	21	6				3	2		1	2	5		5	
142	Gangrene	5	2				1	1		1	1				
143	Furuncle	7	1				1	1		1	3		2		
144	Acute abscess	8	3				1			1	1		2		
145	Other diseases of the skin and annexa	1											1		
	IX.—Diseases of the bones and of the organs of locomotion	8	2	2	2		2	2				2			
146	Diseases of the bones (tuberculosis excepted)	6	1	1	1		2	2				2			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2	1	1	1										
	X.—Malformations	42	3	7	5	2	12	9	1	2	1	16		3	
150	Congenital malformations (stillbirths not included) (total)	42	3	7	5	2	12	9	1	2	1	16		3	
	Hydrocephalus	4	1									3			
	Congenital malformations of the heart	25	2	5	4	1	7	5	1	1	1	7		3	
	Other congenital malformations	13		2	1	1	5	4		1		6			
	XI.—Early infancy	211	19	23	14	9	29	16	3	10	8	93	3	36	
151	Congenital debility, icterus, and sclerema (total)	154	13	14	9	5	23	13	2	8	7	72		25	
	Premature birth	102	5	12	7	5	19	11	1	7	3	49		14	
	Congenital debility, "atrophy," "märasmus," etc.	52	8	2	2		4	2	1	1	4	23		11	
152	Other causes peculiar to early infancy (total)	56	6	9	5	4	6	3	1	2	1	21	3	10	
	Injuries at birth	12		1	1		3	2		1	1	4	2	1	
	Other causes peculiar to early infancy ¹	44	6	8	4	4	3	1	1	1		17	1	9	
153	Lack of care	1												1	
	XII.—Old age	15	9				4	1		3	2				
154	Senility	15	9				4	1		3	2				
	XIII.—External causes	239	26	13	13		35	17	4	14	20	124	5	14	
155	Suicide (total)	46	1	3	3		12	4	1	7	9	18	2	1	
	By poison	7	1								2				
157	By hanging or strangulation	20					3	2	1		7	8	1	1	
158	By drowning	2					1					1			
159	By firearms	11		3	3		6	1		5		2			
160	By cutting or piercing instruments	6					2	1		1		3	1		
	Accidental or undefined (total)	179	24	9	9		20	11	3	6	10	98	3	13	
164	Poisoning by food	8	1	3	3						4				
165	Other acute poisonings	14	1	2	2		3	1	1	1	1	4	2	1	
167	Burns (conflagration excepted)	13	1				2	2				9		1	
168	Absorption of deleterious gases (conflagration excepted)														
169	Accidental drowning	.5	1								1		2	1	
170	Traumatism by firearms	2										34	2	2	
172	Traumatism by fall	21	4				4	2		2	3	8		2	
174	Traumatism by machines	6	1				1		1			4			
175	Traumatism by other crushing (total)	48	5	3	3		7	5		2	5	23	1	4	
	Railroad accidents and injuries	10					2	1		1		5	1	2	
	Street-car accidents and injuries	2										1			
	Automobile accidents and injuries	19	2	1	1		3	2		1	2	10		1	
	Injuries by other vehicles	10	2	2	2		2				2	4			
	Landslide, other crushing	7	1				2	2				3		1	
176	Injuries by animals	4	1									3			
181	Electricity (lightning excepted)	2		1	1							1			
186	Other external violence	11	3				2	1		1		4		1	
	Homicide (total)	14	1	1	1		3	2		1	1	8			
182	By firearms	11	1	1	1		2	1		1	1	6			
183	By cutting or piercing instruments	1										1			
184	By other means	2					1	1				1			
	XIV.—Ill-defined diseases	7	1	1		1						3		2	
189	Not specified or ill-defined (total)	7	1	1		1						3		2	
	Ill-defined	4										2		2	
	Not specified or unknown	3	1	1		1						1			

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII,
 [This table excludes the deaths of soldiers, sailors, and marines.]

HAWAII.

581

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDEDENT: 1918.

[This table excludes the deaths of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII,
[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—											
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	
	II.—Diseases of the nervous system and of the organs of special sense.	224	21	7	4	3	2	37	6	6	1	3	6	
	Males.....	145	11	2	2	2	1	18	3	5	1	3	2	
	Females.....	79	10	5	2	1	1	19	3	1			4	
60	Encephalitis.....	F 2	1			1		2						
61	Meningitis (total).....	{M 17	5	2	2	1	1	11	2	3	1			
	Simple meningitis.....	{F 15	6	3	2		1	12	2	1				
	Cerebrospinal meningitis (undefined).....	{M 10	4	2	1	1	1	9	1					
	Cerebrospinal fever.....	{F 12	6	2	2		1	11	1					
62	Locomotor ataxia.....	M 3												
63	Other diseases of the spinal cord (total).....	{M 8				1		1					1	
	Acute anterior poliomyelitis.....	{F 4												
	Other diseases of the spinal cord ¹	{M 7				1		1					1	
64	Cerebral hemorrhage, apoplexy.....	{M 97								1		1	3	
		{F 45												
66	Paralysis without specified cause.....	{M 1							1					
67	General paralysis of the insane.....	{F 3												
68	Other forms of mental alienation.....	M 5												
69	Epilepsy.....	{M 1									1	1	1	
71	Convulsions of infants.....	{M 3	3											
		{F 2	1	1					2					
72	Chorea.....	M 1							2		1		1	
74	Other diseases of the nervous system.....	{M 4	2											
76	Diseases of the ears.....	{M 3	1						1					
		{F 5	2	1					3	1				
	III.—Diseases of the circulatory system.....	233	5				1	6	6	1	5	5	3	
	Males.....	148	5				1	6	3			2	1	
	Females.....	85							3	1	5	3	2	
77	Pericarditis.....	{M 2												
		{F 1												
78	Acute endocarditis.....	{M 16	3				1	4						
		{F 2												
79	Organic diseases of the heart.....	{M 97	1						1	3				
		{F 73							2			5	2	
80	Angina pectoris.....	{M 4												
		{F 3												
81	Diseases of the arteries, atheroma, aneurism, etc.	{M 25												
		{F 5												
82	Embolism and thrombosis.....	M 2												
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	{M 1											1	
84	Diseases of the lymphatic system (lymphangitis, etc.).....	{M 1	1											
		{F 1												
	IV.—Diseases of the respiratory system.....	683	328	50	28	22	15	443	16	8	10	19	25	
	Males.....	384	172	22	17	12	9	232	4	6	6	11	18	
	Females.....	299	156	28	11	10	6	211	12	2	4	8	7	
87	Diseases of the larynx.....	{M 4	3				1	4						
		{F 2	1					2						
88	Diseases of the thyroid body.....	{M 1												
89	Acute bronchitis.....	{M 65	47	3	4	3		57	1					
		{F 52	44	2	2	1	1	50	1	1				
90	Chronic bronchitis.....	{M 8	2		1			3						
		{F 3												
91	Bronchopneumonia.....	{M 150	102	13	10	7	5	137	1	1	1	1	1	
		{F 148	93	19	8	7	4	131	6					
92	Pneumonia (total).....	{M 131	17	6	1	2	2	28	1	5	5	9	14	
		{F 77	13	5	1	1	1	21	4	1	3	7	6	
	Lobar pneumonia.....	{M 129	17	6	1	2	2	28	1	5	4	9	14	
	Pneumonia (undefined).....	{F 75	12	5	1	1	1	20	4	1	3	7	6	
93	Pleurisy.....	{M 13	1						1					
		{F 10	4	2					6	1		1	1	
94	Pulmonary congestion, pulmonary apoplexy.....	F 1												
95	Gangrene of the lung.....	M 1											1	
96	Asthma.....	{M 10												
97	Pulmonary emphysema.....	{M 3												
98	Other diseases of the respiratory system (tuberculosis excepted). .	{M 1	1											
		{F 1												

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

HAWAII.

583

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII,
 [This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	V.—Diseases of the digestive system.....	730	444	66	23	13	9	555	11	10	8	11	16
	Males.....	426	251	35	8	6	6	306	4	5	5	5	11
	Females.....	304	193	31	15	7	3	249	7	5	3	6	5
99	Diseases of the mouth and annexa.....	M M	4 3	2				1	3	1			
100	Diseases of the pharynx.....	F F	2 2	1	1			1					
102	Ulcer of the stomach.....	M F	13 6										1
103	Other diseases of the stomach (cancer excepted).	M F	13 6	8	1			9	1	1			1
104	Diarrhea and enteritis (under 2 years).	M F	266 209	236	30			266					
				181	28			209					
105	Diarrhea and enteritis (2 years and over).	M F	35 40			7	6	4	17	2	1	2	1
						15	7	3	25	3	1		1
107	Intestinal parasites.....	M F	1 1		1				1				
108	Appendicitis and typhilitis.....	M F	16 13			3			3		1	2	3
109	Hernia, intestinal obstruction (total).	M F	23 11	5				5		2		1	2
	Hernia.....	M F	8 1						1				1
	Intestinal obstruction.....	M F	15 10	5				5		2		1	1
110	Other diseases of the intestines.....	M F	2 2					6		1			
111	Acute yellow atrophy of the liver.....	M M	6 8										2
113	Cirrhosis of the liver.....	F F	30 5									1	1
114	Biliary calculi.....	M F	2 2									1	
115	Other diseases of the liver.....	M F	9 5		1							1	1
117	Simple peritonitis (nonpuerperal).	M F	2 2										1
118	Other diseases of the digestive system (cancer M and tuberculosis excepted).	M F	1 1										
	VI.—Nongenital diseases of the genito-urinary system and annexa.		164	2	2	3	2	3	12	3	6	6	3
	Males.....		107		1	2	1	2	6	1	5	3	3
	Females.....		57	2	1	1	1	1	6	2	1	3	2
119	Acute nephritis.....	M F	15 6		1	2	1	2	6		1	3	1
120	Bright's disease.....	M F	87 47			1		1	4		1	4	2
122	Other diseases of the kidneys and annexa.....	M F	3 2						2		2	3	1
126	Diseases of the prostate.....	M F	2 1										
129	Uterine tumor (noncancerous).	M F	1 2										
130	Other diseases of the uterus.....	M F	2 1										
132	Salpingitis and other diseases of the female genital organs.	F F	1 1										1
	VII.—The puerperal state.		78									6	20
134	Accidents of pregnancy.....	F F	7 10									2	
135	Puerperal hemorrhage.....	F F	8 10									1	1
136	Other accidents of labor.....	F F	8 30									3	
137	Puerperal septicemia.....	F F	30 21									2	3
138	Puerperal albuminuria and convulsions.....	F F	1 21									3	11
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	F F	1 1									5	2
140	Following childbirth (not otherwise defined). . . . F		1										
	VIII.—Diseases of the skin and of the cellular tissue.		21	5	2			1	8		1	1	2
	Males.....		13	1	2			1	4			1	1
	Females.....		8	4					4		1		1
142	Gangrene.....	M F	4 1					1	1				
143	Furuncle.....	M F	5 2										1
144	Acute abscess.....	M F	4 4	1	2			3		1		1	
145	Other diseases of the skin and annexa.....	F F	1 1					1					
	IX.—Diseases of the bones and of the organs of locomotion.		8	1					1	1	1	2	
	Males.....		4	1					1			2	
	Females.....		4							1	1		
146	Diseases of the bones (tuberculosis excepted). . . . F		3	1					1			2	
147	Diseases of the joints (tuberculosis and rheumatism excepted). . . . F		3						1	1			

HAWAII.

585

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEASED: 1918.—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

DEATHS AT AGE OF—															Deaths at un-known age.	Detailed Int. List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
15	13	16	17	14	15	11	4	5	4	2	1	1	1		
8	9	14	14	12	12	5	4	4	3	2	1	1	1		
7	4	2	3	2	3	6	1	1	1	1	1	1	1		
		1														99
		1														100
		2	1	3	2	3	1									102
				1				1								103
						1										104
																105
					1	2	2	2	1	1	1	1	1	1		107
																108
		2	2	2	1	1										109
																110
		1	2	1	1	3	1		2	1	1	1	1	1		111
			2	1	1	2			2	1	1	1	1	1		113
		1							2	1	1	1	1	1		114
			2	1	1	1	1					1				115
																117
								1								118
5	10	10	12	14	21	21	11	5	6	5	6	1	1	1		
4	4	4	7	12	16	15	6	5	6	2	5	1	1	1		
1	6	6	5	2	5	6	5			3	1					
			1	1	1											119
		1														120
		2	4	3	6	11	14	14	5	6	2	5	1	1	1	122
			6	3	2	5	6	5	5	3	1					126
		1		1	1	1	1									129
																130
		1														132
17	11	8	4													
1	3	2	1													134
3	2	1	1													135
2	1	1	2													136
5	4	3	2													137
5	1	4	1													138
																139
		1														
																140
		1	2	2	1	1										
		1	1	1	1	1										142
							1									143
		1						1								144
																145
		1										1	1	1		
	1											1	1	1		146
													1	1		147

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII,
[This table excludes the deaths of soldiers, sailors, and marines.]

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	X.—Malformations.....	42	40	1	1								
	Males.....	22	21	1									
	Females.....	20	19		1								
150	Congenital malformations (stillbirths not included) (total).	22	21	1									
	(M.)	(F.)	20	19		1							
	Hydrocephalus.....	2	2										
	Congenital malformations of the heart.....	(M.)	13	12	1								
	Other congenital malformations.....	(M.)	7	7									
	(F.)	6	6										
	XI.—Early infancy.....	211	211										
	Males.....	117	117										
	Females.....	94	94										
151	Congenital debility, icterus, and sclerema (total).	84	84										
	(M.)	(F.)	70	70									
	Premature birth.....	(M.)	55	55									
	Congenital debility, "atrophy," "marasmus," etc.	(M.)	29	29									
152	Other causes peculiar to early infancy (total).	(M.)	23	23									
	(F.)	23	23										
	Injuries at birth.....	(M.)	7	7									
	(F.)	5	5										
153	Other causes peculiar to early infancy ¹	(M.)	26	26									
	Lack of care.....	(F.)	18	18									
	(F.)	1	1										
	XII.—Old age.....	15											
	Males.....	7											
	Females.....	8											
154	Senility.....	(M.)	7										
	(F.)	8											
	XIII.—External causes.....	239	15	15	11	3	4	48	16	10	14	* 8.	21
	Males.....	191	7	7	8	2	3	27	14	6	9	8	20
	Females.....	48	8	8	3	1	1	21	2	4	5		1
	Suicide (total).	(M.)	39									1	3
	(F.)	7										2	5
155	By poison.....	(M.)	3										1
	(F.)	4											2
157	By hanging or strangulation.....	(M.)	17										1
158	By drowning.....	(M.)	2										1
159	By firearms.....	(M.)	11										1
160	By cutting or piercing instruments.....	(M.)	6										1
	Accidental or undefined (total).	(M.)	141	7	7	8	1	3	26	14	6	7	5
	(F.)	38	8	8	3	1	1	21	2	3	2		13
164	Poisoning by food.....	(M.)	5	3									
	(F.)	3	1										
165	Other acute poisonings.....	(M.)	7		1	2							3
	(F.)	7	2	2	1								
167	Burns (conflagration excepted).	(M.)	7			1							
	(F.)	6	3		1								
168	Absorption of deleterious gases (conflagration excepted).	(M.)	2	1	1								
	(F.)	3	2	1									
169	Accidental drowning.....	(M.)	37		5	4		1	10	8	3	3	1
	(F.)	8	4		1			5		2			3
170	Traumatism by firearms.....	(M.)	1										
172	Traumatism by fall.....	(M.)	17	2									1
174	Traumatism by machines.....	(M.)	4		1								2
175	Traumatism by other crushing (total).	(M.)	42			1	1		1	2	3	3	5
	Railroad accidents and injuries.....	(M.)	6			1			1	1	1	1	
	Street-car accidents and injuries.....	(M.)	10										
	Automobile accidents and injuries.....	(M.)	1										
	Injuries by other vehicles.....	(M.)	4		1				1	1	1	1	
	Landslide, other crushing.....	(M.)	9										1
176	Injuries by animals.....	(M.)	7										
181	Electricity (lightning excepted).	(M.)	4										
186	Other external violence.....	(M.)	11	1	1								2
	Homicide (total).	(M.)	11				1		1				
	(F.)	3											
182	By firearms.....	(M.)	9				1		1				2
183	By cutting or piercing instruments.....	(M.)	2										1
184	By other means.....	(M.)	1										1
	XIV.—Ill-defined diseases.....		7		5				5				
	Males.....		5		3				3				
	Females.....		2		2				2				
189	Not specified or ill-defined (total).	(M.)	5		3				3				
	Ill-defined.....	(M.)	2		2				2				
	Not specified or unknown.....	(M.)	1										1
	(F.)	2		2					2				

¹ Exclusive of injuries at birth.

HAWAII.

587

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDEDENT: 1918—Continued.

[This table excludes the deaths of soldiers, sailors, and marines.]

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, FROM IMPORTANT CAUSES, BY MONTHS: 1918.

[This table excludes the deaths of soldiers, sailors, and marines.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
			386	346	359	370	348	295	369	286	273	264	283	306
	All causes.....	3,885												
1	Typhoid fever.....	45	3	6	6	2	6	1	8	4	1	3	5
3	Malaria.....
5	Measles.....	9	1	1	4	1	1	1
6	Scarlet fever.....
7	Whooping cough.....	95	7	3	14	18	7	7	12	8	7	8	2	2
8	Diphtheria and croup.....	18	3	3	2	1	2	1	2	1	2	1
9	Influenza.....	109	2	6	8	4	5	2	37	17	7	8	3	10
13	Tuberculosis of the lungs.....	408	45	25	32	28	29	34	45	40	28	32	34	36
14-15	Other forms of tuberculosis.....	67	6	4	3	5	7	10	7	6	4	4	4	8
17	Meningitis.....	32	2	1	1	4	2	5	5	2	4	4	2
20-21	Bronchitis.....	128	24	7	17	14	8	12	7	9	3	8	12	7
22	Pneumonia.....	208	25	23	15	20	25	9	33	17	9	14	16	14
(23)	Bronchopneumonia.....	298	31	37	34	35	24	17	22	21	13	16	25	23
25	Diarrhea and enteritis (under 2 years).....	475	40	50	55	56	38	37	28	33	34	39	42	23
(37)	Diarrhea and enteritis (2 years and over).....	75	11	4	5	5	6	9	5	8	7	5	4	6
(33)	Congenital debility ¹	52	7	8	8	6	4	3	2	3	4	1	4	2
35	Violent deaths (suicide excepted).....	193	13	11	13	14	24	23	22	13	17	15	7	21
36	Suicide.....	46	1	6	5	3	5	7	6	2	3	2	4	2
	All other causes.....	1,627	166	155	143	153	155	117	124	102	133	115	122	142

¹ Exclusive of premature birth.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1918.

Abridged Int. List No.	CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	All causes.....	1,280	71	23	40	69	203	62	50	57	372	197	151	262	195	103
5	Measles.....	3	2	1	
6	Scarlet fever.....	
7	Whooping cough.....	51	1	1	2	3	6	9	13	9	11
8	Diphtheria and croup.....	3	1	1	2	3	2	2	8	12	1
9	Influenza.....	32	1	1	2	3	2	2	8	12	5
(12)	Dysentery.....	2	1	1	1	1	1	1	1
(12)	Erysipelas.....	6	1	1	1	1	1	1	3	1	1	1	1
(37)	Tetanus.....	7	4	4	3	7
13	Tuberculosis of the lungs.....	3	1	1	1	1	1	1
14	Tuberculous meningitis.....	3	2
15	Other forms of tuberculosis.....
(37)	Syphilis.....	28	2	1	3	3	1	3	3	10	4	3	7	3	1
17	Meningitis.....	11	2	1	3	1	1	1	1	3	1	3	2	1
(37)	Convulsions.....	4	2	1	3	3	1	3	1	1	2	2	1
19	Organic diseases of the heart.....	1	1	1	1	1	1	1
20	Acute bronchitis.....	91	1	1	5	10	4	20	19	14	21	15	2
22	Pneumonia.....	30	1	1	4	2	1	1	4	2	5	6	5	3	2
(26)	Bronchopneumonia.....	195	1	4	5	3	9	6	23	22	20	59	41	30
24	Diseases of the stomach.....	11	2	2	4	3	3	1	1	1	1
25	Diarrhea and enteritis.....	417	1	1	3	14	19	10	9	18	56	88	56	107	80	35
(33)	Malformations.....	40	9	2	5	3	19	5	1	1	26	7	2	1	2	2
(33)	Premature birth.....	102	37	10	15	15	77	11	6	2	96	5	1	10	6	3
(33, 37)	Congenital debility.....	97	17	7	10	15	49	12	5	4	70	7	10	6	3	1
(37)	Injuries at birth.....	12	6	1	4	11	1	12	2	3	4	3
35	External causes.....	15	1	1	1	1	1	1	3	2	3	4	3	3
38	Unknown or ill-defined diseases.....	5	7	4	7	11	29	26	19	22	15	5	5
	All other causes.....	116	1	1	5	7	4	7	11	29	26	19	22	15	5

SOLDIERS, SAILORS, AND MARINES.

The deaths of soldiers, sailors, and marines include those reported to the Bureau of the Census from the entire registration area, and are shown separately for the registration area (exclusive of Hawaii) and for the Territory of Hawaii. The deaths are tabulated by color and age of decedent and by important causes.

TABLE 1.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND REGISTRATION STATES, BY COLOR AND AGE OF DECEDEDENT: 1918.

AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		15 to 19 years.	20 to 24 years.	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	
SUMMARY.																	
The registration area (exclusive of Hawaii) (total).....	26,209	1,364	12,145	8,906	2,723	336	155	107	54	35	17	14	6	5	2	1	239
White.....	23,206	1,297	10,471	7,953	2,485	362	148	100	47	35	16	13	6	5	2	1	265
Colored.....	3,003	67	1,674	953	238	24	7	7	7	1	1	1	1	1	1	1	24
Registration states ¹ (total).....	25,963	1,340	12,054	8,829	2,685	379	151	105	54	35	16	14	6	5	2	1	237
White.....	22,968	1,274	10,381	7,879	2,449	356	144	98	47	35	15	13	6	5	2	1	263
Colored.....	2,995	66	1,673	950	236	23	7	7	7	1	1	1	1	1	1	1	24
Cities in registration states ¹ (total).....	7,426	614	3,226	2,305	766	186	90	59	36	25	11	8	4	3	2	1	80
White.....	6,937	593	2,972	2,156	728	179	87	54	33	25	11	8	4	3	2	1	76
Colored.....	489	16	264	149	88	7	3	5	3	2	1	1	1	1	1	1	4
Rural part of registration states (total).....	18,537	726	8,818	6,524	1,919	193	61	46	18	10	5	6	2	2	—	—	207
White.....	16,031	676	7,409	5,723	1,721	177	57	44	14	10	4	5	2	2	—	—	187
Colored.....	2,506	50	1,409	801	198	16	4	2	4	1	1	1	1	1	1	1	20
Registration cities in nonregistration states (total).....	246	24	91	77	38	7	4	2	—	—	1	—	—	—	—	—	2
White.....	238	23	90	74	36	6	4	2	—	—	1	—	—	—	—	—	2
Colored.....	8	1	1	3	2	1	—	—	—	—	—	—	—	—	—	—	—
All registration cities ¹ (total).....	7,672	638	3,327	2,382	804	193	94	61	36	25	12	8	4	3	2	1	82
White.....	7,175	621	3,082	2,230	764	185	91	56	33	25	12	8	4	3	2	1	78
Colored.....	497	17	265	152	40	8	3	5	3	—	—	—	—	—	—	—	4
REGISTRATION STATES.																	
California (total).....	1,144	87	492	340	147	31	20	11	7	3	2	—	2	—	—	—	2
White.....	1,141	87	490	340	147	30	20	11	7	3	2	—	2	—	—	—	2
Colored.....	3	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Colorado (total).....	162	32	65	38	16	5	4	—	—	—	—	1	—	—	—	—	1
White.....	160	32	65	37	16	4	4	—	—	—	—	1	—	—	—	—	1
Colored.....	2	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Connecticut (total).....	135	8	53	44	15	5	1	3	—	2	—	—	—	—	—	—	4
White.....	122	7	48	41	12	5	1	3	—	2	—	—	—	—	—	—	3
Colored.....	13	1	5	3	3	—	—	—	—	—	—	—	—	—	—	—	1
Illinois (total).....	2,406	167	1,320	707	168	9	7	4	1	1	1	1	1	1	1	1	21
White.....	2,034	165	1,096	597	138	7	7	3	1	1	1	1	1	1	1	1	18
Colored.....	372	2	224	110	30	2	1	—	—	—	—	—	—	—	—	—	3
Indiana (total).....	352	14	151	106	24	4	3	1	—	—	—	—	—	—	—	—	49
White.....	351	14	150	106	24	4	3	1	—	—	—	—	—	—	—	—	49
Colored.....	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kansas (total).....	1,512	29	763	552	137	11	3	2	1	1	1	1	1	1	1	1	13
White.....	1,316	29	651	486	123	10	3	2	1	1	1	1	1	1	1	1	10
Colored.....	196	—	112	66	14	1	—	—	—	—	—	—	—	—	—	—	3
Kentucky (total).....	1,295	58	624	455	118	16	2	1	1	1	1	3	—	—	—	—	17
White.....	1,201	54	568	429	113	16	2	1	1	1	1	3	—	—	—	—	14
Colored.....	94	4	56	26	5	—	—	—	—	—	—	—	—	—	—	—	3
Louisiana (total).....	162	9	93	40	16	3	1	—	—	—	—	—	—	—	—	—	—
White.....	159	9	93	38	16	3	—	—	—	—	—	—	—	—	—	—	—
Colored.....	3	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Maine (total).....	119	23	48	29	11	7	—	—	1	—	—	—	—	—	—	—	—
White.....	118	23	48	28	11	7	—	—	1	—	—	—	—	—	—	—	—
Colored.....	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—

¹ Including District of Columbia.

MORTALITY STATISTICS.

TABLE 1.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND REGISTRATION STATES, BY COLOR AND AGE OF DECEDED: 1918—Continued.

SOLDIERS, SAILORS, AND MARINES.

591

TABLE 2.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND REGISTRATION STATES, FROM IMPORTANT CAUSES OF DEATH: 1918.

[Numbers under causes of death correspond to those of the abridged International List (see p. 19).]

AREA.	All causes.	DEATHS FROM—														
		Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer and other malignant tumors.	Diabetes.
SUMMARY.		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	(37)
The registration area (exclusive of Hawaii).....	26,209	43	10	1	583	145		97	10,391	21	763	36	37	16	58	47
Registration states ¹	25,963	43	10	1	578	145		97	10,318	21	757	35	36	16	58	47
Cities in registration states.....	7,426	19	4		180	33		49	2,843	9	284	11	18	8	39	18
Rural part of registration states.....	18,537	24	6	1	398	112		48	7,475	12	473	24	18	8	19	29
Registration cities in nonregistration states.....	246				5			73		6	1	1				
All registration cities ¹	7,672	19	4		185	33		49	2,916	9	290	12	19	8	39	18
REGISTRATION STATES.																
California.....	1,144				34			2	441	1	42	3	3	3	3	1
Colorado.....	162	1			3	9			56		38		3		3	
Connecticut.....	135								69		29					1
Illinois.....	2,406				37	19		8	829		36	4	7	4	5	
Indiana.....	352		1			4			181		8	1		1		
Kansas.....	1,512	1			65	9		8	342	1	22	1	2	1	3	
Kentucky.....	1,295	2	3		69	3			586	2	23	6	3	1	1	2
Louisiana.....	162							1	97	1	1					
Maine.....	119	1			2	1			42	1	3	1				
Maryland.....	1,505	4			20	4		2	732		28	4		2	3	
Massachusetts.....	1,595				15	2		10	421	1	31	2	2	1	7	2
Michigan.....	1,027	2			18	2			343	3	21				2	3
Minnesota.....	234				1	4			126		2				1	2
Missouri.....	373	1	1		4	15			130		11				1	2
Montana.....	38				1				28	1	2					
New Hampshire.....	28								19		2			1		
New Jersey.....	1,926				40	14		20	896	2	26	2	3	1	2	4
New York.....	2,908	6			30	11		31	922	2	138	8	3	3	10	6
North Carolina.....	661	2	1		52	2		2	76	1	63			1		
Ohio.....	1,576	2			25	9		3	966	1	34		1	3	2	
Oregon.....	109				5				36		1					
Pennsylvania.....	891	6			4			4	466		20	2	2	2	1	1
Rhode Island.....	20							2			2					
South Carolina.....	1,535	5	2		63	4			341	1	32	1	2	1	1	4
Tennessee.....	65							25			9					
Utah.....	40							20								
Vermont.....	62							44		1						
Virginia.....	2,669	5	2	1	39	1		1	1,633	4	73	4		2	1	4
Washington.....	806				30	21		3	260		26	3	1	2	2	2
Wisconsin.....	85				2	2		1	22		8		1			

¹ Including District of Columbia.

MORTALITY STATISTICS.

TABLE 2.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND REGISTRATION STATES, FROM IMPORTANT CAUSES OF DEATH: 1918—Continued.

[Numbers under causes of death correspond to those of the abridged International List (see p. 19).]

AREA.	DEATHS FROM—														
	Menin-	Cere-	Organic	Bron-	Pneu-	Other	Appen-	Hernia,	Cir-	Acute	Con-	Violent	Suicide,	All	Un-
	gitis.	bral	diseases	chitis.	monia	respira-	pendicitis	intestinal	rhosis	nephritis	genital	deaths		other	known
	17	18	19	20, 21	22, (23)	(23)	26	27	28	29	33	35	36	(37)	38
SUMMARY.															
The registration area (exclusive of Hawaii).	564	43	154	23	10,386	335	179	32	14	151	1	1,048	292	717	22
Registration states ¹ .	559	41	151	23	10,301	333	177	31	14	150	1	1,007	287	705	21
Cities in registration states ¹ .	141	17	68	18	2,601	109	72	17	10	63	-----	367	138	284	6
Rural part of registration states.	418	24	83	5	7,700	224	105	14	4	87	1	640	149	421	15
Registration cities in nonregistration states.	5	2	3	-----	85	2	2	1	-----	1	-----	41	5	12	1
All registration cities ¹ .	146	19	71	18	2,686	111	74	18	10	64	-----	408	143	296	7
REGISTRATION STATES.															
California.	22	5	9	-----	342	14	16	2	2	9	-----	111	38	41	-----
Colorado.	-----	-----	1	-----	42	-----	3	-----	-----	-----	-----	1	2	-----	-----
Connecticut.	3	-----	2	-----	17	1	1	-----	-----	-----	-----	7	1	4	-----
Illinois.	52	1	5	-----	1,243	24	14	2	1	6	-----	56	13	39	1
Indiana.	2	1	3	-----	122	3	-----	-----	-----	3	-----	10	5	7	-----
Kansas.	33	1	4	-----	911	27	7	1	-----	7	-----	23	7	34	2
Kentucky.	40	-----	7	1	441	34	5	1	-----	5	-----	17	11	36	3
Louisiana.	2	-----	-----	-----	26	-----	1	-----	-----	2	-----	18	5	3	-----
Maine.	2	-----	1	-----	49	4	1	-----	-----	3	-----	5	3	3	-----
Maryland.	34	3	5	-----	563	5	5	1	-----	3	1	54	10	21	1
Massachusetts.	23	1	11	-----	919	21	9	1	1	8	-----	52	18	36	1
Michigan.	7	1	5	2	516	17	11	1	1	2	-----	45	5	21	1
Minnesota.	1	-----	5	-----	74	1	2	-----	-----	2	-----	8	2	4	-----
Missouri.	7	1	6	-----	139	2	3	-----	-----	3	-----	25	9	13	-----
Montana.	-----	-----	1	-----	3	-----	-----	-----	-----	1	-----	1	1	1	-----
New Hampshire.	-----	-----	-----	-----	3	-----	-----	-----	-----	-----	3	-----	-----	-----	-----
New Jersey.	30	3	7	2	704	18	10	3	1	7	-----	73	12	45	1
New York.	35	6	32	2	1,302	23	30	7	4	31	-----	137	30	97	2
North Carolina.	20	2	6	14	365	3	8	1	-----	5	-----	16	8	11	2
Ohio.	6	-----	6	-----	369	16	6	3	-----	7	-----	52	19	46	-----
Oregon.	3	-----	-----	-----	49	-----	-----	-----	-----	-----	10	2	3	-----	-----
Pennsylvania.	7	2	1	-----	280	7	7	-----	-----	10	-----	33	11	24	1
Rhode Island.	-----	-----	-----	-----	4	1	-----	-----	1	-----	7	2	1	-----	-----
South Carolina.	93	4	5	1	834	31	15	1	1	16	-----	61	15	49	2
Tennessee.	2	-----	1	-----	6	-----	-----	-----	1	-----	20	1	-----	-----	-----
Utah.	-----	-----	1	-----	14	3	-----	-----	-----	-----	3	1	1	1	-----
Vermont.	-----	-----	-----	-----	11	-----	-----	-----	-----	-----	3	2	1	1	-----
Virginia.	102	6	14	-----	521	55	9	3	1	12	-----	84	26	63	3
Washington.	24	1	6	-----	307	7	6	2	1	5	-----	50	17	31	1
Wisconsin.	-----	-----	-----	-----	30	-----	1	-----	-----	-----	7	5	4	-----	-----

¹ Including District of Columbia.

TABLE 3.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), FROM EACH CAUSE AND CLASS OF CAUSES: 1918.

Detailed Int. List No.	CAUSE OF DEATH.	Number of deaths.	Detailed Int. List No.	CAUSE OF DEATH.	Number of deaths.	Detailed Int. List No.	CAUSE OF DEATH.	Number of deaths.
	All causes.....	26,209		III.—Diseases of the circulatory system.....	240		VIII.—Diseases of the skin and of the cellular tissue.....	26
	I.—General diseases.....	12,452	77	Pericarditis.....	7	142	Gangrene.....	3
1	Typhoid fever.....	43	78	Acute endocarditis.....	38	143	Furuncle.....	7
4	Malaria.....	10	79	Organic diseases of the heart.....	154	144	Abscess.....	15
5	Smallpox.....	1	80	Angina pectoris.....	6	145	Other diseases of the skin and annexa.....	1
6	Measles.....	583	81	Diseases of the arteries, atheroma, aneurism, etc.....	14		IX.—Diseases of the bones and of the organs of locomotion.....	66
7	Scarlet fever.....	145	82	Embolism and thrombosis.....	14		Diseases of the bones (tuberculosis excepted).....	62
9	Diphtheria and croup.....	97	83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	1	146	Diseases of the joints (tuberculosis and rheumatism excepted).....	3
10	Influenza.....	10,391	83	Diseases of the lymphatic system (lymphangitis, etc.).....	4	147	Other diseases of the organs of locomotion.....	1
14	Dysentery.....	5	84	Hemorrhage; other diseases of the circulatory system.....	2	149	X.—Malformations.....	1
18	Erysipelas.....	21		IV.—Diseases of the respiratory system.....	10,744		Congenital malformations (total).....	1
19	Other epidemic diseases.....	23		Diseases of the nasal fossae.....	2	150	Congenital malformations of the heart.....	1
20	Purulent infection and septicemia.....	22		Diseases of the larynx.....	4		XIII.—External causes.....	1,340
22	Anthrax.....	9		Diseases of the thyroid body.....	1		Suicide (total).....	292
24	Tetanus.....	5		Acute bronchitis.....	19	155	By poison.....	40
25	Mycoses.....	1		Chronic bronchitis.....	4	156	By asphyxia.....	14
	Tuberculosis (total).....	838	86	Bronchopneumonia.....	2,299	157	By hanging or strangulation.....	40
28	Tuberculosis of the lungs.....	667	87	Pneumonia (total).....	8,117	158	By drowning.....	7
29	Acute miliary tuberculosis.....	96	88	Lobar pneumonia.....	7,821	159	By firearms.....	132
30	Tuberculous meningitis.....	36	88	Pneumonia (undefined).....	296	160	By cutting or piercing instruments.....	47
31	Abdominal tuberculosis.....	20	89	Pleurisy.....	311	161	By jumping from high places.....	4
32	Pott's disease.....	2	90	Pulmonary congestion, pulmonary apoplexy.....	5	162	By crushing.....	6
33	White swellings.....	3	91	Gangrene of the lung.....	5	163	Other suicides.....	2
34	Tuberculosis of other organs.....	10	92	Asthma.....	1	164	Accidental or undefined (total).....	996
35	Disseminated tuberculosis.....	2		Other diseases of the respiratory system (tuberculosis excepted).....	6	165	Poisoning by food.....	2
37	Syphilis.....	82	93	V.—Diseases of the digestive system.....	391	166	Other acute poisonings.....	30
38	Gonococcus infection.....	7	94	Diseases of the mouth and annexa.....	1	167	Conflagration.....	4
	Cancer and other malignant tumors (total).....	58	95	Diseases of the pharynx.....	25	168	Burns (conflagration excepted).....	21
39	Of the buccal cavity.....	3	96	Ulcer of the stomach.....	25	169	Absorption of deleterious gases (conflagration excepted).....	33
40	Of the stomach, liver.....	17	96	Other diseases of the stomach (cancer excepted).....	103	170	Accidental drowning.....	169
41	Of the peritoneum, intestines, rectum.....	12	96	Diarrhea and enteritis.....	5	171	Traumatism by firearms.....	108
44	Of the skin.....	1	96	Appendicitis and typhlitis.....	105	172	Traumatism by cutting or piercing instruments.....	5
45	Of other organs or of organs not specified.....	25	98	Hernia; intestinal obstruction (total).....	179	173	Traumatism by fall.....	57
46	Other tumors.....	1		Hernia.....	32	174	Traumatism by machines.....	11
	II.—Diseases of the nervous system and of the organs of special sense.....	750		Intestinal obstruction.....	16	175	Traumatism by other crushing (total).....	416
60	Encephalitis.....	10		Other diseases of the intestines.....	11		Railroad accidents and injuries.....	119
61	Meningitis (total).....	564		Acute yellow atrophy of the liver.....	3		Street-car accidents and injuries.....	40
	Simple meningitis.....	60		Cirrhosis of the liver.....	14		Automobile accidents and injuries.....	101
	Cerebrospinal meningitis (undefined).....	60		Biliary calculi.....	4		Injuries by other vehicles.....	39
	Cerebrospinal fever.....	96		Other diseases of the liver.....	20		Landslide, other crushing.....	16
63	Other diseases of the spinal cord (total).....	408		Diseases of the spleen.....	1		Airplane accidents and injuries.....	101
	Acute anterior poliomyelitis.....	16		Simple peritonitis.....	42	176	Injuries by animals.....	6
	Other diseases of the spinal cord ¹	2		Other diseases of the digestive system (cancer and tuberculosis excepted).....	2	178	Excessive cold.....	2
64	Cerebral hemorrhage, apoplexy.....	43	119	Acute nephritis.....	179	179	Effects of heat.....	10
66	Paralysis without specified cause.....	3	120	Bright's disease.....	120	180	Lightning.....	5
67	General paralysis of the insane.....	35	122	Other diseases of the kidneys and annexa.....	123	181	Electricity (lightning excepted).....	6
68	Other forms of mental alienation.....	15	123	Calculi of the urinary passages.....	124	182	Fractures (cause not specified).....	33
69	Epilepsy.....	15	123	Diseases of the bladder.....	124	183	Other external violence.....	78
70	Convulsions.....	1	124	Diseases of the urethra, urinary abscess, etc.....	125	184	Homicide (total).....	52
73	Neuralgia and neuritis.....	1	125	Diseases of the prostate.....	126	185	By firearms.....	38
74	Other diseases of the nervous system.....	10				186	By cutting or piercing instruments.....	2
76	Diseases of the ears.....	37	126			187	By other means.....	12

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 4.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE TERRITORY OF HAWAII, BY COLOR AND AGE OF DECEASED: 1918.

AGE PERIOD.	DEATHS IN THE TERRITORY OF HAWAII.			AGE PERIOD.	DEATHS IN THE TERRITORY OF HAWAII.		
	Total.	White.	Colored		Total.	White.	Colored
All ages.....	68	7	61	35 to 39 years.....	1		1
15 to 19 years.....	2		2	40 to 44 years.....	2		2
20 to 24 years.....	27	2	25	45 to 49 years.....	1		1
25 to 29 years.....	22	3	19	50 to 54 years.....	1		1
30 to 34 years.....	10		10	55 to 59 years.....	1		1
				60 to 64 years.....	1		1

TABLE 5.—DEATHS OF SOLDIERS, SAILORS, AND MARINES IN THE TERRITORY OF HAWAII, FROM EACH CAUSE AND CLASS OF CAUSES: 1918.

[The numbers in parentheses after causes of death correspond to those of the abridged International List (see p. 19).]

Detailed Int. List No.	CAUSE OF DEATH.	Deaths in the Territory of Hawaii.	Detailed Int. List No.	CAUSE OF DEATH.	Deaths in the Territory of Hawaii.	Detailed Int. List No.	CAUSE OF DEATH.	Deaths in the Territory of Hawaii.
	All causes.....	68		IV.—Diseases of the respiratory system.....	17		XIII.—External causes.....	23
	I.—General diseases.....	14		Pneumonia (total) (22).....	16	155	Suicide (total) (36).....	2
6	Measles (5).....	1	92	Lobar pneumonia.....	16	159	By poison.....	1
10	Influenza (9).....	4	93	Pleurisy (23).....	1		By firearms.....	1
22	Anthrax (37).....	1		V.—Diseases of the digestive system.....	7	165	Violent deaths (suicide excepted) (35).....	21
28	Tuberculosis (total).....	8		Diseases of the mouth and annexa (37).....	1	169	Accidental or undefined (total).....	16
	Tuberculosis of the lungs (13).....	8		Diarrhea and enteritis (37).....	1	170	Other acute poisonings.....	1
				Appendicitis and typhlitis (26).....	1	172	Accidental drowning.....	3
61	II.—Diseases of the nervous system and of the organs of special sense.....	99		Cirrhosis of the liver (28).....	3	175	Traumatism by firearms.....	2
	Meningitis (total) (17).....	2	105	Biliary calculi (37).....	1		Traumatism by fall.....	3
	Cerebrospinal fever.....	2	108				Traumatism by other crushing (total).....	5
		2	113				Railroad accidents and injuries.....	
	III.—Diseases of the circulatory system.....	2	114				Automobile accidents and injuries.....	1
80	Angina pectoris (37).....	1	119	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	3	186	Airplane accidents and injuries.....	3
81	Diseases of the arteries, atheroma, aneurism, etc. (37).....	1	120	Acute nephritis and Bright's disease (39).....	3	182	Other external violence.....	1
		1	119	Acute nephritis.....	1	183	Homicide (total).....	2
		1	120	Bright's disease.....	2	184	By firearms.....	5
							By cutting or piercing instruments.....	2
							By other means.....	1

MORTALITY STATISTICS.

ADDITIONAL DEATHS, BY SEX, AGE, AND

NOTE.—This table is based upon 3,403 transcripts of death certificates which were received too late to be included in the text and general tables, and 72 others from 1,478,795, leaving the death rate unchanged at 18 per 1,000 population. These additional decedents numbered 2,768 whites and 707 colored.

ALL DEATHS AND AGES.	TOTAL DEATHS.		CALIFORNIA.		CONNECTICUT.		ILLINOIS.		KANSAS.		KENTUCKY.		LOUISIANA.		MAINE.		MASSACHUSETTS.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1 All causes.....	1,1972	1,502	1	1	636	261	14	7	174	187	260	235	7	10	21	23		
2 Typhoid fever (1).....	18	19			2	3	1		2	3	5	4						
3 Malaria (4).....	8	6			4	1			2		3	5						
4 Measles (6).....	7	7			1	2			3	3	1	1						1
5 Scarlet fever (7).....	3	3																
6 Whooping cough (8).....	11	14																
7 Diphtheria and croup (9).....	5	9			1	2			2	1	1	1						
8 Influenza (10).....	708	457	1		332	70	5	1	66	68	97	98	3	1	2			
9 Cholera nostras (13).....	1	1			1	1			4	1	2	2						
10 Dysentery (14).....	12	9																
11 Erysipelas (18).....	1	2																
12 Other epidemic diseases (3-11, 15, 16, 17-19).....	1																1	
13 Tetanus (24).....	4																	
14 Tuberculosis of the lungs (28, 29).....	97	97			16	10			1	12	15	21	13	1	1	2		
15 Tuberculous meningitis (30).....	3				3					2	2							
16 Other forms of tuberculosis (31-35).....	8	4																
17 Syphilis (37).....	9	6			5	2				1	1		2					
18 Cancer and other malignant tumors (39-45).....	42	58			9	14	1		6	9	2	5	1	1	1	1		
19 Meningitis (61).....	6	6			3	1				3	2							
20 Cerebral hemorrhage and softening (64, 65).....	52	41			9	6				7	1							2
21 Organic diseases of the heart (79).....	101	93			28	26	1	2	5	6	11	8	1	3				
22 Acute bronchitis (89).....	4	3			1					1								1
23 Chronic bronchitis (90).....	3				2													
24 Pneumonia (92).....	177	132			46	30	1	1	17	32	23	1						
25 Bronchopneumonia (91).....	58	39			24	11			3	3	2		1	1				
26 Other diseases of the respiratory system (86-88, 98-98).....	13	8			3	1				1	3							
27 Diseases of the stomach (102, 103).....	10	8			1					3	4	3						
28 Diarrhea and enteritis (under 2 years) (104).....	44	38			13	10			4	3	3	5						1
29 Diarrhea and enteritis (2 years and over) (105).....	13	9			4		1		1	3	1	1						
30 Appendicitis and typhlitis (108).....	9	8			1					1		1						1
31 Hernia, intestinal obstruction (109).....	7	5			1	2												1
32 Cirrhosis of the liver (113).....	9				5													
33 Acute nephritis and Bright's disease (119, 120).....	63	51			25	10	2		3	3	5	8						2
34 Diseases of the female genital organs (128-132).....	2				1		1											
35 Puerperal septicemia (137).....	7				6					3		2						
36 Other puerperal affections (134-136, 138-141).....	51									5		5						8
37 Congenital malformations (150).....	4	10								1	1	2						
38 Premature birth (151A).....	36	43			8	10			3	4	8	2						2
39 Congenital debility (151B, 152B, 153).....	27	8			5				2	1	4	3						
40 Injuries at birth (152A).....	8	1			2	1	1		2	2	2	5						1
41 Senility (154).....	15	27			2	1	1											
42 Violent deaths (suicide excepted) (164-186).....	182	51			94	22			10	4	16	4	4	2	2	1		
43 Suicide (155-163).....	24	4			11	2	1		9	12	14	1	19	1		1		
44 Unknown or ill-defined diseases (187, 188, 189).....	63	78			3	2			9	12	14	1						
45 All other causes.....	106	87			19	12		1	11	4	9	11	1	3	2			
46 All ages.....	1,1972	1,502	1	1	636	261	14	7	174	187	260	235	7	10	21	23		
47 Under 1 year.....	231	189			52	35	1		23	25	38	22					7	1
48 1 year.....	69	54			8	7			13	11	5	5					1	
49 2 years.....	45	37			7	4			11	5	7	7					1	1
50 3 years.....	21	33			8	7	1		5	6	3	3					1	
51 4 years.....	15	22			6	7			2	6	2	3						
52 Under 5 years.....	381	335			81	60	1	1	54	53	55	40				1	9	2
53 5 to 9 years.....	65	70			9	18	1		10	7	13	12						
54 10 to 14 years.....	44	50			8	6	1		8	6	11	8					1	
55 15 to 19 years.....	118	76			50	12			17	11	11	14	2				3	
56 20 to 24 years.....	242	129			170	17	2		13	17	22	26				2	1	3
57 25 to 29 years.....	175	148	1		68	38	2		7	17	19	28				1	1	5
58 30 to 34 years.....	140	107			53	13	2	1	8	11	17	19				1		4
59 35 to 39 years.....	115	80			28	11	1		10	13	24	20						
60 40 to 44 years.....	81	51			38	10	1		5	5	12	9						
61 45 to 49 years.....	89	60			41	14			6	6	13	12	1				2	
62 50 to 54 years.....	64	43			24	9		1	4	3	7	2					1	
63 55 to 59 years.....	81	48			28	8			2	3	12	8						
64 60 to 64 years.....	94	39			29	6	2		6	5	8	7	1				3	
65 65 to 69 years.....	75	53			29	10	1		4	5	7	4				1		1
66 70 to 74 years.....	76	62			13	10	1		12	9	9	11					1	
67 75 to 79 years.....	53	53			5	6		3	5	3	7	5				2		1
68 80 to 84 years.....	27	45			2	5			4	5	2	4						
69 85 to 89 years.....	18	21			1	4	1		2	1	4	1				2	1	
70 90 to 94 years.....	6	10			2	3							1					
71 95 to 99 years.....	2	3																
72 100 years and over.....	2	4																
73 Unknown age.....	26	15			6	1			2	7	7	3	1					

¹ Exclusive of one Chinese, aged 52, who died by violence in Hawaii.

ADDITIONAL DEATHS.

597

PRINCIPAL CAUSES, FOR SEVERAL STATES: 1918.

Wilson County, N. C., which, owing to an oversight, were not included. The corrected total number of deaths in the registration area (including Hawaii) is, therefore, and included 265 soldiers. The numbers in parentheses after causes of death correspond to those of the detailed International List (see p. 19).

MICHIGAN.		MINNE-SOTA.		MISSOURI.		MONTANA.		NEW YORK.		NORTH CAROLINA.		OREGON.		SOUTH CAROLINA.		UTAH.		VIRGINIA.		WASHINGTON.		WISCONSIN.		
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
94	81	21	17	41	41	91	67	164	131	192	227	18	18	12	23	22	16	85	98	5	7	62	52	
1	1			1		1		1		4						1	2	1	1			2	3	
1				2				1		5		2						1	1			4	5	
17	21	3	4	16	18	16	20	32	32	53	46	6	2	4	7	4	4	27	33	1	1	27	27	
	1					1				5	4									1		11	12	
4	4	2	3			1	1	3	13	2	7	14	20		1	3			4	11		5	6	
								1			2	1						1				13	14	
3	3		1			2		5	3	1	8	1	4	3	3			1	1	4	2	L	3	
9	5	1	2			3		3	8	8	9	5		2	1		1	1	1	1	2	1	20	19
9	8	1	1			1	5	3	17	8	6	16		1		1	3		9	7		2	3	1
1	1									2													22	
8	6	2	2	8	6	15	3	28	18	8	8	11	1	2	2	3		1	4	4		8	4	
1	4	1	2	3	1	2	1	11	7	3	4	11	1	2	2	3		1	4	4		2	25	
1	1					1		3		1		1		1			1	2	1	1	1	1		
12	1					1	2			1	15	11				1		2	1	3	3		1	
						3				1	1	3				1							27	
3	1		1			2		1		1	1	1					1	2					29	
15	4	1		4		1	4	3	4	8	10	8				2		1		1	1		32	
																							33	
3								1	2	8	7												34	
																							35	
																							36	
1	3	1				1	1	2	1	1	3	2	11	2	1			1	1	3	1	1	37	
3	3	1				2		3		1	1	1						1	2			1	38	
						2		1		1	1	1										1	39	
1	5	4	1			4		4	3	4	8	10	8				2		1		1	1		40
																							41	
5	1	2		4		15	2	15	1	5	7	1				1	2	2	3	4	2		42	
2	1	1				2		7		22	34	2				3			7	7			43	
12	8	1	1	3	7	6	6	10	11	12	11	2	1			2	1	1	11	5		6	3	
94	81	21	17	41	41	91	67	164	131	192	227	18	18	12	23	22	16	85	98	5	7	62	52	
9	8	7	2	5	3	9	11	12	6	38	47	2	3	1	3	4	2	14	15	1	9	4	47	
4	3	1	1	3	2	1	1	1	6	18	12				2	1	1	4	1	1	2	1	48	
2	2			1	1	1	2	1	3	8	8				3		2	2	2	2	1	1	49	
1	1					1			1	7	7					1	2	2	2	2	1	1	50	
									2	17	10					2	2	2	2	2	1		51	
16	15	8	3	10	9	12	15	21	13	67	76	2	3	1	8	4	3	25	25	1	1	13	7	
5	2	1	1	1	1	2	2	3	3	7	8	1	1	1	1	2	2	4	4	1	1	52		
1	3			3	1	1	1	1	3	10	10	1	1	1	1	2	2	3	3	1	1	4	53	
3	6	1	2	3	1	1	2	2	8	16	10	1	1	1	1	2	2	3	5	5	1	1	54	
5	5	1	2	4	3	2	5	8	12	4	17	1	3	3	1	2	5	7	1	1	4	9	55	
4	7	3	6	5	5	13	5	23	12	16	16	7	1	1	1	1	1	9	8		1	5	56	
6	6	1	4	2	5	7	11	19	10	10	7	5	1	2	3	1	2	2	6	6		1	57	
3	2	2		3	1	10	5	11	7	9	12	9	1	1	1	2	2	3	4	1	1	3	58	
4	3	2		1	1	7	1	14	3	10	10	5	1	1	1	2	2	3	4	1	1	2	59	
4	3	2		1	1	6	9	6	6	4	9	4	6	1	1	1	1	2	3	4	1	2	60	
4	4	1	2	10	4	7	9	6	10	10	7	5	1	2	3	1	1	2	1	1	3	2	61	
4	7	1	2	6	7	1	11	6	9	3	3	2	1	1	1	1	1	2	1	1	3	1	62	
4	3	1	2	6	6	7	1	11	6	9	3	3	2	1	1	1	1	2	1	1	3	1	63	
9	5	1	1	4	3	4	4	12	7	8	2	1	1	1	1	1	1	4	4	1	1	64		
10	3	1	1	2	1	1	4	3	10	6	10	2	1	1	1	1	1	4	4	2	1	1	65	
8	7					4	2	9	7	6	12	1	1	1	1	2	1	2	2	2	1	1	66	
3	3			4		1	4	3	4	8	2				2	4	3	7	1	1	1	1	67	
2	3			1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	68	
2	2					1			1	1	1	1	1	1	1	1	1	1	1	1	1	1	69	
1						1			2	2						1		1	1	1	1	1	70	
									2	2						1		1	1	1	1	1	71	
									2	2						1		1	1	1	1	1	72	
									2	2						1		1	1	1	1	1	73	

INDEX.

- Abdominal tuberculosis, deaths from, 114, as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.
- Abscess, acute, deaths from, 116, as contributory cause, 80, 82, 84; by age, 264, 296; by color, 276, 288; by sex, 264; in cities and rural districts, 238.
- Absorption of deleterious gases (conflagration excepted), deaths from, 117, as contributory cause, 86, 88, 90; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
- Accidental or undefined causes, deaths from, 117, as contributory cause, 86, 88, 90; by age, 268, 296, by color, 280, 292; by sex, 268; in cities and rural districts, 238.
- Accidents and injuries, automobile, railroad, and street-car, deaths from, 45, 117, as contributory cause, 86, 88, 90; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
- Addison's disease, deaths from, 114, as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Age, deaths by, 11, 144, 170, 258, 294, 432.
- Alcoholism (acute or chronic), deaths from, 114, as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Amputations, deaths from, 116, as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.
- Anemia, chlorosis, deaths from, 114, as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Aneurism. *See Arteries, diseases of, etc.*
- Angina pectoris, deaths from, 115, as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Ankylostomiasis, deaths from, 115, as contributory cause, 69, 71, 73; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Anthrax, deaths from, 35, 114; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.
- Apoplexy. *See Cerebral hemorrhage, etc.*
- Appendicitis and typhilitis, deaths from, 115, as contributory cause, 69, 71, 73; by age, 264, 295; by color, 207, 276, 288; by sex, 264; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.
— death rate, 119.
- Arteries, diseases of, atheroma, aneurism, etc., deaths from, 115, as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Asiatic cholera, deaths from, 114; by age and sex, 258; by color, 270, 282; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.
- Asthma, deaths from, 115, as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Atheroma. *See Arteries, diseases of, etc.*
- Atrophy. *See Congenital debility, etc.*
- Australian Commonwealth, death rates of, 15, 17.
- Austria, death rates of, 15.
- Automobile accidents and injuries, 45. *See also Accidents, etc.*
- Belgium, death rates of, 15.
- Beriberi, deaths from, 114; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.
- Biliary calculi, deaths from, 115; as contributory cause, 69, 71, 73; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.
- Bladder, diseases of, deaths from, 116; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.
- Bones, diseases of (tuberculosis excepted), deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.
- Bones and organs of locomotion, diseases of, deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.
- Breast, nonpuerperal diseases of (cancer excepted), deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.
- Breast, puerperal diseases of, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.
- Bright's disease and nephritis, deaths from, 116; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 207, 276, 288; by sex, 264; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.
— death rate, 20, 43, 119.
- Bronchitis (acute and chronic), deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 207, 274, 286; by days, weeks, and months, 521; by month of death, 483; by sex, 262; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.
- Broncho-pneumonia, deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by days, weeks, and months, 521; by month of death, 483; by sex, 262; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.
- Bulgaria, death rates of, 15.
- Burns (conflagration excepted), deaths from, 117; as contributory cause, 81, 83, 85; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
- Calculi of the urinary passages, deaths from, 116; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.
- Cancer and other malignant tumors, deaths from, 39, 114; as contributory cause, 56, 58, 60; by age, 260, 294; by color, 207, 272, 284; by sex, 260; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.
— death rate, 20, 39, 118.
- Cause of death, 19, 114; by age, 258, 294; by color, 206, 270, 282; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.
— death rate, 20, 114, 118.
- Cellular tissue, diseases of. *See Skin, etc.*
- Cerebral hemorrhage, apoplexy, deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
— death rate, 20.
- Cerebral hemorrhage and softening, deaths from, 115, as contributory cause, 62, 64, 66; by age, 294; by color, 207; in each city of 100,000 population or over in 1910, 432.
— death rate, 119. *See also Softening of the brain.*
- Cerebrospinal fever, deaths from, 114, as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Cerebrospinal meningitis (undefined), deaths from, 114, as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Ceylon, death rates of, 15.
- Childbirth, deaths following, 116, as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.
- Children. *See Infancy, etc.*
- Chile, death rates of, 15.
- Chinese population, deaths of, 13; by age, 170; by sex, 11, 170.
- Chlorosis. *See Anemia, etc.*
- Cholera. *See Asiatic cholera.*
- Cholera nostras, deaths from, 114, as contributory cause, 50, 52, 54; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.
- Chorea, deaths from, 115, as contributory cause, 63, 65, 67; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Chyluria, deaths from, 116; by age, 264; by color, 276, 288; by sex, 264; in cities and rural districts, 237.
- Circulatory system, diseases of, deaths from, 115; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Cirrhosis of the liver, deaths from, 115, as contributory cause, 69, 71, 73; by age, 264, 295; by color, 207, 276, 288; by sex, 264; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.
— death rate, 119.

INDEX.

- Cities in registration states, deaths in, 94; by age, 144, 172; by cause, 206, 236; by color, 13, 133, 144, 172, 206; by days, weeks, and months, 521; by month of death, 123, 483; by nativity, 133, 172; by sex, 172.
See also Registration cities.
- Cities of 100,000 population or over in 1910, deaths in, by age, 432; by cause, 432; by days, weeks, and months, 521; by month of death, 483.
- Cities with considerable colored population, death rate of, 13.
- Cold, excessive, deaths from, 117; as contributory cause, 87, 89, 91; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
- Color, deaths by, 11, 133, 144, 170, 206.
- Colored population, deaths of, 13, 94, 133; by age, 144, 170, 282; by cause, 206, 282; by sex, 11, 282; in cities and rural districts, 94.
— death rate, 12.
- Conflagration, deaths from, 117; as contributory cause, 81, 83, 85; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
- Congenital debility, deaths from, by days, weeks, and months, 521; by month of death, 483.
- Congenital debility, "atrophy," "marasmus," etc., deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.
- Congenital debility, icterus, and sclerema, deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.
- Congenital debility and malformations, deaths from, by color, 207; in each city of 100,000 population or over in 1910, 432.
— death rate, 119.
- Congenital malformations (stillbirths not included), deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.
- Congenital malformations of the heart, deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.
- Contributory causes, 50-91.
- Convulsions (nonpuerperal), deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Convulsions (puerperal). *See* Puerperal albuminuria, etc.
- Convulsions of infants, deaths from, 115; as contributory cause, 63, 65, 67; by age, 260, 294; by color, 272, 284; by days, weeks, and months, 521; by sex, 260; in cities and rural districts, 236.
- Croup. *See* Diphtheria, etc.
- Crushing. *See* Landslide, etc.
- Cysts and other tumors of the ovary, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.
- Death rates, 12; by cause, 20, 114, 118; in foreign countries, 15; Australia, England and Wales, 17.
- Deaths, by age, 11, 144, 170, 258, 294; by cause, 114, 206, 236, 258, 294; by color, 11, 133, 144, 170, 206; by days, weeks, and months, 521; by month of death, 123, 483; by nativity, 11, 133, 170; by sex, 11, 170, 258; in cities and rural districts, 94, 236; in each city of 100,000 population or over in 1910, 432.
- Denmark, death rates of, 15.
- Diabetes, deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 207, 272, 284; by sex, 260; in cities and rural districts, 236.
— death rate, 119.
- Diarrhea and enteritis (under 2 years), deaths from, 42, 115; as contributory cause, 69, 71, 73; by age, 262, 295; by color, 207, 274, 286; by days, weeks, and months, 521; by month of death, 483; by sex, 262; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.
— death rate, 20, 42, 119.
- Diarrhea and enteritis (2 years and over), deaths from, 115; by age, 262, 295; by color, 274, 286; by month of death, 483; by sex, 262; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.
- Digestive system, diseases of, deaths from, 115; as contributory cause, 74, 76, 78; by age, 262, 295; by color, 274, 276, 286, 288; by sex, 262; in cities and rural districts, 237.
- Diphtheria and croup, deaths from 26, 114; as contributory cause, 50, 52, 54; by age, 258, 294; by color, 206, 270, 282; by days, weeks, and months, 521; by month of death, 483; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.
— death rate, 20, 118.
- Disseminated tuberculosis, deaths from, 114; as contributory cause, 56, 58, 60; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.
- Drowning, accidental, deaths from, 117; as contributory cause, 86, 88, 90; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
- Dysentery, deaths from, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by days, weeks, and months, by sex, 258; in cities and rural districts, 236.
- Ears, diseases of, deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 294; by color, 274, 286; by sex, 262; in cities and rural districts, 236.
- Electricity (lightning excepted), deaths from, 117; as contributory cause, 87, 89, 91; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
- EMBOLISM AND THROMBOSIS, deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Embolus. *See* Puerperal phlegmasia alba dolens, etc.
- Encephalitis, deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Endocarditis, acute, deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 235.
— death rate, 20.
- England and Wales, death rates of, 15, 17.
- Enteritis. *See* Diarrhea, etc.
- Epidemic diseases, deaths from, 34, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.
- Epilepsy, deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Erysipelas, deaths from, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 206, 270, 282; by days, weeks, and months, 521; by sex, 258; in cities and rural districts, 236.
— death rate, 17, 118.
- Esophagus, diseases of, deaths from, 115; as contributory cause, 69, 71, 73; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Exophthalmic goiter, deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- External causes, deaths from, 116; as contributory cause, 87, 89, 91; by age, 266, 296; by color, 280, 292; by days, weeks, and months, 521; by sex, 266; in cities and rural districts, 238.
- Eyes and their annexa, diseases of, deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 294; by color, 274, 286; by sex, 262; in cities and rural districts, 236.
- Female genital organs, diseases of. *See* Salpingitis, etc.
- Finland, death rates of, 15.
- Foreign countries, death rates of, 15.
- Foreign-born white population, deaths of, 133; by age, 170; by sex, 11, 170.
- Fractures, deaths from, 117; as contributory cause, 87, 89, 91; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
- France, death rates of, 15.
- Furuncle, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 296; by color, 276, 288; by sex, 264; in cities and rural districts, 238.
- Gangrene, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 296; by color, 276, 288; by sex, 264; in cities and rural districts, 238.
- Gangrene of the lung, deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- General diseases, deaths from, 114; as contributory cause, 57, 59, 61; by age, 258, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Genito-urinary system and annexa, non-venereal diseases of, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.
- German Empire, death rates of, 15.
- Glanders, deaths from, 34, 114; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.
- Goiter. *See* Exophthalmic goiter.
- Gonococcus infection, deaths from, 114; as contributory cause, 56, 58, 60; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.
- Gout. *See* Rheumatism, chronic, etc.
- Hawaii, deaths in, and death rates of, 574.
- Heart, organic diseases of, deaths from, 41, 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 207, 274, 274, 286, 295; by days, weeks, and months, 521; by sex, 262; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.
— death rate, 41, 119.
- Heat, effects of, deaths from, 117; as contributory cause, 87, 89, 91; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
- Hemorrhage, other diseases of the circulatory system, deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

- Hemorrhoids. *See Veins, etc., diseases of, etc.*
- Hernia, deaths from, 115; as contributory cause, 69, 71, 73; by age, 264, 295; by color, 207, 276, 288; by sex, 264; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.
— death rate, 119.
- Homicide, deaths from, 117; as contributory cause, 87, 89, 91; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
- Hungary, death rates of, 15.
- Hydatid tumor of the liver, deaths from, 115; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.
- Hydrocephalus, deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.
- Icterus. *See Congenital debility, etc.*
- Ill-defined diseases, deaths from, 46, 117; by age, 268, 296; by color, 207, 280, 292; by days, weeks, and months, 521; by sex, 268; in cities and rural districts, 238; in each city of 100,000 population or over in 1910, 432.
— death rate, 119.
- Indian population, deaths of, 13; by age, 170; by sex, 11, 170.
- Infancy, early, deaths in, 47, 116; as contributory cause, 81, 83, 85; by age, 266, 296; by color, 278, 290; by days, weeks, and months, 521; by sex, 266; in cities and rural districts, 238.
- Infantile paralysis. *See Poliomyelitis, etc.*
- Influenza, deaths from, 27, 28, 32, 114; as contributory cause 50, 52, 54; by age, 258, 294; by color, 206, 270, 282; by days, weeks, and months, 521; by month of death, 483; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.
— death rate, 34, 118.
- Injuries. *See Accidents, etc.*
- Injuries at birth, deaths from, 116; as contributory cause, 81, 83, 85; by age, 266, 296; by color, 278, 290; by days, weeks, and months, 521; by sex, 266; in cities and rural districts, 238.
- Injuries by animals, deaths from, 117; as contributory cause, 87, 89, 91; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
- Intestinal obstruction, deaths from, 115; as contributory cause, 69, 71, 73; by age, 264, 295; by color, 207, 276, 288; by sex, 264; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.
— death rate, 119.
- Intestinal parasites, deaths from, 115; as contributory cause, 69, 71, 73; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.
- Intestines, diseases of, deaths from, 115, as contributory cause, 69, 71, 73; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.
- Ireland, death rates of, 15.
- Italy, death rates of, 15.
- Jamaica, death rates of, 15.
- Japan, death rates of, 15.
- Japanese population, deaths of, 13; by age, 170; by sex, 11, 170.
- Joints, diseases of (tuberculosis and rheumatism excepted), deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.
- Kidneys and annexa, diseases of, deaths from, 116; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.
- Lack of care, deaths from, 116; as contributory cause, 81, 83, 85; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.
- Landslide, other crushing, deaths from, 117; as contributory cause, 87, 89, 91; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
- Larynx, diseases of, deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Lead poisoning, chronic, deaths from 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Leprosy, deaths from, 114; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.
- Leukemia, deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Lightning, deaths from, 117; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
- Liver, diseases of, deaths from, 115; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.
See also Cirrhosis of the liver and Hydatid tumor of the liver.
- Lobar pneumonia, deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Locomotor ataxia, deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Lymphangitis. *See Lymphatic system, diseases of, etc.*
- Lymphatic system, diseases of (Lymphangitis, etc.), deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Malaria, deaths from, 23, 114; as contributory cause, 50, 52, 54; by age, 258, 294; by color, 206, 270, 282; by months of death, 483; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.
— death rate, 23, 118.
- Male genital organs, nonvenereal diseases of, deaths from, 116; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.
- Malformations, deaths from, 116; as contributory cause, 80, 82, 84; by age, 266, 296; by color, 278, 290; by days, weeks, and months, 521; by sex, 266; in cities and rural districts, 238.
- Meningitis, deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 207, 272, 284; by days, weeks, and months, 521; by month of death, 483; by sex, 260; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.
— death rate, 20, 24, 118.
- Mental alienation, deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Miliary fever, deaths from, 114; as contributory cause, 50, 52, 54; by age and sex, 258; by color, 270, 282; in cities and rural districts, 236.
- Miliary tuberculosis, acute, deaths from, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.
- Mouth and annexa, diseases of, deaths from, 115; as contributory cause, 69, 71, 73; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Mycoses, deaths from, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.
- Nasal fossae, diseases of, deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Native white population, deaths of, 133; by age, 170; by sex, 11, 170.
- Nativity, deaths by, 11, 133, 170.
- Negro population, deaths of, 133; by age, 170; by sex, 11, 170.
- Nephritis. *See Bright's disease, etc.*
- Nervous system and organs of special sense, diseases of, deaths from, 114; as contributory cause, 63, 65, 67; by age, 262, 294; by color, 274, 286; by sex, 262; in cities and rural districts, 236.
- Netherlands, death rates of, 15.
- Neuralgia and neuritis, deaths from, 115; as contributory cause, 63, 65, 67; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Neuritis. *See Neuralgia, etc.*
- New Zealand, death rates of, 15.
- Nonresidents, deaths of, 14.
- Norway, death rates of, 15.
- Occupation poisonings, chronic, deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Old age, deaths from, 116; as contributory cause, 81, 83, 85; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238.
- Ontario, Province of, death rates of, 15.
- Organs of locomotion, diseases of. *See Bones, etc.*
- Organs of special sense, diseases of. *See Nervous system, etc.*
- Paralysis of the insane, deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Paralysis without specified cause, deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Parent nativity, deaths by, 11, 133, 170.
- Pellagra, deaths from, 36, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.
- Pericarditis, deaths from 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Peritonitis, simple (nonpuerperal), deaths from, 115; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.
- Pharynx, diseases of, deaths from, 115; as contributory cause, 69, 71, 73; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Phlebitis. *See Veins, diseases of, etc.*
- Plague, deaths from, 114; by age, 258; by color, 270, 282; by sex, 258; in cities and rural districts, 236.
- Pleurisy, deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

INDEX.

- Pneumonia, deaths from, 27, 28, 32, 41, 115; by age, 30, 262, 295; by color, 207, 274, 286; by days, weeks, and months, 521; by month of death, 483; by sex, 262; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.
 — death rate, 20, 42, 119.
- Pneumonia (undefined), deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Poisoning by food, deaths from, 117; as contributory cause, 81, 83, 85; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
- Poisonings, acute, deaths from, 117; as contributory cause, 81, 83, 85; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
- Poisonings, chronic, deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Poliomyelitis, acute anterior (infantile paralysis), deaths from, 40, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Pott's disease, deaths from, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.
- Pregnancy, accidents of, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.
- Premature birth, deaths from, 116; as contributory cause, 80, 82, 84; by color, 278, 290; by days, weeks, and months, 521; by sex, 266; in cities and rural districts, 238.
- Prostate, diseases of, deaths from, 116; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.
- Prussia, death rates of, 15.
- Puerperal albuminuria and convulsions, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.
- Puerperal fever, deaths from, by color, 207; in each city of 100,000 population or over in 1910, 432.
 — death rate, 119.
- Puerperal hemorrhage, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.
- Puerperal phlegmasia, alba dolens, embolus, sudden death, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.
- Puerperal septicemia, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 207, 276, 288; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.
 — death rate, 119.
- Pulmonary apoplexy. *See* Pulmonary congestion, etc.
- Pulmonary congestion, pulmonary apoplexy, deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Pulmonary emphysema, deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Purulent infection and septicemia, deaths from, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.
- Rabies, deaths from, 36, 114; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.
- Railroad accidents and injuries. *See* Accidents, etc.
- Registration area, 9, 10; deaths in, 9, 94; by age, 11, 144, 170, 258, 294; by cause, 19, 114, 236, 258, 294; by color, 11, 13, 133, 144, 170, 206, 282; by days, weeks, and months, 521; by month of death, 123, 483; by nativity, 11, 133, 170; by sex, 11, 170, 258; population of, 10; states included in, 10.
 — death rate, 9, 17, 118.
- Registration cities, deaths in, 94, 96; by age, 146, 174; by cause, 208, 236; by color, 94, 146, 174, 208; by days, weeks, and months, 521; by month of death, 123, 483; by nativity, 133, 174; by sex, 174.
- Registration cities in nonregistration states, deaths in, 11, 94; by age, 146, 174; by cause, 206, 236; by color, 13, 144, 170, 176, 206; by days, weeks, and months, 521; by month of death, 123, 484; by nativity, 133, 174; by sex, 174.
- Registration states, 10; deaths in, 94; by age, 144, 297; by cause, 206, 236, 297; by color, 13, 144, 170, 176, 206; by days, weeks, and months, 521; by month of death, 123, 483; by nativity, 133, 176; by sex, 176.
 — death rate, 12, 118.
- Relapsing fever, deaths from, 114; as contributory cause, 50, 52, 54; by age, 258; by color, 270, 282; by sex, 258; in cities and rural districts, 236.
- Respiratory system, diseases of, deaths from, 115; as contributory cause, 69, 71, 73; by age, 262, 295; by color, 207, 274, 286; by sex, 262; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.
 — death rate, 119.
- Rheumatism, acute articular, deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 206, 272, 284; by sex, 260; in cities and rural districts, 236.
- Rheumatism, chronic, and gout, deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 206, 272, 284; by sex, 260; in cities and rural districts, 236.
 — death rate, 118.
- Rickets, deaths from, 114; as contributory cause, 56, 58, 60; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.
- Roumania, death rates of, 15.
- Rural part of registration states, deaths in, 94; by age, 144, 172; by cause, 206, 236; by color, 133, 144, 172, 206; by days, weeks, and months, 522; by month of death, 123, 483; by nativity, 133, 172; by sex, 172.
- Russia (European), death rates of, 15.
- Sailors. *See* Soldiers, sailors, and marines.
- Salpingitis and other diseases of the female genital organs, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.
- Scarlet fever, deaths from, 25, 114; as contributory cause, 50, 52, 54; by age, 258, 294; by color, 206, 270, 282; by days, weeks, and months, 521; by month of death, 483; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.
 — death rate, 20, 25, 118.
- Sclerema. *See* Congenital debility, etc.
- Scotland, death rates of, 15.
- Scurvy, deaths from, 114; as contributory cause, 57, 59, 61; by age, 250, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Senility, deaths from, 116; as contributory cause, 81, 83, 85; by age, 266, 296; by color, 278, 290; by sex, 266; in cities and rural districts, 238; in each city of 100,000 population or over in 1910, 432.
- Septicemia. *See* Puerperal septicemia and Purulent infection, etc.
- Serbia, death rates of, 15.
- Sex, deaths by, 11, 170, 258.
- Skin and cellular tissue, diseases of, deaths from, 116; as contributory cause, 80, 82, 84; by age, 264, 296; by color, 276, 288; by sex, 264; in cities and rural districts, 238.
- Smallpox, deaths from, 24, 114; as contributory cause, 50, 52, 54; by age, 258, 294; by color, 206, 270, 282; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.
 — death rate, 24, 118.
- Softening of the brain, deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
See also Cerebral hemorrhage, etc.
- Soldiers, sailors, and marines, deaths of, 48; by cause, 591, 593; by age, 589; by color, 589.
- Spain, death rates of, 15.
- Spinal cord, diseases of, deaths from, 115; as contributory cause, 62, 64, 66; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.
- Spleen, diseases of, deaths from, 115; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.
- Starvation, deaths from, 117; as contributory cause, 87, 89, 91; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
- States. *See* Registration states.
- Statistics, accuracy of, 48.
- Stomach, diseases of (cancer excepted), deaths from, 115; as contributory cause, 69, 71, 73; by age, 262, 295; by color, 274, 286; by days, weeks, and months, 521; by sex, 262; in cities and rural districts, 237; in each city of 100,000 population or over in 1910, 432.
- Street-car accidents and injuries. *See* Accidents, etc.
- Sudden deaths, number of, 117; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.
See also Puerperal phlegmasia alba dolens, etc.
- Suicide, deaths from, 44, 116; as contributory cause, 81, 83, 85; by age, 266, 296; by color, 207, 278, 290; by month of death, 483; by sex, 266; in cities and rural districts, 238; in each city of 100,000 population or over in 1910, 432.
 — death rate, 44, 119.
- Sweden, death rates of, 15.
- Switzerland, death rates of, 15.
- Syphilis, deaths from, 114; as contributory cause, 56, 58, 60; by age, 258, 294; by color, 270, 282; by days, weeks, and months, 521; by sex, 258; in cities and rural districts, 236.
- Tetanus, deaths from, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by days, weeks, and months, 521; by sex, 258; in cities and rural districts, 236.
- Thrombosis. *See* Embolism, etc.
- Thyroid body, diseases of, deaths from, 115; as contributory cause, 68, 70, 72; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.
- Traumatism, deaths from, 117; as contributory cause, 86, 88, 90; by age, 268, 296; by color, 280, 292; by sex, 268; in cities and rural districts, 238.

Tuberculosis, deaths from, 37, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 206, 270, 282; by days, weeks, and months, 521; by month of death, 483; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.
— death rate, 20, 38, 118.

Tuberculosis of the lungs, deaths from, 38, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 206, 270, 282; by days, weeks, and months, 521; by month of death, 483; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.
— death rate, 38, 118.

Tuberculous meningitis, deaths from, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 206, 270, 282; by days, weeks, and months, 521; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.
— death rate, 118.

Tumors (tumors of the female genital organs excepted), deaths from, 114; as contributory cause, 57, 59, 61; by age, 260, 294; by color, 272, 284; by sex, 260; in cities and rural districts, 236.

Tumors, malignant. *See* Cancer, etc.

Typhlitis. *See* Appendicitis, etc.

Typhoid fever, deaths from, 22, 114; as contributory cause, 50, 52, 54; by age, 258, 294; by color, 206, 270, 282; by month of death, 483; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.

Typhoid fever, death rate, 20, 23, 118.
Typhus fever, deaths from, 114; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.

Ulcer of the stomach, deaths from, 115; as contributory cause, 69, 71, 73; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Undefined causes, deaths from. *See* Accidental, etc., causes.

Urethra, diseases of, urinary abscess, etc., deaths from, 116; as contributory cause, 74, 76, 78; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.

Urinary abscess. *See* Urethra, etc.

Uterine hemorrhage (nonpuerperal), deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.

Uterine tumor (noncancerous), deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.

Uterus, diseases of, deaths from, 116; as contributory cause, 75, 77, 79; by age, 264, 295; by color, 276, 288; in cities and rural districts, 237.

Varices. *See* Veins, diseases of, etc.

Veins, diseases of (varices, hemorrhoids, phlebitis, etc.), deaths from, 115; as contributory cause, 63, 65, 67; by age, 262, 295; by color, 274, 286; by sex, 262; in cities and rural districts, 237.

Violent deaths (excluding suicide), number of, 44; by age, 268, 296; by color, 207, 280, 292; by month of death, 483; by sex, 268; in cities and rural districts, 268; in each city of 100,000 population or over in 1910, 432.
— death rate, 119.

Wales. *See* England, etc.

White population, deaths of, 94, 133; by age, 144, 170, 270; by cause, 206, 270; by nativity, 133, 170; by sex, 11, 170, 270; in cities and rural districts, 94. *See also* Foreign-born white population and Native white population.
— death rate, 12.

White swellings, deaths from, 114; as contributory cause, 51, 53, 55; by age, 258, 294; by color, 270, 282; by sex, 258; in cities and rural districts, 236.

Whooping cough, deaths from, 25, 114; as contributory cause, 50, 52, 54; by age, 258, 294; by color, 206, 270, 282; by days, weeks, and months, 521; by month of death, 483; by sex, 258; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 432.
— death rate, 20, 21, 26, 118.

Yellow atrophy of the liver, acute, deaths from, 115; as contributory cause, 69, 71, 73; by age, 264, 295; by color, 276, 288; by sex, 264; in cities and rural districts, 237.

Yellow fever, deaths from, 114; by age, 258; by color, 270, 282; by sex, 258; in cities and rural districts, 236.